



NV

March 31, 2022

Monica Smith
 Environmental Specialist
 Harvest Four Corners
 1755 Arroyo Drive
 Bloomfield, NM 87413

Subject: **2021 Annual Groundwater Report**
Jicarilla Contract 147-6
Incident Number: nAUTOOfAB000298
Rio Arriba County, New Mexico

INTRODUCTION

WSP USA Inc. (WSP) has prepared this report on behalf of Harvest Four Corners, LLC (Harvest) detailing groundwater monitoring activities completed in May 2021 at the Jicarilla Contract 147-6 natural gas production well (Site), Administrative Environmental Order Number 3RP-325-0, incident number nAUTOOfAB000298. The scope of work for this project is continued monitoring of the petroleum hydrocarbon impacts to groundwater resulting from a release from a former unlined dehydrator pit.

LOCATION

The Site is located at latitude 36.433803 and longitude -107.403562 in Unit C, Section 6, Township 25 North, Range 5 West (Figure 1). The Site is adjacent to a tributary of Tapacito Creek, which drains into Largo Wash, in the San Juan Basin of Rio Arriba County, New Mexico.

HISTORY

The source of groundwater impact is a former unlined dehydrator pit formerly operated by the Gas Company of New Mexico (GCNM/PNM). In July 1998, over 12,000 cubic yards of impacted soil were excavated from the Site. A groundwater sample collected from the open excavation at approximately 26 feet below ground surface (bgs) contained 1,400 micrograms per liter ($\mu\text{g}/\text{L}$) of benzene, 4,500 $\mu\text{g}/\text{L}$ of toluene, 580 $\mu\text{g}/\text{L}$ of ethylbenzene, and 6,800 $\mu\text{g}/\text{L}$ of total xylenes. In January 1999, five monitoring wells (MW-1, MW-2, MW-3, MW-4, and MW-5) were installed. Based on the analytical results of groundwater sampling, an additional five monitoring wells (MW-6, MW-7, MW-8, MW-9, and MW-10) were installed in 1999 and 2000. Over time, three monitoring wells (MW-4, MW-5, and MW-7) located near a wash adjacent to the Site were destroyed by erosion. Records regarding these activities are in previous groundwater reports submitted to the New Mexico Oil Conservation Division (NMOCD). Williams purchased the GCNM facility from PNM in 2000 and assumed environmental liability for the former unlined dehydrator pit. Between 2000 and December 2012, Williams monitored groundwater quality in the monitoring wells at the Site. Williams installed two monitoring wells (MW-11 and MW-12) on October 21, 2013, to better understand Site conditions. Williams installed two additional monitoring wells (MW-13 and MW-14) on November 20, 2017. In 2018, Harvest purchased the facility from Williams and assumed environmental liability for the Site. Monitoring well MW-12 was destroyed by erosion before the 2020 groundwater sampling event and monitoring wells MW-9 and MW-13 were destroyed by erosion between the 2020 and 2021 sampling events.

WSP USA
 848 EAST 2ND AVENUE
 DURANGO CO 81301

Tel.: 970-385-1096
wsp.com

Page 1



METHODOLOGY

WSP monitored groundwater elevations and collected groundwater samples in May 2021. Groundwater monitoring consisted of measuring groundwater elevations in ten existing monitoring wells and sampling groundwater in monitoring wells MW-3, MW-6, MW-11, and MW-14. Upgradient monitoring wells MW-1, MW-2, MW-8, and MW-10 were not sampled due to eight previous quarters of sampling and documenting benzene, toluene, ethylbenzene, and total xylenes (BTEX) concentrations that were compliant with New Mexico Water Quality Control Commission (NMWQCC) standards.

WATER LEVEL MEASUREMENTS

WSP measured depth to groundwater in the monitoring wells and investigated the presence of phase-separated hydrocarbons (PSH) with an oil/water interface probe. The interface probe was decontaminated with Alconox™ soap and rinsed with distilled water prior to each measurement. These data are summarized in Table 1.

GROUNDWATER SAMPLING

Prior to sampling groundwater, WSP measured depth to groundwater and total depth of monitoring wells with an oil/water interface probe. The volume of groundwater in each monitoring well was calculated and a minimum of three well casing volumes of groundwater was purged from each well using a new, disposable polyvinyl chloride (PVC) bailer. As water was removed from the monitoring well, pH, electrical conductivity (EC), and temperature were measured. Monitoring wells were purged until these properties stabilized, indicating the purge water was representative of aquifer conditions, or until the well was purged dry. Purge water was containerized and disposed of at a facility designated by Harvest. Copies of the 2021 groundwater collection field forms are presented in Enclosure A.

Once each monitoring well was properly purged, groundwater samples were collected by filling three 40-milliliter (mL) glass vials. The laboratory-supplied vials were filled and capped with zero headspace to prevent degradation of the sample. Samples were labeled and immediately sealed, packed on ice, and transferred to Hall Environmental Analysis Laboratory (HEAL) under chain-of-custody (COC) procedures for analysis of BTEX using United States Environmental Protection Agency (EPA) Method 8021. COC forms were completed documenting the date and time sampled, sample number, type of sample, sampler's name, preservative used (if any), analyses required, and sampler's signature. Laboratory analytical reports are included as Enclosure B.

GROUNDWATER CONTOUR MAPS

WSP used existing top-of-casing well elevations and measured groundwater elevations to generate groundwater potentiometric surfaces and determine groundwater flow direction for the May 2021 monitoring event (Figure 2). All existing monitoring wells were surveyed by Williams personnel on January 3, 2018, and top-of-casing elevations for that surveying event were used for the groundwater contour map. Potentiometric surfaces were inferred based on groundwater elevations obtained and observations of physical characteristics at the Site, such as topography and proximity to irrigation ditches.

RESULTS

Depth to groundwater measurements from 2021 are summarized in Table 1. PSH was not observed in 2021. Groundwater flow direction was determined to be to the north-northwest at the Site, which is consistent with previous monitoring events (Figure 2).

WSP USA
848 EAST 2ND AVENUE
DURANGO CO 81301

Tel.: 970-385-1096
wsp.com



In May 2021, groundwater from monitoring wells MW-3 and MW-6 exceeded the NMWQCC groundwater standards for benzene with concentrations of 180 µg/L and 640 µg/L, respectively. Table 2 summarizes the groundwater analytical results and complete copies of the laboratory analytical reports are included in Enclosure B.

CONCLUSIONS

Laboratory analytical results indicate that groundwater samples collected from monitoring well MW-3 and MW-6 contain concentrations of benzene that exceed the NMWQCC groundwater standards. BTEX concentrations are within range of historic sampling result and are continually decreasing in monitoring wells MW-3 and MW-6. The impacted groundwater plume remains stable, with similar gradient and flow direction. Detectable groundwater sample results from downgradient well MW-14 contained no detectable concentrations of BTEX, suggesting the dissolved phase impacts are not migrating.

MONITORING PLAN

Harvest will continue to monitor groundwater elevations and for the presence of PSH in the existing monitoring wells annually. Harvest will continue to collect groundwater samples annually from monitoring wells MW-3, MW-6, MW-11, and MW-14 to monitor impacts to groundwater.

Kind regards,

Eric Carroll
Consultant, Geologist

Brooke Herb
Senior Consultant, Geologist

Encl.

Figure 1: Site Location Map
Figure 2: Groundwater Elevations and Analytical Results (May 2021)


Table 1: Groundwater Elevation Summary
Table 2: Groundwater Analytical Results

Enclosure A: Sample Collection Forms
Enclosure B: Laboratory Analytical Results

WSP USA
848 EAST 2ND AVENUE
DURANGO CO 81301

Tel.: 970-385-1096
wsp.com

FIGURES

**LEGEND**

SITE LOCATION


0 2,000 4,000
Feet



FIGURE 1
SITE LOCATION MAP
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

HARVEST FOUR CORNERS, LLC

WSP



TABLES

TABLE 1

GROUNDWATER ELEVATIONS SUMMARY
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well ID	Date	Top of Casing Elevation (feet AMSL)	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet AMSL)
MW-1	3/4/2013	6,435.75	21.85	NP	NP	6,413.90
MW-1**	6/25/2013	6,440.95	22.51	NP	NP	6,418.44
MW-1	12/2/2013	6,440.95	21.11	NP	NP	6,419.84
MW-1	6/16/2014	6,440.95	21.82	NP	NP	6,419.13
MW-1	12/2/2014	6,440.95	21.76	NP	NP	6,419.19
MW-1	6/18/2015	6,440.95	21.90	NP	NP	6,419.05
MW-1	9/25/2015	6,440.95	21.72	NP	NP	6,419.23
MW-1	12/18/2015	6,440.95	21.61	NP	NP	6,419.34
MW-1	6/14/2016	6,440.95	21.99	NP	NP	6,418.96
MW-1	6/27/2017	6,440.95	22.90	NP	NP	6,418.05
MW-1	6/26/2018	6,440.95	23.19	NP	NP	6,417.76
MW-1	6/26/2019	6,440.95	23.12	NP	NP	6,417.83
MW-1	6/15/2020	6,440.95	24.27	NP	NP	6,416.68
MW-1	5/28/2021	6,440.95	24.47	NP	NP	6,416.48
<hr/>						
MW-2*	3/4/2013	6,432.70	22.34	22.33	0.01	6,411.17
MW-2**	6/25/2013	6,437.27	22.90	NP	NP	6,414.37
MW-2	12/2/2013	6,437.27	21.76	NP	NP	6,415.51
MW-2	6/16/2014	6,437.27	22.39	NP	NP	6,414.88
MW-2	12/2/2014	6,437.27	22.33	NP	NP	6,414.94
MW-2	6/18/2015	6,437.27	22.41	NP	NP	6,414.86
MW-2	9/25/2015	6,437.27	22.76	NP	NP	6,414.51
MW-2	12/18/2015	6,437.27	22.31	NP	NP	6,414.96
MW-2	6/14/2016	6,437.27	22.46	NP	NP	6,414.81
MW-2	6/27/2017	6,437.27	23.06	NP	NP	6,414.21
MW-2	6/26/2018	6,437.27	DRY	NP	NP	DRY
MW-2	6/26/2019	6,437.27	DRY	NP	NP	DRY
MW-2	6/15/2020	6,437.27	DRY	NP	NP	DRY
MW-2	5/28/2021	6,437.27	DRY	NP	NP	DRY
<hr/>						
MW-3	3/4/2013	6,422.80	21.26	NP	NP	6,401.54
MW-3**	6/25/2013	6,427.87	21.37	NP	NP	6,406.50
MW-3	12/2/2013	6,427.87	21.44	NP	NP	6,406.43
MW-3	6/16/2014	6,427.87	20.73	NP	NP	6,407.14
MW-3	12/9/2014	6,427.87	21.59	NP	NP	6,406.28
MW-3	6/18/2015	6,427.87	20.58	NP	NP	6,407.29
MW-3	9/25/2015	6,427.87	21.61	NP	NP	6,406.26
MW-3	12/18/2015	6,427.87	21.38	NP	NP	6,406.49
MW-3	6/14/2016	6,427.87	20.57	NP	NP	6,407.30
MW-3	6/27/2017	6,427.87	21.04	NP	NP	6,406.83

TABLE 1

GROUNDWATER ELEVATIONS SUMMARY
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well ID	Date	Top of Casing Elevation (feet AMSL)	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet AMSL)
MW-3***	12/1/2017	6,427.63	21.72	21.70	0.02	6,405.93
MW-3	6/26/2018	6,427.63	21.28	NP	NP	6,406.35
MW-3	6/26/2019	6,427.63	21.08	NP	NP	6,406.55
MW-3	6/15/2020	6,427.63	21.60	NP	NP	6,406.03
MW-3	5/28/2021	6,427.63	21.54	NP	NP	6,406.09
MW-4	3/4/2013	DEST	DEST	DEST	DEST	DEST
MW-5	3/4/2013	DEST	DEST	DEST	DEST	DEST
MW-6	3/4/2013	6,426.77	25.61	NP	NP	6,401.16
MW-6**	6/25/2013	6,431.94	26.14	NP	NP	6,405.80
MW-6	12/2/2013	6,431.94	26.08	NP	NP	6,405.86
MW-6	6/16/2014	6,431.94	25.39	NP	NP	6,406.55
MW-6	12/2/2014	6,431.94	26.31	NP	NP	6,405.63
MW-6	6/18/2015	6,431.94	25.21	NP	NP	6,406.73
MW-6	9/25/2015	6,431.94	26.47	NP	NP	6,405.47
MW-6	12/18/2015	6,431.94	26.09	NP	NP	6,405.85
MW-6	6/14/2016	6,431.94	25.26	NP	NP	6,406.68
MW-6	6/27/2017	6,431.94	25.80	NP	NP	6,406.14
MW-6***	12/1/2017	6,431.71	26.34	26.32	0.02	6,405.39
MW-6	6/26/2018	6,431.71	26.27	NP	NP	6,405.44
MW-6	6/26/2019	6,431.71	25.85	NP	NP	6,405.86
MW-6	6/15/2020	6,431.71	26.29	NP	NP	6,405.42
MW-6	5/28/2021	6,431.71	26.00	NP	NP	6,405.71
MW-7	3/4/2013	DEST	DEST	DEST	DEST	DEST
MW-8	3/4/2013	6,430.33	16.36	NP	NP	6,413.97
MW-8**	6/25/2013	6,435.14	17.31	NP	NP	6,417.83
MW-8	12/2/2013	6,435.14	17.65	NP	NP	6,417.49
MW-8	6/16/2014	6,435.14	16.82	NP	NP	6,418.32
MW-8	12/2/2014	6,435.14	16.79	NP	NP	6,418.35
MW-8	6/18/2015	6,435.14	16.62	NP	NP	6,418.52
MW-8	9/25/2015	6,435.14	17.35	NP	NP	6,417.79
MW-8	12/18/2015	6,435.14	16.58	NP	NP	6,418.56
MW-8	6/14/2016	6,435.14	16.80	NP	NP	6,418.34
MW-8	6/27/2017	6,435.14	17.33	NP	NP	6,417.81
MW-8	6/26/2018	6,435.14	17.61	NP	NP	6,417.53
MW-8	6/26/2019	6,435.14	17.37	NP	NP	6,417.77

TABLE 1

GROUNDWATER ELEVATIONS SUMMARY
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well ID	Date	Top of Casing Elevation (feet AMSL)	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet AMSL)
MW-8	6/15/2020	6,435.14	17.90	NP	NP	6,417.24
MW-8	5/28/2021	6,435.14	17.48	NP	NP	6,417.66
MW-9	3/4/2013	6,423.04	28.55	NP	NP	6,394.49
MW-9**	6/25/2013	6,428.08	28.83	NP	NP	6,399.25
MW-9	12/2/2013	6,428.08	28.65	NP	NP	6,399.43
MW-9	6/16/2014	6,428.08	28.08	NP	NP	6,400.00
MW-9	12/2/2014	6,428.08	28.45	NP	NP	6,399.63
MW-9	6/18/2015	6,428.08	27.83	NP	NP	6,400.25
MW-9	9/25/2015	6,428.08	28.86	NP	NP	6,399.22
MW-9	12/18/2015	6,428.08	28.52	NP	NP	6,399.56
MW-9	6/14/2016	6,428.08	28.64	NP	NP	6,399.44
MW-9	6/27/2017	6,428.08	28.29	NP	NP	6,399.79
MW-9	6/26/2018	6,428.08	28.45	NP	NP	6,399.63
MW-9	6/26/2019	6,428.08	28.11	NP	NP	6,399.97
MW-9	6/15/2020	6,428.08	28.78	NP	NP	6,399.30
MW-9	5/28/2021	DEST	DEST	DEST	DEST	DEST
MW-10*	3/4/2013	6,435.38	20.90	20.89	0.01	6,415.29
MW-10**	6/25/2013	6,440.48	21.59	NP	NP	6,418.89
MW-10	12/2/2013	6,440.48	20.93	NP	NP	6,419.55
MW-10	6/16/2014	6,440.48	21.14	NP	NP	6,419.34
MW-10	12/2/2014	6,440.48	21.17	NP	NP	6,419.31
MW-10	6/18/2015	6,440.48	21.01	NP	NP	6,419.47
MW-10	9/25/2015	6,440.48	21.56	NP	NP	6,418.92
MW-10	12/18/2015	6,440.48	21.01	NP	NP	6,419.47
MW-10	6/14/2016	6,440.48	21.12	NP	NP	6,419.36
MW-10	6/27/2017	6,440.48	21.63	NP	NP	6,418.85
MW-10	6/26/2018	6,440.48	21.76	NP	NP	6,418.72
MW-10	6/26/2019	6,440.48	21.56	NP	NP	6,418.92
MW-10	6/15/2020	6,440.48	22.10	NP	NP	6,418.38
MW-10	5/28/2021	6,440.48	21.75	NP	NP	6,418.73
MW-11	12/2/2013	6,433.46	24.38	NP	NP	6,409.08
MW-11	6/16/2014	6,433.46	24.35	NP	NP	6,409.11
MW-11	12/2/2014	6,433.46	24.46	NP	NP	6,409.00
MW-11	6/18/2015	6,433.46	24.30	NP	NP	6,409.16
MW-11	9/25/2015	6,433.46	24.68	NP	NP	6,408.78
MW-11	12/18/2015	6,433.46	24.32	NP	NP	6,409.14
MW-11	6/14/2016	6,433.46	24.30	NP	NP	6,409.16

TABLE 1

GROUNDWATER ELEVATIONS SUMMARY
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well ID	Date	Top of Casing Elevation (feet AMSL)	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet AMSL)
MW-11	6/27/2017	6,433.46	24.36	NP	NP	6,409.10
MW-11***	12/1/2017	6,432.86	24.35	NP	NP	6,408.51
MW-11	6/26/2018	6,432.86	24.43	NP	NP	6,408.43
MW-11	6/26/2019	6,432.86	24.22	NP	NP	6,408.64
MW-11	6/15/2020	6,432.86	24.69	NP	NP	6,408.17
MW-11	5/28/2021	6,432.86	24.46	NP	NP	6,408.40
<hr/>						
MW-12	12/2/2013	6,429.62	21.87	NP	NP	6,407.75
MW-12	6/16/2014	6,429.62	21.65	NP	NP	6,407.97
MW-12	12/2/2014	6,429.62	22.20	NP	NP	6,407.42
MW-12	6/18/2015	6,429.62	21.50	NP	NP	6,408.12
MW-12	9/25/2015	6,429.62	22.38	NP	NP	6,407.24
MW-12	12/18/2015	6,429.62	22.03	NP	NP	6,407.59
MW-12	6/14/2016	6,429.62	21.49	NP	NP	6,408.13
MW-12	6/27/2017	6,429.62	21.98	NP	NP	6,407.64
MW-12***	12/1/2017	6,428.74	22.25	NP	NP	6,406.49
MW-12	6/26/2018	6,428.74	22.21	NP	NP	6,406.53
MW-12	6/26/2019	6,428.74	15.29	NP	NP	UNK
MW-12	6/15/2020	DEST	DEST	DEST	DEST	DEST
MW-12	5/28/2021	DEST	DEST	DEST	DEST	DEST
<hr/>						
MW-13	12/1/2017	6,422.01	13.10	NP	NP	6,408.91
MW-13	6/26/2018	6,422.01	DRY	NP	NP	DRY
MW-13	6/26/2019	6,422.01	DRY	NP	NP	DRY
MW-13	6/15/2020	6,422.01	DRY	NP	NP	DRY
MW-13	6/15/2020	DEST	DEST	DEST	DEST	DEST
<hr/>						
MW-14	12/1/2017	6,428.45	23.28	NP	NP	6,405.17
MW-14	6/26/2018	6,428.45	23.50	NP	NP	6,404.95
MW-14	6/26/2019	6,428.45	22.50	NP	NP	6,405.95
MW-14	6/15/2020	6,428.45	22.98	NP	NP	6,405.47
MW-14	5/28/2021	6,428.45	23.06	NP	NP	6,405.39

Notes:

** - Top of casing elevation was resurveyed on 6/19/13

DEST - well has been destroyed

*** - Top of casing elevation was resurveyed on 1/3/2018

NP - no product

AMSL - above mean sea level

UNK - Unknown

BTOC - below top of casing

TABLE 2

GROUNDWATER LABORATORY ANALYTICAL RESULTS
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well Name	Sample Date	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)
NMWQCC Standard ($\mu\text{g}/\text{L}$)		5	1000	700	620
MW-1	1/28/1999	<0.5	1.5	<0.5	2.6
MW-1	4/14/1999	<0.5	<0.5	<0.5	<1.5
MW-1	9/27/1999	<0.5	<0.5	<0.5	<1.5
MW-1	11/15/1999	<0.5	<0.5	<0.5	<1.5
MW-1	2/13/2001	<1	<1	<1	<1
MW-1	5/9/2001	<1	<1	<1	<1
MW-1	11/2/2001	<1.0	3.1	<2.0	<2.0
MW-1	3/20/2010	<1.0	<1.0	<1.0	<3.0
MW-1	6/22/2010	<1.0	<1.0	<1.0	<3.0
MW-1	9/16/2010	<1.0	<1.0	<1.0	<3.0
MW-1	12/8/2010	<1.0	<1.0	<1.0	<3.0
MW-1	3/10/2011	<1.0	<1.0	<1.0	<3.0
MW-1	6/15/2011	<1.0	<1.0	<1.0	<3.0
MW-1	9/13/2011	<1.0	<1.0	<1.0	<3.0
MW-1	1/6/2012	<1.0	<1.0	<1.0	<3.0
MW-1	4/6/2012	<1.0	<1.0	<1.0	<3.0
MW-1	6/12/2012	<1.0	<1.0	<1.0	<3.0
MW-1	9/27/2012	<1.0	<1.0	<1.0	<3.0
MW-1	12/7/2012	<1.0	<1.0	<1.0	<3.0
MW-1	3/4/2013	<1.0	<1.0	<1.0	<2.0
MW-1	6/25/2013	<2.0	<2.0	<2.0	<4.0
MW-2	1/28/1999*	490	38	<5	1,700
MW-2	4/14/1999*	230	<5	<5	671
MW-2	10/14/1999	55	<0.5	2.6	196.5
MW-2	11/15/1999	130	<0.5	15	272
MW-2	3/20/2000	140	5.3	120	440*
MW-2	6/6/2000	52	<0.5	48	46
MW-2	2/13/2001	124	14.8	72.3	681
MW-2	5/9/2001	35.4	15.1	27	23
MW-2	11/2/2001	150	3.4	120	1,200
MW-2	9/24/2003	2.8	5.1	2.8	<5.0
MW-2	12/17/2003	2.5	5.9	<2.0	<5.0
MW-2	9/19/2004	<2.0	3.2	<2.0	<5.0
MW-2	12/4/2004	<2.0	2.4	<2.0	<5.0
MW-2	3/9/2005*	23	13	<10	<25
MW-2	9/17/2005	<2.0	<2.0	4.3	<5.0
MW-2	12/1/2005	<2.0	2.8	<2.0	<5.0
MW-2	3/20/2010	<1.0	<1.0	<1.0	<3.0

TABLE 2

GROUNDWATER LABORATORY ANALYTICAL RESULTS
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well Name	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standard (µg/L)		5	1000	700	620
MW-2	6/22/2010	<1.0	<1.0	<1.0	<3.0
MW-2	9/16/2010	<1.0	<1.0	<1.0	4.8
MW-2	12/8/2010	<1.0	<1.0	<1.0	<3.0
MW-2	3/10/2011	<1.0	<1.0	<1.0	<3.0
MW-2	6/15/2011	<1.0	<1.0	<1.0	<3.0
MW-2	9/13/2011	<1.0	<1.0	<1.0	17.8
MW-2	1/6/2012	<1.0	<1.0	<1.0	<3.0
MW-2	4/6/2012	<1.0	<1.0	<1.0	<3.0
MW-2	6/12/2012	<1.0	<1.0	<1.0	<3.0
MW-2	9/27/2012	<1.0	<1.0	<1.0	18.5
MW-2	12/7/2012	<1.0	<1.0	<1.0	<3.0
MW-2	3/4/2013	NS	NS	NS	NS
MW-2	6/25/2013	<2.0	<2.0	8.1	19
MW-3	1/28/1999	7,100	5,900	260	4,130
MW-3	4/14/1999	6,700	3,100	220	3,360
MW-3	9/27/1999*	5,800	2,800	260	3,560
MW-3	11/15/1999*	5,200	1,800	200	2,970
MW-3	3/20/2000*	3,900	460	230	1,710
MW-3	6/7/2000*	4,400	64	190	1,232
MW-3	2/13/2001	7,250	1,660	305	5,800
MW-3	5/9/2001	7,810	1,860	531	7,610
MW-3	11/2/2001	6,700	7,400	420	7,900
MW-3	9/24/2003*	5,800	7,300	320	5,700
MW-3	12/17/2003	4,900	5,300	280	5,200
MW-3	9/19/2004*	5,400	9,500	310	6,500
MW-3	12/4/2004*	5,700	11,000	330	7,100
MW-3	3/9/2005*	4,700	7,900	280	5,600
MW-3	6/16/2005*	6,100	9,800	380	6,600
MW-3	9/17/2005	4,500	10,000	260	5,900
MW-3	12/1/2005*	5,570	9,970	324	6,760
MW-3	3/20/2010	3,590	1,990	252	2,310
MW-3	6/22/2010	2,710	1,080	191	1,170
MW-3	9/16/2010	3,240	3,630	219	2,210
MW-3	12/8/2010	2,950	3,380	229	1,900
MW-3	3/10/2011	1,800	729	122	1,900
MW-3	6/15/2011	2,150	1,710	124	1,000
MW-3	9/13/2011	3,460	4,500	330	4,670
MW-3	1/6/2012	1,790	1,970	144	1,400

TABLE 2

GROUNDWATER LABORATORY ANALYTICAL RESULTS
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well Name	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standard (µg/L)		5	1000	700	620
MW-3	4/6/2012	1,900	127	955	1,040
MW-3	6/12/2012	2,700	203	4,990	2,890
MW-3	9/27/2012	2,070	194	4,380	2,690
MW-3	12/7/2012	1,650	145	1,810	1,630
MW-3	3/4/2013	1,200	720	88	680
MW-3	6/25/2013	2,300	3,300	250	4,000
MW-3	12/2/2013	2,900	7,700	350	5,700
MW-3	6/16/2014	1,700	1,400	120	3,100
MW-3	12/2/2014	910	600	110	1,500
MW-3	6/18/2015	2,300	7,300	300	6,000
MW-3	6/14/2016	930	820	130	2,200
MW-3	6/27/2017	1,500	1,700	280	4,700
MW-3	6/26/2018	540	<50	<50	2,100
MW-3	6/26/2019	100	13	15	310
MW-3	6/15/2020	570	110	200	2,000
MW-3	5/28/2021	180	<2.0	91	590
<hr/>					
MW-4	1/28/1999*	1,500	10,000	810	9,300
MW-4	4/14/1999*	280	30	5.0	500
MW-4	9/27/1999	56	<0.5	3.6	22
MW-4	11/15/1999	120	<0.5	8.1	41.5
MW-4	3/20/2000	250	<0.5	45	47
MW-4	6/7/2000	270	1.6	5.6	10.2
MW-4	2/13/2001	353	3.85	69.5	59.8
MW-4	5/9/2001	684	6.10	110	97.2
MW-4	11/2/2001	480	7.9	84	34
MW-4	9/24/2003	190	45	57	60
MW-4	12/17/2003	200	2.9	58	<5.0
MW-4	12/4/2004	170	<2.0	49	<5.0
MW-4	9/19/2004	55	<2.0	14	<5.0
MW-4	3/9/2005	68	<2.0	22	18
MW-4	6/16/2005	130	<2.0	40	<5.0
MW-4	9/17/2005	100	<2.0	38	55
MW-4	12/6/2005	100	<2.0	36.6	<5.0
MW-4	4/6/2012	NS	NS	NS	NS
MW-4	6/12/2012	NS	NS	NS	NS
MW-4	9/27/2012	NS	NS	NS	NS
MW-4	12/7/2012	NS	NS	NS	NS
MW-4**	3/4/2013	<2.0	<2.0	<2.0	<4.0

TABLE 2

GROUNDWATER LABORATORY ANALYTICAL RESULTS
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well Name	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standard (µg/L)		5	1000	700	620
MW-4**	6/25/2013	DEST	DEST	DEST	DEST
MW-5	1/28/1999*	1,600	10,000	820	9,500
MW-5	4/14/1999*	310	26	3.6	479
MW-5	9/27/1999	<0.5	<0.5	1.5	2
MW-5	11/15/1999*	<2.5	6	39.0	<3.0
MW-5	3/20/2000	5.1	<0.5	210.0	8.0
MW-5	6/7/2000	1.5	<0.5	3.3	2.9
MW-5	2/13/2001	3.49	<1	222	31.5
MW-5	5/9/2001	4.68	20.8	244	28.7
MW-5	11/2/2001	2.8	<2.0	200	13
MW-5	3/4/2013	DEST	DEST	DEST	DEST
MW-6	9/27/1999*	16,000	460.0	280	1,299
MW-6	11/15/1999*	20,000	940	330	1,640
MW-6	3/20/2000*	18,000	630	380	1,530
MW-6	6/7/2000*	19,000	820	370	1,960
MW-6	2/13/2001	22,300	60	358	1,560
MW-6	5/9/2001	33,900	2,310	577	3,820
MW-6	11/2/2001	31,000	2,200	730	4,500
MW-6	9/24/2003*	18,000	1,200	370	2,000
MW-6	12/17/2003*	21,000	<400	500	2,200
MW-6	12/4/2004*	16,000	120	360	1,800
MW-6	9/19/2004*	18,000	1,900	380	2,300
MW-6	3/9/2005*	19,000	810	410	2,100
MW-6	6/16/2005*	24,000	<400	620	2,500
MW-6	9/17/2005	15,000	370	380	1,400
MW-6	12/1/2005*	15,600	957	460	2,580
MW-6	3/20/2010	19,400	10,900	570	3,330
MW-6	6/22/2010	13,500	<100	411	16,740
MW-6	9/16/2010	10,200	2,190	280	1,410
MW-6	12/8/2010	10,000	495	380	1,510
MW-6	3/10/2011	13,000	4,260	380	1,740
MW-6	6/15/2011	14,400	518	364	1,450
MW-6	9/13/2011	12,300	2,570	498	2,730
MW-6	1/6/2012	11,600	730	339	1,660
MW-6	4/6/2012	13,800	333	3,070	1,590
MW-6	6/12/2012	13,000	406	1,010	1,560
MW-6	9/27/2012	10,300	360	3,430	2,070

TABLE 2

GROUNDWATER LABORATORY ANALYTICAL RESULTS
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well Name	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
NMWQCC Standard (µg/L)		5	1000	700	620
MW-6	12/7/2012	10,200	315	1,540	1,760
MW-6	3/4/2013	7,900	180	5.4	300
MW-6	6/25/2013	10,000	270	340	920
MW-6	12/2/2013	8,400	250	250	930
MW-6	6/16/2014	9,300	<100	270	350
MW-6	12/2/2014	6,600	120	210	700
MW-6	6/18/2015	5,600	<10	<10	120
MW-6	12/18/2015	NS	NS	NS	NS
MW-6	6/14/2016	5,200	<50	170	200
MW-6	6/27/2017	4,400	<5.0	140	130
MW-6	6/26/2018	4,900	<5.0	180	240
MW-6	6/26/2019	4,300	<5.0	150	280
MW-6	6/15/2020	3,800	<5.0	150	230
MW-6	5/28/2021	640	<5.0	62	14
MW-7	10/14/1999	30	120	8.9	165
MW-7	11/15/1999	0.5	1.3	0.5	4.6
MW-7	3/20/2000	5.5	0.8	0.9	4.7
MW-7	6/7/2000	<0.5	<0.5	<0.5	<1.5
MW-7	2/13/2001	<1	<1	<1	<1
MW-7	5/9/2001	4.00	<1	<1	<1
MW-7	11/2/2001	16	<2.0	<2.0	2
MW-7	4/6/2012	NS	NS	NS	NS
MW-7	6/12/2012	NS	NS	NS	NS
MW-7	9/27/2012	NS	NS	NS	NS
MW-7	12/7/2012	NS	NS	NS	NS
MW-7	3/4/2013	DEST	DEST	DEST	DEST
MW-8	3/20/2000*	2,400	2,300	55.0	540
MW-8	6/7/2000*	1,100	130	27.0	106.7
MW-8	2/13/2001	613	16.2	13.0	12.4
MW-8	5/9/2001	182	3.65	6.98	2.41
MW-8	11/2/2001	370	<2.0	8.9	2.0
MW-8	9/24/2003	78	2.2	4.2	<5.0
MW-8	12/17/2003	55	<2.0	3.2	<5.0
MW-8	12/4/2004	19	<2.0	<2.0	<5.0
MW-8	9/19/2004	81	<2.0	2.8	<5.0
MW-8	3/9/2005	210*	4.6	5.2	8.6
MW-8	6/16/2005	43	<2.0	<2.0	<5.0

TABLE 2

GROUNDWATER LABORATORY ANALYTICAL RESULTS
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well Name	Sample Date	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)
NMWQCC Standard ($\mu\text{g}/\text{L}$)		5	1000	700	620
MW-8	9/17/2005	38	<2.0	<2.0	<5.0
MW-8	12/1/2005	23	<2.0	<2.0	<5.0
MW-8	3/20/2010	6.3	<1.0	<1.0	<3.0
MW-8	6/22/2010	3.0	<1.0	<1.0	<3.0
MW-8	9/16/2010	22.9	<1.0	<1.0	<3.0
MW-8	12/8/2010	<1.0	<1.0	<1.0	<3.0
MW-8	3/10/2011	2	<1.0	<1.0	<3.0
MW-8	6/15/2011	4.1	<1.0	<1.0	<3.0
MW-8	9/13/2011	1.9	<1.0	<1.0	<3.0
MW-8	1/6/2012	2.4	<1.0	<1.0	<3.0
MW-8	4/6/2012	<1.0	<1.0	<1.0	<3.0
MW-8	6/12/2012	2.5	<1.0	<1.0	<3.0
MW-8	9/27/2012	<1.0	<1.0	<1.0	<3.0
MW-8	12/7/2012	<1.0	<1.0	<1.0	<3.0
MW-8	3/4/2013	<1.0	<1.0	<1.0	<2.0
<hr/>					
MW-9	3/20/2000	<0.5	1.4	<0.5	1.5
MW-9	6/7/2000	<0.5	<0.5	<0.5	<1.5
MW-9	2/13/2001	<1	<1	<1	<1
MW-9	5/9/2001	<1	<1	<1	<1
MW-9	11/2/2001	150	<2.0	<2.0	<2.0
MW-9	9/24/2003	86	<2.0	<2.0	<5.0
MW-9	12/17/2003	69	<2.0	<2.0	<5.0
MW-9	12/4/2004	5.2	<2.0	<2.0	<5.0
MW-9	9/19/2004	45	<2.0	<2.0	<5.0
MW-9	3/9/2005	3.8	<2.0	<2.0	<5.0
MW-9	6/16/2005	<2.0	<2.0	<2.0	<5.0
MW-9	9/17/2005	<2.0	<2.0	<2.0	<5.0
MW-9	12/1/2005	<2.0	<2.0	<2.0	<5.0
MW-9	3/20/2010	<1.0	<1.0	<1.0	<3.0
MW-9	6/22/2010	<1.0	<1.0	<3.0	<3.0
MW-9	9/16/2010	8.6	<1.0	<1.0	<3.0
MW-9	12/8/2010	7.8	<1.0	<1.0	<3.0
MW-9	3/10/2011	<1.0	<1.0	<1.0	<3.0
MW-9	6/15/2011	<1.0	<1.0	<1.0	<3.0
MW-9	9/13/2011	<1.0	<1.0	<1.0	<3.0
MW-9	1/6/2012	<1.0	<1.0	<1.0	<3.0
MW-9	4/6/2012	<1.0	<1.0	<1.0	<3.0
MW-9	6/12/2012	<1.0	2.1	<1.0	<3.0

TABLE 2

GROUNDWATER LABORATORY ANALYTICAL RESULTS
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well Name	Sample Date	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)
NMWQCC Standard ($\mu\text{g}/\text{L}$)		5	1000	700	620
MW-9	9/27/2012	<1.0	<1.0	<1.0	<3.0
MW-9	12/7/2012	<1.0	<1.0	<1.0	<3.0
MW-9	3/4/2013	<2.0	<2.0	<2.0	<4.0
MW-9	6/25/2013	<2.0	<2.0	<2.0	<4.0
MW-9	6/27/2017	<1.0	<1.0	<1.0	<1.5
MW-9	6/26/2018	<1.0	<1.0	<1.0	<1.5
MW-9	6/26/2019	<1.0	<1.0	<1.0	<2.0
MW-9	6/15/2020	<1.0	<1.0	<1.0	<2.0
MW-9	5/28/2021	DEST	DEST	DEST	DEST
MW-10	3/20/2000	0.8	2.9	<0.5	1.5
MW-10	6/7/2000	<0.5	<0.5	<0.5	<1.5
MW-10	2/13/2001	<1	<1	1.5	<1
MW-10	5/9/2001	<1	<1	<1	<1
MW-10	11/2/2001	<1.0	<2.0	<2.0	<2.0
MW-10	4/6/2012	NS	NS	NS	NS
MW-10	6/12/2012	NS	NS	NS	NS
MW-10	9/27/2012	NS	NS	NS	NS
MW-10	12/7/2012	<1.0	<1.0	<1.0	<3.0
MW-10	3/4/2013	NS	NS	NS	NS
MW-10	6/25/2013	<2.0	<2.0	<2.0	<4.0
MW-11	12/2/2013	<1.0	6.5	2.7	39
MW-11	6/27/2017	<1.0	<1.0	<1.0	<1.5
MW-11	12/1/2017	<1.0	<1.0	<1.0	<2.0
MW-11	6/26/2018	<1.0	<1.0	<1.0	<1.5
MW-11	6/26/2019	<1.0	<1.0	<1.0	<2.0
MW-11	6/15/2020	<1.0	<1.0	<1.0	<2.0
MW-11	5/28/2021	<1.0	<1.0	<1.0	<2.0
MW-12	12/2/2013	12	<1.0	74	<2.0
MW-12	6/16/2014	3.0	<1.0	42	<2.0
MW-12	12/2/2014	2.7	<1.0	29	<2.0
MW-12	6/18/2015	6.5	<1.0	36	<1.5
MW-12	9/25/2015	<1.0	<1.0	16	<1.5
MW-12	12/18/2015	11	<1.0	56	<2.0
MW-12	6/14/2016	5.2	<1.0	28	<2.0
MW-12	6/27/2017	1.6	<1.0	22	<1.5
MW-12	12/1/2017	2.1	<1.0	25	<2.0

TABLE 2

GROUNDWATER LABORATORY ANALYTICAL RESULTS
JICARILLA CONTRACT 147-6
RIO ARRIBA COUNTY, NEW MEXICO

Well Name	Sample Date	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)
NMWQCC Standard ($\mu\text{g}/\text{L}$)		5	1000	700	620
MW-12	6/26/2018	<1.0	<1.0	4.7	<1.5
MW-12	6/26/2019	2.5	<1.0	3.6	<2.0
MW-12	6/15/2020	DEST	DEST	DEST	DEST
<hr/>					
MW-13	12/1/2017	<2.0	<2.0	<2.0	<4.0
MW-13	6/26/2019	NS-Dry	NS-Dry	NS-Dry	NS-Dry
MW-13	6/15/2020	NS-Dry	NS-Dry	NS-Dry	NS-Dry
MW-13	5/28/2021	DEST	DEST	DEST	DEST
<hr/>					
MW-14	12/1/2017	<2.0	<2.0	<2.0	<4.0
MW-14	6/26/2018	8.1	<1.0	<1.0	47
MW-14	6/26/2019	13	<1.0	<1.0	25
MW-14	6/15/2020	NS	NS	NS	NS
MW-14	5/28/2021	<2.0	<2.0	<2.0	<4.0

Notes:

DEST - monitoring well is destroyed

 $\mu\text{g}/\text{L}$ - micrograms per liter

NMWQCC - New Mexico Water Quality Control Commission

NS - not sampled

< - indicates result is less than laboratory reporting detection limit

* - indicates sample was diluted

** Sample identified as MW-4 on laboratory reports was later determined to be an unknown well and MW-4 was determined to be destroyed

Bold - indicates sample exceeds NMWQCC standard

ENCLOSURE A – GROUNDWATER SAMPLING FORMS



Groundwater Sample Collection Form

WSP USA Inc

848 E. 2nd Ave

Durango, Colorado 81301

T 970.385.1090

Project Name: Annual Groundwater Sampling
Project Number: TE090321008

Sample ID: MW-3
Sample Date: 5-20-21
Laboratory: Hall Environmental
Analyses: BTEX 8021

Depth to Water: 21.54
Time: 1710

Project Location: Jicarilla Contract 147
Sampler: Josh Adams

Sample Time: 1320
Shipping Method: Hand Delivery

Total Depth of Well: 23.16
Depth to Product: No

Vol. of Water to Purge: ~0.25 gall (height of water column * 0.1631 for 2" well or 0.6524 for 4" well) * 3 well vol
Method of Purging: PVC bailer
Method of Sampling: PVC bailer

No parameter

Comments: No parameter Iw, water black cloudy

Describe Deviations from SOP:

used AgCl, grab sample

Signature: 5-28-21

Date: July 1985



WSP USA Inc

848 E. 2nd Ave
Durango, Colorado 81301
T 970 385.1099

Groundwater Sample Collection Form

Project Name: Annual Groundwater Sampling
Project Number: TE090321008

Sample ID: MW-4
Sample Date: 5-28-21
Laboratory: Hall Environmental
Analyses: BTEX 8021

Depth to Water: 26.00
Time: 1250

Project Location: Jicarilla Contract 147
Sampler: Josh Adams

Matrix: Groundwater
Sample Time: 1300
Shipping Method: Hand Delivery

Digitized by srujanika@gmail.com

Vol. of Water to Purge: ~2.5 gallons
(height of water column * 0.1631 for 2" well or 0.6524 for 4" well) * 3 well vol
Method of Purging: PVC bailer
Method of Sampling: PVC bailer

Comments: Samp water was grey/black, no sheen, sulfur odor.

Describe Deviations from SOP:

sampled after removing 0.5 gallons
due to well being dry, used HgCl₂

Signature:

Date: 5-28-21



Groundwater Sample Collection Form

WSP USA Inc.

848 E. 2nd Ave

Durango, Colorado 81301

T 970.385.1096

Project Name: Annual Groundwater Sampling
Project Number: TEC090321008

Sample ID: MW-11
Sample Date: 5-28-21
Laboratory: Hall Environmental
Analyses: BTEX 8021

Depth to Water: 24.46
Time: 1200

Project Location: Jicarilla Contract 147
Sampler: Josh Adams

Sample Time: 1235
Shipping Method: Hand Delivery

Shipping Method: Hand Delivery

Vol. of Water to Purge: ~5.25 gallons (height of water column * 0.1631 for 2" well or 0.6524 for 4" well) * 3 well vols

(height of water column * 0.1631 for 2" well or 0.6524 for 4" well) * 3 well vols

Method of Purging: PVC bailey
Method of Sampling: PVC bailey

Comments: light brown cloudy, no sheen/odor

Describe Deviations from SOP:

Describe Deviations from SOP: Sampled after removing 4.0 gallons
due to well boiling dry, used HgCl₂

Signature:

Date: 5-28-20



Groundwater Sample Collection Form

WSP USA Inc

848 E. 2nd Ave.

Durango, Colorado 81301

T 970.385.1096

Sample ID: MW-14
Sample Date: 5-28-21
Laboratory: Hall Environmental
Analyses: BTEX 8021

Depth to Water: 23.06
Time: 1120

Project Location: Jicarilla Contract 147
Sampler: Josh Adams

Matrix: Groundwater
Sample Time: 1125
Shipping Method: Hand Delivery

Vol. of Water to Purge: ≈ 2.5 gallons (height of water column * 0.1631 for 2" well or 0.6524 for 4" well) * 3 well vol
Method of Purging: PVC Bailey
Method of Sampling: PVC bailer

Comments: sooty light brown cloudy, no sheen/odor

Describe Deviations from SOP:

cribe Deviations from SOP: sampled after removing 0.5 gallons
due to well bailing dry, reacted w/ HCl used HgCl₂

Date: 5-28-21

ENCLOSURE B – LABORATORY ANALYTICAL REPORT



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

June 09, 2021

Monica Smith

Harvest

1755 Arroyo Dr.

Bloomfield, NM 87413

TEL: (505) 632-4475

FAX

RE: Jicarilla Contract 147

OrderNo.: 2106004

Dear Monica Smith:

Hall Environmental Analysis Laboratory received 4 sample(s) on 5/29/2021 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman".

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.**Analytical Report**

Lab Order: 2106004

Date Reported: 6/9/2021

CLIENT:	Harvest	Lab Order:	2106004
Project:	Jicarilla Contract 147		

Lab ID: 2106004-001 **Collection Date:** 5/28/2021 11:25:00 AM

Client Sample ID: MW-14 **Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
EPA METHOD 8021B: VOLATILES							
Benzene	ND	2.0	µg/L	2	6/2/2021 4:42:00 PM	R7881C	
Toluene	ND	2.0	µg/L	2	6/2/2021 4:42:00 PM	R7881C	
Ethylbenzene	ND	2.0	µg/L	2	6/2/2021 4:42:00 PM	R7881C	
Xylenes, Total	ND	4.0	µg/L	2	6/2/2021 4:42:00 PM	R7881C	
Surr: 4-Bromofluorobenzene	83.4	70-130	%Rec	2	6/2/2021 4:42:00 PM	R7881C	

Lab ID: 2106004-002 **Collection Date:** 5/28/2021 12:35:00 PM

Client Sample ID: MW-11 **Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
EPA METHOD 8021B: VOLATILES							
Benzene	ND	1.0	µg/L	1	6/2/2021 5:02:00 PM	R7881C	
Toluene	ND	1.0	µg/L	1	6/2/2021 5:02:00 PM	R7881C	
Ethylbenzene	ND	1.0	µg/L	1	6/2/2021 5:02:00 PM	R7881C	
Xylenes, Total	ND	2.0	µg/L	1	6/2/2021 5:02:00 PM	R7881C	
Surr: 4-Bromofluorobenzene	83.5	70-130	%Rec	1	6/2/2021 5:02:00 PM	R7881C	

Lab ID: 2106004-003 **Collection Date:** 5/28/2021 1:00:00 PM

Client Sample ID: MW-6 **Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
EPA METHOD 8021B: VOLATILES							
Benzene	640	50	µg/L	50	6/2/2021 5:42:00 PM	R7881C	
Toluene	ND	5.0	µg/L	5	6/2/2021 6:02:00 PM	R7881C	
Ethylbenzene	62	5.0	µg/L	5	6/2/2021 6:02:00 PM	R7881C	
Xylenes, Total	14	10	µg/L	5	6/2/2021 6:02:00 PM	R7881C	
Surr: 4-Bromofluorobenzene	88.0	70-130	%Rec	5	6/2/2021 6:02:00 PM	R7881C	

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.**Analytical Report**Lab Order: **2106004**Date Reported: **6/9/2021**

CLIENT:	Harvest	Lab Order:	2106004
Project:	Jicarilla Contract 147		

Lab ID:	2106004-004	Collection Date:	5/28/2021 1:20:00 PM
----------------	-------------	-------------------------	----------------------

Client Sample ID:	MW-3	Matrix:	GROUNDWATER
--------------------------	------	----------------	-------------

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
EPA METHOD 8021B: VOLATILES							
Benzene	180	2.0		µg/L	2	6/2/2021 6:42:00 PM	R7881C
Toluene	ND	2.0		µg/L	2	6/2/2021 6:42:00 PM	R7881C
Ethylbenzene	91	2.0		µg/L	2	6/2/2021 6:42:00 PM	R7881C
Xylenes, Total	590	4.0		µg/L	2	6/2/2021 6:42:00 PM	R7881C
Surr: 4-Bromofluorobenzene	97.4	70-130		%Rec	2	6/2/2021 6:42:00 PM	R7881C

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

*	Value exceeds Maximum Contaminant Level.
D	Sample Diluted Due to Matrix
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
PQL	Practical Quantitative Limit
S	% Recovery outside of range due to dilution or matrix

B	Analyte detected in the associated Method Blank
E	Value above quantitation range
J	Analyte detected below quantitation limits
P	Sample pH Not In Range
RL	Reporting Limit

Page 2 of 3

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2106004

09-Jun-21

Client: Harvest
Project: Jicarilla Contract 147

Sample ID: 100ng BTEX lcs	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSW	Batch ID: R78810	RunNo: 78810								
Prep Date:	Analysis Date: 6/2/2021	SeqNo: 2763901 Units: µg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	18	1.0	20.00	0	89.4	80	120			
Toluene	18	1.0	20.00	0	90.6	80	120			
Ethylbenzene	19	1.0	20.00	0	93.8	80	120			
Xylenes, Total	55	2.0	60.00	0	92.1	80	120			
Surr: 4-Bromofluorobenzene	17		20.00		85.0	70	130			


Sample ID: MB	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBW	Batch ID: R78810	RunNo: 78810								
Prep Date:	Analysis Date: 6/2/2021	SeqNo: 2763902 Units: µg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Xylenes, Total	ND	2.0								
Surr: 4-Bromofluorobenzene	17		20.00		84.1	70	130			

Sample ID: 100ng BTEX lcs	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSW	Batch ID: R78832	RunNo: 78832								
Prep Date:	Analysis Date: 6/3/2021	SeqNo: 2764939 Units: %Rec								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	18		20.00		87.7	70	130			

Sample ID: MB	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBW	Batch ID: R78832	RunNo: 78832								
Prep Date:	Analysis Date: 6/3/2021	SeqNo: 2764941 Units: %Rec								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	17		20.00		83.3	70	130			

Qualifiers:										
*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank							
D	Sample Diluted Due to Matrix	E	Value above quantitation range							
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits							
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range							
PQL	Practical Quantitative Limit	RL	Reporting Limit							
S	% Recovery outside of range due to dilution or matrix									

Page 3 of 3



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name: Harvest

Work Order Number: 2106004

RcptNo: 1

Received By: Sean Livingston 5/29/2021 8:25:00 AM

Completed By: Cheyenne Cason 6/1/2021 8:01:52 AM

Reviewed By: DAD 6.1.21

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes No NA
4. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
5. Sample(s) in proper container(s)? Yes No
6. Sufficient sample volume for indicated test(s)? Yes No
7. Are samples (except VOA and ONG) properly preserved? Yes No
8. Was preservative added to bottles? Yes No NA
9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes No NA
10. Were any sample containers received broken? Yes No
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody)
Yes No
12. Are matrices correctly identified on Chain of Custody? Yes No
13. Is it clear what analyses were requested? Yes No
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes No

of preserved bottles checked for pH: <2 or >12 unless noted
Adjusted?
Checked by: SPA 6.1.21

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	Date:
By Whom:	Via: <input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	
Client Instructions:	

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.8	Good	Yes			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 94527

CONDITIONS

Operator: Harvest Four Corners, LLC 1755 Arroyo Dr Bloomfield, NM 87413	OGRID: 373888
	Action Number: 94527
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Accepted for the record. Incident on tribal land.	5/19/2023