



Natural Gas Analysis Report
GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

| Sample Information | |
|----------------------------------|--------------------------------------|
| Sample Name | RED TANK 27 28 CTB CHECK |
| Technician | ANTHONY DOMINGUEZ |
| Analyzer Make & Model | INFICON MICRO GC |
| Last Calibration/Validation Date | 03-16-2023 |
| Meter Number | 16200C |
| Air temperature | 66 |
| Flow Rate (MCF/Day) | |
| Heat Tracing | HEATED HOSE & GASIFIER |
| Sample description/mtr name | RED TANK 27 28 CTB CHECK |
| Sampling Method | FILL & EMPTY |
| Operator | OCCIDENTAL PETROLEUM |
| State | NEW MEXICO |
| Region Name | PERMIAN_RESOURCES |
| Asset | NEW MEXICO |
| System | EAST |
| FLOC | OP-L2152-BT002 |
| Sample Sub Type | PRODUCTION |
| Sample Name Type | WELL |
| Vendor | AKM MEASUREMENT |
| Cylinder # | 7407 |
| Sampled by | JONATHAN ALDRICH |
| Sample date | 3-15-2023 |
| Analyzed date | 3-16-2023 |
| Method Name | C9 |
| Injection Date | 2023-03-16 09:27:07 |
| Report Date | 2023-03-16 09:32:14 |
| EZReporter Configuration File | 1-16-2023 OXY GPA C9+ H2S #2.cfgx |
| Source Data File | 79256edd-11d1-456e-a9c1-97fd3ac7df68 |
| NGA Phys. Property Data Source | GPA Standard 2145-16 (FPS) |
| Data Source | INFICON Fusion Connector |

Component Results

| Component Name | Peak Area | Raw Amount | Response Factor | Norm Mole% | Gross HV (Dry) (BTU / Ideal cu.ft.) | Relative Gas Density (Dry) | GPM (Dry) (Gal. / 1000 cu.ft.) |
|----------------|-----------|------------|-----------------|------------|-------------------------------------|----------------------------|--------------------------------|
| Nitrogen | 35532.0 | 2.0156 | 0.00005673 | 2.0029 | 0.0 | 0.01937 | 0.221 |
| Methane | 966210.5 | 70.8521 | 0.00007333 | 70.4042 | 712.7 | 0.38997 | 11.984 |
| CO2 | 49879.7 | 2.2948 | 0.00004601 | 2.2803 | 0.0 | 0.03465 | 0.391 |
| Ethane | 283286.3 | 12.9892 | 0.00004585 | 12.9071 | 228.9 | 0.13400 | 3.466 |
| H2S | 0.0 | 0.0003 | 0.00000000 | 0.0003 | 0.0 | 0.00000 | 0.000 |
| Propane | 228205.6 | 7.4381 | 0.00003259 | 7.3910 | 186.4 | 0.11253 | 2.044 |
| iso-butane | 84437.5 | 0.9377 | 0.00001111 | 0.9318 | 30.4 | 0.01870 | 0.306 |
| n-Butane | 218974.4 | 2.4123 | 0.00001102 | 2.3970 | 78.4 | 0.04810 | 0.759 |
| iso-pentane | 50277.3 | 0.4887 | 0.00000972 | 0.4856 | 19.5 | 0.01210 | 0.178 |
| n-Pentane | 56698.4 | 0.5395 | 0.00000952 | 0.5361 | 21.5 | 0.01335 | 0.195 |
| hexanes | 38745.0 | 0.2982 | 0.00000770 | 0.2963 | 14.1 | 0.00882 | 0.122 |
| heptanes | 36786.0 | 0.2359 | 0.00000641 | 0.2344 | 12.9 | 0.00811 | 0.109 |
| octanes | 18648.0 | 0.1094 | 0.00000587 | 0.1087 | 6.8 | 0.00429 | 0.056 |
| nonanes+ | 3967.0 | 0.0245 | 0.00000617 | 0.0243 | 1.7 | 0.00108 | 0.014 |
| Total: | | 100.6365 | | 100.0000 | 1313.4 | 0.80507 | 19.845 |

Results Summary

| Result | Dry | Sat. |
|------------------------------|----------|------|
| Total Un-Normalized Mole% | 100.6365 | |
| Pressure Base (psia) | 14.730 | |
| Temperature Base (Deg. F) | 60.00 | |
| Flowing Temperature (Deg. F) | 83.6 | |
| Flowing Temperature (Deg. F) | 121.0 | |

| Result | Dry | Sat. |
|--|--------|--------|
| Gross Heating Value (BTU / Ideal cu.ft.) | 1313.4 | 1290.5 |
| Gross Heating Value (BTU / Real cu.ft.) | 1319.1 | 1296.7 |
| Relative Density (G), Real | 0.8082 | 0.8053 |

Monitored Parameter Report

| Parameter | Value | Lower Limit | Upper Limit | Status |
|----------------------------|----------|-------------|-------------|--------|
| Total un-normalized amount | 100.6365 | 97.0000 | 103.0000 | Pass |

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Red Tank 26 CPF

Vent Date: 08/03/2023

Duration of Event: 1 Hour

MCF Vented: 158

Start Time: 11:10 AM

End Time: 12:10 PM

Cause: Emergency Flare > Third Party Energy Power Provider > Xcel Energy > Power Glitch

Method of Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

This emission was caused by the sudden, unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and maintenance practices. In this case, Xcel Energy, experienced a power glitch on their end, which caused a power outage at Oxy's upstream facility, which then triggered flaring to occur until power was restored. OXY made every effort to control and minimize emissions as much as possible during this event and ensured all its operational equipment was back to normal and running efficiently.

2. Steps Taken to limit duration and magnitude of venting or flaring:

This emission was caused by the sudden, unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and maintenance practices. In this case, Xcel Energy, experienced a power glitch on their end, which caused a power outage at Oxy's upstream facility, which then triggered flaring to occur until power was restored. Once Xcel Energy restored power to the area, all emission control devices were brought back online, and flaring ceased shortly thereafter. OXY made every effort to control and minimize emissions as much as possible during this event.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in the corrective actions to eliminate this type of cause and potential reoccurrence of flaring resulting from third party provider power outages, whether scheduled or unscheduled, as Oxy is unable to decree how long a power outage can continue. Oxy continually strives to maintain and operate all its facility locations equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events, when possible. The actions that Oxy and its field personnel can partake in and handle within its environment of control, is to continue with its alternative back up power stratagems.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 261755

DEFINITIONS

| | |
|--|--|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 261755 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 261755

QUESTIONS

| | |
|--|--|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 261755 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

QUESTIONS

| | |
|---|--|
| Prerequisites | |
| <i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i> | |
| Incident Well | Unavailable. |
| Incident Facility | [fAPP2322359755] Red Tank 26 Central Processing Facility |

| | |
|---|---|
| Determination of Reporting Requirements | |
| <i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i> | |
| Was this vent or flare caused by an emergency or malfunction | Yes |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event | No |
| Is this considered a submission for a vent or flare event | Yes, minor venting and/or flaring of natural gas. |
| <i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i> | |
| Was there at least 50 MCF of natural gas vented and/or flared during this event | Yes |
| Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No |
| Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence | No |

| | |
|---|--|
| Equipment Involved | |
| Primary Equipment Involved | Other (Specify) |
| Additional details for Equipment Involved. Please specify | Emergency Flare > Third Party Energy Power Provider > Xcel Energy > Power Glitch |

| | |
|--|---------------|
| Representative Compositional Analysis of Vented or Flared Natural Gas | |
| <i>Please provide the mole percent for the percentage questions in this group.</i> | |
| Methane (CH4) percentage | 70 |
| Nitrogen (N2) percentage, if greater than one percent | 2 |
| Hydrogen Sulfide (H2S) PPM, rounded up | 3 |
| Carbon Dioxide (CO2) percentage, if greater than one percent | 2 |
| Oxygen (O2) percentage, if greater than one percent | 0 |
| <i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i> | |
| Methane (CH4) percentage quality requirement | Not answered. |
| Nitrogen (N2) percentage quality requirement | Not answered. |
| Hydrogen Sulfide (H2S) PPM quality requirement | Not answered. |
| Carbon Dioxide (CO2) percentage quality requirement | Not answered. |
| Oxygen (O2) percentage quality requirement | Not answered. |

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 261755

QUESTIONS (continued)

| | |
|--|---|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 261755 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

QUESTIONS

| Date(s) and Time(s) | |
|--|------------|
| Date vent or flare was discovered or commenced | 08/03/2023 |
| Time vent or flare was discovered or commenced | 11:10 AM |
| Time vent or flare was terminated | 12:10 PM |
| Cumulative hours during this event | 1 |

| Measured or Estimated Volume of Vented or Flared Natural Gas | |
|---|---|
| Natural Gas Vented (Mcf) Details | Not answered. |
| Natural Gas Flared (Mcf) Details | Cause: Other Other (Specify) Natural Gas Flared Released: 158 Mcf Recovered: 0 Mcf Lost: 158 Mcf. |
| Other Released Details | Not answered. |
| Additional details for Measured or Estimated Volume(s). Please specify | Gas Flare Meter |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report. |

| Venting or Flaring Resulting from Downstream Activity | |
|---|---------------|
| Was this vent or flare a result of downstream activity | No |
| Was notification of downstream activity received by this operator | Not answered. |
| Downstream OGRID that should have notified this operator | Not answered. |
| Date notified of downstream activity requiring this vent or flare | Not answered. |
| Time notified of downstream activity requiring this vent or flare | Not answered. |

| Steps and Actions to Prevent Waste | |
|--|--|
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control. | True |
| Please explain reason for why this event was beyond this operator's control | This emission was caused by the sudden, unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and maintenance practices. In this case, Xcel Energy, experienced a power glitch on their end, which caused a power outage at Oxy's upstream facility, which then triggered flaring to occur until power was restored. OXY made every effort to control and minimize emissions as much as possible during this event and ensured all its operational equipment was back to normal and running efficiently. |
| Steps taken to limit the duration and magnitude of vent or flare | This emission was caused by the sudden, unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and maintenance practices. In this case, Xcel Energy, experienced a power glitch on their end, which caused a power outage at Oxy's upstream facility, which then triggered flaring to occur until power was restored. Once Xcel Energy restored power to the area, all emission control devices were brought back online, and flaring ceased shortly thereafter. OXY made every effort to control and minimize emissions as much as possible during this event. |
| | Oxy is limited in the corrective actions to eliminate this type of cause and potential reoccurrence of flaring resulting from third party provider power outages, whether scheduled or unscheduled, as Oxy is unable to decree how long a power outage can continue. Oxy |

Corrective actions taken to eliminate the cause and reoccurrence of vent or flare

continually strives to maintain and operate all its facility locations equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events, when possible. The actions that Oxy and its field personnel can partake in and handle within its environment of control, is to continue with its alternative back up power stratagem.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 261755

ACKNOWLEDGMENTS

| | |
|--|--|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 261755 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

ACKNOWLEDGMENTS

| | |
|-------------------------------------|---|
| <input checked="" type="checkbox"/> | I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC. |
| <input checked="" type="checkbox"/> | I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively. |
| <input checked="" type="checkbox"/> | I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act. |
| <input checked="" type="checkbox"/> | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment. |
| <input checked="" type="checkbox"/> | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations. |

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 261755

CONDITIONS

| | |
|--|--|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 261755 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|----------------|
| marialuna2 | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 9/5/2023 |