AKM MEASUREMENT SERVICES,LLC. Natural Gas Analysis Report GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

	Sample Information
Sample Name	CYPRESS 33 CTB A CHECK 1
Technician	ANTHONY DOMINGUEZ
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	04-27-2023
Meter Number	18940C
Air temperature	67
Flow Rate (MCF/Day)	
Heat Tracing	HEATED HOSE & GASIFIER
Sample description/mtr name	CYPRESS 33 CTB A CHECK 1
Sampling Method	FILL & EMPTY
Operator	OCCIDENTAL PETROLEUM
State	NEW MEXICO
Region Name	PERMIAN_RESOURCES
Asset	NEW MEXICO
System	WEST
FLOC	OP-L3818-BT001
Sample Sub Type	GAS LIFT
Sample Name Type	WELL
Vendor	AKM MEASUREMENT
Cylinder #	1951
Sampled by	LUIS JIMENEZ
Sample date	4-21-2023
Analyzed date	4-27-2023
Method Name	C9
Injection Date	2023-04-27 23:44:20
Report Date	2023-04-27 23:48:29
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2.cfgx
Source Data File	3ff6495a-c75c-4101-9c04-63a841182185
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)	
Nitrogen	17397.4	0.9871	0.00005674	0.9894	0.0	0.00957	0.109	
Methane	1059173.2	77.4074	0.00007308	77.5879	785.5	0.42976	13.201	
CO2	4202.7	0.1970	0.00004688	0.1975	0.0	0.00300	0.034	
Ethane	248621.4	11.3075	0.00004548	11.3339	201.0	0.11767	3.042	
H2S	0.0	0.0000	0.00000000	0.0000	0.0	0.00000	0.000	
Propane	166800.3	5.4260	0.00003253	5.4386	137.2	0.08280	1.504	
iso-butane	71935.8	0.8012	0.00001114	0.8030	26.2	0.01611	0.264	
n-Butane	168504.8	1.8576	0.00001102	1.8619	60.9	0.03736	0.589	
iso-pentane	48124.8	0.4669	0.00000970	0.4680	18.8	0.01166	0.172	
n-Pentane	57620.6	0.5452	0.00000946	0.5465	22.0	0.01361	0.199	
hexanes	51772.0	0.3896	0.00000752	0.3905	18.6	0.01162	0.161	
heptanes	38565.0	0.2360	0.00000612	0.2365	13.0	0.00818	0.110	
octanes	19285.0	0.1030	0.00000534	0.1033	6.5	0.00407	0.053	
nonanes+	8539.0	0.0429	0.00000503	0.0430	3.0	0.00190	0.024	
Total:		99.7674		100.0000	1292.6	0.74733	19.462	

Results Summary

		_
Result	Dry	Sat.
Total Un-Normalized Mole%	99.7674	
Pressure Base (psia)	14.730	
Temperature Base (Deg. F)	60.00	
Flowing Temperature (Deg. F)	81.6	
Flowing Pressure (psia)	69.3	
Gross Heating Value (BTU / Ideal cu.ft.)	1292.6	1270.1
Gradschletating Walue 18704/Real Cuft 35.14	PM 1297.6	1275.5

 Received by OCD: 11/260/2023 8:33:27 PM
 Dry
 Sat.
 Page 2 of 9

 Relative Density (G), Real
 0.7499
 0.7480

Monitored Parameter Report

Parameter	Value	Lower Limit	Upper Limit	Status	
Total un-normalized amount	99.7674	97.0000	103.0000	Pass	

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Cypress 33A CTB Flare Date: 06/05/2023

Duration of event: 5 Hours 29 Minutes **MCF Flared:** 203 MCF

Start Time: 06:30 PM End Time: 11:59 PM

Cause: Emergency Flare > Downstream Activity > Third Party > Salt Creek Midstream > Cypress 34

Compressor Station > Equipment Issues

Method of Flared Gas Measurement: Gas Flare Meter

Comments: This event was discovered by the AQ team on 06/07/2023.

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline compressor station operator, which impacted Oxy's ability to send gas to them. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, third party owned and operated Salt Creek Midstream's Cypress 34 compressor station, had equipment issues, which in turn caused high line pressure to occur, which then triggered a flaring event to occur. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. This facility is unmanned, except when Oxy production techs are gathering data daily or conducting daily walk-throughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes. Internal OXY procedures ensure that upon a sudden and unexpected flaring event, production techs are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. In this case, as soon as flaring was known by field personnel, additional field personnel began making choke changes so that field pressure would stay below the flare trigger setpoints of the facility, which took some time to do. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, or additional downstream third-party gas plant issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 288152

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	288152
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 288152

a	UESTIONS	
Operator:	.0_0.10.10	OGRID:
OXY USA INC		16696
P.O. Box 4294 Houston, TX 772104294		Action Number: 288152
		Action Type: [C-129] Amend Venting and/or Flaring (C-129A)
QUESTIONS		, , , , , , , , , , , , , , , , , , , ,
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before cont	inuing with the rest of the questions.
Incident Operator	[16696] OXY USA I	NC
Incident Type	Flare	
Incident Status	Closure Approved	
Incident Well	Unavailable.	
Incident Facility	[fAPP2305250553]	Cypress 33 A CTB
Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section	ion) that are assigned to	your current operator can be amended with this C-129A application.
<u> </u>		
Determination of Reporting Requirements Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	and may provide addional	quidance
Was this vent or flare caused by an emergency or malfunction	Yes	guidance.
Did this vent or flare last eight hours or more cumulatively within any 24-hour	103	
period from a single event	No	
Is this considered a submission for a vent or flare event Yes, min		g and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	venting and/or flaring that	is or may be a major or minor release under 19.15.29.7 NMAC.
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a		
watercourse, or otherwise, with reasonable probability, endanger public health, the	No	
environment or fresh water Was the vent or flare within an incorporated municipal boundary or withing 300 feet		
from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved, Places appoint	Emergency Flare >	Downstream Activity > Third Party > Salt Creek Midstream > Cypress 34
Additional details for Equipment Involved. Please specify	Compressor Station	on > Equipment Issues
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.	T	
Methane (CH4) percentage	78	
Nitrogen (N2) percentage, if greater than one percent	1	
ydrogen Sulfide (H2S) PPM, rounded up 0		
Carbon Dioxide (C02) percentage, if greater than one percent 0		
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec	cifications for each gas.	
Methane (CH4) percentage quality requirement	0	
Nitrogen (N2) percentage quality requirement 0		
Hydrogen Sufide (H2S) PPM quality requirement	0	
Carbon Dioxide (C02) percentage quality requirement 0		

0

Oxygen (02) percentage quality requirement

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 288152

Ωl	JFS1	TIONS	(continued)	١

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	288152
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

QUESTIONS

Date(s) and Time(s)			
Date vent or flare was discovered or commenced	06/05/2023		
Time vent or flare was discovered or commenced	06:30 PM		
Time vent or flare was terminated	11:59 PM		
Cumulative hours during this event	5		

Measured or Estimated Volume of Vented or Flared Natural Gas				
intersured of Estimated volume of verted of Flared Natural Gas				
Natural Gas Vented (Mcf) Details	Not answered.			
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 203 MCF Recovered: 0 MCF Lost: 203 MCF.			
Other Released Details	Not answered.			
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter			
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.			

Venting or Flaring Resulting from Downstream Activity			
Was this vent or flare a result of downstream activity Yes			
Was notification of downstream activity received by this operator	No		
Downstream OGRID that should have notified this operator	[373554] Salt Creek Midstream, LLC		
Date notified of downstream activity requiring this vent or flare			
Time notified of downstream activity requiring this vent or flare Not answered.			

Steps and Actions to Prevent Waste				
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control	True			
Please explain reason for why this event was beyond this operator's control	The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline compressor station operator, which impacted Oxy's ability to send gas to them. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, third party owned and operated Salt Creek Midstream's Cypress 34 compressor station, had equipment issues, which in turn caused high line pressure to occur, which then triggered a flaring event to occur. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning.			
Steps taken to limit the duration and magnitude of vent or flare	It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. This facility is unmanned, except when Oxy production techs are gathering data daily or conducting daily walk-throughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes. Internal OXY procedures ensure that upon a			

	sudden and unexpected flaring event, production techs are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. In this case, as soon as flaring was known by field personnel, additional field personnel began making choke changes so that field pressure would stay below the flare trigger setpoints of the facility, which took some time to do. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, or additional downstream third-party gas plant issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 288152

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	288152
	Action Type:
l l	[C-129] Amend Venting and/or Flaring (C-129A)

ACKNOWLEDGMENTS

V	I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and			
V	I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.			
V	I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.			
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.			
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 288152

CONDITIONS

Operator:	OGRID:	
OXY USA INC	16696	
P.O. Box 4294	Action Number:	
Houston, TX 772104294	288152	
	Action Type:	
	[C-129] Amend Venting and/or Flaring (C-129A)	

CONDITIONS

Created By	Condition	Condition Date
shelbyschoepf	If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/26/2023