



July 12, 2023

NMOCD District 2
 Mike Bratcher
 Artesia, NM 88210

Bureau of Land Management
 Crisha Morgan
 Carlsbad Field Office

Re: Closure Request
Empire State SWD 15 #1
API No. 30-015-39771
GPS: Latitude 32.8343163 Longitude -104.0666504
UL "K", Sec. 15, T17S, R29E
Eddy County, NM
NMOCD Ref. No. NAPP2222728274

Mr. Bratcher,

Paragon Environmental, LLC (Paragon) has been contracted by Spur Energy Partners (Spur) to perform a spill assessment, conduct remediation activities, and request closure approval for the Empire State SWD 15 #1 (Empire).

Release Details			
Type of Release:	Produced Water	Volume of Release:	71 bbls
		Volume Recovered:	50 bbls
Source of Release:	Injection Header	Date of Release:	08/12/22
Was Immediate Notice Given?	Yes	If, Yes, to Whom?	OCD Online
Was a Watercourse Reached?	No	If Yes, Volume Impacting Watercourse:	N/A
Surface Owner:	State	Mineral Owner:	Unknown
Corrosion in the bottom of the injection header.			

Topographical and Aerial Maps are provided in Figures #2 and #4. A copy of the Initial Release Notification and Corrective Action (NMOCD Form C-141) can be found in Appendix C.

REGULATORY FRAMEWORK

Surface impacts from unauthorized releases of fluids or gases are generally regulated by the New Mexico Oil Conservation Division (NMOCD) in accordance with 19.15.29 of the New Mexico Administrative Code (NMAC). 19.15.29 NMAC establishes reporting, site assessment/characterization, remediation, closure, variance, and enforcement procedures. Table I of 19.15.29.12 NMAC determines the closure criteria for soils impacted by a release based on depth to groundwater and the following characteristics:

Site Characteristics	
Approximate Depth to Groundwater	76'
Within 330 ft. of any continuously flowing or significant watercourse?	NO
Within 200 ft. of any lakebed, sinkhole, or playa lake?	NO
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	NO
Within 500 ft. of a spring, private, or domestic freshwater well?	NO
Within 1000 ft. of any fresh water well?	NO
Within the incorporated municipal boundaries or within a municipal well field?	NO
Within 300 ft. of a wetland?	NO
Within the area overlying a subsurface mine?	NO
Within an unstable area such as Karst?	YES
Within a 100-year floodplain?	NO

A search of the groundwater database maintained by the New Mexico Office of the State Engineer (NMOSE) was conducted to determine the average groundwater depth within one (1) Mile radius of the Release Site and identify any registered water wells within ½ Mile of the Release Site. The data initially found on the State Engineers website showed there was no water data within a ½ mile radius.

Depth to groundwater information is provided in Appendix A.

Per the New Mexico Bureau of Geology and Mineral Resources, the geology is in the Quaternary Formation- and is made up of older alluvial deposits of upland plains and piedmont areas, and calcic soils and eolian cover sediments of the High Plains region (middle to lower Pleistocene)- Includes scattered lacustrine playa, and alluvial deposits of the Tahoka, Double Tanks, Tule, Blackwater Draw, and Gatuna Formations, the latter of which may be Pliocene at base; outcrops, however, are basically of quaternary deposits (QOA). The soil in this area is made up of Reeves-Gypsum land complex, 0 to 3 percent slopes, according to the United States Department of Agriculture Natural Resources Conservation Service. The drainage courses in this area are well-drained. There is a High potential for karst geology to be present around the Empire (Figure #3).

The Soil Survey and FEMA Flood Map are provided in Appendix B. A Karst Map is provided in Figure #3.

TABLE I CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE			
	Constituent	Method	Limit
<50 Feet	Chloride	EPA 300.0	600 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

INITIAL SITE ASSESSMENT

On December 15, 2022, Paragon conducted an initial site assessment. During the initial site assessment, nine (9) soil samples were collected in this area to determine the vertical extent of soil impact. These samples were collected in accordance with NMAC 19.15.29 and submitted to an approved laboratory for analysis. A table summarizing laboratory analytical results from soil samples collected during the above-stated activities is provided below:

12-15-22 Soil Sample Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is <50')								
Sample Date	12-15-22	Closure Criteria ≤50 mg/kg	Closure Criteria ≤10 mg/kg				Closure Criteria ≤100 mg/kg	Closure Criteria ≤600 mg/kg
Sample ID	Depth (BGS)	BTEX	Benzene	GRO	DRO	MRO	Total TPH	CHLORIDES
S-1	0-6"	ND	ND	ND	ND	ND	ND	16
	1'	ND	ND	ND	ND	ND	ND	48
	2'	ND	ND	ND	ND	ND	ND	1490
	3'	ND	ND	ND	ND	ND	ND	3760
	4'	ND	ND	ND	ND	ND	ND	5120
S-2	0-6"	ND	ND	ND	ND	ND	ND	32
	1'	ND	ND	ND	ND	ND	ND	96
	2'	ND	ND	ND	ND	ND	ND	512
	3'	ND	ND	ND	ND	ND	ND	3200
	4'	ND	ND	ND	ND	ND	ND	4160
S-3	0-6"	ND	ND	ND	ND	ND	ND	16
	1'	ND	ND	ND	ND	ND	ND	48
	2'	ND	ND	ND	ND	ND	ND	80
	3'	ND	ND	ND	ND	ND	ND	160
S-4	0-6"	ND	ND	ND	ND	ND	ND	80
	1'	ND	ND	ND	ND	ND	ND	384
	2'	ND	ND	ND	ND	ND	ND	8720
	3'	ND	ND	ND	ND	ND	ND	12500
	4'	ND	ND	ND	ND	ND	ND	9120
S-5	0-6"	ND	ND	ND	ND	ND	ND	160
	1'	ND	ND	ND	ND	ND	ND	64
	2'	ND	ND	ND	ND	ND	ND	3720
	3'	ND	ND	ND	ND	ND	ND	6400
S-6	0-6"	ND	ND	ND	ND	ND	ND	64
	1'	ND	ND	ND	ND	ND	ND	3040
	2'	ND	ND	ND	ND	ND	ND	1040
	3'	ND	ND	ND	ND	ND	ND	112
S-7	0-6"	ND	ND	ND	ND	ND	ND	80
	1'	ND	ND	ND	ND	ND	ND	96
	2'	ND	ND	ND	ND	ND	ND	1700
	3'	ND	ND	ND	ND	ND	ND	6240
S-8	0-6"	ND	ND	ND	ND	ND	ND	64
	1'	ND	ND	ND	ND	ND	ND	80
	2'	ND	ND	ND	ND	ND	ND	960
	3'	ND	ND	ND	ND	ND	ND	1580
	4'	ND	ND	ND	ND	ND	ND	5440
S-9	0-6"	ND	ND	ND	ND	ND	ND	32
	1'	ND	ND	ND	ND	ND	ND	16
	2'	ND	ND	ND	ND	ND	ND	224
	3'	ND	ND	ND	ND	ND	ND	5120
	4'	ND	ND	ND	ND	ND	ND	7730

ND- Analyte Not Detected

REMEDIATION ACTIVITIES

We scheduled to utilize a geoprobe to advance our vertical samples in order to obtain vertical delineation. This data was obtained in order to receive an approved variance. We obtained samples starting at 6 feet, each soil boring obtained 4 feet of soil. We field titrated the bottom sample of each boring to determine if we needed to advance additional samples. We advanced the boring until clean results were found. We sent these samples to the lab for final analysis, and those results are in the following data table.

5-4-23 Soil Boring Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 76')								
Sample Date 5-4-23		Closure Criteria ≤ 50 mg/kg	Closure Criteria ≤ 10 mg/kg				Closure Criteria 100 mg/kg	Closure Criteria 600 mg/kg
Sample ID	Depth (BGS)	BTEX	Benzene	GRO	DRO	MRO	Total TPH	CHLORIDES
S-1	20	ND	ND	ND	ND	ND	ND	160
S-2	18	ND	ND	ND	ND	ND	ND	32
S-3	13	ND	ND	ND	ND	ND	ND	128
S-4	18	ND	ND	ND	ND	ND	ND	240
S-5	14	ND	ND	ND	ND	ND	ND	608
S-6	15	ND	ND	ND	ND	ND	ND	256

ND- Analyte Not Detected

- The impacted area was excavated 4 feet in depth across the entire spill area.
- Confirmation Sidewall samples were obtained for horizontal delineation. These samples were taken at a depth of 4 feet.

5-19-23 Confirmation Sidewall Sample Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 76')								
Sample Date 5-19-23		Closure Criteria ≤ 50 mg/kg	Closure Criteria ≤ 10 mg/kg				Closure Criteria 100 mg/kg	Closure Criteria 600 mg/kg
Sample ID	Depth (BGS)	BTEX	Benzene	GRO	DRO	MRO	Total TPH	CHLORIDES
SSW-1	4	--	--	--	--	--	--	80
SSW-2	4	--	--	--	--	--	--	240
SSW-3	4	--	--	--	--	--	--	240
SSW-4	4	--	--	--	--	--	--	272
NSW-1	4	--	--	--	--	--	--	1170
NSW-2	4	--	--	--	--	--	--	48
NSW-3	4	--	--	--	--	--	--	16
NSW-4	4	--	--	--	--	--	--	16
WSW-1	4	--	--	--	--	--	--	80
WSW-2	4	--	--	--	--	--	--	64
ESW-1	4	--	--	--	--	--	--	32
ESW-2	4	--	--	--	--	--	--	16

-- Analyte Not Tested

After receiving the sample results, it was decided to advance the sidewall in the vicinity of NSW-1 an additional 1 foot. We also ran these samples for BTEX and TPH that weren't originally tested initially. The results are below:

5-29-23 Advanced Sidewall Confirmation Sample Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 76')								
Sample Date 5-29-23		Closure Criteria ≤ 50 mg/kg	Closure Criteria ≤ 10 mg/kg				Closure Criteria 100 mg/kg	Closure Criteria 600 mg/kg
Sample ID	Depth (BGS)	BTEX	Benzene	GRO	DRO	MRO	Total TPH	CHLORIDES
SSW-1	4	ND	ND	ND	ND	ND	ND	--
SSW-2	4	ND	ND	ND	ND	ND	ND	--
SSW-3	4	ND	ND	ND	ND	ND	ND	--
SSW-4	4	ND	ND	ND	ND	ND	ND	--
NSW-1	4	ND	ND	ND	ND	ND	ND	32
NSW-2	4	ND	ND	ND	ND	ND	ND	--
NSW-3	4	ND	ND	ND	ND	ND	ND	--
NSW-4	4	ND	ND	ND	ND	ND	ND	--
WSW-1	4	ND	ND	ND	ND	ND	ND	--
WSW-2	4	ND	ND	ND	ND	ND	ND	--
ESW-1	4	ND	ND	ND	ND	ND	ND	--
ESW-2	4	ND	ND	ND	ND	ND	ND	--

ND- Analyte Not Detected, -- Analyte Not Tested

On June 28, 2023, Paragon returned and installed the bentonite clay liner and began backfilling. The area was then backfilled with like material, machine compacted, and contoured to match the surrounding terrain.

CLOSURE REQUEST

After careful review, Paragon respectfully requests that the incident, NAPP2222728274, be closed. Spur has complied with the applicable closure requirements and vairance approved on 6/20/23, set forth in rule 19.15.19.12 NMAC.

If you have any questions or need additional information, please contact Chris Jones at (575)964-7814 or email at chris@paragonenvironmental.net.

Respectfully,



Chris Jones
Environmental Professional
Paragon Environmental, LLC



Attachments

Figures:

- 1- Site Map
- 2- Topographic Map
- 3- Karst Map
- 4- Aerial Map
- 5- Confirmation Map
- 6- Boring Map

Appendices:

- Appendix A – Referenced Water Surveys
- Appendix B – Soil Survey and FEMA Flood Map
- Appendix C – C-141
- Appendix D – Email Notification & Photographic Documentation
- Appendix E – Laboratory Reports


Spur Energy Partners

Empire St SWD 15 #1
API# 30-015-39771
Eddy County, NM
Site Map

Legend

-  Spill Area
-  Spill Area 32.8338167, -104.06609166
-  Samples
-  Samples


Spill Area 32.8338167, -104.06609166



100 ft



Empire State SWD 15 #1
AP# 30-015-39771
Eddy County, NM
TOPO Map



Legend

- 32.8343163, -104.0666504
- Empire State SWD 15 #1

Released to Imaging: 1/3/2024 3:32:45 PM



1 mi

Empire State SWD 15 #1
AP# 30-015-39771
Eddy County, NM
Aerial Map


214

212

32.8343163, -104.0666504
Empire State SWD 15 #1

Legend Page 9 of 117

-  32.8343163, -104.0666504
-  Empire State SWD 15 #1
-  High
-  Low
-  Medium



212


1 mi



Empire State SWD 15 #1
AP# 30-015-39771
Eddy County, NMI
Aerial Map

-  32.8343163, -104.0666504
-  Empire State SWD 15 #1

 32.8343163, -104.0666504
Empire State SWD 15 #1



Spur Energy Partners

Empire St SWD 15 #1
API# 30-015-39771
Eddy County, NM
Sidewall Confirmation Map

Legend

-  Samples
-  Spill Area
-  Spill Area 32.8338167, -104.06609166



100 ft



Spur Energy Partners

Empire St SWD 15 #1
API# 30-015-39771
Eddy County, NM
Bore Hole Map

Legend

- Boring Locations
- Spill Area
- Spill Area 32.8338167, -104.06609166



Spill Area 32.8338167, -104.06609166





New Mexico Office of the State Engineer

Point of Diversion Summary

Well Tag	POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE)				(NAD83 UTM in meters)			
		(quarters are smallest to largest)				X	Y		
		Q64	Q16	Q4	Sec	Tw	Rng		
RA 11807	POD1	1	2	3	22	17S	29E	587360	3631585

Driller License: 1348	Driller Company: TAYLOR WATER WELL SERVICE	
Driller Name: TAYLOR, CLINTON E.		
Drill Start Date: 11/23/2012	Drill Finish Date: 11/26/2012	Plug Date:
Log File Date: 03/26/2013	PCW Rev Date:	Source: Shallow
Pump Type:	Pipe Discharge Size:	Estimated Yield: 4 GPM
Casing Size: 4.50	Depth Well: 131 feet	Depth Water: 76 feet

Water Bearing Stratifications:	Top	Bottom	Description
	104	128	Other/Unknown

Casing Perforations:	Top	Bottom
	91	131

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/18/22 3:55 PM

POINT OF DIVERSION SUMMARY

Map Unit Description: Reeves-Gypsum land complex, 0 to 3 percent slopes---Eddy Area, New Mexico

Eddy Area, New Mexico

RG—Reeves-Gypsum land complex, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 1w5f
Elevation: 1,250 to 5,000 feet
Mean annual precipitation: 10 to 25 inches
Mean annual air temperature: 57 to 70 degrees F
Frost-free period: 190 to 235 days
Farmland classification: Not prime farmland

Map Unit Composition

Reeves and similar soils: 55 percent
Gypsum land: 30 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Reeves

Setting

Landform: Ridges, plains, hills
Landform position (two-dimensional): Shoulder, backslope, footslope, toeslope
Landform position (three-dimensional): Side slope, head slope, nose slope, crest
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Residuum weathered from gypsum

Typical profile

H1 - 0 to 8 inches: loam
H2 - 8 to 32 inches: clay loam
H3 - 32 to 60 inches: gypsiferous material

Properties and qualities

Slope: 0 to 1 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 25 percent
Gypsum, maximum content: 80 percent
Maximum salinity: Very slightly saline to moderately saline (2.0 to 8.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water supply, 0 to 60 inches: Low (about 4.3 inches)

Map Unit Description: Reeves-Gypsum land complex, 0 to 3 percent slopes---Eddy Area, New Mexico

Interpretive groups

Land capability classification (irrigated): 3s
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: B
Ecological site: R070BC007NM - Loamy
Hydric soil rating: No

Description of Gypsum Land

Setting

Landform: Ridges, plains, hills
Landform position (two-dimensional): Shoulder, backslope, footslope, toeslope
Landform position (three-dimensional): Side slope, head slope, nose slope, crest
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Residuum weathered from gypsum

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 8s
Hydric soil rating: No

Minor Components

Largo

Percent of map unit: 5 percent
Ecological site: R070BC007NM - Loamy
Hydric soil rating: No

Reagan

Percent of map unit: 5 percent
Ecological site: R070BC007NM - Loamy
Hydric soil rating: No

Cottonwood

Percent of map unit: 5 percent
Ecological site: R070BC033NM - Salty Bottomland
Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 18, Sep 8, 2022



104°41'9"W 32°50'19"N



Released to Imaging: 1/3/2024 3:00:45 PM

1,500 2,000 Feet 1:6,000

104°3'41"W 32°49'48"N

SEE HIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

Legend

SPECIAL FLOOD HAZARD AREAS	Without Base Flood Elevation (BFE) <small>Zone A, V, A99</small> With BFE or Depth Zone AE, AO, AH, VE, AR Regulatory Floodway
-----------------------------------	---

OTHER AREAS OF FLOOD HAZARD	0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X Future Conditions 1% Annual Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X Area with Flood Risk due to Levee Zone D
------------------------------------	---

OTHER AREAS	NO SCREEN Area of Minimal Flood Hazard Zone X Effective LOMRs Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES	Channel, Culvert, or Storm Sewer Levee, Dike, or Floodwall

OTHER FEATURES	20.2 Cross Sections with 1% Annual Chance Water Surface Elevation 17.5 Coastal Transect Base Flood Elevation Line (BFE) Limit of Study Jurisdiction Boundary Coastal Transect Baseline Profile Baseline Hydrographic Feature
-----------------------	---

MAP PANELS	Digital Data Available No Digital Data Available Unmapped
-------------------	---

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.



This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **10/18/2022 at 5:55 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmoderated areas cannot be used for regulatory purposes.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2222728274
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	Spur Energy Partners, LLC	OGRID	328947
Contact Name	Chad Hensley	Contact Telephone	(346) 339-1494
Contact email	chensley@spurenergy.com	Incident # (assigned by OCD)	nAPP2222728274
Contact mailing address	9655 Katy Freeway, Suite 500, Houston, TX 77024		

Location of Release Source

Latitude 32.8343163 Longitude -104.0666504
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Empire State SWD 15#001	Site Type	SWD
Date Release Discovered	08/12/2022	API# (if applicable)	30-015-39771

Unit Letter	Section	Township	Range	County
K	15	17S	29E	Eddy

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 71bbl	Volume Recovered (bbls) 50bbl
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release
Corrosion in the bottom of injection header.

State of New Mexico
Oil Conservation Division

Incident ID	nAPP2222728274
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? <p style="text-align: center;">Release greater than 25bbl.</p>
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? <p style="text-align: center;">Yes, Mike Bratcher, Rob Hamlet, & Jennifer Noboui.</p>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: 	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Chad Hensley</u>	Title: <u>EHS Coordinator</u>
Signature: <u></u>	Date: <u>08/15/2022</u>
email: <u>chensley@spurenergy.com</u>	Telephone: <u>(346) 339-1494</u>
<u>OCD Only</u> Received by: <u>Jocelyn Harimon</u> Date: <u>08/15/2022</u>	

Incident ID	nAPP2222728274
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>76</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	nAPP2222728274
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kathy Purvis.

Title: HSE Coordinator

Signature: Katherine Purvis

Date: 7/14/23

email: katherine.purvis@spurenergy.com

Telephone: 575-441-8619

OCD Only

Received by: Shelly Wells

Date: 7/14/2023

Incident ID	nAPP2222728274
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- Detailed description of proposed remediation technique
- Scaled sitemap with GPS coordinates showing delineation points
- Estimated volume of material to be remediated
- Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- Extents of contamination must be fully delineated.
- Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kathy Purvis.

Title: HSE Coordinator

Signature: Katherine Purvis

Date: 7/14/23

email: katherine.purvis@spurenergy.com

Telephone: 575-441-8619

OCD Only

Received by: Shelly Wells Date: 7/14/2023

- Approved
 Approved with Attached Conditions of Approval
 Denied
 Deferral Approved

Signature: _____

Date: _____

Incident ID	nAPP2222728274
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Kathy Purvis.

Title: HSE Coordinator

Signature: Katherine Purvis

Date: 7/14/23

email: katherine.purvis@spurenergy.com

Telephone: 575-441-8619

OCD Only

Received by: Shelly Wells

Date: 7/14/2023

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

From: OCDOnline@state.nm.us
To: [Katherine Purvis](#)
Subject: The Oil Conservation Division (OCD) has approved the application, Application ID: 229963
Date: Tuesday, June 20, 2023 8:45:02 AM

To whom it may concern (c/o Katherine Purvis for Spur Energy Partners LLC),

The OCD has approved the submitted *Application for administrative approval of a release notification and corrective action* (C-141), for incident ID (n#) nAPP2222728274, with the following conditions:

- **The Variance Request for a Bentonite Clay Liner at 4 ft below ground surface is approved. Sidewall samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. Please include this e-mail correspondence in the remediation and/or closure report.**

The signed C-141 can be found in the OCD Online: Imaging under the incident ID (n#).

If you have any questions regarding this application, please contact me.

Thank you,
Robert Hamlet
575-748-1283
Robert.Hamlet@emnrd.nm.gov

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

CAUTION External Email - Don't click on contents unless you know they are safe

Wednesday, June 7, 2023 at 12:42:53 Central Daylight Time

Subject: Empire SWD 15 #1

Date: Tuesday, May 16, 2023 at 8:44:46 AM Central Daylight Time

From: Angel Pena

To: Bratcher, Michael, EMNRD, Chris Jones, Hamlet, Robert, EMNRD, Harimon, Jocelyn, EMNRD, Nobui, Jennifer, EMNRD

To All,

This is to inform you we will be obtaining confirmation samples at the Empire SWD 15 #1 on 5-019-23 at approximately 8 am.

Thank You,

Angel O. Peña

Field supervisor

[1601 N. Turner Ste. 500](#)

[Hobbs, NM 88240](#)

angel@paragonenvironmental.net

575-605-0773



Photographic Documentation

During Project



May 10, 2023 at 9:05:00 AM
+32.833815,-104.066348
Artesia NM 88210
United States
Spur Energy
Empire SWD
Dig out



Liner Installation





Completed







PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 22, 2022

CASON SPURLOCK
PARAGON ENVIROMENTAL
5002 CARRAIGE RD
HOBBS, NM 88242

RE: EMPIRE 15

Enclosed are the results of analyses for samples received by the laboratory on 12/16/22 10:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-22-15. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style.

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 1 0-6" (H225956-01)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	203	101	200	3.42	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	191	95.3	200	7.40	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 87.8 % 45.3-161

Surrogate: 1-Chlorooctadecane 95.0 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 1 1' (H225956-02)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	203	101	200	3.42	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	191	95.3	200	7.40	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 67.2 % 45.3-161

Surrogate: 1-Chlorooctadecane 70.3 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 1 2' (H225956-03)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1490	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	203	101	200	3.42	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	191	95.3	200	7.40	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 79.8 % 45.3-161

Surrogate: 1-Chlorooctadecane 84.6 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 1 3' (H225956-04)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3760	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	203	101	200	3.42	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	191	95.3	200	7.40	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 63.7 % 45.3-161

Surrogate: 1-Chlorooctadecane 65.7 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 1 4' (H225956-05)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5120	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	203	101	200	3.42	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	191	95.3	200	7.40	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 66.4 % 45.3-161

Surrogate: 1-Chlorooctadecane 70.8 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 2 0-6" (H225956-06)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	203	101	200	3.42	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	191	95.3	200	7.40	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 67.1 % 45.3-161

Surrogate: 1-Chlorooctadecane 72.4 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 2 1' (H225956-07)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	203	101	200	3.42	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	191	95.3	200	7.40	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 74.2 % 45.3-161

Surrogate: 1-Chlorooctadecane 80.2 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 2 2' (H225956-08)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	512	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	QM-07
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 87.9 % 45.3-161

Surrogate: 1-Chlorooctadecane 87.5 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 2 3' (H225956-09)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3200	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 90.4 % 45.3-161

Surrogate: 1-Chlorooctadecane 90.4 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 2 4' (H225956-10)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4160	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 94.2 % 45.3-161

Surrogate: 1-Chlorooctadecane 93.7 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 3 0-6" (H225956-11)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.10	105	2.00	7.96	
Toluene*	<0.050	0.050	12/20/2022	ND	2.20	110	2.00	11.1	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.09	105	2.00	6.87	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.53	109	6.00	7.28	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 94.0 % 45.3-161

Surrogate: 1-Chlorooctadecane 94.1 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 3 1' (H225956-12)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 88.4 % 45.3-161

Surrogate: 1-Chlorooctadecane 87.7 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 3 2' (H225956-13)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 89.6 % 45.3-161

Surrogate: 1-Chlorooctadecane 89.3 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 3 3' (H225956-14)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 89.8 % 45.3-161

Surrogate: 1-Chlorooctadecane 89.0 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 4 0-6" (H225956-15)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/22/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/22/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/22/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/22/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 90.6 % 45.3-161

Surrogate: 1-Chlorooctadecane 90.2 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 4 1' (H225956-16)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	0.054	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	384	16.0	12/20/2022	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 90.8 % 45.3-161

Surrogate: 1-Chlorooctadecane 94.1 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 4 2' (H225956-17)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	0.060	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	8720	16.0	12/20/2022	ND	416	104	400	0.00	QM-07

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 91.5 % 45.3-161

Surrogate: 1-Chlorooctadecane 94.8 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 4 3' (H225956-18)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	12500	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 89.9 % 45.3-161

Surrogate: 1-Chlorooctadecane 92.9 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 4 4' (H225956-19)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	9120	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 93.8 % 45.3-161

Surrogate: 1-Chlorooctadecane 95.3 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 5 0-6" (H225956-20)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 92.7 % 45.3-161

Surrogate: 1-Chlorooctadecane 95.6 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 5 1' (H225956-21)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 90.0 % 45.3-161

Surrogate: 1-Chlorooctadecane 92.3 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 5 2' (H225956-22)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3720	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 87.2 % 45.3-161

Surrogate: 1-Chlorooctadecane 87.4 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 5 3' (H225956-23)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6400	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 87.7 % 45.3-161

Surrogate: 1-Chlorooctadecane 89.0 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 6 0-6" (H225956-24)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 90.3 % 45.3-161

Surrogate: 1-Chlorooctadecane 92.1 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 6 1' (H225956-25)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3040	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 87.7 % 45.3-161

Surrogate: 1-Chlorooctadecane 88.8 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 6 2' (H225956-26)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1040	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 83.2 % 45.3-161

Surrogate: 1-Chlorooctadecane 84.0 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 6 3' (H225956-27)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	208	104	200	5.04	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	213	106	200	7.32	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 90.9 % 45.3-161

Surrogate: 1-Chlorooctadecane 92.0 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 7 0-6" (H225956-28)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 97.3 % 45.3-161

Surrogate: 1-Chlorooctadecane 116 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 7 1' (H225956-29)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 89.6 % 45.3-161

Surrogate: 1-Chlorooctadecane 102 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 7 2' (H225956-30)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1700	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 88.1 % 45.3-161

Surrogate: 1-Chlorooctadecane 102 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 7 3' (H225956-31)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/20/2022	ND	2.07	103	2.00	0.0646	
Toluene*	<0.050	0.050	12/20/2022	ND	2.23	112	2.00	4.19	
Ethylbenzene*	<0.050	0.050	12/20/2022	ND	2.21	110	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/20/2022	ND	6.62	110	6.00	0.124	
Total BTEX	<0.300	0.300	12/20/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6240	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 90.3 % 45.3-161

Surrogate: 1-Chlorooctadecane 102 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 8 0-6" (H225956-32)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9	
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1	
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5	
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8	
Total BTEX	<0.300	0.300	12/21/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 87.2 % 45.3-161

Surrogate: 1-Chlorooctadecane 98.5 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 8 1' (H225956-33)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9	
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1	
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5	
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8	
Total BTEX	<0.300	0.300	12/21/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 86.9 % 45.3-161

Surrogate: 1-Chlorooctadecane 99.4 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 8 2' (H225956-34)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9	
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1	
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5	
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8	
Total BTEX	<0.300	0.300	12/21/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	960	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 91.7 % 45.3-161

Surrogate: 1-Chlorooctadecane 105 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 8 3' (H225956-35)

BTEX 8021B		mg/kg		Analyzed By: JH/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9		
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1		
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5		
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8		
Total BTEX	<0.300	0.300	12/21/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1580	16.0	12/20/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64		
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7		
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND						

Surrogate: 1-Chlorooctane 88.4 % 45.3-161

Surrogate: 1-Chlorooctadecane 102 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 8 4' (H225956-36)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9	
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1	
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5	
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8	
Total BTEX	<0.300	0.300	12/21/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5440	16.0	12/20/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 87.1 % 45.3-161

Surrogate: 1-Chlorooctadecane 99.7 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 9 0-6" (H225956-37)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9	
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1	
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5	
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8	
Total BTEX	<0.300	0.300	12/21/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	12/20/2022	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 86.8 % 45.3-161

Surrogate: 1-Chlorooctadecane 101 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 9 1' (H225956-38)

BTEX 8021B		mg/kg		Analyzed By: JH/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9		
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1		
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5		
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8		
Total BTEX	<0.300	0.300	12/21/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	12/20/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64		
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7		
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND						

Surrogate: 1-Chlorooctane 65.0 % 45.3-161

Surrogate: 1-Chlorooctadecane 76.5 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 9 2' (H225956-39)

BTEX 8021B		mg/kg		Analyzed By: JH/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9		
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1		
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5		
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8		
Total BTEX	<0.300	0.300	12/21/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	12/20/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64		
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7		
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND						

Surrogate: 1-Chlorooctane 94.3 % 45.3-161

Surrogate: 1-Chlorooctadecane 109 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 9 3' (H225956-40)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9	
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1	
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5	
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8	
Total BTEX	<0.300	0.300	12/21/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5120	16.0	12/20/2022	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 87.3 % 45.3-161

Surrogate: 1-Chlorooctadecane 101 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
 CASON SPURLOCK
 5002 CARRAIGE RD
 HOBBS NM, 88242
 Fax To:

Received:	12/16/2022	Sampling Date:	12/15/2022
Reported:	12/22/2022	Sampling Type:	Soil
Project Name:	EMPIRE 15	Sampling Condition:	Cool & Intact
Project Number:	EDDY COUNTY	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S - 9 4' (H225956-41)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/21/2022	ND	2.11	105	2.00	12.9	
Toluene*	<0.050	0.050	12/21/2022	ND	2.28	114	2.00	16.1	
Ethylbenzene*	<0.050	0.050	12/21/2022	ND	2.31	116	2.00	15.5	
Total Xylenes*	<0.150	0.150	12/21/2022	ND	6.94	116	6.00	15.8	
Total BTEX	<0.300	0.300	12/21/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	7730	16.0	12/20/2022	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/20/2022	ND	194	97.2	200	2.64	
DRO >C10-C28*	<10.0	10.0	12/20/2022	ND	193	96.4	200	13.7	
EXT DRO >C28-C36	<10.0	10.0	12/20/2022	ND					

Surrogate: 1-Chlorooctane 88.3 % 45.3-161

Surrogate: 1-Chlorooctadecane 103 % 46.3-178

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QR-04 The RPD for the BS/BSD was outside of historical limits.
QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
A-01 CCV recovery high on DRO. All analytes ND, data not adversely affected.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476


Company Name: Paragon Environmental Project Manager: Cason Spurlock Address: 5002 Carriage Rd City: Hobbs Phone #: 575-631-6977 Project #: _____ Project Name: Empire 15 Project Location: Eddy County Sampler Name: Jeremy Wanner		State: NM zip: 88242 Fax #: _____ Project Owner: SPUR City: _____ State: _____ Phone #: _____ Fax #: _____		BILL TO P.O. #: _____ Company: SPUR Attn: Brady Wolder Address: _____ City: _____ State: _____ Phone #: _____ Fax #: _____		ANALYSIS REQUEST					
Lab I.D.: H225956	Sample I.D.: S-1 0.6" S-1 1" S-1 2" S-1 3" S-1 4" S-1 0.4" S-1 1" S-1 2" S-1 3" S-1 4" S-1 10	(G)RAB OR (C)OMP # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER ACID/BASE: ICE / COOL OTHER	MATRIX PRESERV	SAMPLING DATE TIME	TPHExt. BTEX Chlorides						

PLEASE NOTE: Custody and Chain of Custody records are the responsibility of the client. All samples, including those for radon gas and any other volatile substances, shall be delivered within 24 hours of collection to Cardinal when 24 hours after completion of the applicable service. In no event shall Cardinal be liable for incidental damages, including without limitation, storage, shipping, loss of data or loss of profits incurred by client or its subsidiaries, affiliates or successors arising out of or related to the performance of analytical services by Cardinal, regardless of the type of contract entered into with the client.

Relinquished By: **R.D. NKS**
 Date: **12.15.15**
 Time: **10:50**
 Received By: **Christina Wolder**
 Date: _____
 Time: _____

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other: **3.9c / 3.3c**
 Sample Condition: **#113**
 COI Intact: Yes No
 CHECKED BY: **AW**
 Phone Result: Yes No
 Add'l Phone #: _____
 Fax Result: Yes No
 Add'l Fax #: _____
 REMARKS: **Email results to Chris Jones**

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: Paragon Environmental
 Project Manager: Cason Spurlock
 Address: 5002 Carriage Rd
 City: Hobbs State: NM zip: 88242
 Phone #: 575-631-6977 Fax #: _____
 Project #: _____ Project Owner: SPUR
 Project Name: Empire 15
 Project Location: Eddy County
 Sampler Name: Jeremy Markey

P.O. #: _____ Company: SPUR
 Attn: Brady Wolden
 Address: _____
 City: _____ State: _____ Zip: _____
 Phone #: _____ Fax #: _____

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP	# CONTAINERS	MATRIX	PRESERV	SAMPLING	DATE	TIME	TPH Ext.	BTEX	Chlorides
H22956	11	0.6					12:45				
	12	0.3									
	13	0.3									
	14	0.3									
	15	0.4									
	16	0.4									
	17	0.4									
	18	0.4									
	19	0.4									
	20	0.6									

PLEASE NOTE: Tubing and Damages...
 Reinquished By: [Signature] Date: 12.15.12 Received By: [Signature] Date: 10.50
 Reinquished By: [Signature] Date: _____ Received By: [Signature] Date: _____
 Delivered By: (Circle One) UPS - Bus - Other: #113 3.9¢ / 3.3¢
 Sample Condition: Cool Intact Yes No
 CHECKED BY: [Signature] (Initials)
 REMARKS: Email results to Chris Jones.
 Phone Result: Yes No Add'l Phone #: _____
 Fax Result: Yes No Add'l Fax #: _____



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

Company Name: Paragon Environmental
 Project Manager: Cason Spurlock

Address: 5002 Carriage Rd
 City: Hobbs

Phone #: 575-631-6977 State: NM zip: 88242

Project #: _____ Fax #: _____

Project Name: Empire 15 Project Owner: Spur2

Project Location: Fidelity County

Sampler Name: Jeremy Walker

BILL TO
 P.O. #:
 Company: Spur2
 Attn: Brady Wolder
 Address:
 City:
 State:
 Zip:

ANALYSIS REQUEST

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP	# CONTAINERS	GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER	ACID/BASE: ICE / COOL OTHER	DATE	TIME	TPH Ext.	BTEX	Chlorides	ANALYSIS REQUEST								
											Matrix	Preserv	Sampling	Analysis					
H335952	1					12-15													
	2																		
	3																		
	4																		
	5																		
	6																		
	7																		
	8																		
	9																		

PLEASE NOTE: Ladders and Drums - Cardinal Laboratories and clients' respective liability for any claim arising from the use of any of the above stated materials or equipment. All items including those for refrigeration and any other make, manufacturer shall be checked, removed, unless noted, at 101 East Marland, Hobbs, NM 88240 after completion of the analysis. It is the responsibility of the client to ensure that the materials are properly stored and handled. Cardinal Laboratories is not responsible for any damage to or loss of any of the above stated materials or equipment. The client shall be responsible for the safe handling, storage, and disposal of the above stated materials or equipment.

Relinquished By: *[Signature]*
 Date: 12-15-15
 Time: 10:58

Received By: *[Signature]*
 Date: 12-15-15
 Time: 10:58

Phone Result: Yes No Add'l Phone #: _____
 Fax Result: Yes No Add'l Fax #: _____
 REMARKS: Email results to Chris Jones

Delivered By: (Circle One) UPS Bus Other
 Sampler - UPS - Bus - Other: 3.9g / 3.3g
 Sample Condition: Cool Intact
 Checked By: *[Signature]*

* Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Paragon Environmental
Project Manager: Cason Spurlock

Address: 5002 Carriage Rd
City: Hobbs State: NM zip: 88242

Phone #: 575-631-6977 Fax #:
Project #: Project Owner: SPUIZ

Project Name: Empire 15
Project Location: Eddy County

Sampler Name: Yvonne Warner

P.O. #:
Company: SPUIZ
Attn: Brady Wolden

Address:
City:
State: Zip:

Phone #:
Fax #:

Lab I.D.	Sample I.D.	MATRIX	PRESERV	SAMPLING	DATE	TIME	ANALYSIS REQUEST	
							TPH Ex.	BTEX
H225956	30	(G)RAB OR (C)OMP			12.15			
	31	# CONTAINERS						
	32	GROUNDWATER						
	33	WASTEWATER						
	34	SOIL						
	35	OIL						
	36	SLUDGE						
	37	OTHER						
	38	ACID/BASE						
	39	ICE / COOL						
		OTHER						

PLEASE NOTE: Cardiac and Damages - Cardinal's liability and does not endorse recovery for any claim arising out of or related to the performance of services provided by Cardinal Laboratories and its subsidiaries.

Relinquished By: *[Signature]*

Date: 12.15.15
Time: 12:15
Received By: *[Signature]*

Phone Result: Yes No
Fax Result: Yes No
Add'l Phone #:
Add'l Fax #:
REMARKS:
Email results to Chris Jones.

Delivered By: (Circle One)
Sampler - UPS - Bus - Other: *3.9c / 3.3c*
Sample Condition: Intact Cool
Checked By: *[Signature]*

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

Company Name: Paragon Environmental

Project Manager: Cason Spurlock

Address: 5002 Carriage Rd

City: Hobbs

State: NM zip: 88242

Phone #: 575-631-6977

Fax #:

Project #:

Project Owner:

Project Name: Empire 15

Project Location: Eddy County

Sampler Name: Jeremy Warner

BILL TO

ANALYSIS REQUEST

P.O. #:

Company: Spitz

Attn: Brad, Melvin

Address:

City:

State: Zip:

Phone #:

Fax #:

FOR LAB USE ONLY

Lab I.D. Sample I.D.

H225936

40 SA 3'
41 SA 4'

(G)RAB OR (C)OMP
 # CONTAINERS
 GROUNDWATER
 WASTEWATER
 SOIL
 OIL
 SLUDGE
 OTHER
 ACID/BASE
 ICE / COOL
 OTHER

1

1

DATE TIME

12/5

TPH Ext.
 BTEX
 Chlorides

1 1 1

PLEASE NOTE: Lability and Damages: Cardinal's facilities and clients' products are not covered by this claim arising out of the...
 analysis. All claims regarding liability for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable...
 service. In no event will Cardinal be liable for consequential damages, including without limitation business interruption, loss of use, or loss of data incurred by client, or substitution...
 charges or services arising out of or related to the performance of services hereunder by Cardinal, its agents, subcontractors, or other third parties.

Relinquished By:

[Signature]

Date: 7/14/23

Time: 10:50

Date: 7/14/23

Time:

Received By:

[Signature]

Phone Result:

Fax Result:

REMARKS:

Email results to Chris Jones

Yes No

Yes No

Yes No

Add'l Phone #:

Add'l Fax #:

Delivered By: (Circle One)

Sampler - UPS - Bus - Other:

#1/3 Sample Condition
 Cool Intact
 Yes No

CHECKED BY:

[Signature]

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 09, 2023

CHRIS JONES

PARAGON ENVIROMENTAL

5002 CARRAIGE RD

HOBBS, NM 88242

RE: EMPIRE STATE SWD

Enclosed are the results of analyses for samples received by the laboratory on 05/05/23 8:12.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-22-15. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received:	05/05/2023	Sampling Date:	05/04/2023
Reported:	05/09/2023	Sampling Type:	Soil
Project Name:	EMPIRE STATE SWD	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S 1 20' (H232223-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/07/2023	ND	2.15	108	2.00	4.72		
Toluene*	<0.050	0.050	05/07/2023	ND	2.13	107	2.00	4.54		
Ethylbenzene*	<0.050	0.050	05/07/2023	ND	2.12	106	2.00	3.17		
Total Xylenes*	<0.150	0.150	05/07/2023	ND	6.50	108	6.00	1.54		
Total BTEX	<0.300	0.300	05/07/2023	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	05/08/2023	ND	416	104	400	0.00	QM-07	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/05/2023	ND	170	84.8	200	5.40		
DRO >C10-C28*	<10.0	10.0	05/05/2023	ND	153	76.7	200	0.983		
EXT DRO >C28-C36	<10.0	10.0	05/05/2023	ND						

Surrogate: 1-Chlorooctane 94.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received:	05/05/2023	Sampling Date:	05/04/2023
Reported:	05/09/2023	Sampling Type:	Soil
Project Name:	EMPIRE STATE SWD	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S 2 18' (H232223-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/07/2023	ND	2.15	108	2.00	4.72	
Toluene*	<0.050	0.050	05/07/2023	ND	2.13	107	2.00	4.54	
Ethylbenzene*	<0.050	0.050	05/07/2023	ND	2.12	106	2.00	3.17	
Total Xylenes*	<0.150	0.150	05/07/2023	ND	6.50	108	6.00	1.54	
Total BTEX	<0.300	0.300	05/07/2023	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/08/2023	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2023	ND	170	84.8	200	5.40	
DRO >C10-C28*	<10.0	10.0	05/05/2023	ND	153	76.7	200	0.983	
EXT DRO >C28-C36	<10.0	10.0	05/05/2023	ND					

Surrogate: 1-Chlorooctane 91.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received:	05/05/2023	Sampling Date:	05/04/2023
Reported:	05/09/2023	Sampling Type:	Soil
Project Name:	EMPIRE STATE SWD	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S 3 13' (H232223-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/07/2023	ND	2.15	108	2.00	4.72	
Toluene*	<0.050	0.050	05/07/2023	ND	2.13	107	2.00	4.54	
Ethylbenzene*	<0.050	0.050	05/07/2023	ND	2.12	106	2.00	3.17	
Total Xylenes*	<0.150	0.150	05/07/2023	ND	6.50	108	6.00	1.54	
Total BTEX	<0.300	0.300	05/07/2023	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	05/08/2023	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2023	ND	170	84.8	200	5.40	
DRO >C10-C28*	<10.0	10.0	05/05/2023	ND	153	76.7	200	0.983	
EXT DRO >C28-C36	<10.0	10.0	05/05/2023	ND					

Surrogate: 1-Chlorooctane 98.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 114 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received:	05/05/2023	Sampling Date:	05/04/2023
Reported:	05/09/2023	Sampling Type:	Soil
Project Name:	EMPIRE STATE SWD	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S 4 18' (H232223-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/07/2023	ND	2.15	108	2.00	4.72	
Toluene*	<0.050	0.050	05/07/2023	ND	2.13	107	2.00	4.54	
Ethylbenzene*	<0.050	0.050	05/07/2023	ND	2.12	106	2.00	3.17	
Total Xylenes*	<0.150	0.150	05/07/2023	ND	6.50	108	6.00	1.54	
Total BTEX	<0.300	0.300	05/07/2023	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	05/08/2023	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2023	ND	170	84.8	200	5.40	
DRO >C10-C28*	<10.0	10.0	05/05/2023	ND	153	76.7	200	0.983	
EXT DRO >C28-C36	<10.0	10.0	05/05/2023	ND					

Surrogate: 1-Chlorooctane 87.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 100 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received:	05/05/2023	Sampling Date:	05/04/2023
Reported:	05/09/2023	Sampling Type:	Soil
Project Name:	EMPIRE STATE SWD	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S 5 14' (H232223-05)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/08/2023	ND	1.91	95.3	2.00	8.92	
Toluene*	<0.050	0.050	05/08/2023	ND	1.96	98.2	2.00	8.75	
Ethylbenzene*	<0.050	0.050	05/08/2023	ND	1.89	94.7	2.00	9.35	
Total Xylenes*	<0.150	0.150	05/08/2023	ND	5.86	97.7	6.00	9.89	
Total BTEX	<0.300	0.300	05/08/2023	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	608	16.0	05/08/2023	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2023	ND	170	84.8	200	5.40	
DRO >C10-C28*	<10.0	10.0	05/05/2023	ND	153	76.7	200	0.983	
EXT DRO >C28-C36	<10.0	10.0	05/05/2023	ND					

Surrogate: 1-Chlorooctane 93.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 107 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received:	05/05/2023	Sampling Date:	05/04/2023
Reported:	05/09/2023	Sampling Type:	Soil
Project Name:	EMPIRE STATE SWD	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: S 6 15' (H232223-06)

BTEX 8021B		mg/kg		Analyzed By: JH/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/08/2023	ND	1.91	95.3	2.00	8.92	
Toluene*	<0.050	0.050	05/08/2023	ND	1.96	98.2	2.00	8.75	
Ethylbenzene*	<0.050	0.050	05/08/2023	ND	1.89	94.7	2.00	9.35	
Total Xylenes*	<0.150	0.150	05/08/2023	ND	5.86	97.7	6.00	9.89	
Total BTEX	<0.300	0.300	05/08/2023	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	05/08/2023	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2023	ND	170	84.8	200	5.40	
DRO >C10-C28*	<10.0	10.0	05/05/2023	ND	153	76.7	200	0.983	
EXT DRO >C28-C36	<10.0	10.0	05/05/2023	ND					

Surrogate: 1-Chlorooctane 87.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

Company Name: Paragon Environmental **BILL TO** ANALYSIS REQUEST

Project Manager: Chris Jones P.O. #:

Address: 1601 N. Turner St., Ste 500 Company: *SOUL*

City: Hobbs State: NIM zip: 88240 Attn: *Brendy Mober*

Phone #: 575-964-7814 Fax #: Address:

Project #: Project Owner: City: State: Zip:

Project Name: *EMPIRE STATE SWD* Phone #:

Project Location: *Eddy County* Fax #:

Sampler Name: *Ben Davis* PRESERV SAMPLING

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX	PRESERV	SAMPLING	DATE	TIME	ANALYSIS REQUEST
<i>H232023</i>	<i>51</i>								
	<i>52</i>								
	<i>53</i>								
	<i>54</i>								
	<i>55</i>								
	<i>56</i>								

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *BD* Date: *5-5-23* Received By: *[Signature]*

Relinquished By: *BD* Date: *8/12* Received By: *[Signature]*

Delivered By: (Circle One) *#13* Sample Condition: Intact Cool Yes No

Sampler - UPS - Bus - Other: *-9.1c / -9.7c* CHECKED BY: *[Signature]*

REMARKS: *Email results to Chris Jones*

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 24, 2023

CHRIS JONES
PARAGON ENVIROMENTAL
5002 CARRAIGE RD
HOBBS, NM 88242

RE: EMPIRE ST.

Enclosed are the results of analyses for samples received by the laboratory on 05/19/23 17:10.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-22-15. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style.

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received:	05/19/2023	Sampling Date:	05/19/2023
Reported:	05/24/2023	Sampling Type:	Soil
Project Name:	EMPIRE ST.	Sampling Condition:	** (See Notes)
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: SSW - 1 (H232569-01)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: SSW - 2 (H232569-02)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: SSW - 3 (H232569-03)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: SSW - 4 (H232569-04)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	05/22/2023	ND	432	108	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received: 05/19/2023
Reported: 05/24/2023
Project Name: EMPIRE ST.
Project Number: NOT GIVEN
Project Location: SPUR - EDDY COUNTY

Sampling Date: 05/19/2023
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Tamara Oldaker

Sample ID: NSW - 1 (H232569-05)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1170	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: NSW - 2 (H232569-06)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: NSW - 3 (H232569-07)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: NSW - 4 (H232569-08)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: WSW - 1 (H232569-09)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	05/22/2023	ND	432	108	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
CHRIS JONES
5002 CARRAIGE RD
HOBBS NM, 88242
Fax To:

Received:	05/19/2023	Sampling Date:	05/19/2023
Reported:	05/24/2023	Sampling Type:	Soil
Project Name:	EMPIRE ST.	Sampling Condition:	** (See Notes)
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	SPUR - EDDY COUNTY		

Sample ID: WSW - 2 (H232569-10)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: ESW - 1 (H232569-11)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/22/2023	ND	432	108	400	0.00	

Sample ID: ESW - 2 (H232569-12)

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	05/22/2023	ND	432	108	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: Peragon Environmental
 Project Manager: Dave Jones
 Address: 1601 N. Turner St. Ste. 500
 City: Hobbs State: NM Zip: 88240
 Phone #: 575-464-7814 Fax #:
 Project #: Project Owner: SAE
 Project Name: Empire St.
 Project Location: Eddy County
 Sampler Name: Victor Warner
 P.O. #: Company: SAE
 Attn: Bradley Molder
 Address: City:
 State: Zip:
 Phone #: Fax #:

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX							DATE	TIME		
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:			ICE / COOL	OTHER :
<u>H333569</u>	<u>NSW-1</u>											<u>05/14</u>		<u>Chlorides</u>
	<u>NSW-2</u>													
	<u>NSW-3</u>													
	<u>NSW-4</u>													
	<u>NSW-1</u>													
	<u>NSW-2</u>													
	<u>NSW-3</u>													
	<u>NSW-4</u>													
	<u>NSW-1</u>													
	<u>NSW-2</u>													

PLEASE NOTE: Lability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. No event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Refrindished By: [Signature] Date: 05/19 Received By: [Signature]
 Refindished By: [Signature] Date: 7/10 Received By: [Signature]

Delivered By: (Circle One) Observed Temp. °C 30.9 Sample Condition: Intact Cool Yes No
 Corrected Temp. °C 30.3 CHECKED BY: [Signature] (Initials)
 Turnaround Time: Standard Rush Bacteria (only) Sample Condition: Cool Intact Yes No
 Thermometer ID #113 Correction Factor -0.6°C Yes No Corrected Temp. °C



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: _____ P.O. #: _____
 Project Manager: _____ Company: SPUD
 Address: _____ Attn: Bradley Welden
 City: _____ State: _____ Zip: _____
 Phone #: _____ Fax #: _____
 Project #: _____ Project Owner: SPUD City: _____ State: _____ Zip: _____
 Project Name: Empire State Phone #: _____
 Project Location: Eddy County Fax #: _____
 Sampler Name: Jeremy Ward Matrix: _____ PRESERV: _____ SAMPLING: _____
FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX	PRESERV	SAMPLING	DATE	TIME	REMARKS
<u>H235269</u>	<u>ESW-1</u>						<u>05/19</u>	<u>1</u>	<u>Chlorides</u>
<u>11</u>	<u>ESW-1</u>								
<u>12</u>	<u>ESW-2</u>								

Relinquished By: [Signature] Date: 05/19 Time: 1710
 Received By: [Signature] Date: _____ Time: _____
 Relinquished By: _____ Date: _____ Time: _____
 Received By: _____ Date: _____ Time: _____

Delivered By: (Circle One) Observed Temp. °C 30.9 Sample Condition: Intact Cool Intact Cool
 Corrected Temp. °C 30.3 Yes No Yes No
 Sampler - UPS - Bus - Other: _____

Turnaround Time: _____ Standard Rush
 Thermometer ID #113 Bacteria (only) Sample Condition: Intact Cool Yes No
 Correction Factor -0.5°C Yes No Yes No Corrected Temp. °C _____

Vertical Results: Yes No Add'l Phone #: _____
 All Results emailed. Please provide Email address: _____

REMARKS: you know

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or others.

FORM 0001 3/03/07 10/22 † Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

June 07, 2023

CHRIS JONES
PARAGON ENVIROMENTAL
5002 CARRAIGE RD
HOBBS, NM 88242

RE: EMPIRE ST SWD 15 #1

Enclosed are the results of analyses for samples received by the laboratory on 05/30/23 13:56.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-22-15. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SSW - 1	H232736-01	Soil	19-May-23 00:00	30-May-23 13:56
SSW - 2	H232736-02	Soil	19-May-23 00:00	30-May-23 13:56
SSW - 3	H232736-03	Soil	19-May-23 00:00	30-May-23 13:56
SSW - 4	H232736-04	Soil	19-May-23 00:00	30-May-23 13:56
NSW - 1	H232736-05	Soil	19-May-23 00:00	30-May-23 13:56
NSW - 2	H232736-06	Soil	19-May-23 00:00	30-May-23 13:56
NSW - 3	H232736-07	Soil	19-May-23 00:00	30-May-23 13:56
NSW - 4	H232736-08	Soil	19-May-23 00:00	30-May-23 13:56
ESW - 1	H232736-09	Soil	19-May-23 00:00	30-May-23 13:56
ESW - 2	H232736-10	Soil	19-May-23 00:00	30-May-23 13:56
WSW - 1	H232736-11	Soil	19-May-23 00:00	30-May-23 13:56
WSW - 2	H232736-12	Soil	19-May-23 00:00	30-May-23 13:56

06/07/23 - Client clarified the project name (see COC). This is the revised report and will replace the one sent on 06/02/23.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-JUN-23 17:32
---	---	------------------------------

SSW - 1

H232736-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053101	MS	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053101	MS	31-May-23	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			103 %	71.5-134		3053101	MS	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
Surrogate: 1-Chlorooctane			116 %	48.2-134		3053107	MS	31-May-23	8015B	
Surrogate: 1-Chlorooctadecane			130 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

SSW - 2

H232736-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053101	MS	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053101	MS	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			103 %	71.5-134		3053101	MS	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			91.0 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			101 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**SSW - 3
H232736-03 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053101	MS	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053101	MS	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			103 %	71.5-134		3053101	MS	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			90.7 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			101 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**SSW - 4
H232736-04 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053101	MS	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053101	MS	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			103 %	71.5-134		3053101	MS	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			93.5 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			104 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**NSW - 1
H232736-05 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	32.0		16.0	mg/kg	4	3053124	AC	31-May-23	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053101	MS	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053101	MS	31-May-23	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			102 %		71.5-134	3053101	MS	31-May-23	8021B	
--	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	

<i>Surrogate: 1-Chlorooctane</i>			95.3 %		48.2-134	3053107	MS	31-May-23	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			104 %		49.1-148	3053107	MS	31-May-23	8015B	
--------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**NSW - 2
H232736-06 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053101	MS	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053101	MS	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			103 %	71.5-134		3053101	MS	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			88.2 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			96.8 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**NSW - 3
H232736-07 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053101	MS	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053101	MS	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053101	MS	31-May-23	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			103 %	71.5-134		3053101	MS	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
Surrogate: 1-Chlorooctane			92.6 %	48.2-134		3053107	MS	31-May-23	8015B	
Surrogate: 1-Chlorooctadecane			102 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**NSW - 4
H232736-08 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053102	JH/	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			105 %	71.5-134		3053102	JH/	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			90.4 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			98.7 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**ESW - 1
H232736-09 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053102	JH/	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			110 %	71.5-134		3053102	JH/	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			86.8 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			95.3 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**ESW - 2
H232736-10 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053102	JH/	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			108 %	71.5-134		3053102	JH/	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			113 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			122 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**WSW - 1
H232736-11 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053102	JH/	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			108 %	71.5-134		3053102	JH/	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			94.0 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			106 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

**WSW - 2
H232736-12 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Toluene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	3053102	JH/	31-May-23	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	3053102	JH/	31-May-23	8021B	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			108 %	71.5-134		3053102	JH/	31-May-23	8021B	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctane</i>			100 %	48.2-134		3053107	MS	31-May-23	8015B	
<i>Surrogate: 1-Chlorooctadecane</i>			113 %	49.1-148		3053107	MS	31-May-23	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 3053124 - 1:4 DI Water										
Blank (3053124-BLK1)										
Prepared & Analyzed: 31-May-23										
Chloride	ND	16.0	mg/kg							
LCS (3053124-BS1)										
Prepared & Analyzed: 31-May-23										
Chloride	448	16.0	mg/kg	400		112	80-120			
LCS Dup (3053124-BSD1)										
Prepared & Analyzed: 31-May-23										
Chloride	432	16.0	mg/kg	400		108	80-120	3.64	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL
5002 CARRAIGE RD
HOBBS NM, 88242

Project: EMPIRE ST SWD 15 #1
Project Number: NONE GIVEN
Project Manager: CHRIS JONES
Fax To:

Reported:
07-Jun-23 17:32

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3053101 - Volatiles**Blank (3053101-BLK1)**

Prepared & Analyzed: 31-May-23

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0518		mg/kg	0.0500		104	71.5-134			

LCS (3053101-BS1)

Prepared & Analyzed: 31-May-23

Benzene	2.33	0.050	mg/kg	2.00		116	81.4-118			
Toluene	2.30	0.050	mg/kg	2.00		115	88.7-121			
Ethylbenzene	2.26	0.050	mg/kg	2.00		113	86.1-120			
m,p-Xylene	4.66	0.100	mg/kg	4.00		116	88.2-124			
o-Xylene	2.26	0.050	mg/kg	2.00		113	84.9-118			
Total Xylenes	6.91	0.150	mg/kg	6.00		115	87.3-122			
Surrogate: 4-Bromofluorobenzene (PID)	0.0491		mg/kg	0.0500		98.2	71.5-134			

LCS Dup (3053101-BSD1)

Prepared & Analyzed: 31-May-23

Benzene	2.23	0.050	mg/kg	2.00		112	81.4-118	4.18	15.8	
Toluene	2.21	0.050	mg/kg	2.00		110	88.7-121	4.14	15.9	
Ethylbenzene	2.15	0.050	mg/kg	2.00		108	86.1-120	4.79	16	
m,p-Xylene	4.42	0.100	mg/kg	4.00		110	88.2-124	5.31	16.2	
o-Xylene	2.12	0.050	mg/kg	2.00		106	84.9-118	6.05	16.7	
Total Xylenes	6.54	0.150	mg/kg	6.00		109	87.3-122	5.55	16.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0492		mg/kg	0.0500		98.5	71.5-134			

Batch 3053102 - Volatiles**Blank (3053102-BLK1)**

Prepared & Analyzed: 31-May-23

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3053102 - Volatiles

Blank (3053102-BLK1)

Prepared & Analyzed: 31-May-23

Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0525		mg/kg	0.0500		105	71.5-134			

LCS (3053102-BS1)

Prepared & Analyzed: 31-May-23

Benzene	2.02	0.050	mg/kg	2.00		101	81.4-118			
Toluene	2.10	0.050	mg/kg	2.00		105	88.7-121			
Ethylbenzene	2.00	0.050	mg/kg	2.00		100	86.1-120			
m,p-Xylene	4.18	0.100	mg/kg	4.00		105	88.2-124			
o-Xylene	1.99	0.050	mg/kg	2.00		99.3	84.9-118			
Total Xylenes	6.17	0.150	mg/kg	6.00		103	87.3-122			
Surrogate: 4-Bromofluorobenzene (PID)	0.0531		mg/kg	0.0500		106	71.5-134			

LCS Dup (3053102-BSD1)

Prepared & Analyzed: 31-May-23

Benzene	1.99	0.050	mg/kg	2.00		99.3	81.4-118	1.67	15.8	
Toluene	2.04	0.050	mg/kg	2.00		102	88.7-121	2.58	15.9	
Ethylbenzene	1.96	0.050	mg/kg	2.00		97.9	86.1-120	2.23	16	
m,p-Xylene	4.10	0.100	mg/kg	4.00		103	88.2-124	1.94	16.2	
o-Xylene	1.99	0.050	mg/kg	2.00		99.5	84.9-118	0.217	16.7	
Total Xylenes	6.09	0.150	mg/kg	6.00		102	87.3-122	1.24	16.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0511		mg/kg	0.0500		102	71.5-134			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

PARAGON ENVIROMENTAL 5002 CARRAIGE RD HOBBS NM, 88242	Project: EMPIRE ST SWD 15 #1 Project Number: NONE GIVEN Project Manager: CHRIS JONES Fax To:	Reported: 07-Jun-23 17:32
---	---	------------------------------

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3053107 - General Prep - Organics

Blank (3053107-BLK1) Prepared & Analyzed: 31-May-23

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
<i>Surrogate: 1-Chlorooctane</i>	43.3		mg/kg	49.6		87.5	48.2-134			
<i>Surrogate: 1-Chlorooctadecane</i>	50.7		mg/kg	50.0		101	49.1-148			

LCS (3053107-BS1) Prepared & Analyzed: 31-May-23

GRO C6-C10	173	10.0	mg/kg	200		86.5	78.5-124			
DRO >C10-C28	168	10.0	mg/kg	200		84.2	72.5-126			
Total TPH C6-C28	341	10.0	mg/kg	400		85.3	77.6-123			
<i>Surrogate: 1-Chlorooctane</i>	44.9		mg/kg	49.6		90.6	48.2-134			
<i>Surrogate: 1-Chlorooctadecane</i>	47.1		mg/kg	50.0		94.1	49.1-148			

LCS Dup (3053107-BSD1) Prepared & Analyzed: 31-May-23

GRO C6-C10	171	10.0	mg/kg	200		85.5	78.5-124	1.17	17.7	
DRO >C10-C28	167	10.0	mg/kg	200		83.5	72.5-126	0.826	21	
Total TPH C6-C28	338	10.0	mg/kg	400		84.5	77.6-123	0.998	18.5	
<i>Surrogate: 1-Chlorooctane</i>	44.9		mg/kg	49.6		90.5	48.2-134			
<i>Surrogate: 1-Chlorooctadecane</i>	47.1		mg/kg	50.0		94.2	49.1-148			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: Paragon Environmental
Project Manager: Chris Jones
Address: 1601 N. Turner St., Ste 500
City: Hobbs State: NM Zip: 88240
Phone #: 575-964-7814 Fax #:

P.O. #: Company: Sfor
Attn: Address:
City: State: Zip:
Phone #: Fax #:

Project #: Project Owner: Sfor
Project Name: Empire ~~St SWD 15~~
Project Location: Royal Edley St SWD 15 #1

Sampler Name: Paul B. Patis
FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX							DATE	TIME	ANALYSIS REQUEST
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:			
H232736	SSW-1	2								5/19/23		TPH BTEX Chlorides	
	SSW-2												
	SSW-3												
	SSW-4												
	NSW-1												
	NSW-2												
	NSW-3												
	NSW-4												
	SSW-1												
	SSW-2												

PLEASE NOTE: Utility and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for this analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature]
Date: 5-30
Time: 1300
Received By: [Signature]
Date: [Blank]
Time: [Blank]

Phone Result: Yes No Add'l Phone #:
Fax Result: Yes No Add'l Fax #:
REMARKS: Rush added 5/30/23
* Customer requested Name Change. 49. 6/7/23

Delivered By: (Circle One) DJC-C-0-LE
Sampler - UPS - Bus - Other: 35: #113
Sample Condition: Cool Intact Yes No
Checked By: [Signature]

* Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 240552

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 240552
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your Remediation Closure Report for Incident #NAPP2222728274 EMPIRE STATE SWD 15#001, thank you. This Remediation Closure Report is approved. A report for reclamation and revegetation including pictures of the contoured backfilled excavation surface and a thorough discussion on reseeding mixture, vegetation ratio, timelines, etc., will need to be submitted and approved prior to this incident receiving the final status of "Restoration Complete".	1/3/2024