

Incident ID	NAPP2317925175
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_51-100'_ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Oil Conservation Division

Incident ID	NAPP2317925175
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: *Dale Woodall* Date: 11/27/2023

email: dale.woodall@dnv.com Telephone: 575-748-1838

OCD Only

Received by: Shelly Wells Date: 11/27/2023

Incident ID	NAPP2317925175
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: Dale Woodall Date: 11/27/2023

email: dale.woodall@dvn.com Telephone: 575-748-1838

OCD Only

Received by: Shelly Wells Date: 11/27/2023

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____



Pima Environmental Services
5614 N. Lovington Highway
Hobbs, NM 88240
575-964-7740

November 20, 2023

NMOCD District 2
 811 S. First Street
 Artesia, NM 88210

Re: Site Assessment, and Closure Report
Fighting Okra 18 CTB 3
API No. N/A
GPS: Latitude 32.049378 Longitude -103.516575
UL –D Section 18, T26S, R34E
Lea County, NM
NMOCD Ref. No. NAPP2317925175

Pima Environmental Services, LLC. (Pima) has been contracted by Devon Energy Production Company, LP (Devon) to perform a spill assessment, remediation activities, and submit this closure report for a Produced Water release that occurred at the Fighting Okra 18 CTB 3 (Fighting Okra). The initial C-141 was submitted on July 11, 2023 (Appendix C). This incident was assigned Incident ID NAPP2317925175 by the New Mexico Oil Conservation Division (NMOCD).

Site Characterization

The Fighting Okra is located approximately twenty (20) miles southwest of Jal, NM. This spill site is in Unit D, Section 18, Township 26S, Range 34E, Latitude 32.049378 Longitude -103.516575, Lea County, NM. Figure 1 references a Location Map.

Per the New Mexico Bureau of Geology and Mineral Resources, the geology is made up of Interlayered eolian and piedmont deposits Interlayered eolian sands and piedmont-slope deposits along the eastern flank of the Pecos River valley, primarily between Roswell and Carlsbad. Typically capped by thin eolian deposits. The soil in this area is made up of Pyote and Maljamar fine sands, according to the United States Department of Agriculture Natural Resources Conservation Service soil survey (Appendix B). The drainage class in this area is well drained. There is a low potential for karst geology to be present around the Fighting Okra (Figure 3).

According to the New Mexico Office of the State Engineer, depth to the nearest groundwater in this area is 200 feet below grade surface (BGS). According to the United States Geological Survey (USGS), the nearest groundwater is 76.5 feet BGS. The closest waterway is the Red Bluff Reservoir located approximately 25.12 miles to the southwest of this location. See Appendix A for referenced water surveys.

Table 1 NMAC and Closure Criteria 19.15.29					
Depth to Groundwater (Appendix A)	Constituent & Limits				
	Chlorides	Total TPH	GRO+DRO	BTEX	Benzene
<50'	600 mg/kg	100 mg/kg		50 mg/kg	10 mg/kg
51-100'	10,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg
>100'	20,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg

Reference Figure 2 for a Topographic Map.

Release Information

NAPP2317925175: On June 27, 2023, a water line developed a leak, causing a fluid to be released. The released fluids were calculated to be approximately 5.76 barrels (bbls) of produced water. A vacuum truck was able to recover 2 bbls of standing fluid.

Remediation Activities, Site Assessment, and Soil Sampling Results

On November 8, 2023, Pima mobilized personnel to the site to begin collecting soil samples from the spill area. The laboratory results of this sampling event can be found in the following data table. A Site Map can be found in Figure 4.

11-8-23 Soil Sample Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is 51-100')								
DEVON ENERGY -FIGHTING OKRA 18 CTB 3								
Sample Date: 11/8/2023 NM Approved Laboratory Results								
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Cl mg/kg
S-1	1'	ND	ND	ND	ND	ND	0	446
	2'	ND	ND	ND	ND	ND	0	219
	3'	ND	ND	ND	ND	ND	0	98.6
	4'	ND	ND	ND	ND	ND	0	73.2
S-2	1'	ND	ND	ND	ND	ND	0	201
	2'	ND	ND	ND	ND	ND	0	183
	3'	ND	ND	ND	ND	ND	0	96
	4'	ND	ND	ND	ND	ND	0	73.3
S-3	1'	ND	ND	ND	ND	ND	0	241
	2'	ND	ND	ND	ND	ND	0	496
	3'	ND	ND	ND	ND	ND	0	141
	4'	ND	ND	ND	ND	ND	0	113
S-4	1'	ND	ND	ND	ND	ND	0	509
	2'	ND	ND	ND	ND	ND	0	294
	3'	ND	ND	ND	ND	ND	0	142
	4'	ND	ND	ND	ND	ND	0	133
SW 1 Comp	0-4'	ND	ND	ND	ND	ND	0	358
SW 2 Comp	0-4'	ND	ND	ND	ND	ND	0	362
SW 3 Comp	0-4'	ND	ND	ND	ND	ND	0	328
SW 4 Comp	0-4'	ND	ND	ND	ND	ND	0	406
SW 5 Comp	0-4'	ND	ND	ND	ND	ND	0	331
BG 1	6"	ND	ND	ND	ND	ND	0	353

ND- Analyte Not Detected

Complete laboratory reports can be found in Appendix E.

Based on the sample results, the bottoms and sidewalls were below NMOCD Closure Criteria 19.15.29 NMAC. See Appendix D for Photographic Documentation.

Closure Request

After careful review, Pima requests that this incident, NAPP2317925175, be closed. Devon has complied with the applicable closure requirements set forth in rule 19.15.19.12 NMAC.

Should you have any questions or need additional information, please feel free to contact Gio Gomez at 806-782-1151 or gio@pimaoil.com.

Respectfully,



Gio Gomez
Project Manager
Pima Environmental Services, LLC

Attachments

Figures:

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Site Map
- 5- Pod Map

Appendices:

- Appendix A – Referenced Water Surveys
- Appendix B – Soil Survey and Geological Data
- Appendix C – C-141 Form
- Appendix D – Photographic Documentation
- Appendix E – Laboratory Reports



Pima Environmental Services

Figures:

1-Location Map

2-Topographic Map

3-Karst Map



4-Site Map


5-Pod Map

Fighting Okra 18 CTB 3

Devon Energy
API: N/A
Lea County, NM
Location Map

Legend

-  20 Miles SW of Jal, NM
-  Fighting Okra 18 CTB 3



Google Earth


10 mi




Fighting Okra 18 CTB 3

Devon Energy
API: N/A
Lea County, NM
Topographic Map

Legend





 Fighting Okra 18 CTB 3




Fighting Okra 18 CTB 3

Devon Energy
API: N/A
Lea County, NM
Karst Map

Legend

-  Fighting Okra 18 CTB 3
-  High Karst
-  Low Karst
-  Medium Karst



Google Earth


Fighting Okra 18 CTB 3

Devon Energy
API: N/A
Lea County, NM
Site Map

Legend

- Background/Sidewall
- Samples
- 📌 Fighting Okra 18 CTB 3
- 🔴 Spill Area 446 sqft

Fighting Okra 18 CTB 3 📌



BG1

Google Earth






100 ft

Fighting Okra 18 CTB 3

Devon Energy
API: N/A
Lea County, NM
POD C-04626

Legend

-  C-04626- POD1-0.39 of a mile
-  C-04626-POD1
-  Fighting Okra 18 CTB 3

Fighting Okra 18 CTB 3

C-04626-POD1



1000 ft



Pima Environmental Services

Appendix A

Water Surveys:

OSE

USGS

Surface Water Map



New Mexico Office of the State Engineer

Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)								
Well Tag	POD Number		Q64	Q16	Q4	Sec	Tws	Rng	X	Y
NA	C 04626 POD1		4	2	1	18	26S	34E	640644	3546672

Driller License: 1249	Driller Company: ATKINS ENGINEERING ASSOC. INC.	
Driller Name: JACKIE ATKINS		
Drill Start Date: 06/09/2022	Drill Finish Date: 06/09/2022	Plug Date:
Log File Date: 06/16/2022	PCW Rcv Date:	Source:
Pump Type:	Pipe Discharge Size:	Estimated Yield:
Casing Size:	Depth Well:	Depth Water:

Casing Perforations:	Top	Bottom
	0	55

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/20/23 3:37 PM

POINT OF DIVERSION SUMMARY



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Code	POD Sub-basin	County	Q 64	Q 16	Q 4	Q 4	Sec	Tws	Rng	X	Y	Distance	Well Depth	Depth	Water Column
C_04626 POD1		CUB	LE	4	2	1	18	26S	34E		640644	3546672	604			
C_02295		CUB	LE	2	2	4	12	26S	33E		639865	3547624	722	250	200	50
C_02293		CUB	LE	2	2	1	14	26S	33E		637501	3546975	2602	200	135	65
C_02294		CUB	LE	4	4	3	11	26S	33E		637465	3547003	2638	200	145	55
C_02292 POD1		CUB	LE	4	1	2	06	26S	34E		640992	3549987	3171	200	140	60
C_03441 POD1		C	LE	4	1	2	06	26S	34E		640971	3550039	3216	250		
C_03442 POD1		C	LE	4	1	2	06	26S	34E		641056	3550028	3229	251		
C_02291		CUB	LE	1	1	2	06	26S	34E		640825	3550140*	3278	220	160	60
C_04628 POD1		CUB	LE	1	1	2	01	26S	33E		639121	3550219	3421			
C_02289		CUB	LE	4	4	4	03	26S	33E		636612	3548675*	3897	200	160	40
C_02288		CUB	LE	4	4	4	03	26S	33E		636646	3548758	3905	220	180	40
C_02285 POD1		CUB	LE	1	4	4	03	26S	33E		636613	3548855	3980	220	220	0
C_02290		CUB	LE	4	4	4	03	26S	33E		636538	3548770	4006	200	160	40
C_02286		CUB	LE	3	4	4	03	26S	33E		636470	3548714	4043	220	175	45
C_02287		C	LE	3	4	4	03	26S	33E		636427	3548708	4078	220		
C_04583 POD1		CUB	LE	3	3	3	15	26S	34E		644920	3545643	4988	55		

Average Depth to Water: **167 feet**
 Minimum Depth: **135 feet**
 Maximum Depth: **220 feet**

Record Count: 16

UTM NAD83 Radius Search (in meters):

Easting (X): 640103.34 **Northing (Y):** 3546942.42 **Radius:** 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/7/23 1:51 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

Groundwater levels for the Nation

Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

site_no list =

- 320059103333501

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320059103333501 26S.33E.27.21112

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 13070001

Latitude 32°01'16.0", Longitude 103°33'33.9" NAD83

Land-surface elevation 3,252.00 feet above NGVD29

The depth of the well is 200 feet below land surface.


This well is completed in the Other aquifers (N9999OTHER) national aquifer.

This well is completed in the Alluvium, Bolson Deposits and Other Surface Deposits (110AVMB) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

USGS 320059103333501 26S.33E.27.21112



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions or Comments](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)



Page Last Modified: 2023-07-07 15:49:08 EDT


0.54 0.46 nadww02

Fighting Okra 18 CTB 3

Devon Energy
API: N/A
Lea County, NM
Surface Water Map

Legend

-  25.12 Miles
-  Feature 1



Google Earth

10 mi



Pima Environmental Services

Appendix B

Soil Survey & Geological Data

FEMA Flood Map

Wetlands Map

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Lea County, New Mexico

PU—Pyote and Maljamar fine sands

Map Unit Setting

National map unit symbol: dmqq
Elevation: 3,000 to 3,900 feet
Mean annual precipitation: 10 to 12 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 46 percent
Maljamar and similar soils: 44 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote

Setting

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand
Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Description of Maljamar

Setting

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 24 inches: fine sand
Bt - 24 to 50 inches: sandy clay loam
Bkm - 50 to 60 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 40 to 60 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 5.6 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: B
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Minor Components

Kermit

Percent of map unit: 10 percent
Ecological site: R070BC022NM - Sandhills

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

Hydric soil rating: No


Data Source Information

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 19, Sep 8, 2022

National Flood Hazard Layer FIRMMette



103°31'18"W 32°3'13"N



1:6,000

103°30'41"W 32°2'42"N

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) <i>Zone A, V, A99</i>
		With BFE or Depth <i>Zone AE, AO, AH, VE, AR</i>
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile <i>Zone Z</i>
		Future Conditions 1% Annual Chance Flood Hazard <i>Zone X</i>
		Area with Reduced Flood Risk due to Levee. See Notes. <i>Zone X</i>
		Area with Flood Risk due to Levee <i>Zone X</i>
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard <i>Zone X</i>
		Effective LOMRs
GENERAL STRUCTURES		Area of Undetermined Flood Hazard <i>Zone D</i>
		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
MAP PANELS		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature
		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **11/20/2023 at 4:06 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 11/20/2023 3:48:04 PM

Received by OCD: 11/20/2023 6:44:43 AM

Page 23 of 77



Wetlands Map



July 7, 2023

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Pima Environmental Services

Appendix C

C-141 Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Incident ID	nAPP2317925175
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Devon Energy Production Company	OGRID 6137
Contact Name Dale Woodall	Contact Telephone
Contact email Dale.Woodall@dvn.com	Incident # (assigned by OCD)
Contact mailing address 6488 Seven Rivers Hwy Artesia, NM 88210	

Location of Release Source

Latitude 32.049378 Longitude -103.516575
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Fighting Okra 18 CTB 3	Site Type Oil
Date Release Discovered 6/27/2023	API# (if applicable)

Unit Letter	Section	Township	Range	County
D	18	26S	34E	Lea

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 5.76 BBLS	Volume Recovered (bbls) 2 BBLS
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release Pin hole leak developed on water line.

State of New Mexico
Oil Conservation Division

Incident ID	nAPP2317925175
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Kendra Ruiz</u> Title: <u>EHS Associate</u> Signature: <u>Kendra Ruiz</u> Date: <u>7/11/2023</u> email: <u>Kendra.Ruiz@dvn.com</u> Telephone: <u>575-748-0167</u>
<u>OCD Only</u> Received by: <u>Shelly Wells</u> Date: <u>7/13/2023</u>

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 238768

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 238768
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
scwells	None	7/13/2023

Incident ID	NAPP2317925175
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_51-100'_ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	NAPP2317925175
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: *Dale Woodall* Date: 11/27/2023

email: dale.woodall@dnv.com Telephone: 575-748-1838

OCD Only

Received by: _____ Date: _____

Incident ID	NAPP2317925175
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: Environmental Professional
 Signature: Dale Woodall Date: 11/27/2023
 email: dale.woodall@dvn.com Telephone: 575-748-1838

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Scott Rodgers Date: 01/12/2024
 Printed Name: Scott Rogers Title: _____



Pima Environmental Services


Appendix D

Photographic Documentation



**SITE PHOTOGRAPHS
DEVON ENERGY
FIGHTING OKRA 18 CTB 3**

Site Assessment







+32.049138,-103.516903
Lea County
Devon
Fighting Okra 18 CTB 3
Assessment




Pima Environmental Services

Appendix E

Laboratory Reports

Report to:
Tom Bynum



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Fighting Okra 18 CTB 3

Work Order: E311081

Job Number: 01058-0007

Received: 11/10/2023

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
11/17/23

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.

Date Reported: 11/17/23



Tom Bynum
PO Box 247
Plains, TX 79355-0247

Project Name: Fighting Okra 18 CTB 3
Workorder: E311081
Date Received: 11/10/2023 9:15:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 11/10/2023 9:15:00AM, under the Project Name: Fighting Okra 18 CTB 3.

The analytical test results summarized in this report with the Project Name: Fighting Okra 18 CTB 3 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Golzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
S1-1'	6
S1-2'	7
S1-3'	8
S1-4'	9
S2-1'	10
S2-2'	11
S2-3'	12
S2-4'	13
S3-1'	14
S3-2'	15
S3-3'	16
S3-4'	17
S4-1'	18
S4-2'	19
S4-3'	20
S4-4'	21
SW1	22
SW2	23
SW3	24
SW4	25

Table of Contents (continued)

SW5	26
BG1	27
QC Summary Data	28
QC - Volatile Organic Compounds by EPA 8260B	28
QC - Nonhalogenated Organics by EPA 8015D - GRO	30
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	32
QC - Anions by EPA 300.0/9056A	34
Definitions and Notes	36
Chain of Custody etc.	37

Sample Summary

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/23 14:52
---	--	------------------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
S1-1'	E311081-01A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S1-2'	E311081-02A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S1-3'	E311081-03A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S1-4'	E311081-04A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S2-1'	E311081-05A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S2-2'	E311081-06A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S2-3'	E311081-07A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S2-4'	E311081-08A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S3-1'	E311081-09A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S3-2'	E311081-10A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S3-3'	E311081-11A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S3-4'	E311081-12A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S4-1'	E311081-13A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S4-2'	E311081-14A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S4-3'	E311081-15A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
S4-4'	E311081-16A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
SW1	E311081-17A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
SW2	E311081-18A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
SW3	E311081-19A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
SW4	E311081-20A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
SW5	E311081-21A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.
BG1	E311081-22A	Soil	11/08/23	11/10/23	Glass Jar, 2 oz.

Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S1-1'

E311081-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
---------	--------	-----------------	----------	----------	----------	-------

Volatile Organic Compounds by EPA 8260B	mg/kg	mg/kg	Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23
Toluene	ND	0.0250	1	11/13/23	11/14/23
o-Xylene	ND	0.0250	1	11/13/23	11/14/23
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23

<i>Surrogate: Bromofluorobenzene</i>	96.9 %	70-130		11/13/23	11/14/23
<i>Surrogate: 1,2-Dichloroethane-d4</i>	102 %	70-130		11/13/23	11/14/23
<i>Surrogate: Toluene-d8</i>	109 %	70-130		11/13/23	11/14/23

Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23
<i>Surrogate: Bromofluorobenzene</i>	96.9 %	70-130		11/13/23	11/14/23
<i>Surrogate: 1,2-Dichloroethane-d4</i>	102 %	70-130		11/13/23	11/14/23
<i>Surrogate: Toluene-d8</i>	109 %	70-130		11/13/23	11/14/23

Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23
<i>Surrogate: n-Nonane</i>	116 %	50-200		11/14/23	11/16/23

Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: BA		Batch: 2346031
Chloride	446	20.0	1	11/14/23	11/14/23



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S1-2'

E311081-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23	
Toluene	ND	0.0250	1	11/13/23	11/14/23	
o-Xylene	ND	0.0250	1	11/13/23	11/14/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		99.1 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		96.8 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		99.1 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		96.8 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		118 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	219	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S1-3'

E311081-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23	
Toluene	ND	0.0250	1	11/13/23	11/14/23	
o-Xylene	ND	0.0250	1	11/13/23	11/14/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		98.4 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		103 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		107 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		98.4 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		103 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		107 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		116 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	98.6	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S1-4'

E311081-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23	
Toluene	ND	0.0250	1	11/13/23	11/14/23	
o-Xylene	ND	0.0250	1	11/13/23	11/14/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		97.4 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		102 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		97.4 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		102 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		116 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	73.2	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S2-1'

E311081-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23	
Toluene	ND	0.0250	1	11/13/23	11/14/23	
o-Xylene	ND	0.0250	1	11/13/23	11/14/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		94.8 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		98.4 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		106 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		94.8 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		98.4 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		106 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		115 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	201	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S2-2'

E311081-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23	
Toluene	ND	0.0250	1	11/13/23	11/14/23	
o-Xylene	ND	0.0250	1	11/13/23	11/14/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		94.2 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		101 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		94.2 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		101 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		135 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	183	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S2-3'

E311081-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23	
Toluene	ND	0.0250	1	11/13/23	11/14/23	
o-Xylene	ND	0.0250	1	11/13/23	11/14/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		96.0 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		97.9 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		96.0 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		97.9 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		104 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	96.0	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S2-4'

E311081-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23	
Toluene	ND	0.0250	1	11/13/23	11/14/23	
o-Xylene	ND	0.0250	1	11/13/23	11/14/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		96.6 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		100 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		96.6 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		100 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		91.9 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	73.3	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S3-1'

E311081-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/14/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/14/23	
Toluene	ND	0.0250	1	11/13/23	11/14/23	
o-Xylene	ND	0.0250	1	11/13/23	11/14/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/14/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		93.7 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		101 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		108 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/14/23	
<i>Surrogate: Bromofluorobenzene</i>		93.7 %	70-130	11/13/23	11/14/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		101 %	70-130	11/13/23	11/14/23	
<i>Surrogate: Toluene-d8</i>		108 %	70-130	11/13/23	11/14/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		88.7 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	241	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S3-2'

E311081-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.5 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		102 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.5 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		102 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		85.7 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	496	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S3-3'

E311081-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		95.8 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		98.5 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		95.8 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		98.5 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		85.7 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	141	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S3-4'

E311081-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.3 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		99.7 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.3 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		99.7 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		85.0 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	113	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S4-1'

E311081-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		98.6 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		98.9 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		98.6 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		98.9 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		109 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		85.8 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	509	20.0	1	11/14/23	11/14/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S4-2'

E311081-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.0 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		97.0 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		106 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.0 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		97.0 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		106 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		85.2 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	294	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S4-3'

E311081-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.0 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		98.3 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.0 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		98.3 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		87.4 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	142	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

S4-4'

E311081-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.4 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		99.1 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		96.4 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		99.1 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		87.5 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	133	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

SW1

E311081-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		98.1 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		102 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		111 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		98.1 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		102 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		111 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		94.3 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	358	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

SW2

E311081-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		95.3 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		97.5 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		108 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		95.3 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		97.5 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		108 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		85.8 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	362	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

SW3

E311081-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		95.8 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		97.9 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		108 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		95.8 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		97.9 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		108 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		82.4 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	328	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

SW4

E311081-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		98.9 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		105 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346015
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		98.9 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		105 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		110 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346038
Diesel Range Organics (C10-C28)	ND	25.0	1	11/14/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/14/23	11/16/23	
<i>Surrogate: n-Nonane</i>		103 %	50-200	11/14/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346031
Chloride	406	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

SW5

E311081-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346009
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		110 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		91.6 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		99.0 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346009
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		110 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		91.6 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		99.0 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346042
Diesel Range Organics (C10-C28)	ND	25.0	1	11/15/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/15/23	11/16/23	
<i>Surrogate: n-Nonane</i>		96.6 %	50-200	11/15/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346032
Chloride	331	20.0	1	11/14/23	11/15/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

BG1

E311081-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346009
Benzene	ND	0.0250	1	11/13/23	11/15/23	
Ethylbenzene	ND	0.0250	1	11/13/23	11/15/23	
Toluene	ND	0.0250	1	11/13/23	11/15/23	
o-Xylene	ND	0.0250	1	11/13/23	11/15/23	
p,m-Xylene	ND	0.0500	1	11/13/23	11/15/23	
Total Xylenes	ND	0.0250	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		111 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		94.3 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		98.7 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346009
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/13/23	11/15/23	
<i>Surrogate: Bromofluorobenzene</i>		111 %	70-130	11/13/23	11/15/23	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		94.3 %	70-130	11/13/23	11/15/23	
<i>Surrogate: Toluene-d8</i>		98.7 %	70-130	11/13/23	11/15/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KM		Batch: 2346042
Diesel Range Organics (C10-C28)	ND	25.0	1	11/15/23	11/16/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/15/23	11/16/23	
<i>Surrogate: n-Nonane</i>		97.3 %	50-200	11/15/23	11/16/23	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: BA		Batch: 2346032
Chloride	353	20.0	1	11/14/23	11/15/23	



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

Volatile Organic Compounds by EPA 8260B

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec % %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	---------------	--------------------	----------	-------------------	-------

Blank (2346009-BLK1)

Prepared: 11/13/23 Analyzed: 11/14/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.536		0.500		107		70-130		
Surrogate: 1,2-Dichloroethane-d4	0.485		0.500		97.0		70-130		
Surrogate: Toluene-d8	0.479		0.500		95.7		70-130		

LCS (2346009-BS1)

Prepared: 11/13/23 Analyzed: 11/14/23

Benzene	2.76	0.0250	2.50		110		70-130		
Ethylbenzene	2.50	0.0250	2.50		99.8		70-130		
Toluene	2.42	0.0250	2.50		96.9		70-130		
o-Xylene	2.44	0.0250	2.50		97.5		70-130		
p,m-Xylene	4.74	0.0500	5.00		94.8		70-130		
Total Xylenes	7.18	0.0250	7.50		95.7		70-130		
Surrogate: Bromofluorobenzene	0.538		0.500		108		70-130		
Surrogate: 1,2-Dichloroethane-d4	0.484		0.500		96.8		70-130		
Surrogate: Toluene-d8	0.480		0.500		95.9		70-130		

Matrix Spike (2346009-MS1)

Source: E311077-22

Prepared: 11/13/23 Analyzed: 11/14/23

Benzene	2.63	0.0250	2.50	ND	105		48-131		
Ethylbenzene	2.47	0.0250	2.50	ND	98.7		45-135		
Toluene	2.41	0.0250	2.50	ND	96.4		48-130		
o-Xylene	2.45	0.0250	2.50	ND	98.1		43-135		
p,m-Xylene	4.76	0.0500	5.00	ND	95.1		43-135		
Total Xylenes	7.21	0.0250	7.50	ND	96.1		43-135		
Surrogate: Bromofluorobenzene	0.547		0.500		109		70-130		
Surrogate: 1,2-Dichloroethane-d4	0.465		0.500		92.9		70-130		
Surrogate: Toluene-d8	0.490		0.500		98.0		70-130		

Matrix Spike Dup (2346009-MSD1)

Source: E311077-22

Prepared: 11/13/23 Analyzed: 11/14/23

Benzene	2.74	0.0250	2.50	ND	109		48-131	4.03	23
Ethylbenzene	2.56	0.0250	2.50	ND	102		45-135	3.64	27
Toluene	2.47	0.0250	2.50	ND	99.0		48-130	2.58	24
o-Xylene	2.58	0.0250	2.50	ND	103		43-135	4.91	27
p,m-Xylene	5.01	0.0500	5.00	ND	100		43-135	5.11	27
Total Xylenes	7.58	0.0250	7.50	ND	101		43-135	5.04	27
Surrogate: Bromofluorobenzene	0.537		0.500		107		70-130		
Surrogate: 1,2-Dichloroethane-d4	0.471		0.500		94.1		70-130		
Surrogate: Toluene-d8	0.487		0.500		97.3		70-130		



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

Volatile Organic Compounds by EPA 8260B

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec % %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	---------------	--------------------	----------	-------------------	-------

Blank (2346015-BLK1)

Prepared: 11/13/23 Analyzed: 11/14/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.485		0.500		97.0		70-130		
Surrogate: 1,2-Dichloroethane-d4	0.507		0.500		101		70-130		
Surrogate: Toluene-d8	0.535		0.500		107		70-130		

LCS (2346015-BS1)

Prepared: 11/13/23 Analyzed: 11/14/23

Benzene	2.55	0.0250	2.50		102		70-130		
Ethylbenzene	2.54	0.0250	2.50		102		70-130		
Toluene	2.58	0.0250	2.50		103		70-130		
o-Xylene	2.36	0.0250	2.50		94.5		70-130		
p,m-Xylene	4.75	0.0500	5.00		95.0		70-130		
Total Xylenes	7.11	0.0250	7.50		94.8		70-130		
Surrogate: Bromofluorobenzene	0.471		0.500		94.1		70-130		
Surrogate: 1,2-Dichloroethane-d4	0.492		0.500		98.3		70-130		
Surrogate: Toluene-d8	0.532		0.500		106		70-130		

Matrix Spike (2346015-MS1)

Source: E311081-04

Prepared: 11/13/23 Analyzed: 11/14/23

Benzene	2.53	0.0250	2.50	ND	101		48-131		
Ethylbenzene	2.54	0.0250	2.50	ND	102		45-135		
Toluene	2.56	0.0250	2.50	ND	102		48-130		
o-Xylene	2.39	0.0250	2.50	ND	95.7		43-135		
p,m-Xylene	4.82	0.0500	5.00	ND	96.5		43-135		
Total Xylenes	7.22	0.0250	7.50	ND	96.2		43-135		
Surrogate: Bromofluorobenzene	0.479		0.500		95.8		70-130		
Surrogate: 1,2-Dichloroethane-d4	0.519		0.500		104		70-130		
Surrogate: Toluene-d8	0.523		0.500		105		70-130		

Matrix Spike Dup (2346015-MSD1)

Source: E311081-04

Prepared: 11/13/23 Analyzed: 11/14/23

Benzene	2.55	0.0250	2.50	ND	102		48-131	0.670	23
Ethylbenzene	2.60	0.0250	2.50	ND	104		45-135	2.30	27
Toluene	2.62	0.0250	2.50	ND	105		48-130	2.47	24
o-Xylene	2.48	0.0250	2.50	ND	99.1		43-135	3.41	27
p,m-Xylene	4.98	0.0500	5.00	ND	99.7		43-135	3.24	27
Total Xylenes	7.46	0.0250	7.50	ND	99.5		43-135	3.30	27
Surrogate: Bromofluorobenzene	0.476		0.500		95.2		70-130		
Surrogate: 1,2-Dichloroethane-d4	0.495		0.500		99.0		70-130		
Surrogate: Toluene-d8	0.539		0.500		108		70-130		



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec % %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	---------------	--------------------	----------	-------------------	-------

Blank (2346009-BLK1)

Prepared: 11/13/23 Analyzed: 11/14/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.536		0.500		107	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.485		0.500		97.0	70-130			
Surrogate: Toluene-d8	0.479		0.500		95.7	70-130			

LCS (2346009-BS2)

Prepared: 11/13/23 Analyzed: 11/14/23

Gasoline Range Organics (C6-C10)	52.3	20.0	50.0		105	70-130			
Surrogate: Bromofluorobenzene	0.547		0.500		109	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.482		0.500		96.3	70-130			
Surrogate: Toluene-d8	0.489		0.500		97.8	70-130			

Matrix Spike (2346009-MS2)

Source: E311077-22

Prepared: 11/13/23 Analyzed: 11/14/23

Gasoline Range Organics (C6-C10)	53.5	20.0	50.0	ND	107	70-130			
Surrogate: Bromofluorobenzene	0.561		0.500		112	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.466		0.500		93.1	70-130			
Surrogate: Toluene-d8	0.494		0.500		98.8	70-130			

Matrix Spike Dup (2346009-MSD2)

Source: E311077-22

Prepared: 11/13/23 Analyzed: 11/14/23

Gasoline Range Organics (C6-C10)	46.5	20.0	50.0	ND	93.1	70-130	14.0	20	
Surrogate: Bromofluorobenzene	0.549		0.500		110	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.477		0.500		95.4	70-130			
Surrogate: Toluene-d8	0.496		0.500		99.2	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2346015-BLK1)

Prepared: 11/13/23 Analyzed: 11/14/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.485		0.500		97.0	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.507		0.500		101	70-130			
Surrogate: Toluene-d8	0.535		0.500		107	70-130			

LCS (2346015-BS2)

Prepared: 11/13/23 Analyzed: 11/14/23

Gasoline Range Organics (C6-C10)	50.4	20.0	50.0		101	70-130			
Surrogate: Bromofluorobenzene	0.496		0.500		99.1	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.500		0.500		99.9	70-130			
Surrogate: Toluene-d8	0.543		0.500		109	70-130			

Matrix Spike (2346015-MS2)

Source: E311081-04

Prepared: 11/13/23 Analyzed: 11/14/23

Gasoline Range Organics (C6-C10)	49.2	20.0	50.0	ND	98.4	70-130			
Surrogate: Bromofluorobenzene	0.494		0.500		98.8	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.490		0.500		97.9	70-130			
Surrogate: Toluene-d8	0.546		0.500		109	70-130			

Matrix Spike Dup (2346015-MSD2)

Source: E311081-04

Prepared: 11/13/23 Analyzed: 11/14/23

Gasoline Range Organics (C6-C10)	51.9	20.0	50.0	ND	104	70-130	5.21	20	
Surrogate: Bromofluorobenzene	0.493		0.500		98.6	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.507		0.500		101	70-130			
Surrogate: Toluene-d8	0.560		0.500		112	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2346038-BLK1)

Prepared: 11/14/23 Analyzed: 11/16/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	57.7		50.0		115	50-200			

LCS (2346038-BS1)

Prepared: 11/14/23 Analyzed: 11/16/23

Diesel Range Organics (C10-C28)	262	25.0	250		105	38-132			
Surrogate: n-Nonane	57.1		50.0		114	50-200			

Matrix Spike (2346038-MS1)

Source: E311081-06

Prepared: 11/14/23 Analyzed: 11/16/23

Diesel Range Organics (C10-C28)	258	25.0	250	ND	103	38-132			
Surrogate: n-Nonane	56.3		50.0		113	50-200			

Matrix Spike Dup (2346038-MSD1)

Source: E311081-06

Prepared: 11/14/23 Analyzed: 11/16/23

Diesel Range Organics (C10-C28)	263	25.0	250	ND	105	38-132	1.75	20	
Surrogate: n-Nonane	58.4		50.0		117	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2346042-BLK1)

Prepared: 11/15/23 Analyzed: 11/16/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	44.2		50.0		88.4	50-200			

LCS (2346042-BS1)

Prepared: 11/15/23 Analyzed: 11/16/23

Diesel Range Organics (C10-C28)	231	25.0	250		92.4	38-132			
Surrogate: n-Nonane	43.8		50.0		87.6	50-200			

Matrix Spike (2346042-MS1)

Source: E311080-05

Prepared: 11/15/23 Analyzed: 11/16/23

Diesel Range Organics (C10-C28)	229	25.0	250	ND	91.5	38-132			
Surrogate: n-Nonane	43.7		50.0		87.4	50-200			

Matrix Spike Dup (2346042-MSD1)

Source: E311080-05

Prepared: 11/15/23 Analyzed: 11/16/23

Diesel Range Organics (C10-C28)	236	25.0	250	ND	94.3	38-132	2.99	20	
Surrogate: n-Nonane	45.0		50.0		90.1	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2346031-BLK1)

Prepared: 11/14/23 Analyzed: 11/14/23

Chloride ND 20.0

LCS (2346031-BS1)

Prepared: 11/14/23 Analyzed: 11/14/23

Chloride 250 20.0 250 100 90-110

Matrix Spike (2346031-MS1)

Source: E311081-06

Prepared: 11/14/23 Analyzed: 11/15/23

Chloride 423 20.0 250 183 95.9 80-120

Matrix Spike Dup (2346031-MSD1)

Source: E311081-06

Prepared: 11/14/23 Analyzed: 11/15/23

Chloride 431 20.0 250 183 99.2 80-120 1.95 20



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Fighting Okra 18 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 11/17/2023 2:52:05PM
---	--	--

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2346032-BLK1)

Prepared: 11/14/23 Analyzed: 11/15/23

Chloride ND 20.0

LCS (2346032-BS1)

Prepared: 11/14/23 Analyzed: 11/15/23

Chloride 245 20.0 250 97.9 90-110

Matrix Spike (2346032-MS1)

Source: E311087-04

Prepared: 11/14/23 Analyzed: 11/15/23

Chloride 3640 200 250 3570 30.8 80-120 M4

Matrix Spike Dup (2346032-MSD1)

Source: E311087-04

Prepared: 11/14/23 Analyzed: 11/15/23

Chloride 3790 200 250 3570 91.1 80-120 4.05 20

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Fighting Okra 18 CTB 3	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Tom Bynum	11/17/23 14:52

M4 Matrix spike recovery value is suspect since the analyte concentration in the sample is disproportionate to the spike level. The associated LCS spike recovery was acceptable.

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

DNI Did Not Ignite

DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Envirotech Analytical Laboratory

Printed: 11/13/2023 9:45:57AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	11/10/23 09:15	Work Order ID:	E311081
Phone:	(575) 631-6977	Date Logged In:	11/09/23 16:24	Logged In By:	Jordan Montano
Email:	tom@pimaoil.com	Due Date:	11/16/23 17:00 (4 day TAT)		

Chain of Custody (COC)

- 1. Does the sample ID match the COC? Yes
- 2. Does the number of samples per sampling site location match the COC? Yes
- 3. Were samples dropped off by client or carrier? Yes
- 4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
- 5. Were all samples received within holding time? Yes

Carrier: Courier

Note: Analysis, such as pH which should be conducted in the field, i.e, 15 minute hold time, are not included in this discussion.

Sample Turn Around Time (TAT)

- 6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

- 7. Was a sample cooler received? Yes
- 8. If yes, was cooler received in good condition? Yes
- 9. Was the sample(s) received intact, i.e., not broken? Yes
- 10. Were custody/security seals present? No
- 11. If yes, were custody/security seals intact? NA
- 12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C? Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

- 13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

- 14. Are aqueous VOC samples present? No
- 15. Are VOC samples collected in VOA Vials? NA
- 16. Is the head space less than 6-8 mm (pea sized or less)? NA
- 17. Was a trip blank (TB) included for VOC analyses? NA
- 18. Are non-VOC samples collected in the correct containers? Yes
- 19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

- 20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

- 21. Does the COC or field labels indicate the samples were preserved? No
- 22. Are sample(s) correctly preserved? NA
- 24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

- 26. Does the sample have more than one phase, i.e., multiphase? No
- 27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

- 28. Are samples required to get sent to a subcontract laboratory? No
- 29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab:

Comments/Resolution

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Project Information

Chain of Custody

Client: Pima Environmental Services Project: Fighting Back 18 CTB 3 Project Manager: Tom Bynum Address: 5614 N. Lovington Hwy. City, State, Zip Hobbs, NM. 88240 Phone: 580-748-1613 Email: tom@pimaoil.com Report due by:	Bill To		Lab Use Only				TAT				EPA Program					
	Attention: Devon		Lab WO#	Job Number			1D	2D	3D	Standard	CWA	SDWA				
	Address:		E311081	01058-0001						X						
	City, State, Zip		Analysis and Method										RCRA			
Phone:												State				
Email:												NM	CO	UT	AZ	TX
Pima Project # 332-1												X				

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX	Remarks
8:06	11/8/23	S		S1-1'	1							X		
8:17				S1-2'	2									
8:25				S1-3'	3									
8:38				S1-4'	4									
8:48				S2-1'	5									
8:56				S2-2'	6									
8:59				S2-3'	7									
9:10				S2-4'	8									
9:19				S3-1'	9									
9:28				S3-2'	10									

Additional Instructions: **B# 21191031**

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Sampled by: _____

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.

Relinquished by: (Signature) Karime Adame	Date 11/9/23	Time 2:15	Received by: (Signature) Micella Gayl	Date 11-9-23	Time 1415	Lab Use Only Received on ice: 0/ N T1 _____ T2 _____ T3 _____ AVG Temp °C 4
Relinquished by: (Signature) Micella Gayl	Date 11-9-23	Time 1730	Received by: (Signature) Andrew Nuzzo	Date 11-9-23	Time 1830	
Relinquished by: (Signature) Andrew Nuzzo	Date 11-9-23	Time 2400	Received by: (Signature) AMNTH	Date 11/10/23	Time 9:15	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other

Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



Project Information

Chain of Custody

Client: Pima Environmental Services Project: <u>Fighting Okra 18 CT83</u> Project Manager: Tom Bynum Address: 5614 N. Lovington Hwy. City, State, Zip <u>Hobbs, NM, 88240</u> Phone: 580-748-1613 Email: tom@pimaoil.com Report due by:	Bill To Attention: <u>Devon</u> Address: City, State, Zip Phone: Email: Pima Project # <u>332-1</u>		Lab Use Only Lab WO# <u>E311081</u> Job Number <u>01058-0001</u>				TAT 1D 2D 3D Standard <u>X</u>				EPA Program CWA SDWA RCRA				
	Analysis and Method										State NM CO UT AZ TX <u>X</u>				
	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX	Remarks						

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX	Remarks
9:49	11/8	S		S3-3'	11							X		
9:55				S3-4'	12									
10:10				S4-1'	13									
10:21				S4-2'	14									
10:29				S4-3'	15									
10:36				S4-4	16									
10:48				sw1	17									
10:53				sw2	18									
10:59				sw3	19									
10:05				sw4	20									

Additional Instructions: B# 21191031

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.

Relinquished by: (Signature) <u>Karime Adams</u>	Date <u>11/9/23</u>	Time <u>2:15</u>	Received by: (Signature) <u>Michelle Feyl</u>	Date <u>11-9-23</u>	Time <u>1415</u>	Lab Use Only Received on ice: <input checked="" type="radio"/> Y / <input type="radio"/> N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>
Relinquished by: (Signature) <u>Michelle Feyl</u>	Date <u>11-9-23</u>	Time <u>1730</u>	Received by: (Signature) <u>Andrew</u>	Date <u>11.9.23</u>	Time <u>1830</u>	
Relinquished by: (Signature) <u>Andre Nese</u>	Date <u>11.9.23</u>	Time <u>2400</u>	Received by: (Signature) <u>Montene</u>	Date <u>11/10/23</u>	Time <u>9:185</u>	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other
 Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



Project Information

Chain of Custody

Client: Pima Environmental Services		Bill To		Lab Use Only		TAT		EPA Program					
Project: <u>Fighting Odra 18 CTB3</u>		Attention: <u>Devon</u>		Lab WO# <u>E.311081</u>		Job Number <u>01058-0007</u>		1D	2D	3D	Standard	CWA	SDWA
Project Manager: <u>Tom Bynum</u>		Address:		City, State, Zip		Phone:		Analysis and Method				RCRA	
Address: <u>5614 N. Lovington Hwy.</u>		Email:		Pima Project # <u>332-1</u>								State	
City, State, Zip <u>Hobbs, NM, 88240</u>												NM CO UT AZ TX	
Phone: <u>580-748-1613</u>													
Email: <u>tom@pimaoil.com</u>													
Report due by:												Remarks	

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX	Remarks
10:10	11/8	S		SWS	21							X		
10:18	L	L		BG71	22									

Additional Instructions: B# 21191031

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by:

Relinquished by: (Signature) <u>Karime Adams</u>	Date <u>11/9/23</u>	Time <u>2:15</u>	Received by: (Signature) <u>Michelle Coy</u>	Date <u>11-9-23</u>	Time <u>1415</u>	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days. Lab Use Only Received on ice: <u>Y</u> / N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>
Relinquished by: (Signature) <u>Michelle Coy</u>	Date <u>11-9-23</u>	Time <u>1730</u>	Received by: (Signature) <u>Archie Nasso</u>	Date <u>11-9-23</u>	Time <u>1830</u>	
Relinquished by: (Signature) <u>Archie Nasso</u>	Date <u>11-9-23</u>	Time <u>2400</u>	Received by: (Signature) <u>M Mendez</u>	Date <u>11/10/23</u>	Time <u>9:15</u>	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 288172

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 288172
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	Operator did not meet 19.15.29.12D (1a) NMAC. Forbearance given on 01/12/2024. Remediation Closure approved.	1/12/2024