

Incident ID	nAPP2112043668
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100' (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	nAPP2112043668
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: *Dale Woodall* Date: 9/7/2023

email: dale.woodall@dvn.com Telephone: 575-748-1838

OCD Only

Received by: Shelly Wells Date: 9/8/2023

Incident ID	nAPP2112043668
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: Environmental Professional
 Signature: Dale Woodall Date: 9/7/2023
 email: dale.woodall@dvn.com Telephone: 575-748-1838

OCD Only

Received by: Shelly Wells Date: 9/8/2023

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Scott Rodgers Date: 01/24/2024
 Printed Name: Scott Rodgers Title: Environmental Specialist Adv.



Pima Environmental Services
5614 N. Lovington Highway
Hobbs, NM 88240
575-964-7740

August 31, 2023

NMOCD District 2
 811 S. First Street
 Artesia, NM 88210

Re: Site Assessment and Closure Report
Todd 36 CTB 3
API No. N/A
GPS: Latitude 32.25676 Longitude -103.728575
UL -- O, Section 36, T23S, R31E
Eddy County, NM
NMOCD Ref. No. NAPP2112043668

Pima Environmental Services, LLC. (Pima) has been contracted by Devon Energy Production Company, LP (Devon) to perform a spill assessment, remediation activities, and submit this closure report for a produced water release that occurred at the Todd 36 CTB 3 (Todd). The initial C-141 was submitted on April 30, 2021 (Appendix C). This incident was assigned Incident ID NAPP2112043668 by the New Mexico Oil Conservation Division (NMOCD).

Site Characterization

The Todd is located approximately twenty (20) miles east of Malaga, NM. This spill site is in Unit O, Section 36, Township 23S, Range 31E, Latitude 32.25676 Longitude -103.728575, Eddy County, NM. Figure 1 references a Location Map.

Per the New Mexico Bureau of Geology and Mineral Resources, the geology is made up of Interlayered eolian sands and piedmont-slope deposits along the eastern flank of the Pecos River valley, primarily between Roswell and Carlsbad. Typically capped by thin eolian deposits. The soil in this area is made up of Berino loamy fine sands, 0 to 3 percent slopes and Simona and wink fine sandy loams, 0 to 3 percent slopes, eroded according to the United States Department of Agriculture Natural Resources Conservation Service soil survey (Appendix B). The drainage class in this area is well drained. There is a low potential for karst geology to be present around the Todd (Figure 3).

According to the New Mexico Office of the State Engineer, depth to the nearest groundwater in this area is 160 feet below grade surface (BGS). According to the United States Geological Survey (USGS), the nearest groundwater is 100 feet BGS. The closest waterway is the Salt Playa located approximately 12 miles to the northwest of this location. See Appendix A for referenced water surveys.

Table 1 NMAC and Closure Criteria 19.15.29					
Depth to Groundwater (Appendix A)	Constituent & Limits				
	Chlorides	Total TPH	GRO+DRO	BTEX	Benzene
<50'	600 mg/kg	100 mg/kg		50 mg/kg	10 mg/kg
51-100'	10,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg
>100'	20,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg

Reference Figure 2 for a Topographic Map.

Todd 36 CTB 3|Devon Energy

Release Information

NAPP2112043668: On April 5, 2021, A leak developed on a water line, causing a fluid to be released. The released fluids were calculated to be approximately 14.58 barrels (bbls) of produced water. A vacuum truck was able to recover 5 bbls of standing fluid.

Remediation Activities, Site Assessment, and Soil Sampling Results

On March 1, 2023, Pima mobilized personnel to the site to begin collecting soil samples from the spill area. The laboratory results of this sampling event can be found in the following data table. A Site Map can be found in Figure 4.

3/1/2023 Soil Sample Results

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is >100')								
DEVON ENERGY - TODD 36 CTB 3								
Sample Date: 3/1/2023		NM Approved Laboratory Results						
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Cl mg/kg
BG 1	6"	ND	ND	ND	ND	ND	0	ND
BG 2	6"	ND	ND	ND	ND	ND	0	ND
SW-1	6"	ND	ND	ND	ND	ND	0	ND
SW-2	6"	ND	ND	ND	ND	ND	0	ND
SW-3	6"	ND	ND	ND	ND	ND	0	ND
SW-4	6"	ND	ND	ND	ND	ND	0	ND
S-1	1'	ND	ND	ND	ND	ND	0	7450
	3'	ND	ND	ND	ND	ND	0	4600
	5'	ND	ND	ND	ND	ND	0	2390
	6'	ND	ND	ND	ND	ND	0	ND
S-2	1'	ND	ND	ND	ND	ND	0	11400
	3'	ND	ND	ND	ND	ND	0	6670
	5'	ND	ND	ND	ND	ND	0	2130
	8'	ND	ND	ND	ND	ND	0	ND
S-3	1'	ND	ND	ND	ND	ND	0	7480
	3'	ND	ND	ND	ND	ND	0	3520
	5'	ND	ND	ND	ND	ND	0	1490
	7'	ND	ND	ND	ND	ND	0	ND
S-4	1'	ND	ND	ND	ND	ND	0	ND
	2'	ND	ND	ND	ND	ND	0	ND
	3'	ND	ND	ND	ND	ND	0	ND
	4'	ND	ND	ND	ND	ND	0	ND

ND- Analyte Not Detected

Complete laboratory reports can be found in Appendix E.

Based on the sample results, the bottoms and sidewalls were below NMOCD Closure Criteria per Table 1 19.15.29 NMAC. Well Record & Log indicates C-04746 POD1 was installed on June 1, 2023, to a depth of 105' placing closure criteria for this incident in the >100' column of Table 1. See Figure 4.

See Appendix D for Photographic Documentation.

Closure Request

After careful review, Pima requests that this incident, NAPP2112043668, be closed. Devon has complied with the applicable closure requirements set forth in rule 19.15.19.12 NMAC.

Should you have any questions or need additional information, please feel free to contact Gio Gomez at 806-782-1151 or gio@pimaoil.com.

Respectfully,



Gio Gomez

Project Manager

Pima Environmental Services,

Todd 36 CTB 3 | [Devon Energy](https://www.devonenergy.com)

Attachments

Figures:

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Well Map
- 5- Site Map

Appendices:

- Appendix A – Referenced Water Surveys
- Appendix B – Soil Survey and Geological Data
- Appendix C – C-141 Form
- Appendix D – Photographic Documentation
- Appendix E – Laboratory Reports



Pima Environmental Services

Figures:

1-Location Map

2-Topographic Map

3-Karst Map

4-Well Map


5-Site Map

Todd 36 CTB 3

Devon Energy
API:
Eddy County, NM
Location Map


Legend

-  22 Miles East of Loving, NM
-  Todd 36 CTB 3



Devon Energy
API: N/A
Eddy County, NM
Topographic Map

Legend
Todd 36 CTB 3




Todd 36 CTB 3

Devon Energy
API: N/A
Eddy County, NM
Karst Map

Legend

-  High Karst
-  Low Karst
-  Medium Karst
-  Todd 36 CTB 3



Google Earth



Tood 36 CTB 3

Devon Energy
API:N/A
Eddy County, NM
Well Record & Log
C-04746-POD1

Legend

-  .34 of a mile
-  Tood 36 CTB 3

Tood 36 CTB 3 

C-04746-POD1



TODD 36 CTB 3

Devon Energy
API# N/A
Eddy County, NM
Site Map

Legend

- Background/Sidewalls
- Sample
- Spill Area Sqft 2,820
- 📌 Todd 36 CTB 3





Pima Environmental Services

Appendix A

Water Surveys:

Well Record & Log

OSE

USGS

Surface Water Map



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) C-4746- POD 1		WELL TAG ID NO.		OSE FILE NO(S).		
	WELL OWNER NAME(S) Devon Energy Resources				PHONE (OPTIONAL)		
	WELL OWNER MAILING ADDRESS 205 E Bender Road #150				CITY Hobbs	STATE NM	ZIP 88240
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE	MINUTES 32	SECONDS 15'	18.5" N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84	
		LONGITUDE	103	44'	03.4" W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. 1833	NAME OF LICENSED DRILLER Jason Maley			NAME OF WELL DRILLING COMPANY Vision Resources			
	DRILLING STARTED 6-1-23	DRILLING ENDED 6-1-23	DEPTH OF COMPLETED WELL (FT) 105'	BORE HOLE DEPTH (FT) 105'	DEPTH WATER FIRST ENCOUNTERED (FT) Dry			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) Dry	DATE STATIC MEASURED		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY:			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:				CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>			
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0	100	6	2" PVC SCH 40	Thread	2"	SCH 40	-
	100	105	6	2" PVC SCH 40	Thread	2"	SCH 40	.02

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE- RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
				None pulled and plugged		

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FOR OSE INTERNAL USE		FILE NO.	POD NO.	TRN NO.
LOCATION			WELL TAG ID NO.	PAGE 1 OF 2



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: C-4746-POD 1

Well owner: Devon Energy Resources Phone No.: _____

Mailing address: 205 E Bender Road #150

City: Hobbs State: NM Zip code: 88240

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Vision Resources INC
- 2) New Mexico Well Driller License No.: WD1833 Expiration Date: 10-7-23
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Jason Maley
- 4) Date well plugging began: 6-6-23 Date well plugging concluded: 6-6-23
- 5) GPS Well Location: Latitude: 32 deg, 15' min, 18.5" sec
Longitude: 103 deg, 44' min, 03.4" sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 105 ft below ground level (bgl),
by the following manner: Tape
- 7) Static water level measured at initiation of plugging: Dry ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-6-2023
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column
C_04672 POD 1	CUB	ED	2	1	4	01	24S	31E	619762	3568286	1316	110			
C_02405	CUB	ED	4	1	02	24S	31E	617690	3568631*	2289	275	160	115		
C_02464	C	ED	2	3	1	02	24S	31E	617645	3568581	2351	320	205	115	
C_02348	C	ED	1	4	3	26	23S	31E	617648	3571068	2573	700	430	270	
C_02460	C	ED		3	02	24S	31E	617496	3568022*	2764	320				
C_02460 POD2	C	ED		3	02	24S	31E	617496	3568022*	2764	320				
C_02258	C	ED		3	2	26	23S	31E	618055	3571853*	2824	662			
C_03555 POD1	C	LE	2	2	1	05	24S	32E	622748	3569233	3008	600	380	220	
C_04687 POD1	CUB	ED	4	2	3	12	24S	31E	619481	3566450	3165	110			
C_03529 POD1	C	LE	2	4	3	29	23S	32E	622651	3571212	3306	550			
C_03530 POD1	C	LE	3	4	3	07	24S	32E	620886	3566156	3624	550			
C_03851 POD1	CUB	LE	3	3	4	20	23S	32E	622880	3572660	4365	1392	713	679	
C_02440	C	ED	2	3	10	24S	31E	616103	3566599*	4735	350				

Average Depth to Water: **377 feet**
 Minimum Depth: **160 feet**
 Maximum Depth: **713 feet**

Record Count: 13

UTMNAD83 Radius Search (in meters):

Easting (X): 619763.21

Northing (Y): 3569602.98

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

1/9/23 2:45 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- See the [Water Data for the Nation Blog](#) for the latest news and updates.

Groundwater levels for the Nation

i Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

site_no list =

- 321609103445901

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 321609103445901 23S.31E.26.34411

Available data for this site

Groundwater: Field measurements

GO

Eddy County, New Mexico

Hydrologic Unit Code 13060011

Latitude 32°16'11.9", Longitude 103°45'01.2" NAD83

Land-surface elevation 3,451.00 feet above NGVD29

The depth of the well is 365 feet below land surface.


This well is completed in the Other aquifers (N9999OTHER) national aquifer.

This well is completed in the Dewey Lake Redbeds (312DYLK) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

USGS 321609103445901 23S,31E,26,34411



Breaks in the plot represent a gap of at least one year between field measurements. [Download a presentation-quality graph](#)

- [Questions about sites/data?](#)
- [Feedback on this web site](#)
- [Automated retrievals](#)
- [Help](#)
- [Data Tips](#)
- [Explanation of terms](#)
- [Subscribe for system changes](#)
- [News](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2023-01-09 16:42:28 EST


0.59 0.5 nadww01

Todd 36 CTB 3

Devon Energy
API: N/A
Eddy County, NM
Surface Water Map

Legend

-  Todd 36 CTB 3



Google Earth



10 mi



Pima Environmental Services

Appendix B

Soil Survey & Geological Data

FEMA Flood Map

Wetlands Map

Map Unit Description: Berino loamy fine sand, 0 to 3 percent slopes---Eddy Area, New Mexico

Eddy Area, New Mexico

BA—Berino loamy fine sand, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 1w42
Elevation: 2,000 to 5,700 feet
Mean annual precipitation: 6 to 14 inches
Mean annual air temperature: 57 to 70 degrees F
Frost-free period: 180 to 260 days
Farmland classification: Not prime farmland

Map Unit Composition

Berino and similar soils: 99 percent
Minor components: 1 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Berino

Setting

Landform: Plains, fan piedmonts
Landform position (three-dimensional): Riser
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 12 inches: loamy fine sand
H2 - 12 to 58 inches: sandy clay loam
H3 - 58 to 60 inches: clay loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 40 percent
Maximum salinity: Very slightly saline to slightly saline (2.0 to 4.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Moderate (about 8.4 inches)

Interpretive groups

Land capability classification (irrigated): 3e
Land capability classification (nonirrigated): 7e

Map Unit Description: Berino loamy fine sand, 0 to 3 percent slopes---Eddy Area, New Mexico

Hydrologic Soil Group: B
Ecological site: R070BC007NM - Loamy
Hydric soil rating: No

Minor Components

Pajarito

Percent of map unit: 1 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 18, Sep 8, 2022

Map Unit Description: Simona and Wink fine sandy loams, 0 to 3 percent slopes, eroded---
Eddy Area, New Mexico

Eddy Area, New Mexico

SN—Simona and Wink fine sandy loams, 0 to 3 percent slopes, eroded

Map Unit Setting

National map unit symbol: 1w5y
Elevation: 3,000 to 4,200 feet
Mean annual precipitation: 10 to 14 inches
Mean annual air temperature: 60 to 64 degrees F
Frost-free period: 200 to 220 days
Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 45 percent
Wink and similar soils: 40 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Simona

Setting

Landform: Plains, alluvial fans
Landform position (three-dimensional): Rise
Down-slope shape: Convex, linear
Across-slope shape: Linear
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 19 inches: fine sandy loam
H2 - 19 to 23 inches: indurated

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 7 to 20 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Very low (about 2.5 inches)

Interpretive groups

Land capability classification (irrigated): 4s
Land capability classification (nonirrigated): 7e

Map Unit Description: Simona and Wink fine sandy loams, 0 to 3 percent slopes, eroded---
Eddy Area, New Mexico

Hydrologic Soil Group: D
Ecological site: R070BD002NM - Shallow Sandy
Hydric soil rating: No

Description of Wink

Setting

Landform: Swales, depressions
Landform position (three-dimensional): Talf
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 8 inches: fine sandy loam
H2 - 8 to 38 inches: fine sandy loam
H3 - 38 to 60 inches: stratified gravelly variable

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): High
(2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 30 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0
mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water supply, 0 to 60 inches: Low (about 6.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: A
Ecological site: R070BD004NM - Sandy
Hydric soil rating: No

Minor Components

Dune land

Percent of map unit: 15 percent
Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 18, Sep 8, 2022

National Flood Hazard Layer FIRMette



103°44'2"W 32°15'39"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

- SPECIAL FLOOD HAZARD AREAS**
 - Without Base Flood Elevation (BFE) Zone A, V, A99
 - With BFE or Depth Zone AE, AO, AH, VE, AR
 - Regulatory Floodway
- OTHER AREAS OF FLOOD HAZARD**
 - 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
 - Future Conditions 1% Annual Chance Flood Hazard Zone X
 - Area with Reduced Flood Risk due to Levee. See Notes. Zone X
 - Area with Flood Risk due to Levee Zone D
- OTHER AREAS**
 - NO SCREEN Area of Minimal Flood Hazard Zone X
 - Effective LOMRs
 - Area of Undetermined Flood Hazard Zone D
- GENERAL STRUCTURES**
 - Channel, Culvert, or Storm Sewer
 - Levee, Dike, or Floodwall
- OTHER FEATURES**
 - Cross Sections with 1% Annual Chance Water Surface Elevation
 - Coastal Transect
 - Base Flood Elevation Line (BFE)
 - Limit of Study
 - Jurisdiction Boundary
 - Coastal Transect Baseline
 - Profile Baseline
 - Hydrographic Feature
- MAP PANELS**
 - Digital Data Available
 - No Digital Data Available
 - Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.


This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 1/9/2023 at 4:46 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Wetlands Map



January 9, 2023

Wetlands

- Estuarine and Marine Deepwater
- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Lake
- Estuarine and Marine Wetland
- Freshwater Pond
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Pima Environmental Services

Appendix C

C-141 Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Incident ID	nAPP2112043668
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Devon Energy Production Company	OGRID 6137
Contact Name Amanda Davis	Contact Telephone 575-748-0176
Contact email Amanda.Davis@dvn.com	Incident # (assigned by OCD)
Contact mailing address 6488 Seven Rivers Hwy	

Location of Release Source

Latitude 32.256576 Longitude -103.728575
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Todd 36 CTB 3	Site Type Oil
Date Release Discovered 4/5/2021	API# (if applicable)

Unit Letter	Section	Township	Range	County
O	36	23S	31E	Eddy

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 14.58 BBLS	Volume Recovered (bbls) 5 BBLS
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release Leak on water line.

State of New Mexico
Oil Conservation Division

Page 2

Incident ID	nAPP2112043668
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why: The spill was not in containment.
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Kendra DeHoyos</u> Title: <u>EHS Associate</u> Signature: <u>Kendra DeHoyos</u> Date: <u>4/30/2021</u> email: <u>Kendra.DeHoyos@dvn.com</u> Telephone: <u>575-748-0167</u>
<u>OCD Only</u> Received by: <u>Ramona Marcus</u> Date: <u>5/10/2021</u>

NAPP2112043668

Spill Volume(Bbls) Calculator	
<i>Inputs in blue, Outputs in red</i>	
Contaminated Soil measurement	
Area (square feet)	Depth(inches)
<u>2532.91</u>	<u>0.250</u>
Cubic Feet of Soil Impacted	<u>52.769</u>
Barrels of Soil Impacted	<u>9.41</u>
Soil Type	Clay/Sand
Barrels of Oil Assuming 100% Saturation	<u>1.41</u>
Saturation	Fluid present with shovel/backhoe
Estimated Barrels of Oil Released	<u>1.41</u>
Free Standing Fluid Only	
Area (square feet)	Depth(inches)
<u>2532.91</u>	<u>0.350</u>
Standing fluid	<u>13.169</u>
<u>Total fluids spilled</u>	<u>14.580</u>

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 26476

CONDITIONS OF APPROVAL

Operator:			OGRID:	Action Number:	Action Type:
DEVON ENERGY PRODUCTION COMPAN	333 West Sheridan Ave.	Oklahoma City, OK73102	6137	26476	C-141
OCD Reviewer			Condition		
marcus			None		

Incident ID	nAPP2112043668
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100' (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	nAPP2112043668
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: *Dale Woodall* Date: 9/7/2023

email: dale.woodall@dvn.com Telephone: 575-748-1838

OCD Only

Received by: _____ Date: _____

Incident ID	nAPP2112043668
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Dale Woodall Title: Environmental Professional

Signature: *Dale Woodall* Date: 9/7/2023

email: dale.woodall@dvn.com Telephone: 575-748-1838

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____



Pima Environmental Services

Appendix D

Photographic Documentation



SITE PHOTOGRAPHS
DEVON ENERGY
TODD 36 CTB 3

Site Assessment







Pima Environmental Services

Appendix E

Laboratory Reports

Report to:
Tom Bynum



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Todd 36 CTB 3

Work Order: E303009

Job Number: 01058-0007

Received: 3/3/2023

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
3/9/23

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.



Date Reported: 3/9/23

Tom Bynum
PO Box 247
Plains, TX 79355-0247

Project Name: Todd 36 CTB 3
Workorder: E303009
Date Received: 3/3/2023 7:30:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 3/3/2023 7:30:00AM, under the Project Name: Todd 36 CTB 3.

The analytical test results summarized in this report with the Project Name: Todd 36 CTB 3 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area
Lynn Jarboe
Technical Representative/Client Services
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

West Texas Midland/Odessa Area
Rayny Hagan
Technical Representative
Office: 505-421-LABS(5227)

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
BG-1	6
BG-2	7
SW-1	8
SW-2	9
SW-3	10
SW-4	11
S-1 1'	12
S-1 3'	13
S-1 5'	14
S-1 6'	15
S-2 1'	16
S- 2 3'	17
S-2 5'	18
S-2 8'	19
S-3 1'	20
S-3 3'	21
S-3 5'	22
S-3 7'	23
S-4 1'	24
S-4 2'	25

Table of Contents (continued)

S-4 3'	26
S-4 4'	27
QC Summary Data	28
QC - Volatile Organics by EPA 8021B	28
QC - Nonhalogenated Organics by EPA 8015D - GRO	30
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	32
QC - Anions by EPA 300.0/9056A	34
Definitions and Notes	36
Chain of Custody etc.	37

Sample Summary

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 03/09/23 12:07
---	---	------------------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BG-1	E303009-01A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
BG-2	E303009-02A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
SW-1	E303009-03A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
SW-2	E303009-04A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
SW-3	E303009-05A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
SW-4	E303009-06A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-1 1'	E303009-07A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-1 3'	E303009-08A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-1 5'	E303009-09A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-1 6'	E303009-10A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-2 1'	E303009-11A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S- 2 3'	E303009-12A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-2 5'	E303009-13A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-2 8'	E303009-14A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-3 1'	E303009-15A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-3 3'	E303009-16A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-3 5'	E303009-17A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-3 7'	E303009-18A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-4 1'	E303009-19A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-4 2'	E303009-20A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-4 3'	E303009-21A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.
S-4 4'	E303009-22A	Soil	03/01/23	03/03/23	Glass Jar, 2 oz.



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

BG-1
E303009-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B		mg/kg	mg/kg	Analyst: SL	Batch: 2309054	
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		99.0 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO		mg/kg	mg/kg	Analyst: SL	Batch: 2309054	
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		90.1 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO		mg/kg	mg/kg	Analyst: RAS	Batch: 2309056	
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/07/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/07/23	
<i>Surrogate: n-Nonane</i>		106 %	50-200	03/03/23	03/07/23	
Anions by EPA 300.0/9056A		mg/kg	mg/kg	Analyst: BA	Batch: 2309065	
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

BG-2

E303009-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.7 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		91.3 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/07/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/07/23	
<i>Surrogate: n-Nonane</i>		106 %	50-200	03/03/23	03/07/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

SW-1

E303009-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.6 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		95.1 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/07/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/07/23	
<i>Surrogate: n-Nonane</i>		107 %	50-200	03/03/23	03/07/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

SW-2

E303009-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		99.8 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		91.2 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/07/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/07/23	
<i>Surrogate: n-Nonane</i>		108 %	50-200	03/03/23	03/07/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

SW-3

E303009-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		99.0 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		91.4 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/07/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/07/23	
<i>Surrogate: n-Nonane</i>		109 %	50-200	03/03/23	03/07/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

SW-4

E303009-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		99.1 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		90.8 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/07/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/07/23	
<i>Surrogate: n-Nonane</i>		107 %	50-200	03/03/23	03/07/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-1 1'

E303009-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		94.7 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		94.9 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/07/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/07/23	
<i>Surrogate: n-Nonane</i>		97.1 %	50-200	03/03/23	03/07/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	7450	200	10	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-1 3'

E303009-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.1 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		93.5 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		105 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	4600	100	5	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-1 5'

E303009-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.3 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		95.2 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		106 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	2390	40.0	2	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-1 6'
E303009-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		95.6 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		93.0 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		106 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-2 1'

E303009-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		95.4 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		90.2 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		99.6 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	11400	400	20	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S- 2 3'

E303009-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/04/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/04/23	
Toluene	ND	0.0250	1	03/02/23	03/04/23	
o-Xylene	ND	0.0250	1	03/02/23	03/04/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/04/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/04/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.9 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/04/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		91.6 %	70-130	03/02/23	03/04/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		108 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	6670	200	10	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-2 5'

E303009-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/05/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/05/23	
Toluene	ND	0.0250	1	03/02/23	03/05/23	
o-Xylene	ND	0.0250	1	03/02/23	03/05/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/05/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/05/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.1 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/05/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		91.0 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		97.3 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	2130	40.0	2	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-2 8'

E303009-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/05/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/05/23	
Toluene	ND	0.0250	1	03/02/23	03/05/23	
o-Xylene	ND	0.0250	1	03/02/23	03/05/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/05/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/05/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		98.9 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/05/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		93.0 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		105 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-3 1'

E303009-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/05/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/05/23	
Toluene	ND	0.0250	1	03/02/23	03/05/23	
o-Xylene	ND	0.0250	1	03/02/23	03/05/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/05/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/05/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.7 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/05/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		89.8 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		101 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	7480	200	10	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-3 3'

E303009-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/05/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/05/23	
Toluene	ND	0.0250	1	03/02/23	03/05/23	
o-Xylene	ND	0.0250	1	03/02/23	03/05/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/05/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/05/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.5 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/05/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		92.4 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		106 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	3520	40.0	2	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-3 5'

E303009-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/05/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/05/23	
Toluene	ND	0.0250	1	03/02/23	03/05/23	
o-Xylene	ND	0.0250	1	03/02/23	03/05/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/05/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/05/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.6 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/05/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		93.8 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		104 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	1490	40.0	2	03/03/23	03/05/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-3 7'

E303009-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/05/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/05/23	
Toluene	ND	0.0250	1	03/02/23	03/05/23	
o-Xylene	ND	0.0250	1	03/02/23	03/05/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/05/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/05/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.3 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/05/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		94.2 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		106 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/05/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-4 1'
E303009-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/05/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/05/23	
Toluene	ND	0.0250	1	03/02/23	03/05/23	
o-Xylene	ND	0.0250	1	03/02/23	03/05/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/05/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/05/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.1 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/05/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		87.9 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		109 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/05/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-4 2'

E303009-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Benzene	ND	0.0250	1	03/02/23	03/05/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/05/23	
Toluene	ND	0.0250	1	03/02/23	03/05/23	
o-Xylene	ND	0.0250	1	03/02/23	03/05/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/05/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/05/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.9 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309054
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/05/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		94.6 %	70-130	03/02/23	03/05/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309056
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		106 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309065
Chloride	ND	20.0	1	03/03/23	03/05/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-4 3'

E303009-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309053
Benzene	ND	0.0250	1	03/02/23	03/03/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/03/23	
Toluene	ND	0.0250	1	03/02/23	03/03/23	
o-Xylene	ND	0.0250	1	03/02/23	03/03/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/03/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/03/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		111 %	70-130	03/02/23	03/03/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/03/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		93.2 %	70-130	03/02/23	03/03/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309062
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		106 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309066
Chloride	ND	20.0	1	03/03/23	03/04/23	



Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

S-4 4'

E303009-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2309053
Benzene	ND	0.0250	1	03/02/23	03/03/23	
Ethylbenzene	ND	0.0250	1	03/02/23	03/03/23	
Toluene	ND	0.0250	1	03/02/23	03/03/23	
o-Xylene	ND	0.0250	1	03/02/23	03/03/23	
p,m-Xylene	ND	0.0500	1	03/02/23	03/03/23	
Total Xylenes	ND	0.0250	1	03/02/23	03/03/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		111 %	70-130	03/02/23	03/03/23	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2309053
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/02/23	03/03/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		92.7 %	70-130	03/02/23	03/03/23	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: RAS		Batch: 2309062
Diesel Range Organics (C10-C28)	ND	25.0	1	03/03/23	03/08/23	
Oil Range Organics (C28-C36)	ND	50.0	1	03/03/23	03/08/23	
<i>Surrogate: n-Nonane</i>		104 %	50-200	03/03/23	03/08/23	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: BA		Batch: 2309066
Chloride	ND	20.0	1	03/03/23	03/04/23	



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2309053-BLK1)

Prepared: 03/02/23 Analyzed: 03/03/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.02		8.00		100		70-130		

LCS (2309053-BS1)

Prepared: 03/02/23 Analyzed: 03/03/23

Benzene	4.87	0.0250	5.00		97.4		70-130		
Ethylbenzene	5.03	0.0250	5.00		101		70-130		
Toluene	5.10	0.0250	5.00		102		70-130		
o-Xylene	5.16	0.0250	5.00		103		70-130		
p,m-Xylene	10.2	0.0500	10.0		102		70-130		
Total Xylenes	15.4	0.0250	15.0		102		70-130		
Surrogate: 4-Bromochlorobenzene-PID	8.29		8.00		104		70-130		

Matrix Spike (2309053-MS1)

Source: E303008-21

Prepared: 03/02/23 Analyzed: 03/03/23

Benzene	5.19	0.0250	5.00	ND	104		54-133		
Ethylbenzene	5.38	0.0250	5.00	ND	107		61-133		
Toluene	5.44	0.0250	5.00	ND	109		61-130		
o-Xylene	5.51	0.0250	5.00	ND	110		63-131		
p,m-Xylene	10.9	0.0500	10.0	ND	109		63-131		
Total Xylenes	16.4	0.0250	15.0	ND	109		63-131		
Surrogate: 4-Bromochlorobenzene-PID	8.37		8.00		105		70-130		

Matrix Spike Dup (2309053-MSD1)

Source: E303008-21

Prepared: 03/02/23 Analyzed: 03/03/23

Benzene	4.88	0.0250	5.00	ND	97.7		54-133	6.16	20
Ethylbenzene	5.06	0.0250	5.00	ND	101		61-133	6.14	20
Toluene	5.12	0.0250	5.00	ND	102		61-130	6.09	20
o-Xylene	5.19	0.0250	5.00	ND	104		63-131	5.86	20
p,m-Xylene	10.2	0.0500	10.0	ND	102		63-131	6.14	20
Total Xylenes	15.4	0.0250	15.0	ND	103		63-131	6.05	20
Surrogate: 4-Bromochlorobenzene-PID	8.47		8.00		106		70-130		



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2309054-BLK1)

Prepared: 03/02/23 Analyzed: 03/04/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.69		8.00		96.1	70-130			

LCS (2309054-BS1)

Prepared: 03/02/23 Analyzed: 03/04/23

Benzene	4.52	0.0250	5.00		90.3	70-130			
Ethylbenzene	4.70	0.0250	5.00		93.9	70-130			
Toluene	4.78	0.0250	5.00		95.5	70-130			
o-Xylene	4.84	0.0250	5.00		96.7	70-130			
p,m-Xylene	9.54	0.0500	10.0		95.4	70-130			
Total Xylenes	14.4	0.0250	15.0		95.8	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.76		8.00		97.0	70-130			

Matrix Spike (2309054-MS1)

Source: E303009-04

Prepared: 03/02/23 Analyzed: 03/04/23

Benzene	4.61	0.0250	5.00	ND	92.2	54-133			
Ethylbenzene	4.82	0.0250	5.00	ND	96.4	61-133			
Toluene	4.90	0.0250	5.00	ND	97.9	61-130			
o-Xylene	4.95	0.0250	5.00	ND	98.9	63-131			
p,m-Xylene	9.77	0.0500	10.0	ND	97.7	63-131			
Total Xylenes	14.7	0.0250	15.0	ND	98.1	63-131			
Surrogate: 4-Bromochlorobenzene-PID	7.98		8.00		99.7	70-130			

Matrix Spike Dup (2309054-MSD1)

Source: E303009-04

Prepared: 03/02/23 Analyzed: 03/04/23

Benzene	4.76	0.0250	5.00	ND	95.3	54-133	3.26	20	
Ethylbenzene	5.00	0.0250	5.00	ND	99.9	61-133	3.60	20	
Toluene	5.08	0.0250	5.00	ND	102	61-130	3.66	20	
o-Xylene	5.13	0.0250	5.00	ND	103	63-131	3.70	20	
p,m-Xylene	10.1	0.0500	10.0	ND	101	63-131	3.75	20	
Total Xylenes	15.3	0.0250	15.0	ND	102	63-131	3.73	20	
Surrogate: 4-Bromochlorobenzene-PID	7.84		8.00		98.0	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2309053-BLK1)

Prepared: 03/02/23 Analyzed: 03/03/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.60		8.00		95.0	70-130			

LCS (2309053-BS2)

Prepared: 03/02/23 Analyzed: 03/03/23

Gasoline Range Organics (C6-C10)	47.9	20.0	50.0		95.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.61		8.00		95.2	70-130			

Matrix Spike (2309053-MS2)

Source: E303008-21

Prepared: 03/02/23 Analyzed: 03/03/23

Gasoline Range Organics (C6-C10)	46.7	20.0	50.0	ND	93.3	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.54		8.00		94.2	70-130			

Matrix Spike Dup (2309053-MSD2)

Source: E303008-21

Prepared: 03/02/23 Analyzed: 03/03/23

Gasoline Range Organics (C6-C10)	53.6	20.0	50.0	ND	107	70-130	13.8	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.59		8.00		94.8	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2309054-BLK1)

Prepared: 03/02/23 Analyzed: 03/04/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.61		8.00		95.1	70-130			

LCS (2309054-BS2)

Prepared: 03/02/23 Analyzed: 03/04/23

Gasoline Range Organics (C6-C10)	52.5	20.0	50.0		105	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.66		8.00		95.8	70-130			

Matrix Spike (2309054-MS2)

Source: E303009-04

Prepared: 03/02/23 Analyzed: 03/04/23

Gasoline Range Organics (C6-C10)	55.7	20.0	50.0	ND	111	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.70		8.00		96.3	70-130			

Matrix Spike Dup (2309054-MSD2)

Source: E303009-04

Prepared: 03/02/23 Analyzed: 03/04/23

Gasoline Range Organics (C6-C10)	53.5	20.0	50.0	ND	107	70-130	4.06	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.57		8.00		94.6	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2309056-BLK1)

Prepared: 03/03/23 Analyzed: 03/07/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	52.8		50.0		106	50-200			

LCS (2309056-BS1)

Prepared: 03/03/23 Analyzed: 03/09/23

Diesel Range Organics (C10-C28)	251	25.0	250		100	38-132			
Surrogate: n-Nonane	47.2		50.0		94.3	50-200			

Matrix Spike (2309056-MS1)

Source: E303009-09

Prepared: 03/03/23 Analyzed: 03/07/23

Diesel Range Organics (C10-C28)	277	25.0	250	ND	111	38-132			
Surrogate: n-Nonane	51.0		50.0		102	50-200			

Matrix Spike Dup (2309056-MSD1)

Source: E303009-09

Prepared: 03/03/23 Analyzed: 03/07/23

Diesel Range Organics (C10-C28)	279	25.0	250	ND	112	38-132	0.737	20	
Surrogate: n-Nonane	51.2		50.0		102	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2309062-BLK1)

Prepared: 03/03/23 Analyzed: 03/06/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	44.8		50.0		89.5	50-200			

LCS (2309062-BS1)

Prepared: 03/03/23 Analyzed: 03/06/23

Diesel Range Organics (C10-C28)	266	25.0	250		106	38-132			
Surrogate: n-Nonane	46.6		50.0		93.2	50-200			

Matrix Spike (2309062-MS1)

Source: E303010-07

Prepared: 03/03/23 Analyzed: 03/06/23

Diesel Range Organics (C10-C28)	690	250	250	491	79.7	38-132			
Surrogate: n-Nonane	49.1		50.0		98.2	50-200			

Matrix Spike Dup (2309062-MSD1)

Source: E303010-07

Prepared: 03/03/23 Analyzed: 03/06/23

Diesel Range Organics (C10-C28)	743	250	250	491	101	38-132	7.38	20	
Surrogate: n-Nonane	47.4		50.0		94.7	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2309065-BLK1)

Prepared: 03/03/23 Analyzed: 03/04/23

Chloride ND 20.0

LCS (2309065-BS1)

Prepared: 03/03/23 Analyzed: 03/04/23

Chloride 250 20.0 250 99.8 90-110

Matrix Spike (2309065-MS1)

Source: E303009-01

Prepared: 03/03/23 Analyzed: 03/04/23

Chloride 241 20.0 250 ND 96.4 80-120

Matrix Spike Dup (2309065-MSD1)

Source: E303009-01

Prepared: 03/03/23 Analyzed: 03/04/23

Chloride 268 20.0 250 ND 107 80-120 10.7 20



QC Summary Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Todd 36 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	Reported: 3/9/2023 12:07:27PM
---	---	---

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2309066-BLK1)

Prepared: 03/03/23 Analyzed: 03/04/23

Chloride ND 20.0

LCS (2309066-BS1)

Prepared: 03/03/23 Analyzed: 03/04/23

Chloride 275 20.0 250 110 90-110

Matrix Spike (2309066-MS1)

Source: E303009-21

Prepared: 03/03/23 Analyzed: 03/04/23

Chloride 292 20.0 250 ND 117 80-120

Matrix Spike Dup (2309066-MSD1)

Source: E303009-21

Prepared: 03/03/23 Analyzed: 03/04/23

Chloride 279 20.0 250 ND 111 80-120 4.86 20

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Todd 36 CTB 3	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Tom Bynum	03/09/23 12:07

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

DNI Did Not Ignite

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Project Information

Chain of Custody

Client: Pima Environmental Services
 Project: Todd 36 CTB 3
 Project Manager: Tom Bynum
 Address: 5614 N. Lovington Hwy.
 City, State, Zip: Hobbs, NM, 88240
 Phone: 580-748-1613
 Email: tom@pimaoil.com
 Report due by:

Bill To
 Attention: Devon Energy
 Address:
 City, State, Zip
 Phone:
 Email:
 Pima Project # 225-3

Lab Use Only
 Lab WO# F 303009 Job Number 01058-0007
 TAT: 1D 2D 3D Standard
 EPA Program: CWA SDWA RCRA

Analysis and Method
 DRO/ORO by 8015 GRO/DRO by 8015 BTEX by 8021 VOC by 8260 Metals 6010 Chloride 300.0 BGDQC NM BGDQC TX
 State: NM CO UT AZ TX

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDQC NM	BGDQC TX	Remarks
8:00	3/1/23	S		BG-1	1							X		
8:05				BG-2	2									
8:10				SW-1	3									
8:15				SW-2	4									
8:20				SW-3	5									
8:25				SW-4	6									
8:30				S-1 1'	7									
8:35				S-1 3'	8									
8:40				S-1 5'	9									
8:45				S-1 6'	10									

Additional Instructions: Bill To Devon Energy: # 21107302

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: Dominic Gonzales

Relinquished by: (Signature) <u>Med Rojas</u>	Date <u>3-2-23</u>	Time <u>2:00</u>	Received by: (Signature) <u>Micelle Gandy</u>	Date <u>3-2-23</u>	Time <u>1400</u>	Lab Use Only Received on ice: <input checked="" type="checkbox"/> Y / <input type="checkbox"/> N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4.0</u>
Relinquished by: (Signature) <u>Micelle Gandy</u>	Date <u>3-2-23</u>	Time <u>1630</u>	Received by: (Signature) <u>Lorenzo Lei</u>	Date <u>3-2-23</u>	Time <u>1645</u>	
Relinquished by: (Signature) <u>Lorenzo Lei</u>	Date <u>3-2-23</u>	Time <u>2230</u>	Received by: (Signature) <u>Jrene Zepeda</u>	Date <u>3/3/23</u>	Time <u>7:30</u>	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other
 Container Type: g-glass p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



Client: Pima Environmental Services
 Project: **Todd 36 CTB.3**
 Project Manager: Tom Bynum
 Address: 5614 N. Lovington Hwy.
 City, State, Zip: Hobbs, NM, 88240
 Phone: 580-748-1613
 Email: tom@pimaoil.com
 Report due by:

Bill To
 Attention: **Devon Energy**
 Address:
 City, State, Zip
 Phone:
 Email:
 Pima Project # **225-3**

Lab Use Only		TAT			EPA Program		
Lab WO#	Job Number	1D	2D	3D	Standard	CWA	SDWA
F303009	0058-0007				X		
Analysis and Method							RCRA

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number
8:50	3/1/23	S		S-2 1'	11
8:55				S-2 3'	12
9:00				S-2 5'	13
9:05				S-2 8'	14
9:10				S-3 1'	15
9:15				S-3 3'	16
9:20				S-3 5'	17
9:25				S-3 7'	18
9:30				S-4 1'	19
9:35				S-4 2'	20

DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	BGDOC NM	BGDOC TX
						X	

State				
NM	CO	UT	AZ	TX
X				

Remarks

Additional Instructions:

Bill To Devon Energy: # 21107302

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.

Relinquished by: (Signature) Neil Rogers	Date 3-2-23	Time 2:00	Received by: (Signature) Micelle Camp	Date 3-2-23	Time 1400
Relinquished by: (Signature) Micelle Camp	Date 3-2-23	Time 1630	Received by: (Signature) Lorenzo Len	Date 3-2-23	Time 1645
Relinquished by: (Signature) Lorenzo Len	Date 3-2-23	Time 2230	Received by: (Signature) Jane Zizzi	Date 3/3/23	Time 7:30

Lab Use Only
Received on ice: (Y) / N
T1: T2: T3:
AVG Temp °C: 4.0

Sample Matrix: **S** - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other

Container Type: **g** - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



Envirotech Analytical Laboratory

Printed: 3/3/2023 8:41:18AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	03/03/23 07:30	Work Order ID:	E303009
Phone:	(575) 631-6977	Date Logged In:	03/02/23 15:01	Logged In By:	Caitlin Christian
Email:	tom@pimaoil.com	Due Date:	03/09/23 17:00 (4 day TAT)		

Chain of Custody (COC)

- 1. Does the sample ID match the COC? Yes
- 2. Does the number of samples per sampling site location match the COC? Yes
- 3. Were samples dropped off by client or carrier? Yes
- 4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
- 5. Were all samples received within holding time? Yes

Carrier: Courier

Note: Analysis, such as pH which should be conducted in the field, i.e, 15 minute hold time, are not included in this discussion.

Comments/Resolution

Sample Turn Around Time (TAT)

- 6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

- 7. Was a sample cooler received? Yes
- 8. If yes, was cooler received in good condition? Yes
- 9. Was the sample(s) received intact, i.e., not broken? Yes
- 10. Were custody/security seals present? No
- 11. If yes, were custody/security seals intact? NA
- 12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C? Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

- 13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

- 14. Are aqueous VOC samples present? No
- 15. Are VOC samples collected in VOA Vials? NA
- 16. Is the head space less than 6-8 mm (pea sized or less)? NA
- 17. Was a trip blank (TB) included for VOC analyses? NA
- 18. Are non-VOC samples collected in the correct containers? Yes
- 19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

- 20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

- 21. Does the COC or field labels indicate the samples were preserved? No
- 22. Are sample(s) correctly preserved? NA
- 24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

- 26. Does the sample have more than one phase, i.e., multiphase? No
- 27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

- 28. Are samples required to get sent to a subcontract laboratory? No
- 29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: na

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 263151

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 263151
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	Remediation has met 19.15.29 NMAC requirements. Soil impacts exceeding the reclamation standards have been left in place and are required to meet 19.15.29.13D (1) NMAC once the site is no longer reasonably needed for production or subsequent drilling operations.	1/24/2024