



## **GAS MITIGATION MONTHLY REPORT - FEBRUARY 2022**

Property:

**South Hobbs G/SA Unit  
Unit F, Section 5, Township 19S, Range 38E  
Latitude 32.690683, Longitude -103.173158  
Lea County, New Mexico**


**New Mexico EMNRD OCD  
Order No. R-4934-F, Case No. 14981**


March 24, 2022

Prepared for:

**Occidental Permian LTD  
6001 Deauville Blvd.  
Midland, Texas 79706  
Attn: Mr. Dusty Wilson**

Prepared by:

  
Beaux Jennings  
Senior Project Manager

  
Elizabeth Scaggs  
Principal



## Table of Contents

|            |                                            |          |
|------------|--------------------------------------------|----------|
| <b>1.0</b> | <b>INTRODUCTION.....</b>                   | <b>1</b> |
| 1.1        | Site Description & Background .....        | 1        |
| 1.2        | Groundwater Recovery – Levey Well .....    | 4        |
| 1.3        | Gas Recovery – Levey Well .....            | 4        |
| <b>2.0</b> | <b>AIR AND GROUNDWATER MONITORING.....</b> | <b>4</b> |
| 2.1        | Air Sampling Program.....                  | 4        |
| 2.2        | Groundwater Sampling Program .....         | 5        |
| <b>3.0</b> | <b>DATA EVALUTATION .....</b>              | <b>6</b> |
| 3.1        | Air Samples.....                           | 6        |
| 3.2        | Groundwater Samples.....                   | 6        |
| <b>4.0</b> | <b>RECOMMENDATIONS .....</b>               | <b>7</b> |
| <b>5.0</b> | <b>REFERENCES.....</b>                     | <b>8</b> |

## List of Appendices

### **Appendix A: Figures and Graphs**

Figure 1 – Site Map

Graph – Benzene Concentration Over Time

### **Appendix B: Tables**

Table 1 – Groundwater Analytical Summary – VOCs

Table 2 – Groundwater Analytical Summary – General Water Chemistry

Table 3 – Groundwater Analytical Summary – Additional  
Parameters for Monitoring Wells

Table 4 – Air Analytical Summary – VOCs

### **Appendix C: Laboratory Data Sheets & Chain-of-Custody Documentation**

### **Appendix D: Levey Well Pressure Reading Documentation**



## GAS MITIGATION MONTHLY REPORT – FEBRUARY 2022

**South Hobbs G/SA Unit Operations**  
**Order No. R-4934-F, Case No. 14981**  
**Unit F, Section 5, Township 19S, Range 38E**  
**Latitude 32.690683, Longitude -103.173158**  
**Lea County, New Mexico**

### 1.0 INTRODUCTION

#### 1.1 Site Description & Background

|                        |                                                                                                                                                              |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Operator:</b>       | Occidental Permian LTD (OXY)                                                                                                                                 |
| <b>Site Name:</b>      | South Hobbs G/SA Unit Operations (Site)                                                                                                                      |
| <b>Location:</b>       | Unit F, Section 5, Township 19 South, Range 38 East<br>Latitude 32.690683, Longitude -103.173158<br>Lea County, New Mexico                                   |
| <b>Property Owner:</b> | OXY                                                                                                                                                          |
| <b>Regulatory:</b>     | New Mexico Energy, Minerals and Natural Resources Department (EMNRD)<br>New Mexico Oil Conservation Division (NMOCD)<br>Order No. R-4934-F<br>Case No. 14981 |

This Gas Mitigation Monthly Report - January 2022 summarizes activities subsequent to the *Gas Mitigation Monthly Report - November 2021*, dated December 14, 2021, the *Gas Mitigation Monthly Report - December 2021*, dated January 20, 2022, and the *Gas Mitigation Monthly Report - January 2022*, dated March 1, 2022. All wells are located within operations that are part of the South Hobbs Grayburg/San Andres Unit (SHU) Field in the southwestern area of the City of Hobbs, Lea County, New Mexico. Collectively, the Levey water well (Levey Well) and the two (2) monitoring wells (MW-1 and MW-2) are referred to as the "Site".

OXY has investigated groundwater and oil and gas operation well conditions in the area of the Site. A Site Map, which indicates the approximate locations of the Levey Well and monitoring wells MW-1 and MW-2 in relation to pertinent structures and general Site boundaries, is included as **Figure 1 in Appendix A**.

On June 30, 2019, elevated pressure was observed at the Levey Well. At the request of the New Mexico Oil Conservation Division (NMOCD), localized area wells were "shut in" from operational use. Over time, the pressure being observed at the Levey Well declined until pressure was no longer recorded. Observations and water analysis of the Levey water well did identify free gas in the well bore; however, pressure from the underlying groundwater-bearing zone was no longer present.

South Hobbs G/SA Unit Operations  
Gas Mitigation Monthly Report - February 2022  
March 24, 2022



Operational data was analyzed as part of the area wide assessment and adjacent wells investigated as potential sources for the gas infiltration. During maintenance operations at SHU #183, located approximately 575 feet southwest of the Levey Well, the SHU #183 well string was pulled, and pressures measured for proof of casing integrity. During these operations, SHU #183 was found to have a casing leak, which is believed to be the source of the pressure observed at Levey well. In response, OXY plugged the SHU #183 well to surface. No other anomalies were observed in the adjacent area oil and gas wells. After SHU #183 was plugged, OXY drilled a nearby replacement well. This replacement well, designated as SHU #297, is currently operational and shows no concerns of free gas migration.

In February of 2020, permission was obtained from the NMOCD to drill two (2) monitoring wells (MW-1 and MW-2) for analysis and observation purposes. Monitoring well MW-1 was installed in the vicinity of the Levey Well and monitoring well MW-2 was installed in the vicinity of SHU #183.

During initial pre-start up background sampling of the Levey Well, MW-1 and MW-2 on two (2) separate events, May 25th and June 20th of 2020, gas with lower explosive limits (LEL's) at or over 60% were observed in the Levey Well and monitoring well MW-2. This finding was consistent with previous analysis and findings within the Levey Well and not an unexpected result as the previous contributions of gas from the SHU #183 had been sufficient to result in pressure at the surface through the Levey Well.

OXY's groundwater monitoring program included the collection of a groundwater sample from each monitoring well (MW-1 and MW-2). The monitoring wells were gauged and sampled on May 26, June 30, August 20, October 23, November 24, December 18, 2020, and weekly thereafter. The Levey Well has been sampled consistently from December 6, 2019, to February 25, 2022. The groundwater samples collected from the monitoring wells (MW-1 and MW-2) were analyzed for total petroleum hydrocarbons (TPH), gasoline range organics (GRO), diesel range organics (DRO), and oil range organics (ORO) utilizing Environmental Protection Agency (EPA) Method 8015M, volatile organic compounds (VOCs) utilizing EPA Method SW-846 #8260 (full list), carbon dioxide utilizing Standard Method 4500 CO<sub>2</sub> C, dissolved sulfide utilizing EPA Method SW-846 #376.2, chloride using EPA Method SW-846 #300.0 and pH utilizing EPA Method SW-846 #150.1. The groundwater samples collected from the Levey Well were analyzed for VOCs, recoverable metals per ICP by EPA 200.7, inorganic anions by EPA 300/300.1, pH by SM4500-H, total dissolved solids (TDS) by SM2540C, alkalinity by SM2320B and cation-anion balance by SM1030E.

During the February 2022 groundwater sampling event the groundwater samples did not exhibit constituent concentrations above New Mexico Water Quality Control Commission (WQCC) *Groundwater Quality Standards* (GQSs), with the exception of benzene, chloride, Nitrite as N and TDS. Benzene concentrations ranged from 0.0184 milligrams per liter (mg/L) to 0.0357 mg/L in monitoring well MW-2. Chloride concentrations ranged from 217 mg/L to 484 mg/L in the Levey Well. Nitrite as N concentrations ranged from 0.338 mg/L to 1.03 mg/L in monitoring well MW-2. TDS analytical results ranged from 1,070 mg/L to 1,960 mg/L in the Levey Well, which exceeds the applicable WQCC GQS of 1,000 mg/L. Although above the GQS, these TDS concentrations are consistent with background levels in the Quaternary Alluvium, Ogallala Formation, and the Dockum Group (i.e., the three groundwater bearing units) in Southern Lea County (Nicholson and Clebsch, 1961). The groundwater analytical summary tables are included in **Appendix B**.

OXY utilized automated processes to compile and monitor dates related to the SHU localized wells to ensure tracking of production and injection activities as related to the re-start of these area operations. No anomalies were observed in the area oil and gas wells that could contribute free gas into the groundwater-bearing zone.



South Hobbs G/SA Unit Operations  
Gas Mitigation Monthly Report - February 2022  
March 24, 2022



To mitigate potential exposures, the Levey residence was purchased by OXY and remains unoccupied. A passive vent was installed on the Levey Well to mitigate safety and explosivity concerns for the residential and work area. There has been no detectable build-up of pressure in the Levey Well or monitoring wells MW-1 and MW-2. Hydrogen sulfide (H<sub>2</sub>S) has not been detected in any of the three (3) aforementioned wells since July 15, 2020. All detections of H<sub>2</sub>S prior to July 15, 2020 were within the well bore. No H<sub>2</sub>S above permissible exposure limits was observed outside of the well bores.

OXY installed pressure reading charts at the Levey Well to measure the potential for any returning pressure at the well. These charts measure pressure 24 hours a day and show that no pressure has returned to the Levey Well. Monitoring wells MW-1 and MW-2 were physically monitored for the presence of gas and pressure on several dates from 7/1/2020 to 2/25/2022, with no pressure observed in either monitoring well. The pressure reading charts available for February 2022 are included in **Appendix D**.

The data indicates that pressure sourced from SHU #183 contributed to the infiltration of free gas into the red beds just beneath the groundwater-bearing zone, creating a pressurized pool of gas that traveled to the Levey Well. Once SHU #183 was plugged, the pressure source was removed from the red beds and overlying groundwater-bearing zone and the remaining free gases below remain pooling within the red bed underlying the groundwater-bearing zone. This is supported by the data described above and is consistent with findings reported in two (2) reports, one co-authored and supplied by Lisa Molofsky of GSI Environmental Inc. The first is "Purging and other sampling variables affecting dissolved methane concentration in water supply wells", and the second "Factors affecting the variability of stray gas concentration and composition in groundwater" authored by A.W. Gorody, referenced below. The reports state:

*As free-phase gas spreads vertically and/or laterally from a source of release, it can become trapped beneath low permeability sediments (e.g., the "red beds" which separate the overlying Ogallala aquifer from the underlying Santa Rosa). Irregularities in the base topography of these barriers can result in discretized pools of free-phase gas. In many ways, this trapping and accumulation of free-phase gases beneath impermeable units is analogous to the development of structural traps that form in conventional oil and gas reservoirs. This phenomenon can also be viewed as the conceptual inverse of a chlorinated solvent release (a dense NAPL, or "DNAPL") in which the dense liquid can migrate downward through the groundwater via available pathways, until encountering a resistant layer, where the dense liquid pools and accumulates.*

*In water supply wells, free-phase gas entry is most likely to occur when water levels are lowered in a well by pumping or drought, because this reduces the pressure head resisting gas entry from the formation into the well (Gorody 2012, Molofsky et al. 2018). This may allow free-phase gas to enter the well from one unit (e.g., red bed), while water is primarily originating from another (e.g., the Ogallala aquifer). When the two phases (free-phase gas from the red bed and groundwater from the Ogallala) mix in the water well, there is relatively little time for equilibration under pumping conditions; consequently, dissolved gas concentrations may be very low even though free-phase gas is observed in the well headspace.*

These studies and OXY's related findings are that the remaining free gas beneath portions of the Site is pooled within the red beds and the overlying geologic pressure is such that it is confining the free gas. The free gas observed in the Levey Well and monitoring well MW-2 well bores are traveling through these conduits to near surface but lack the pressure to release from the subsurface as the additional pressure from SHU #183 has been eliminated. This coupled with the finding that there is little mixing of constituents of gases into the dissolved phase within the adjacent groundwater supports the understanding that the gases are remaining beneath the water interface and only traveling up to surface when the relative pressure allows it to do so, rather than mixing with the water source.

The data indicates that the current free gas in the subsurface has reached a point of equilibrium and, without influence, is stable. To mobilize the free gas, a pressure change was proposed to release the free gas pool from the subsurface red bed.

## 1.2 Groundwater Recovery – Levey Well

As of July 1, 2021, the Levey Well has run full time and recovered groundwater is transferred via flowline to a nearby tank for proper disposal. The groundwater recovered from the Levey Well during February 1 - 2, 2022 was approximately 65,875 gallons. Due to a severe winter storm on February 2, 2022, the Levey well flowline pump was damaged and is currently inactive. Replacement parts have been ordered and the pump will be repaired upon arrival of the replacement parts. Prior to initiating the vacuum recovery events, it was noted that the flow meter on the Levey Well had been previously damaged. The flow meter was subsequently replaced by OXY personnel.

## 1.3 Gas Recovery – Levey Well

OXY conducted three (3) vacuum recovery events during the month of February 2022 with positive results as shown on **Table 4** in **Appendix B**. The purpose of these events is to attach a vacuum pump truck to the Levey Well, creating a vacuum on the wellbore, and displacing the underlying water releasing the overlying pressure restraining the free gas pool, and releasing it to the surface. This process will continue into March 2022 once every two (2) weeks until the sampling results of the air is minimal after displacement of the overlying pressure, or the process proves to become ineffective.

## 2.0 AIR AND GROUNDWATER MONITORING

### 2.1 Air Sampling Program

#### Levey Well

The air samples on February 2, 23 and 28, 2022 were taken prior to, during, and subsequent to each vacuum event utilizing a Summa<sup>®</sup> canister. Upon arrival at the Site, the Levey Well is turned off and allowed to stabilize for approximately one (1) hour. An air sample is taken after one (1) hour of the Levey Well stabilization, prior to initiating the vacuum event. The vacuum is applied to the Levey Well for a duration of approximately one (1) hour. Approximately 15 minutes and 45 minutes into the event, an air sample is taken. The vacuum is then turned off and an additional air sample from the Levey Well is taken one (1) hour subsequent to each vacuum event. Water was not recovered during either vacuum event.

The Summa® canisters were shipped under proper chain-of-custody to Pace Analytical Laboratory in Mount Juliet, TN for analysis of volatile organic compounds (VOCs) by Method TO-15. Laboratory analytical results are summarized in **Table 4** in **Appendix B**. The executed chain-of-custody forms and laboratory data sheets from the February 2022 sampling events are provided in **Appendix C**.

## 2.2 Groundwater Sampling Program

Groundwater sampling events were conducted each week on the Levey Well and monitoring wells MW-1 and MW-2. The groundwater sampling program followed the requirements from NMOCD and consists of the following:

### Levey Well

As of July 1, 2021, the Levey water well ran full time until February 2, 2022. The Levey well recovered groundwater is transferred via flowline to a nearby tank battery for proper disposal. Prior to sample collection, the Levey Well is turned off and allowed to stabilize for approximately one (1) hour prior to sampling. Once the Levey Well is properly purged and readings from the YSI Pro Plus stabilize, a groundwater sample is collected.

As previously stated, a severe winter storm on February 2, 2022, damaged the Levey well pump and it is currently inactive. Replacement parts have been ordered and the pump will be repaired upon arrival of the replacement parts.

The groundwater samples collected from the Levey Well were analyzed for VOCs, recoverable metals per ICP by EPA 200.7, inorganic anions by EPA 300/300.1, pH by SM4500-H, TDS by SM2540C, alkalinity by SM2320B and cation-anion balance by SM1030E.

### Monitoring Wells MW-1 and MW-2

Prior to sample collection, the depth to fluids in each monitoring well (MW-1 and MW-2) are gauged using a water level meter capable of detecting groundwater up to 0.01 feet. Each monitoring well is then sampled utilizing micro-purge low-flow sampling techniques. Subsequent to the completion of the micro-purge process, one (1) groundwater sample is collected from each monitoring well.

The groundwater samples collected from monitoring wells MW-1 and MW-2 were analyzed for TPH GRO, TPH DRO and ORO utilizing EPA Method 8015M, VOCs utilizing EPA Method SW-846 #8260, carbon dioxide utilizing Standard Method 4500, dissolved sulfide utilizing EPA Method SW-846 #376.2, chloride using EPA Method SW-846 300.0 and pH utilizing EPA Method SW-846 #150.1.

Low flow refers to the velocity with which groundwater enters the pump intake and is imparted to the formation water in the immediate vicinity of the well screen. The objective is to pump in a manner that minimizes stress (drawdown) to the system, to the extent practical, taking into account established Site sampling objectives. Flow rates on the order of 0.1 to 0.5 liters per minute (l/min) will be maintained during sampling activities, using dedicated or decontaminated sampling equipment.

The groundwater samples are collected from each monitoring well once produced groundwater is consistent in color, clarity, pH, temperature, and conductivity. Measurements during purging are taken every three (3) to five (5) minutes. Purging is considered complete once key parameters (especially pH and conductivity) have stabilized for three (3) successive readings.

Groundwater samples were collected in laboratory supplied containers, labeled/sealed using the laboratory supplied labels and custody seals, and stored on ice in a cooler. The groundwater samples were relinquished to the courier for Eurofins Xenco (formerly Xenco) of Midland, Texas under proper chain-of-custody procedures.

Laboratory analytical results are summarized in **Tables 1** through **Table 3** in **Appendix B**. The executed chain-of-custody forms and laboratory data sheets are provided in **Appendix C**.

### 3.0 DATA EVALUTATION

#### 3.1 Air Samples

Gas mitigation activities at the Levey Well began on November 8, 2021 and will continue on a bi-weekly basis through March 2022. Based on the concentrations observed in the Levey Well air samples, the vacuum events are drawing the free gas over to the Levey Well. Prior to each vacuum recovery event, an air sample is taken to give a representative snapshot of static conditions of gas in the subsurface. Elevated concentrations of acetone, cyclohexane, ethanol, heptane, n-hexane, 2-propanol, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, m&p-xylene, o-xylene and/or TPH were observed prior to the initiation of each vacuum recovery event.

Once initiated, an air sample is taken at 15 minutes and 45 minutes into the vacuum recovery event. During each of the vacuum recovery events, acetone, cyclohexane, ethanol, heptane, n-hexane, 2-propanol, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, m&p-xylene, o-xylene and TPH concentrations significantly decrease throughout the duration of the event.

Approximately one (1) hour after the termination of the vacuum recovery event, a final air sample is collected. Elevated concentrations of acetone, cyclohexane, ethanol, heptane, n-hexane, 2-propanol, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, m&p-xylene, o-xylene and TPH begin to accumulate inside the Levey water well casing. These results indicate that the vacuum recovery events are successful in drawing the subsurface gas over to the Levey Well.

Air samples are also collected on a bi-weekly basis approximately one (1) week subsequent to the vacuum recovery event. During each of the bi-weekly air sampling events, elevated concentrations of acetone, cyclohexane, ethanol, heptane, n-hexane, 2-propanol, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, m&p-xylene, o-xylene and/or TPH were observed inside the Levey water well casing. These results again indicate that the vacuum recovery events are successful in drawing the subsurface gas over to the Levey Well.

#### 3.2 Groundwater Samples

Ensolum compared the laboratory analytical results or laboratory practical quantitation limits (PQLs) associated with the February 2022 groundwater samples collected from the Levey Well and monitoring wells MW-1 and MW-2 to the New Mexico WQCC GQs. The results of the groundwater sample analyses are summarized in **Table 1** through **Table 3** of **Appendix B**. All analytical results were below the WQCC GQs, with the exception of the analytes, as discussed below.

### **Levey Well**

TDS analytical results ranged from 1,070 mg/L to 1,960 mg/L in the Levey Well, which exceeds the applicable WQCC GQS of 1,000 mg/L. Although above the GQS, these TDS concentrations are consistent with background levels in the Quaternary Alluvium, Ogallala Formation, and the Dockum Group (i.e., the three (3) groundwater bearing units) in Southern Lea County (Nicholson and Clebsch, 1961). Specifically, for the 20 water supply wells sampled by the USGS in Southern Lea County with TDS analyses, the median TDS concentration was 722 mg/L, and the 75<sup>th</sup> percentile TDS concentration was 1,953 mg/L.

The Levey Well sampling first began on December 6, 2019. Through mitigation activities, including groundwater recovery and vacuum recovery events, the benzene concentration in the Levey Well has significantly decreased over time, with the exception of December 29, 2021, which had a benzene analytical result of 0.00611 mg/L and the January 19, 2022, which had a benzene analytical result of 0.00684 mg/L, which exceeds the WQCC GQS of 0.005 mg/L. This slight rise in concentration is indicative that the vacuum recovery events are successful in drawing the subsurface gas over to the Levey Well. Benzene concentrations over time are graphed and included in **Appendix A**, showing the significant decrease of benzene in the Levey Well over time.

In addition, the chloride concentrations in the Levey Well have significantly decreased over time. Although chloride concentrations during two (2) sampling events in February 2022 exceed the WQCC GQS of 250.0 mg/L, the increase in concentrations is likely due to the Levey well pump being inactive during the time of sampling.

### **Monitoring Well MW-1 and MW-2**

The groundwater samples collected from monitoring well MW-1 did not exhibit benzene concentrations above the WQCC GQS of 0.005 mg/L. The groundwater samples collected from monitoring well MW-2 exhibited benzene concentrations ranging from 0.0184 mg/L to 0.0357 mg/L, which exceed the WQCC GQS of 0.005 mg/L.

The groundwater samples collected from monitoring well MW-1 did not exhibit Nitrite as N concentrations above the WQCC GQS of 1.0 mg/L. The only Nitrite as N exceedance of 1.03 mg/L from monitoring well MW-2 was on February 8, 2022, which is above the WQCC GQS of 1.0 mg/L.

All other VOC concentrations were either below the laboratory reporting limit or below the WQCC GQS protective concentrations. All laboratory reporting limits were below the WQCC GQS protective concentrations, indicating a lack of dissolved phase gas infiltration into the localized groundwater.

## **4.0 RECOMMENDATIONS**

OXY has demonstrated over time that the SHU #290 and the surrounding oil and gas operations were and are not a contributor to the previous related pressure observed in the Levey Well. This has been demonstrated by over four (4) months of readings (**Appendix D**) which show that the pressures and gas readings are very consistent with pre-injection background, including, but not limited to carbon dioxide. The plugging of the SHU #183 well has shown to be effective in discontinuing the source of free gas related to the Levey water well.



South Hobbs G/SA Unit Operations  
Gas Mitigation Monthly Report - February 2022  
March 24, 2022



**Based on verbal communication between OXY and NMOCD, OXY concurs with the following recommendations and/or requests from the NMOCD over the next three (3) months:**

- **Continue to remove free gas accumulations from the underlying red bed and groundwater-bearing zone on a bi-weekly basis to acceptable levels of removal to achieve compliance expectations. The air sampling process performed at the Levey Well will continue to be utilized, as described in Section 2.1;**
- **Continue to monitor the Levey Well and monitoring wells MW-1 and MW-2 utilizing daily pressure checks and weekly groundwater sampling for significant changes in pressure and/or analytical concentrations, which could indicate a secondary source, until compliance of free gas removal is achieved;**
- **Once the proposed three (3) month weekly monitoring period is complete, OXY will request a revised monitoring program for the Site; and**
- **Based on written approval from the NMOCD, the NMOCD has approved OXY to re-start injection in South Hobbs G/SA Unit #290 production/injection well. The aforementioned well was turned on March 1, 2022.**

## **5.0 REFERENCES**

- GSI Environmental Inc. Preliminary Draft -Results of Water Supply Well Sampling and Investigation. November 2019. Hobbs New Mexico Municipal Code, Title 13.04.017. Accessed Sept. 2020.
- New Mexico Environment Department. 2018. 20.6.2 NMAC: Title 20 (Environmental Protection), Chapter 6 (Water Quality), Part 2 (Ground and Surface Water Protection). Amended December 11<sup>th</sup>, 2019.
- Nicholson, Jr. A. and A. Clebsch, Jr. 1961. Geology and Ground-Water Conditions in Southern Lea County, New Mexico. United States Geological Survey Ground-Water Report 6. Prepared in cooperation with the New Mexico Institute of Mining and Technology, State Bureau of Mines and Mineral Resources Division and the New Mexico State Engineer.
- Gorody, A.W., 2012. Factors affecting the variability of stray gas concentration and composition ingroundwater. Environ. Geosci. 19, 17–31. <https://doi.org/10.1306/eg.12081111013>.
- Molofsky, L.J., Richardson, S.D., Gorody, A.W., Baldassare, F., Connor, J.A., McHugh, T.E., Smith, A.P., Wylie, A.S., Wagner, T., 2018. Purging and other sampling variables affecting dissolved methaneconcentration in water supply wells. Sci. Total Environ. 618, 998-1007. <https://doi.org/10.1016/j.scitotenv.2017.09.077>.



## APPENDIX A

### Figures and Graphs






#### SITE MAP

PERMIAN EOR, INC  
S HOBBS G/SA UNIT  
SE ¼ of the NW ¼, Sec 5, T29S, R38E, Hobbs, New Mexico  
32.690683° N, 103.173158° W

PROJECT NUMBER: 03B1417001

FIGURE

1





## APPENDIX B

### Tables





| TABLE 1 - GROUNDWATER SAMPLING (VOCs) ANALYTICAL DATA SUMMARY                          |            |                |         |              |          |             |               |                                     |          |                |                  |                   |                       |            |               |                 |                 |                                  |                    |                     |                            |                     |                     |                  |             |                 |                       |          |                        |                        |        |
|----------------------------------------------------------------------------------------|------------|----------------|---------|--------------|----------|-------------|---------------|-------------------------------------|----------|----------------|------------------|-------------------|-----------------------|------------|---------------|-----------------|-----------------|----------------------------------|--------------------|---------------------|----------------------------|---------------------|---------------------|------------------|-------------|-----------------|-----------------------|----------|------------------------|------------------------|--------|
| Permian EOR - Levey Well<br>Hobbs, New Mexico                                          |            |                |         |              |          |             |               |                                     |          |                |                  |                   |                       |            |               |                 |                 |                                  |                    |                     |                            |                     |                     |                  |             |                 |                       |          |                        |                        |        |
| Well ID                                                                                | Date       | VOCs<br>(mg/l) |         |              |          |             |               |                                     |          |                |                  |                   |                       |            |               |                 |                 |                                  |                    |                     |                            |                     |                     |                  |             |                 |                       |          |                        |                        |        |
|                                                                                        |            | Benzene        | Toluene | Ethylbenzene | o-Xylene | m,p-Xylenes | Total Xylenes | Methyl ethyl ketone<br>(2-Butanone) |          | n-Butylbenzene | Sec-Butylbenzene | tert-Butylbenzene | Tetrachloroeth(y)lene | Chloroform | Chloromethane | 2-Chlorotoluene | 4-Chlorotoluene | p-Cymene<br>(p-Isopropyltoluene) | 1,2-Dichloroethane | 1,2-Dichloropropane | cis-1,2-Dichloroeth(y)lene | 1,4-Dichlorobenzene | 1,1-Dichloropropene | Isopropylbenzene | Naphthalene | n-Propylbenzene | 1,1,2-Trichloroethane | Styrene  | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene |        |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |            | 0.005          | 1       | 0.7          | NE       | NE          | 0.62          | NE                                  | NE       | NE             | NE               | 0.005             | 0.1                   | NE         | NE            | NE              | NE              | NE                               | 0.005              | 0.005               | NE                         | 0.075               | NE                  | NE               | 0.03        | NE              | 0.01                  | 0.1      | NE                     | NE                     |        |
| Levey Well                                                                             | 12/6/2019  | 0.00832        | 0.0708  | 0.0296       | 0.0242   | 0.129       | 0.153         | <0.0500                             | 0.00151  | 0.00206        | <0.00100         | <0.00100          | <0.00100              | NA         | <0.00100      | <0.00100        | 0.00138         | <0.00100                         | <0.00500           | <0.00100            | <0.00100                   | <0.00100            | <0.00500            | 0.0126           | <0.0100     | 0.00566         | <0.00100              | <0.00100 | 0.0358                 | 0.0106                 |        |
|                                                                                        | 12/13/2019 | 0.00877        | 0.0654  | 0.0271       | 0.0233   | 0.121       | 0.144         | <0.0500                             | 0.00118  | 0.00171        | <0.00100         | <0.00100          | <0.00100              | NA         | <0.00100      | <0.00100        | 0.00112         | <0.00100                         | <0.00500           | <0.00100            | <0.00100                   | <0.00100            | <0.00500            | 0.0112           | <0.0100     | 0.00470         | <0.00100              | <0.00100 | 0.0315                 | 0.00944                |        |
|                                                                                        | 12/19/2019 | 0.0131         | 0.0861  | 0.0385       | 0.0318   | 0.170       | 0.202         | 0.0125 J                            | 0.00187  | 0.00257        | <0.000195        | <0.000500         | <0.000259             | NA         | <0.000214     | <0.000183       | 0.00173         | <0.000285                        | <0.000396          | <0.000174           | <0.000199                  | <0.000481           | 0.0170              | <0.00200         | 0.00747     | <0.000228       | <0.000162             | 0.0469   | 0.0144                 |                        |        |
|                                                                                        | 12/26/2019 | 0.0167         | 0.112   | 0.0514       | 0.0459   | 0.210       | 0.256         | <0.0500                             | 0.00211  | 0.00320        | <0.00100         | <0.00100          | <0.00100              | NA         | <0.00100      | <0.00100        | 0.00183         | <0.00100                         | <0.00500           | <0.00100            | <0.00100                   | <0.00100            | <0.00500            | 0.0235           | <0.0100     | 0.00934         | <0.00100              | <0.00100 | 0.0672                 | 0.0168                 |        |
|                                                                                        | 1/2/2020   | 0.0116         | 0.0644  | 0.0551       | 0.0805   | 0.232       | 0.313         | <0.0500                             | 0.00231  | 0.00164        | <0.00100         | <0.00100          | <0.00100              | NA         | <0.00100      | <0.00100        | 0.00127         | <0.00100                         | <0.00500           | <0.00100            | <0.00100                   | <0.00100            | <0.00500            | 0.0107           | 0.0120      | 0.00544         | <0.00100              | 0.00243  | 0.0377                 | 0.0106                 |        |
|                                                                                        | 1/15/2020  | 0.00860        | 0.0528  | 0.0318       | 0.0219   | 0.119       | 0.141         | <0.0500                             | <0.00100 | 0.00259        | <0.00100         | <0.00100          | <0.00100              | NA         | <0.00100      | <0.00100        | <0.00100        | <0.00100                         | <0.00500           | <0.00100            | <0.00100                   | <0.00100            | <0.00500            | 0.0148           | <0.0100     | 0.0104          | <0.00100              | <0.00100 | 0.0547                 | 0.0172                 |        |
|                                                                                        | 1/23/2020  | 0.00757        | 0.0462  | 0.0318       | 0.0224   | 0.119       | 0.141         | <0.0500                             | 0.00233  | 0.00295        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00180                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0158      | <0.0100         | 0.0166                | <0.00100 | <0.00100               | 0.103                  | 0.0300 |
|                                                                                        | 1/31/2020  | 0.0101         | 0.0567  | 0.0462       | 0.0385   | 0.166       | 0.205         | <0.500                              | <0.0100  | <0.0100        | 0.0438           | <0.00100          | <0.0100               | NA         | 0.0343        | 0.0344          | <0.0100         | <0.0100                          | <0.0500            | <0.00100            | <0.00100                   | <0.00100            | 0.0584              | 0.0262           | <0.100      | 0.0458          | <0.0100               | <0.0100  | 0.323                  | 0.0847                 |        |
|                                                                                        | 2/6/2020   | 0.00758        | 0.0489  | 0.0306       | 0.0242   | 0.116       | 0.140         | <0.0500                             | 0.00234  | 0.00299        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00165                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0174      | <0.0100         | 0.0237                | <0.00100 | <0.00100               | 0.285                  | 0.0451 |
|                                                                                        | 2/13/2020  | 0.00949        | 0.0498  | 0.0397       | 0.0337   | 0.145       | 0.179         | <0.0500                             | <0.00100 | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00251                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0251      | <0.0100         | 0.0450                | <0.00100 | <0.00100               | 0.349                  | 0.0898 |
|                                                                                        | 2/20/2020  | 0.00846        | 0.0326  | 0.0313       | 0.0248   | 0.113       | 0.138         | <0.0500                             | <0.00100 | 0.00407        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00229                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0208      | <0.0100         | 0.0431                | <0.00100 | <0.00100               | 0.322                  | 0.0918 |
|                                                                                        | 2/28/2020  | 0.00895        | 0.0351  | 0.0374       | 0.0251   | 0.124       | 0.149         | <0.250                              | <0.00500 | <0.00500       | <0.00500         | <0.00500          | <0.00500              | NA         | <0.00500      | <0.00500        | <0.00500        | <0.00500                         | <0.00500           | <0.00500            | <0.00500                   | <0.00500            | <0.0250             | 0.0249           | <0.0500     | 0.0488          | <0.00500              | <0.00500 | 0.358                  | 0.0989                 |        |
|                                                                                        | 3/6/2020   | 0.00830        | 0.0313  | 0.0346       | 0.0228   | 0.114       | 0.137         | <0.0500                             | 0.00374  | 0.00467        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00254                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0231      | <0.0100         | 0.0472                | <0.00100 | <0.00100               | 0.378                  | 0.0948 |
|                                                                                        | 3/13/2020  | 0.00781        | 0.0302  | 0.0330       | 0.0203   | 0.109       | 0.129         | <0.0500                             | 0.00153  | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00247                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0224      | <0.0100         | 0.0428                | <0.00100 | <0.00100               | 0.277                  | 0.0875 |
|                                                                                        | 3/18/2020  | 0.00746        | 0.0279  | 0.0304       | 0.0174   | 0.0981      | 0.116         | <0.0500                             | 0.00311  | 0.00400        | <0.00100         | <0.00100          | <0.00100              | <0.000981  | NA            | <0.00100        | <0.00100        | 0.00224                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0199      | <0.0100         | 0.0365                | <0.00100 | <0.00100               | 0.275                  | 0.0777 |
|                                                                                        | 3/27/2020  | 0.00641        | 0.0151  | 0.0247       | 0.0132   | 0.0737      | 0.0869        | <0.0500                             | 0.00122  | 0.00345        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00189                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0166      | <0.0100         | 0.0336                | <0.00100 | <0.00100               | 0.261                  | 0.0721 |
|                                                                                        | 4/3/2020   | 0.00625        | 0.0129  | 0.0250       | 0.0130   | 0.0745      | 0.0875        | <0.0500                             | 0.00120  | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00209                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0174      | <0.0100         | 0.0363                | <0.00100 | <0.00100               | 0.273                  | 0.0756 |
|                                                                                        | 4/10/2020  | 0.00689        | 0.0327  | 0.0277       | 0.0159   | 0.0924      | 0.108         | <0.0500                             | 0.00253  | 0.00338        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00188                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0171      | <0.0100         | 0.0300                | <0.00100 | <0.00100               | 0.264                  | 0.0580 |
|                                                                                        | 4/17/2020  | 0.00610        | 0.0258  | 0.0253       | 0.0141   | 0.0814      | 0.0955        | <0.0500                             | 0.00238  | 0.00321        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00175                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0164      | <0.0100         | 0.0280                | <0.00100 | <0.00100               | 0.220                  | 0.0562 |
|                                                                                        | 4/24/2020  | 0.00550        | 0.0241  | 0.0225       | 0.0125   | 0.0756      | 0.0881        | <0.0500                             | <0.00100 | 0.00297        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00179                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0148      | <0.0100         | 0.0251                | <0.00100 | <0.00100               | 0.199                  | 0.0526 |
|                                                                                        | 5/1/2020   | 0.00606        | 0.0277  | 0.0237       | 0.0129   | 0.0773      | 0.0902        | <0.0500                             | <0.00100 | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00159                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0143      | <0.0100         | 0.0242                | <0.00100 | <0.0100                | 0.185                  | 0.0513 |
|                                                                                        | 5/7/2020   | 0.00524        | 0.0168  | 0.0211       | 0.0108   | 0.0655      | 0.0763        | <0.0500                             | <0.00100 | 0.00306        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00171                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0138      | <0.0100         | 0.0270                | <0.00100 | <0.0100                | 0.202                  | 0.0582 |
|                                                                                        | 5/14/2020  | 0.00660        | 0.0357  | 0.0268       | 0.0141   | 0.0882      | 0.102         | <0.0500                             | 0.00236  | 0.00324        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00191                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0165      | <0.0100         | 0.0236                | <0.00100 | <0.00100               | 0.201                  | 0.0453 |
|                                                                                        | 5/22/2020  | 0.00480        | 0.00851 | 0.0193       | 0.00896  | 0.0567      | 0.0657        | <0.0500                             | <0.00100 | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00194                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0137      | <0.0100         | 0.0276                | <0.00100 | <0.00100               | 0.187                  | 0.0597 |
|                                                                                        | 5/26/2020  | 0.00490        | 0.0169  | 0.0210       | 0.0109   | 0.0637      | 0.0746        | <0.0500                             | 0.00122  | 0.00300        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00164                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00100            | <0.00500         | 0.0138      | <0.0100         | 0.0256                | <0.00100 | <0.00100               | 0.192                  | 0.0532 |
|                                                                                        | 6/5/2020   | 0.00585        | 0.0317  | 0.0228       | 0.0117   | 0.0744      |               |                                     |          |                |                  |                   |                       |            |               |                 |                 |                                  |                    |                     |                            |                     |                     |                  |             |                 |                       |          |                        |                        |        |





| TABLE 1 - GROUNDWATER SAMPLING (VOCs) ANALYTICAL DATA SUMMARY                          |           |                |         |              |          |             |               |                                     |                |                  |                   |                       |            |               |                 |                 |                                  |                    |                     |                            |                     |                     |                  |             |                 |                       |           |                        |                        |
|----------------------------------------------------------------------------------------|-----------|----------------|---------|--------------|----------|-------------|---------------|-------------------------------------|----------------|------------------|-------------------|-----------------------|------------|---------------|-----------------|-----------------|----------------------------------|--------------------|---------------------|----------------------------|---------------------|---------------------|------------------|-------------|-----------------|-----------------------|-----------|------------------------|------------------------|
| Permian EOR - Levey Well<br>Hobbs, New Mexico                                          |           |                |         |              |          |             |               |                                     |                |                  |                   |                       |            |               |                 |                 |                                  |                    |                     |                            |                     |                     |                  |             |                 |                       |           |                        |                        |
| Well ID                                                                                | Date      | VOCs<br>(mg/l) |         |              |          |             |               |                                     |                |                  |                   |                       |            |               |                 |                 |                                  |                    |                     |                            |                     |                     |                  |             |                 |                       |           |                        |                        |
|                                                                                        |           | Benzene        | Toluene | Ethylbenzene | o-Xylene | m,p-Xylenes | Total Xylenes | Methyl ethyl ketone<br>(2-Butanone) | n-Butylbenzene | Sec-Butylbenzene | tert-Butylbenzene | Tetrachloroeth(y)lene | Chloroform | Chloromethane | 2-Chlorotoluene | 4-Chlorotoluene | p-Cymene<br>(p-isopropyltoluene) | 1,2-Dichloroethane | 1,2-Dichloropropane | cis-1,2-Dichloroeth(y)lene | 1,4-Dichlorobenzene | 1,1-Dichloropropane | Isopropylbenzene | Naphthalene | n-Propylbenzene | 1,1,2-Trichloroethane | Styrene   | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |           | 0.005          | 1       | 0.7          | NE       | NE          | 0.62          | NE                                  | NE             | NE               | NE                | 0.005                 | 0.1        | NE            | NE              | NE              | NE                               | 0.005              | 0.005               | NE                         | 0.075               | NE                  | NE               | 0.03        | NE              | 0.01                  | 0.1       | NE                     | NE                     |
| Levey Well<br>(cont')                                                                  | 1/6/2021  | 0.00661        | 0.0494  | 0.0239       | 0.0141   | 0.0930      | 0.107         | <0.0500                             | <0.00100       | 0.00233          | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00140                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0122           | <0.0100     | 0.00710         | <0.00100              | <0.00100  | 0.0334                 | 0.0113                 |
|                                                                                        | 1/12/2021 | 0.00362        | 0.0206  | 0.0168       | 0.00849  | 0.0547      | 0.0632        | <0.0500                             | 0.00159        | 0.00278          | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00157                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0105           | <0.0100     | 0.00959         | <0.00100              | <0.00100  | 0.0540                 | 0.0174                 |
|                                                                                        | 1/20/2021 | 0.00621        | 0.0383  | 0.0245       | 0.0137   | 0.0884      | 0.102         | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100              | NA         | <0.00100      | <0.00100        | 0.00159         | <0.00100                         | <0.00500           | <0.00100            | <0.00100                   | <0.00100            | <0.00500            | 0.0135           | <0.0100     | 0.00920         | <0.00100              | <0.00100  | 0.0470                 | 0.0152                 |
|                                                                                        | 1/25/2021 | 0.0102         | 0.0717  | 0.0337       | 0.0195   | 0.130       | 0.150         | <0.0500                             | 0.00167        | 0.00287          | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00162                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0162           | <0.0100     | 0.00914         | <0.00100              | <0.00100  | 0.0455                 | 0.0149                 |
|                                                                                        | 1/25/2021 | 0.00689        | 0.0353  | 0.0243       | 0.0113   | 0.0733      | 0.0846        | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00145                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0127           | <0.0100     | 0.0115          | <0.00100              | <0.00100  | 0.0687                 | 0.0205                 |
|                                                                                        | 1/25/2021 | 0.00693        | 0.0342  | 0.0251       | 0.0113   | 0.0737      | 0.0850        | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00146                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0133           | <0.0100     | 0.0124          | <0.00100              | <0.00100  | 0.0738                 | 0.0218                 |
|                                                                                        | 1/27/2021 | 0.00186        | 0.00398 | 0.0101       | 0.00322  | 0.0219      | 0.0251        | <0.0500                             | 0.00110        | 0.00169          | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | <0.00100                         | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.00618          | <0.0100     | 0.0125          | <0.00100              | <0.00100  | 0.0743                 | 0.0224                 |
|                                                                                        | 2/3/2021  | 0.00208        | 0.00551 | 0.0120       | 0.00438  | 0.0262      | 0.0306        | <0.0500                             | <0.00100       | 0.00195          | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00101                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.00756          | <0.0100     | 0.0156          | <0.00100              | <0.00100  | 0.0945                 | 0.0282                 |
|                                                                                        | 2/10/2021 | 0.00743        | 0.0531  | 0.0280       | 0.0157   | 0.104       | 0.120         | <0.0500                             | 0.00140        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00145                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0142           | <0.0100     | 0.00876         | <0.00100              | <0.00100  | 0.0448                 | 0.0143                 |
|                                                                                        | 2/24/2021 | 0.00800        | 0.0593  | 0.0287       | 0.0177   | 0.109       | 0.127         | <0.0500                             | <0.00100       | 0.0024           | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00142                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0140           | <0.0100     | 0.00808         | <0.00100              | <0.00100  | 0.0408                 | 0.0132                 |
|                                                                                        | 3/4/2021  | 0.00566        | 0.0446  | 0.0222       | 0.0133   | 0.0869      | 0.100         | <0.0500                             | <0.00100       | 0.00187          | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00110                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0105           | <0.0100     | 0.00694         | <0.00100              | <0.00100  | 0.0390                 | 0.0119                 |
|                                                                                        | 3/10/2021 | 0.00850        | 0.0668  | 0.0314       | 0.0194   | 0.126       | 0.145         | <0.0500                             | <0.00100       | 0.00270          | <0.00100          | <0.00100              | <0.00100   | NA            | <0.00100        | <0.00100        | 0.00176                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0156           | <0.0100     | 0.00898         | <0.00100              | <0.00100  | 0.0466                 | 0.0150                 |
|                                                                                        | 3/17/2021 | 0.00789        | 0.0563  | 0.0273       | 0.0168   | 0.103       | 0.120         | 0.0253 J                            | 0.000840 J     | 0.00239          | <0.000195         | <0.00100              | <0.00100   | NA            | <0.000214       | <0.000183       | 0.00139                          | <0.000285          | <0.00500            | <0.000174                  | <0.00100            | <0.000481           | 0.0129           | <0.00200    | 0.00830         | <0.000228             | <0.000162 | 0.0427                 | 0.0135                 |
|                                                                                        | 3/25/2021 | 0.00785        | 0.0585  | 0.0276       | 0.0175   | 0.109       | 0.127         | 0.0206 J                            | 0.00129        | <0.00100         | <0.00100          | <0.00100              | <0.00100   | <0.0100       | <0.00100        | <0.00100        | 0.00143                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.0141           | <0.0100     | 0.00779         | <0.00100              | <0.00100  | 0.0416                 | <0.00100               |
|                                                                                        | 3/31/2021 | 0.00661        | 0.0459  | 0.0243       | 0.0143   | 0.0857      | 0.100         | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.00100              | <0.00100   | <0.0100       | 0.00302         | <0.000183       | 0.00144                          | <0.000244          | <0.00500            | <0.000174                  | <0.00100            | <0.000481           | 0.0129           | <0.00200    | 0.00840         | <0.000228             | <0.000162 | 0.0422                 | 0.01370                |
|                                                                                        | 4/8/2021  | 0.00231        | 0.00502 | 0.0106       | 0.00358  | 0.0227      | 0.0263        | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | <0.0100       | <0.00100        | <0.00100        | 0.00103                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.00689          | <0.0100     | 0.0148          | <0.00100              | <0.00100  | 0.0951                 | 0.0639                 |
|                                                                                        | 4/15/2021 | 0.00238        | 0.00491 | 0.0109       | 0.00364  | 0.0266      | 0.0302        | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100              | <0.00100   | <0.0100       | <0.00100        | <0.00100        | 0.00109                          | <0.00100           | <0.00500            | <0.00100                   | <0.00100            | <0.00500            | 0.00733          | <0.0100     | 0.0162          | <0.00100              | <0.00100  | 0.111                  | <0.00100               |
|                                                                                        | 4/21/2021 | 0.00214        | 0.00431 | 0.00957      | 0.00340  | 0.0198      | 0.0232        | <0.00270                            | <0.000286      | 0.00181          | <0.000195         | <0.000500             | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.00103                          | <0.000285          | <0.000396           | <0.000174                  | <0.000199           | <0.000481           | 0.00658          | <0.00200    | 0.0149          | <0.000228             | <0.000623 | 0.109                  | 0.0631                 |
|                                                                                        | 4/28/2021 | 0.00888        | 0.0652  | 0.0325       | 0.0201   | 0.121       | 0.141         | 0.0198 J                            | <0.000286      | 0.00259          | <0.000195         | <0.000500             | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.00163                          | <0.000285          | <0.000396           | <0.000174                  | <0.000199           | <0.000481           | 0.0161           | <0.00200    | 0.00855         | <0.000228             | <0.000623 | 0.0431                 | 0.0138                 |
|                                                                                        | 5/5/2021  | 0.00808        | 0.0527  | 0.0257       | 0.0160   | 0.0935      | 0.110         | <0.00270                            | 0.00135        | 0.00232          | <0.000195         | <0.000500             | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.00130                          | <0.000285          | <0.000396           | <0.000174                  | <0.000199           | <0.000481           | 0.0121           | <0.00200    | 0.00760         | <0.000228             | <0.000623 | 0.0414                 | <0.000279              |
|                                                                                        | 5/13/2021 | 0.00176        | 0.00332 | 0.00899      | 0.00297  | 0.0187      | 0.0217        | <0.00270                            | 0.00109        | <0.000199        | <0.000195         | <0.000500             | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.000802 J                       | <0.000285          | <0.000396           | <0.000174                  | <0.000199           | <0.000481           | 0.00592          | <0.00200    | 0.0139          | <0.000228             | <0.000623 | 0.0828                 | 0.0239                 |
|                                                                                        | 5/19/2021 | 0.00760        | 0.0603  | 0.0296       | 0.0182   | 0.112       | 0.130         | 0.0188 J                            | <0.000286      | 0.00254          | <0.000195         | <0.000500             | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.00157                          | <0.000285          | <0.000396           | <0.000174                  | <0.000199           | <0.000481           | 0.0146           | <0.00200    | 0.00825         | <0.000228             | <0.000623 | 0.0403                 | 0.0128                 |
|                                                                                        | 5/27/2021 | 0.00536        | 0.0360  | 0.0206       | 0.0117   | 0.0657      | 0.0774        | 0.0139 J                            | <0.000286      | <0.000199        | <0.000195         | <0.000500             | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.00139                          | <0.000285          | <0.000396           | <0.000174                  | <0.000199           | <0.000481           | 0.0111           | <0.00200    | 0.00924         | <0.000228             | <0.000623 | 0.0483                 | 0.0150                 |
|                                                                                        | 6/2/2021  | 0.00701        | 0.0521  | 0.0258       | 0.0154   | 0.0906      | 0.106         | <0.00270                            | <0.000286      | 0.00254          | <0.000195         | <0.000500             | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.00160                          | <0.000285          | <0.000396           | <0.000174                  | <0.000199           | <0.000481           | 0.0130           | <0.00200    | 0.00800         | <0.000228             | <0.000623 | 0.0388                 | 0.0128                 |
|                                                                                        | 6/10/2021 | 0.00162        | 0.00304 | 0.00713      | 0.00221  | 0.0146      | 0.0168        | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500             | 0.00195    | 0.0126        | <0.000214       | <0.000183       | 0.000716 J                       |                    |                     |                            |                     |                     |                  |             |                 |                       |           |                        |                        |





| TABLE 1 - GROUNDWATER SAMPLING (VOCs) ANALYTICAL DATA SUMMARY                          |            |                |            |              |           |             |               |                                     |                |                  |                   |                     |            |               |                 |                 |                                  |                    |                     |                          |                     |                     |                  |             |                 |                       |           |                        |                        |
|----------------------------------------------------------------------------------------|------------|----------------|------------|--------------|-----------|-------------|---------------|-------------------------------------|----------------|------------------|-------------------|---------------------|------------|---------------|-----------------|-----------------|----------------------------------|--------------------|---------------------|--------------------------|---------------------|---------------------|------------------|-------------|-----------------|-----------------------|-----------|------------------------|------------------------|
| Permian EOR - Levey Well<br>Hobbs, New Mexico                                          |            |                |            |              |           |             |               |                                     |                |                  |                   |                     |            |               |                 |                 |                                  |                    |                     |                          |                     |                     |                  |             |                 |                       |           |                        |                        |
| Well ID                                                                                | Date       | VOCs<br>(mg/l) |            |              |           |             |               |                                     |                |                  |                   |                     |            |               |                 |                 |                                  |                    |                     |                          |                     |                     |                  |             |                 |                       |           |                        |                        |
|                                                                                        |            | Benzene        | Toluene    | Ethylbenzene | o-Xylene  | m,p-Xylenes | Total Xylenes | Methyl ethyl ketone<br>(2-Butanone) | n-Butylbenzene | Sec-Butylbenzene | tert-Butylbenzene | Tetrachloroethylene | Chloroform | Chloromethane | 2-Chlorotoluene | 4-Chlorotoluene | p-Cymene<br>(p-isopropyltoluene) | 1,2-Dichloroethane | 1,2-Dichloropropane | cis-1,2-Dichloroethylene | 1,4-Dichlorobenzene | 1,1-Dichloropropane | Isopropylbenzene | Naphthalene | n-Propylbenzene | 1,1,2-Trichloroethane | Styrene   | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |            | 0.005          | 1          | 0.7          | NE        | NE          | 0.62          | NE                                  | NE             | NE               | NE                | 0.005               | 0.1        | NE            | NE              | NE              | NE                               | 0.005              | 0.005               | NE                       | 0.075               | NE                  | NE               | 0.03        | NE              | 0.01                  | 0.1       | NE                     | NE                     |
| MW-1                                                                                   | 5/26/2020  | 0.000500 J     | <0.000500  | <0.000146    | <0.000192 | 0.00215 J   | 0.00215       | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | <0.000161        | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00101                | 0.0005 J               |
|                                                                                        | 6/30/2020  | 0.00275        | <0.00100   | <0.00100     | <0.00100  | 0.0136      | 0.0136        | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100            | <0.00100   | NA            | <0.00100        | <0.00100        | <0.00100                         | <0.00100           | <0.00500            | <0.00100                 | <0.00100            | <0.00500            | <0.00100         | <0.0100     | <0.00100        | <0.00100              | <0.00100  | 0.00665                | 0.00271                |
|                                                                                        | 8/20/2020  | 0.00222        | <0.00100   | <0.00100     | <0.00100  | <0.0100     | <0.0100       | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100            | <0.00100   | NA            | <0.00100        | <0.00100        | <0.00100                         | <0.00100           | <0.00500            | <0.00100                 | <0.00100            | <0.00500            | <0.00100         | <0.0100     | <0.00100        | <0.00100              | <0.00100  | 0.00388                | 0.00175                |
|                                                                                        | 10/23/2020 | 0.00353        | <0.000367  | <0.000657    | <0.000642 | 0.00246 J   | 0.00246       |                                     |                |                  |                   |                     |            |               |                 |                 |                                  |                    |                     |                          |                     |                     |                  |             |                 |                       |           |                        |                        |
|                                                                                        | 11/24/2020 | 0.00241        | <0.000500  | 0.000310 J   | <0.000192 | 0.00133 J   | 0.001330      | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | <0.000161        | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00151                | 0.000820 J             |
|                                                                                        | 12/18/2020 | 0.00257        | <0.000500  | 0.000580 J   | <0.000192 | 0.00145 J   | 0.00145       | <0.00270                            | <0.000286      | 0.000350 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000270 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000320 J       | <0.00200    | 0.000230 J      | <0.000228             | <0.000162 | 0.00234                | 0.00111                |
|                                                                                        | 12/23/2020 | 0.00159        | <0.000500  | 0.000380 J   | <0.000192 | 0.000970 J  | 0.000970 J    | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | 0.000230 J               | <0.000199           | <0.000481           | <0.000161        | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.000720 J             | 0.000360 J             |
|                                                                                        | 12/30/2020 | 0.00194        | <0.000500  | 0.000470 J   | <0.000192 | 0.00148 J   | 0.00148       | <0.00270                            | <0.000286      | 0.000230 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000240 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00154                | 0.000750 J             |
|                                                                                        | 1/6/2021   | 0.00209        | <0.000500  | 0.000330 J   | <0.000192 | 0.00122 J   | 0.00122       | <0.00270                            | <0.000286      | 0.000310 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000260 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000190 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00219                | 0.00103                |
|                                                                                        | 1/12/2021  | 0.00211        | 0.000690 J | 0.000540 J   | <0.000192 | 0.00163 J   | 0.00163       | <0.00270                            | <0.000286      | 0.000220 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000200 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00143                | 0.000670 J             |
|                                                                                        | 1/20/2021  | 0.00222        | <0.000500  | 0.000430 J   | <0.000192 | 0.00137 J   | 0.00137       | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000210 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00140                | 0.000720 J             |
|                                                                                        | 1/27/2021  | 0.00157        | <0.000500  | 0.000400 J   | <0.000192 | 0.00123 J   | 0.00123       | 0.000398 J                          | <0.000286      | 0.000270 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000210 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00153                | 0.000830 J             |
|                                                                                        | 2/3/2021   | 0.00203        | <0.000500  | 0.000430 J   | <0.000192 | 0.00100 J   | 0.00100 J     | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000180 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00105                | 0.000510 J             |
|                                                                                        | 2/10/2021  | 0.00196        | <0.000500  | 0.000560 J   | <0.000192 | 0.00143 J   | 0.00143       | <0.00575                            | <0.000286      | 0.000240 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000300 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00143                | 0.000740 J             |
|                                                                                        | 2/24/2021  | 0.00158        | <0.000500  | 0.000460 J   | <0.000192 | 0.00110 J   | 0.0011        | <0.00575                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000210 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.000930 J             | 0.000490 J             |
|                                                                                        | 3/4/2021   | 0.00139        | <0.000500  | 0.00102      | <0.000192 | 0.00211 J   | 0.00211       | <0.00575                            | <0.000286      | 0.000240 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000440 J       | <0.00200    | 0.000240 J      | <0.000228             | <0.000162 | 0.00131                | 0.000680 J             |
|                                                                                        | 3/10/2021  | 0.00143        | <0.000500  | 0.000490 J   | <0.000192 | 0.000900 J  | 0.000900 J    | <0.00575                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000200 J       | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.000780 J             | 0.000370 J             |
|                                                                                        | 3/17/2021  | 0.00159        | 0.00112    | 0.000790 J   | <0.000192 | 0.00183 J   | 0.00183       | <0.00575                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000380 J       | <0.00200    | 0.000230 J      | <0.000228             | <0.000162 | 0.00145                | 0.000570 J             |
|                                                                                        | 3/25/2021  | 0.00159        | <0.00100   | 0.000533 J   | <0.00100  | 0.00123 J   | 0.00123 J     | <0.0500                             | <0.00100       | 0.000214 J       | <0.00100          | <0.00100            | <0.00100   | <0.0100       | <0.00100        | <0.00100        | <0.00100                         | <0.00100           | <0.00500            | <0.00100                 | <0.00100            | <0.00100            | 0.000253 J       | <0.0100     | <0.00100        | <0.00100              | <0.00100  | 0.00152                | <0.00100               |
|                                                                                        | 3/31/2021  | 0.00161        | <0.000500  | 0.000333 J   | <0.000192 | 0.000714 J  | 0.000714 J    | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.00100            | <0.00100   | <0.0100       | <0.00100        | <0.000183       | <0.000233                        | <0.000285          | <0.00500            | <0.000174                | <0.000199           | <0.000481           | <0.000161        | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.000980 J             | 0.000392 J             |
|                                                                                        | 4/8/2021   | 0.00128        | <0.000500  | 0.000463 J   | <0.000192 | 0.000985 J  | 0.000985 J    | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | <0.000318     | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.000214 J       | <0.00200    | 0.000271 J      | <0.000228             | <0.000162 | 0.00171                | <0.000279              |
|                                                                                        | 4/15/2021  | 0.00124        | <0.000500  | 0.000366 J   | <0.000192 | 0.00140 J   | 0.00140 J     | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | <0.000318     | <0.000214       | <0.000183       | <0.000233                        | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | <0.000161        | <0.00200    | <0.000179       | <0.000228             | <0.000162 | 0.00185                | <0.000279              |
|                                                                                        | 4/21/2021  | 0.00114        | <0.000500  | 0.00114      | <0.000192 | 0.00148 J   | 0.00148 J     | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | <0.000318     | <0.000214       | <0.000183       | <0.00023                         |                    |                     |                          |                     |                     |                  |             |                 |                       |           |                        |                        |





| TABLE 1 - GROUNDWATER SAMPLING (VOCs) ANALYTICAL DATA SUMMARY                          |            |                |         |              |          |             |               |                                     |                |                  |                   |                     |            |               |                 |                 |                                  |                    |                     |                          |                     |                     |                  |             |                 |                       |            |                        |                        |
|----------------------------------------------------------------------------------------|------------|----------------|---------|--------------|----------|-------------|---------------|-------------------------------------|----------------|------------------|-------------------|---------------------|------------|---------------|-----------------|-----------------|----------------------------------|--------------------|---------------------|--------------------------|---------------------|---------------------|------------------|-------------|-----------------|-----------------------|------------|------------------------|------------------------|
| Permian EOR - Levey Well<br>Hobbs, New Mexico                                          |            |                |         |              |          |             |               |                                     |                |                  |                   |                     |            |               |                 |                 |                                  |                    |                     |                          |                     |                     |                  |             |                 |                       |            |                        |                        |
| Well ID                                                                                | Date       | VOCs<br>(mg/l) |         |              |          |             |               |                                     |                |                  |                   |                     |            |               |                 |                 |                                  |                    |                     |                          |                     |                     |                  |             |                 |                       |            |                        |                        |
|                                                                                        |            | Benzene        | Toluene | Ethylbenzene | o-Xylene | m,p-Xylenes | Total Xylenes | Methyl ethyl ketone<br>(2-Butanone) | n-Butylbenzene | Sec-Butylbenzene | tert-Butylbenzene | Tetrachloroethylene | Chloroform | Chloromethane | 2-Chlorotoluene | 4-Chlorotoluene | p-Cymene<br>(p-Isopropyltoluene) | 1,2-Dichloroethane | 1,2-Dichloropropane | cis-1,2-Dichloroethylene | 1,4-Dichlorobenzene | 1,1-Dichloropropane | Isopropylbenzene | Naphthalene | n-Propylbenzene | 1,1,2-Trichloroethane | Styrene    | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |            | 0.005          | 1       | 0.7          | NE       | NE          | 0.62          | NE                                  | NE             | NE               | NE                | 0.005               | 0.1        | NE            | NE              | NE              | NE                               | 0.005              | 0.005               | NE                       | 0.075               | NE                  | NE               | 0.03        | NE              | 0.01                  | 0.1        | NE                     | NE                     |
| MW-2                                                                                   | 5/26/2020  | 0.00901        | 0.0299  | 0.0069       | 0.0186   | 0.0545      | 0.0731        | <0.00270                            | <0.000286      | 0.000270 J       | <0.000195         | <0.00500            | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000660                         | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.00223          | <0.00200    | 0.000570 J      | <0.000228             | <0.000162  | 0.0125                 | 0.00704                |
|                                                                                        | 6/30/2020  | 0.0124         | 0.0193  | 0.0187       | 0.0196   | 0.0903      | 0.110         | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100            | <0.00100   | NA            | <0.00100        | <0.00100        | <0.00100                         | <0.00100           | <0.00500            | <0.00100                 | <0.00100            | <0.00500            | 0.00667          | <0.0100     | 0.00243         | <0.00100              | <0.00100   | 0.0231                 | 0.00815                |
|                                                                                        | 8/20/2020  | 0.0148         | 0.0172  | 0.0182       | 0.0160   | 0.0802      | 0.0962        | <0.0500                             | <0.00100       | <0.00100         | <0.00100          | <0.00100            | <0.00100   | NA            | <0.00100        | <0.00100        | <0.00100                         | <0.00100           | <0.00100            | <0.00100                 | <0.00100            | <0.00500            | 0.00640          | <0.0100     | 0.00170         | <0.00100              | <0.00100   | 0.0145                 | 0.00421                |
|                                                                                        | 10/23/2020 | 0.0250         | 0.00730 | 0.0248       | 0.0186   | 0.110       | 0.129         | NA                                  |                |                  |                   |                     |            |               |                 |                 |                                  |                    |                     |                          |                     |                     |                  |             |                 |                       |            |                        |                        |
|                                                                                        | 11/24/2020 | 0.0358         | 0.0613  | 0.0503       | 0.0465   | 0.221       | 0.2675        | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.00143                          | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0189           | 0.00242 J   | <0.000179       | <0.000228             | <0.000162  | 0.0590                 | 0.0149                 |
|                                                                                        | 12/18/2020 | 0.0263         | 0.0260  | 0.0369       | 0.0240   | 0.165       | 0.189         | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.00113                          | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0148           | <0.00200    | 0.00486         | <0.000228             | <0.000162  | 0.0467                 | 0.0121                 |
|                                                                                        | 12/23/2020 | 0.0299         | 0.0358  | 0.0381       | 0.0266   | 0.156       | 0.183         | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.00101                          | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0135           | <0.00200    | 0.00408         | <0.000228             | <0.000162  | 0.0406                 | 0.0102                 |
|                                                                                        | 12/30/2020 | 0.0200         | 0.0242  | 0.0185       | 0.0146   | 0.0592      | 0.0738        | <0.00270                            | 0.000550 J     | 0.000680 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000540 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.00603          | <0.00200    | 0.00170         | <0.000228             | <0.000162  | 0.0116                 | 0.00533                |
|                                                                                        | 1/6/2021   | 0.0200         | 0.0169  | 0.0231       | 0.0169   | 0.118       | 0.135         | <0.00270                            | 0.000390 J     | 0.00117          | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.00105                          | 0.000500 J         | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.00815          | <0.00200    | 0.00267         | 0.000800 J            | <0.000162  | 0.0339                 | 0.0103                 |
|                                                                                        | 1/12/2021  | 0.0193         | 0.0185  | 0.0198       | 0.0144   | 0.0922      | 0.107         | <0.00270                            | 0.000690 J     | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000710 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.00756          | <0.00200    | 0.00242         | <0.000228             | <0.000162  | 0.0259                 | 0.00698                |
|                                                                                        | 1/20/2021  | 0.0229         | 0.0169  | 0.0190       | 0.0136   | 0.0829      | 0.0965        | 0.00394 J                           | 0.000400 J     | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000470 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.00640          | <0.00200    | 0.00177         | <0.000228             | <0.000162  | 0.0202                 | 0.00517                |
|                                                                                        | 1/27/2021  | 0.0298         | 0.0276  | 0.0282       | 0.0269   | 0.155       | 0.182         | 0.00504 J                           | 0.00103        | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.00116                          | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0117           | <0.00200    | 0.00343         | <0.000228             | <0.000162  | 0.0500                 | 0.0129                 |
|                                                                                        | 2/3/2021   | 0.0286         | 0.0392  | 0.0258       | 0.0236   | 0.111       | 0.135         | <0.00270                            | <0.000286      | 0.000850 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000590 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.00817          | <0.00200    | 0.00240         | <0.000228             | <0.000162  | 0.0267                 | 0.00674                |
|                                                                                        | 2/10/2021  | 0.0307         | 0.0201  | 0.0329       | 0.0210   | 0.159       | 0.180         | <0.00575                            | 0.000870 J     | <0.000199        | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000940 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0120           | <0.00200    | 0.00331         | <0.000228             | <0.000162  | 0.0407                 | 0.00994                |
|                                                                                        | 2/24/2021  | 0.0218         | 0.0122  | 0.0164       | 0.0111   | 0.0749      | 0.086         | <0.00575                            | 0.000370 J     | 0.000640 J       | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000480 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0060           | <0.00200    | 0.00175         | <0.000228             | <0.000162  | 0.0191                 | 0.00496                |
|                                                                                        | 3/4/2021   | 0.0264         | 0.0232  | 0.0320       | 0.0212   | 0.142       | 0.163         | <0.00575                            | 0.000430 J     | 0.00131          | <0.000195         | <0.000500           | <0.000259  | NA            | <0.000214       | <0.000183       | 0.000930 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0115           | <0.00200    | 0.00390         | <0.000228             | <0.000162  | 0.0403                 | 0.0100                 |
|                                                                                        | 3/10/2021  | 0.0269         | 0.0234  | 0.0271       | 0.0206   | 0.117       | 0.138         | <0.00575                            | 0.000970 J     | <0.000195        | <0.00100          | <0.000259           | NA         | <0.000214     | <0.000183       | 0.000720 J      | <0.000285                        | <0.00500           | <0.000174           | <0.00100                 | <0.000481           | 0.00931             | <0.00200         | 0.00281     | <0.000228       | <0.000162             | 0.0287     | 0.00720                |                        |
|                                                                                        | 3/17/2021  | 0.0238         | 0.0237  | 0.0257       | 0.0190   | 0.113       | 0.132         | <0.0500                             | <0.00100       | 0.00113          | <0.00100          | <0.00100            | <0.000259  | NA            | <0.00100        | <0.00100        | <0.00100                         | <0.00500           | <0.000285           | <0.000396                | <0.000174           | <0.000199           | 0.00923          | <0.0100     | 0.00305         | <0.00100              | <0.00100   | 0.0315                 | 0.00821                |
|                                                                                        | 3/25/2021  | 0.0209         | 0.0281  | 0.0202       | 0.0165   | 0.0892      | 0.106         | <0.0500                             | <0.00100       | 0.000799 J       | 0.00134           | <0.00100            | <0.00100   | <0.0100       | <0.00100        | <0.00100        | 0.000610 J                       | <0.00100           | <0.00500            | <0.00100                 | <0.00100            | <0.00500            | 0.00725          | <0.0100     | 0.00229         | <0.00100              | <0.00100   | 0.0224                 | <0.00100               |
|                                                                                        | 3/31/2021  | 0.0298         | 0.0107  | 0.0177       | 0.0203   | 0.124       | 0.144         | <0.00270                            | <0.000286      | 0.00137          | <0.000195         | <0.000500           | <0.00100   | <0.0100       | 0.00151         | <0.000183       | 0.00109                          | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0133           | <0.00200    | 0.00295         | <0.000228             | 0.000631 J | 0.0426                 | 0.0107                 |
|                                                                                        | 4/8/2021   | 0.0226         | 0.0217  | 0.0210       | 0.0175   | 0.0990      | 0.117         | <0.00270                            | 0.000640 J     | <0.000199        | <0.000195         | <0.000500           | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.000579 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.00799          | <0.00200    | 0.00235         | <0.000228             | <0.000162  | 0.0237                 | <0.000279              |
|                                                                                        | 4/15/2021  | 0.0260         | 0.0132  | 0.0236       | 0.0176   | 0.129       | 0.147         | <0.00270                            | <0.000286      | <0.000199        | <0.000195         | <0.000500           | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.000925 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0102           | <0.00200    | 0.00320         | <0.000228             | <0.000162  | 0.0381                 | 0.00968                |
|                                                                                        | 4/21/2021  | 0.0220         | 0.00991 | 0.0180       | 0.0162   | 0.118       | 0.134         | <0.00270                            | 0.000776 J     | 0.00121          | <0.000195         | <0.000500           | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.000901 J                       | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0106           | <0.00200    | 0.00267         | <0.000228             | <0.000623  | 0.0364                 | <0.000279              |
|                                                                                        | 4/28/2021  | 0.0320         | 0.0265  | 0.0408       | 0.0297   | 0.187       | 0.217         | <0.00270                            | 0.00121        | 0.00159          | <0.000195         | <0.000500           | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.00127                          | <0.000285          | <0.000396           | <0.000174                | <0.000199           | <0.000481           | 0.0159           | <0.00200    | 0.00438         | <0.000228             | <0.000623  | 0.0496                 | 0.0126                 |
|                                                                                        | 5/5/2021   | 0.0234         | 0.0123  | 0.0180       | 0.0147   | 0.115       | 0.130         | <0.00270                            | 0.000841 J     | 0.00124          | <0.000195         | <0.000500           | <0.000259  | <0.000318     | <0.000214       | <0.000183       | 0.000766 J                       | &lt                |                     |                          |                     |                     |                  |             |                 |                       |            |                        |                        |





TABLE 2 - GROUNDWATER SAMPLING (General Water Chemistry) ANALYTICAL DATA SUMMARY  
Permian EOR - Levey Well  
Hobbs, New Mexico

| Well ID                                                                                | Date       | (mg/l)  |          |          |              |              |         |         |           |           |        |                        |                                    |                                  | %                    | SU   |
|----------------------------------------------------------------------------------------|------------|---------|----------|----------|--------------|--------------|---------|---------|-----------|-----------|--------|------------------------|------------------------------------|----------------------------------|----------------------|------|
|                                                                                        |            | Bromide | Chloride | Fluoride | Nitrate as N | Nitrite as N | Sulfate | Calcium | Magnesium | Potassium | Sodium | Total Dissolved Solids | Alkalinity, Bicarbonate (as CaCO3) | Alkalinity, Carbonate (as CaCO3) | Cation-Anion Balance | pH   |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |            | NE      | 250.0    | 1.6      | 10.0         | 1.0          | NE      | NE      | NE        | NE        | NE     | 1,000.0                | NE                                 | NE                               | NE                   | 6-9  |
| Levey Well                                                                             | 12/6/2019  | <0.500  | 253      | <0.500   | 0.594        | 0.199        | 61.5    | 405     | 65.0      | 5.27      | 83.7   | 1,680                  | 1,260                              | <4.00                            | 2.70                 | 6.45 |
|                                                                                        | 12/13/2019 | <0.500  | 315      | <0.500   | 0.744        | 0.222        | 72.9    | 450     | 80.1      | 6.71      | 110    | 1,900                  | 1,230                              | <4.00                            | 2.00                 | 7.02 |
|                                                                                        | 12/19/2019 | 0.414 J | 311      | 0.381 J  | 0.539        | <0.0293      | 62.9    | 411     | 72.2      | 5.61      | 101    | 1,640                  | 1,140                              | <4.00                            | 0.200                | 6.57 |
|                                                                                        | 12/26/2019 | <0.500  | 257      | <0.500   | 0.617        | 0.204        | 61.7    | 418     | 68.8      | 5.82      | 88.5   | 1,760                  | 1,280                              | <4.00                            | 1.30                 | 6.44 |
|                                                                                        | 1/2/2020   | <0.500  | 302      | <0.500   | 0.331        | <0.100       | 60.6    | 375     | 70.5      | 5.96      | 98.8   | 1,630                  | 1,150                              | <4.00                            | 2.40                 | 6.83 |
|                                                                                        | 1/15/2020  | <0.500  | 190      | 0.559    | 0.129        | 0.930        | 53.5    | 401     | 66.8      | 4.82      | 82.9   | 1,570                  | 1,260                              | <4.00                            | 0                    | 6.35 |
|                                                                                        | 1/23/2020  | <0.500  | 195      | 0.617    | 0.126        | 0.128        | 46.2    | 426     | 76.3      | 8.84      | 86.4   | 1,530                  | 1,230                              | <4.00                            | 1.60                 | 6.21 |
|                                                                                        | 1/31/2020  | <0.500  | 197      | 0.616    | 0.129        | <0.100       | 48.5    | 446     | 79.1      | 7.43      | 89.5   | 1,440                  | 1,230                              | <4.00                            | 3.20                 | 6.15 |
|                                                                                        | 2/6/2020   | <0.500  | 316      | <0.500   | 0.179        | <0.100       | 64.2    | 430     | 76.0      | 7.60      | 101    | 1,100                  | 1,180                              | <4.00                            | 1.10                 | 6.07 |
|                                                                                        | 2/13/2020  | <2.50   | 293      | 0.623    | 0.178        | <0.500       | 57.3    | 409     | 74.5      | 6.80      | 95.7   | 1,640                  | 1,200                              | <4.00                            | 0.300                | 6.04 |
|                                                                                        | 2/20/2020  | <0.500  | 272      | 0.586    | 0.157        | <0.100       | 49.6    | 421     | 71.4      | 6.38      | 91.4   | 1,690                  | 1,220                              | <4.00                            | 0.300                | 5.93 |
|                                                                                        | 2/28/2020  | <0.500  | 307      | <0.500   | 1.05         | 1.35         | 56.6    | 438     | 74.0      | 5.98      | 97.4   | 1,620                  | 1,230                              | <4.00                            | 0.400                | 6.12 |
|                                                                                        | 3/6/2020   | <0.500  | 284      | 0.621    | 0.107        | 1.27         | 56.2    | 418     | 67.9      | 5.60      | 92.7   | 1,880                  | 1,230                              | <4.00                            | 0.800                | 6.26 |
|                                                                                        | 3/13/2020  | <0.500  | 316      | 0.629    | <0.100       | <0.100       | 59.3    | 393     | 63.3      | 5.32      | 91.2   | 1,770                  | 1,200                              | <4.00                            | 4.30                 | 6.23 |
|                                                                                        | 3/18/2020  | 0.533   | 332      | 0.642    | 0.128        | <0.100       | 63.5    | 391     | 67.4      | 5.56      | 95.7   | 1,680                  | 1,180                              | <4.00                            | 3.80                 | 6.44 |
|                                                                                        | 3/27/2020  | 0.533   | 324      | 0.728    | <0.100       | <0.100       | 57.6    | 418     | 70.3      | 5.91      | 105    | 1,610                  | 1,180                              | <4.00                            | 0.200                | 6.57 |
|                                                                                        | 4/3/2020   | <0.500  | 304      | 0.807    | 0.110        | <0.100       | 57.3    | 417     | 69.0      | 5.91      | 101    | 1,960                  | 1,180                              | <4.00                            | 0.200                | 6.37 |
|                                                                                        | 4/10/2020  | 0.575   | 351      | 0.612    | 0.172        | <0.100       | 61.8    | 431     | 72.3      | 6.17      | 104    | 1,930                  | 1,190                              | <4.00                            | 0.600                | 6.73 |
|                                                                                        | 4/17/2020  | 0.590   | 353      | 0.691    | 0.165        | <0.100       | 59.7    | 406     | 73.2      | 5.40      | 108    | 1,750                  | 1,180                              | <4.00                            | 1.70                 | 6.51 |
|                                                                                        | 4/24/2020  | 0.595   | 370      | 0.723    | 0.152        | <0.100       | 61.2    | 408     | 75.2      | 5.55      | 113    | 1,810                  | 1,130                              | <4.00                            | 0.600                | 6.32 |
|                                                                                        | 5/1/2020   | 0.576   | 376      | 0.686    | 0.140        | <0.100       | 61.8    | 402     | 74.6      | 5.39      | 106    | 1,750                  | 1,130                              | <4.00                            | 1.90                 | 6.37 |
|                                                                                        | 5/7/2020   | 0.517   | 365      | 0.675    | 0.163        | <0.100       | 58.8    | 425     | 70.5      | 5.57      | 108    | 1,640                  | 1,140                              | <4.00                            | 0.00                 | 6.55 |
|                                                                                        | 5/14/2020  | 0.571   | 409      | 0.585    | 0.160        | <0.100       | 56.0    | 412     | 76.5      | 6.23      | 107    | 1,900                  | 1,200                              | <4.00                            | 3.70                 | 6.34 |
|                                                                                        | 5/22/2020  | 0.531   | 319      | 0.561    | 1.550        | <0.100       | 30.1    | 354     | 63.7      | 5.24      | 97.4   | 1,360                  | 1,190                              | <4.00                            | 6.10                 | 6.54 |
|                                                                                        | 5/26/2020  | 0.549   | 357      | 0.688    | 0.153        | <0.100       | 44.5    | 356     | 69.6      | 5.67      | 102    | 1,650                  | 1,170                              | <4.00                            | 6.30                 | 6.42 |
|                                                                                        | 6/5/2020   | 0.640   | 417      | 0.535    | 0.139        | <0.100       | 39.9    | 379     | 73.3      | 5.92      | 108    | 1,670                  | 1,160                              | <4.00                            | 5.90                 | 6.30 |
|                                                                                        | 6/12/2020  | 0.602   | 359      | 0.697    | 0.145        | <0.100       | 43.9    | 386     | 72.4      | 6.70      | 106    | 1,670                  | 1,140                              | <4.00                            | 2.40                 | 6.22 |
|                                                                                        | 6/18/2020  | 0.576   | 431      | <5.00    | 0.144        | <0.100       | 39.5    | 418     | 78.8      | 6.23      | 115    | 1,800                  | 1,180                              | <4.00                            | 2.40                 | 6.28 |
|                                                                                        | 6/23/2020  | 0.586   | 398      | <5.00    | 0.136        | <0.100       | 33.3    | 361     | 66.3      | 5.48      | 98.2   | 1,920                  | 1,190                              | <4.00                            | 8.40                 | 6.23 |
|                                                                                        | 6/30/2020  | 0.695   | 431      | <5.00    | 0.149        | <0.100       | 37.9    | 437     | 78.6      | 6.70      | 113    | 1,830                  | 1,170                              | <4.00                            | 2.60                 | 6.39 |
|                                                                                        | 7/9/2020   | 0.647   | 413      | <5.00    | 0.147        | 0.215        | 40.5    | 421     | 78.5      | 6.58      | 114    | 1,790                  | 1,170                              | <4.00                            | 1.50                 | 6.37 |
|                                                                                        | 7/16/2020  | 0.657   | 390      | <5.00    | 0.128        | <0.100       | 40.6    | 402     | 77.6      | 7.01      | 114    | 1,890                  | 1,170                              | <4.00                            | 1.90                 | 6.34 |
|                                                                                        | 7/23/2020  | 0.621   | 396      | <5.00    | 0.175        | 0.169        | 36.5    | 419     | 74.0      | 6.58      | 111    | 2,000                  | 1,160                              | <4.00                            | 1.10                 | 6.22 |
|                                                                                        | 7/30/2020  | 0.669   | 390      | 0.625    | 0.181        | <0.100       | 39.3    | 397     | 71.4      | 5.59      | 103    | 1,910                  | 1,170                              | <4.00                            | 3.70                 | 6.18 |
|                                                                                        | 8/7/2020   | 0.631   | 387      | 0.526    | 0.186        | 1.75         | 36.1    | 404     | 79.5      | 6.73      | 111    | 1,810                  | 1,150                              | <4.00                            | 0.900                | 6.12 |
|                                                                                        | 8/13/2020  | 0.713   | 408      | 0.505    | 0.191        | 1.45         | 34.9    | 368     | 75.1      | 6.54      | 115    | 1,980                  | 1,150                              | <4.00                            | 5.00                 | 6.26 |
|                                                                                        | 8/20/2020  | 0.690   | 449      | <0.500   | 0.164        | <0.100       | 38.7    | 389     | 69.0      | 5.99      | 113    | 2,000                  | 1,090                              | <4.00                            | 4.40                 | 6.18 |
|                                                                                        | 8/27/2020  | 0.846   | 582      | <0.500   | 0.158        | 1.68         | 49.4    | 446     | 82.6      | 7.17      | 161    | 2,570                  | 973                                | <4.00                            | 1.50                 | 6.35 |
|                                                                                        | 9/2/2020   | 0.868   | 635      | <0.500   | 0.159        | <0.100       | 48.1    | 422     | 77.9      | 7.25      | 168    | 1,620                  | 1,030                              | <4.00                            | 3.40                 | 6.30 |
|                                                                                        | 9/10/2020  | 0.714   | 499      | <0.500   | <0.100       | 1.61         | 41.9    | 387     | 79.4      | 6.53      | 133    | 1,980                  | 1,090                              | <4.00                            | 4.20                 | 6.10 |
|                                                                                        | 9/17/2020  | 0.769   | 472      | <0.500   | 0.272        | 1.06         | 40.8    | 467     | 73.4      | 6.45      | 119    | 1,930                  | 1,110                              | <4.00                            | 1.10                 | 6.14 |
|                                                                                        | 9/25/2020  | 0.779   | 541      | <0.500   | 0.150        | <0.100       | 44.0    | 386     | 75.9      | 5.86      | 133    | 1,680                  | 1,110                              | <4.00                            | 6.70                 | 6.17 |
|                                                                                        | 10/1/2020  | 0.721   | 466      | <0.500   | 0.173        | <0.100       | 41.4    | 398     | 75.5      | 6.25      | 124    | 1,940                  | 1,110                              | <4.00                            | 3.30                 | 6.07 |
|                                                                                        | 10/9/2020  | 0.786   | 527      | <0.500   | 0.161        | <0.100       | 43.8    | 426     | 79.8      | 6.90      | 139    | 2,220                  | 1,090                              | <4.00                            | 1.90                 | 6.21 |
|                                                                                        | 10/16/2020 | 0.595   | 460      | 0.511    | <0.100       | <2.00        | 45.7    | 376     | 72.5      | 5.90      | 122    | 2,020                  | 1,080                              | <4.00                            | 4.80                 | 6.20 |
|                                                                                        | 11/24/2020 | 0.817   | 572      | <0.500   | 0.124        | 2.07         | 37.5    | 438     | 79.6      | 6.56      | 141    | 2,200                  | 1,100                              | <4.00                            | 2.60                 | 6.45 |
|                                                                                        | 12/4/2020  | 0.687   | 706      | <0.500   | 0.142        | 3.27         | 30.9    | 405     | 75.8      | 7.09      | 143    | 2,000                  | 1,050                              | <4.00                            | 9.30                 | 6.33 |
|                                                                                        | 12/11/2020 | 0.816   | 487      | 0.949    | 0.197        | 1.80         | 33.4    | 445     | 82.0      | 6.90      | 133    | 1,990                  | 1,160                              | <4.00                            | 0.200                | 6.20 |
|                                                                                        | 12/18/2020 | 0.763   | 497      | <5.00    | 0.129        | 1.87         | 37.6    | 424     | 79.5      | 6.97      | 137    | 1,910                  | 1,180                              | <4.00                            | 2.70                 | 6.39 |
|                                                                                        | 12/23/2020 | 0.613   | 477      | <5.00    | 0.108        | <0.100       | 38.3    | 416     | 78.2      | 7.82      | 129    | 1,800                  | 1,290                              | <4.00                            | 5.70                 | 6.22 |
|                                                                                        | 12/30/2020 | 0.712   | 493      | <0.500   | <0.100       | <0.100       | 40.1    | 448     | 80.0      | 6.21      | 139    | 2,120                  | 1,340                              | <4.00                            | 4.40                 | 6.14 |





TABLE 2 - GROUNDWATER SAMPLING (General Water Chemistry) ANALYTICAL DATA SUMMARY  
Permian EOR - Levey Well  
Hobbs, New Mexico

| Well ID                                                                                | Date                                      | (mg/l)                           |          |          |              |              |         |         |           |           |        |                        |                                    |                                  | %                    | SU   |
|----------------------------------------------------------------------------------------|-------------------------------------------|----------------------------------|----------|----------|--------------|--------------|---------|---------|-----------|-----------|--------|------------------------|------------------------------------|----------------------------------|----------------------|------|
|                                                                                        |                                           | Bromide                          | Chloride | Fluoride | Nitrate as N | Nitrite as N | Sulfate | Calcium | Magnesium | Potassium | Sodium | Total Dissolved Solids | Alkalinity, Bicarbonate (as CaCO3) | Alkalinity, Carbonate (as CaCO3) | Cation-Anion Balance | pH   |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |                                           | NE                               | 250.0    | 1.6      | 10.0         | 1.0          | NE      | NE      | NE        | NE        | NE     | 1,000.0                | NE                                 | NE                               | NE                   | 6-9  |
| Levey Well (Cont.)                                                                     | 1/6/2021                                  | 0.784                            | 504      | <0.500   | 0.155        | 2.61         | 23.0    | 400     | 79.8      | 6.14      | 135    | 2,210                  | 1,340                              | <4.00                            | 8.10                 | 6.27 |
|                                                                                        | 1/12/2021                                 | 0.605                            | 326      | <0.500   | 0.137        | 1.05         | <0.500  | 324     | 64.3      | 5.68      | 97.8   | 1,680                  | 1,160                              | <4.00                            | 7.00                 | 6.57 |
|                                                                                        | 1/20/2021                                 | 0.796                            | 486      | <0.500   | 0.138        | <0.100       | 7.68    | 397     | 73.0      | 6.00      | 127    | 2,170                  | 1,200                              | <4.00                            | 5.70                 | 6.24 |
|                                                                                        | 1/27/2021                                 | 0.510                            | 264      | 0.905    | 0.137        | 1.16         | 23.1    | 296     | 55.1      | 4.75      | 83.1   | 1,350                  | 875                                | <4.00                            | 1.70                 | 6.38 |
|                                                                                        | 2/3/2021                                  | 0.501                            | 275      | 0.842    | 0.122        | 1.02         | 20.5    | 329     | 59.0      | 4.76      | 89.4   | 1,370                  | 940                                | <4.00                            | 0.00                 | 6.37 |
|                                                                                        | 2/10/2021                                 | 0.615                            | 561      | <0.500   | 0.147        | 0.308        | 24.9    | 416     | 77.9      | 7.03      | 156    | 1,980                  | 1,170                              | <4.00                            | 4.50                 | 6.31 |
|                                                                                        | 2/24/2021                                 | 0.695                            | 576      | <0.500   | 0.163        | 2.6          | 31.4    | 450     | 81.3      | 7.94      | 164    | 2,260                  | 1,190                              | <4.00                            | 2.50                 | 6.22 |
|                                                                                        | 3/4/2021                                  | 0.789                            | 585      | <0.500   | 0.121        | 0.215        | 54.1    | 425     | 77.8      | 6.41      | 151    | 2,090                  | 1,050                              | <4.00                            | 3.00                 | 6.34 |
|                                                                                        | 3/10/2021                                 | 0.756                            | 540      | <0.500   | 0.147        | <0.100       | 45.5    | 417     | 76.3      | 5.54      | 139    | 1,940                  | 1,160                              | <4.00                            | 5.10                 | 6.29 |
|                                                                                        | 3/17/2021                                 | 0.813                            | 519      | 1.21     | 0.169        | <0.100       | 33.8    | 436     | 71.3      | 6.10      | 127    | 1,910                  | 1,200                              | <4.00                            | 4.70                 | 5.97 |
|                                                                                        | 3/25/2021                                 | <10.0                            | 529      | <10.0    | <2.00        | 1.99 J       | 20.2    | 435     | 78.0      | 7.14      | 136    | 2,320                  | 1,250                              | <4.00                            | -10.80               | 6.6  |
|                                                                                        | 3/31/2021                                 | 0.785                            | 499      | 0.358 J  | 0.130        | <0.0293      | 16.5    | 416     | 74.3      | 6.73      | 132    | 1,650                  | 1,150                              | <4.00                            | -9.18                | 6.4  |
|                                                                                        | 4/8/2021                                  | <0.500                           | 254      | 0.869    | <0.100       | 0.121        | 23.3    | 271     | 46.7      | 5.00      | 74.5   | 1,120                  | 785                                | <4.00                            | -9.60                | 6.5  |
|                                                                                        | 4/15/2021                                 | 0.545                            | 253      | 0.939    | <0.100       | <0.100       | 34.1    | 283     | 53.5      | 4.66      | 82.8   | 998                    | 793                                | <4.00                            | -7.22                | 6.5  |
|                                                                                        | 4/21/2021                                 | 0.460 J                          | 253      | 0.729    | 0.125        | <0.0293      | 9.23    | 278     | 52.4      | 4.83      | 81.4   | 1,210                  | 869                                | <4.00                            | -10.1                | 6.4  |
|                                                                                        | 4/28/2021                                 | 0.841                            | 497      | 0.196 J  | 0.133        | <0.0293      | 21.2    | 416     | 75.8      | 6.88      | 133    | 2,000                  | 1,290                              | <4.00                            | -12.5                | 6.3  |
|                                                                                        | 5/5/2021                                  | 0.780                            | 475      | 0.362 J  | 0.151        | <0.0293      | 13.6    | 428     | 80.1      | 7.43      | 123    | 2,120                  | 1,230                              | <4.00                            | -9.6                 | 6.2  |
|                                                                                        | 5/13/2021                                 | 0.469 J                          | 239      | 1.01     | 0.126        | 0.756 J      | 28.5    | 238     | 46.1      | 4.10      | 72.6   | 1,150                  | 737                                | <4.00                            | -11.9                | 6.7  |
|                                                                                        | 5/19/2021                                 | 0.725                            | 566      | 0.324 J  | <0.0391      | 2.93         | 21.0    | 494     | 91.6      | 8.14      | 164    | 2,160                  | 1,260                              | <4.00                            | -5.71                | 6.3  |
|                                                                                        | 5/27/2021                                 | 0.579                            | 419      | 0.499 J  | 0.137        | 0.136        | 16.7    | 406     | 73.3      | 6.47      | 123    | 1,370                  | 810                                | <4.00                            | 1.85                 | 6.5  |
|                                                                                        | 6/2/2021                                  | 0.712                            | 488      | 0.303 J  | 0.128        | <0.0293      | 23.7    | 447     | 82.8      | 7.43      | 139    | 2,140                  | 1,120                              | <4.00                            | -4.83                | 6.3  |
|                                                                                        | 6/10/2021                                 | 0.415 J                          | 247      | 1.10     | 0.124        | 1.38         | 22.2    | 273     | 54.9      | 4.90      | 84.8   | 1,270                  | 669                                | <4.00                            | -2.53                | 6.5  |
|                                                                                        | 6/16/2021                                 | 0.405 J                          | 227      | 0.946    | 0.125        | <0.0293      | 11.5    | 267     | 56.0      | 4.64      | 84.4   | 1,500                  | 723                                | <4.00                            | -3.70                | 6.7  |
|                                                                                        | 6/22/2021                                 | 0.405 J                          | 230      | 1.00     | 0.117        | 1.67         | 28.9    | 298     | 53.1      | 4.74      | 80.7   | 1,230                  | 657                                | <4.00                            | 0.795                | 6.7  |
|                                                                                        | 6/30/2021                                 | 0.398 J                          | 237      | 1.07     | 0.140        | 0.205        | 23.8    | 258     | 51.9      | 4.32      | 74.6   | 1,200                  | 676                                | <4.00                            | -5.560               | 6.9  |
|                                                                                        | 7/1/2021                                  | Levey Well Now Running Full Time |          |          |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |
|                                                                                        | 7/7/2021                                  | 0.469 J                          | 305      | 0.705    | 0.128        | <0.0293      | 41.3    | 337     | 67.2      | 5.46      | 96.3   | 1,780                  | 764                                | <4.00                            | -0.751               | 6.6  |
|                                                                                        | 7/14/2021                                 | 0.446 J                          | 297      | 0.753    | 0.151        | 0.167        | 41.6    | 323     | 61.9      | 4.56      | 87.0   | 1,200                  | 785                                | <4.00                            | -3.73                | 6.4  |
|                                                                                        | 7/20/2021                                 | 0.180 J                          | 290      | 0.223 J  | 0.0457 J     | <0.0293      | 38.2    | 317     | 65.9      | 5.31      | 96.1   | 1,620                  | 854                                | <4.00                            | -5.11                | 6.4  |
|                                                                                        | 7/27/2021                                 | 0.437 J                          | 281      | 0.491 J  | 0.126        | 1.42         | 41.3    | 338     | 66.9      | 5.14      | 95.9   | 1,240                  | 790                                | <4.00                            | -0.522               | 6.2  |
|                                                                                        | 8/5/2021                                  | 0.400 J                          | 275      | 0.565    | 0.158        | <0.0293      | 43.3    | 334     | 68.8      | 5.00      | 90.9   | 1,610                  | 714                                | <4.00                            | 2.12                 | 6.6  |
|                                                                                        | 8/11/2021                                 | 0.446 J                          | 261      | 0.512    | 0.154        | 1.81         | 43.2    | 298     | 64.8      | 4.96      | 89.8   | 1,470                  | 764                                | <4.00                            | -3.46                | 6.4  |
|                                                                                        | 8/19/2021                                 | 0.583                            | 380      | 0.357 J  | 0.177        | 0.694        | 39.1    | 336     | 68.2      | 6.69      | 111    | 2,030                  | 769                                | <4.00                            | -3.85                | 6.6  |
|                                                                                        | 8/25/2021                                 | 0.483 J                          | 249      | 0.680    | 0.125        | 1.13         | 41.4    | 305     | 59.6      | 4.65      | 83.9   | 1,050                  | 698                                | <4.00                            | -0.532               | 6.6  |
|                                                                                        | 9/2/2021                                  | 0.418 J                          | 233      | 0.688    | 0.110        | 0.147        | 20.1    | 287     | 52.2      | 3.98      | 75.2   | 1,140                  | 588                                | <4.00                            | 2.27                 | 7.0  |
|                                                                                        | 9/8/2021                                  | 0.357 J                          | 257      | 0.442 J  | 0.0997 J     | 1.20         | 43.4    | 300     | 61.8      | 4.83      | 87.3   | 1,360                  | 703                                | <4.00                            | -1.15                | 6.6  |
|                                                                                        | 9/14/2021                                 | 0.372 J                          | 250      | 0.511    | 0.118        | 1.11         | 42.3    | 285     | 58.7      | 4.81      | 81.7   | 988                    | 730                                | <4.00                            | -4.44                | 6.4  |
|                                                                                        | 9/21/2021                                 | 0.546                            | 227      | 0.951    | 0.224        | <0.0293      | 37.4    | 313     | 68.2      | 5.30      | 97.5   | 1,080                  | 610                                | <4.00                            | 7.72                 | 6.6  |
|                                                                                        | 9/29/2021                                 | 0.535                            | 248      | 0.542    | 0.186        | 0.164        | 41.9    | 302     | 59.9      | 4.60      | 85.4   | 1,410                  | 765                                | <4.00                            | -2.94                | 6.6  |
|                                                                                        | 10/7/2021                                 | 0.454 J                          | 235      | 0.582    | 1.10         | <0.0293      | 40.5    | 323     | 65.5      | 4.79      | 88.3   | 1,310                  | 765                                | <4.00                            | 0.449                | 6.6  |
|                                                                                        | 10/13/2021                                | 0.459 J                          | 238      | 0.608    | 0.198        | 1.10         | 40.9    | 252     | 52.7      | 3.97      | 75.6   | 1,030                  | 765                                | <4.00                            | -10.6                | 6.7  |
|                                                                                        | 10/21/2021                                | 0.470 J                          | 227      | 0.557    | 0.143        | <0.0293      | 36.9    | 238     | 51.0      | 3.54      | 72.5   | 1,250                  | 722                                | <4.00                            | -10.2                | 6.5  |
|                                                                                        | 10/27/2021                                | 0.444 J                          | 238      | 0.469 J  | 0.193        | 0.0910 J     | 42.5    | 330     | 67.2      | 5.31      | 94.2   | 1,290                  | 706                                | <4.00                            | 3.95                 | 6.7  |
|                                                                                        | 11/5/2021                                 | 0.367 J                          | 231      | 1.45     | 0.220        | <0.0293      | 41.7    | 328     | 63.6      | 5.06      | 90.7   | 1,050                  | 657                                | <4.00                            | 5.76                 | 6.9  |
|                                                                                        | 11/11/2021                                | 0.379 J                          | 229      | 0.594    | 0.238        | <0.0293      | 36.9    | 221     | 48.1      | 3.36      | 71.5   | 1,140                  | 571                                | <4.00                            | -5.92                | 7.0  |
|                                                                                        | 11/18/2021                                | 0.560                            | 247      | 0.397 J  | 0.176        | <0.0293      | 44.3    | 276     | 50.8      | 4.29      | 76.4   | 1,350                  | 698                                | <4.00                            | -5.71                | 6.6  |
|                                                                                        | 11/24/2021                                | 0.455 J                          | 232      | 0.646    | 0.203        | 0.718        | 41.9    | 253     | 52.5      | 4.07      | 76.6   | 1,240                  | 546                                | <4.00                            | -0.200               | 6.6  |
|                                                                                        | 12/1/2021                                 | 0.497 J                          | 233      | 0.652    | 0.144        | <0.0293      | 42.0    | 284     | 55.9      | 4.31      | 82.4   | 1,040                  | 644                                | <4.00                            | -0.133               | 6.9  |
|                                                                                        | 12/8/2021                                 | 0.516                            | 230      | 0.620    | 0.187        | <0.0293      | 42.5    | 261     | 55.8      | 4.20      | 82.9   | 1,200                  | 633                                | <4.00                            | -1.56                | 6.5  |
|                                                                                        | 12/16/2021                                | 0.490 J                          | 228      | 0.528    | 0.251        | <0.0293      | 42.1    | 282     | 55.3      | 4.13      | 81.9   | 1,280                  | 649                                | <4.00                            | -0.883               | 6.4  |
| 12/22/2021                                                                             | 0.480 J                                   | 230                              | 0.294 J  | 0.223    | <0.0293      | 43.3         | 304     | 58.5    | 4.66      | 85.8      | 1,270  | 619                    | <4.00                              | 3.67                             | 6.4                  |      |
| 12/29/2021                                                                             | 0.476 J                                   | 225                              | 0.588    | 0.224    | <0.0293      | 43.8         | 300     | 57.5    | 4.69      | 84.9      | 1,220  | 657                    | <4.00                              | 1.62                             | 6.6                  |      |
| 1/6/2022                                                                               | 0.386 J                                   | 226                              | 0.500    | 0.182    | <0.0293      | 42.7         | 278     | 52.9    | 4.11      | 79.0      | 1,650  | 711                    | <4.00                              | -4.09                            | 6.4                  |      |
| 1/12/2022                                                                              | 0.438 J                                   | 223                              | 0.561    | 0.178    | <0.0293      | 42.8         | 254     | 49.2    | 3.60      | 71.9      | 1,090  | 633                    | <4.00                              | -4.90                            | 6.1                  |      |
| 1/19/2022                                                                              | 0.446 J                                   | 223                              | 0.523    | 0.178    | <0.0293      | 43.6         | 288     | 57.2    | 4.34      | 80.1      | 1,780  | 688                    | <4.00                              | -1.41                            | 6.3                  |      |
| 1/26/2022                                                                              | 0.440 J                                   | 220                              | 0.580    | 0.181    | 0.0834 J     | 41.7         | 286     | 56.4    | 4.50      | 85.1      | 1,140  | 706                    | <4.00                              | -1.64                            | 6.4                  |      |
| 2/2/2022                                                                               | Unable to Sample due to Incliment Weather |                                  |          |          |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |
| 2/8/2022                                                                               | 0.780                                     | 329                              | 1.24     | <0.0391  | 0.420        | 62.0         | 272     | 58.5    | 4.77      | 97.0      | 1,410  | 756                    | <4.00                              | -11.40                           | 6.5                  |      |
| 2/16/2022                                                                              | 0.488 J                                   | 217                              | 0.769    | 0.0551 J | 0.349        | 27.9         | 212     | 46.2    | 3.76      | 74.5      | 1,070  | 555                    | <4.00                              | -6.59                            | 6.6                  |      |
| 2/25/2022                                                                              | 0.726                                     | 484                              | 0.902    | 0.141    | <0.0293      | 31.2         | 429     | 78.2    | 6.80      | 139       | 1,960  | 1,210                  | <4.00                              | -9.05                            | 6.4                  |      |





TABLE 2 - GROUNDWATER SAMPLING (General Water Chemistry) ANALYTICAL DATA SUMMARY  
Permian EOR - Levey Well  
Hobbs, New Mexico

| Well ID                                                                                | Date       | (mg/l)                                    |                                  |          |              |              |         |         |           |           |        |                        |                                    |                                  |                      | %    | SU   |  |      |
|----------------------------------------------------------------------------------------|------------|-------------------------------------------|----------------------------------|----------|--------------|--------------|---------|---------|-----------|-----------|--------|------------------------|------------------------------------|----------------------------------|----------------------|------|------|--|------|
|                                                                                        |            | Bromide                                   | Chloride                         | Fluoride | Nitrate as N | Nitrite as N | Sulfate | Calcium | Magnesium | Potassium | Sodium | Total Dissolved Solids | Alkalinity, Bicarbonate (as CaCO3) | Alkalinity, Carbonate (as CaCO3) | Cation-Anion Balance | pH   |      |  |      |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |            | NE                                        | 250.0                            | 1.6      | 10.0         | 1.0          | NE      | NE      | NE        | NE        | NE     | 1,000.0                | NE                                 | NE                               | NE                   | 6-9  |      |  |      |
| MW-1                                                                                   | 5/26/2020  | NA                                        | 363                              | 0.913    | 0.998        | 1.03         | 283     | NA      |           |           |        |                        |                                    |                                  |                      |      |      |  | 7.21 |
|                                                                                        | 6/30/2020  | 0.591                                     | 342                              | <0.500   | 0.145        | <0.100       | 88.8    | 401     | 84.7      | 6.41      | 191    | 1,890                  | 1,290                              | <4.00                            | NA                   | 6.75 |      |  |      |
|                                                                                        | 8/20/2020  | 0.634                                     | 339                              | <0.500   | <0.100       | <0.100       | 68.3    | 401     | 90.3      | 5.38      | 147    | 1,760                  | 1,210                              | <4.00                            | NA                   | 6.30 |      |  |      |
|                                                                                        | 10/23/2020 | NA                                        | 353                              | NA       |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |      |  |      |
|                                                                                        | 11/24/2020 | 0.629                                     | 345                              | 0.309 J  | 0.161        | 2.00         | 73.2    | 412     | 82.8      | 5.61      | 124    | 1,630                  | 1,200                              | <4.00                            | 0.400                | 6.45 |      |  |      |
|                                                                                        | 12/18/2020 | NA                                        | 375                              | NA       |              |              |         | 414     | 79.7      | 5.41      | 117    | 1,380                  | 1,160                              | <4.00                            | 1.30                 | 6.58 |      |  |      |
|                                                                                        | 12/23/2020 | 0.627                                     | 339                              | 0.316 J  | 0.117        | <0.0293      | 73.2    | 408     | 82.5      | 6.58      | 119    | 1,600                  | 1,130                              | <4.00                            | 2.10                 | 6.56 |      |  |      |
|                                                                                        | 12/30/2020 | NA                                        | 347                              | NA       |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      | 6.37 |  |      |
|                                                                                        | 1/6/2021   | NA                                        | 325                              | NA       |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      | 6.51 |  |      |
|                                                                                        | 1/12/2021  | NA                                        | 359                              | NA       |              |              |         |         |           |           |        |                        | 1,160                              | <4.00                            | NA                   | 6.42 |      |  |      |
|                                                                                        | 1/20/2021  | NA                                        | 353                              | NA       |              |              |         |         |           |           |        |                        | 1,160                              | <4.00                            | NA                   | 6.34 |      |  |      |
|                                                                                        | 1/27/2021  | NA                                        | 334                              | NA       |              |              |         |         |           |           |        |                        | 1,010                              | <4.00                            | NA                   | 6.44 |      |  |      |
|                                                                                        | 2/3/2021   | NA                                        | 368                              | NA       |              |              |         |         |           |           |        |                        | 1,130                              | <4.00                            | NA                   | 6.38 |      |  |      |
|                                                                                        | 2/10/2021  | NA                                        | 339                              | NA       |              |              |         |         |           |           |        |                        | 1,160                              | <4.00                            | NA                   | 6.45 |      |  |      |
|                                                                                        | 2/24/2021  | NA                                        | 343                              | NA       |              |              |         |         |           |           |        |                        | 1,070                              | <4.00                            | NA                   | 6.45 |      |  |      |
|                                                                                        | 3/4/2021   | NA                                        | 339                              | NA       |              |              |         |         |           |           |        |                        | 1,070                              | <4.00                            | NA                   | 6.38 |      |  |      |
|                                                                                        | 3/10/2021  | NA                                        | 324                              | NA       |              |              |         |         |           |           |        |                        | 1,020                              | <4.00                            | NA                   | 6.34 |      |  |      |
|                                                                                        | 3/17/2021  | NA                                        | 330                              | NA       |              |              |         |         |           |           |        |                        | 1,020                              | <4.00                            | NA                   | 6.16 |      |  |      |
|                                                                                        | 3/25/2021  | NA                                        | 312                              | 0.367 J  | 0.129        | <0.100       | 77.5    | NA      |           |           |        |                        | 980                                | <4.00                            | NA                   | 6.9  |      |  |      |
|                                                                                        | 3/31/2021  | NA                                        | 309                              | 0.387 J  | 0.175        | <0.0293      | 81.3    | NA      |           |           |        |                        | 977                                | <4.00                            | NA                   | 6.7  |      |  |      |
|                                                                                        | 4/8/2021   | NA                                        | 290                              | 0.515    | 0.0994 J     | <0.0293      | 58.1    | NA      |           |           |        |                        | 933                                | <4.00                            | NA                   | 6.5  |      |  |      |
|                                                                                        | 4/15/2021  | NA                                        | 272                              | 0.583    | 0.107        | <0.0293      | 54.0    | NA      |           |           |        |                        | 833                                | <4.00                            | NA                   | 6.6  |      |  |      |
|                                                                                        | 4/21/2021  | NA                                        | 299                              | 0.369 J  | 0.135        | <0.0293      | 52.7    | NA      |           |           |        |                        | 927                                | <4.00                            | NA                   | 6.5  |      |  |      |
|                                                                                        | 4/28/2021  | NA                                        | 315                              | 0.315 J  | 0.119        | <0.0293      | 57.8    | NA      |           |           |        |                        | 994                                | <4.00                            | NA                   | 6.5  |      |  |      |
|                                                                                        | 5/5/2021   | NA                                        | 317                              | 0.358 J  | 0.135        | <0.0293      | 68.5    | NA      |           |           |        |                        | 1,020                              | <4.00                            | NA                   | 6.5  |      |  |      |
|                                                                                        | 5/13/2021  | NA                                        | 270                              | 0.492 J  | 0.125        | 0.729 J      | 55.6    | NA      |           |           |        |                        | 819                                | <4.00                            | NA                   | 6.8  |      |  |      |
|                                                                                        | 5/19/2021  | NA                                        | 324                              | 0.335 J  | <0.0391      | 2.58         | 65.0    | NA      |           |           |        |                        | 1,070                              | <4.00                            | NA                   | 6.5  |      |  |      |
|                                                                                        | 5/27/2021  | NA                                        | 325                              | 0.380 J  | 0.128        | 0.148        | 70.3    | NA      |           |           |        |                        | 971                                | <4.00                            | NA                   | 6.3  |      |  |      |
|                                                                                        | 6/2/2021   | NA                                        | 315                              | 0.305 J  | 0.146        | <0.0293      | 72.8    | NA      |           |           |        |                        | 979                                | <4.00                            | NA                   | 6.5  |      |  |      |
|                                                                                        | 6/10/2021  | NA                                        | 295                              | 0.561    | 0.130        | 1.44         | 64.7    | NA      |           |           |        |                        | 768                                | <4.00                            | NA                   | 6.6  |      |  |      |
|                                                                                        | 6/16/2021  | NA                                        | 320                              | 0.478 J  | 0.127        | 0.243        | 59.1    | NA      |           |           |        |                        | 811                                | <4.00                            | NA                   | 6.7  |      |  |      |
|                                                                                        | 6/22/2021  | NA                                        | 311                              | 0.478 J  | 0.119        | 1.65         | 56.9    | NA      |           |           |        |                        | 790                                | <4.00                            | NA                   | 6.8  |      |  |      |
|                                                                                        | 6/30/2021  | NA                                        | 308                              | 0.561    | 0.145        | 0.168        | 64.2    | NA      |           |           |        |                        | 813                                | <4.00                            | NA                   | 6.7  |      |  |      |
|                                                                                        | 7/1/2021   |                                           | Levey Well Now Running Full Time |          |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |      |  |      |
|                                                                                        | 7/7/2021   | NA                                        | 325                              | 0.547    | 0.127        | <0.0293      | 75.9    | NA      |           |           |        |                        | 761                                | <4.00                            | NA                   | 6.8  |      |  |      |
|                                                                                        | 7/14/2021  | NA                                        | 360                              | 0.418 J  | 0.134        | 0.0880 J     | 112     | NA      |           |           |        |                        | 931                                | <4.00                            | NA                   | 6.8  |      |  |      |
|                                                                                        | 7/20/2021  | NA                                        | 324                              | 0.138 J  | 0.0457 J     | <0.0293      | 81.5    | NA      |           |           |        |                        | 750                                | <4.00                            | NA                   | 6.7  |      |  |      |
|                                                                                        | 7/27/2021  | NA                                        | 352                              | 0.340 J  | 0.148        | 1.22         | 82.8    | NA      |           |           |        |                        | 786                                | <4.00                            | NA                   | 6.7  |      |  |      |
|                                                                                        | 8/5/2021   | NA                                        | 336                              | 0.426 J  | 0.117        | <0.0293      | 79.0    | NA      |           |           |        |                        | 695                                | <4.00                            | NA                   | 6.9  |      |  |      |
|                                                                                        | 8/11/2021  | NA                                        | 326                              | 0.342 J  | 0.153        | 1.48         | 85.5    | NA      |           |           |        |                        | 735                                | <4.00                            | NA                   | 6.6  |      |  |      |
|                                                                                        | 8/19/2021  | NA                                        | 334                              | 0.227 J  | 0.149        | 1.36         | 81.9    | NA      |           |           |        |                        | 810                                | <4.00                            | NA                   | 6.8  |      |  |      |
|                                                                                        | 8/25/2021  | NA                                        | 328                              | 0.395 J  | 0.132        | 0.947 J      | 76.5    | NA      |           |           |        |                        | 809                                | <4.00                            | NA                   | 6.8  |      |  |      |
|                                                                                        | 9/2/2021   | NA                                        | 325                              | 0.311 J  | 0.105        | <0.0293      | 74.7    | NA      |           |           |        |                        | 755                                | <4.00                            | NA                   | 6.8  |      |  |      |
|                                                                                        | 9/8/2021   | NA                                        | 272                              | 0.442 J  | 0.103        | 0.782 J      | 64.5    | NA      |           |           |        |                        | 584                                | <4.00                            | NA                   | 6.9  |      |  |      |
|                                                                                        | 9/14/2021  | NA                                        | 332                              | 0.276 J  | 0.103        | 0.776 J      | 98.4    | NA      |           |           |        |                        | 660                                | <4.00                            | NA                   | 7.0  |      |  |      |
|                                                                                        | 9/21/2021  | NA                                        | 203                              | 0.896    | 0.186        | <0.0293      | 32.4    | NA      |           |           |        |                        | 419                                | <4.00                            | NA                   | 6.9  |      |  |      |
|                                                                                        | 9/29/2021  | NA                                        | 232                              | 0.659    | 0.168        | 0.0819 J     | 40.1    | NA      |           |           |        |                        | 505                                | <4.00                            | NA                   | 6.9  |      |  |      |
|                                                                                        | 10/7/2021  | NA                                        | 253                              | 0.626    | 0.186        | <0.0293      | 58.2    | NA      |           |           |        |                        | 567                                | <4.00                            | NA                   | 6.9  |      |  |      |
|                                                                                        | 10/13/2021 | NA                                        | 268                              | 0.659    | 0.178        | <0.0293      | 62.9    | NA      |           |           |        |                        | 564                                | <4.00                            | NA                   | 8.1  |      |  |      |
|                                                                                        | 10/21/2021 | NA                                        | 293                              | 0.409 J  | 0.144        | <0.0293      | 81.1    | NA      |           |           |        |                        | 591                                | <4.00                            | NA                   | 7.1  |      |  |      |
| 11/5/2021                                                                              | NA         | 282                                       | 0.631                            | 0.191    | <0.0293      | 77.1         | NA      |         |           |           |        | 571                    | <4.00                              | NA                               | 7.0                  |      |      |  |      |
| 11/11/2021                                                                             | NA         | 311                                       | 0.309 J                          | 0.258    | <0.0293      | 89.9         | NA      |         |           |           |        | 536                    | <4.00                              | NA                               | 7.1                  |      |      |  |      |
| 11/18/2021                                                                             | NA         | 172                                       | 0.741                            | 0.151    | <0.0293      | 23.1         | NA      |         |           |           |        | 314                    | <4.00                              | NA                               | 7.4                  |      |      |  |      |
| 11/24/2021                                                                             | NA         | 267                                       | 0.429 J                          | 0.220    | 0.549        | 81.4         | NA      |         |           |           |        | 502                    | <4.00                              | NA                               | 6.8                  |      |      |  |      |
| 12/1/2021                                                                              | NA         | 222                                       | 0.596                            | 0.141    | <0.0293      | 61.0         | NA      |         |           |           |        | 390                    | <4.00                              | NA                               | 7.3                  |      |      |  |      |
| 12/8/2021                                                                              | NA         | 226                                       | 0.358 J                          | 0.162    | <0.0293      | 66.0         | NA      |         |           |           |        | 484                    | <4.00                              | NA                               | 6.9                  |      |      |  |      |
| 12/16/2021                                                                             | NA         | 174                                       | 0.504                            | 0.143    | <0.0293      | 49.9         | NA      |         |           |           |        | 398                    | <4.00                              | NA                               | 6.9                  |      |      |  |      |
| 12/22/2021                                                                             | NA         | 163                                       | 0.517                            | 0.240    | <0.0293      | 40.2         | NA      |         |           |           |        | 312                    | <4.00                              | NA                               | 7.1                  |      |      |  |      |
| 12/29/2021                                                                             | NA         | 142                                       | 0.591                            | 0.205    | 0.295        | 42.2         | NA      |         |           |           |        | 302                    | <4.00                              | NA                               | 7.3                  |      |      |  |      |
| 1/6/2022                                                                               | NA         | 138                                       | 0.471 J                          | 0.180    | <0.0293      | 43.2         | NA      |         |           |           |        | 335                    | <4.00                              | NA                               | 7.0                  |      |      |  |      |
| 1/12/2022                                                                              | NA         | 149                                       | 0.491 J                          | 0.154    | 0.0428 J     | 42.1         | NA      |         |           |           |        | 326                    | <4.00                              | NA                               | 6.7                  |      |      |  |      |
| 1/19/2022                                                                              | NA         | 141                                       | 0.532                            | 0.145    | 0.227        | 45.1         | NA      |         |           |           |        | 324                    | <4.00                              | NA                               | 7.0                  |      |      |  |      |
| 1/26/2022                                                                              | NA         | 142                                       | 0.548                            | 0.177    | 0.150        | 44.7         | NA      |         |           |           |        | 282                    | <4.00                              | NA                               | 7.1                  |      |      |  |      |
| 2/2/2022                                                                               |            | Unable to Sample due to Incliment Weather |                                  |          |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |      |  |      |
| 2/8/2022                                                                               | NA         | 189                                       | 0.631                            | 0.0688 J | 0.358        | 49.6         | NA      |         |           |           |        | 380                    | <4.00                              | NA                               | 6.9                  |      |      |  |      |
| 2/16/2022                                                                              | NA         | 151                                       | 0.712                            | 0.0561 J | 0.344        | 41.5         | NA      |         |           |           |        | 384                    | <4.00                              | NA                               | 7.1                  |      |      |  |      |
| 2/25/2022                                                                              | NA         | 171                                       | 0.739                            | 0.125    | 0.156        | 50.3         | NA      |         |           |           |        | 342                    | <4.00                              | NA                               | 7.1                  |      |      |  |      |





TABLE 2 - GROUNDWATER SAMPLING (General Water Chemistry) ANALYTICAL DATA SUMMARY  
Permian EOR - Levey Well  
Hobbs, New Mexico

| Well ID                                                                                | Date       | (mg/l)                                    |                                  |          |              |              |         |         |           |           |        |                        |                                    |                                  |                      | %    | SU |  |      |
|----------------------------------------------------------------------------------------|------------|-------------------------------------------|----------------------------------|----------|--------------|--------------|---------|---------|-----------|-----------|--------|------------------------|------------------------------------|----------------------------------|----------------------|------|----|--|------|
|                                                                                        |            | Bromide                                   | Chloride                         | Fluoride | Nitrate as N | Nitrite as N | Sulfate | Calcium | Magnesium | Potassium | Sodium | Total Dissolved Solids | Alkalinity, Bicarbonate (as CaCO3) | Alkalinity, Carbonate (as CaCO3) | Cation-Anion Balance | pH   |    |  |      |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |            | NE                                        | 250.0                            | 1.6      | 10.0         | 1.0          | NE      | NE      | NE        | NE        | NE     | 1,000.0                | NE                                 | NE                               | NE                   | 6-9  |    |  |      |
| MW-2                                                                                   | 5/26/2020  | NA                                        | 106                              | 0.341 J  | 1.920        | 0.639        | 120     | NA      |           |           |        |                        |                                    |                                  |                      |      |    |  | 6.32 |
|                                                                                        | 6/30/2020  | 0.535                                     | 115                              | <0.500   | 1.13         | 0.656        | 111     | 478     | 59.6      | 6.66      | 102    | 1,320                  | 1,320                              | <4.00                            | NA                   | 6.36 |    |  |      |
|                                                                                        | 8/20/2020  | 0.603                                     | 150                              | <0.500   | 1.10         | 0.439        | 122     | 559     | 73.5      | 7.46      | 102    | 1,700                  | 1,350                              | <4.00                            | NA                   | 6.01 |    |  |      |
|                                                                                        | 10/23/2020 | NA                                        | 107                              | NA       |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |    |  |      |
|                                                                                        | 11/24/2020 | 0.565                                     | 180                              | 0.172 J  | 1.08         | 0.557        | 136     | 841     | 85.5      | 12.8      | 116    | 1,670                  | 1,450                              | <4.00                            | 15.4                 | 6.30 |    |  |      |
|                                                                                        | 12/18/2020 | NA                                        | 153                              | NA       |              |              |         | 494     | 64.9      | 6.63      | 98.0   | 1,410                  | 1,380                              | <4.00                            | 3.20                 | 6.29 |    |  |      |
|                                                                                        | 12/23/2020 | 0.621                                     | 165                              | 0.179 J  | 1.11         | 0.639        | 126     | 472     | 65.7      | 5.96      | 101    | 1,810                  | 1,430                              | <4.00                            | 0.300                | 6.27 |    |  |      |
|                                                                                        | 12/30/2020 | NA                                        | 153                              | NA       |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |    |  |      |
|                                                                                        | 1/6/2021   | NA                                        | 124                              | NA       |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |    |  |      |
|                                                                                        | 1/12/2021  | NA                                        | 141                              | NA       |              |              |         |         |           |           |        |                        | 1,350                              | <4.00                            | NA                   | 6.20 |    |  |      |
|                                                                                        | 1/20/2021  | NA                                        | 133                              | NA       |              |              |         |         |           |           |        |                        | 1,360                              | <4.00                            | NA                   | 6.12 |    |  |      |
|                                                                                        | 1/27/2021  | NA                                        | 140                              | NA       |              |              |         |         |           |           |        |                        | 1,360                              | <4.00                            | NA                   | 6.24 |    |  |      |
|                                                                                        | 2/3/2021   | NA                                        | 178                              | NA       |              |              |         |         |           |           |        |                        | 1,390                              | <4.00                            | NA                   | 6.17 |    |  |      |
|                                                                                        | 2/10/2021  | NA                                        | 133                              | NA       |              |              |         |         |           |           |        |                        | 1,380                              | <4.00                            | NA                   | 6.19 |    |  |      |
|                                                                                        | 2/24/2021  | NA                                        | 146                              | NA       |              |              |         |         |           |           |        |                        | 1,370                              | <4.00                            | NA                   | 6.17 |    |  |      |
|                                                                                        | 3/4/2021   | NA                                        | 166                              | NA       |              |              |         |         |           |           |        |                        | 1,380                              | <4.00                            | NA                   | 6.07 |    |  |      |
|                                                                                        | 3/10/2021  | NA                                        | 175                              | NA       |              |              |         |         |           |           |        |                        | 1,390                              | <4.00                            | NA                   | 6.14 |    |  |      |
|                                                                                        | 3/17/2021  | NA                                        | 163                              | NA       |              |              |         |         |           |           |        |                        | 1,400                              | <4.00                            | NA                   | 5.87 |    |  |      |
|                                                                                        | 3/25/2021  | NA                                        | 161                              | 0.183 J  | 0.835        | 0.425        | 119     | NA      |           |           |        |                        | 1,420                              | <4.00                            | NA                   | 6.5  |    |  |      |
|                                                                                        | 3/31/2021  | NA                                        | 102                              | 0.299 J  | 0.714        | 1.13         | 99.9    | NA      |           |           |        |                        | 1,330                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 4/8/2021   | NA                                        | 157                              | 0.223 J  | 0.784        | 0.549        | 122     | NA      |           |           |        |                        | 1,430                              | <4.00                            | NA                   | 6.2  |    |  |      |
|                                                                                        | 4/15/2021  | NA                                        | 136                              | 0.255 J  | 0.711        | 0.683        | 115     | NA      |           |           |        |                        | 1,380                              | <4.00                            | NA                   | 6.1  |    |  |      |
|                                                                                        | 4/21/2021  | NA                                        | 114                              | 0.157 J  | 0.650        | 0.856        | 101     | NA      |           |           |        |                        | 1,340                              | <4.00                            | NA                   | 6.1  |    |  |      |
|                                                                                        | 4/28/2021  | NA                                        | 155                              | 0.178 J  | 0.692        | 0.511        | 118     | NA      |           |           |        |                        | 1,380                              | <4.00                            | NA                   | 6.2  |    |  |      |
|                                                                                        | 5/5/2021   | NA                                        | 122                              | 0.198 J  | 0.704        | 0.609        | 105     | NA      |           |           |        |                        | 1,350                              | <4.00                            | NA                   | 6.3  |    |  |      |
|                                                                                        | 5/13/2021  | NA                                        | 104                              | 0.199 J  | 0.686        | 1.02         | 98.3    | NA      |           |           |        |                        | 1,320                              | <4.00                            | NA                   | 6.3  |    |  |      |
|                                                                                        | 5/19/2021  | NA                                        | 142                              | 0.171 J  | 0.633        | 0.435        | 120     | NA      |           |           |        |                        | 1,370                              | <4.00                            | NA                   | 6.2  |    |  |      |
|                                                                                        | 5/27/2021  | NA                                        | 147                              | 0.206 J  | 0.689        | 0.889        | 120     | NA      |           |           |        |                        | 1,260                              | <4.00                            | NA                   | 6.5  |    |  |      |
|                                                                                        | 6/2/2021   | NA                                        | 119                              | 0.168 J  | 0.647        | 0.549        | 103     | NA      |           |           |        |                        | 1,250                              | <4.00                            | NA                   | 6.2  |    |  |      |
|                                                                                        | 6/10/2021  | NA                                        | 151                              | 0.252 J  | 0.714        | 2.77         | 123     | NA      |           |           |        |                        | 1,260                              | <4.00                            | NA                   | 6.1  |    |  |      |
|                                                                                        | 6/16/2021  | NA                                        | 118                              | 0.205 J  | 0.613        | 1.36         | 104     | NA      |           |           |        |                        | 1,208                              | <4.00                            | NA                   | 6.5  |    |  |      |
|                                                                                        | 6/22/2021  | NA                                        | 122                              | 0.171 J  | 0.593        | 0.969        | 105     | NA      |           |           |        |                        | 1,260                              | <4.00                            | NA                   | 6.5  |    |  |      |
|                                                                                        | 6/30/2021  | NA                                        | 111                              | 0.417 J  | 0.633        | 1.37         | 102     | NA      |           |           |        |                        | 1,230                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 7/1/2021   |                                           | Levey Well Now Running Full Time |          |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |    |  |      |
|                                                                                        | 7/7/2021   | NA                                        | 110                              | 0.257 J  | 0.543        | 0.713        | 98.2    | NA      |           |           |        |                        | 1,120                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 7/14/2021  | NA                                        | 187                              | 0.233 J  | 0.752        | 0.797        | 124     | NA      |           |           |        |                        | 1,350                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 7/20/2021  | NA                                        | 123                              | 0.132 J  | 0.460        | 0.659        | 107     | NA      |           |           |        |                        | 1,280                              | <4.00                            | NA                   | 6.3  |    |  |      |
|                                                                                        | 7/27/2021  | NA                                        | 113                              | 0.134 J  | 0.607        | 0.516 J      | 100     | NA      |           |           |        |                        | 1,250                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 8/5/2021   | NA                                        | 120                              | 0.189 J  | 0.660        | 0.552        | 103     | NA      |           |           |        |                        | 1,200                              | <4.00                            | NA                   | 6.5  |    |  |      |
|                                                                                        | 8/11/2021  | NA                                        | 115                              | 0.181 J  | 0.624        | 3.02         | 101     | NA      |           |           |        |                        | 1,300                              | <4.00                            | NA                   | 6.3  |    |  |      |
|                                                                                        | 8/19/2021  | NA                                        | 122                              | 0.104 J  | 0.630        | 1.73         | 104     | NA      |           |           |        |                        | 1,290                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 8/25/2021  | NA                                        | 122                              | 0.191 J  | 0.639        | 0.603        | 103     | NA      |           |           |        |                        | 1,270                              | <4.00                            | NA                   | 6.5  |    |  |      |
|                                                                                        | 9/2/2021   | NA                                        | 110                              | <0.100   | 0.536        | 0.595        | 98.1    | NA      |           |           |        |                        | 1,320                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 9/8/2021   | NA                                        | 105                              | <0.100   | 0.540        | 0.590        | 97.3    | NA      |           |           |        |                        | 1,280                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 9/14/2021  | NA                                        | 124                              | <0.100   | 0.542        | 0.386        | 107     | NA      |           |           |        |                        | 1,270                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 9/21/2021  | NA                                        | 90.5                             | 0.426 J  | 0.638        | 1.04         | 89.1    | NA      |           |           |        |                        | 1,250                              | <4.00                            | NA                   | 6.3  |    |  |      |
|                                                                                        | 9/29/2021  | NA                                        | 133                              | 0.245 J  | 0.631        | 0.982        | 117     | NA      |           |           |        |                        | 1,300                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 10/7/2021  | NA                                        | 108                              | 0.201 J  | 0.581        | 0.564        | 96.6    | NA      |           |           |        |                        | 1,280                              | <4.00                            | NA                   | 6.4  |    |  |      |
|                                                                                        | 10/13/2021 | NA                                        | 178                              | 0.140 J  | 0.734        | 0.507        | 131     | NA      |           |           |        |                        | 1,320                              | <4.00                            | NA                   | 6.5  |    |  |      |
|                                                                                        | 10/21/2021 | NA                                        | 102                              | 0.133 J  | 0.635        | 0.787        | 93.3    | NA      |           |           |        |                        | 1,270                              | <4.00                            | NA                   | 6.5  |    |  |      |
| 11/5/2021                                                                              | NA         | 141                                       | 0.363 J                          | <0.0391  | 0.454        | 108          | NA      |         |           |           |        | 1,250                  | <4.00                              | NA                               | 6.6                  |      |    |  |      |
| 11/11/2021                                                                             | NA         | 115                                       | <0.100                           | 0.677    | 0.374        | 97.6         | NA      |         |           |           |        | 1,240                  | <4.00                              | NA                               | 6.5                  |      |    |  |      |
| 11/18/2021                                                                             | NA         | 103                                       | <0.100                           | 0.600    | 1.28         | 98.1         | NA      |         |           |           |        | 1,140                  | <4.00                              | NA                               | 6.6                  |      |    |  |      |
| 11/24/2021                                                                             | NA         | 163                                       | <0.500                           | 0.680    | 0.539        | 127          | NA      |         |           |           |        | 1,500                  | <4.00                              | NA                               | 6.3                  |      |    |  |      |
| 12/1/2021                                                                              | NA         | 120                                       | 0.148 J                          | 0.604    | 0.511        | 103          | NA      |         |           |           |        | 1,240                  | <4.00                              | NA                               | 6.9                  |      |    |  |      |
| 12/8/2021                                                                              | NA         | 188                                       | <0.100                           | 0.759    | 0.684        | 123          | NA      |         |           |           |        | 1,250                  | <4.00                              | NA                               | 6.3                  |      |    |  |      |
| 12/16/2021                                                                             | NA         | 134                                       | <0.100                           | 0.529    | <0.0293      | 113          | NA      |         |           |           |        | 1,180                  | <4.00                              | NA                               | 6.3                  |      |    |  |      |
| 12/22/2021                                                                             | NA         | 163                                       | <0.100                           | 0.670    | 0.462        | 122          | NA      |         |           |           |        | 1,280                  | <4.00                              | NA                               | 6.4                  |      |    |  |      |
| 12/29/2021                                                                             | NA         | 210                                       | <0.100                           | 1.02     | 0.415        | 115          | NA      |         |           |           |        | 1,280                  | <4.00                              | NA                               | 6.3                  |      |    |  |      |
| 1/6/2022                                                                               | NA         | 106                                       | <0.100                           | 0.559    | 0.746        | 97.5         | NA      |         |           |           |        | 1,300                  | <4.00                              | NA                               | 6.4                  |      |    |  |      |
| 1/12/2022                                                                              | NA         | 73.9                                      | 0.288 J                          | 0.506    | 1.47         | 92.2         | NA      |         |           |           |        | 1,150                  | <4.00                              | NA                               | 6.2                  |      |    |  |      |
| 1/19/2022                                                                              | NA         | 120                                       | <0.100                           | 0.591    | 0.757        | 104          | NA      |         |           |           |        | 1,290                  | <4.00                              | NA                               | 6.1                  |      |    |  |      |
| 1/26/2022                                                                              | NA         | 120                                       | <0.100                           | 0.592    | 0.608        | 100          | NA      |         |           |           |        | 1,270                  | <4.00                              | NA                               | 6.1                  |      |    |  |      |
| 2/2/2022                                                                               |            | Unable to Sample due to Incliment Weather |                                  |          |              |              |         |         |           |           |        |                        |                                    |                                  |                      |      |    |  |      |
| 2/8/2022                                                                               | NA         | 148                                       | 0.156 J                          | 0.683    | 1.03         | 125          | NA      |         |           |           |        | 1,290                  | <4.00                              | NA                               | 6.1                  |      |    |  |      |
| 2/16/2022                                                                              | NA         | 186                                       | 0.409 J                          | 0.809    | 0.338        | 113          | NA      |         |           |           |        | 1,320                  | <4.00                              | NA                               | 6.2                  |      |    |  |      |
| 2/25/2022                                                                              | NA         | 133                                       | 0.704                            | 0.536    | 0.647        | 154          | NA      |         |           |           |        | 1,280                  | <4.00                              | NA                               | 6.3                  |      |    |  |      |

NOTES:  
SU - standard units  
mg/l - milligrams per liter  
NE - not established  
NA - not analyzed  
J - The target analyte was positively identified below the quantitation limit and above the detection limit.  
Concentrations highlighted in yellow exceed the NMAC Human Health Standards



| TABLE 3 - GROUNDWATER SAMPLING (Additional Parameters) ANALYTICAL DATA SUMMARY         |            |                                           |                       |         |         |         |           |             |  |
|----------------------------------------------------------------------------------------|------------|-------------------------------------------|-----------------------|---------|---------|---------|-----------|-------------|--|
| Permian EOR - South Hobbs G/SA Unit                                                    |            |                                           |                       |         |         |         |           |             |  |
| Hobbs, New Mexico                                                                      |            |                                           |                       |         |         |         |           |             |  |
| Well ID                                                                                | Date       | (mg/l)                                    |                       |         |         |         |           | °C          |  |
|                                                                                        |            | Sulfide                                   | Carbon Dioxide (Free) | TPH GRO | TPH DRO | TPH MRO | Total TPH | Temperature |  |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |            | NE                                        | NE                    | NE      | NE      | NE      | NE        | NE          |  |
| MW-1                                                                                   | 5/26/2020  | <0.495                                    | 163                   | <0.943  | 1.48    | <0.910  | 1.48      | 22.9        |  |
|                                                                                        | 6/30/2020  | <5.00                                     | 648                   | <2.34   | <2.34   | <2.34   | <2.34     | 21.9        |  |
|                                                                                        | 8/20/2020  | <5.00                                     | 596                   | 2.35    | 3.18    | <2.26   | 5.53      | 23.7        |  |
|                                                                                        | 11/24/2020 | <0.495                                    | 756                   | <0.907  | <0.838  | <0.838  | <0.8380   | 19.1        |  |
|                                                                                        | 12/18/2020 | <0.495                                    | 432                   | <0.909  | <0.840  | <0.840  | <0.840    | 15.8        |  |
|                                                                                        | 12/23/2020 | <0.495                                    | 553                   | <0.895  | 1.81 J  | <0.827  | 1.81 J    | 15.5        |  |
|                                                                                        | 12/30/2020 | <0.495                                    | 1,170                 | <0.917  | <0.847  | <0.847  | <0.847    | 13.1        |  |
|                                                                                        | 1/6/2021   | <0.495                                    | 585                   | <0.897  | <0.829  | <0.829  | <0.829    | 12.7        |  |
|                                                                                        | 1/12/2021  | <0.495                                    | 731                   | <0.891  | <0.823  | <0.823  | <0.823    | 14.6        |  |
|                                                                                        | 1/20/2021  | 0.600 J                                   | 667                   | <0.889  | <0.821  | <0.821  | <0.821    | 17.6        |  |
|                                                                                        | 1/27/2021  | 0.800 J                                   | 668                   | <0.909  | <0.840  | <0.840  | <0.840    | 18.0        |  |
|                                                                                        | 2/3/2021   | <0.495                                    | 699                   | <0.907  | <0.838  | <0.838  | <0.838    | 20.6        |  |
|                                                                                        | 2/10/2021  | 1.20 J                                    | 423                   | 1.66 J  | <0.828  | <0.828  | 1.66 J    | 14.1        |  |
|                                                                                        | 2/24/2021  | 0.600 J                                   | 448                   | <0.884  | <0.817  | <0.817  | <0.817    | 18.0        |  |
|                                                                                        | 3/4/2021   | <0.495                                    | 515                   | 3.04    | 1.03 J  | <0.846  | 4.07      | 18.8        |  |
|                                                                                        | 3/10/2021  | 1.20 J                                    | 499                   | <0.878  | <0.811  | <0.811  | <0.811    | 18.6        |  |
|                                                                                        | 3/17/2021  | <0.495                                    | 378                   | <0.886  | <0.819  | <0.819  | <0.819    | 19.1        |  |
|                                                                                        | 3/25/2021  | <0.495                                    | 333                   | 17.2    | 1.00 J  | <0.867  | 18.2      | 20.2        |  |
|                                                                                        | 3/31/2021  | <0.495                                    | 526                   | <0.893  | <0.825  | <0.825  | <0.825    | 18.4        |  |
|                                                                                        | 4/8/2021   | <0.495                                    | 364                   | 2.57 J  | 1.55 J  | <0.867  | 4.12 J    | 18.9        |  |
|                                                                                        | 4/15/2021  | <0.495                                    | 418                   | <0.887  | <0.887  | 1.72 J  | 1.72 J    | 20.5        |  |
|                                                                                        | 4/21/2021  | <0.495                                    | 415                   | <0.898  | 2.05 J  | <0.867  | 2.05 J    | 18.8        |  |
|                                                                                        | 4/28/2021  | <0.495                                    | 689                   | <0.890  | 1.19 J  | <0.859  | 1.19 J    | 18.9        |  |
|                                                                                        | 5/5/2021   | <0.495                                    | 647                   | <0.890  | <0.890  | <0.859  | <0.890    | 18.8        |  |
|                                                                                        | 5/13/2021  | <0.495                                    | 259                   | <0.893  | <0.893  | <0.862  | <0.893    | 19.0        |  |
|                                                                                        | 5/19/2021  | <0.495                                    | 679                   | <0.893  | <0.893  | <0.862  | <0.893    | 21.5        |  |
|                                                                                        | 5/27/2021  | <0.495                                    | 973                   | <0.923  | <0.923  | <0.891  | <0.923    | 20.6        |  |
|                                                                                        | 6/2/2021   | <0.495                                    | 619                   | <0.918  | <0.918  | <0.886  | <0.918    | 18.1        |  |
|                                                                                        | 6/10/2021  | <0.495                                    | 385                   | <0.915  | <0.915  | <0.883  | <0.915    | 22.0        |  |
|                                                                                        | 6/16/2021  | <0.495                                    | 323                   | <0.926  | <0.926  | <0.894  | <0.926    | 18.2        |  |
|                                                                                        | 6/22/2021  | <0.495                                    | 250                   | <0.938  | <0.938  | <0.905  | <0.938    | 22.1        |  |
|                                                                                        | 6/30/2021  | <0.495                                    | 324                   | <0.923  | <0.923  | <0.891  | <0.923    | 21.0        |  |
|                                                                                        | 7/1/2021   | Levey Well Now Running Full Time          |                       |         |         |         |           |             |  |
|                                                                                        | 7/7/2021   | <0.495                                    | 241                   | <0.901  | <0.901  | <0.869  | <0.901    | 18.4        |  |
|                                                                                        | 7/14/2021  | <0.495                                    | 295                   | <0.991  | <0.957  | <0.991  | <0.991    | 19.0        |  |
|                                                                                        | 7/20/2021  | <0.495                                    | 321                   | <0.938  | <0.938  | <0.905  | <0.938    | 19.8        |  |
|                                                                                        | 7/27/2021  | <0.495                                    | 321                   | <0.906  | <0.906  | <0.875  | <0.906    | 22.0        |  |
|                                                                                        | 8/5/2021   | <0.495                                    | 196                   | <0.950  | <0.950  | <0.917  | <0.950    | 21.9        |  |
|                                                                                        | 8/11/2021  | <0.495                                    | 369                   | <0.932  | <0.932  | <0.900  | <0.932    | 19.9        |  |
|                                                                                        | 8/19/2021  | <0.495                                    | 457                   | <0.950  | <0.950  | <0.917  | <0.950    | 20.8        |  |
|                                                                                        | 8/25/2021  | <0.495                                    | 477                   | <0.918  | <0.918  | <0.886  | <0.918    | 20.0        |  |
|                                                                                        | 9/2/2021   | <0.495                                    | 416                   | <0.935  | <0.935  | <0.902  | <0.935    | 20.6        |  |
|                                                                                        | 9/8/2021   | <0.495                                    | 280                   | <0.953  | <0.953  | <0.920  | <0.953    | 21.4        |  |
|                                                                                        | 9/14/2021  | <0.495                                    | 289                   | <0.932  | 0.978 J | <0.900  | 0.978 J   | 19.3        |  |
|                                                                                        | 9/21/2021  | 1.00 J                                    | 105                   | <0.918  | <0.918  | <0.886  | <0.918    | 18.0        |  |
|                                                                                        | 9/29/2021  | <0.495                                    | 127                   | <0.998  | <0.998  | <0.963  | <0.998    | 18.7        |  |
|                                                                                        | 10/7/2021  | <0.495                                    | 143                   | <0.923  | <0.923  | <0.891  | <0.923    | 18.0        |  |
|                                                                                        | 10/13/2021 | <0.495                                    | 8.85                  | <0.950  | <0.950  | <0.917  | <0.950    | 20.7        |  |
|                                                                                        | 10/21/2021 | <0.495                                    | 434                   | <0.918  | <0.918  | <0.886  | <0.918    | 19.9        |  |
|                                                                                        | 11/5/2021  | <0.495                                    | 114                   | <1.03   | <1.03   | <0.993  | <1.03     | 22.9        |  |
|                                                                                        | 11/11/2021 | <0.495                                    | 563                   | <0.923  | <0.923  | <0.891  | <0.923    | 19.3        |  |
|                                                                                        | 11/18/2021 | <0.495                                    | 24.9                  | 1.05 J  | <0.969  | <0.935  | 1.05 J    | 19.0        |  |
|                                                                                        | 11/24/2021 | <5.00                                     | 159                   | <4.70   | <4.70   | <4.70   | <4.70     | 19.7        |  |
|                                                                                        | 12/1/2021  | <0.495                                    | 39.0                  | <0.935  | <0.935  | <0.902  | <0.935    | 19.4        |  |
|                                                                                        | 12/8/2021  | <0.495                                    | 122                   | <0.929  | <0.929  | <0.897  | <0.929    | 18.1        |  |
|                                                                                        | 12/16/2021 | <0.495                                    | 69.3                  | <0.962  | <0.962  | <0.929  | <0.962    | 18.0        |  |
|                                                                                        | 12/22/2021 | <0.495                                    | 49.5                  | 1.34 J  | <0.941  | <0.908  | 1.34 J    | 21.5        |  |
|                                                                                        | 12/29/2021 | <0.495                                    | 50.2                  | <0.935  | <0.935  | <0.902  | <0.935    | 18.1        |  |
|                                                                                        | 1/6/2022   | <0.495                                    | 67.0                  | <0.932  | <0.932  | <0.900  | <0.932    | 18.0        |  |
|                                                                                        | 1/12/2022  | <0.495                                    | 130                   | 0.960 J | 1.06 J  | <0.900  | 2.02 J    | 21.7        |  |
|                                                                                        | 1/19/2022  | <0.495                                    | 56.4                  | <0.912  | <0.912  | <0.880  | <0.912    | 18.0        |  |
|                                                                                        | 1/26/2022  | <0.495                                    | 44.7                  | <0.898  | <0.898  | <0.867  | <0.898    | 18.8        |  |
|                                                                                        | 2/2/2022   | Unable to Sample due to Incliment Weather |                       |         |         |         |           |             |  |
|                                                                                        | 2/8/2022   | <0.495                                    | 95.7                  | <0.895  | <0.895  | <0.864  | <0.895    | 20.8        |  |
|                                                                                        | 2/16/2022  | <0.495                                    | 61.0                  | <0.877  | <0.877  | <0.846  | <0.877    | 18.7        |  |
|                                                                                        | 2/25/2022  | <0.495                                    | 54.2                  | <0.923  | <0.923  | <0.891  | <0.923    | 20.0        |  |





TABLE 3 - GROUNDWATER SAMPLING (Additional Parameters) ANALYTICAL DATA SUMMARY  
Permian EOR - South Hobbs G/SA Unit  
Hobbs, New Mexico

| Well ID                                                                                | Date                                      | (mg/l)                           |                       |         |         |         |           | °C          |
|----------------------------------------------------------------------------------------|-------------------------------------------|----------------------------------|-----------------------|---------|---------|---------|-----------|-------------|
|                                                                                        |                                           | Sulfide                          | Carbon Dioxide (Free) | TPH GRO | TPH DRO | TPH MRO | Total TPH | Temperature |
| 20 NMAC 6.2 Water Quality - Ground and Surface Water Protection Human Health Standards |                                           | NE                               | NE                    | NE      | NE      | NE      | NE        | NE          |
| MW-2                                                                                   | 5/26/2020                                 | <0.495                           | 923                   | 2.10    | 1.07 J  | <0.900  | 6.16      | 23.1        |
|                                                                                        | 6/30/2020                                 | <5.00                            | 1,290                 | <2.32   | <2.32   | <2.32   | <2.32     | 22.1        |
|                                                                                        | 8/20/2020                                 | <5.00                            | 1,150                 | 2.75    | 3.29    | <2.26   | 6.02      | 23.0        |
|                                                                                        | 11/24/2020                                | <0.495                           | 1,300                 | 1.73 J  | 2.17 J  | <0.835  | 3.900     | 19.1        |
|                                                                                        | 12/18/2020                                | 0.600 J                          | 958                   | 1.34 J  | 0.915 J | <0.824  | 2.26 J    | 15.1        |
|                                                                                        | 12/23/2020                                | <0.495                           | 1,090                 | 1.61 J  | 1.12 J  | <0.837  | 2.73      | 15.6        |
|                                                                                        | 12/30/2020                                | <0.495                           | 1,090                 | <0.893  | <0.825  | <0.825  | <0.825    | 12.1        |
|                                                                                        | 1/6/2021                                  | <0.495                           | 1,240                 | 1.99 J  | <0.824  | <0.824  | 1.99 J    | 13.1        |
|                                                                                        | 1/12/2021                                 | 11.2                             | 1,450                 | 1.64 J  | <0.833  | <0.833  | 1.64 J    | 13.9        |
|                                                                                        | 1/20/2021                                 | 9.60                             | 1,390                 | <0.907  | <0.838  | <0.838  | <0.838    | 18.2        |
|                                                                                        | 1/27/2021                                 | 15.0                             | 1,600                 | 1.31 J  | <0.834  | <0.834  | 1.31 J    | 13.4        |
|                                                                                        | 2/3/2021                                  | <0.495                           | 1,030                 | 0.955 J | 1.15 J  | <0.813  | 2.11 J    | 20.9        |
|                                                                                        | 2/10/2021                                 | <0.495                           | 915                   | 2.08    | <0.746  | <0.746  | 2.08      | 11.5        |
|                                                                                        | 2/24/2021                                 | <0.495                           | 793                   | 1.01 J  | <0.832  | <0.832  | 1.01 J    | 19.4        |
|                                                                                        | 3/4/2021                                  | <0.495                           | 1,030                 | 1.74 J  | <0.819  | <0.819  | 1.74 J    | 18.2        |
|                                                                                        | 3/10/2021                                 | <0.495                           | 1,010                 | <0.893  | <0.825  | <0.825  | <0.825    | 18.5        |
|                                                                                        | 3/17/2021                                 | <0.495                           | 970                   | 2.33    | <0.835  | <0.835  | 2.33      | 19.5        |
|                                                                                        | 3/25/2021                                 | <0.495                           | 653                   | 1.50 J  | 1.16 J  | <0.857  | 2.66 J    | 20.2        |
|                                                                                        | 3/31/2021                                 | <0.495                           | 1,110                 | <0.941  | <0.941  | <0.908  | <0.941    | 18.3        |
|                                                                                        | 4/8/2021                                  | <0.495                           | 1,010                 | 2.30 J  | 1.01 J  | <0.875  | 3.31 J    | 18.9        |
|                                                                                        | 4/15/2021                                 | <0.495                           | 2,200                 | 2.49 J  | 0.999 J | 1.70 J  | 5.19      | 20.1        |
|                                                                                        | 4/21/2021                                 | <0.495                           | 1,230                 | 1.01 J  | 0.913 J | <0.856  | 1.92 J    | 18.9        |
|                                                                                        | 4/28/2021                                 | <0.495                           | 1,100                 | 2.54 J  | 1.19 J  | <0.872  | 3.73 J    | 19.0        |
|                                                                                        | 5/5/2021                                  | <0.495                           | 1,350                 | 2.09 J  | <0.890  | <0.859  | 2.09 J    | 18.8        |
|                                                                                        | 5/13/2021                                 | <0.495                           | 1,320                 | 1.18 J  | <0.906  | <0.875  | 1.18 J    | 19.6        |
|                                                                                        | 5/19/2021                                 | <0.495                           | 1,730                 | 1.46 J  | <0.901  | <0.869  | 1.46 J    | 19.8        |
|                                                                                        | 5/27/2021                                 | <0.495                           | 798                   | <0.920  | <0.920  | <0.888  | <0.920    | 20.8        |
|                                                                                        | 6/2/2021                                  | <0.495                           | 1,580                 | 2.01 J  | <0.895  | <0.864  | 2.01 J    | 18.1        |
|                                                                                        | 6/10/2021                                 | <0.495                           | 2,010                 | 1.46 J  | <0.882  | <0.851  | 1.46 J    | 22.0        |
|                                                                                        | 6/16/2021                                 | <0.495                           | 810                   | 0.963 J | <0.826  | <0.797  | 0.963 J   | 18.0        |
|                                                                                        | 6/22/2021                                 | <0.495                           | 795                   | 1.18 J  | <0.947  | <0.914  | 1.18 J    | 22.2        |
|                                                                                        | 6/30/2021                                 | <0.495                           | 975                   | 1.21 J  | <0.893  | <0.862  | 1.21 J    | 20.3        |
|                                                                                        | 7/1/2021                                  | Levey Well Now Running Full Time |                       |         |         |         |           |             |
|                                                                                        | 7/7/2021                                  | <0.495                           | 889                   | 1.62 J  | <0.906  | <0.875  | 1.62 J    | 18.3        |
|                                                                                        | 7/14/2021                                 | <0.495                           | 1,080                 | <0.965  | <0.965  | <0.932  | <0.965    | 19.3        |
|                                                                                        | 7/20/2021                                 | <0.495                           | 1,170                 | 1.16 J  | <0.898  | <0.867  | 1.16 J    | 19.8        |
|                                                                                        | 7/27/2021                                 | <0.495                           | 950                   | 1.03 J  | <0.906  | <0.875  | 1.03 J    | 22.3        |
|                                                                                        | 8/5/2021                                  | <0.495                           | 778                   | <0.909  | <0.909  | <0.877  | <0.909    | 22.1        |
|                                                                                        | 8/11/2021                                 | <0.495                           | 1,040                 | 1.46 J  | <0.887  | <0.856  | 1.46 J    | 19.7        |
|                                                                                        | 8/19/2021                                 | <0.495                           | 2,010                 | 1.93 J  | <0.959  | <0.926  | 1.93 J    | 20.7        |
|                                                                                        | 8/25/2021                                 | <0.495                           | 1,400                 | 1.01 J  | <0.932  | <0.900  | 1.01 J    | 19.2        |
|                                                                                        | 9/2/2021                                  | <0.495                           | 1,830                 | 3.03 J  | 2.11 J  | <0.920  | 5.14      | 21.4        |
|                                                                                        | 9/8/2021                                  | <0.495                           | 1,570                 | 1.70 J  | <0.932  | <0.900  | 1.70 J    | 20.5        |
|                                                                                        | 9/14/2021                                 | <0.495                           | 1,240                 | 1.93 J  | 1.01 J  | <0.917  | 2.94 J    | 19.4        |
|                                                                                        | 9/21/2021                                 | <0.495                           | 1,260                 | 1.33 J  | <0.941  | <0.908  | 1.33 J    | 18.0        |
|                                                                                        | 9/29/2021                                 | <0.495                           | 1,040                 | 1.60 J  | <1.19   | <1.15   | 1.60 J    | 18.5        |
|                                                                                        | 10/7/2021                                 | <0.495                           | 1,020                 | 1.45 J  | <0.988  | <0.954  | 1.45 J    | 18.0        |
|                                                                                        | 10/13/2021                                | <0.495                           | 834                   | 1.56 J  | <0.935  | <0.902  | 1.56 J    | 20.6        |
|                                                                                        | 10/21/2021                                | <0.495                           | 2,420                 | 1.64 J  | <0.918  | <0.886  | 1.64 J    | 19.8        |
|                                                                                        | 11/5/2021                                 | <0.495                           | 628                   | 1.39 J  | <0.965  | <0.932  | 1.39 J    | 22.8        |
| 11/11/2021                                                                             | <0.495                                    | 4,500                            | 2.27 J                | <0.985  | <0.950  | 2.27 J  | 18.5      |             |
| 11/18/2021                                                                             | <0.495                                    | 574                              | 2.56 J                | <0.923  | <0.891  | 2.56 J  | 19.5      |             |
| 11/24/2021                                                                             | <5.00                                     | 1,500                            | 2.34 J                | <4.59   | <4.59   | 2.34 J  | 19.1      |             |
| 12/1/2021                                                                              | <0.495                                    | 313                              | 1.69 J                | <0.912  | <0.880  | 1.69 J  | 19.2      |             |
| 12/8/2021                                                                              | <0.495                                    | 1,260                            | 1.86 J                | <0.932  | <0.900  | 1.86 J  | 18.9      |             |
| 12/16/2021                                                                             | <0.495                                    | 957                              | 1.15 J                | <0.947  | <0.914  | 1.15 J  | 18.0      |             |
| 12/22/2021                                                                             | <0.495                                    | 1,020                            | 1.95 J                | <0.944  | <0.911  | 1.95 J  | 21.6      |             |
| 12/29/2021                                                                             | <0.495                                    | 1,250                            | 1.15 J                | <0.935  | <0.902  | 1.15 J  | 18.0      |             |
| 1/6/2022                                                                               | <0.495                                    | 1,030                            | 1.31 J                | <0.915  | <0.883  | 1.31 J  | 18.2      |             |
| 1/12/2022                                                                              | <0.495                                    | 1,450                            | 3.63 J                | 1.34 J  | <1.00   | 4.97 J  | 22.0      |             |
| 1/19/2022                                                                              | <0.495                                    | 1,420                            | 2.83 J                | <0.915  | <0.883  | 2.83 J  | 18.2      |             |
| 1/26/2022                                                                              | <0.495                                    | 2,020                            | <0.923                | <0.923  | <0.891  | <0.923  | 18.8      |             |
| 2/2/2022                                                                               | Unable to Sample due to Incilment Weather |                                  |                       |         |         |         |           |             |
| 2/8/2022                                                                               | <0.495                                    | 2,050                            | 1.31 J                | <0.909  | <0.877  | 1.31 J  | 20.7      |             |
| 2/16/2022                                                                              | <0.495                                    | 1,670                            | 0.974 J               | <0.864  | <0.834  | 0.974 J | 18.3      |             |
| 2/25/2022                                                                              | <0.495                                    | 1,280                            | 1.43 J                | <0.965  | <0.932  | 1.43 J  | 19.9      |             |

NOTES:  
°C - degrees celsius  
mg/l - milligrams per liter  
NE - not established  
J - The target analyte was positively identified below the quantitation limit and above the detection limit.

| TABLE 4 - AIR SAMPLING (VOCs) ANALYTICAL DATA SUMMARY |           |      |         |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |          |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|-------------------------------------------------------|-----------|------|---------|---------|--------------|------------------|---------------|-----------------|-------------|--------------------|------------------------|---------|--------------|----------------|------------------------|-------------------------|---------|----------|------------------|--------------------|---------------------|------------------|-----------------------------|---------------------|-------------|------------|---------|---------------------|-----------------|---------|-----------------------|-------------------|------------------------|------------------------|---------------|------------|----------|--------------------------|
| Permian EOR - Levey Well                              |           |      |         |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |          |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
| Hobbs, New Mexico                                     |           |      |         |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |          |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
| Well ID                                               | Date      | Time | (ug/m3) |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |          |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       |           |      | Acetone | Benzene | Bromomethane | Carbon disulfide | Chloromethane | 2-Chlorotoluene | Cyclohexane | 1,2-Dichloroethane | cis-1,2-Dichloroethane | Ethanol | Ethylbenzene | 4-Ethyltoluene | Trichlorofluoromethane | Dichlorodifluoromethane | Heptane | n-Hexane | Isopropylbenzene | Methylene Chloride | Methyl Butyl Ketone | 2-Butanone (MEK) | 4-Methyl-2-pentanone (MIBK) | Methyl methacrylate | Naphthalene | 2-Propanol | Styrene | Tetrachloroethylene | Tetrahydrofuran | Toluene | 1,1,1-Trichloroethane | Trichloroethylene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Vinyl acetate | m&p-Xylene | o-Xylene | TPH (GC/MS) Low Fraction |
| Levey Well                                            | 1/25/2021 | 0823 | 229     | <6.39   | <7.76        | 9.52             | <4.13         | <10.3           | 575         | <8.10              | <7.93                  | 324     | <8.67        | <9.82          | <11.2                  | <17.0                   | 299     | 980      | <9.83            | <6.94              | <51.1               | <36.9            | <51.2                       | <8.19               | <33.0       | <30.7      | <8.51   | <13.6               | <5.90           | <18.8   | <10.9                 | 22.2              | <9.82                  | <9.82                  | <7.04         | <17.3      | <8.67    | 17,500                   |
|                                                       | 1/25/2021 | 1213 | <2.97   | <0.639  | <0.776       | <0.622           | <0.413        | <1.03           | 2.01        | <0.810             | <0.793                 | 4.98    | <0.867       | <0.982         | <1.12                  | <17.0                   | 1.44    | 3.20     | <0.983           | <0.694             | <5.11               | <3.69            | <5.12                       | <0.819              | <33.0       | <3.07      | <0.851  | <1.36               | <0.590          | <1.88   | <1.09                 | <1.36             | 1.14                   | 1.29                   | <0.704        | <1.73      | <0.867   | <826                     |
|                                                       | 1/28/2021 | 1316 | 14,800  | <0.639  | 2.96         | 246              | 22.5          | 42.5            | 1,770       | <0.810             | <0.793                 | 2,410   | 53.8         | 298            | <1.12                  | 2.03                    | 1,220   | 2,890    | 150              | <0.694             | 101                 | 2,340            | 53.2                        | <0.819              | <33.0       | 438        | <0.851  | 72.6                | <0.590          | 95.7    | <1.09                 | <1.07             | 445                    | 375                    | <0.704        | 246        | 147      | 61,100                   |
|                                                       | 2/10/2021 | 1300 | 1,140   | <12.8   | <15.5        | 181              | <8.26         | <20.6           | 10,800      | <16.2              | <15.9                  | <23.8   | 44.2         | 426            | <22.5                  | <19.8                   | 4,040   | 14,000   | 92.4             | <13.9              | <102                | 79.0             | <102                        | <16.4               | <66.0       | <61.5      | <17.0   | <27.2               | <11.8           | 66.3    | <21.8                 | <21.4             | 334                    | 584                    | <14.1         | 361        | 218      | 315,000                  |
|                                                       | 2/24/2021 | 1045 | <2.97   | <0.639  | <0.776       | 161              | <0.413        | <1.03           | 4,510       | <0.810             | 9.83                   | <1.19   | 88.4         | 491            | <1.12                  | <0.989                  | 2,200   | 5,610    | 249              | <0.694             | <5.11               | <3.69            | <5.12                       | <0.819              | <33.0       | <3.07      | <0.851  | 5.47                | <0.590          | 101     | <1.09                 | 1.14              | 218                    | 305                    | <0.704        | 633        | 388      | 114,000                  |
|                                                       | 3/4/2021  | 1402 | 375     | <3.19   | <3.88        | 67.9             | <2.07         | <5.15           | 2,620       | <4.05              | <3.96                  | 88.6    | 56.4         | <4.91          | <5.62                  | <4.95                   | 847     | 4,690    | 176              | <3.47              | <25.6               | 72.0             | <25.6                       | <4.09               | 22.8        | <15.4      | <4.25   | <6.79               | <2.95           | 49.3    | <5.44                 | <5.36             | 1,460                  | 913                    | <3.52         | 533        | 198      | 83,400                   |
|                                                       | 3/10/2021 | 1050 | <2.97   | <0.639  | <0.776       | 71.0             | <0.413        | <1.03           | 3,300       | <0.810             | <0.793                 | <1.19   | 61.1         | 1,070          | 1.26                   | <0.989                  | 990     | 4,120    | 205              | <0.694             | <5.11               | 54.8             | <5.12                       | <0.819              | <3.30       | <3.07      | <0.851  | <1.36               | <0.590          | 55.4    | <1.09                 | <1.07             | 947                    | 825                    | <0.704        | 516        | 249      | 120,000                  |
|                                                       | 3/17/2021 | 1135 | 806     | <0.639  | <0.776       | 95.6             | <0.413        | <1.03           | 3,160       | <0.810             | <0.793                 | 50.2    | 63.3         | 444            | 1.38                   | <0.989                  | 1,240   | 4,550    | 128              | <0.694             | <5.11               | 139              | <5.12                       | <0.819              | <3.30       | 46.5       | <0.851  | <1.36               | <0.590          | 101     | <1.09                 | <1.07             | 332                    | 313                    | <0.704        | 432        | 179      | 88,800                   |
|                                                       | 3/25/2021 | 1111 | <2.97   | <0.639  | <0.776       | <0.622           | <0.413        | <1.03           | 11,700      | <0.810             | <0.793                 | 41.3    | 65.9         | <0.982         | <1.12                  | <0.989                  | 2,500   | 12,800   | 157              | <0.694             | <5.11               | <3.69            | <5.12                       | <0.819              | <3.30       | <3.07      | <0.851  | <1.36               | <0.590          | 67.4    | <1.09                 | <1.07             | 424                    | 359                    | <0.704        | 382        | 205      | 256,000                  |
|                                                       | 3/31/2021 | 1055 | 1,880   | <0.639  | <0.776       | <0.622           | <0.413        | <1.03           | 22,300      | <0.810             | <0.793                 | 96.3    | 78.0         | 185            | <1.12                  | <0.982                  | 4,420   | 24,000   | 150              | <0.694             | <5.11               | 244              | <5.12                       | <0.819              | <3.30       | <3.07      | <0.851  | 17.5                | <0.590          | 73.1    | 9.57                  | <1.07             | 292                    | 265                    | <0.704        | 352        | 193      | 305,000                  |
|                                                       | 4/8/2021  | 1205 | 2,350   | 843     | <311         | <249             | <165          | <412            | 30,500      | <324               | <317                   | 2,830   | <347         | 736            | <450                   | <396                    | <327    | 64,500   | <393             | <278               | <2,040              | <1,470           | <2,050                      | <328                | <1,320      | 1,470      | <340    | <543                | <236            | <753    | <435                  | <429              | 453                    | 420                    | <282          | 737        | <347     | 574,000                  |
|                                                       | 4/15/2021 | 1228 | 1,200   | <12.8   | <15.5        | 97.7             | <8.26         | <20.6           | 41,000      | <16.2              | <15.9                  | 98.0    | 91.9         | 447            | <22.5                  | <19.8                   | 4,950   | 98,000   | 134              | <13.9              | <102                | 206              | <102                        | <16.4               | <66.0       | <61.5      | <17.0   | <27.2               | <11.8           | 101     | <21.8                 | <21.4             | 197                    | 198                    | <14.1         | 620        | 190      | 438,000                  |
|                                                       | 4/21/2021 | 1340 | 639     | <0.639  | <0.776       | <0.622           | <0.413        | <1.03           | 2,390       | <0.810             | <0.793                 | 234     | 72.4         | 309            | <1.12                  | <0.989                  | 969     | 5,710    | 166              | <0.694             | <5.11               | 280              | <5.12                       | <0.819              | <3.30       | 127        | <0.851  | <1.36               | <0.590          | 48.2    | <1.09                 | <1.07             | 216                    | 447                    | <0.704        | 296        | 225      | <826                     |
|                                                       | 4/28/2021 | 1215 | 1,210   | <12.8   | <15.5        | 134              | <8.26         | <20.6           | 6,650       | <16.2              | <15.9                  | 343     | 129          | 1,540          | <22.5                  | <19.8                   | <16.4   | 13,200   | 264              | <13.9              | <102                | 229              | <102                        | <16.4               | <66.0       | 143        | <17.0   | <27.2               | <11.8           | 95.3    | <21.8                 | <21.4             | 1,050                  | 761                    | <14.1         | 954        | 313      | 261,000                  |
|                                                       | 5/5/2021  | 1235 | 371     | <12.5   | <15.5        | 12.6             | <8.26         | <20.6           | 844         | <16.2              | <15.9                  | 326     | 27.2         | 88.3           | <22.5                  | <19.8                   | 326     | 1,120    | 58.0             | <13.9              | <102                | 93.8             | <102                        | <16.4               | <66.0       | <61.5      | <17.0   | <27.2               | <11.8           | <37.7   | <21.8                 | <21.4             | 179                    | 142                    | <14.1         | 185        | 65.0     | 273,000                  |
|                                                       | 5/13/2021 | 1320 | 1,220   | <12.8   | <15.5        | 39.8             | <8.26         | <20.6           | 6,130       | 29.9               | <15.9                  | 456     | 88.4         | 545            | <22.5                  | <19.8                   | 2,300   | 7,300    | 228              | <13.9              | <102                | 226              | <102                        | <16.4               | <66.0       | 219        | <17.0   | <27.2               | <11.8           | 62.5    | <21.8                 | <21.4             | 1,230                  | 756                    | <14.1         | 668        | 251      | 205,000                  |
|                                                       | 5/19/2021 | 1445 | 1,700   | <1.28   | <1.55        | <1.24            | <0.826        | <2.06           | 6,680       | <1.62              | <1.59                  | 226     | 76.7         | 306            | <2.25                  | <1.98                   | 2,010   | 12,300   | 179              | <1.39              | 122                 | 200              | <10.2                       | <1.64               | <6.60       | 205        | <1.70   | <2.72               | <1.18           | 50.5    | <2.18                 | 3.46              | 520                    | 550                    | <1.41         | 577        | 195      | 175,000                  |
|                                                       | 5/27/2021 | 1245 | 380     | 0.664   | <0.776       | <0.622           | 1.57          | <1.03           | 1.14        | <0.810             | <0.793                 | 6,130   | 3.68         | 7.07           | 1.51                   | 2.64                    | 9.98    | 157      | <0.983           | 13.5               | 13.5                | 115              | 263                         | <0.819              | <3.30       | 976        | 301     | <1.36               | 149             | 86.3    | <1.09                 | <1.07             | 15.4                   | 4.37                   | <0.704        | 12.1       | 3.70     | 17,900                   |
|                                                       | 6/2/2021  | 1220 | 1,280   | <12.8   | <15.5        | <12.4            | <8.26         | <20.6           | 5,480       | <16.2              | <15.9                  | 317     | 78.5         | 241            | <22.5                  | <19.8                   | 1,500   | 6,840    | 162              | <13.9              | <102                | 188              | <102                        | <16.4               | <66.0       | 125        | <17.0   | <27.2               | <11.8           | 47.1    | <21.8                 | <21.4             | 555                    | 356                    | <14.1         | 542        | 174      | 179,000                  |
|                                                       | 6/10/2021 | 1150 | 3,470   | <12.8   | <15.5        | 106              | <8.26         | <20.6           | 2,260       | <16.2              | <15.9                  | 722     | 21.6         | 169            | <22.5                  | <19.8                   | 507     | 3,020    | 48.1             | <13.9              | <102                | 295              | <102                        | <16.4               | <66.0       | 234        | <17.0   | <27.2               | <11.8           | <37.7   | <21.8                 | <21.4             | 89.3                   | 73.1                   | <14.1         | 127        | 49.4     | 95,800                   |
|                                                       | 6/16/2021 | 1217 | 2,160   | <0.639  | <0.776       | 43.0             | <0.413        | <1.03           | 806         | <0.810             | <0.793                 | 609     | 17.9         | 145            | <1.12                  | <0.989                  | 308     | 1,670    | 32.2             | <0.694             | 35.6                | 251              | <5.12                       | <0.819              | <3.30       | 201        | <0.851  | <1.36               | <0.590          | 29.3    | <1.09                 | <1.07             | 85.9                   | 58.9                   | <0.704        | 88.9       | 34.4     | 32,400                   |
|                                                       | 6/22/2021 | 1240 | 1,190   | <6.39   | <7.76        | <6.22            | <4.13         | <10.3           | 2,440       | <8.10              | <7.93                  | 347     | 9.49         | 78.0           | <11.2                  | <9.89                   | <8.18   | 7,510    | 20.4             | <6.94              | <51.1               | 168              | <5.12                       | <8.19               | <33.0       | <30.7      | <8.51   | <13.6               | <5.90           | <18.8   | <10.9                 | <10.7             | 38.8                   | 29.6                   | <7.04         | 52.2       | 21.9     | 58,200                   |
|                                                       | 6/30/2021 | 1130 | 3,870   | <6.39   | <7.76        | 41.1             | <4.13         | <10.3           | 2,590       | <8.10              | <7.93                  | 1,230   | 17.9         | 78.5           | <11.2                  | <9.89                   | 1,120   | 6,450    | <9.83            | <6.94              | <51.1               | 433              | <5.12                       | <8.19               | <33.0       | 310        | <8.51   | 20.3                | <5.90           |         |                       |                   |                        |                        |               |            |          |                          |

| TABLE 4 - AIR SAMPLING (VOCs) ANALYTICAL DATA SUMMARY |           |                                  |                                  |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|-------------------------------------------------------|-----------|----------------------------------|----------------------------------|---------|--------------|------------------|---------------|-----------------|-------------|--------------------|------------------------|---------|--------------|----------------|------------------------|-------------------------|---------|-----------|------------------|--------------------|---------------------|------------------|-----------------------------|---------------------|-------------|------------|---------|---------------------|-----------------|---------|-----------------------|-------------------|------------------------|------------------------|---------------|------------|----------|--------------------------|
| Permian EOR - Levey Well                              |           |                                  |                                  |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
| Hobbs, New Mexico                                     |           |                                  |                                  |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
| Well ID                                               | Date      | Time                             | (ug/m3)                          |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       |           |                                  | Acetone                          | Benzene | Bromomethane | Carbon disulfide | Chloromethane | 2-Chlorotoluene | Cyclohexane | 1,2-Dichloroethane | cis-1,2-Dichloroethene | Ethanol | Ethylbenzene | 4-Ethyltoluene | Trichlorofluoromethane | Dichlorodifluoromethane | Heptane | n-Hexane  | Isopropylbenzene | Methylene Chloride | Methyl Butyl Ketone | 2-Butanone (MEK) | 4-Methyl-2-pentanone (MIBK) | Methyl methacrylate | Naphthalene | 2-Propanol | Styrene | Tetrachloroethylene | Tetrahydrofuran | Toluene | 1,1,1-Trichloroethane | Trichloroethylene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Vinyl acetate | m&p-Xylene | o-Xylene | TPH (GC/MS) Low Fraction |
| Levey Well (cont')                                    | 1/3/2022  | 0756                             | <297                             | <63.9   | <77.6        | <62.2            | <41.3         | <103            | 108,000     | <81.0              | <79.3                  | 1,200   | <86.7        | <98.2          | <112                   | <98.9                   | 234,000 | 606,000   | <98.3            | <69.4              | <511                | <369             | <512                        | <81.9               | <330        | 6,610      | <85.1   | <136                | <59.0           | <188    | <109                  | <107              | <98.2                  | <98.2                  | <70.4         | <173       | <86.7    | 4,020,000                |
|                                                       |           | 0759                             | Initiate Vacuum Recovery Event   |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       |           | 0823                             | <59.4                            | <12.8   | <15.5        | <12.4            | 407           | <20.6           | 3,960       | <16.2              | <15.9                  | <47.1   | <17.3        | <19.6          | <22.5                  | <19.8                   | 12,800  | 28,200    | <19.7            | <13.9              | <102                | <73.7            | <102                        | <16.4               | <66.0       | 62.9       | <17.0   | <27.2               | <11.8           | <37.7   | <21.8                 | <21.4             | <19.6                  | <19.6                  | <14.1         | <34.7      | <17.3    | 177,000                  |
|                                                       |           | 0904                             | <14.9                            | <3.19   | <3.88        | <3.11            | <2.07         | <5.15           | 2,240       | <4.05              | <3.96                  | <11.8   | <4.34        | <4.91          | <5.62                  | <4.95                   | 6,130   | 17,800    | <4.92            | <3.47              | <25.6               | <18.4            | <25.6                       | <4.09               | <16.5       | 19.3       | <4.25   | <6.79               | <2.95           | <9.42   | <5.44                 | <5.36             | 8.25                   | 5.64                   | <3.52         | <8.67      | <4.34    | 101,000                  |
|                                                       |           | 0920                             | Vacuum Recovery Event Terminated |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       | 1/6/2022  | 1031                             | <59.4                            | <12.8   | <15.5        | <12.4            | <8.26         | <20.6           | 4,580       | <16.2              | <15.9                  | <47.1   | <17.3        | <19.6          | <22.5                  | <19.8                   | 5,690   | 15,800    | <19.7            | <13.9              | <102                | <73.7            | <102                        | <16.4               | <66.0       | 87.5       | <17.0   | <27.2               | <11.8           | <37.7   | <21.8                 | <21.4             | 22.7                   | <19.6                  | <14.1         | <34.7      | <17.3    | 188,000                  |
|                                                       |           | 0000                             | <297                             | <63.9   | <77.6        | <62.2            | <41.3         | <103            | 10,600      | <81.0              | <79.3                  | <236    | <86.7        | <98.2          | <112                   | <98.9                   | 20,500  | 130,000   | <98.3            | 110                | <511                | <369             | <512                        | <81.9               | <330        | 4,230      | <85.1   | <136                | <59.0           | <188    | <109                  | <107              | <98.2                  | <98.2                  | <70.4         | <173       | <86.7    | 508,000                  |
|                                                       | 1/12/2022 | 1352                             | 31,400                           | <12.8   | <15.5        | <12.4            | <8.26         | <20.6           | 164,000     | <16.2              | <15.9                  | <47.1   | 115          | 491            | <22.5                  | <19.8                   | 342,000 | 1,680,000 | 98.8             | <13.9              | <102                | 5,570            | <102                        | <16.4               | 85.9        | 81,900     | <17.0   | <27.2               | <11.8           | 263     | <21.8                 | <21.4             | 400                    | 433                    | <14.1         | 341        | 156      | 6,820,000                |
|                                                       | 1/17/2022 | 0852                             | 14,900                           | <639    | <776         | <622             | <413          | <1,030          | 119,000     | <810               | <793                   | <2,360  | <867         | <982           | <1,120                 | <989                    | 160,000 | 1,440,000 | <983             | <694               | <5,110              | <3,690           | <5,120                      | <819                | <3,300      | 25,800     | <851    | <1,360              | <590            | <1,880  | <1,090                | <1,070            | <982                   | <982                   | <704          | <1,730     | <867     | 6,110,000                |
|                                                       |           | 0853                             | Initiate Vacuum Recovery Event   |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       |           | 0919                             | 227                              | <0.639  | <0.776       | <0.622           | <0.413        | <1.03           | 3,650       | <0.810             | <0.793                 | 19.8    | 2.15         | 1.70           | 1.52                   | 1.84                    | 6,260   | 19,100    | 1.22             | <0.694             | <5.11               | <3.69            | <5.12                       | <0.819              | <3.30       | 202        | <0.851  | <1.36               | <0.590          | 8.32    | <1.09                 | <1.07             | 2.84                   | 2.87                   | <0.704        | 5.20       | 2.15     | 132,000                  |
|                                                       |           | 1004                             | 90.3                             | <0.639  | <0.776       | <0.622           | 1.30          | <1.03           | 747         | <0.810             | <0.793                 | 56.2    | 2.58         | 4.13           | 1.40                   | 2.60                    | 1,610   | 4,300     | 2.46             | <0.694             | <5.11               | 16.4             | <5.12                       | <0.819              | <3.30       | 114        | <0.851  | 2.69                | <0.590          | 15.6    | <1.09                 | <1.07             | 11.5                   | 8.44                   | <0.704        | 7.50       | 3.13     | 31,600                   |
|                                                       |           | 1021                             | Vacuum Recovery Event Terminated |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       | 1/19/2022 | 1134                             | 466                              | <0.639  | <0.776       | <0.622           | 1.64          | <1.03           | 2,400       | <0.810             | <0.793                 | 16.8    | 5.42         | 9.67           | 1.38                   | 2.14                    | 4,620   | 10,800    | 5.26             | <0.694             | <5.11               | 54.3             | <5.12                       | <0.819              | 3.42        | 494        | <0.851  | 27.5                | <0.590          | 23.8    | <1.09                 | <1.07             | 20.8                   | 18.7                   | <0.704        | 17.7       | 7.46     | 95,400                   |
|                                                       |           | 1208                             | 454                              | <31.9   | <38.8        | <31.1            | <20.7         | <51.5           | 11,300      | <40.5              | <39.6                  | 149     | <43.4        | 94.2           | <56.2                  | <49.5                   | 28,800  | 171,000   | <49.2            | <34.7              | <256                | <184             | <256                        | 966                 | <165        | 3,740      | <42.5   | <67.9               | <29.5           | <94.2   | <54.4                 | <53.6             | 81.0                   | 221                    | <35.2         | <86.7      | <43.4    | 508,000                  |
|                                                       | 1/26/2022 | 1251                             | <59.4                            | <12.8   | <15.5        | <12.4            | <8.26         | <20.6           | 28,900      | <16.2              | <15.9                  | <47.1   | <17.3        | <19.6          | <22.5                  | <19.8                   | 22,900  | 313,000   | <22.5            | <13.9              | <102                | <73.7            | <102                        | <16.4               | <66.0       | 248        | <17.0   | <27.2               | <11.8           | <37.7   | <21.8                 | <21.4             | <19.6                  | <19.6                  | <14.1         | <34.7      | <17.3    | 1,180,000                |
|                                                       | 2/2/2022  | 0921                             | 4,040                            | 5,940   | <155         | <124             | <82.6         | <206            | 229,000     | <162               | <159                   | <471    | 195          | <196           | <225                   | <198                    | 217,000 | 8,710,000 | <197             | <139               | <1020               | 1,360            | <1,020                      | <164                | <660        | 10,800     | <170    | <272                | <118            | 1,220   | <218                  | <214              | <196                   | <196                   | <141          | 481        | <173     | 3,620,000                |
|                                                       |           | 0922                             | Initiate Vacuum Recovery Event   |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       |           | 0950                             | 337                              | 415     | <15.5        | <12.4            | <8.26         | <20.6           | 16,700      | <16.2              | <15.9                  | <47.1   | 147          | <19.6          | <22.5                  | <19.8                   | 36,200  | 114,000   | <19.7            | <13.9              | <102                | 231              | <102                        | <16.4               | <66.0       | 88.2       | <17.0   | <27.2               | <11.8           | 313     | <21.8                 | <21.4             | 27.0                   | <19.6                  | <14.1         | 370        | 108      | 409,000                  |
|                                                       |           | 1030                             | 56.8                             | 29.9    | <0.776       | <0.622           | <0.413        | <1.03           | 2,280       | <0.810             | <0.793                 | 10.5    | 25.2         | <0.982         | <1.12                  | 2.47                    | 5,440   | 9,380     | 2.05             | <0.694             | <5.11               | 34.5             | <5.12                       | <0.819              | <3.30       | 30.2       | <0.851  | <1.36               | <0.590          | 46.3    | <1.09                 | <1.07             | 9.18                   | 6.58                   | <0.704        | 62.9       | 17.6     | 71,500                   |
|                                                       |           | 1047                             | Vacuum Recovery Event Terminated |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       | 2/8/2022  | 1158                             | 80.8                             | 29.7    | <0.776       | <0.622           | <0.413        | <1.03           | 2,750       | <0.810             | <0.793                 | 4.13    | 19.1         | <0.982         | <1.12                  | 2.58                    | 5,850   | 8,670     | 1.82             | <0.694             | <5.11               | 36.9             | <5.12                       | <0.819              | <3.30       | 43.0       | <0.851  | <1.36               | <0.590          | 38.8    | <1.09                 | <1.07             | 7.80                   | 5.35                   | <0.704        | 46.8       | 13.0     | 59,500                   |
|                                                       |           | 1200                             | 88.6                             | <0.639  | <0.776       | <0.622           | <0.413        | <1.03           | 1,310       | <0.810             | <0.793                 | <2.36   | 27.2         | <0.982         | <1.12                  | <0.989                  | 2,640   | 13,700    | 14.5             | <0.694             | <5.11               | 15.5             | <5.12                       | <0.819              | 3.64        | 76.2       | <0.851  | 3.38                | <0.590          | 12.3    | <1.09                 | <1.07             | 43.8                   | 46.5                   | <0.704        | 91.9       | 39.4     | 83,000                   |
|                                                       | 2/16/2022 | 1224                             | 215                              | <12.8   | <15.5        | <12.4            | <8.26         | <20.6           | 37,500      | <16.2              | <15.9                  | <47.1   | <17.3        | 22.1           | <22.5                  | <19.8                   | 7,280   | 62,800    | <19.7            | <13.9              | <102                | <73.7            | <102                        | <16.4               | <66.0       | 156        | <17.0   | <27.2               | <11.8           | <37.7   | <21.8                 | <21.4             | 23.1                   | 19.6                   | <14.1         | 38.4       | <17.3    | 272,000                  |
|                                                       | 2/23/2022 | 1021                             | 1,950                            | <0.639  | <0.776       | <0.622           | <0.413        | <1.03           | 30,900      | <0.810             | <0.793                 | 120     | 3.00         | <0.982         | <1.12                  | <0.989                  | 5,360   | 176,000   | <0.983           | <0.694             | <5.11               | <3.69            | <5.12                       | <0.819              | <3.30       | <3.07      | <0.851  | <1.36               | <0.590          | 73.8    | <1.09                 | <1.07             | 1.84                   | 1.47                   | <0.704        | 3.42       | 1.12     | 261,000                  |
|                                                       |           | 1022                             | Initiate Vacuum Recovery Event   |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       |           | 1043                             | 104                              | 101     | <0.776       | <0.622           | 1.44          | <1.03           | 3,280       | <0.810             | <0.793                 | 62.4    | 4.60         | 1.30           | 1.64                   | 2.42                    | 1,040   | 2,500     | <0.983           | <0.694             | <5.11               | 34.2             | <5.12                       | <0.819              | <3.30       | 14.2       | <0.851  | <1.36               | <0.590          | 57.6    | <1.09                 | <1.07             | 3.47                   | 3.29                   | <0.704        | 6.89       | 1.96     | 30,000                   |
|                                                       |           | 1118                             | <29.7                            | 25.9    | <7.76        | <6.22            | <4.13         | <10.3           | 737         | <8.10              | <7.93                  | 42.2    | <8.67        | <9.82          | <11.2                  | <9.89                   | 290     | 610       | <9.83            | <6.94              | <51.1               | <36.9            | <51.2                       | <8.19               | <33.0       | <30.7      | <8.51   | <13.6               | <5.90           | 20.3    | <10.9                 | <10.7             | <9.82                  | <9.82                  | <7.04         | <17.3      | <8.67    | 8,510                    |
|                                                       |           | 1134                             | Vacuum Recovery Event Terminated |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       | 2/25/2022 | 1241                             | <2.97                            | <0.639  | <0.776       | <0.622           | 1.40          | <1.03           | 1,380       | <0.810             | <0.793                 | <2.36   | <0.867       | <0.982         | 1.58                   | 1.76                    | 272     | 1,290     | <0.983           | <0.694             | <5.11               | <3.69            | <5.12                       | <0.819              | <3.30       | <3.07      | <0.851  | <1.36               | <0.590          | 7.61    | <1.09                 | <1.07             | <0.982                 | <0.982                 | <0.704        | <1.73      | <0.867   | 13,200                   |
| 1145                                                  |           | 250                              | <0.639                           | <0.776  | 21.2         | 0.413            | <1.03         | 12,400          | <0.810      | <0.793             | 4.68                   | 2.41    | 4.13         | <1.12          | <0.989                 | 3,740                   | 26,100  | 2.23      | <0.694           | <5.11              | 46.9                | <5.12            | <0.819                      | 3.50                | 25.8        | <0.851     | <1.36   | <0.590              | 9.12            | <1.09   | <1.07                 | 7.85              | 6.23                   | <0.704                 | 8.15          | 2.49       | 107,000  |                          |
| 2/28/2022                                             | 1405      | <149                             | <31.9                            | <38.8   | <31.1        | <20.7            | <51.5         | 520             | <40.5       | <39.6              | 837                    | <43.4   | <49.1        | <56.2          | <49.5                  | 220                     | 3,390   | <49.2     | 47.6             | <256               | <184                | <256             | 766                         | <165                | 8,480       | <42.5      | <67.9   | <29.5               | <94.2           | <54.4   | <53.6                 | <49.1             | <49.1                  | <35.2                  | <86.7         | <43.4      | <41,300  |                          |
|                                                       | 1406      | Initiate Vacuum Recovery Event   |                                  |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
|                                                       | 1510      | <2.97                            | 1.79                             | <0.776  | <0.622       | <0.413           | <1.03         | 305             | <0.810      | <0.793             | 7.45                   | 2.05    | 2.40         | <1.12          | 2.13                   | 182                     | 511     | 1.12      | <0.694           | <5.11              | 10.6                | <5.12            | <0.819                      | <3.30               | 25.6        | <0.851     | <1.36   | <0.590              | 3.74            | <4.66   | <1.07                 | 4.96              | 4.91                   | <0.704                 | 3.20          | 1.44       | 6,440    |                          |
|                                                       | 1428      | <149                             | <31.9                            | <38.8   | <31.1        | <20.7            | <51.5         | 654             | <40.5       | <39.6              | 684                    | <43.4   | <49.1        | <56.2          | <49.5                  | 263                     | 2,520   | <49.2     | 38.5             | <256               | <184                | <256             | <40.9                       | <165                | 6,370       | <42.5      | <67.9   | <29.5               | <94.2           | <54.4   | <53.6                 | <49.1             | <49.1                  | <35.2                  | <86.7         | <43.4      | <41,300  |                          |
|                                                       | 1526      | Vacuum Recovery Event Terminated |                                  |         |              |                  |               |                 |             |                    |                        |         |              |                |                        |                         |         |           |                  |                    |                     |                  |                             |                     |             |            |         |                     |                 |         |                       |                   |                        |                        |               |            |          |                          |
| 1635                                                  | <2.97     | 1.30                             | <0.776                           | <0.622  | 1.53         | <1.03            | 76.8          | <0.810          | <0.793      | 7.50               | 1.76                   | 2.07    | 1.28         | 2.53           | 64.2                   | 117                     | 1.17    | 0.847     | <5.11            | <3.69              | <5.12               | <0.819           | <3.30                       | 40.3                | <0.851      | <1.36      | <0.590  | 2.26                | <1.09           | <1.07   | 4.70                  | 4.25              | <0.704                 | 3.42                   | 1.38          | 2,420      |          |                          |





## APPENDIX C

### Laboratory Data Sheets and Chain-of-Custody Documentation



## Environment Testing America

### ANALYTICAL REPORT

Eurofins Midland  
1211 W. Florida Ave  
Midland, TX 79701  
Tel: (432)704-5440

Laboratory Job ID: 880-11028-1

Laboratory Sample Delivery Group: Hobbs NM

Client Project/Site: Levey Well Hobb NM - 03B1417001

**For:**

Ensolum  
705 W. Wadley  
Suite 210  
Midland, Texas 79701

Attn: Beaux Jennings

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:  
2/11/2022 10:06:07 PM

Jessica Kramer, Project Manager  
(432)704-5440  
[jessica.kramer@eurofinset.com](mailto:jessica.kramer@eurofinset.com)

#### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Laboratory Job ID: 880-11028-1  
SDG: Hobbs NM

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 5  |
| Client Sample Results . . . . .  | 6  |
| Surrogate Summary . . . . .      | 8  |
| QC Sample Results . . . . .      | 9  |
| QC Association Summary . . . . . | 19 |
| Lab Chronicle . . . . .          | 21 |
| Certification Summary . . . . .  | 22 |
| Method Summary . . . . .         | 23 |
| Sample Summary . . . . .         | 24 |
| Chain of Custody . . . . .       | 25 |
| Receipt Checklists . . . . .     | 27 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



## Definitions/Glossary

Client: Ensolum

Job ID: 880-11028-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Qualifiers

## GC/MS VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| *-        | LCS and/or LCSD is outside acceptance limits, low biased.                                                      |
| F1        | MS and/or MSD recovery exceeds control limits.                                                                 |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

## HPLC/IC

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| B         | Compound was found in the blank and sample.                                                                    |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

## Metals

| Qualifier | Qualifier Description                                    |
|-----------|----------------------------------------------------------|
| U         | Indicates the analyte was analyzed for but not detected. |

## General Chemistry

| Qualifier | Qualifier Description                                                                                |
|-----------|------------------------------------------------------------------------------------------------------|
| HF        | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| U         | Indicates the analyte was analyzed for but not detected.                                             |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| □              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |

Eurofins Midland

Definitions/Glossary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|-----------------------------------------------------------------------------|
| TNTC         | Too Numerous To Count                                                       |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Case Narrative

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

Job ID: 880-11028-1

Laboratory: Eurofins Midland

| Narrative                    |  |
|------------------------------|--|
| Job Narrative<br>880-11028-1 |  |

Receipt

The sample was received on 2/8/2022 3:56 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.5°C

GC/MS VOA

Method 8260C: The laboratory control sample and/or the laboratory control sample duplicate (LCS/LCSD) for analytical batch 860-40924 recovered outside control limits for the following analyte(s): Dichloro difluoromethane. Dichloro difluoromethane has been identified as a poor performing analyte when analyzed using this method; therefore, re-extraction/re-analysis was not performed. These results have been reported and qualified. Note, The continuing calibration verification was within control limits. And the associated samples were not detected (ND).

Method 8260C: The matrix spike (MS) recoveries for analytical batch 860-40924 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-40800 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.7: Due to the high concentration of sodium and calcium, the matrix spike / matrix spike duplicate (MS/MSD) for preparation batch 860-41000 and analytical batch 860-41117 could not be evaluated for accuracy and precision. The associated laboratory control sample (LCS) met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



## Client Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

Client Sample ID: Levey Well

Lab Sample ID: 880-11028-1

Date Collected: 02/08/22 08:50

Matrix: Water

Date Received: 02/08/22 15:56

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                              | Result            | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|--------------------------------------|-------------------|-----------|---------|---------------|---|----------|----------------|---------|
| <b>Benzene</b>                       | <b>0.00288</b>    |           | 0.00100 | 0.000214 mg/L |   |          | 02/10/22 10:52 | 1       |
| Bromobenzene                         | <0.000300 U       |           | 0.00100 | 0.000300 mg/L |   |          | 02/10/22 10:52 | 1       |
| Bromochloromethane                   | <0.000209 U       |           | 0.00100 | 0.000209 mg/L |   |          | 02/10/22 10:52 | 1       |
| Bromodichloromethane                 | <0.000231 U       |           | 0.00100 | 0.000231 mg/L |   |          | 02/10/22 10:52 | 1       |
| Bromoform                            | <0.000630 U       |           | 0.00500 | 0.000630 mg/L |   |          | 02/10/22 10:52 | 1       |
| Bromomethane                         | <0.00105 U        |           | 0.00500 | 0.00105 mg/L  |   |          | 02/10/22 10:52 | 1       |
| <b>2-Butanone</b>                    | <b>0.0112 J</b>   |           | 0.0500  | 0.00270 mg/L  |   |          | 02/10/22 10:52 | 1       |
| Carbon tetrachloride                 | <0.000423 U       |           | 0.00500 | 0.000423 mg/L |   |          | 02/10/22 10:52 | 1       |
| Chlorobenzene                        | <0.000159 U       |           | 0.00100 | 0.000159 mg/L |   |          | 02/10/22 10:52 | 1       |
| Chloroethane                         | <0.000433 U       |           | 0.0100  | 0.000433 mg/L |   |          | 02/10/22 10:52 | 1       |
| Chloroform                           | <0.000259 U       |           | 0.00100 | 0.000259 mg/L |   |          | 02/10/22 10:52 | 1       |
| Chloromethane                        | <0.000318 U F1    |           | 0.0100  | 0.000318 mg/L |   |          | 02/10/22 10:52 | 1       |
| 2-Chlorotoluene                      | <0.000214 U       |           | 0.00100 | 0.000214 mg/L |   |          | 02/10/22 10:52 | 1       |
| 4-Chlorotoluene                      | <0.000183 U       |           | 0.00100 | 0.000183 mg/L |   |          | 02/10/22 10:52 | 1       |
| cis-1,2-Dichloroethene               | <0.000174 U       |           | 0.00100 | 0.000174 mg/L |   |          | 02/10/22 10:52 | 1       |
| cis-1,3-Dichloropropene              | <0.000690 U       |           | 0.00500 | 0.000690 mg/L |   |          | 02/10/22 10:52 | 1       |
| Dibromochloromethane                 | <0.000739 U       |           | 0.00500 | 0.000739 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,2-Dibromo-3-Chloropropane          | <0.000319 U       |           | 0.00500 | 0.000319 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,2-Dibromoethane                    | <0.000337 U       |           | 0.00500 | 0.000337 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,2-Dichlorobenzene                  | <0.000236 U       |           | 0.00100 | 0.000236 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,3-Dichlorobenzene                  | <0.000197 U       |           | 0.00100 | 0.000197 mg/L |   |          | 02/10/22 10:52 | 1       |
| <b>1,4-Dichlorobenzene</b>           | <b>0.000211 J</b> |           | 0.00100 | 0.000199 mg/L |   |          | 02/10/22 10:52 | 1       |
| Dichlorodifluoromethane              | <0.000316 U *- F1 |           | 0.00100 | 0.000316 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,1-Dichloroethane                   | <0.000244 U       |           | 0.00100 | 0.000244 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,2-Dichloroethane                   | <0.000285 U       |           | 0.00100 | 0.000285 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,1-Dichloroethene                   | <0.000216 U F1    |           | 0.00100 | 0.000216 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,2-Dichloropropane                  | <0.000396 U       |           | 0.00500 | 0.000396 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,3-Dichloropropane                  | <0.000439 U       |           | 0.00500 | 0.000439 mg/L |   |          | 02/10/22 10:52 | 1       |
| 2,2-Dichloropropane                  | <0.000360 U       |           | 0.00500 | 0.000360 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,1-Dichloropropene                  | <0.000481 U F1    |           | 0.00500 | 0.000481 mg/L |   |          | 02/10/22 10:52 | 1       |
| <b>Ethylbenzene</b>                  | <b>0.0122</b>     |           | 0.00100 | 0.000515 mg/L |   |          | 02/10/22 10:52 | 1       |
| Hexachlorobutadiene                  | <0.00200 U        |           | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 10:52 | 1       |
| <b>Isopropylbenzene</b>              | <b>0.00591</b>    |           | 0.00100 | 0.000161 mg/L |   |          | 02/10/22 10:52 | 1       |
| Methylene Chloride                   | <0.00191 U F1     |           | 0.00500 | 0.00191 mg/L  |   |          | 02/10/22 10:52 | 1       |
| <b>m,p-Xylenes</b>                   | <b>0.0458 F1</b>  |           | 0.0100  | 0.000330 mg/L |   |          | 02/10/22 10:52 | 1       |
| MTBE                                 | <0.000571 U       |           | 0.00500 | 0.000571 mg/L |   |          | 02/10/22 10:52 | 1       |
| Naphthalene                          | <0.00200 U        |           | 0.0100  | 0.00200 mg/L  |   |          | 02/10/22 10:52 | 1       |
| n-Butylbenzene                       | <0.000286 U       |           | 0.00100 | 0.000286 mg/L |   |          | 02/10/22 10:52 | 1       |
| <b>N-Propylbenzene</b>               | <b>0.00329</b>    |           | 0.00100 | 0.000179 mg/L |   |          | 02/10/22 10:52 | 1       |
| <b>o-Xylene</b>                      | <b>0.00697</b>    |           | 0.00100 | 0.000192 mg/L |   |          | 02/10/22 10:52 | 1       |
| <b>p-Cymene (p-Isopropyltoluene)</b> | <b>0.000813 J</b> |           | 0.00100 | 0.000233 mg/L |   |          | 02/10/22 10:52 | 1       |
| <b>sec-Butylbenzene</b>              | <b>0.00125</b>    |           | 0.00100 | 0.000199 mg/L |   |          | 02/10/22 10:52 | 1       |
| Styrene                              | <0.000623 U       |           | 0.00100 | 0.000623 mg/L |   |          | 02/10/22 10:52 | 1       |
| tert-Butylbenzene                    | <0.000195 U       |           | 0.00100 | 0.000195 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,1,1,2-Tetrachloroethane            | <0.000327 U       |           | 0.00100 | 0.000327 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,1,2,2-Tetrachloroethane            | <0.000284 U       |           | 0.00100 | 0.000284 mg/L |   |          | 02/10/22 10:52 | 1       |
| <b>Tetrachloroethene</b>             | <b>0.00194 F1</b> |           | 0.00100 | 0.000500 mg/L |   |          | 02/10/22 10:52 | 1       |
| <b>Toluene</b>                       | <b>0.0228</b>     |           | 0.00100 | 0.000500 mg/L |   |          | 02/10/22 10:52 | 1       |
| trans-1,2-Dichloroethene             | <0.000256 U F1    |           | 0.00100 | 0.000256 mg/L |   |          | 02/10/22 10:52 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

Client Sample ID: Levey Well

Lab Sample ID: 880-11028-1

Date Collected: 02/08/22 08:50

Matrix: Water

Date Received: 02/08/22 15:56

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                   | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | <0.000752 | U         | 0.00500 | 0.000752 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 10:52 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 10:52 | 1       |
| 1,1,1-Trichloroethane     | <0.000504 | U         | 0.00500 | 0.000504 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,1,2-Trichloroethane     | <0.000228 | U         | 0.00100 | 0.000228 mg/L |   |          | 02/10/22 10:52 | 1       |
| Trichloroethene           | <0.000424 | U         | 0.00500 | 0.000424 mg/L |   |          | 02/10/22 10:52 | 1       |
| Trichlorofluoromethane    | <0.000245 | U         | 0.00100 | 0.000245 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,2,3-Trichloropropane    | <0.000283 | U         | 0.00100 | 0.000283 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,2,4-Trimethylbenzene    | 0.0228    |           | 0.00100 | 0.000252 mg/L |   |          | 02/10/22 10:52 | 1       |
| 1,3,5-Trimethylbenzene    | 0.00693   |           | 0.00100 | 0.000279 mg/L |   |          | 02/10/22 10:52 | 1       |
| Vinyl chloride            | <0.000234 | U F1      | 0.00200 | 0.000234 mg/L |   |          | 02/10/22 10:52 | 1       |
| Xylenes, Total            | 0.0528    |           | 0.0100  | 0.000330 mg/L |   |          | 02/10/22 10:52 | 1       |
| Total BTEX                | 0.0907    |           | 0.0100  | 0.000214 mg/L |   |          | 02/10/22 10:52 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 100       |           | 74 - 124 |          | 02/10/22 10:52 | 1       |
| Dibromofluoromethane (Surr)  | 104       |           | 75 - 131 |          | 02/10/22 10:52 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 105       |           | 63 - 144 |          | 02/10/22 10:52 | 1       |
| Toluene-d8 (Surr)            | 100       |           | 80 - 117 |          | 02/10/22 10:52 | 1       |

## Method: 300.0 - Anions, Ion Chromatography

| Analyte      | Result  | Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|---------|-----------|-------|-------------|---|----------|----------------|---------|
| Bromide      | 0.780   |           | 0.500 | 0.0711 mg/L |   |          | 02/09/22 18:41 | 1       |
| Nitrate as N | <0.0391 | U         | 0.100 | 0.0391 mg/L |   |          | 02/09/22 18:41 | 1       |
| Chloride     | 329     |           | 0.500 | 0.200 mg/L  |   |          | 02/09/22 18:41 | 1       |
| Nitrite as N | 0.420   | B         | 0.100 | 0.0293 mg/L |   |          | 02/09/22 18:41 | 1       |
| Fluoride     | 1.24    |           | 0.500 | 0.100 mg/L  |   |          | 02/09/22 18:41 | 1       |
| Sulfate      | 62.0    |           | 0.500 | 0.109 mg/L  |   |          | 02/09/22 18:41 | 1       |

## Method: 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

| Analyte   | Result | Qualifier | RL    | Unit        | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|-------|-------------|---|----------------|----------------|---------|
| Calcium   | 272    |           | 10.0  | 1.47 mg/L   |   | 02/10/22 11:00 | 02/10/22 18:49 | 50      |
| Magnesium | 58.5   |           | 0.200 | 0.0500 mg/L |   | 02/10/22 11:00 | 02/10/22 17:35 | 1       |
| Potassium | 4.77   |           | 0.500 | 0.107 mg/L  |   | 02/10/22 11:00 | 02/10/22 17:35 | 1       |
| Sodium    | 97.0   |           | 0.500 | 0.0667 mg/L |   | 02/10/22 11:00 | 02/10/22 17:35 | 1       |
| SiO2      | 83.8   |           | 1.07  | 0.0781 mg/L |   | 02/10/22 11:00 | 02/10/22 17:35 | 1       |

## General Chemistry

| Analyte                         | Result | Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|------|-----------|---|----------|----------------|---------|
| Anion/Cation Balance            | -11.4  |           |      | %         |   |          | 02/11/22 16:49 | 1       |
| Alkalinity                      | 756    |           | 4.00 | 4.00 mg/L |   |          | 02/10/22 11:02 | 1       |
| Bicarbonate Alkalinity as CaCO3 | 756    |           | 4.00 | 4.00 mg/L |   |          | 02/10/22 11:02 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/10/22 11:02 | 1       |
| Hydroxide Alkalinity            | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/10/22 11:02 | 1       |
| Phenolphthalein Alkalinity      | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/10/22 11:02 | 1       |
| Total Dissolved Solids          | 1410   |           | 20.0 | 20.0 mg/L |   |          | 02/10/22 13:12 | 1       |
| pH                              | 6.5    | HF        |      | SU        |   |          | 02/10/22 12:56 | 1       |
| Temperature                     | 19.4   | HF        |      | Celsius   |   |          | 02/10/22 12:56 | 1       |

Eurofins Midland

Surrogate Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

|                                    |                        | Percent Surrogate Recovery (Acceptance Limits) |          |          |          |
|------------------------------------|------------------------|------------------------------------------------|----------|----------|----------|
| Lab Sample ID                      | Client Sample ID       | BFB                                            | DBFM     | DCA      | TOL      |
|                                    |                        | (74-124)                                       | (75-131) | (63-144) | (80-117) |
| 880-11028-1                        | Levey Well             | 100                                            | 104      | 105      | 100      |
| 880-11028-1 MS                     | Levey Well             | 100                                            | 101      | 100      | 100      |
| LCS 860-40924/3                    | Lab Control Sample     | 100                                            | 103      | 103      | 99       |
| LCSD 860-40924/4                   | Lab Control Sample Dup | 99                                             | 103      | 103      | 98       |
| MB 860-40924/10                    | Method Blank           | 104                                            | 103      | 106      | 101      |
| Surrogate Legend                   |                        |                                                |          |          |          |
| BFB = 4-Bromofluorobenzene (Surr)  |                        |                                                |          |          |          |
| DBFM = Dibromofluoromethane (Surr) |                        |                                                |          |          |          |
| DCA = 1,2-Dichloroethane-d4 (Surr) |                        |                                                |          |          |          |
| TOL = Toluene-d8 (Surr)            |                        |                                                |          |          |          |



## QC Sample Results

Client: Ensolum

Job ID: 880-11028-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 860-40924/10

Matrix: Water

Analysis Batch: 40924

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                       | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromobenzene                  | <0.000300 | U            | 0.00100 | 0.000300 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromochloromethane            | <0.000209 | U            | 0.00100 | 0.000209 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromodichloromethane          | <0.000231 | U            | 0.00100 | 0.000231 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromoform                     | <0.000630 | U            | 0.00500 | 0.000630 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromomethane                  | <0.00105  | U            | 0.00500 | 0.00105 mg/L  |   |          | 02/10/22 10:11 | 1       |
| 2-Butanone                    | <0.00270  | U            | 0.0500  | 0.00270 mg/L  |   |          | 02/10/22 10:11 | 1       |
| Carbon tetrachloride          | <0.000423 | U            | 0.00500 | 0.000423 mg/L |   |          | 02/10/22 10:11 | 1       |
| Chlorobenzene                 | <0.000159 | U            | 0.00100 | 0.000159 mg/L |   |          | 02/10/22 10:11 | 1       |
| Chloroethane                  | <0.000433 | U            | 0.0100  | 0.000433 mg/L |   |          | 02/10/22 10:11 | 1       |
| Chloroform                    | <0.000259 | U            | 0.00100 | 0.000259 mg/L |   |          | 02/10/22 10:11 | 1       |
| Chloromethane                 | <0.000318 | U            | 0.0100  | 0.000318 mg/L |   |          | 02/10/22 10:11 | 1       |
| 2-Chlorotoluene               | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/10/22 10:11 | 1       |
| 4-Chlorotoluene               | <0.000183 | U            | 0.00100 | 0.000183 mg/L |   |          | 02/10/22 10:11 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U            | 0.00100 | 0.000174 mg/L |   |          | 02/10/22 10:11 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U            | 0.00500 | 0.000690 mg/L |   |          | 02/10/22 10:11 | 1       |
| Dibromochloromethane          | <0.000739 | U            | 0.00500 | 0.000739 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U            | 0.00500 | 0.000319 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U            | 0.00500 | 0.000337 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dichlorobenzene           | <0.000236 | U            | 0.00100 | 0.000236 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U            | 0.00100 | 0.000197 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/10/22 10:11 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U            | 0.00100 | 0.000316 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U            | 0.00100 | 0.000244 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U            | 0.00100 | 0.000285 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U            | 0.00100 | 0.000216 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U            | 0.00500 | 0.000396 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U            | 0.00500 | 0.000439 mg/L |   |          | 02/10/22 10:11 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U            | 0.00500 | 0.000360 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U            | 0.00500 | 0.000481 mg/L |   |          | 02/10/22 10:11 | 1       |
| Ethylbenzene                  | <0.000515 | U            | 0.00100 | 0.000515 mg/L |   |          | 02/10/22 10:11 | 1       |
| Hexachlorobutadiene           | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 10:11 | 1       |
| Isopropylbenzene              | <0.000161 | U            | 0.00100 | 0.000161 mg/L |   |          | 02/10/22 10:11 | 1       |
| Methylene Chloride            | <0.00191  | U            | 0.00500 | 0.00191 mg/L  |   |          | 02/10/22 10:11 | 1       |
| m,p-Xylenes                   | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/10/22 10:11 | 1       |
| MTBE                          | <0.000571 | U            | 0.00500 | 0.000571 mg/L |   |          | 02/10/22 10:11 | 1       |
| Naphthalene                   | <0.00200  | U            | 0.0100  | 0.00200 mg/L  |   |          | 02/10/22 10:11 | 1       |
| n-Butylbenzene                | <0.000286 | U            | 0.00100 | 0.000286 mg/L |   |          | 02/10/22 10:11 | 1       |
| N-Propylbenzene               | <0.000179 | U            | 0.00100 | 0.000179 mg/L |   |          | 02/10/22 10:11 | 1       |
| o-Xylene                      | <0.000192 | U            | 0.00100 | 0.000192 mg/L |   |          | 02/10/22 10:11 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U            | 0.00100 | 0.000233 mg/L |   |          | 02/10/22 10:11 | 1       |
| sec-Butylbenzene              | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/10/22 10:11 | 1       |
| Styrene                       | <0.000623 | U            | 0.00100 | 0.000623 mg/L |   |          | 02/10/22 10:11 | 1       |
| tert-Butylbenzene             | <0.000195 | U            | 0.00100 | 0.000195 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U            | 0.00100 | 0.000327 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U            | 0.00100 | 0.000284 mg/L |   |          | 02/10/22 10:11 | 1       |
| Tetrachloroethene             | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/10/22 10:11 | 1       |
| Toluene                       | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/10/22 10:11 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11028-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 860-40924/10

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 40924

| Analyte                   | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| trans-1,2-Dichloroethene  | <0.000256 | U            | 0.00100 | 0.000256 mg/L |   |          | 02/10/22 10:11 | 1       |
| trans-1,3-Dichloropropene | <0.000752 | U            | 0.00500 | 0.000752 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 10:11 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 10:11 | 1       |
| 1,1,1-Trichloroethane     | <0.000504 | U            | 0.00500 | 0.000504 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1,2-Trichloroethane     | <0.000228 | U            | 0.00100 | 0.000228 mg/L |   |          | 02/10/22 10:11 | 1       |
| Trichloroethene           | <0.000424 | U            | 0.00500 | 0.000424 mg/L |   |          | 02/10/22 10:11 | 1       |
| Trichlorofluoromethane    | <0.000245 | U            | 0.00100 | 0.000245 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2,3-Trichloropropane    | <0.000283 | U            | 0.00100 | 0.000283 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2,4-Trimethylbenzene    | <0.000252 | U            | 0.00100 | 0.000252 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,3,5-Trimethylbenzene    | <0.000279 | U            | 0.00100 | 0.000279 mg/L |   |          | 02/10/22 10:11 | 1       |
| Vinyl chloride            | <0.000234 | U            | 0.00200 | 0.000234 mg/L |   |          | 02/10/22 10:11 | 1       |
| Xylenes, Total            | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/10/22 10:11 | 1       |
| Total BTEX                | <0.000214 | U            | 0.0100  | 0.000214 mg/L |   |          | 02/10/22 10:11 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 104          |              | 74 - 124 |          | 02/10/22 10:11 | 1       |
| Dibromofluoromethane (Surr)  | 103          |              | 75 - 131 |          | 02/10/22 10:11 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 106          |              | 63 - 144 |          | 02/10/22 10:11 | 1       |
| Toluene-d8 (Surr)            | 101          |              | 80 - 117 |          | 02/10/22 10:11 | 1       |

Lab Sample ID: LCS 860-40924/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 40924

| Analyte                     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene                     | 0.0500      | 0.05438    |               | mg/L |   | 109  | 66 - 142     |
| Bromobenzene                | 0.0500      | 0.05249    |               | mg/L |   | 105  | 75 - 125     |
| Bromochloromethane          | 0.0500      | 0.05413    |               | mg/L |   | 108  | 60 - 140     |
| Bromodichloromethane        | 0.0500      | 0.05595    |               | mg/L |   | 112  | 75 - 125     |
| Bromoform                   | 0.0500      | 0.05180    |               | mg/L |   | 104  | 75 - 125     |
| Bromomethane                | 0.0500      | 0.06204    |               | mg/L |   | 124  | 60 - 140     |
| 2-Butanone                  | 0.250       | 0.2486     |               | mg/L |   | 99   | 60 - 140     |
| Carbon tetrachloride        | 0.0500      | 0.05526    |               | mg/L |   | 111  | 62 - 125     |
| Chlorobenzene               | 0.0500      | 0.05375    |               | mg/L |   | 108  | 60 - 133     |
| Chloroethane                | 0.0500      | 0.04342    |               | mg/L |   | 87   | 60 - 140     |
| Chloroform                  | 0.0500      | 0.05606    |               | mg/L |   | 112  | 70 - 130     |
| Chloromethane               | 0.0500      | 0.03891    |               | mg/L |   | 78   | 60 - 140     |
| 2-Chlorotoluene             | 0.0500      | 0.05420    |               | mg/L |   | 108  | 73 - 125     |
| 4-Chlorotoluene             | 0.0500      | 0.05451    |               | mg/L |   | 109  | 74 - 125     |
| cis-1,2-Dichloroethene      | 0.0500      | 0.05581    |               | mg/L |   | 112  | 75 - 125     |
| cis-1,3-Dichloropropene     | 0.0500      | 0.05191    |               | mg/L |   | 104  | 74 - 125     |
| Dibromochloromethane        | 0.0500      | 0.05205    |               | mg/L |   | 104  | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane | 0.0500      | 0.05110    |               | mg/L |   | 102  | 59 - 125     |
| 1,2-Dibromoethane           | 0.0500      | 0.05227    |               | mg/L |   | 105  | 73 - 125     |
| 1,2-Dichlorobenzene         | 0.0500      | 0.05258    |               | mg/L |   | 105  | 75 - 125     |
| 1,3-Dichlorobenzene         | 0.0500      | 0.05395    |               | mg/L |   | 108  | 75 - 125     |
| 1,4-Dichlorobenzene         | 0.0500      | 0.05263    |               | mg/L |   | 105  | 75 - 125     |

Eurofins Midland



## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-40924/4

Matrix: Water

Analysis Batch: 40924

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                       | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|-------------------------------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
|                               |                |                |                   |      |   |      |                 |     |              |
| Benzene                       | 0.0500         | 0.05412        |                   | mg/L |   | 108  | 66 - 142        | 0   | 25           |
| Bromobenzene                  | 0.0500         | 0.05272        |                   | mg/L |   | 105  | 75 - 125        | 0   | 25           |
| Bromochloromethane            | 0.0500         | 0.05261        |                   | mg/L |   | 105  | 60 - 140        | 3   | 25           |
| Bromodichloromethane          | 0.0500         | 0.05588        |                   | mg/L |   | 112  | 75 - 125        | 0   | 25           |
| Bromoform                     | 0.0500         | 0.05247        |                   | mg/L |   | 105  | 75 - 125        | 1   | 25           |
| Bromomethane                  | 0.0500         | 0.05432        |                   | mg/L |   | 109  | 60 - 140        | 13  | 25           |
| 2-Butanone                    | 0.250          | 0.2573         |                   | mg/L |   | 103  | 60 - 140        | 3   | 25           |
| Carbon tetrachloride          | 0.0500         | 0.05359        |                   | mg/L |   | 107  | 62 - 125        | 3   | 25           |
| Chlorobenzene                 | 0.0500         | 0.05419        |                   | mg/L |   | 108  | 60 - 133        | 1   | 25           |
| Chloroethane                  | 0.0500         | 0.04202        |                   | mg/L |   | 84   | 60 - 140        | 3   | 25           |
| Chloroform                    | 0.0500         | 0.05466        |                   | mg/L |   | 109  | 70 - 130        | 3   | 25           |
| Chloromethane                 | 0.0500         | 0.03571        |                   | mg/L |   | 71   | 60 - 140        | 9   | 25           |
| 2-Chlorotoluene               | 0.0500         | 0.05458        |                   | mg/L |   | 109  | 73 - 125        | 1   | 25           |
| 4-Chlorotoluene               | 0.0500         | 0.05464        |                   | mg/L |   | 109  | 74 - 125        | 0   | 25           |
| cis-1,2-Dichloroethene        | 0.0500         | 0.05453        |                   | mg/L |   | 109  | 75 - 125        | 2   | 25           |
| cis-1,3-Dichloropropene       | 0.0500         | 0.05231        |                   | mg/L |   | 105  | 74 - 125        | 1   | 25           |
| Dibromochloromethane          | 0.0500         | 0.05294        |                   | mg/L |   | 106  | 73 - 125        | 2   | 25           |
| 1,2-Dibromo-3-Chloropropane   | 0.0500         | 0.05565        |                   | mg/L |   | 111  | 59 - 125        | 9   | 25           |
| 1,2-Dibromoethane             | 0.0500         | 0.05236        |                   | mg/L |   | 105  | 73 - 125        | 0   | 25           |
| 1,2-Dichlorobenzene           | 0.0500         | 0.05382        |                   | mg/L |   | 108  | 75 - 125        | 2   | 25           |
| 1,3-Dichlorobenzene           | 0.0500         | 0.05484        |                   | mg/L |   | 110  | 75 - 125        | 2   | 25           |
| 1,4-Dichlorobenzene           | 0.0500         | 0.05446        |                   | mg/L |   | 109  | 75 - 125        | 3   | 25           |
| Dichlorodifluoromethane       | 0.0500         | 0.02967        | *                 | mg/L |   | 59   | 70 - 130        | 0   | 25           |
| 1,1-Dichloroethane            | 0.0500         | 0.05287        |                   | mg/L |   | 106  | 72 - 125        | 5   | 25           |
| 1,2-Dichloroethane            | 0.0500         | 0.05359        |                   | mg/L |   | 107  | 68 - 127        | 1   | 25           |
| 1,1-Dichloroethene            | 0.0500         | 0.04536        |                   | mg/L |   | 91   | 59 - 172        | 3   | 25           |
| 1,2-Dichloropropane           | 0.0500         | 0.05417        |                   | mg/L |   | 108  | 74 - 125        | 1   | 25           |
| 1,3-Dichloropropane           | 0.0500         | 0.05217        |                   | mg/L |   | 104  | 75 - 125        | 1   | 25           |
| 2,2-Dichloropropane           | 0.0500         | 0.05372        |                   | mg/L |   | 107  | 75 - 125        | 3   | 25           |
| 1,1-Dichloropropene           | 0.0500         | 0.05592        |                   | mg/L |   | 112  | 75 - 125        | 1   | 25           |
| Ethylbenzene                  | 0.0500         | 0.05547        |                   | mg/L |   | 111  | 75 - 125        | 1   | 25           |
| Hexachlorobutadiene           | 0.0500         | 0.05660        |                   | mg/L |   | 113  | 75 - 125        | 8   | 25           |
| Isopropylbenzene              | 0.0500         | 0.05631        |                   | mg/L |   | 113  | 75 - 125        | 0   | 25           |
| Methylene Chloride            | 0.0500         | 0.04390        |                   | mg/L |   | 88   | 75 - 125        | 2   | 25           |
| m,p-Xylenes                   | 0.0500         | 0.05529        |                   | mg/L |   | 111  | 75 - 125        | 0   | 25           |
| MTBE                          | 0.0500         | 0.05027        |                   | mg/L |   | 101  | 65 - 135        | 1   | 25           |
| Naphthalene                   | 0.0500         | 0.06171        |                   | mg/L |   | 123  | 70 - 130        | 12  | 25           |
| n-Butylbenzene                | 0.0500         | 0.05654        |                   | mg/L |   | 113  | 75 - 125        | 3   | 25           |
| N-Propylbenzene               | 0.0500         | 0.05641        |                   | mg/L |   | 113  | 75 - 125        | 1   | 25           |
| o-Xylene                      | 0.0500         | 0.05511        |                   | mg/L |   | 110  | 75 - 125        | 1   | 25           |
| p-Cymene (p-Isopropyltoluene) | 0.0500         | 0.05698        |                   | mg/L |   | 114  | 75 - 125        | 3   | 25           |
| sec-Butylbenzene              | 0.0500         | 0.05683        |                   | mg/L |   | 114  | 75 - 125        | 4   | 25           |
| Styrene                       | 0.0500         | 0.04832        |                   | mg/L |   | 97   | 75 - 125        | 1   | 25           |
| tert-Butylbenzene             | 0.0500         | 0.05480        |                   | mg/L |   | 110  | 75 - 125        | 3   | 25           |
| 1,1,1,2-Tetrachloroethane     | 0.0500         | 0.04869        |                   | mg/L |   | 97   | 72 - 125        | 2   | 25           |
| 1,1,2,2-Tetrachloroethane     | 0.0500         | 0.05126        |                   | mg/L |   | 103  | 74 - 125        | 0   | 25           |
| Tetrachloroethene             | 0.0500         | 0.04950        |                   | mg/L |   | 99   | 71 - 125        | 0   | 25           |
| Toluene                       | 0.0500         | 0.05401        |                   | mg/L |   | 108  | 59 - 139        | 1   | 25           |

Eurofins Midland



## QC Sample Results

Client: Ensolum

Job ID: 880-11028-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-40924/4

Client Sample ID: Lab Control Sample Dup

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 40924

| Analyte                   | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| trans-1,2-Dichloroethene  | 0.0500      | 0.05172     |                | mg/L |   | 103  | 75 - 125     | 4   | 25        |
| trans-1,3-Dichloropropene | 0.0500      | 0.05479     |                | mg/L |   | 110  | 66 - 125     | 0   | 25        |
| 1,2,3-Trichlorobenzene    | 0.0500      | 0.06082     |                | mg/L |   | 122  | 75 - 137     | 11  | 25        |
| 1,2,4-Trichlorobenzene    | 0.0500      | 0.05798     |                | mg/L |   | 116  | 75 - 135     | 7   | 25        |
| 1,1,1-Trichloroethane     | 0.0500      | 0.05646     |                | mg/L |   | 113  | 75 - 125     | 1   | 25        |
| 1,1,2-Trichloroethane     | 0.0500      | 0.05208     |                | mg/L |   | 104  | 75 - 127     | 0   | 25        |
| Trichloroethene           | 0.0500      | 0.05351     |                | mg/L |   | 107  | 62 - 137     | 0   | 25        |
| Trichlorofluoromethane    | 0.0500      | 0.04947     |                | mg/L |   | 99   | 60 - 140     | 5   | 25        |
| 1,2,3-Trichloropropane    | 0.0500      | 0.05523     |                | mg/L |   | 110  | 75 - 125     | 7   | 25        |
| 1,2,4-Trimethylbenzene    | 0.0500      | 0.05547     |                | mg/L |   | 111  | 75 - 125     | 1   | 25        |
| 1,3,5-Trimethylbenzene    | 0.0500      | 0.05589     |                | mg/L |   | 112  | 60 - 140     | 0   | 25        |
| Vinyl chloride            | 0.0500      | 0.04102     |                | mg/L |   | 82   | 60 - 140     | 5   | 25        |

| Surrogate                    | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|------------------------------|----------------|----------------|-------------|
| 4-Bromofluorobenzene (Surr)  | 99             |                | 74 - 124    |
| Dibromofluoromethane (Surr)  | 103            |                | 75 - 131    |
| 1,2-Dichloroethane-d4 (Surr) | 103            |                | 63 - 144    |
| Toluene-d8 (Surr)            | 98             |                | 80 - 117    |

Lab Sample ID: 880-11028-1 MS

Client Sample ID: Levey Well

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 40924

| Analyte                     | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Benzene                     | 0.00288       |                  | 0.0500      | 0.04009   |              | mg/L |   | 74   | 66 - 142     |
| Bromobenzene                | <0.000300     | U                | 0.0500      | 0.04453   |              | mg/L |   | 89   | 75 - 125     |
| Bromochloromethane          | <0.000209     | U                | 0.0500      | 0.04027   |              | mg/L |   | 81   | 60 - 140     |
| Bromodichloromethane        | <0.000231     | U                | 0.0500      | 0.04672   |              | mg/L |   | 93   | 75 - 125     |
| Bromoform                   | <0.000630     | U                | 0.0500      | 0.04682   |              | mg/L |   | 94   | 75 - 125     |
| Bromomethane                | <0.00105      | U                | 0.0500      | 0.03357   |              | mg/L |   | 67   | 60 - 140     |
| 2-Butanone                  | 0.0112        | J                | 0.250       | 0.2419    |              | mg/L |   | 92   | 60 - 140     |
| Carbon tetrachloride        | <0.000423     | U                | 0.0500      | 0.03627   |              | mg/L |   | 73   | 62 - 125     |
| Chlorobenzene               | <0.000159     | U                | 0.0500      | 0.04315   |              | mg/L |   | 86   | 60 - 133     |
| Chloroethane                | <0.000433     | U                | 0.0500      | 0.03212   |              | mg/L |   | 64   | 60 - 140     |
| Chloroform                  | <0.000259     | U                | 0.0500      | 0.04368   |              | mg/L |   | 87   | 70 - 130     |
| Chloromethane               | <0.000318     | U F1             | 0.0500      | 0.02776   | F1           | mg/L |   | 56   | 60 - 140     |
| 2-Chlorotoluene             | <0.000214     | U                | 0.0500      | 0.04692   |              | mg/L |   | 94   | 73 - 125     |
| 4-Chlorotoluene             | <0.000183     | U                | 0.0500      | 0.04648   |              | mg/L |   | 93   | 74 - 125     |
| cis-1,2-Dichloroethene      | <0.000174     | U                | 0.0500      | 0.04029   |              | mg/L |   | 81   | 75 - 125     |
| cis-1,3-Dichloropropene     | <0.000690     | U                | 0.0500      | 0.04127   |              | mg/L |   | 83   | 74 - 125     |
| Dibromochloromethane        | <0.000739     | U                | 0.0500      | 0.04511   |              | mg/L |   | 90   | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane | <0.000319     | U                | 0.0500      | 0.05096   |              | mg/L |   | 102  | 59 - 125     |
| 1,2-Dibromoethane           | <0.000337     | U                | 0.0500      | 0.04366   |              | mg/L |   | 87   | 73 - 125     |
| 1,2-Dichlorobenzene         | <0.000236     | U                | 0.0500      | 0.04698   |              | mg/L |   | 94   | 75 - 125     |
| 1,3-Dichlorobenzene         | <0.000197     | U                | 0.0500      | 0.04696   |              | mg/L |   | 94   | 75 - 125     |
| 1,4-Dichlorobenzene         | 0.000211      | J                | 0.0500      | 0.04620   |              | mg/L |   | 92   | 75 - 125     |
| Dichlorodifluoromethane     | <0.000316     | U *- F1          | 0.0500      | 0.01590   | F1           | mg/L |   | 32   | 70 - 130     |
| 1,1-Dichloroethane          | <0.000244     | U                | 0.0500      | 0.04064   |              | mg/L |   | 81   | 72 - 125     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11028-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 880-11028-1 MS

Client Sample ID: Levey Well

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 40924

| Analyte                       | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| 1,2-Dichloroethane            | <0.000285     | U                | 0.0500      | 0.04118   |              | mg/L |   | 82   | 68 - 127     |
| 1,1-Dichloroethene            | <0.000216     | U F1             | 0.0500      | 0.02478   | F1           | mg/L |   | 50   | 59 - 172     |
| 1,2-Dichloropropane           | <0.000396     | U                | 0.0500      | 0.04329   |              | mg/L |   | 87   | 74 - 125     |
| 1,3-Dichloropropane           | <0.000439     | U                | 0.0500      | 0.04383   |              | mg/L |   | 88   | 75 - 125     |
| 2,2-Dichloropropane           | <0.000360     | U                | 0.0500      | 0.04068   |              | mg/L |   | 81   | 75 - 125     |
| 1,1-Dichloropropene           | <0.000481     | U F1             | 0.0500      | 0.03294   | F1           | mg/L |   | 66   | 75 - 125     |
| Ethylbenzene                  | 0.0122        |                  | 0.0500      | 0.05262   |              | mg/L |   | 81   | 75 - 125     |
| Hexachlorobutadiene           | <0.00200      | U                | 0.0500      | 0.04733   |              | mg/L |   | 95   | 75 - 125     |
| Isopropylbenzene              | 0.00591       |                  | 0.0500      | 0.04954   |              | mg/L |   | 87   | 75 - 125     |
| Methylene Chloride            | <0.00191      | U F1             | 0.0500      | 0.03028   | F1           | mg/L |   | 61   | 75 - 125     |
| m,p-Xylenes                   | 0.0458        | F1               | 0.0500      | 0.08060   | F1           | mg/L |   | 70   | 75 - 125     |
| MTBE                          | <0.000571     | U                | 0.0500      | 0.04379   |              | mg/L |   | 88   | 65 - 135     |
| Naphthalene                   | <0.00200      | U                | 0.0500      | 0.05399   |              | mg/L |   | 108  | 70 - 130     |
| n-Butylbenzene                | <0.000286     | U                | 0.0500      | 0.04666   |              | mg/L |   | 93   | 75 - 125     |
| N-Propylbenzene               | 0.00329       |                  | 0.0500      | 0.04739   |              | mg/L |   | 88   | 75 - 125     |
| o-Xylene                      | 0.00697       |                  | 0.0500      | 0.05013   |              | mg/L |   | 86   | 75 - 125     |
| p-Cymene (p-Isopropyltoluene) | 0.000813      | J                | 0.0500      | 0.04650   |              | mg/L |   | 91   | 75 - 125     |
| sec-Butylbenzene              | 0.00125       |                  | 0.0500      | 0.04661   |              | mg/L |   | 91   | 75 - 125     |
| Styrene                       | <0.000623     | U                | 0.0500      | 0.03998   |              | mg/L |   | 80   | 75 - 125     |
| tert-Butylbenzene             | <0.000195     | U                | 0.0500      | 0.04519   |              | mg/L |   | 90   | 75 - 125     |
| 1,1,1,2-Tetrachloroethane     | <0.000327     | U                | 0.0500      | 0.04196   |              | mg/L |   | 84   | 72 - 125     |
| 1,1,2,2-Tetrachloroethane     | <0.000284     | U                | 0.0500      | 0.04845   |              | mg/L |   | 97   | 74 - 125     |
| Tetrachloroethene             | 0.00194       | F1               | 0.0500      | 0.03208   | F1           | mg/L |   | 60   | 71 - 125     |
| Toluene                       | 0.0228        |                  | 0.0500      | 0.05806   |              | mg/L |   | 70   | 59 - 139     |
| trans-1,2-Dichloroethene      | <0.000256     | U F1             | 0.0500      | 0.02897   | F1           | mg/L |   | 58   | 75 - 125     |
| trans-1,3-Dichloropropene     | <0.000752     | U                | 0.0500      | 0.04504   |              | mg/L |   | 90   | 66 - 125     |
| 1,2,3-Trichlorobenzene        | <0.00200      | U                | 0.0500      | 0.05189   |              | mg/L |   | 104  | 75 - 137     |
| 1,2,4-Trichlorobenzene        | <0.00200      | U                | 0.0500      | 0.05027   |              | mg/L |   | 101  | 75 - 135     |
| 1,1,1-Trichloroethane         | <0.000504     | U                | 0.0500      | 0.04071   |              | mg/L |   | 81   | 75 - 125     |
| 1,1,2-Trichloroethane         | <0.000228     | U                | 0.0500      | 0.04616   |              | mg/L |   | 92   | 75 - 127     |
| Trichloroethene               | <0.000424     | U                | 0.0500      | 0.03571   |              | mg/L |   | 71   | 62 - 137     |
| Trichlorofluoromethane        | <0.000245     | U                | 0.0500      | 0.03768   |              | mg/L |   | 75   | 60 - 140     |
| 1,2,3-Trichloropropane        | <0.000283     | U                | 0.0500      | 0.04605   |              | mg/L |   | 92   | 75 - 125     |
| 1,2,4-Trimethylbenzene        | 0.0228        |                  | 0.0500      | 0.06517   |              | mg/L |   | 85   | 75 - 125     |
| 1,3,5-Trimethylbenzene        | 0.00693       |                  | 0.0500      | 0.05058   |              | mg/L |   | 87   | 70 - 125     |
| Vinyl chloride                | <0.000234     | U F1             | 0.0500      | 0.02823   | F1           | mg/L |   | 56   | 60 - 140     |
|                               |               |                  |             |           |              |      |   |      |              |
| Surrogate                     | MS %Recovery  | MS Qualifier     | Limits      |           |              |      |   |      |              |
| 4-Bromofluorobenzene (Surr)   | 100           |                  | 74 - 124    |           |              |      |   |      |              |
| Dibromofluoromethane (Surr)   | 101           |                  | 75 - 131    |           |              |      |   |      |              |
| 1,2-Dichloroethane-d4 (Surr)  | 100           |                  | 63 - 144    |           |              |      |   |      |              |
| Toluene-d8 (Surr)             | 100           |                  | 80 - 117    |           |              |      |   |      |              |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 860-40800/39

Matrix: Water

Analysis Batch: 40800

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB Result | MB Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-------|-------------|---|----------|----------------|---------|
| Bromide  | <0.0711   | U            | 0.500 | 0.0711 mg/L |   |          | 02/09/22 17:31 | 1       |
| Chloride | <0.200    | U            | 0.500 | 0.200 mg/L  |   |          | 02/09/22 17:31 | 1       |
| Fluoride | <0.100    | U            | 0.500 | 0.100 mg/L  |   |          | 02/09/22 17:31 | 1       |
| Sulfate  | <0.109    | U            | 0.500 | 0.109 mg/L  |   |          | 02/09/22 17:31 | 1       |

Lab Sample ID: LCS 860-40800/40

Matrix: Water

Analysis Batch: 40800

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Bromide  | 10.0        | 10.39      |               | mg/L |   | 104  | 90 - 110     |
| Chloride | 10.0        | 10.55      |               | mg/L |   | 106  | 90 - 110     |
| Fluoride | 10.0        | 10.62      |               | mg/L |   | 106  | 90 - 110     |
| Sulfate  | 10.0        | 10.42      |               | mg/L |   | 104  | 90 - 110     |

Lab Sample ID: LCSD 860-40800/41

Matrix: Water

Analysis Batch: 40800

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Bromide  | 10.0        | 10.33       |                | mg/L |   | 103  | 90 - 110     | 1   | 20        |
| Chloride | 10.0        | 10.45       |                | mg/L |   | 104  | 90 - 110     | 1   | 20        |
| Fluoride | 10.0        | 10.48       |                | mg/L |   | 105  | 90 - 110     | 1   | 20        |
| Sulfate  | 10.0        | 10.31       |                | mg/L |   | 103  | 90 - 110     | 1   | 20        |

Lab Sample ID: MB 860-40801/39

Matrix: Water

Analysis Batch: 40801

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte      | MB Result | MB Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|-----------|--------------|-------|-------------|---|----------|----------------|---------|
| Nitrate as N | 0.05604   | J            | 0.100 | 0.0391 mg/L |   |          | 02/09/22 17:31 | 1       |
| Nitrite as N | 0.03138   | J            | 0.100 | 0.0293 mg/L |   |          | 02/09/22 17:31 | 1       |

Lab Sample ID: LCS 860-40801/40

Matrix: Water

Analysis Batch: 40801

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte      | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|------|---|------|--------------|
| Nitrate as N | 10.0        | 10.58      |               | mg/L |   | 106  | 80 - 120     |
| Nitrite as N | 5.00        | 5.389      |               | mg/L |   | 108  | 80 - 120     |

Lab Sample ID: LCSD 860-40801/41

Matrix: Water

Analysis Batch: 40801

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte      | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Nitrate as N | 10.0        | 10.50       |                | mg/L |   | 105  | 80 - 120     | 1   | 20        |
| Nitrite as N | 5.00        | 5.372       |                | mg/L |   | 107  | 80 - 120     | 0   | 20        |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

## Method: 200.7 Rev 4.4 - Metals (ICP)

Lab Sample ID: MB 860-41000/1-A

Matrix: Water

Analysis Batch: 41117

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 41000

| Analyte   | MB Result | MB Qualifier | RL    | Unit        | D | Prepared       | Analyzed       | Dil Fac |
|-----------|-----------|--------------|-------|-------------|---|----------------|----------------|---------|
| Calcium   | <0.0293   | U            | 0.200 | 0.0293 mg/L |   | 02/10/22 11:00 | 02/10/22 16:50 | 1       |
| Magnesium | <0.0500   | U            | 0.200 | 0.0500 mg/L |   | 02/10/22 11:00 | 02/10/22 16:50 | 1       |
| Potassium | <0.107    | U            | 0.500 | 0.107 mg/L  |   | 02/10/22 11:00 | 02/10/22 16:50 | 1       |
| Sodium    | <0.0667   | U            | 0.500 | 0.0667 mg/L |   | 02/10/22 11:00 | 02/10/22 16:50 | 1       |
| SiO2      | <0.0781   | U            | 1.07  | 0.0781 mg/L |   | 02/10/22 11:00 | 02/10/22 16:50 | 1       |

Lab Sample ID: LCS 860-41000/2-A

Matrix: Water

Analysis Batch: 41117

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 41000

| Analyte   | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------|-------------|------------|---------------|------|---|------|--------------|
| Calcium   | 25.0        | 24.70      |               | mg/L |   | 99   | 85 - 115     |
| Magnesium | 25.0        | 24.73      |               | mg/L |   | 99   | 85 - 115     |
| Potassium | 10.0        | 10.09      |               | mg/L |   | 101  | 85 - 115     |
| Sodium    | 25.0        | 25.87      |               | mg/L |   | 103  | 85 - 115     |
| SiO2      | 21.4        | 21.40      |               | mg/L |   | 100  | 85 - 115     |

Lab Sample ID: LCSD 860-41000/3-A

Matrix: Water

Analysis Batch: 41117

Client Sample ID: Lab Control Sample Dup

Prep Type: Total Recoverable

Prep Batch: 41000

| Analyte   | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Calcium   | 25.0        | 24.70       |                | mg/L |   | 99   | 85 - 115     | 0   | 20        |
| Magnesium | 25.0        | 24.72       |                | mg/L |   | 99   | 85 - 115     | 0   | 20        |
| Potassium | 10.0        | 10.10       |                | mg/L |   | 101  | 85 - 115     | 0   | 20        |
| Sodium    | 25.0        | 26.31       |                | mg/L |   | 105  | 85 - 115     | 2   | 20        |
| SiO2      | 21.4        | 21.38       |                | mg/L |   | 100  | 85 - 115     | 0   | 20        |

## Method: SM 2320B - Alkalinity

Lab Sample ID: MB 860-41047/3

Matrix: Water

Analysis Batch: 41047

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                         | MB Result | MB Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|-----------|--------------|------|-----------|---|----------|----------------|---------|
| Alkalinity                      | <4.00     | U            | 4.00 | 4.00 mg/L |   |          | 02/10/22 10:31 | 1       |
| Bicarbonate Alkalinity as CaCO3 | <4.00     | U            | 4.00 | 4.00 mg/L |   |          | 02/10/22 10:31 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00     | U            | 4.00 | 4.00 mg/L |   |          | 02/10/22 10:31 | 1       |
| Hydroxide Alkalinity            | <4.00     | U            | 4.00 | 4.00 mg/L |   |          | 02/10/22 10:31 | 1       |
| Phenolphthalein Alkalinity      | <4.00     | U            | 4.00 | 4.00 mg/L |   |          | 02/10/22 10:31 | 1       |

Lab Sample ID: LCS 860-41047/4

Matrix: Water

Analysis Batch: 41047

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte    | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|-------------|------------|---------------|------|---|------|--------------|
| Alkalinity | 250         | 253.4      |               | mg/L |   | 101  | 85 - 115     |

Eurofins Midland



## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

## Method: SM 2320B - Alkalinity (Continued)

Lab Sample ID: LCSD 860-41047/5

Matrix: Water

Analysis Batch: 41047

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte    | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Alkalinity | 250         | 253.1       |                | mg/L |   | 101  | 85 - 115     | 0   | 20        |

Lab Sample ID: 880-11028-1 DU

Matrix: Water

Analysis Batch: 41047

Client Sample ID: Levey Well

Prep Type: Total/NA

| Analyte                         | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------------------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Alkalinity                      | 756           |                  | 767.0     |              | mg/L |   | 1   | 20        |
| Bicarbonate Alkalinity as CaCO3 | 756           |                  | 767.0     |              | mg/L |   | 1   | 20        |
| Carbonate Alkalinity as CaCO3   | <4.00         | U                | <4.00     | U            | mg/L |   | NC  | 20        |
| Hydroxide Alkalinity            | <4.00         | U                | <4.00     | U            | mg/L |   | NC  | 20        |
| Phenolphthalein Alkalinity      | <4.00         | U                | <4.00     | U            | mg/L |   | NC  | 20        |

## Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 860-41036/1

Matrix: Water

Analysis Batch: 41036

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                | MB Result | MB Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|------------------------|-----------|--------------|------|-----------|---|----------|----------------|---------|
| Total Dissolved Solids | <5.00     | U            | 5.00 | 5.00 mg/L |   |          | 02/10/22 13:12 | 1       |

Lab Sample ID: LCS 860-41036/2

Matrix: Water

Analysis Batch: 41036

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits | RPD |
|------------------------|-------------|------------|---------------|------|---|------|--------------|-----|
| Total Dissolved Solids | 1000        | 1046       |               | mg/L |   | 105  | 80 - 120     |     |

Lab Sample ID: LCSD 860-41036/3

Matrix: Water

Analysis Batch: 41036

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Total Dissolved Solids | 1000        | 1082        |                | mg/L |   | 108  | 80 - 120     | 3   | 10        |

Lab Sample ID: 880-11028-1 DU

Matrix: Water

Analysis Batch: 41036

Client Sample ID: Levey Well

Prep Type: Total/NA

| Analyte                | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Total Dissolved Solids | 1410          |                  | 1362      |              | mg/L |   | 3   | 10        |

QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

Method: SM 4500 H+ B - pH

| Lab Sample ID: 880-11028-1 DU |        |           |  |        |           |         | Client Sample ID: Levey Well |  |     |       |  |
|-------------------------------|--------|-----------|--|--------|-----------|---------|------------------------------|--|-----|-------|--|
| Matrix: Water                 |        |           |  |        |           |         | Prep Type: Total/NA          |  |     |       |  |
| Analysis Batch: 41035         |        |           |  |        |           |         |                              |  |     |       |  |
| Analyte                       | Sample | Sample    |  | DU     | DU        | Unit    | D                            |  | RPD | Limit |  |
|                               | Result | Qualifier |  | Result | Qualifier |         |                              |  |     |       |  |
| pH                            | 6.5    | HF        |  | 6.5    |           | SU      |                              |  | 0   | 20    |  |
| Temperature                   | 19.4   | HF        |  | 19.4   |           | Celsius |                              |  | 0   | 20    |  |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## QC Association Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

## GC/MS VOA

## Analysis Batch: 40924

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11028-1      | Levey Well             | Total/NA  | Water  | 8260C  |            |
| MB 860-40924/10  | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-40924/3  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-40924/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |
| 880-11028-1 MS   | Levey Well             | Total/NA  | Water  | 8260C  |            |

## HPLC/IC

## Analysis Batch: 40800

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 880-11028-1       | Levey Well             | Total/NA  | Water  | 300.0  |            |
| MB 860-40800/39   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-40800/40  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-40800/41 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

## Analysis Batch: 40801

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 880-11028-1       | Levey Well             | Total/NA  | Water  | 300.0  |            |
| MB 860-40801/39   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-40801/40  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-40801/41 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

## Metals

## Prep Batch: 41000

| Lab Sample ID      | Client Sample ID       | Prep Type         | Matrix | Method | Prep Batch |
|--------------------|------------------------|-------------------|--------|--------|------------|
| 880-11028-1        | Levey Well             | Total Recoverable | Water  | 200.7  |            |
| MB 860-41000/1-A   | Method Blank           | Total Recoverable | Water  | 200.7  |            |
| LCS 860-41000/2-A  | Lab Control Sample     | Total Recoverable | Water  | 200.7  |            |
| LCSD 860-41000/3-A | Lab Control Sample Dup | Total Recoverable | Water  | 200.7  |            |

## Analysis Batch: 41117

| Lab Sample ID      | Client Sample ID       | Prep Type         | Matrix | Method        | Prep Batch |
|--------------------|------------------------|-------------------|--------|---------------|------------|
| 880-11028-1        | Levey Well             | Total Recoverable | Water  | 200.7 Rev 4.4 | 41000      |
| 880-11028-1        | Levey Well             | Total Recoverable | Water  | 200.7 Rev 4.4 | 41000      |
| MB 860-41000/1-A   | Method Blank           | Total Recoverable | Water  | 200.7 Rev 4.4 | 41000      |
| LCS 860-41000/2-A  | Lab Control Sample     | Total Recoverable | Water  | 200.7 Rev 4.4 | 41000      |
| LCSD 860-41000/3-A | Lab Control Sample Dup | Total Recoverable | Water  | 200.7 Rev 4.4 | 41000      |

## General Chemistry

## Analysis Batch: 41035

| Lab Sample ID  | Client Sample ID | Prep Type | Matrix | Method       | Prep Batch |
|----------------|------------------|-----------|--------|--------------|------------|
| 880-11028-1    | Levey Well       | Total/NA  | Water  | SM 4500 H+ B |            |
| 880-11028-1 DU | Levey Well       | Total/NA  | Water  | SM 4500 H+ B |            |

## Analysis Batch: 41036

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11028-1      | Levey Well             | Total/NA  | Water  | SM 2540C |            |
| MB 860-41036/1   | Method Blank           | Total/NA  | Water  | SM 2540C |            |
| LCS 860-41036/2  | Lab Control Sample     | Total/NA  | Water  | SM 2540C |            |
| LCSD 860-41036/3 | Lab Control Sample Dup | Total/NA  | Water  | SM 2540C |            |

Eurofins Midland

QC Association Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

General Chemistry (Continued)

Analysis Batch: 41036 (Continued)

| Lab Sample ID  | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|----------------|------------------|-----------|--------|----------|------------|
| 880-11028-1 DU | Levey Well       | Total/NA  | Water  | SM 2540C |            |

Analysis Batch: 41047

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11028-1      | Levey Well             | Total/NA  | Water  | SM 2320B |            |
| MB 860-41047/3   | Method Blank           | Total/NA  | Water  | SM 2320B |            |
| LCS 860-41047/4  | Lab Control Sample     | Total/NA  | Water  | SM 2320B |            |
| LCSD 860-41047/5 | Lab Control Sample Dup | Total/NA  | Water  | SM 2320B |            |
| 880-11028-1 DU   | Levey Well             | Total/NA  | Water  | SM 2320B |            |

Analysis Batch: 41246

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|---------------|------------------|-----------|--------|----------|------------|
| 880-11028-1   | Levey Well       | Total/NA  | Water  | SM 1030E |            |



Lab Chronicle

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

**Client Sample ID: Levey Well**  
**Date Collected: 02/08/22 08:50**  
**Date Received: 02/08/22 15:56**

**Lab Sample ID: 880-11028-1**  
**Matrix: Water**

| Prep Type         | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-------------------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA          | Analysis   | 8260C         |     | 1               | 40924        | 02/10/22 10:52       | NA      | XEN STF |
| Total/NA          | Analysis   | 300.0         |     | 1               | 40800        | 02/09/22 18:41       | A1S     | XEN STF |
| Total/NA          | Analysis   | 300.0         |     | 1               | 40801        | 02/09/22 18:41       | A1S     | XEN STF |
| Total Recoverable | Prep       | 200.7         |     |                 | 41000        | 02/10/22 11:00       | MD      | XEN STF |
| Total Recoverable | Analysis   | 200.7 Rev 4.4 |     | 1               | 41117        | 02/10/22 17:35       | AV      | XEN STF |
| Total Recoverable | Prep       | 200.7         |     |                 | 41000        | 02/10/22 11:00       | MD      | XEN STF |
| Total Recoverable | Analysis   | 200.7 Rev 4.4 |     | 50              | 41117        | 02/10/22 18:49       | AV      | XEN STF |
| Total/NA          | Analysis   | SM 1030E      |     | 1               | 41246        | 02/11/22 16:49       | AA      | XEN STF |
| Total/NA          | Analysis   | SM 2320B      |     | 1               | 41047        | 02/10/22 11:02       | TL      | XEN STF |
| Total/NA          | Analysis   | SM 2540C      |     | 1               | 41036        | 02/10/22 13:12       | ADL     | XEN STF |
| Total/NA          | Analysis   | SM 4500 H+ B  |     | 1               | 41035        | 02/10/22 12:56       | TL      | XEN STF |

**Laboratory References:**  
XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas     | NELAP   | T104704215-21-44      | 06-30-22        |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte                         |
|-----------------|-------------|--------|---------------------------------|
| 200.7 Rev 4.4   | 200.7       | Water  | SiO2                            |
| 8260C           |             | Water  | Total BTEX                      |
| SM 1030E        |             | Water  | Anion/Cation Balance            |
| SM 2320B        |             | Water  | Bicarbonate Alkalinity as CaCO3 |
| SM 2320B        |             | Water  | Carbonate Alkalinity as CaCO3   |
| SM 2320B        |             | Water  | Hydroxide Alkalinity            |
| SM 2320B        |             | Water  | Phenolphthalein Alkalinity      |
| SM 4500 H+ B    |             | Water  | Temperature                     |

Method Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

| Method        | Method Description                    | Protocol | Laboratory |
|---------------|---------------------------------------|----------|------------|
| 8260C         | Volatile Organic Compounds by GC/MS   | SW846    | XEN STF    |
| 300.0         | Anions, Ion Chromatography            | MCAWW    | XEN STF    |
| 200.7 Rev 4.4 | Metals (ICP)                          | EPA      | XEN STF    |
| SM 1030E      | Cation Anion Balance                  | SM       | XEN STF    |
| SM 2320B      | Alkalinity                            | SM       | XEN STF    |
| SM 2540C      | Solids, Total Dissolved (TDS)         | SM       | XEN STF    |
| SM 4500 H+ B  | pH                                    | SM       | XEN STF    |
| 200.7         | Preparation, Total Recoverable Metals | EPA      | XEN STF    |
| 5030C         | Purge and Trap                        | SW846    | XEN STF    |

Protocol References:

- EPA = US Environmental Protection Agency
- MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
- SM = "Standard Methods For The Examination Of Water And Wastewater"
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

- XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11028-1  
SDG: Hobbs NM

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 880-11028-1   | Levey Well       | Water  | 02/08/22 08:50 | 02/08/22 15:56 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14





Chain of Custody

Work Order No: 11028

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432-704-5440) EL Paso, TX (915)585-3443 Lubbock, TX (806)794-1296

Hobbs NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta GA (770-449-8800) Tampa, FL (813-620-2000)

www.xenco.com Page 1 of 1

|                  |                   |                         |                       |
|------------------|-------------------|-------------------------|-----------------------|
| Project Manager: | Beaux Jennings    | Bill to: (if different) |                       |
| Company Name:    | Ensolum LLC       | Company Name:           |                       |
| Address:         | 705 W Wadley #210 | Address:                |                       |
| City, State ZIP: | Midland TX        | City, State ZIP         |                       |
| Phone:           | 210-219-8858      | Email:                  | bjennings@ensolum.com |

|                                                                                                                                                                                 |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Work Order Comments                                                                                                                                                             |  |
| Program: UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/>     |  |
| State of Project: <i>New Mexico</i>                                                                                                                                             |  |
| Reporting Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/> |  |
| Deliverables EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other                                                                                                  |  |

|                 |               |          |                                  |
|-----------------|---------------|----------|----------------------------------|
| Project Name:   | Levey Well    | Hobbs NM | Turn Around                      |
| Project Number: | 03B1417001    |          | Routine <input type="checkbox"/> |
| P.O. Number:    | 03B1417001    |          | Rush 24 hr                       |
| Sampler's Name: | Aaron Marquez |          | Due Date                         |

|                       |                                                                     |                                                               |                    |                                                               |
|-----------------------|---------------------------------------------------------------------|---------------------------------------------------------------|--------------------|---------------------------------------------------------------|
| SAMPLE RECEIPT        | Temp Blank:                                                         | Yes <input checked="" type="radio"/> No <input type="radio"/> | Wet Ice:           | Yes <input type="radio"/> No <input checked="" type="radio"/> |
| Temperature (°C):     | 54/55                                                               |                                                               | Thermometer ID     |                                                               |
| Received Intact:      | Yes <input checked="" type="radio"/> No <input type="radio"/>       |                                                               | Correction Factor: | 100                                                           |
| Cooler Custody Seals: | Yes <input type="radio"/> No <input checked="" type="radio"/> (N/A) |                                                               |                    | 10                                                            |
| Sample Custody Seals: | Yes <input type="radio"/> No <input checked="" type="radio"/> (N/A) |                                                               | Total Containers:  |                                                               |

| Sample Identification                                                               | Matrix | Date Sampled | Time Sampled | Depth | Number of Containers | VOCs | Anions: F, Cl, SO4, B | Cations: Ca, K, Mg, Na, Si | pH | Alkalinity | TDS | Sample Comments |
|-------------------------------------------------------------------------------------|--------|--------------|--------------|-------|----------------------|------|-----------------------|----------------------------|----|------------|-----|-----------------|
| Levey Well                                                                          | W      | 2-8-21       | 0850         | -     | 7                    | X    | X                     | X                          | X  | X          | X   | 24 hr           |
| <i>11/11/21 11:11 AM 2-8-22</i>                                                     |        |              |              |       |                      |      |                       |                            |    |            |     |                 |
|  |        |              |              |       |                      |      |                       |                            |    |            |     |                 |
| 880-11028 Chain of Custody                                                          |        |              |              |       |                      |      |                       |                            |    |            |     |                 |


Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn  
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

|                              |                          |              |                              |                          |           |
|------------------------------|--------------------------|--------------|------------------------------|--------------------------|-----------|
| Relinquished by: (Signature) | Received by: (Signature) | Date/Time    | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
| <i>[Signature]</i>           | <i>[Signature]</i>       | 2/8/22 15:50 |                              |                          |           |
|                              |                          |              |                              |                          |           |
|                              |                          |              |                              |                          |           |
|                              |                          |              |                              |                          |           |

**Eurofins Midland**  
1211 W Florida Ave  
Midland, TX 79701  
Phone: 432-704-5440

## Chain of Custody Record



Environment Testing  
America

[illegible]

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11028-1

SDG Number: Hobbs NM

Login Number: 11028

List Number: 1

Creator: Teel, Brianna

List Source: Eurofins Midland

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11028-1

SDG Number: Hobbs NM

Login Number: 11028

List Number: 2

Creator: Milone, Jeancarlo

List Source: Eurofins Houston

List Creation: 02/09/22 01:27 PM

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | True   |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | N/A    |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |



## Environment Testing America

### ANALYTICAL REPORT

Eurofins Midland  
1211 W. Florida Ave  
Midland, TX 79701  
Tel: (432)704-5440

Laboratory Job ID: 880-11379-1

Laboratory Sample Delivery Group: Hobbs NM

Client Project/Site: Levey Well Hobb NM - 03B1417001

**For:**

Ensolum  
705 W. Wadley  
Suite 210  
Midland, Texas 79701

Attn: Beaux Jennings

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:  
2/24/2022 8:44:07 PM

Jessica Kramer, Project Manager  
(432)704-5440  
[jessica.kramer@eurofinset.com](mailto:jessica.kramer@eurofinset.com)

#### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Laboratory Job ID: 880-11379-1  
SDG: Hobbs NM

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 4  |
| Client Sample Results . . . . .  | 5  |
| Surrogate Summary . . . . .      | 7  |
| QC Sample Results . . . . .      | 8  |
| QC Association Summary . . . . . | 18 |
| Lab Chronicle . . . . .          | 20 |
| Certification Summary . . . . .  | 21 |
| Method Summary . . . . .         | 22 |
| Sample Summary . . . . .         | 23 |
| Chain of Custody . . . . .       | 24 |
| Receipt Checklists . . . . .     | 26 |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

## Definitions/Glossary

Client: Ensolum

Job ID: 880-11379-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Qualifiers

## GC/MS VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

## HPLC/IC

| Qualifier | Qualifier Description                                                                                                                                     |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4         | MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable. |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.                                            |
| U         | Indicates the analyte was analyzed for but not detected.                                                                                                  |

## Metals

| Qualifier | Qualifier Description                                    |
|-----------|----------------------------------------------------------|
| U         | Indicates the analyte was analyzed for but not detected. |

## General Chemistry

| Qualifier | Qualifier Description                                                                                |
|-----------|------------------------------------------------------------------------------------------------------|
| HF        | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| U         | Indicates the analyte was analyzed for but not detected.                                             |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |
| TNTC           | Too Numerous To Count                                                                                       |

Eurofins Midland

Case Narrative

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

Job ID: 880-11379-1

Laboratory: Eurofins Midland

| Narrative |                              |
|-----------|------------------------------|
|           | Job Narrative<br>880-11379-1 |

Receipt

The sample was received on 2/16/2022 3:51 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.9°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-42358 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-41809 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits. Chloride

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.7: Due to the high concentration of sodium , the matrix spike / matrix spike duplicate (MS/MSD) for preparation batch 860-41996 and analytical batch 860-42164 could not be evaluated for accuracy and precision. The associated laboratory control sample (LCS) met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

|    |
|----|
| 1  |
| 2  |
| 3  |
| 4  |
| 5  |
| 6  |
| 7  |
| 8  |
| 9  |
| 10 |
| 11 |
| 12 |
| 13 |
| 14 |

## Client Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

Client Sample ID: Levey Well

Lab Sample ID: 880-11379-1

Date Collected: 02/16/22 09:30

Matrix: Water

Date Received: 02/16/22 15:51

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                              | Result          | Qualifier | RL      | Unit     | D    | Prepared | Analyzed       | Dil Fac |
|--------------------------------------|-----------------|-----------|---------|----------|------|----------|----------------|---------|
| <b>Benzene</b>                       | <b>0.000814</b> | <b>J</b>  | 0.00100 | 0.000214 | mg/L |          | 02/18/22 17:51 | 1       |
| Bromobenzene                         | <0.000300       | U         | 0.00100 | 0.000300 | mg/L |          | 02/18/22 17:51 | 1       |
| Bromochloromethane                   | <0.000209       | U         | 0.00100 | 0.000209 | mg/L |          | 02/18/22 17:51 | 1       |
| Bromodichloromethane                 | <0.000231       | U         | 0.00100 | 0.000231 | mg/L |          | 02/18/22 17:51 | 1       |
| Bromoform                            | <0.000630       | U         | 0.00500 | 0.000630 | mg/L |          | 02/18/22 17:51 | 1       |
| Bromomethane                         | <0.00105        | U         | 0.00500 | 0.00105  | mg/L |          | 02/18/22 17:51 | 1       |
| 2-Butanone                           | <0.00270        | U         | 0.0500  | 0.00270  | mg/L |          | 02/18/22 17:51 | 1       |
| Carbon tetrachloride                 | <0.000423       | U         | 0.00500 | 0.000423 | mg/L |          | 02/18/22 17:51 | 1       |
| Chlorobenzene                        | <0.000159       | U         | 0.00100 | 0.000159 | mg/L |          | 02/18/22 17:51 | 1       |
| Chloroethane                         | <0.000433       | U         | 0.0100  | 0.000433 | mg/L |          | 02/18/22 17:51 | 1       |
| Chloroform                           | <0.000259       | U         | 0.00100 | 0.000259 | mg/L |          | 02/18/22 17:51 | 1       |
| Chloromethane                        | <0.000318       | U         | 0.0100  | 0.000318 | mg/L |          | 02/18/22 17:51 | 1       |
| 2-Chlorotoluene                      | <0.000214       | U         | 0.00100 | 0.000214 | mg/L |          | 02/18/22 17:51 | 1       |
| 4-Chlorotoluene                      | <0.000183       | U         | 0.00100 | 0.000183 | mg/L |          | 02/18/22 17:51 | 1       |
| cis-1,2-Dichloroethene               | <0.000174       | U         | 0.00100 | 0.000174 | mg/L |          | 02/18/22 17:51 | 1       |
| cis-1,3-Dichloropropene              | <0.000690       | U         | 0.00500 | 0.000690 | mg/L |          | 02/18/22 17:51 | 1       |
| Dibromochloromethane                 | <0.000739       | U         | 0.00500 | 0.000739 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,2-Dibromo-3-Chloropropane          | <0.000319       | U         | 0.00500 | 0.000319 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,2-Dibromoethane                    | <0.000337       | U         | 0.00500 | 0.000337 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,2-Dichlorobenzene                  | <0.000236       | U         | 0.00100 | 0.000236 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,3-Dichlorobenzene                  | <0.000197       | U         | 0.00100 | 0.000197 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,4-Dichlorobenzene                  | <0.000199       | U         | 0.00100 | 0.000199 | mg/L |          | 02/18/22 17:51 | 1       |
| Dichlorodifluoromethane              | <0.000316       | U         | 0.00100 | 0.000316 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,1-Dichloroethane                   | <0.000244       | U         | 0.00100 | 0.000244 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,2-Dichloroethane                   | <0.000285       | U         | 0.00100 | 0.000285 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,1-Dichloroethene                   | <0.000216       | U         | 0.00100 | 0.000216 | mg/L |          | 02/18/22 17:51 | 1       |
| <b>1,2-Dichloropropane</b>           | <b>0.000534</b> | <b>J</b>  | 0.00500 | 0.000396 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,3-Dichloropropane                  | <0.000439       | U         | 0.00500 | 0.000439 | mg/L |          | 02/18/22 17:51 | 1       |
| 2,2-Dichloropropane                  | <0.000360       | U         | 0.00500 | 0.000360 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,1-Dichloropropene                  | <0.000481       | U         | 0.00500 | 0.000481 | mg/L |          | 02/18/22 17:51 | 1       |
| <b>Ethylbenzene</b>                  | <b>0.00397</b>  |           | 0.00100 | 0.000515 | mg/L |          | 02/18/22 17:51 | 1       |
| Hexachlorobutadiene                  | <0.00200        | U         | 0.00500 | 0.00200  | mg/L |          | 02/18/22 17:51 | 1       |
| <b>Isopropylbenzene</b>              | <b>0.00202</b>  |           | 0.00100 | 0.000161 | mg/L |          | 02/18/22 17:51 | 1       |
| Methylene Chloride                   | <0.00191        | U         | 0.00500 | 0.00191  | mg/L |          | 02/18/22 17:51 | 1       |
| <b>m,p-Xylenes</b>                   | <b>0.0142</b>   |           | 0.0100  | 0.000330 | mg/L |          | 02/18/22 17:51 | 1       |
| MTBE                                 | <0.000571       | U         | 0.00500 | 0.000571 | mg/L |          | 02/18/22 17:51 | 1       |
| Naphthalene                          | <0.00200        | U         | 0.0100  | 0.00200  | mg/L |          | 02/18/22 17:51 | 1       |
| n-Butylbenzene                       | <0.000286       | U         | 0.00100 | 0.000286 | mg/L |          | 02/18/22 17:51 | 1       |
| <b>N-Propylbenzene</b>               | <b>0.00130</b>  |           | 0.00100 | 0.000179 | mg/L |          | 02/18/22 17:51 | 1       |
| <b>o-Xylene</b>                      | <b>0.00212</b>  |           | 0.00100 | 0.000192 | mg/L |          | 02/18/22 17:51 | 1       |
| <b>p-Cymene (p-Isopropyltoluene)</b> | <b>0.000336</b> | <b>J</b>  | 0.00100 | 0.000233 | mg/L |          | 02/18/22 17:51 | 1       |
| sec-Butylbenzene                     | <0.000199       | U         | 0.00100 | 0.000199 | mg/L |          | 02/18/22 17:51 | 1       |
| Styrene                              | <0.000623       | U         | 0.00100 | 0.000623 | mg/L |          | 02/18/22 17:51 | 1       |
| tert-Butylbenzene                    | <0.000195       | U         | 0.00100 | 0.000195 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,1,1,2-Tetrachloroethane            | <0.000327       | U         | 0.00100 | 0.000327 | mg/L |          | 02/18/22 17:51 | 1       |
| 1,1,2,2-Tetrachloroethane            | <0.000284       | U         | 0.00100 | 0.000284 | mg/L |          | 02/18/22 17:51 | 1       |
| <b>Tetrachloroethene</b>             | <b>0.00175</b>  |           | 0.00100 | 0.000500 | mg/L |          | 02/18/22 17:51 | 1       |
| <b>Toluene</b>                       | <b>0.00676</b>  |           | 0.00100 | 0.000500 | mg/L |          | 02/18/22 17:51 | 1       |
| trans-1,2-Dichloroethene             | <0.000256       | U         | 0.00100 | 0.000256 | mg/L |          | 02/18/22 17:51 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

Client Sample ID: Levey Well

Lab Sample ID: 880-11379-1

Date Collected: 02/16/22 09:30

Matrix: Water

Date Received: 02/16/22 15:51

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                   | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | <0.000752 | U         | 0.00500 | 0.000752 mg/L |   |          | 02/18/22 17:51 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 17:51 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 17:51 | 1       |
| 1,1,1-Trichloroethane     | <0.000504 | U         | 0.00500 | 0.000504 mg/L |   |          | 02/18/22 17:51 | 1       |
| 1,1,2-Trichloroethane     | <0.000228 | U         | 0.00100 | 0.000228 mg/L |   |          | 02/18/22 17:51 | 1       |
| Trichloroethene           | <0.000424 | U         | 0.00500 | 0.000424 mg/L |   |          | 02/18/22 17:51 | 1       |
| Trichlorofluoromethane    | <0.000245 | U         | 0.00100 | 0.000245 mg/L |   |          | 02/18/22 17:51 | 1       |
| 1,2,3-Trichloropropane    | <0.000283 | U         | 0.00100 | 0.000283 mg/L |   |          | 02/18/22 17:51 | 1       |
| 1,2,4-Trimethylbenzene    | 0.00924   |           | 0.00100 | 0.000252 mg/L |   |          | 02/18/22 17:51 | 1       |
| 1,3,5-Trimethylbenzene    | 0.00283   |           | 0.00100 | 0.000279 mg/L |   |          | 02/18/22 17:51 | 1       |
| Vinyl chloride            | <0.000234 | U         | 0.00200 | 0.000234 mg/L |   |          | 02/18/22 17:51 | 1       |
| Xylenes, Total            | 0.0163    |           | 0.0100  | 0.000330 mg/L |   |          | 02/18/22 17:51 | 1       |
| Total BTEX                | 0.0278    |           | 0.0100  | 0.000214 mg/L |   |          | 02/18/22 17:51 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 101       |           | 74 - 124 |          | 02/18/22 17:51 | 1       |
| Dibromofluoromethane (Surr)  | 105       |           | 75 - 131 |          | 02/18/22 17:51 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 108       |           | 63 - 144 |          | 02/18/22 17:51 | 1       |
| Toluene-d8 (Surr)            | 101       |           | 80 - 117 |          | 02/18/22 17:51 | 1       |

## Method: 300.0 - Anions, Ion Chromatography

| Analyte      | Result | Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-------------|---|----------|----------------|---------|
| Bromide      | 0.488  | J         | 0.500 | 0.0711 mg/L |   |          | 02/17/22 23:35 | 1       |
| Nitrate as N | 0.0551 | J         | 0.100 | 0.0391 mg/L |   |          | 02/17/22 23:35 | 1       |
| Chloride     | 217    |           | 0.500 | 0.200 mg/L  |   |          | 02/17/22 23:35 | 1       |
| Nitrite as N | 0.349  |           | 0.100 | 0.0293 mg/L |   |          | 02/17/22 23:35 | 1       |
| Fluoride     | 0.769  |           | 0.500 | 0.100 mg/L  |   |          | 02/17/22 23:35 | 1       |
| Sulfate      | 27.9   |           | 0.500 | 0.109 mg/L  |   |          | 02/17/22 23:35 | 1       |

## Method: 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

| Analyte   | Result | Qualifier | RL    | Unit        | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|-------|-------------|---|----------------|----------------|---------|
| Calcium   | 212    |           | 10.0  | 1.47 mg/L   |   | 02/18/22 09:00 | 02/19/22 17:38 | 50      |
| Magnesium | 46.2   |           | 0.200 | 0.0500 mg/L |   | 02/18/22 09:00 | 02/19/22 17:27 | 1       |
| Potassium | 3.76   |           | 0.500 | 0.107 mg/L  |   | 02/18/22 09:00 | 02/19/22 17:27 | 1       |
| Sodium    | 74.5   |           | 0.500 | 0.0667 mg/L |   | 02/18/22 09:00 | 02/19/22 17:27 | 1       |
| SiO2      | 70.8   |           | 1.07  | 0.0781 mg/L |   | 02/18/22 09:00 | 02/19/22 17:27 | 1       |

## General Chemistry

| Analyte                         | Result | Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|------|-----------|---|----------|----------------|---------|
| Anion/Cation Balance            | -6.59  |           |      | %         |   |          | 02/24/22 17:17 | 1       |
| Alkalinity                      | 555    |           | 4.00 | 4.00 mg/L |   |          | 02/18/22 12:08 | 1       |
| Bicarbonate Alkalinity as CaCO3 | 555    |           | 4.00 | 4.00 mg/L |   |          | 02/18/22 12:08 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/18/22 12:08 | 1       |
| Hydroxide Alkalinity            | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/18/22 12:08 | 1       |
| Phenolphthalein Alkalinity      | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/18/22 12:08 | 1       |
| Total Dissolved Solids          | 1070   |           | 10.0 | 10.0 mg/L |   |          | 02/18/22 08:12 | 1       |
| pH                              | 6.6    | HF        |      | SU        |   |          | 02/18/22 14:48 | 1       |
| Temperature                     | 18.8   | HF        |      | Celsius   |   |          | 02/18/22 14:48 | 1       |

Eurofins Midland



Surrogate Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

Method: 8260C - Volatile Organic Compounds by GC/MS  
Matrix: Water

Prep Type: Total/NA

|                                    |                        | Percent Surrogate Recovery (Acceptance Limits) |                  |                 |                 |
|------------------------------------|------------------------|------------------------------------------------|------------------|-----------------|-----------------|
| Lab Sample ID                      | Client Sample ID       | BFB<br>(74-124)                                | DBFM<br>(75-131) | DCA<br>(63-144) | TOL<br>(80-117) |
| 860-20877-H-2 MS                   | Matrix Spike           | 101                                            | 104              | 101             | 99              |
| 880-11379-1                        | Levey Well             | 101                                            | 105              | 108             | 101             |
| LCS 860-41984/3                    | Lab Control Sample     | 101                                            | 104              | 101             | 99              |
| LCSD 860-41984/4                   | Lab Control Sample Dup | 100                                            | 102              | 101             | 98              |
| MB 860-41984/10                    | Method Blank           | 103                                            | 103              | 104             | 101             |
| Surrogate Legend                   |                        |                                                |                  |                 |                 |
| BFB = 4-Bromofluorobenzene (Surr)  |                        |                                                |                  |                 |                 |
| DBFM = Dibromofluoromethane (Surr) |                        |                                                |                  |                 |                 |
| DCA = 1,2-Dichloroethane-d4 (Surr) |                        |                                                |                  |                 |                 |
| TOL = Toluene-d8 (Surr)            |                        |                                                |                  |                 |                 |

## QC Sample Results

Client: Ensolum

Job ID: 880-11379-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 860-41984/10

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 41984

| Analyte                       | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/18/22 10:40 | 1       |
| Bromobenzene                  | <0.000300 | U            | 0.00100 | 0.000300 mg/L |   |          | 02/18/22 10:40 | 1       |
| Bromochloromethane            | <0.000209 | U            | 0.00100 | 0.000209 mg/L |   |          | 02/18/22 10:40 | 1       |
| Bromodichloromethane          | <0.000231 | U            | 0.00100 | 0.000231 mg/L |   |          | 02/18/22 10:40 | 1       |
| Bromoform                     | <0.000630 | U            | 0.00500 | 0.000630 mg/L |   |          | 02/18/22 10:40 | 1       |
| Bromomethane                  | <0.00105  | U            | 0.00500 | 0.00105 mg/L  |   |          | 02/18/22 10:40 | 1       |
| 2-Butanone                    | <0.00270  | U            | 0.0500  | 0.00270 mg/L  |   |          | 02/18/22 10:40 | 1       |
| Carbon tetrachloride          | <0.000423 | U            | 0.00500 | 0.000423 mg/L |   |          | 02/18/22 10:40 | 1       |
| Chlorobenzene                 | <0.000159 | U            | 0.00100 | 0.000159 mg/L |   |          | 02/18/22 10:40 | 1       |
| Chloroethane                  | <0.000433 | U            | 0.0100  | 0.000433 mg/L |   |          | 02/18/22 10:40 | 1       |
| Chloroform                    | <0.000259 | U            | 0.00100 | 0.000259 mg/L |   |          | 02/18/22 10:40 | 1       |
| Chloromethane                 | <0.000318 | U            | 0.0100  | 0.000318 mg/L |   |          | 02/18/22 10:40 | 1       |
| 2-Chlorotoluene               | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/18/22 10:40 | 1       |
| 4-Chlorotoluene               | <0.000183 | U            | 0.00100 | 0.000183 mg/L |   |          | 02/18/22 10:40 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U            | 0.00100 | 0.000174 mg/L |   |          | 02/18/22 10:40 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U            | 0.00500 | 0.000690 mg/L |   |          | 02/18/22 10:40 | 1       |
| Dibromochloromethane          | <0.000739 | U            | 0.00500 | 0.000739 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U            | 0.00500 | 0.000319 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U            | 0.00500 | 0.000337 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,2-Dichlorobenzene           | <0.000236 | U            | 0.00100 | 0.000236 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U            | 0.00100 | 0.000197 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/18/22 10:40 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U            | 0.00100 | 0.000316 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U            | 0.00100 | 0.000244 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U            | 0.00100 | 0.000285 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U            | 0.00100 | 0.000216 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U            | 0.00500 | 0.000396 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U            | 0.00500 | 0.000439 mg/L |   |          | 02/18/22 10:40 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U            | 0.00500 | 0.000360 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U            | 0.00500 | 0.000481 mg/L |   |          | 02/18/22 10:40 | 1       |
| Ethylbenzene                  | <0.000515 | U            | 0.00100 | 0.000515 mg/L |   |          | 02/18/22 10:40 | 1       |
| Hexachlorobutadiene           | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 10:40 | 1       |
| Isopropylbenzene              | <0.000161 | U            | 0.00100 | 0.000161 mg/L |   |          | 02/18/22 10:40 | 1       |
| Methylene Chloride            | <0.00191  | U            | 0.00500 | 0.00191 mg/L  |   |          | 02/18/22 10:40 | 1       |
| m,p-Xylenes                   | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/18/22 10:40 | 1       |
| MTBE                          | <0.000571 | U            | 0.00500 | 0.000571 mg/L |   |          | 02/18/22 10:40 | 1       |
| Naphthalene                   | <0.00200  | U            | 0.0100  | 0.00200 mg/L  |   |          | 02/18/22 10:40 | 1       |
| n-Butylbenzene                | <0.000286 | U            | 0.00100 | 0.000286 mg/L |   |          | 02/18/22 10:40 | 1       |
| N-Propylbenzene               | <0.000179 | U            | 0.00100 | 0.000179 mg/L |   |          | 02/18/22 10:40 | 1       |
| o-Xylene                      | <0.000192 | U            | 0.00100 | 0.000192 mg/L |   |          | 02/18/22 10:40 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U            | 0.00100 | 0.000233 mg/L |   |          | 02/18/22 10:40 | 1       |
| sec-Butylbenzene              | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/18/22 10:40 | 1       |
| Styrene                       | <0.000623 | U            | 0.00100 | 0.000623 mg/L |   |          | 02/18/22 10:40 | 1       |
| tert-Butylbenzene             | <0.000195 | U            | 0.00100 | 0.000195 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U            | 0.00100 | 0.000327 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U            | 0.00100 | 0.000284 mg/L |   |          | 02/18/22 10:40 | 1       |
| Tetrachloroethene             | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/18/22 10:40 | 1       |
| Toluene                       | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/18/22 10:40 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11379-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 860-41984/10

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 41984

| Analyte                   | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| trans-1,2-Dichloroethene  | <0.000256 | U            | 0.00100 | 0.000256 mg/L |   |          | 02/18/22 10:40 | 1       |
| trans-1,3-Dichloropropene | <0.000752 | U            | 0.00500 | 0.000752 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 10:40 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 10:40 | 1       |
| 1,1,1-Trichloroethane     | <0.000504 | U            | 0.00500 | 0.000504 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,1,2-Trichloroethane     | <0.000228 | U            | 0.00100 | 0.000228 mg/L |   |          | 02/18/22 10:40 | 1       |
| Trichloroethene           | <0.000424 | U            | 0.00500 | 0.000424 mg/L |   |          | 02/18/22 10:40 | 1       |
| Trichlorofluoromethane    | <0.000245 | U            | 0.00100 | 0.000245 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,2,3-Trichloropropane    | <0.000283 | U            | 0.00100 | 0.000283 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,2,4-Trimethylbenzene    | <0.000252 | U            | 0.00100 | 0.000252 mg/L |   |          | 02/18/22 10:40 | 1       |
| 1,3,5-Trimethylbenzene    | <0.000279 | U            | 0.00100 | 0.000279 mg/L |   |          | 02/18/22 10:40 | 1       |
| Vinyl chloride            | <0.000234 | U            | 0.00200 | 0.000234 mg/L |   |          | 02/18/22 10:40 | 1       |
| Xylenes, Total            | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/18/22 10:40 | 1       |
| Total BTEX                | <0.000214 | U            | 0.0100  | 0.000214 mg/L |   |          | 02/18/22 10:40 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 103          |              | 74 - 124 |          | 02/18/22 10:40 | 1       |
| Dibromofluoromethane (Surr)  | 103          |              | 75 - 131 |          | 02/18/22 10:40 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 104          |              | 63 - 144 |          | 02/18/22 10:40 | 1       |
| Toluene-d8 (Surr)            | 101          |              | 80 - 117 |          | 02/18/22 10:40 | 1       |

Lab Sample ID: LCS 860-41984/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 41984

| Analyte                     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene                     | 0.0500      | 0.05299    |               | mg/L |   | 106  | 66 - 142     |
| Bromobenzene                | 0.0500      | 0.05135    |               | mg/L |   | 103  | 75 - 125     |
| Bromochloromethane          | 0.0500      | 0.05136    |               | mg/L |   | 103  | 60 - 140     |
| Bromodichloromethane        | 0.0500      | 0.05485    |               | mg/L |   | 110  | 75 - 125     |
| Bromoform                   | 0.0500      | 0.04857    |               | mg/L |   | 97   | 75 - 125     |
| Bromomethane                | 0.0500      | 0.05283    |               | mg/L |   | 106  | 60 - 140     |
| 2-Butanone                  | 0.250       | 0.2509     |               | mg/L |   | 100  | 60 - 140     |
| Carbon tetrachloride        | 0.0500      | 0.04631    |               | mg/L |   | 93   | 62 - 125     |
| Chlorobenzene               | 0.0500      | 0.05174    |               | mg/L |   | 103  | 60 - 133     |
| Chloroethane                | 0.0500      | 0.04746    |               | mg/L |   | 95   | 60 - 140     |
| Chloroform                  | 0.0500      | 0.05442    |               | mg/L |   | 109  | 70 - 130     |
| Chloromethane               | 0.0500      | 0.05755    |               | mg/L |   | 115  | 60 - 140     |
| 2-Chlorotoluene             | 0.0500      | 0.05279    |               | mg/L |   | 106  | 73 - 125     |
| 4-Chlorotoluene             | 0.0500      | 0.05359    |               | mg/L |   | 107  | 74 - 125     |
| cis-1,2-Dichloroethene      | 0.0500      | 0.05343    |               | mg/L |   | 107  | 75 - 125     |
| cis-1,3-Dichloropropene     | 0.0500      | 0.05130    |               | mg/L |   | 103  | 74 - 125     |
| Dibromochloromethane        | 0.0500      | 0.05024    |               | mg/L |   | 100  | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane | 0.0500      | 0.04693    |               | mg/L |   | 94   | 59 - 125     |
| 1,2-Dibromoethane           | 0.0500      | 0.04916    |               | mg/L |   | 98   | 73 - 125     |
| 1,2-Dichlorobenzene         | 0.0500      | 0.05113    |               | mg/L |   | 102  | 75 - 125     |
| 1,3-Dichlorobenzene         | 0.0500      | 0.05296    |               | mg/L |   | 106  | 75 - 125     |
| 1,4-Dichlorobenzene         | 0.0500      | 0.05249    |               | mg/L |   | 105  | 75 - 125     |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 860-41984/3

Matrix: Water

Analysis Batch: 41984

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| Dichlorodifluoromethane       | 0.0500      | 0.04152    |               | mg/L |   | 83   | 70 - 130     |
| 1,1-Dichloroethane            | 0.0500      | 0.05401    |               | mg/L |   | 108  | 72 - 125     |
| 1,2-Dichloroethane            | 0.0500      | 0.05138    |               | mg/L |   | 103  | 68 - 127     |
| 1,1-Dichloroethene            | 0.0500      | 0.04346    |               | mg/L |   | 87   | 59 - 172     |
| 1,2-Dichloropropane           | 0.0500      | 0.05241    |               | mg/L |   | 105  | 74 - 125     |
| 1,3-Dichloropropane           | 0.0500      | 0.04980    |               | mg/L |   | 100  | 75 - 125     |
| 2,2-Dichloropropane           | 0.0500      | 0.05440    |               | mg/L |   | 109  | 75 - 125     |
| 1,1-Dichloropropene           | 0.0500      | 0.05340    |               | mg/L |   | 107  | 75 - 125     |
| Ethylbenzene                  | 0.0500      | 0.05376    |               | mg/L |   | 108  | 75 - 125     |
| Hexachlorobutadiene           | 0.0500      | 0.05062    |               | mg/L |   | 101  | 75 - 125     |
| Isopropylbenzene              | 0.0500      | 0.05358    |               | mg/L |   | 107  | 75 - 125     |
| Methylene Chloride            | 0.0500      | 0.04387    |               | mg/L |   | 88   | 75 - 125     |
| m,p-Xylenes                   | 0.0500      | 0.05291    |               | mg/L |   | 106  | 75 - 125     |
| MTBE                          | 0.0500      | 0.05080    |               | mg/L |   | 102  | 65 - 135     |
| Naphthalene                   | 0.0500      | 0.04979    |               | mg/L |   | 100  | 70 - 130     |
| n-Butylbenzene                | 0.0500      | 0.05277    |               | mg/L |   | 106  | 75 - 125     |
| N-Propylbenzene               | 0.0500      | 0.05389    |               | mg/L |   | 108  | 75 - 125     |
| o-Xylene                      | 0.0500      | 0.05349    |               | mg/L |   | 107  | 75 - 125     |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.05328    |               | mg/L |   | 107  | 75 - 125     |
| sec-Butylbenzene              | 0.0500      | 0.05311    |               | mg/L |   | 106  | 75 - 125     |
| Styrene                       | 0.0500      | 0.04694    |               | mg/L |   | 94   | 75 - 125     |
| tert-Butylbenzene             | 0.0500      | 0.05209    |               | mg/L |   | 104  | 75 - 125     |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.04730    |               | mg/L |   | 95   | 72 - 125     |
| 1,1,2,2-Tetrachloroethane     | 0.0500      | 0.04853    |               | mg/L |   | 97   | 74 - 125     |
| Tetrachloroethene             | 0.0500      | 0.04588    |               | mg/L |   | 92   | 71 - 125     |
| Toluene                       | 0.0500      | 0.05399    |               | mg/L |   | 108  | 59 - 139     |
| trans-1,2-Dichloroethene      | 0.0500      | 0.04994    |               | mg/L |   | 100  | 75 - 125     |
| trans-1,3-Dichloropropene     | 0.0500      | 0.05248    |               | mg/L |   | 105  | 66 - 125     |
| 1,2,3-Trichlorobenzene        | 0.0500      | 0.05046    |               | mg/L |   | 101  | 75 - 137     |
| 1,2,4-Trichlorobenzene        | 0.0500      | 0.05105    |               | mg/L |   | 102  | 75 - 135     |
| 1,1,1-Trichloroethane         | 0.0500      | 0.05477    |               | mg/L |   | 110  | 75 - 125     |
| 1,1,2-Trichloroethane         | 0.0500      | 0.04935    |               | mg/L |   | 99   | 75 - 127     |
| Trichloroethene               | 0.0500      | 0.05054    |               | mg/L |   | 101  | 62 - 137     |
| Trichlorofluoromethane        | 0.0500      | 0.05306    |               | mg/L |   | 106  | 60 - 140     |
| 1,2,3-Trichloropropane        | 0.0500      | 0.04727    |               | mg/L |   | 95   | 75 - 125     |
| 1,2,4-Trimethylbenzene        | 0.0500      | 0.05372    |               | mg/L |   | 107  | 75 - 125     |
| 1,3,5-Trimethylbenzene        | 0.0500      | 0.05306    |               | mg/L |   | 106  | 60 - 140     |
| Vinyl chloride                | 0.0500      | 0.04797    |               | mg/L |   | 96   | 60 - 140     |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr)  | 101           |               | 74 - 124 |
| Dibromofluoromethane (Surr)  | 104           |               | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 101           |               | 63 - 144 |
| Toluene-d8 (Surr)            | 99            |               | 80 - 117 |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-41984/4

Matrix: Water

Analysis Batch: 41984

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                       | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|-------------------------------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
|                               |                |                |                   |      |   |      |                 |     |              |
| Benzene                       | 0.0500         | 0.05168        |                   | mg/L |   | 103  | 66 - 142        | 3   | 25           |
| Bromobenzene                  | 0.0500         | 0.05231        |                   | mg/L |   | 105  | 75 - 125        | 2   | 25           |
| Bromochloromethane            | 0.0500         | 0.05062        |                   | mg/L |   | 101  | 60 - 140        | 1   | 25           |
| Bromodichloromethane          | 0.0500         | 0.05412        |                   | mg/L |   | 108  | 75 - 125        | 1   | 25           |
| Bromoform                     | 0.0500         | 0.04837        |                   | mg/L |   | 97   | 75 - 125        | 0   | 25           |
| Bromomethane                  | 0.0500         | 0.04973        |                   | mg/L |   | 99   | 60 - 140        | 6   | 25           |
| 2-Butanone                    | 0.250          | 0.2516         |                   | mg/L |   | 101  | 60 - 140        | 0   | 25           |
| Carbon tetrachloride          | 0.0500         | 0.04381        |                   | mg/L |   | 88   | 62 - 125        | 6   | 25           |
| Chlorobenzene                 | 0.0500         | 0.05111        |                   | mg/L |   | 102  | 60 - 133        | 1   | 25           |
| Chloroethane                  | 0.0500         | 0.04545        |                   | mg/L |   | 91   | 60 - 140        | 4   | 25           |
| Chloroform                    | 0.0500         | 0.05324        |                   | mg/L |   | 106  | 70 - 130        | 2   | 25           |
| Chloromethane                 | 0.0500         | 0.05486        |                   | mg/L |   | 110  | 60 - 140        | 5   | 25           |
| 2-Chlorotoluene               | 0.0500         | 0.05233        |                   | mg/L |   | 105  | 73 - 125        | 1   | 25           |
| 4-Chlorotoluene               | 0.0500         | 0.05256        |                   | mg/L |   | 105  | 74 - 125        | 2   | 25           |
| cis-1,2-Dichloroethene        | 0.0500         | 0.05215        |                   | mg/L |   | 104  | 75 - 125        | 2   | 25           |
| cis-1,3-Dichloropropene       | 0.0500         | 0.05074        |                   | mg/L |   | 101  | 74 - 125        | 1   | 25           |
| Dibromochloromethane          | 0.0500         | 0.04997        |                   | mg/L |   | 100  | 73 - 125        | 1   | 25           |
| 1,2-Dibromo-3-Chloropropane   | 0.0500         | 0.05075        |                   | mg/L |   | 102  | 59 - 125        | 8   | 25           |
| 1,2-Dibromoethane             | 0.0500         | 0.04945        |                   | mg/L |   | 99   | 73 - 125        | 1   | 25           |
| 1,2-Dichlorobenzene           | 0.0500         | 0.05144        |                   | mg/L |   | 103  | 75 - 125        | 1   | 25           |
| 1,3-Dichlorobenzene           | 0.0500         | 0.05241        |                   | mg/L |   | 105  | 75 - 125        | 1   | 25           |
| 1,4-Dichlorobenzene           | 0.0500         | 0.05230        |                   | mg/L |   | 105  | 75 - 125        | 0   | 25           |
| Dichlorodifluoromethane       | 0.0500         | 0.03938        |                   | mg/L |   | 79   | 70 - 130        | 5   | 25           |
| 1,1-Dichloroethane            | 0.0500         | 0.05161        |                   | mg/L |   | 103  | 72 - 125        | 5   | 25           |
| 1,2-Dichloroethane            | 0.0500         | 0.05142        |                   | mg/L |   | 103  | 68 - 127        | 0   | 25           |
| 1,1-Dichloroethene            | 0.0500         | 0.04155        |                   | mg/L |   | 83   | 59 - 172        | 4   | 25           |
| 1,2-Dichloropropane           | 0.0500         | 0.05205        |                   | mg/L |   | 104  | 74 - 125        | 1   | 25           |
| 1,3-Dichloropropane           | 0.0500         | 0.04992        |                   | mg/L |   | 100  | 75 - 125        | 0   | 25           |
| 2,2-Dichloropropane           | 0.0500         | 0.05324        |                   | mg/L |   | 106  | 75 - 125        | 2   | 25           |
| 1,1-Dichloropropene           | 0.0500         | 0.05096        |                   | mg/L |   | 102  | 75 - 125        | 5   | 25           |
| Ethylbenzene                  | 0.0500         | 0.05218        |                   | mg/L |   | 104  | 75 - 125        | 3   | 25           |
| Hexachlorobutadiene           | 0.0500         | 0.05107        |                   | mg/L |   | 102  | 75 - 125        | 1   | 25           |
| Isopropylbenzene              | 0.0500         | 0.05283        |                   | mg/L |   | 106  | 75 - 125        | 1   | 25           |
| Methylene Chloride            | 0.0500         | 0.04284        |                   | mg/L |   | 86   | 75 - 125        | 2   | 25           |
| m,p-Xylenes                   | 0.0500         | 0.05234        |                   | mg/L |   | 105  | 75 - 125        | 1   | 25           |
| MTBE                          | 0.0500         | 0.04935        |                   | mg/L |   | 99   | 65 - 135        | 3   | 25           |
| Naphthalene                   | 0.0500         | 0.05587        |                   | mg/L |   | 112  | 70 - 130        | 11  | 25           |
| n-Butylbenzene                | 0.0500         | 0.05239        |                   | mg/L |   | 105  | 75 - 125        | 1   | 25           |
| N-Propylbenzene               | 0.0500         | 0.05363        |                   | mg/L |   | 107  | 75 - 125        | 0   | 25           |
| o-Xylene                      | 0.0500         | 0.05215        |                   | mg/L |   | 104  | 75 - 125        | 3   | 25           |
| p-Cymene (p-Isopropyltoluene) | 0.0500         | 0.05277        |                   | mg/L |   | 106  | 75 - 125        | 1   | 25           |
| sec-Butylbenzene              | 0.0500         | 0.05244        |                   | mg/L |   | 105  | 75 - 125        | 1   | 25           |
| Styrene                       | 0.0500         | 0.04627        |                   | mg/L |   | 93   | 75 - 125        | 1   | 25           |
| tert-Butylbenzene             | 0.0500         | 0.05162        |                   | mg/L |   | 103  | 75 - 125        | 1   | 25           |
| 1,1,1,2-Tetrachloroethane     | 0.0500         | 0.04687        |                   | mg/L |   | 94   | 72 - 125        | 1   | 25           |
| 1,1,2,2-Tetrachloroethane     | 0.0500         | 0.05095        |                   | mg/L |   | 102  | 74 - 125        | 5   | 25           |
| Tetrachloroethene             | 0.0500         | 0.04448        |                   | mg/L |   | 89   | 71 - 125        | 3   | 25           |
| Toluene                       | 0.0500         | 0.05213        |                   | mg/L |   | 104  | 59 - 139        | 4   | 25           |

Eurofins Midland



## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-41984/4

Matrix: Water

Analysis Batch: 41984

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                   | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| trans-1,2-Dichloroethene  | 0.0500      | 0.04770     |                | mg/L |   | 95   | 75 - 125     | 5   | 25        |
| trans-1,3-Dichloropropene | 0.0500      | 0.05324     |                | mg/L |   | 106  | 66 - 125     | 1   | 25        |
| 1,2,3-Trichlorobenzene    | 0.0500      | 0.05454     |                | mg/L |   | 109  | 75 - 137     | 8   | 25        |
| 1,2,4-Trichlorobenzene    | 0.0500      | 0.05414     |                | mg/L |   | 108  | 75 - 135     | 6   | 25        |
| 1,1,1-Trichloroethane     | 0.0500      | 0.05339     |                | mg/L |   | 107  | 75 - 125     | 3   | 25        |
| 1,1,2-Trichloroethane     | 0.0500      | 0.05030     |                | mg/L |   | 101  | 75 - 127     | 2   | 25        |
| Trichloroethene           | 0.0500      | 0.04945     |                | mg/L |   | 99   | 62 - 137     | 2   | 25        |
| Trichlorofluoromethane    | 0.0500      | 0.04958     |                | mg/L |   | 99   | 60 - 140     | 7   | 25        |
| 1,2,3-Trichloropropane    | 0.0500      | 0.05408     |                | mg/L |   | 108  | 75 - 125     | 13  | 25        |
| 1,2,4-Trimethylbenzene    | 0.0500      | 0.05302     |                | mg/L |   | 106  | 75 - 125     | 1   | 25        |
| 1,3,5-Trimethylbenzene    | 0.0500      | 0.05321     |                | mg/L |   | 106  | 60 - 140     | 0   | 25        |
| Vinyl chloride            | 0.0500      | 0.04440     |                | mg/L |   | 89   | 60 - 140     | 8   | 25        |

| Surrogate                    | LCSD %Recovery | LCSD Qualifier | Limits   |
|------------------------------|----------------|----------------|----------|
| 4-Bromofluorobenzene (Surr)  | 100            |                | 74 - 124 |
| Dibromofluoromethane (Surr)  | 102            |                | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 101            |                | 63 - 144 |
| Toluene-d8 (Surr)            | 98             |                | 80 - 117 |

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 860-41809/67

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB Result | MB Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-------|-------------|---|----------|----------------|---------|
| Bromide  | <0.0711   | U            | 0.500 | 0.0711 mg/L |   |          | 02/17/22 23:00 | 1       |
| Chloride | <0.200    | U            | 0.500 | 0.200 mg/L  |   |          | 02/17/22 23:00 | 1       |
| Fluoride | <0.100    | U            | 0.500 | 0.100 mg/L  |   |          | 02/17/22 23:00 | 1       |
| Sulfate  | <0.109    | U            | 0.500 | 0.109 mg/L  |   |          | 02/17/22 23:00 | 1       |

Lab Sample ID: LCS 860-41809/68

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Bromide  | 10.0        | 9.113      |               | mg/L |   | 91   | 90 - 110     |
| Chloride | 10.0        | 9.332      |               | mg/L |   | 93   | 90 - 110     |
| Fluoride | 10.0        | 9.962      |               | mg/L |   | 100  | 90 - 110     |
| Sulfate  | 10.0        | 9.258      |               | mg/L |   | 93   | 90 - 110     |

Lab Sample ID: LCSD 860-41809/69

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Bromide  | 10.0        | 9.531       |                | mg/L |   | 95   | 90 - 110     | 4   | 20        |
| Chloride | 10.0        | 9.707       |                | mg/L |   | 97   | 90 - 110     | 4   | 20        |
| Fluoride | 10.0        | 10.24       |                | mg/L |   | 102  | 90 - 110     | 3   | 20        |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11379-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 860-41809/69

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Sulfate | 10.0        | 9.628       |                | mg/L |   | 96   | 90 - 110     | 4   | 20        |

Lab Sample ID: 880-11379-1 MS

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Levey Well

Prep Type: Total/NA

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|-----|-----------|
| Bromide  | 0.488         | J                | 10.0        | 9.982     |              | mg/L |   | 95   | 90 - 110     |     |           |
| Chloride | 217           |                  | 10.0        | 221.9     | 4            | mg/L |   | 51   | 90 - 110     |     |           |
| Fluoride | 0.769         |                  | 10.0        | 11.32     |              | mg/L |   | 106  | 90 - 110     |     |           |
| Sulfate  | 27.9          |                  | 10.0        | 37.10     |              | mg/L |   | 92   | 90 - 110     |     |           |

Lab Sample ID: 880-11379-1 MSD

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Levey Well

Prep Type: Total/NA

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Bromide  | 0.488         | J                | 10.0        | 9.969      |               | mg/L |   | 95   | 90 - 110     | 0   | 20        |
| Chloride | 217           |                  | 10.0        | 222.3      | 4             | mg/L |   | 55   | 90 - 110     | 0   | 20        |
| Fluoride | 0.769         |                  | 10.0        | 11.36      |               | mg/L |   | 106  | 90 - 110     | 0   | 20        |
| Sulfate  | 27.9          |                  | 10.0        | 37.24      |               | mg/L |   | 94   | 90 - 110     | 0   | 20        |

Lab Sample ID: MB 860-41810/67

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte      | MB Result | MB Qualifier | RL    | Unit   | D    | Prepared | Analyzed       | Dil Fac |
|--------------|-----------|--------------|-------|--------|------|----------|----------------|---------|
| Nitrate as N | <0.0391   | U            | 0.100 | 0.0391 | mg/L |          | 02/17/22 23:00 | 1       |
| Nitrite as N | <0.0293   | U            | 0.100 | 0.0293 | mg/L |          | 02/17/22 23:00 | 1       |

Lab Sample ID: LCS 860-41810/68

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte      | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Nitrate as N | 10.0        | 9.367      |               | mg/L |   | 94   | 80 - 120     |     |           |
| Nitrite as N | 5.00        | 4.713      |               | mg/L |   | 94   | 80 - 120     |     |           |

Lab Sample ID: LCSD 860-41810/69

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte      | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Nitrate as N | 10.0        | 9.743       |                | mg/L |   | 97   | 80 - 120     | 4   | 20        |
| Nitrite as N | 5.00        | 4.769       |                | mg/L |   | 95   | 80 - 120     | 1   | 20        |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-11379-1 MS

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Levey Well

Prep Type: Total/NA

| Analyte      | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Nitrate as N | 0.0551        | J                | 10.0        | 9.449     |              | mg/L |   |      |              |

Lab Sample ID: 880-11379-1 MSD

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Levey Well

Prep Type: Total/NA

| Analyte      | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Nitrate as N | 0.0551        | J                | 10.0        | 9.493      |               | mg/L |   |      |              | 0   | 15        |

Lab Sample ID: MB 860-42358/3

Matrix: Water

Analysis Batch: 42358

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB Result | MB Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-------|-------------|---|----------|----------------|---------|
| Bromide  | <0.0711   | U            | 0.500 | 0.0711 mg/L |   |          | 02/22/22 11:48 | 1       |
| Chloride | <0.200    | U            | 0.500 | 0.200 mg/L  |   |          | 02/22/22 11:48 | 1       |
| Fluoride | <0.100    | U            | 0.500 | 0.100 mg/L  |   |          | 02/22/22 11:48 | 1       |
| Sulfate  | <0.109    | U            | 0.500 | 0.109 mg/L  |   |          | 02/22/22 11:48 | 1       |

Lab Sample ID: LCS 860-42358/4

Matrix: Water

Analysis Batch: 42358

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Bromide  | 10.0        | 10.70      |               | mg/L |   | 107  | 90 - 110     |
| Chloride | 10.0        | 10.73      |               | mg/L |   | 107  | 90 - 110     |
| Fluoride | 10.0        | 10.88      |               | mg/L |   | 109  | 90 - 110     |
| Sulfate  | 10.0        | 10.69      |               | mg/L |   | 107  | 90 - 110     |

Lab Sample ID: LCSD 860-42358/5

Matrix: Water

Analysis Batch: 42358

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Bromide  | 10.0        | 10.74       |                | mg/L |   | 107  | 90 - 110     | 0   | 20        |
| Chloride | 10.0        | 10.64       |                | mg/L |   | 106  | 90 - 110     | 1   | 20        |
| Fluoride | 10.0        | 10.93       |                | mg/L |   | 109  | 90 - 110     | 0   | 20        |
| Sulfate  | 10.0        | 10.72       |                | mg/L |   | 107  | 90 - 110     | 0   | 20        |

## Method: 200.7 Rev 4.4 - Metals (ICP)

Lab Sample ID: MB 860-41996/1-A

Matrix: Water

Analysis Batch: 42164

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 41996

| Analyte   | MB Result | MB Qualifier | RL    | Unit        | D | Prepared       | Analyzed       | Dil Fac |
|-----------|-----------|--------------|-------|-------------|---|----------------|----------------|---------|
| Calcium   | <0.0293   | U            | 0.200 | 0.0293 mg/L |   | 02/18/22 09:00 | 02/19/22 16:24 | 1       |
| Magnesium | <0.0500   | U            | 0.200 | 0.0500 mg/L |   | 02/18/22 09:00 | 02/19/22 16:24 | 1       |
| Potassium | <0.107    | U            | 0.500 | 0.107 mg/L  |   | 02/18/22 09:00 | 02/19/22 16:24 | 1       |
| Sodium    | <0.0667   | U            | 0.500 | 0.0667 mg/L |   | 02/18/22 09:00 | 02/19/22 16:24 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

## Method: 200.7 Rev 4.4 - Metals (ICP) (Continued)

Lab Sample ID: MB 860-41996/1-A

Matrix: Water

Analysis Batch: 42164

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 41996

| Analyte | MB<br>Result | MB<br>Qualifier | RL   | Unit        | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------------|-----------------|------|-------------|---|----------------|----------------|---------|
| SiO2    | <0.0781      | U               | 1.07 | 0.0781 mg/L |   | 02/18/22 09:00 | 02/19/22 16:24 | 1       |

Lab Sample ID: LCS 860-41996/2-A

Matrix: Water

Analysis Batch: 42164

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 41996

| Analyte   | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|-----------|----------------|---------------|------------------|------|---|------|-----------------|
| Calcium   | 25.0           | 24.48         |                  | mg/L |   | 98   | 85 - 115        |
| Magnesium | 25.0           | 24.33         |                  | mg/L |   | 97   | 85 - 115        |
| Potassium | 10.0           | 9.854         |                  | mg/L |   | 99   | 85 - 115        |
| Sodium    | 25.0           | 24.08         |                  | mg/L |   | 96   | 85 - 115        |
| SiO2      | 21.4           | 20.98         |                  | mg/L |   | 98   | 85 - 115        |

Lab Sample ID: LCSD 860-41996/3-A

Matrix: Water

Analysis Batch: 42164

Client Sample ID: Lab Control Sample Dup

Prep Type: Total Recoverable

Prep Batch: 41996

| Analyte   | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|-----------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
| Calcium   | 25.0           | 24.37          |                   | mg/L |   | 97   | 85 - 115        | 0   | 20           |
| Magnesium | 25.0           | 24.23          |                   | mg/L |   | 97   | 85 - 115        | 0   | 20           |
| Potassium | 10.0           | 9.824          |                   | mg/L |   | 98   | 85 - 115        | 0   | 20           |
| Sodium    | 25.0           | 24.06          |                   | mg/L |   | 96   | 85 - 115        | 0   | 20           |
| SiO2      | 21.4           | 21.15          |                   | mg/L |   | 99   | 85 - 115        | 1   | 20           |

## Method: SM 2320B - Alkalinity

Lab Sample ID: MB 860-42087/3

Matrix: Water

Analysis Batch: 42087

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                         | MB<br>Result | MB<br>Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------------|-----------------|------|-----------|---|----------|----------------|---------|
| Alkalinity                      | <4.00        | U               | 4.00 | 4.00 mg/L |   |          | 02/18/22 11:21 | 1       |
| Bicarbonate Alkalinity as CaCO3 | <4.00        | U               | 4.00 | 4.00 mg/L |   |          | 02/18/22 11:21 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00        | U               | 4.00 | 4.00 mg/L |   |          | 02/18/22 11:21 | 1       |
| Hydroxide Alkalinity            | <4.00        | U               | 4.00 | 4.00 mg/L |   |          | 02/18/22 11:21 | 1       |
| Phenolphthalein Alkalinity      | <4.00        | U               | 4.00 | 4.00 mg/L |   |          | 02/18/22 11:21 | 1       |

Lab Sample ID: LCS 860-42087/4

Matrix: Water

Analysis Batch: 42087

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte    | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|------------|----------------|---------------|------------------|------|---|------|-----------------|
| Alkalinity | 250            | 265.7         |                  | mg/L |   | 106  | 85 - 115        |

Lab Sample ID: LCSD 860-42087/5

Matrix: Water

Analysis Batch: 42087

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte    | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|------------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
| Alkalinity | 250            | 268.5          |                   | mg/L |   | 107  | 85 - 115        | 1   | 20           |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

## Method: SM 2320B - Alkalinity (Continued)

Lab Sample ID: MB 860-42248/4

Matrix: Water

Analysis Batch: 42248

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                                     | MB Result | MB Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------------|-----------|--------------|------|------|---|----------|----------------|---------|
| Alkalinity                                  | <4.00     | U            | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |
| Bicarbonate Alkalinity as CaCO <sub>3</sub> | <4.00     | U            | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |
| Carbonate Alkalinity as CaCO <sub>3</sub>   | <4.00     | U            | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |
| Hydroxide Alkalinity                        | <4.00     | U            | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |
| Phenolphthalein Alkalinity                  | <4.00     | U            | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |

Lab Sample ID: LCS 860-42248/5

Matrix: Water

Analysis Batch: 42248

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte    | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|-------------|------------|---------------|------|---|------|--------------|
| Alkalinity | 250         | 265.7      |               | mg/L |   | 106  | 85 - 115     |

Lab Sample ID: LCSD 860-42248/6

Matrix: Water

Analysis Batch: 42248

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte    | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Alkalinity | 250         | 268.5       |                | mg/L |   | 107  | 85 - 115     | 1   | 20        |

## Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 860-41992/1

Matrix: Water

Analysis Batch: 41992

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                | MB Result | MB Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------|-----------|--------------|------|------|---|----------|----------------|---------|
| Total Dissolved Solids | <5.00     | U            | 5.00 | mg/L |   |          | 02/18/22 08:12 | 1       |

Lab Sample ID: LCS 860-41992/2

Matrix: Water

Analysis Batch: 41992

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------|-------------|------------|---------------|------|---|------|--------------|
| Total Dissolved Solids | 1000        | 1104       |               | mg/L |   | 110  | 80 - 120     |

Lab Sample ID: LCSD 860-41992/3

Matrix: Water

Analysis Batch: 41992

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Total Dissolved Solids | 1000        | 1080        |                | mg/L |   | 108  | 80 - 120     | 2   | 10        |



QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

Method: SM 4500 H+ B - pH

Lab Sample ID: 880-11379-1 DU  
Matrix: Water  
Analysis Batch: 42091

Client Sample ID: Levey Well  
Prep Type: Total/NA

| Analyte     | Sample | Sample    | DU     |           | Unit    | D | RPD | Limit |
|-------------|--------|-----------|--------|-----------|---------|---|-----|-------|
|             | Result | Qualifier | Result | Qualifier |         |   |     |       |
| pH          | 6.6    | HF        | 6.6    |           | SU      |   | 0   | 20    |
| Temperature | 18.8   | HF        | 18.3   |           | Celsius |   | 3   | 20    |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## QC Association Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

## GC/MS VOA

## Analysis Batch: 41984

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11379-1      | Levey Well             | Total/NA  | Water  | 8260C  |            |
| MB 860-41984/10  | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-41984/3  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-41984/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |

## HPLC/IC

## Analysis Batch: 41809

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 880-11379-1       | Levey Well             | Total/NA  | Water  | 300.0  |            |
| MB 860-41809/67   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-41809/68  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-41809/69 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |
| 880-11379-1 MS    | Levey Well             | Total/NA  | Water  | 300.0  |            |
| 880-11379-1 MSD   | Levey Well             | Total/NA  | Water  | 300.0  |            |

## Analysis Batch: 41810

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 880-11379-1       | Levey Well             | Total/NA  | Water  | 300.0  |            |
| MB 860-41810/67   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-41810/68  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-41810/69 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |
| 880-11379-1 MS    | Levey Well             | Total/NA  | Water  | 300.0  |            |
| 880-11379-1 MSD   | Levey Well             | Total/NA  | Water  | 300.0  |            |

## Analysis Batch: 42358

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| MB 860-42358/3   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-42358/4  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-42358/5 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

## Metals

## Prep Batch: 41996

| Lab Sample ID      | Client Sample ID       | Prep Type         | Matrix | Method | Prep Batch |
|--------------------|------------------------|-------------------|--------|--------|------------|
| 880-11379-1        | Levey Well             | Total Recoverable | Water  | 200.7  |            |
| MB 860-41996/1-A   | Method Blank           | Total Recoverable | Water  | 200.7  |            |
| LCS 860-41996/2-A  | Lab Control Sample     | Total Recoverable | Water  | 200.7  |            |
| LCSD 860-41996/3-A | Lab Control Sample Dup | Total Recoverable | Water  | 200.7  |            |

## Analysis Batch: 42164

| Lab Sample ID      | Client Sample ID       | Prep Type         | Matrix | Method        | Prep Batch |
|--------------------|------------------------|-------------------|--------|---------------|------------|
| 880-11379-1        | Levey Well             | Total Recoverable | Water  | 200.7 Rev 4.4 | 41996      |
| 880-11379-1        | Levey Well             | Total Recoverable | Water  | 200.7 Rev 4.4 | 41996      |
| MB 860-41996/1-A   | Method Blank           | Total Recoverable | Water  | 200.7 Rev 4.4 | 41996      |
| LCS 860-41996/2-A  | Lab Control Sample     | Total Recoverable | Water  | 200.7 Rev 4.4 | 41996      |
| LCSD 860-41996/3-A | Lab Control Sample Dup | Total Recoverable | Water  | 200.7 Rev 4.4 | 41996      |

Eurofins Midland

QC Association Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

General Chemistry

Analysis Batch: 41992

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11379-1      | Levey Well             | Total/NA  | Water  | SM 2540C |            |
| MB 860-41992/1   | Method Blank           | Total/NA  | Water  | SM 2540C |            |
| LCS 860-41992/2  | Lab Control Sample     | Total/NA  | Water  | SM 2540C |            |
| LCSD 860-41992/3 | Lab Control Sample Dup | Total/NA  | Water  | SM 2540C |            |

Analysis Batch: 42087

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11379-1      | Levey Well             | Total/NA  | Water  | SM 2320B |            |
| MB 860-42087/3   | Method Blank           | Total/NA  | Water  | SM 2320B |            |
| LCS 860-42087/4  | Lab Control Sample     | Total/NA  | Water  | SM 2320B |            |
| LCSD 860-42087/5 | Lab Control Sample Dup | Total/NA  | Water  | SM 2320B |            |

Analysis Batch: 42091

| Lab Sample ID  | Client Sample ID | Prep Type | Matrix | Method       | Prep Batch |
|----------------|------------------|-----------|--------|--------------|------------|
| 880-11379-1    | Levey Well       | Total/NA  | Water  | SM 4500 H+ B |            |
| 880-11379-1 DU | Levey Well       | Total/NA  | Water  | SM 4500 H+ B |            |

Analysis Batch: 42248

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| MB 860-42248/4   | Method Blank           | Total/NA  | Water  | SM 2320B |            |
| LCS 860-42248/5  | Lab Control Sample     | Total/NA  | Water  | SM 2320B |            |
| LCSD 860-42248/6 | Lab Control Sample Dup | Total/NA  | Water  | SM 2320B |            |

Analysis Batch: 42844

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|---------------|------------------|-----------|--------|----------|------------|
| 880-11379-1   | Levey Well       | Total/NA  | Water  | SM 1030E |            |

Lab Chronicle

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

Client Sample ID: Levey Well

Lab Sample ID: 880-11379-1

Date Collected: 02/16/22 09:30

Matrix: Water

Date Received: 02/16/22 15:51

| Prep Type         | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-------------------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA          | Analysis   | 8260C         |     | 1               | 41984        | 02/18/22 17:51       | NA      | XEN STF |
| Total/NA          | Analysis   | 300.0         |     | 1               | 41809        | 02/17/22 23:35       | WP      | XEN STF |
| Total/NA          | Analysis   | 300.0         |     | 1               | 41810        | 02/17/22 23:35       | WP      | XEN STF |
| Total Recoverable | Prep       | 200.7         |     |                 | 41996        | 02/18/22 09:00       | MD      | XEN STF |
| Total Recoverable | Analysis   | 200.7 Rev 4.4 |     | 1               | 42164        | 02/19/22 17:27       | AV      | XEN STF |
| Total Recoverable | Prep       | 200.7         |     |                 | 41996        | 02/18/22 09:00       | MD      | XEN STF |
| Total Recoverable | Analysis   | 200.7 Rev 4.4 |     | 50              | 42164        | 02/19/22 17:38       | AV      | XEN STF |
| Total/NA          | Analysis   | SM 1030E      |     | 1               | 42844        | 02/24/22 17:17       | AA      | XEN STF |
| Total/NA          | Analysis   | SM 2320B      |     | 1               | 42087        | 02/18/22 12:08       | TL      | XEN STF |
| Total/NA          | Analysis   | SM 2540C      |     | 1               | 41992        | 02/18/22 08:12       | ADL     | XEN STF |
| Total/NA          | Analysis   | SM 4500 H+ B  |     | 1               | 42091        | 02/18/22 14:48       | TL      | XEN STF |

Laboratory References:  
XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas     | NELAP   | T104704215-21-44      | 06-30-22        |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte                         |
|-----------------|-------------|--------|---------------------------------|
| 200.7 Rev 4.4   | 200.7       | Water  | SiO2                            |
| 8260C           |             | Water  | Total BTEX                      |
| SM 1030E        |             | Water  | Anion/Cation Balance            |
| SM 2320B        |             | Water  | Bicarbonate Alkalinity as CaCO3 |
| SM 2320B        |             | Water  | Carbonate Alkalinity as CaCO3   |
| SM 2320B        |             | Water  | Hydroxide Alkalinity            |
| SM 2320B        |             | Water  | Phenolphthalein Alkalinity      |
| SM 4500 H+ B    |             | Water  | Temperature                     |



Method Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

| Method        | Method Description                    | Protocol | Laboratory |
|---------------|---------------------------------------|----------|------------|
| 8260C         | Volatile Organic Compounds by GC/MS   | SW846    | XEN STF    |
| 300.0         | Anions, Ion Chromatography            | MCAWW    | XEN STF    |
| 200.7 Rev 4.4 | Metals (ICP)                          | EPA      | XEN STF    |
| SM 1030E      | Cation Anion Balance                  | SM       | XEN STF    |
| SM 2320B      | Alkalinity                            | SM       | XEN STF    |
| SM 2540C      | Solids, Total Dissolved (TDS)         | SM       | XEN STF    |
| SM 4500 H+ B  | pH                                    | SM       | XEN STF    |
| 200.7         | Preparation, Total Recoverable Metals | EPA      | XEN STF    |
| 5030C         | Purge and Trap                        | SW846    | XEN STF    |

**Protocol References:**  
EPA = US Environmental Protection Agency  
MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.  
SM = "Standard Methods For The Examination Of Water And Wastewater"  
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**  
XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11379-1  
SDG: Hobbs NM

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 880-11379-1   | Levey Well       | Water  | 02/16/22 09:30 | 02/16/22 15:51 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Houston, TX (281) 240-4420 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432) 704-5440 EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296  
Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 889-3927  
Hobbs, NM (575) 392-7550

3-620-2000) [www.xenco.com](http://www.xenco.com) Page 1 of 1

www.xenco.com Page \_\_\_\_ of \_\_\_\_

| Work Order Comments |                                    |                                      |                                                                            |
|---------------------|------------------------------------|--------------------------------------|----------------------------------------------------------------------------|
| Program: UST/PST    | <input type="checkbox"/> PRP       | <input type="checkbox"/> Brownfields | <input type="checkbox"/> RRC <input checked="" type="checkbox"/> Superfund |
| State of Project:   | New Mexico                         |                                      |                                                                            |
| Reporting: Level II | <input type="checkbox"/> Level III | <input type="checkbox"/> PST/UST     | <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV            |
| Deliverables: EDD   | <input type="checkbox"/> ADAPT     | <input type="checkbox"/>             | Other:                                                                     |

[illegible][illegible]

| Total                                        | 200.7 / 6010 | 200.8 / 6020: | 8RCRA             | 13PPM | Texas | 11 | Al | Sb | As | Ba | Be | B                                                                                                                                                                                                                                                                 | Cd | Ca | Cr | Co | Cu | Fe                                                                                                                                                                                       | Pb | Mg | Mn | Mo | Ni | K | Se | Ag                  | SiO <sub>2</sub> | Na | Sr | Ti | Sn | U | V | Zn |
|----------------------------------------------|--------------|---------------|-------------------|-------|-------|----|----|----|----|----|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----|----|----|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----|----|----|----|---|----|---------------------|------------------|----|----|----|----|---|---|----|
| Circle Method(s) and Metal(s) to be analyzed |              |               | TCLP / SPLP 6010: | 8RCRA | Sb    | As | Ba | Be | B  | Cd | Cr | Co <td>Cu</td> <td>Pb</td> <td>Mn</td> <td>Mo</td> <td>Ni</td> <td>Se <td>Ag</td> <td>Ti</td> <td>U</td> <td></td> <td></td> <td></td> <td></td> <td>1631 / 245.1 / 7470</td> <td>17471</td> <td>:</td> <td>Hg</td> <td></td> <td></td> <td></td> <td></td> </td> | Cu | Pb | Mn | Mo | Ni | Se <td>Ag</td> <td>Ti</td> <td>U</td> <td></td> <td></td> <td></td> <td></td> <td>1631 / 245.1 / 7470</td> <td>17471</td> <td>:</td> <td>Hg</td> <td></td> <td></td> <td></td> <td></td> | Ag | Ti | U  |    |    |   |    | 1631 / 245.1 / 7470 | 17471            | :  | Hg |    |    |   |   |    |

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xencio, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xencio will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xencio. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xencio, but not analyzed. These terms will be enforced unless previously negotiated.

| Relinquished by: (Signature)                                                      | Received by: (Signature)                                                          | Date/Time     | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------|------------------------------|--------------------------|-----------|
|  |  | 2/16/22 15:51 |                              |                          |           |
|                                                                                   |                                                                                   |               |                              |                          |           |
|                                                                                   |                                                                                   |               |                              |                          |           |
|                                                                                   |                                                                                   |               |                              |                          |           |
|                                                                                   |                                                                                   |               |                              |                          |           |

**Eurofins Midland**  
1211 W Florida Ave  
Midland TX 79701  
Phone: 432-704-5440

## Chain of Custody Record



**Environment: Testing America**

| Client Information (Sub Contract Lab)                      |                               |                                    |                                                                             |                                   |                                   |
|------------------------------------------------------------|-------------------------------|------------------------------------|-----------------------------------------------------------------------------|-----------------------------------|-----------------------------------|
| Sampler                                                    | Lab P/N                       | Kramer Jessica                     | Carrier Tracking No(s)                                                      | COC No:                           | 880-3820.1                        |
| Phone:                                                     | E-Mail                        | jessica.kramer@eurofinset.com      | State of Origin:                                                            | Page:                             | Page 1 of 1                       |
| Company: Eurofins Environment Testing South Centr          |                               |                                    | Accreditations Required (See note):                                         | Job #:                            | 880-11379-1                       |
| Address:                                                   |                               |                                    | Preservation Codes:                                                         |                                   |                                   |
| City:                                                      | Stafford                      | TX, 77477                          | A HCL                                                                       | M Hexane                          |                                   |
| Phone:                                                     | 281-240-4200(Tel)             |                                    | B NaOH                                                                      | N None                            |                                   |
| Email:                                                     |                               |                                    | C Zn Acetate                                                                | O AsNaO2                          |                                   |
| Project Name:                                              | Levey Well Hobb NM 03B1417001 |                                    | D Nitric Acid                                                               | P Na2O4S                          |                                   |
| Site:                                                      |                               |                                    | E NaHSO4                                                                    | Q Na2SO3                          |                                   |
|                                                            |                               |                                    | F MeOH                                                                      | R Na2S2O3                         |                                   |
|                                                            |                               |                                    | G Amchlor                                                                   | S K2SO4                           |                                   |
|                                                            |                               |                                    | H Ascorbic Acid                                                             | T TSP Dodecahydrate               |                                   |
|                                                            |                               |                                    | I Ice                                                                       | U Acetone                         |                                   |
|                                                            |                               |                                    | J DI Water                                                                  | V MCAA                            |                                   |
|                                                            |                               |                                    | K EDTA                                                                      | W pH 4-5                          |                                   |
|                                                            |                               |                                    | L EDA                                                                       | Z other (specify)                 |                                   |
|                                                            |                               |                                    | Other:                                                                      |                                   |                                   |
| Analysis Requested                                         |                               |                                    |                                                                             |                                   |                                   |
| Sample Date                                                | Sample Time                   | Sample Type<br>(C=comp,<br>G=grab) | Matrix<br>(Newer,<br>Special,<br>Over-sat)<br><small>BTX+TSSIN, A+B</small> | Field Filtrate Sample (Yes or No) | Form MS/MSD (Yes or No)           |
| 2/16/22                                                    | 09:30 Mountain                | Water                              |                                                                             | X                                 | 20.7/200.7_P_TR (MOD) Custom List |
|                                                            |                               |                                    |                                                                             | X                                 | 626C/603C (MOD) Full List VOCs    |
|                                                            |                               |                                    |                                                                             | X                                 | 300_ORGF_M_28D/Br Cl_F_S04        |
|                                                            |                               |                                    |                                                                             | X                                 | 300_ORGF_MSI_NO2_NO3              |
|                                                            |                               |                                    |                                                                             | X                                 | SM4500_H+I_pH                     |
|                                                            |                               |                                    |                                                                             | X                                 | 2540C_Calc'd TDS                  |
|                                                            |                               |                                    |                                                                             | X                                 | 2320B_Alkalinity                  |
|                                                            |                               |                                    |                                                                             | X                                 | Cellon_Antion (MOD) Copy Analyses |
| Total Number of containers                                 |                               |                                    |                                                                             |                                   |                                   |
| Special Instructions/Note:                                 |                               |                                    |                                                                             |                                   |                                   |
| Temp. 2.3 IR ID:HOU-223<br>C/F:-0.1<br>Corrected Temp: 2.2 |                               |                                    |                                                                             |                                   |                                   |

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately.

Possible Hazard Identification

Unconfirmed Deliverable Requested I II III IV Other (specify) Primary Deliverable Rank. 2

Empty Kit Relinquished by: [Signature] Date: [Blank]

Relinquished by: [Signature] Date: [Blank]

Relinquished by: [Signature] Date: [Blank]

Relinquished by: [Signature] Date: [Blank]

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client ☐ Disposal By Lab ☒ Archive For Months

Special Instructions/QC Requirements:

Received by: FedEx Date/Time: [Blank]

Received by: [Signature] Date/Time: [Blank]

Received by: [Signature] Date/Time: [Blank]

Received by: [Signature] Date/Time: [Blank]

Cooler Temperature(s) °C and Other Remarks:

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11379-1

SDG Number: Hobbs NM

Login Number: 11379

List Number: 1

Creator: Teel, Brianna

List Source: Eurofins Midland

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |



## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11379-1

SDG Number: Hobbs NM

Login Number: 11379

List Number: 2

Creator: Milone, Jeancarlo

List Source: Eurofins Houston

List Creation: 02/17/22 02:17 PM

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | True   |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | N/A    |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |



## Environment Testing America

### ANALYTICAL REPORT

Eurofins Midland  
1211 W. Florida Ave  
Midland, TX 79701  
Tel: (432)704-5440

Laboratory Job ID: 880-11742-1

Laboratory Sample Delivery Group: Hobbs NM

Client Project/Site: Levey Well Hobb NM - 03B1417001

**For:**

Ensolum  
705 W. Wadley  
Suite 210  
Midland, Texas 79701

Attn: Beaux Jennings

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:  
3/2/2022 3:08:17 PM

Jessica Kramer, Project Manager  
(432)704-5440  
[jessica.kramer@eurofinset.com](mailto:jessica.kramer@eurofinset.com)

#### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Laboratory Job ID: 880-11742-1  
SDG: Hobbs NM

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 4  |
| Client Sample Results . . . . .  | 5  |
| Surrogate Summary . . . . .      | 7  |
| QC Sample Results . . . . .      | 8  |
| QC Association Summary . . . . . | 16 |
| Lab Chronicle . . . . .          | 18 |
| Certification Summary . . . . .  | 19 |
| Method Summary . . . . .         | 20 |
| Sample Summary . . . . .         | 21 |
| Chain of Custody . . . . .       | 22 |
| Receipt Checklists . . . . .     | 25 |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

HPLC/IC

| Qualifier | Qualifier Description                                    |
|-----------|----------------------------------------------------------|
| U         | Indicates the analyte was analyzed for but not detected. |

Metals

| Qualifier | Qualifier Description                                    |
|-----------|----------------------------------------------------------|
| U         | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description                                                                                |
|-----------|------------------------------------------------------------------------------------------------------|
| HF        | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| U         | Indicates the analyte was analyzed for but not detected.                                             |

Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| ¤              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |
| TNTC           | Too Numerous To Count                                                                                       |

Case Narrative

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

Job ID: 880-11742-1

Laboratory: Eurofins Midland

| Narrative | Job Narrative<br>880-11742-1 |
|-----------|------------------------------|
|-----------|------------------------------|

Receipt

The sample was received on 2/25/2022 3:15 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.4°C

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-42915 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-42915 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300\_ORGFM\_28D: The following samples were diluted due to the nature of the sample matrix: (180-133828-A-1), (180-133828-A-1 MS) and (180-133828-A-1 MSD). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.7: Due to the high concentration of calcium and sodium , the matrix spike / matrix spike duplicate (MS/MSD) for preparation batch 860-43050 and analytical batch 860-43314 could not be evaluated for accuracy and precision. The associated laboratory control sample (LCS) met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

|    |
|----|
| 1  |
| 2  |
| 3  |
| 4  |
| 5  |
| 6  |
| 7  |
| 8  |
| 9  |
| 10 |
| 11 |
| 12 |
| 13 |
| 14 |



## Client Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

Client Sample ID: Levey Well

Lab Sample ID: 880-11742-1

Date Collected: 02/25/22 11:47

Matrix: Water

Date Received: 02/25/22 15:15

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                              | Result          | Qualifier | RL      | Unit     | D    | Prepared | Analyzed       | Dil Fac |
|--------------------------------------|-----------------|-----------|---------|----------|------|----------|----------------|---------|
| <b>Benzene</b>                       | <b>0.00370</b>  |           | 0.00100 | 0.000214 | mg/L |          | 02/28/22 11:28 | 1       |
| Bromobenzene                         | <0.000300       | U         | 0.00100 | 0.000300 | mg/L |          | 02/28/22 11:28 | 1       |
| Bromochloromethane                   | <0.000209       | U         | 0.00100 | 0.000209 | mg/L |          | 02/28/22 11:28 | 1       |
| Bromodichloromethane                 | <0.000231       | U         | 0.00100 | 0.000231 | mg/L |          | 02/28/22 11:28 | 1       |
| Bromoform                            | <0.000630       | U         | 0.00500 | 0.000630 | mg/L |          | 02/28/22 11:28 | 1       |
| Bromomethane                         | <0.00105        | U         | 0.00500 | 0.00105  | mg/L |          | 02/28/22 11:28 | 1       |
| <b>2-Butanone</b>                    | <b>0.00976</b>  | <b>J</b>  | 0.0500  | 0.00270  | mg/L |          | 02/28/22 11:28 | 1       |
| Carbon tetrachloride                 | <0.000423       | U         | 0.00500 | 0.000423 | mg/L |          | 02/28/22 11:28 | 1       |
| Chlorobenzene                        | <0.000159       | U         | 0.00100 | 0.000159 | mg/L |          | 02/28/22 11:28 | 1       |
| Chloroethane                         | <0.000433       | U         | 0.0100  | 0.000433 | mg/L |          | 02/28/22 11:28 | 1       |
| Chloroform                           | <0.000259       | U         | 0.00100 | 0.000259 | mg/L |          | 02/28/22 11:28 | 1       |
| Chloromethane                        | <0.000318       | U         | 0.0100  | 0.000318 | mg/L |          | 02/28/22 11:28 | 1       |
| 2-Chlorotoluene                      | <0.000214       | U         | 0.00100 | 0.000214 | mg/L |          | 02/28/22 11:28 | 1       |
| 4-Chlorotoluene                      | <0.000183       | U         | 0.00100 | 0.000183 | mg/L |          | 02/28/22 11:28 | 1       |
| cis-1,2-Dichloroethene               | <0.000174       | U         | 0.00100 | 0.000174 | mg/L |          | 02/28/22 11:28 | 1       |
| cis-1,3-Dichloropropene              | <0.000690       | U         | 0.00500 | 0.000690 | mg/L |          | 02/28/22 11:28 | 1       |
| Dibromochloromethane                 | <0.000739       | U         | 0.00500 | 0.000739 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,2-Dibromo-3-Chloropropane          | <0.000319       | U         | 0.00500 | 0.000319 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,2-Dibromoethane                    | <0.000337       | U         | 0.00500 | 0.000337 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,2-Dichlorobenzene                  | <0.000236       | U         | 0.00100 | 0.000236 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,3-Dichlorobenzene                  | <0.000197       | U         | 0.00100 | 0.000197 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,4-Dichlorobenzene                  | <0.000199       | U         | 0.00100 | 0.000199 | mg/L |          | 02/28/22 11:28 | 1       |
| Dichlorodifluoromethane              | <0.000316       | U         | 0.00100 | 0.000316 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,1-Dichloroethane                   | <0.000244       | U         | 0.00100 | 0.000244 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,2-Dichloroethane                   | <0.000285       | U         | 0.00100 | 0.000285 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,1-Dichloroethene                   | <0.000216       | U         | 0.00100 | 0.000216 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,2-Dichloropropane                  | <0.000396       | U         | 0.00500 | 0.000396 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,3-Dichloropropane                  | <0.000439       | U         | 0.00500 | 0.000439 | mg/L |          | 02/28/22 11:28 | 1       |
| 2,2-Dichloropropane                  | <0.000360       | U         | 0.00500 | 0.000360 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,1-Dichloropropene                  | <0.000481       | U         | 0.00500 | 0.000481 | mg/L |          | 02/28/22 11:28 | 1       |
| <b>Ethylbenzene</b>                  | <b>0.0133</b>   |           | 0.00100 | 0.000515 | mg/L |          | 02/28/22 11:28 | 1       |
| Hexachlorobutadiene                  | <0.00200        | U         | 0.00500 | 0.00200  | mg/L |          | 02/28/22 11:28 | 1       |
| <b>Isopropylbenzene</b>              | <b>0.00626</b>  |           | 0.00100 | 0.000161 | mg/L |          | 02/28/22 11:28 | 1       |
| Methylene Chloride                   | <0.00191        | U         | 0.00500 | 0.00191  | mg/L |          | 02/28/22 11:28 | 1       |
| <b>m,p-Xylenes</b>                   | <b>0.0489</b>   |           | 0.0100  | 0.000330 | mg/L |          | 02/28/22 11:28 | 1       |
| MTBE                                 | <0.000571       | U         | 0.00500 | 0.000571 | mg/L |          | 02/28/22 11:28 | 1       |
| Naphthalene                          | <0.00200        | U         | 0.0100  | 0.00200  | mg/L |          | 02/28/22 11:28 | 1       |
| n-Butylbenzene                       | <0.000286       | U         | 0.00100 | 0.000286 | mg/L |          | 02/28/22 11:28 | 1       |
| <b>N-Propylbenzene</b>               | <b>0.00308</b>  |           | 0.00100 | 0.000179 | mg/L |          | 02/28/22 11:28 | 1       |
| <b>o-Xylene</b>                      | <b>0.00750</b>  |           | 0.00100 | 0.000192 | mg/L |          | 02/28/22 11:28 | 1       |
| <b>p-Cymene (p-Isopropyltoluene)</b> | <b>0.000696</b> | <b>J</b>  | 0.00100 | 0.000233 | mg/L |          | 02/28/22 11:28 | 1       |
| sec-Butylbenzene                     | <0.000199       | U         | 0.00100 | 0.000199 | mg/L |          | 02/28/22 11:28 | 1       |
| Styrene                              | <0.000623       | U         | 0.00100 | 0.000623 | mg/L |          | 02/28/22 11:28 | 1       |
| tert-Butylbenzene                    | <0.000195       | U         | 0.00100 | 0.000195 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,1,1,2-Tetrachloroethane            | <0.000327       | U         | 0.00100 | 0.000327 | mg/L |          | 02/28/22 11:28 | 1       |
| 1,1,1,2,2-Tetrachloroethane          | <0.000284       | U         | 0.00100 | 0.000284 | mg/L |          | 02/28/22 11:28 | 1       |
| Tetrachloroethene                    | <0.000500       | U         | 0.00100 | 0.000500 | mg/L |          | 02/28/22 11:28 | 1       |
| <b>Toluene</b>                       | <b>0.0196</b>   |           | 0.00100 | 0.000500 | mg/L |          | 02/28/22 11:28 | 1       |
| trans-1,2-Dichloroethene             | <0.000256       | U         | 0.00100 | 0.000256 | mg/L |          | 02/28/22 11:28 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

Client Sample ID: Levey Well

Lab Sample ID: 880-11742-1

Date Collected: 02/25/22 11:47

Matrix: Water

Date Received: 02/25/22 15:15

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                   | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | <0.000752 | U         | 0.00500 | 0.000752 mg/L |   |          | 02/28/22 11:28 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 11:28 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 11:28 | 1       |
| 1,1,1-Trichloroethane     | <0.000504 | U         | 0.00500 | 0.000504 mg/L |   |          | 02/28/22 11:28 | 1       |
| 1,1,2-Trichloroethane     | <0.000228 | U         | 0.00100 | 0.000228 mg/L |   |          | 02/28/22 11:28 | 1       |
| Trichloroethene           | <0.000424 | U         | 0.00500 | 0.000424 mg/L |   |          | 02/28/22 11:28 | 1       |
| Trichlorofluoromethane    | <0.000245 | U         | 0.00100 | 0.000245 mg/L |   |          | 02/28/22 11:28 | 1       |
| 1,2,3-Trichloropropane    | <0.000283 | U         | 0.00100 | 0.000283 mg/L |   |          | 02/28/22 11:28 | 1       |
| 1,2,4-Trimethylbenzene    | 0.0131    |           | 0.00100 | 0.000252 mg/L |   |          | 02/28/22 11:28 | 1       |
| 1,3,5-Trimethylbenzene    | 0.00450   |           | 0.00100 | 0.000279 mg/L |   |          | 02/28/22 11:28 | 1       |
| Vinyl chloride            | <0.000234 | U         | 0.00200 | 0.000234 mg/L |   |          | 02/28/22 11:28 | 1       |
| Xylenes, Total            | 0.0564    |           | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 11:28 | 1       |
| Total BTEX                | 0.0930    |           | 0.0100  | 0.000214 mg/L |   |          | 02/28/22 11:28 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 102       |           | 74 - 124 |          | 02/28/22 11:28 | 1       |
| Dibromofluoromethane (Surr)  | 104       |           | 75 - 131 |          | 02/28/22 11:28 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 105       |           | 63 - 144 |          | 02/28/22 11:28 | 1       |
| Toluene-d8 (Surr)            | 102       |           | 80 - 117 |          | 02/28/22 11:28 | 1       |

## Method: 300.0 - Anions, Ion Chromatography

| Analyte      | Result  | Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|---------|-----------|-------|-------------|---|----------|----------------|---------|
| Bromide      | 0.726   |           | 0.500 | 0.0711 mg/L |   |          | 02/26/22 15:09 | 1       |
| Nitrate as N | 0.141   |           | 0.100 | 0.0391 mg/L |   |          | 02/26/22 15:09 | 1       |
| Chloride     | 484     |           | 0.500 | 0.200 mg/L  |   |          | 02/26/22 15:09 | 1       |
| Nitrite as N | <0.0293 | U         | 0.100 | 0.0293 mg/L |   |          | 02/26/22 15:09 | 1       |
| Fluoride     | 0.902   |           | 0.500 | 0.100 mg/L  |   |          | 02/26/22 15:09 | 1       |
| Sulfate      | 31.2    |           | 0.500 | 0.109 mg/L  |   |          | 02/26/22 15:09 | 1       |

## Method: 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

| Analyte   | Result | Qualifier | RL    | Unit        | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|-------|-------------|---|----------------|----------------|---------|
| Calcium   | 429    |           | 10.0  | 1.47 mg/L   |   | 02/28/22 08:10 | 03/01/22 11:44 | 50      |
| Magnesium | 78.2   |           | 0.200 | 0.0500 mg/L |   | 02/28/22 08:10 | 03/01/22 11:40 | 1       |
| Potassium | 6.80   |           | 0.500 | 0.107 mg/L  |   | 02/28/22 08:10 | 03/01/22 11:40 | 1       |
| Sodium    | 139    |           | 0.500 | 0.0667 mg/L |   | 02/28/22 08:10 | 03/01/22 11:40 | 1       |
| SiO2      | 69.3   |           | 1.07  | 0.0781 mg/L |   | 02/28/22 08:10 | 03/01/22 11:40 | 1       |

## General Chemistry

| Analyte                         | Result | Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|------|-----------|---|----------|----------------|---------|
| Anion/Cation Balance            | -9.05  |           |      | %         |   |          | 03/02/22 09:53 | 1       |
| Alkalinity                      | 1210   |           | 4.00 | 4.00 mg/L |   |          | 02/28/22 12:18 | 1       |
| Bicarbonate Alkalinity as CaCO3 | 1210   |           | 4.00 | 4.00 mg/L |   |          | 02/28/22 12:18 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/28/22 12:18 | 1       |
| Hydroxide Alkalinity            | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/28/22 12:18 | 1       |
| Phenolphthalein Alkalinity      | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/28/22 12:18 | 1       |
| Total Dissolved Solids          | 1960   |           | 20.0 | 20.0 mg/L |   |          | 02/27/22 17:42 | 1       |
| pH                              | 6.4    | HF        |      | SU        |   |          | 02/28/22 16:30 | 1       |
| Temperature                     | 19.8   | HF        |      | Celsius   |   |          | 02/28/22 16:30 | 1       |

Eurofins Midland

Surrogate Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

|                                    |                        | Percent Surrogate Recovery (Acceptance Limits) |          |          |          |
|------------------------------------|------------------------|------------------------------------------------|----------|----------|----------|
| Lab Sample ID                      | Client Sample ID       | BFB                                            | DBFM     | DCA      | TOL      |
|                                    |                        | (74-124)                                       | (75-131) | (63-144) | (80-117) |
| 880-11742-1                        | Levey Well             | 102                                            | 104      | 105      | 102      |
| 880-11743-D-1 MS                   | Matrix Spike           | 103                                            | 107      | 108      | 99       |
| LCS 860-43049/3                    | Lab Control Sample     | 100                                            | 104      | 100      | 99       |
| LCSD 860-43049/4                   | Lab Control Sample Dup | 99                                             | 104      | 99       | 98       |
| MB 860-43049/10                    | Method Blank           | 101                                            | 107      | 103      | 98       |
| Surrogate Legend                   |                        |                                                |          |          |          |
| BFB = 4-Bromofluorobenzene (Surr)  |                        |                                                |          |          |          |
| DBFM = Dibromofluoromethane (Surr) |                        |                                                |          |          |          |
| DCA = 1,2-Dichloroethane-d4 (Surr) |                        |                                                |          |          |          |
| TOL = Toluene-d8 (Surr)            |                        |                                                |          |          |          |

## QC Sample Results

Client: Ensolum

Job ID: 880-11742-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 860-43049/10

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                       | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromobenzene                  | <0.000300 | U            | 0.00100 | 0.000300 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromochloromethane            | <0.000209 | U            | 0.00100 | 0.000209 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromodichloromethane          | <0.000231 | U            | 0.00100 | 0.000231 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromoform                     | <0.000630 | U            | 0.00500 | 0.000630 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromomethane                  | <0.00105  | U            | 0.00500 | 0.00105 mg/L  |   |          | 02/28/22 10:47 | 1       |
| 2-Butanone                    | <0.00270  | U            | 0.0500  | 0.00270 mg/L  |   |          | 02/28/22 10:47 | 1       |
| Carbon tetrachloride          | <0.000423 | U            | 0.00500 | 0.000423 mg/L |   |          | 02/28/22 10:47 | 1       |
| Chlorobenzene                 | <0.000159 | U            | 0.00100 | 0.000159 mg/L |   |          | 02/28/22 10:47 | 1       |
| Chloroethane                  | <0.000433 | U            | 0.0100  | 0.000433 mg/L |   |          | 02/28/22 10:47 | 1       |
| Chloroform                    | <0.000259 | U            | 0.00100 | 0.000259 mg/L |   |          | 02/28/22 10:47 | 1       |
| Chloromethane                 | <0.000318 | U            | 0.0100  | 0.000318 mg/L |   |          | 02/28/22 10:47 | 1       |
| 2-Chlorotoluene               | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/28/22 10:47 | 1       |
| 4-Chlorotoluene               | <0.000183 | U            | 0.00100 | 0.000183 mg/L |   |          | 02/28/22 10:47 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U            | 0.00100 | 0.000174 mg/L |   |          | 02/28/22 10:47 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U            | 0.00500 | 0.000690 mg/L |   |          | 02/28/22 10:47 | 1       |
| Dibromochloromethane          | <0.000739 | U            | 0.00500 | 0.000739 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U            | 0.00500 | 0.000319 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U            | 0.00500 | 0.000337 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dichlorobenzene           | <0.000236 | U            | 0.00100 | 0.000236 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U            | 0.00100 | 0.000197 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/28/22 10:47 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U            | 0.00100 | 0.000316 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U            | 0.00100 | 0.000244 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U            | 0.00100 | 0.000285 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U            | 0.00100 | 0.000216 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U            | 0.00500 | 0.000396 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U            | 0.00500 | 0.000439 mg/L |   |          | 02/28/22 10:47 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U            | 0.00500 | 0.000360 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U            | 0.00500 | 0.000481 mg/L |   |          | 02/28/22 10:47 | 1       |
| Ethylbenzene                  | <0.000515 | U            | 0.00100 | 0.000515 mg/L |   |          | 02/28/22 10:47 | 1       |
| Hexachlorobutadiene           | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 10:47 | 1       |
| Isopropylbenzene              | <0.000161 | U            | 0.00100 | 0.000161 mg/L |   |          | 02/28/22 10:47 | 1       |
| Methylene Chloride            | <0.00191  | U            | 0.00500 | 0.00191 mg/L  |   |          | 02/28/22 10:47 | 1       |
| m,p-Xylenes                   | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 10:47 | 1       |
| MTBE                          | <0.000571 | U            | 0.00500 | 0.000571 mg/L |   |          | 02/28/22 10:47 | 1       |
| Naphthalene                   | <0.00200  | U            | 0.0100  | 0.00200 mg/L  |   |          | 02/28/22 10:47 | 1       |
| n-Butylbenzene                | <0.000286 | U            | 0.00100 | 0.000286 mg/L |   |          | 02/28/22 10:47 | 1       |
| N-Propylbenzene               | <0.000179 | U            | 0.00100 | 0.000179 mg/L |   |          | 02/28/22 10:47 | 1       |
| o-Xylene                      | <0.000192 | U            | 0.00100 | 0.000192 mg/L |   |          | 02/28/22 10:47 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U            | 0.00100 | 0.000233 mg/L |   |          | 02/28/22 10:47 | 1       |
| sec-Butylbenzene              | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/28/22 10:47 | 1       |
| Styrene                       | <0.000623 | U            | 0.00100 | 0.000623 mg/L |   |          | 02/28/22 10:47 | 1       |
| tert-Butylbenzene             | <0.000195 | U            | 0.00100 | 0.000195 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U            | 0.00100 | 0.000327 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U            | 0.00100 | 0.000284 mg/L |   |          | 02/28/22 10:47 | 1       |
| Tetrachloroethene             | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/28/22 10:47 | 1       |
| Toluene                       | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/28/22 10:47 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 860-43049/10

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                   | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| trans-1,2-Dichloroethene  | <0.000256 | U            | 0.00100 | 0.000256 mg/L |   |          | 02/28/22 10:47 | 1       |
| trans-1,3-Dichloropropene | <0.000752 | U            | 0.00500 | 0.000752 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 10:47 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 10:47 | 1       |
| 1,1,1-Trichloroethane     | <0.000504 | U            | 0.00500 | 0.000504 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1,2-Trichloroethane     | <0.000228 | U            | 0.00100 | 0.000228 mg/L |   |          | 02/28/22 10:47 | 1       |
| Trichloroethene           | <0.000424 | U            | 0.00500 | 0.000424 mg/L |   |          | 02/28/22 10:47 | 1       |
| Trichlorofluoromethane    | <0.000245 | U            | 0.00100 | 0.000245 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2,3-Trichloropropane    | <0.000283 | U            | 0.00100 | 0.000283 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2,4-Trimethylbenzene    | <0.000252 | U            | 0.00100 | 0.000252 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,3,5-Trimethylbenzene    | <0.000279 | U            | 0.00100 | 0.000279 mg/L |   |          | 02/28/22 10:47 | 1       |
| Vinyl chloride            | <0.000234 | U            | 0.00200 | 0.000234 mg/L |   |          | 02/28/22 10:47 | 1       |
| Xylenes, Total            | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 10:47 | 1       |
| Total BTEX                | <0.000214 | U            | 0.0100  | 0.000214 mg/L |   |          | 02/28/22 10:47 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 101          |              | 74 - 124 |          | 02/28/22 10:47 | 1       |
| Dibromofluoromethane (Surr)  | 107          |              | 75 - 131 |          | 02/28/22 10:47 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 103          |              | 63 - 144 |          | 02/28/22 10:47 | 1       |
| Toluene-d8 (Surr)            | 98           |              | 80 - 117 |          | 02/28/22 10:47 | 1       |

Lab Sample ID: LCS 860-43049/3

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene                     | 0.0500      | 0.05362    |               | mg/L |   | 107  | 66 - 142     |
| Bromobenzene                | 0.0500      | 0.05293    |               | mg/L |   | 106  | 75 - 125     |
| Bromochloromethane          | 0.0500      | 0.05318    |               | mg/L |   | 106  | 60 - 140     |
| Bromodichloromethane        | 0.0500      | 0.05675    |               | mg/L |   | 114  | 75 - 125     |
| Bromoform                   | 0.0500      | 0.05307    |               | mg/L |   | 106  | 75 - 125     |
| Bromomethane                | 0.0500      | 0.05712    |               | mg/L |   | 114  | 60 - 140     |
| 2-Butanone                  | 0.250       | 0.2460     |               | mg/L |   | 98   | 60 - 140     |
| Carbon tetrachloride        | 0.0500      | 0.04799    |               | mg/L |   | 96   | 62 - 125     |
| Chlorobenzene               | 0.0500      | 0.05259    |               | mg/L |   | 105  | 60 - 133     |
| Chloroethane                | 0.0500      | 0.04922    |               | mg/L |   | 98   | 60 - 140     |
| Chloroform                  | 0.0500      | 0.05518    |               | mg/L |   | 110  | 70 - 130     |
| Chloromethane               | 0.0500      | 0.05902    |               | mg/L |   | 118  | 60 - 140     |
| 2-Chlorotoluene             | 0.0500      | 0.05400    |               | mg/L |   | 108  | 73 - 125     |
| 4-Chlorotoluene             | 0.0500      | 0.05441    |               | mg/L |   | 109  | 74 - 125     |
| cis-1,2-Dichloroethene      | 0.0500      | 0.05383    |               | mg/L |   | 108  | 75 - 125     |
| cis-1,3-Dichloropropene     | 0.0500      | 0.05261    |               | mg/L |   | 105  | 74 - 125     |
| Dibromochloromethane        | 0.0500      | 0.05316    |               | mg/L |   | 106  | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane | 0.0500      | 0.05071    |               | mg/L |   | 101  | 59 - 125     |
| 1,2-Dibromoethane           | 0.0500      | 0.04999    |               | mg/L |   | 100  | 73 - 125     |
| 1,2-Dichlorobenzene         | 0.0500      | 0.05354    |               | mg/L |   | 107  | 75 - 125     |
| 1,3-Dichlorobenzene         | 0.0500      | 0.05497    |               | mg/L |   | 110  | 75 - 125     |
| 1,4-Dichlorobenzene         | 0.0500      | 0.05417    |               | mg/L |   | 108  | 75 - 125     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11742-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 860-43049/3

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| Dichlorodifluoromethane       | 0.0500      | 0.04880    |               | mg/L |   | 98   | 70 - 130     |
| 1,1-Dichloroethane            | 0.0500      | 0.05219    |               | mg/L |   | 104  | 72 - 125     |
| 1,2-Dichloroethane            | 0.0500      | 0.05176    |               | mg/L |   | 104  | 68 - 127     |
| 1,1-Dichloroethene            | 0.0500      | 0.04492    |               | mg/L |   | 90   | 59 - 172     |
| 1,2-Dichloropropane           | 0.0500      | 0.05340    |               | mg/L |   | 107  | 74 - 125     |
| 1,3-Dichloropropane           | 0.0500      | 0.05027    |               | mg/L |   | 101  | 75 - 125     |
| 2,2-Dichloropropane           | 0.0500      | 0.05558    |               | mg/L |   | 111  | 75 - 125     |
| 1,1-Dichloropropene           | 0.0500      | 0.05312    |               | mg/L |   | 106  | 75 - 125     |
| Ethylbenzene                  | 0.0500      | 0.05344    |               | mg/L |   | 107  | 75 - 125     |
| Hexachlorobutadiene           | 0.0500      | 0.05268    |               | mg/L |   | 105  | 75 - 125     |
| Isopropylbenzene              | 0.0500      | 0.05404    |               | mg/L |   | 108  | 75 - 125     |
| Methylene Chloride            | 0.0500      | 0.04424    |               | mg/L |   | 88   | 75 - 125     |
| m,p-Xylenes                   | 0.0500      | 0.05325    |               | mg/L |   | 107  | 75 - 125     |
| MTBE                          | 0.0500      | 0.05086    |               | mg/L |   | 102  | 65 - 135     |
| Naphthalene                   | 0.0500      | 0.05003    |               | mg/L |   | 100  | 70 - 130     |
| n-Butylbenzene                | 0.0500      | 0.05364    |               | mg/L |   | 107  | 75 - 125     |
| N-Propylbenzene               | 0.0500      | 0.05519    |               | mg/L |   | 110  | 75 - 125     |
| o-Xylene                      | 0.0500      | 0.05315    |               | mg/L |   | 106  | 75 - 125     |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.05486    |               | mg/L |   | 110  | 75 - 125     |
| sec-Butylbenzene              | 0.0500      | 0.05433    |               | mg/L |   | 109  | 75 - 125     |
| Styrene                       | 0.0500      | 0.04707    |               | mg/L |   | 94   | 75 - 125     |
| tert-Butylbenzene             | 0.0500      | 0.05293    |               | mg/L |   | 106  | 75 - 125     |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.04894    |               | mg/L |   | 98   | 72 - 125     |
| 1,1,2,2-Tetrachloroethane     | 0.0500      | 0.05069    |               | mg/L |   | 101  | 74 - 125     |
| Tetrachloroethene             | 0.0500      | 0.04681    |               | mg/L |   | 94   | 71 - 125     |
| Toluene                       | 0.0500      | 0.05411    |               | mg/L |   | 108  | 59 - 139     |
| trans-1,2-Dichloroethene      | 0.0500      | 0.05124    |               | mg/L |   | 102  | 75 - 125     |
| trans-1,3-Dichloropropene     | 0.0500      | 0.05415    |               | mg/L |   | 108  | 66 - 125     |
| 1,2,3-Trichlorobenzene        | 0.0500      | 0.05062    |               | mg/L |   | 101  | 75 - 137     |
| 1,2,4-Trichlorobenzene        | 0.0500      | 0.05270    |               | mg/L |   | 105  | 75 - 135     |
| 1,1,1-Trichloroethane         | 0.0500      | 0.05542    |               | mg/L |   | 111  | 75 - 125     |
| 1,1,2-Trichloroethane         | 0.0500      | 0.05073    |               | mg/L |   | 101  | 75 - 127     |
| Trichloroethene               | 0.0500      | 0.05101    |               | mg/L |   | 102  | 62 - 137     |
| Trichlorofluoromethane        | 0.0500      | 0.05074    |               | mg/L |   | 101  | 60 - 140     |
| 1,2,3-Trichloropropane        | 0.0500      | 0.04817    |               | mg/L |   | 96   | 75 - 125     |
| 1,2,4-Trimethylbenzene        | 0.0500      | 0.05485    |               | mg/L |   | 110  | 75 - 125     |
| 1,3,5-Trimethylbenzene        | 0.0500      | 0.05457    |               | mg/L |   | 109  | 60 - 140     |
| Vinyl chloride                | 0.0500      | 0.04981    |               | mg/L |   | 100  | 60 - 140     |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr)  | 100           |               | 74 - 124 |
| Dibromofluoromethane (Surr)  | 104           |               | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 100           |               | 63 - 144 |
| Toluene-d8 (Surr)            | 99            |               | 80 - 117 |

Eurofins Midland



## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-43049/4

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                       | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
|                               |             |             |                |      |   |      |              |     |           |
| Benzene                       | 0.0500      | 0.05362     |                | mg/L |   | 107  | 66 - 142     | 0   | 25        |
| Bromobenzene                  | 0.0500      | 0.05207     |                | mg/L |   | 104  | 75 - 125     | 2   | 25        |
| Bromochloromethane            | 0.0500      | 0.05427     |                | mg/L |   | 109  | 60 - 140     | 2   | 25        |
| Bromodichloromethane          | 0.0500      | 0.05572     |                | mg/L |   | 111  | 75 - 125     | 2   | 25        |
| Bromoform                     | 0.0500      | 0.05347     |                | mg/L |   | 107  | 75 - 125     | 1   | 25        |
| Bromomethane                  | 0.0500      | 0.06687     |                | mg/L |   | 134  | 60 - 140     | 16  | 25        |
| 2-Butanone                    | 0.250       | 0.2626      |                | mg/L |   | 105  | 60 - 140     | 7   | 25        |
| Carbon tetrachloride          | 0.0500      | 0.05014     |                | mg/L |   | 100  | 62 - 125     | 4   | 25        |
| Chlorobenzene                 | 0.0500      | 0.05262     |                | mg/L |   | 105  | 60 - 133     | 0   | 25        |
| Chloroethane                  | 0.0500      | 0.04998     |                | mg/L |   | 100  | 60 - 140     | 2   | 25        |
| Chloroform                    | 0.0500      | 0.05669     |                | mg/L |   | 113  | 70 - 130     | 3   | 25        |
| Chloromethane                 | 0.0500      | 0.05832     |                | mg/L |   | 117  | 60 - 140     | 1   | 25        |
| 2-Chlorotoluene               | 0.0500      | 0.05281     |                | mg/L |   | 106  | 73 - 125     | 2   | 25        |
| 4-Chlorotoluene               | 0.0500      | 0.05333     |                | mg/L |   | 107  | 74 - 125     | 2   | 25        |
| cis-1,2-Dichloroethene        | 0.0500      | 0.05430     |                | mg/L |   | 109  | 75 - 125     | 1   | 25        |
| cis-1,3-Dichloropropene       | 0.0500      | 0.05195     |                | mg/L |   | 104  | 74 - 125     | 1   | 25        |
| Dibromochloromethane          | 0.0500      | 0.05304     |                | mg/L |   | 106  | 73 - 125     | 0   | 25        |
| 1,2-Dibromo-3-Chloropropane   | 0.0500      | 0.05350     |                | mg/L |   | 107  | 59 - 125     | 5   | 25        |
| 1,2-Dibromoethane             | 0.0500      | 0.05014     |                | mg/L |   | 100  | 73 - 125     | 0   | 25        |
| 1,2-Dichlorobenzene           | 0.0500      | 0.05180     |                | mg/L |   | 104  | 75 - 125     | 3   | 25        |
| 1,3-Dichlorobenzene           | 0.0500      | 0.05333     |                | mg/L |   | 107  | 75 - 125     | 3   | 25        |
| 1,4-Dichlorobenzene           | 0.0500      | 0.05264     |                | mg/L |   | 105  | 75 - 125     | 3   | 25        |
| Dichlorodifluoromethane       | 0.0500      | 0.05092     |                | mg/L |   | 102  | 70 - 130     | 4   | 25        |
| 1,1-Dichloroethane            | 0.0500      | 0.05440     |                | mg/L |   | 109  | 72 - 125     | 4   | 25        |
| 1,2-Dichloroethane            | 0.0500      | 0.05144     |                | mg/L |   | 103  | 68 - 127     | 1   | 25        |
| 1,1-Dichloroethene            | 0.0500      | 0.04458     |                | mg/L |   | 89   | 59 - 172     | 1   | 25        |
| 1,2-Dichloropropane           | 0.0500      | 0.05345     |                | mg/L |   | 107  | 74 - 125     | 0   | 25        |
| 1,3-Dichloropropane           | 0.0500      | 0.05021     |                | mg/L |   | 100  | 75 - 125     | 0   | 25        |
| 2,2-Dichloropropane           | 0.0500      | 0.05689     |                | mg/L |   | 114  | 75 - 125     | 2   | 25        |
| 1,1-Dichloropropene           | 0.0500      | 0.05586     |                | mg/L |   | 112  | 75 - 125     | 5   | 25        |
| Ethylbenzene                  | 0.0500      | 0.05381     |                | mg/L |   | 108  | 75 - 125     | 1   | 25        |
| Hexachlorobutadiene           | 0.0500      | 0.05306     |                | mg/L |   | 106  | 75 - 125     | 1   | 25        |
| Isopropylbenzene              | 0.0500      | 0.05444     |                | mg/L |   | 109  | 75 - 125     | 1   | 25        |
| Methylene Chloride            | 0.0500      | 0.04588     |                | mg/L |   | 92   | 75 - 125     | 4   | 25        |
| m,p-Xylenes                   | 0.0500      | 0.05429     |                | mg/L |   | 109  | 75 - 125     | 2   | 25        |
| MTBE                          | 0.0500      | 0.05182     |                | mg/L |   | 104  | 65 - 135     | 2   | 25        |
| Naphthalene                   | 0.0500      | 0.05368     |                | mg/L |   | 107  | 70 - 130     | 7   | 25        |
| n-Butylbenzene                | 0.0500      | 0.05380     |                | mg/L |   | 108  | 75 - 125     | 0   | 25        |
| N-Propylbenzene               | 0.0500      | 0.05441     |                | mg/L |   | 109  | 75 - 125     | 1   | 25        |
| o-Xylene                      | 0.0500      | 0.05325     |                | mg/L |   | 106  | 75 - 125     | 0   | 25        |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.05437     |                | mg/L |   | 109  | 75 - 125     | 1   | 25        |
| sec-Butylbenzene              | 0.0500      | 0.05361     |                | mg/L |   | 107  | 75 - 125     | 1   | 25        |
| Styrene                       | 0.0500      | 0.04660     |                | mg/L |   | 93   | 75 - 125     | 1   | 25        |
| tert-Butylbenzene             | 0.0500      | 0.05237     |                | mg/L |   | 105  | 75 - 125     | 1   | 25        |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.04828     |                | mg/L |   | 97   | 72 - 125     | 1   | 25        |
| 1,1,1,2,2-Tetrachloroethane   | 0.0500      | 0.05113     |                | mg/L |   | 102  | 74 - 125     | 1   | 25        |
| Tetrachloroethene             | 0.0500      | 0.04708     |                | mg/L |   | 94   | 71 - 125     | 1   | 25        |
| Toluene                       | 0.0500      | 0.05413     |                | mg/L |   | 108  | 59 - 139     | 0   | 25        |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-43049/4

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                   | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| trans-1,2-Dichloroethene  | 0.0500      | 0.05326     |                | mg/L |   | 107  | 75 - 125     | 4   | 25        |
| trans-1,3-Dichloropropene | 0.0500      | 0.05388     |                | mg/L |   | 108  | 66 - 125     | 0   | 25        |
| 1,2,3-Trichlorobenzene    | 0.0500      | 0.05403     |                | mg/L |   | 108  | 75 - 137     | 7   | 25        |
| 1,2,4-Trichlorobenzene    | 0.0500      | 0.05308     |                | mg/L |   | 106  | 75 - 135     | 1   | 25        |
| 1,1,1-Trichloroethane     | 0.0500      | 0.05774     |                | mg/L |   | 115  | 75 - 125     | 4   | 25        |
| 1,1,2-Trichloroethane     | 0.0500      | 0.05050     |                | mg/L |   | 101  | 75 - 127     | 0   | 25        |
| Trichloroethene           | 0.0500      | 0.05158     |                | mg/L |   | 103  | 62 - 137     | 1   | 25        |
| Trichlorofluoromethane    | 0.0500      | 0.05299     |                | mg/L |   | 106  | 60 - 140     | 4   | 25        |
| 1,2,3-Trichloropropane    | 0.0500      | 0.04927     |                | mg/L |   | 99   | 75 - 125     | 2   | 25        |
| 1,2,4-Trimethylbenzene    | 0.0500      | 0.05369     |                | mg/L |   | 107  | 75 - 125     | 2   | 25        |
| 1,3,5-Trimethylbenzene    | 0.0500      | 0.05453     |                | mg/L |   | 109  | 60 - 140     | 0   | 25        |
| Vinyl chloride            | 0.0500      | 0.05238     |                | mg/L |   | 105  | 60 - 140     | 5   | 25        |

| Surrogate                    | LCSD %Recovery | LCSD Qualifier | Limits   |
|------------------------------|----------------|----------------|----------|
| 4-Bromofluorobenzene (Surr)  | 99             |                | 74 - 124 |
| Dibromofluoromethane (Surr)  | 104            |                | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 99             |                | 63 - 144 |
| Toluene-d8 (Surr)            | 98             |                | 80 - 117 |

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 860-42915/110

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB Result | MB Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-------|-------------|---|----------|----------------|---------|
| Bromide  | <0.0711   | U            | 0.500 | 0.0711 mg/L |   |          | 02/26/22 08:47 | 1       |
| Chloride | <0.200    | U            | 0.500 | 0.200 mg/L  |   |          | 02/26/22 08:47 | 1       |
| Fluoride | <0.100    | U            | 0.500 | 0.100 mg/L  |   |          | 02/26/22 08:47 | 1       |
| Sulfate  | <0.109    | U            | 0.500 | 0.109 mg/L  |   |          | 02/26/22 08:47 | 1       |

Lab Sample ID: MB 860-42915/3

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB Result | MB Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-------|-------------|---|----------|----------------|---------|
| Bromide  | <0.0711   | U            | 0.500 | 0.0711 mg/L |   |          | 02/25/22 11:31 | 1       |
| Chloride | <0.200    | U            | 0.500 | 0.200 mg/L  |   |          | 02/25/22 11:31 | 1       |
| Fluoride | <0.100    | U            | 0.500 | 0.100 mg/L  |   |          | 02/25/22 11:31 | 1       |
| Sulfate  | <0.109    | U            | 0.500 | 0.109 mg/L  |   |          | 02/25/22 11:31 | 1       |

Lab Sample ID: LCS 860-42915/111

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Bromide  | 10.0        | 10.36      |               | mg/L |   | 104  | 90 - 110     |
| Chloride | 10.0        | 10.55      |               | mg/L |   | 105  | 90 - 110     |
| Fluoride | 10.0        | 10.31      |               | mg/L |   | 103  | 90 - 110     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11742-1

Project/Site: Levey Well Hobb NM - 03B1417001

SDG: Hobbs NM

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 860-42915/111

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| Sulfate | 10.0        | 10.13      |               | mg/L |   | 101  | 90 - 110     |

Lab Sample ID: LCS 860-42915/4

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Bromide  | 10.0        | 10.41      |               | mg/L |   | 104  | 90 - 110     |
| Chloride | 10.0        | 10.53      |               | mg/L |   | 105  | 90 - 110     |
| Fluoride | 10.0        | 10.73      |               | mg/L |   | 107  | 90 - 110     |
| Sulfate  | 10.0        | 10.28      |               | mg/L |   | 103  | 90 - 110     |

Lab Sample ID: LCSD 860-42915/112

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Bromide  | 10.0        | 10.36       |                | mg/L |   | 104  | 90 - 110     | 0   | 20        |
| Chloride | 10.0        | 10.21       |                | mg/L |   | 102  | 90 - 110     | 3   | 20        |
| Fluoride | 10.0        | 10.36       |                | mg/L |   | 104  | 90 - 110     | 0   | 20        |
| Sulfate  | 10.0        | 10.15       |                | mg/L |   | 101  | 90 - 110     | 0   | 20        |

Lab Sample ID: LCSD 860-42915/5

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Bromide  | 10.0        | 10.40       |                | mg/L |   | 104  | 90 - 110     | 0   | 20        |
| Chloride | 10.0        | 10.19       |                | mg/L |   | 102  | 90 - 110     | 3   | 20        |
| Fluoride | 10.0        | 10.75       |                | mg/L |   | 107  | 90 - 110     | 0   | 20        |
| Sulfate  | 10.0        | 10.28       |                | mg/L |   | 103  | 90 - 110     | 0   | 20        |

Lab Sample ID: MB 860-42916/110

Matrix: Water

Analysis Batch: 42916

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte      | MB Result | MB Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|-----------|--------------|-------|-------------|---|----------|----------------|---------|
| Nitrate as N | <0.0391   | U            | 0.100 | 0.0391 mg/L |   |          | 02/26/22 08:47 | 1       |
| Nitrite as N | <0.0293   | U            | 0.100 | 0.0293 mg/L |   |          | 02/26/22 08:47 | 1       |

Lab Sample ID: LCS 860-42916/111

Matrix: Water

Analysis Batch: 42916

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte      | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|------|---|------|--------------|
| Nitrate as N | 10.0        | 10.56      |               | mg/L |   | 106  | 80 - 120     |
| Nitrite as N | 5.00        | 5.214      |               | mg/L |   | 104  | 80 - 120     |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 860-42916/112

Matrix: Water

Analysis Batch: 42916

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte      | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.    |     | RPD | Limit |
|--------------|----------------|----------------|-------------------|------|---|------|----------|-----|-----|-------|
|              |                |                |                   |      |   |      | Limits   | RPD |     |       |
| Nitrate as N | 10.0           | 10.56          |                   | mg/L |   | 106  | 80 - 120 | 0   |     | 20    |
| Nitrite as N | 5.00           | 5.240          |                   | mg/L |   | 105  | 80 - 120 | 0   |     | 20    |

## Method: 200.7 Rev 4.4 - Metals (ICP)

Lab Sample ID: MB 860-43050/1-A

Matrix: Water

Analysis Batch: 43314

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 43050

| Analyte   | MB MB   |           | RL    | Unit        | D | Prepared       | Analyzed       | Dil Fac |
|-----------|---------|-----------|-------|-------------|---|----------------|----------------|---------|
|           | Result  | Qualifier |       |             |   |                |                |         |
| Calcium   | <0.0293 | U         | 0.200 | 0.0293 mg/L |   | 02/28/22 08:10 | 03/01/22 11:11 | 1       |
| Magnesium | <0.0500 | U         | 0.200 | 0.0500 mg/L |   | 02/28/22 08:10 | 03/01/22 11:11 | 1       |
| Potassium | <0.107  | U         | 0.500 | 0.107 mg/L  |   | 02/28/22 08:10 | 03/01/22 11:11 | 1       |
| Sodium    | <0.0667 | U         | 0.500 | 0.0667 mg/L |   | 02/28/22 08:10 | 03/01/22 11:11 | 1       |
| SiO2      | <0.0781 | U         | 1.07  | 0.0781 mg/L |   | 02/28/22 08:10 | 03/01/22 11:11 | 1       |

Lab Sample ID: LCS 860-43050/2-A

Matrix: Water

Analysis Batch: 43314

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 43050

| Analyte   | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.    |     | RPD | Limit |
|-----------|----------------|---------------|------------------|------|---|------|----------|-----|-----|-------|
|           |                |               |                  |      |   |      | Limits   | RPD |     |       |
| Calcium   | 25.0           | 24.20         |                  | mg/L |   | 97   | 85 - 115 |     |     |       |
| Magnesium | 25.0           | 24.19         |                  | mg/L |   | 97   | 85 - 115 |     |     |       |
| Potassium | 10.0           | 9.608         |                  | mg/L |   | 96   | 85 - 115 |     |     |       |
| Sodium    | 25.0           | 24.03         |                  | mg/L |   | 96   | 85 - 115 |     |     |       |
| SiO2      | 21.4           | 20.72         |                  | mg/L |   | 97   | 85 - 115 |     |     |       |

Lab Sample ID: LCSD 860-43050/3-A

Matrix: Water

Analysis Batch: 43314

Client Sample ID: Lab Control Sample Dup

Prep Type: Total Recoverable

Prep Batch: 43050

| Analyte   | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.    |     | RPD | Limit |
|-----------|----------------|----------------|-------------------|------|---|------|----------|-----|-----|-------|
|           |                |                |                   |      |   |      | Limits   | RPD |     |       |
| Calcium   | 25.0           | 24.12          |                   | mg/L |   | 96   | 85 - 115 | 0   |     | 20    |
| Magnesium | 25.0           | 24.14          |                   | mg/L |   | 97   | 85 - 115 | 0   |     | 20    |
| Potassium | 10.0           | 9.637          |                   | mg/L |   | 96   | 85 - 115 | 0   |     | 20    |
| Sodium    | 25.0           | 23.96          |                   | mg/L |   | 96   | 85 - 115 | 0   |     | 20    |
| SiO2      | 21.4           | 20.67          |                   | mg/L |   | 97   | 85 - 115 | 0   |     | 20    |

## Method: SM 2320B - Alkalinity

Lab Sample ID: MB 860-43179/3

Matrix: Water

Analysis Batch: 43179

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                         | MB MB  |           | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|------|-----------|---|----------|----------------|---------|
|                                 | Result | Qualifier |      |           |   |          |                |         |
| Alkalinity                      | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/28/22 11:44 | 1       |
| Bicarbonate Alkalinity as CaCO3 | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/28/22 11:44 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/28/22 11:44 | 1       |
| Hydroxide Alkalinity            | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/28/22 11:44 | 1       |
| Phenolphthalein Alkalinity      | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/28/22 11:44 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

## Method: SM 2320B - Alkalinity

Lab Sample ID: LCS 860-43179/4

Matrix: Water

Analysis Batch: 43179

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte    | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|-------------|------------|---------------|------|---|------|--------------|
| Alkalinity | 250         | 254.8      |               | mg/L |   | 102  | 85 - 115     |

Lab Sample ID: LCSD 860-43179/5

Matrix: Water

Analysis Batch: 43179

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte    | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Alkalinity | 250         | 261.0       |                | mg/L |   | 104  | 85 - 115     | 2   | 20        |

Lab Sample ID: 880-11742-1 DU

Matrix: Water

Analysis Batch: 43179

Client Sample ID: Levey Well

Prep Type: Total/NA

| Analyte                         | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------------------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Alkalinity                      | 1210          |                  | 1162      |              | mg/L |   | 4   | 20        |
| Bicarbonate Alkalinity as CaCO3 | 1210          |                  | 1162      |              | mg/L |   | 4   | 20        |
| Carbonate Alkalinity as CaCO3   | <4.00         | U                | <4.00     | U            | mg/L |   | NC  | 20        |
| Hydroxide Alkalinity            | <4.00         | U                | <4.00     | U            | mg/L |   | NC  | 20        |
| Phenolphthalein Alkalinity      | <4.00         | U                | <4.00     | U            | mg/L |   | NC  | 20        |

## Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 860-43040/1

Matrix: Water

Analysis Batch: 43040

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                | MB Result | MB Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|------------------------|-----------|--------------|------|-----------|---|----------|----------------|---------|
| Total Dissolved Solids | <5.00     | U            | 5.00 | 5.00 mg/L |   |          | 02/27/22 17:42 | 1       |

Lab Sample ID: LCS 860-43040/2

Matrix: Water

Analysis Batch: 43040

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------|-------------|------------|---------------|------|---|------|--------------|
| Total Dissolved Solids | 1000        | 1137       |               | mg/L |   | 114  | 80 - 120     |

Lab Sample ID: LCSD 860-43040/3

Matrix: Water

Analysis Batch: 43040

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Total Dissolved Solids | 1000        | 1141        |                | mg/L |   | 114  | 80 - 120     | 0   | 10        |

Eurofins Midland

## QC Association Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

## GC/MS VOA

## Analysis Batch: 43049

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11742-1      | Levey Well             | Total/NA  | Water  | 8260C  |            |
| MB 860-43049/10  | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-43049/3  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-43049/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |

## HPLC/IC

## Analysis Batch: 42915

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-11742-1        | Levey Well             | Total/NA  | Water  | 300.0  |            |
| MB 860-42915/110   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| MB 860-42915/3     | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-42915/111  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCS 860-42915/4    | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-42915/112 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |
| LCSD 860-42915/5   | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

## Analysis Batch: 42916

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-11742-1        | Levey Well             | Total/NA  | Water  | 300.0  |            |
| MB 860-42916/110   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-42916/111  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-42916/112 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

## Metals

## Prep Batch: 43050

| Lab Sample ID      | Client Sample ID       | Prep Type         | Matrix | Method | Prep Batch |
|--------------------|------------------------|-------------------|--------|--------|------------|
| 880-11742-1        | Levey Well             | Total Recoverable | Water  | 200.7  |            |
| MB 860-43050/1-A   | Method Blank           | Total Recoverable | Water  | 200.7  |            |
| LCS 860-43050/2-A  | Lab Control Sample     | Total Recoverable | Water  | 200.7  |            |
| LCSD 860-43050/3-A | Lab Control Sample Dup | Total Recoverable | Water  | 200.7  |            |

## Analysis Batch: 43314

| Lab Sample ID      | Client Sample ID       | Prep Type         | Matrix | Method        | Prep Batch |
|--------------------|------------------------|-------------------|--------|---------------|------------|
| 880-11742-1        | Levey Well             | Total Recoverable | Water  | 200.7 Rev 4.4 | 43050      |
| 880-11742-1        | Levey Well             | Total Recoverable | Water  | 200.7 Rev 4.4 | 43050      |
| MB 860-43050/1-A   | Method Blank           | Total Recoverable | Water  | 200.7 Rev 4.4 | 43050      |
| LCS 860-43050/2-A  | Lab Control Sample     | Total Recoverable | Water  | 200.7 Rev 4.4 | 43050      |
| LCSD 860-43050/3-A | Lab Control Sample Dup | Total Recoverable | Water  | 200.7 Rev 4.4 | 43050      |

## General Chemistry

## Analysis Batch: 43040

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11742-1      | Levey Well             | Total/NA  | Water  | SM 2540C |            |
| MB 860-43040/1   | Method Blank           | Total/NA  | Water  | SM 2540C |            |
| LCS 860-43040/2  | Lab Control Sample     | Total/NA  | Water  | SM 2540C |            |
| LCSD 860-43040/3 | Lab Control Sample Dup | Total/NA  | Water  | SM 2540C |            |

Eurofins Midland



QC Association Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

General Chemistry

Analysis Batch: 43170

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method       | Prep Batch |
|---------------|------------------|-----------|--------|--------------|------------|
| 880-11742-1   | Levey Well       | Total/NA  | Water  | SM 4500 H+ B |            |

Analysis Batch: 43179

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11742-1      | Levey Well             | Total/NA  | Water  | SM 2320B |            |
| MB 860-43179/3   | Method Blank           | Total/NA  | Water  | SM 2320B |            |
| LCS 860-43179/4  | Lab Control Sample     | Total/NA  | Water  | SM 2320B |            |
| LCSD 860-43179/5 | Lab Control Sample Dup | Total/NA  | Water  | SM 2320B |            |
| 880-11742-1 DU   | Levey Well             | Total/NA  | Water  | SM 2320B |            |

Analysis Batch: 43408

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|---------------|------------------|-----------|--------|----------|------------|
| 880-11742-1   | Levey Well       | Total/NA  | Water  | SM 1030E |            |

Lab Chronicle

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

Client Sample ID: Levey Well      Lab Sample ID: 880-11742-1  
Date Collected: 02/25/22 11:47      Matrix: Water  
Date Received: 02/25/22 15:15

| Prep Type         | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-------------------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA          | Analysis   | 8260C         |     | 1               | 43049        | 02/28/22 11:28       | NA      | XEN STF |
| Total/NA          | Analysis   | 300.0         |     | 1               | 42915        | 02/26/22 15:09       | WP      | XEN STF |
| Total/NA          | Analysis   | 300.0         |     | 1               | 42916        | 02/26/22 15:09       | WP      | XEN STF |
| Total Recoverable | Prep       | 200.7         |     |                 | 43050        | 02/28/22 08:10       | AGR     | XEN STF |
| Total Recoverable | Analysis   | 200.7 Rev 4.4 |     | 1               | 43314        | 03/01/22 11:40       | AV      | XEN STF |
| Total Recoverable | Prep       | 200.7         |     |                 | 43050        | 02/28/22 08:10       | AGR     | XEN STF |
| Total Recoverable | Analysis   | 200.7 Rev 4.4 |     | 50              | 43314        | 03/01/22 11:44       | AV      | XEN STF |
| Total/NA          | Analysis   | SM 1030E      |     | 1               | 43408        | 03/02/22 09:53       | AA      | XEN STF |
| Total/NA          | Analysis   | SM 2320B      |     | 1               | 43179        | 02/28/22 12:18       | TL      | XEN STF |
| Total/NA          | Analysis   | SM 2540C      |     | 1               | 43040        | 02/27/22 17:42       | ADL     | XEN STF |
| Total/NA          | Analysis   | SM 4500 H+ B  |     | 1               | 43170        | 02/28/22 16:30       | TL      | XEN STF |

Laboratory References:  
XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas     | NELAP   | T104704215-21-44      | 06-30-22        |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte                         |
|-----------------|-------------|--------|---------------------------------|
| 200.7 Rev 4.4   | 200.7       | Water  | SiO2                            |
| 8260C           |             | Water  | Total BTEX                      |
| SM 1030E        |             | Water  | Anion/Cation Balance            |
| SM 2320B        |             | Water  | Bicarbonate Alkalinity as CaCO3 |
| SM 2320B        |             | Water  | Carbonate Alkalinity as CaCO3   |
| SM 2320B        |             | Water  | Hydroxide Alkalinity            |
| SM 2320B        |             | Water  | Phenolphthalein Alkalinity      |
| SM 4500 H+ B    |             | Water  | Temperature                     |

Method Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

| Method        | Method Description                    | Protocol | Laboratory |
|---------------|---------------------------------------|----------|------------|
| 8260C         | Volatile Organic Compounds by GC/MS   | SW846    | XEN STF    |
| 300.0         | Anions, Ion Chromatography            | MCAWW    | XEN STF    |
| 200.7 Rev 4.4 | Metals (ICP)                          | EPA      | XEN STF    |
| SM 1030E      | Cation Anion Balance                  | SM       | XEN STF    |
| SM 2320B      | Alkalinity                            | SM       | XEN STF    |
| SM 2540C      | Solids, Total Dissolved (TDS)         | SM       | XEN STF    |
| SM 4500 H+ B  | pH                                    | SM       | XEN STF    |
| 200.7         | Preparation, Total Recoverable Metals | EPA      | XEN STF    |
| 5030C         | Purge and Trap                        | SW846    | XEN STF    |

**Protocol References:**

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: Ensolum  
Project/Site: Levey Well Hobb NM - 03B1417001

Job ID: 880-11742-1  
SDG: Hobbs NM

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 880-11742-1   | Levey Well       | Water  | 02/25/22 11:47 | 02/25/22 15:15 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Chain of Custody

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432) 704-5440 EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000

Work



880-11742 Chain of Custody

www.xenco.com

Page 1 of 1

|                  |                   |                         |                      |
|------------------|-------------------|-------------------------|----------------------|
| Project Manager: | Beaux Jennings    | Bill to: (if different) |                      |
| Company Name:    | Ensolum LLC       | Company Name:           |                      |
| Address:         | 705 W Wadley #210 | Address:                |                      |
| City, State ZIP: | Midland TX        | City, State ZIP:        |                      |
| Phone:           | 210-219-8858      | Email:                  | bjenings@ensolum.com |

|                     |                                                                                                                                                              |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Work Order Comments |                                                                                                                                                              |
| Program: UST/PST    | <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input checked="" type="checkbox"/> Superfund                 |
| State of Project:   |                                                                                                                                                              |
| Reporting Level II  | <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/> |
| Deliverables: EDD   | <input type="checkbox"/> ADAPT <input type="checkbox"/> Other:                                                                                               |

|                       |                                                                         |              |                                  |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
|-----------------------|-------------------------------------------------------------------------|--------------|----------------------------------|---------------------------------------------------------------------|----------|---------------------------------------------------------------------|-----------------------|----------------------------|----|------------|-----|--|--|--|--|--|--|--|---------------------------------------------------------------|------------------|-----------------|-------|
| Project Name:         | Levey Well                                                              | Hobbs NM     | Turn Around                      | ANALYSIS REQUEST                                                    |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               | Work Order Notes |                 |       |
| Project Number:       | 03B1417001                                                              |              | Routine <input type="checkbox"/> |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
| P.O. Number:          | 03B1417001                                                              |              | Rush: 24 hr                      |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
| Sampler's Name:       | Aaron Marquez                                                           |              | Due Date:                        |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
| SAMPLE RECEIPT        |                                                                         |              | Temp Blank:                      | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Wet Ice: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
| Temperature (°C):     | 15.1                                                                    |              | Thermometer ID                   |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
| Received Inact:       | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>     |              | Correction Factor:               |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
| Cooler Custody Seals: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |              | Total Containers:                |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
| Sample Custody Seals: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |              |                                  |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  |                 |       |
| Sample Identification | Matrix                                                                  | Date Sampled | Time Sampled                     | Depth                                                               |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  |                                                               |                  | Sample Comments |       |
| Levey Well            | W                                                                       | 2-25-22      | 1147                             | -                                                                   | 7        | VOCs                                                                | Anions: F, Cl, SO4, B | Cations: Ca, K, Mg, Na, Si | pH | Alkalinity | TDS |  |  |  |  |  |  |  |                                                               |                  |                 | 24 hr |
|                       |                                                                         |              |                                  |                                                                     |          |                                                                     |                       |                            |    |            |     |  |  |  |  |  |  |  | TAT starts the day received by the lab, if received by 4:30pm |                  |                 |       |

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn  
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

|                              |                          |           |                              |                          |           |
|------------------------------|--------------------------|-----------|------------------------------|--------------------------|-----------|
| Relinquished by: (Signature) | Received by: (Signature) | Date/Time | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
| 1 <i>[Signature]</i>         | 2 <i>[Signature]</i>     | 2/25/22   | 3 <i>[Signature]</i>         | 4 <i>[Signature]</i>     | 2/25/22   |
| 5                            |                          |           | 6                            |                          |           |



1

2

3

4

5

6

7

8

9

10

11

12

13

14

CUSTODY SEAL

Date

2-25-22

Signature



**Thermo**  
SCIENTIFIC

80009

Temp: 2.4

Client ID: HOU-323

1211 W. Florida Ave

Midland TX 79701

Phone: 432-704-5440

Temp: 2.6

Corrected Temp: 2.6

Chain of Custody Record

880-11742 Chain of Custody

iroffins

Environment Testing America

Client Information (Sub Contract Lab)

Client Contact: Shipping/Receiving

Company: Eurofins Environment Testing South Cent

Address: 4145 Greenbrier Dr

City: Stafford

State, Zip: TX, 77477

Phone: 281-240-4200(Tel)

Email: Project Name: Levey Well Hobb NM 03B1417001

Site: S50W#

Due Date Requested: 2/27/2022

TAT Requested (days):

PO #:

WO #:

Project #: 88000024

SSOW#:

Lab PM: Kramer Jessica

E-Mail: jessica.kramer@eurofins.com

Accreditations Required (see note): NELAP Texas

New Mexico

Job #: 880-11742-1

Page 1 of 1

Sample Information

Sample ID (Lab ID)

Sample Date

Sample Time

Sample Type (C=Comp, G=Grab)

Matrix (Mineral, Seawater, Atmospheric, BT=11999, AA=)

Field Filtered Sample (Yes or No)

Perform MS/MSD (Yes or No)

8260C/5030C (MOD) Full List VOCs

200.7/200.7\_P\_TR (MOD) Custom List

300\_ORGFMS/28D/ Br Cl, F SO4

300\_ORGFMS/ NO2, NO3

SM4500\_H+/ pH

2540C\_Calcid/ TDS

2320B/ Alkalinity

Cation\_Anion/ (MOD) Copy Analytes

Total Number of containers

Levey Well (880-11742-1)

2/25/22

11:47

Mountain

Water

X

X

X

X

X

X

X

X

X

X

7

Special Instructions/Note:

Other:

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client

Disposal By Lab

Archive For

Months

Unconfirmed

Deliverable Requested I II III IV Other (specify)

Primary Deliverable Rank: 2

Empty Kit Relinquished by:

Relinquished by:

Relinquished by:

Custody Seals Intact: A Yes A No

Date:

Time:

Method of Shipment:

Received by:

Date/Time:

Received by:

Date/Time:

Cooler Temperature(s) °C and Other Remarks:

Notes:

Since laboratory accreditation is subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditation are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11742-1

SDG Number: Hobbs NM

Login Number: 11742

List Number: 1

Creator: Teel, Brianna

List Source: Eurofins Midland

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11742-1

SDG Number: Hobbs NM

Login Number: 11742

List Number: 2

Creator: Torres, Sandra

List Source: Eurofins Houston

List Creation: 02/26/22 01:59 PM

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | True   |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   | 2.6     |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |



## Environment Testing America

### ANALYTICAL REPORT

Eurofins Midland  
1211 W. Florida Ave  
Midland, TX 79701  
Tel: (432)704-5440

Laboratory Job ID: 880-11027-1

Client Project/Site: South Hobbs - 03B1417002

Sampling Event: South Hobbs

**For:**

Ensolum  
705 W. Wadley  
Suite 210  
Midland, Texas 79701

Attn: Beaux Jennings

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:  
2/14/2022 7:14:47 PM

Jessica Kramer, Project Manager  
(432)704-5440  
[jessica.kramer@eurofinset.com](mailto:jessica.kramer@eurofinset.com)

#### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Laboratory Job ID: 880-11027-1

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 5  |
| Client Sample Results . . . . .  | 6  |
| Surrogate Summary . . . . .      | 11 |
| QC Sample Results . . . . .      | 12 |
| QC Association Summary . . . . . | 21 |
| Lab Chronicle . . . . .          | 23 |
| Certification Summary . . . . .  | 24 |
| Method Summary . . . . .         | 25 |
| Sample Summary . . . . .         | 26 |
| Chain of Custody . . . . .       | 27 |
| Receipt Checklists . . . . .     | 29 |

1

2

3

4

5

6

7

8

9

10

11

12

13

14



## Definitions/Glossary

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Qualifiers

## GC/MS VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| *-        | LCS and/or LCSD is outside acceptance limits, low biased.                                                      |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

## GC Semi VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

## HPLC/IC

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| H         | Sample was prepped or analyzed beyond the specified holding time                                               |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

## General Chemistry

| Qualifier | Qualifier Description                                                                                |
|-----------|------------------------------------------------------------------------------------------------------|
| HF        | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| U         | Indicates the analyte was analyzed for but not detected.                                             |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| □              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |

Eurofins Midland

Definitions/Glossary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|-----------------------------------------------------------------------------|
| TNTC         | Too Numerous To Count                                                       |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## Case Narrative

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

## Job ID: 880-11027-1

## Laboratory: Eurofins Midland

## Narrative

Job Narrative  
880-11027-1

## Receipt

The samples were received on 2/8/2022 3:56 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.5°C

## Receipt Exceptions

The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: MW-1 (880-11027-1) and MW-2 (880-11027-2). Received without enough holding time at subcontract lab (Houston)

## GC/MS VOA

Method 8260C: The laboratory control sample and/or the laboratory control sample duplicate (LCS/LCSD) for analytical batch 860-40924 recovered outside control limits for the following analyte(s): Dichloro difluoromethane. Dichloro difluoromethane has been identified as a poor performing analyte when analyzed using this method; therefore, re-extraction/re-analysis was not performed. These results have been reported and qualified. Note, The continuing calibration verification was within control limits. And the associated samples were not detected (ND).

Method 8260C: The matrix spike (MS) recoveries for analytical batch 860-40924 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8260C: The following sample(s) was collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The samples were analyzed within the 7-day holding time specified for unpreserved samples: MW-1 (880-11027-1) and MW-2 (880-11027-2). Note: pH 3 for samples 880-11027-1 and 880-11027-2.

Method 8260C: Due to the high concentration of benzene, the matrix spike (MS) for analytical batch 860-41116 could not be evaluated for accuracy and precision. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-41007 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300\_ORGFMS: The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: MW-1 (880-11027-1) and MW-2 (880-11027-2). Received without enough holding time at subcontract lab (Houston)

Method 300\_ORGFMS: The following samples were received outside of holding time: MW-1 (880-11027-1) and MW-2 (880-11027-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## Client Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-1

Lab Sample ID: 880-11027-1

Date Collected: 02/08/22 10:15

Matrix: Water

Date Received: 02/08/22 15:56

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                       | Result    | Qualifier | RL      | Unit     | D    | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|-----------|---------|----------|------|----------|----------------|---------|
| Benzene                       | <0.000214 | U         | 0.00100 | 0.000214 | mg/L |          | 02/10/22 17:22 | 1       |
| Bromobenzene                  | <0.000300 | U         | 0.00100 | 0.000300 | mg/L |          | 02/10/22 17:22 | 1       |
| Bromochloromethane            | <0.000209 | U         | 0.00100 | 0.000209 | mg/L |          | 02/10/22 17:22 | 1       |
| Bromodichloromethane          | <0.000231 | U         | 0.00100 | 0.000231 | mg/L |          | 02/10/22 17:22 | 1       |
| Bromoform                     | <0.000630 | U         | 0.00500 | 0.000630 | mg/L |          | 02/10/22 17:22 | 1       |
| Bromomethane                  | <0.00105  | U         | 0.00500 | 0.00105  | mg/L |          | 02/10/22 17:22 | 1       |
| 2-Butanone                    | <0.00270  | U         | 0.0500  | 0.00270  | mg/L |          | 02/10/22 17:22 | 1       |
| Carbon tetrachloride          | <0.000423 | U         | 0.00500 | 0.000423 | mg/L |          | 02/10/22 17:22 | 1       |
| Chlorobenzene                 | <0.000159 | U         | 0.00100 | 0.000159 | mg/L |          | 02/10/22 17:22 | 1       |
| Chloroethane                  | <0.000433 | U         | 0.0100  | 0.000433 | mg/L |          | 02/10/22 17:22 | 1       |
| Chloroform                    | <0.000259 | U         | 0.00100 | 0.000259 | mg/L |          | 02/10/22 17:22 | 1       |
| Chloromethane                 | 0.000799  | J         | 0.0100  | 0.000318 | mg/L |          | 02/10/22 17:22 | 1       |
| 2-Chlorotoluene               | <0.000214 | U         | 0.00100 | 0.000214 | mg/L |          | 02/10/22 17:22 | 1       |
| 4-Chlorotoluene               | <0.000183 | U         | 0.00100 | 0.000183 | mg/L |          | 02/10/22 17:22 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U         | 0.00100 | 0.000174 | mg/L |          | 02/10/22 17:22 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U         | 0.00500 | 0.000690 | mg/L |          | 02/10/22 17:22 | 1       |
| Dibromochloromethane          | <0.000739 | U         | 0.00500 | 0.000739 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U         | 0.00500 | 0.000319 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U         | 0.00500 | 0.000337 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,2-Dichlorobenzene           | <0.000236 | U         | 0.00100 | 0.000236 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U         | 0.00100 | 0.000197 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U         | 0.00100 | 0.000199 | mg/L |          | 02/10/22 17:22 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U *       | 0.00100 | 0.000316 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U         | 0.00100 | 0.000244 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U         | 0.00100 | 0.000285 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U         | 0.00100 | 0.000216 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U         | 0.00500 | 0.000396 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U         | 0.00500 | 0.000439 | mg/L |          | 02/10/22 17:22 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U         | 0.00500 | 0.000360 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U         | 0.00500 | 0.000481 | mg/L |          | 02/10/22 17:22 | 1       |
| Ethylbenzene                  | <0.000515 | U         | 0.00100 | 0.000515 | mg/L |          | 02/10/22 17:22 | 1       |
| Hexachlorobutadiene           | <0.00200  | U         | 0.00500 | 0.00200  | mg/L |          | 02/10/22 17:22 | 1       |
| Isopropylbenzene              | <0.000161 | U         | 0.00100 | 0.000161 | mg/L |          | 02/10/22 17:22 | 1       |
| Methylene Chloride            | <0.00191  | U         | 0.00500 | 0.00191  | mg/L |          | 02/10/22 17:22 | 1       |
| m,p-Xylenes                   | <0.000330 | U         | 0.0100  | 0.000330 | mg/L |          | 02/10/22 17:22 | 1       |
| MTBE                          | <0.000571 | U         | 0.00500 | 0.000571 | mg/L |          | 02/10/22 17:22 | 1       |
| Naphthalene                   | <0.00200  | U         | 0.0100  | 0.00200  | mg/L |          | 02/10/22 17:22 | 1       |
| n-Butylbenzene                | <0.000286 | U         | 0.00100 | 0.000286 | mg/L |          | 02/10/22 17:22 | 1       |
| N-Propylbenzene               | <0.000179 | U         | 0.00100 | 0.000179 | mg/L |          | 02/10/22 17:22 | 1       |
| o-Xylene                      | <0.000192 | U         | 0.00100 | 0.000192 | mg/L |          | 02/10/22 17:22 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U         | 0.00100 | 0.000233 | mg/L |          | 02/10/22 17:22 | 1       |
| sec-Butylbenzene              | <0.000199 | U         | 0.00100 | 0.000199 | mg/L |          | 02/10/22 17:22 | 1       |
| Styrene                       | <0.000623 | U         | 0.00100 | 0.000623 | mg/L |          | 02/10/22 17:22 | 1       |
| tert-Butylbenzene             | <0.000195 | U         | 0.00100 | 0.000195 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U         | 0.00100 | 0.000327 | mg/L |          | 02/10/22 17:22 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U         | 0.00100 | 0.000284 | mg/L |          | 02/10/22 17:22 | 1       |
| Tetrachloroethene             | <0.000500 | U         | 0.00100 | 0.000500 | mg/L |          | 02/10/22 17:22 | 1       |
| Toluene                       | <0.000500 | U         | 0.00100 | 0.000500 | mg/L |          | 02/11/22 11:58 | 1       |
| trans-1,2-Dichloroethene      | <0.000256 | U         | 0.00100 | 0.000256 | mg/L |          | 02/10/22 17:22 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

Client Sample ID: MW-1

Lab Sample ID: 880-11027-1

Date Collected: 02/08/22 10:15

Matrix: Water

Date Received: 02/08/22 15:56

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                   | Result         | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|----------------|-----------|---------|---------------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | <0.000752      | U         | 0.00500 | 0.000752 mg/L |   |          | 02/10/22 17:22 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200       | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 17:22 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200       | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 17:22 | 1       |
| 1,1,1-Trichloroethane     | <0.000504      | U         | 0.00500 | 0.000504 mg/L |   |          | 02/10/22 17:22 | 1       |
| 1,1,2-Trichloroethane     | <0.000228      | U         | 0.00100 | 0.000228 mg/L |   |          | 02/10/22 17:22 | 1       |
| Trichloroethene           | <0.000424      | U         | 0.00500 | 0.000424 mg/L |   |          | 02/10/22 17:22 | 1       |
| Trichlorofluoromethane    | <0.000245      | U         | 0.00100 | 0.000245 mg/L |   |          | 02/10/22 17:22 | 1       |
| 1,2,3-Trichloropropane    | <0.000283      | U         | 0.00100 | 0.000283 mg/L |   |          | 02/10/22 17:22 | 1       |
| 1,2,4-Trimethylbenzene    | <0.000252      | U         | 0.00100 | 0.000252 mg/L |   |          | 02/10/22 17:22 | 1       |
| 1,3,5-Trimethylbenzene    | <0.000279      | U         | 0.00100 | 0.000279 mg/L |   |          | 02/10/22 17:22 | 1       |
| Vinyl chloride            | <0.000234      | U         | 0.00200 | 0.000234 mg/L |   |          | 02/10/22 17:22 | 1       |
| Xylenes, Total            | <0.000330      | U         | 0.0100  | 0.000330 mg/L |   |          | 02/10/22 17:22 | 1       |
| <b>Total BTEX</b>         | <b>0.00296</b> | <b>J</b>  | 0.0100  | 0.000214 mg/L |   |          | 02/10/22 17:22 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 105       |           | 74 - 124 |          | 02/10/22 17:22 | 1       |
| 4-Bromofluorobenzene (Surr)  | 96        |           | 74 - 124 |          | 02/11/22 11:58 | 1       |
| Dibromofluoromethane (Surr)  | 103       |           | 75 - 131 |          | 02/10/22 17:22 | 1       |
| Dibromofluoromethane (Surr)  | 86        |           | 75 - 131 |          | 02/11/22 11:58 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 106       |           | 63 - 144 |          | 02/10/22 17:22 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 87        |           | 63 - 144 |          | 02/11/22 11:58 | 1       |
| Toluene-d8 (Surr)            | 100       |           | 80 - 117 |          | 02/10/22 17:22 | 1       |
| Toluene-d8 (Surr)            | 96        |           | 80 - 117 |          | 02/11/22 11:58 | 1       |

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------------|---|----------|----------------|---------|
| Total TPH | <0.895 | U         | 4.53 | 0.895 mg/L |   |          | 02/14/22 12:54 | 1       |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <0.895    | U         | 4.53     | 0.895 mg/L |   | 02/11/22 11:42 | 02/11/22 20:18 | 1       |
| Diesel Range Organics (Over C10-C28) | <0.895    | U         | 4.53     | 0.895 mg/L |   | 02/11/22 11:42 | 02/11/22 20:18 | 1       |
| Oil Range Organics (Over C28-C36)    | <0.864    | U         | 4.53     | 0.864 mg/L |   | 02/11/22 11:42 | 02/11/22 20:18 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |            |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 120       |           | 70 - 135 |            |   | 02/11/22 11:42 | 02/11/22 20:18 | 1       |
| o-Terphenyl                          | 114       |           | 70 - 135 |            |   | 02/11/22 11:42 | 02/11/22 20:18 | 1       |

## Method: 300.0 - Anions, Ion Chromatography

| Analyte      | Result | Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-------------|---|----------|----------------|---------|
| Chloride     | 189    |           | 0.500 | 0.200 mg/L  |   |          | 02/10/22 15:43 | 1       |
| Nitrate as N | 0.0688 | J H       | 0.100 | 0.0391 mg/L |   |          | 02/10/22 15:43 | 1       |
| Fluoride     | 0.631  |           | 0.500 | 0.100 mg/L  |   |          | 02/10/22 15:43 | 1       |
| Nitrite as N | 0.358  | H         | 0.100 | 0.0293 mg/L |   |          | 02/10/22 15:43 | 1       |
| Sulfate      | 49.6   |           | 0.500 | 0.109 mg/L  |   |          | 02/10/22 15:43 | 1       |

## General Chemistry

| Analyte    | Result | Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|------------|--------|-----------|------|-----------|---|----------|----------------|---------|
| Alkalinity | 380    |           | 4.00 | 4.00 mg/L |   |          | 02/11/22 10:05 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Client Sample ID: MW-1

Lab Sample ID: 880-11027-1

Date Collected: 02/08/22 10:15

Matrix: Water

Date Received: 02/08/22 15:56

## General Chemistry (Continued)

| Analyte                         | Result | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|------|------------|---|----------|----------------|---------|
| Bicarbonate Alkalinity as CaCO3 | 380    |           | 4.00 | 4.00 mg/L  |   |          | 02/11/22 10:05 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00 mg/L  |   |          | 02/11/22 10:05 | 1       |
| Carbon dioxide                  | 430    |           |      | mg/L       |   |          | 02/14/22 16:29 | 1       |
| Carbon Dioxide, Free            | 95.7   |           |      | mg/L       |   |          | 02/14/22 16:29 | 1       |
| pH                              | 6.9    | HF        |      | SU         |   |          | 02/10/22 14:11 | 1       |
| Temperature                     | 20.8   | HF        |      | Celsius    |   |          | 02/10/22 14:11 | 1       |
| Sulfide                         | <0.495 | U         | 5.00 | 0.495 mg/L |   |          | 02/11/22 17:26 | 1       |

## Client Sample ID: MW-2

Lab Sample ID: 880-11027-2

Date Collected: 02/08/22 11:15

Matrix: Water

Date Received: 02/08/22 15:56

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                     | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| Benzene                     | 0.0184    |           | 0.00100 | 0.000214 mg/L |   |          | 02/10/22 17:42 | 1       |
| Bromobenzene                | <0.000300 | U         | 0.00100 | 0.000300 mg/L |   |          | 02/10/22 17:42 | 1       |
| Bromochloromethane          | <0.000209 | U         | 0.00100 | 0.000209 mg/L |   |          | 02/10/22 17:42 | 1       |
| Bromodichloromethane        | <0.000231 | U         | 0.00100 | 0.000231 mg/L |   |          | 02/10/22 17:42 | 1       |
| Bromoform                   | <0.000630 | U         | 0.00500 | 0.000630 mg/L |   |          | 02/10/22 17:42 | 1       |
| Bromomethane                | <0.00105  | U         | 0.00500 | 0.00105 mg/L  |   |          | 02/10/22 17:42 | 1       |
| 2-Butanone                  | <0.00270  | U         | 0.0500  | 0.00270 mg/L  |   |          | 02/10/22 17:42 | 1       |
| Carbon tetrachloride        | <0.000423 | U         | 0.00500 | 0.000423 mg/L |   |          | 02/10/22 17:42 | 1       |
| Chlorobenzene               | <0.000159 | U         | 0.00100 | 0.000159 mg/L |   |          | 02/10/22 17:42 | 1       |
| Chloroethane                | <0.000433 | U         | 0.0100  | 0.000433 mg/L |   |          | 02/10/22 17:42 | 1       |
| Chloroform                  | <0.000259 | U         | 0.00100 | 0.000259 mg/L |   |          | 02/10/22 17:42 | 1       |
| Chloromethane               | 0.00165   | J         | 0.0100  | 0.000318 mg/L |   |          | 02/10/22 17:42 | 1       |
| 2-Chlorotoluene             | <0.000214 | U         | 0.00100 | 0.000214 mg/L |   |          | 02/10/22 17:42 | 1       |
| 4-Chlorotoluene             | <0.000183 | U         | 0.00100 | 0.000183 mg/L |   |          | 02/10/22 17:42 | 1       |
| cis-1,2-Dichloroethene      | <0.000174 | U         | 0.00100 | 0.000174 mg/L |   |          | 02/10/22 17:42 | 1       |
| cis-1,3-Dichloropropene     | <0.000690 | U         | 0.00500 | 0.000690 mg/L |   |          | 02/10/22 17:42 | 1       |
| Dibromochloromethane        | <0.000739 | U         | 0.00500 | 0.000739 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,2-Dibromo-3-Chloropropane | <0.000319 | U         | 0.00500 | 0.000319 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,2-Dibromoethane           | <0.000337 | U         | 0.00500 | 0.000337 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,2-Dichlorobenzene         | <0.000236 | U         | 0.00100 | 0.000236 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,3-Dichlorobenzene         | <0.000197 | U         | 0.00100 | 0.000197 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,4-Dichlorobenzene         | <0.000199 | U         | 0.00100 | 0.000199 mg/L |   |          | 02/10/22 17:42 | 1       |
| Dichlorodifluoromethane     | <0.000316 | U *       | 0.00100 | 0.000316 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,1-Dichloroethane          | <0.000244 | U         | 0.00100 | 0.000244 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,2-Dichloroethane          | <0.000285 | U         | 0.00100 | 0.000285 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,1-Dichloroethene          | <0.000216 | U         | 0.00100 | 0.000216 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,2-Dichloropropane         | <0.000396 | U         | 0.00500 | 0.000396 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,3-Dichloropropane         | <0.000439 | U         | 0.00500 | 0.000439 mg/L |   |          | 02/10/22 17:42 | 1       |
| 2,2-Dichloropropane         | <0.000360 | U         | 0.00500 | 0.000360 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,1-Dichloropropene         | <0.000481 | U         | 0.00500 | 0.000481 mg/L |   |          | 02/10/22 17:42 | 1       |
| Ethylbenzene                | 0.0133    |           | 0.00100 | 0.000515 mg/L |   |          | 02/10/22 17:42 | 1       |
| Hexachlorobutadiene         | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 17:42 | 1       |
| Isopropylbenzene            | 0.00544   |           | 0.00100 | 0.000161 mg/L |   |          | 02/10/22 17:42 | 1       |
| Methylene Chloride          | <0.00191  | U         | 0.00500 | 0.00191 mg/L  |   |          | 02/10/22 17:42 | 1       |
| m,p-Xylenes                 | 0.0653    |           | 0.0100  | 0.000330 mg/L |   |          | 02/10/22 17:42 | 1       |
| MTBE                        | <0.000571 | U         | 0.00500 | 0.000571 mg/L |   |          | 02/10/22 17:42 | 1       |

Eurofins Midland



## Client Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-2

Lab Sample ID: 880-11027-2

Date Collected: 02/08/22 11:15

Matrix: Water

Date Received: 02/08/22 15:56

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                       | Result     | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|------------|-----------|---------|---------------|---|----------|----------------|---------|
| Naphthalene                   | <0.00200   | U         | 0.0100  | 0.00200 mg/L  |   |          | 02/10/22 17:42 | 1       |
| n-Butylbenzene                | <0.000286  | U         | 0.00100 | 0.000286 mg/L |   |          | 02/10/22 17:42 | 1       |
| N-Propylbenzene               | 0.00149    |           | 0.00100 | 0.000179 mg/L |   |          | 02/10/22 17:42 | 1       |
| o-Xylene                      | 0.00676    |           | 0.00100 | 0.000192 mg/L |   |          | 02/10/22 17:42 | 1       |
| p-Cymene (p-Isopropyltoluene) | 0.000391 J |           | 0.00100 | 0.000233 mg/L |   |          | 02/10/22 17:42 | 1       |
| sec-Butylbenzene              | 0.000510 J |           | 0.00100 | 0.000199 mg/L |   |          | 02/10/22 17:42 | 1       |
| Styrene                       | <0.000623  | U         | 0.00100 | 0.000623 mg/L |   |          | 02/10/22 17:42 | 1       |
| tert-Butylbenzene             | <0.000195  | U         | 0.00100 | 0.000195 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327  | U         | 0.00100 | 0.000327 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284  | U         | 0.00100 | 0.000284 mg/L |   |          | 02/10/22 17:42 | 1       |
| Tetrachloroethene             | <0.000500  | U         | 0.00100 | 0.000500 mg/L |   |          | 02/10/22 17:42 | 1       |
| Toluene                       | 0.00572    |           | 0.00100 | 0.000500 mg/L |   |          | 02/11/22 11:37 | 1       |
| trans-1,2-Dichloroethene      | <0.000256  | U         | 0.00100 | 0.000256 mg/L |   |          | 02/10/22 17:42 | 1       |
| trans-1,3-Dichloropropene     | <0.000752  | U         | 0.00500 | 0.000752 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,2,3-Trichlorobenzene        | <0.00200   | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 17:42 | 1       |
| 1,2,4-Trichlorobenzene        | <0.00200   | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 17:42 | 1       |
| 1,1,1-Trichloroethane         | <0.000504  | U         | 0.00500 | 0.000504 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,1,2-Trichloroethane         | <0.000228  | U         | 0.00100 | 0.000228 mg/L |   |          | 02/10/22 17:42 | 1       |
| Trichloroethene               | <0.000424  | U         | 0.00500 | 0.000424 mg/L |   |          | 02/10/22 17:42 | 1       |
| Trichlorofluoromethane        | <0.000245  | U         | 0.00100 | 0.000245 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,2,3-Trichloropropane        | <0.000283  | U         | 0.00100 | 0.000283 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,2,4-Trimethylbenzene        | 0.0150     |           | 0.00100 | 0.000252 mg/L |   |          | 02/10/22 17:42 | 1       |
| 1,3,5-Trimethylbenzene        | 0.00409    |           | 0.00100 | 0.000279 mg/L |   |          | 02/10/22 17:42 | 1       |
| Vinyl chloride                | <0.000234  | U         | 0.00200 | 0.000234 mg/L |   |          | 02/10/22 17:42 | 1       |
| Xylenes, Total                | 0.0721     |           | 0.0100  | 0.000330 mg/L |   |          | 02/10/22 17:42 | 1       |
| Total BTEX                    | 0.108      |           | 0.0100  | 0.000214 mg/L |   |          | 02/10/22 17:42 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 102       |           | 74 - 124 |          | 02/10/22 17:42 | 1       |
| 4-Bromofluorobenzene (Surr)  | 94        |           | 74 - 124 |          | 02/11/22 11:37 | 1       |
| Dibromofluoromethane (Surr)  | 102       |           | 75 - 131 |          | 02/10/22 17:42 | 1       |
| Dibromofluoromethane (Surr)  | 86        |           | 75 - 131 |          | 02/11/22 11:37 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 105       |           | 63 - 144 |          | 02/10/22 17:42 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 87        |           | 63 - 144 |          | 02/11/22 11:37 | 1       |
| Toluene-d8 (Surr)            | 101       |           | 80 - 117 |          | 02/10/22 17:42 | 1       |
| Toluene-d8 (Surr)            | 97        |           | 80 - 117 |          | 02/11/22 11:37 | 1       |

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------------|---|----------|----------------|---------|
| Total TPH | 1.31   | J         | 4.60 | 0.909 mg/L |   |          | 02/14/22 12:54 | 1       |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | 1.31   | J         | 4.60 | 0.909 mg/L |   | 02/11/22 11:42 | 02/11/22 20:37 | 1       |
| Diesel Range Organics (Over C10-C28) | <0.909 | U         | 4.60 | 0.909 mg/L |   | 02/11/22 11:42 | 02/11/22 20:37 | 1       |
| Oil Range Organics (Over C28-C36)    | <0.877 | U         | 4.60 | 0.877 mg/L |   | 02/11/22 11:42 | 02/11/22 20:37 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 114       |           | 70 - 135 | 02/11/22 11:42 | 02/11/22 20:37 | 1       |

Eurofins Midland

Client Sample Results

Client: Ensolum

Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

Client Sample ID: MW-2

Lab Sample ID: 880-11027-2

Date Collected: 02/08/22 11:15

Matrix: Water

Date Received: 02/08/22 15:56

|                                                                 |           |           |          |  |  |  |                |                |         |
|-----------------------------------------------------------------|-----------|-----------|----------|--|--|--|----------------|----------------|---------|
| Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued) |           |           |          |  |  |  |                |                |         |
| Surrogate                                                       | %Recovery | Qualifier | Limits   |  |  |  | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                                                     | 110       |           | 70 - 135 |  |  |  | 02/11/22 11:42 | 02/11/22 20:37 | 1       |

|                                            |        |           |       |        |      |   |          |                |         |
|--------------------------------------------|--------|-----------|-------|--------|------|---|----------|----------------|---------|
| Method: 300.0 - Anions, Ion Chromatography |        |           |       |        |      |   |          |                |         |
| Analyte                                    | Result | Qualifier | RL    |        | Unit | D | Prepared | Analyzed       | Dil Fac |
| Chloride                                   | 148    |           | 0.500 | 0.200  | mg/L |   |          | 02/10/22 16:06 | 1       |
| Nitrate as N                               | 0.683  | H         | 0.100 | 0.0391 | mg/L |   |          | 02/10/22 16:06 | 1       |
| Fluoride                                   | 0.156  | J         | 0.500 | 0.100  | mg/L |   |          | 02/10/22 16:06 | 1       |
| Nitrite as N                               | 1.03   | H         | 0.100 | 0.0293 | mg/L |   |          | 02/10/22 16:06 | 1       |
| Sulfate                                    | 125    |           | 0.500 | 0.109  | mg/L |   |          | 02/10/22 16:06 | 1       |

|                                 |        |           |      |       |         |   |          |                |         |
|---------------------------------|--------|-----------|------|-------|---------|---|----------|----------------|---------|
| General Chemistry               |        |           |      |       |         |   |          |                |         |
| Analyte                         | Result | Qualifier | RL   |       | Unit    | D | Prepared | Analyzed       | Dil Fac |
| Alkalinity                      | 1290   |           | 4.00 | 4.00  | mg/L    |   |          | 02/11/22 10:31 | 1       |
| Bicarbonate Alkalinity as CaCO3 | 1290   |           | 4.00 | 4.00  | mg/L    |   |          | 02/11/22 10:31 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00  | mg/L    |   |          | 02/11/22 10:31 | 1       |
| Carbon dioxide                  | 3190   |           |      |       | mg/L    |   |          | 02/14/22 16:29 | 1       |
| Carbon Dioxide, Free            | 2050   |           |      |       | mg/L    |   |          | 02/14/22 16:29 | 1       |
| pH                              | 6.1    | HF        |      |       | SU      |   |          | 02/10/22 14:11 | 1       |
| Temperature                     | 20.7   | HF        |      |       | Celsius |   |          | 02/10/22 14:11 | 1       |
| Sulfide                         | <0.495 | U         | 5.00 | 0.495 | mg/L    |   |          | 02/11/22 17:26 | 1       |

## Surrogate Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

## Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

|                                    |                        | Percent Surrogate Recovery (Acceptance Limits) |                  |                 |                 |
|------------------------------------|------------------------|------------------------------------------------|------------------|-----------------|-----------------|
| Lab Sample ID                      | Client Sample ID       | BFB<br>(74-124)                                | DBFM<br>(75-131) | DCA<br>(63-144) | TOL<br>(80-117) |
| 860-20584-B-2 MS                   | Matrix Spike           | 96                                             | 85               | 85              | 94              |
| 880-11027-1                        | MW-1                   | 105                                            | 103              | 106             | 100             |
| 880-11027-1                        | MW-1                   | 96                                             | 86               | 87              | 96              |
| 880-11027-2                        | MW-2                   | 102                                            | 102              | 105             | 101             |
| 880-11027-2                        | MW-2                   | 94                                             | 86               | 87              | 97              |
| 880-11028-E-1 MS                   | Matrix Spike           | 100                                            | 101              | 100             | 100             |
| LCS 860-40924/3                    | Lab Control Sample     | 100                                            | 103              | 103             | 99              |
| LCS 860-41116/3                    | Lab Control Sample     | 95                                             | 87               | 85              | 93              |
| LCSD 860-40924/4                   | Lab Control Sample Dup | 99                                             | 103              | 103             | 98              |
| LCSD 860-41116/4                   | Lab Control Sample Dup | 94                                             | 86               | 84              | 96              |
| MB 860-40924/10                    | Method Blank           | 104                                            | 103              | 106             | 101             |
| MB 860-41116/7                     | Method Blank           | 93                                             | 87               | 84              | 98              |
| <b>Surrogate Legend</b>            |                        |                                                |                  |                 |                 |
| BFB = 4-Bromofluorobenzene (Surr)  |                        |                                                |                  |                 |                 |
| DBFM = Dibromofluoromethane (Surr) |                        |                                                |                  |                 |                 |
| DCA = 1,2-Dichloroethane-d4 (Surr) |                        |                                                |                  |                 |                 |
| TOL = Toluene-d8 (Surr)            |                        |                                                |                  |                 |                 |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Water

Prep Type: Total/NA

|                         |                        | Percent Surrogate Recovery (Acceptance Limits) |                   |
|-------------------------|------------------------|------------------------------------------------|-------------------|
| Lab Sample ID           | Client Sample ID       | 1CO1<br>(70-135)                               | OTPH1<br>(70-135) |
| 880-11027-1             | MW-1                   | 120                                            | 114               |
| 880-11027-2             | MW-2                   | 114                                            | 110               |
| LCS 860-41042/2-A       | Lab Control Sample     | 97                                             | 92                |
| LCSD 860-41042/3-A      | Lab Control Sample Dup | 98                                             | 92                |
| MB 860-41042/1-A        | Method Blank           | 93                                             | 85                |
| <b>Surrogate Legend</b> |                        |                                                |                   |
| 1CO = 1-Chlorooctane    |                        |                                                |                   |
| OTPH = o-Terphenyl      |                        |                                                |                   |

## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 860-40924/10

Matrix: Water

Analysis Batch: 40924

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                       | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromobenzene                  | <0.000300 | U            | 0.00100 | 0.000300 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromochloromethane            | <0.000209 | U            | 0.00100 | 0.000209 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromodichloromethane          | <0.000231 | U            | 0.00100 | 0.000231 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromoform                     | <0.000630 | U            | 0.00500 | 0.000630 mg/L |   |          | 02/10/22 10:11 | 1       |
| Bromomethane                  | <0.00105  | U            | 0.00500 | 0.00105 mg/L  |   |          | 02/10/22 10:11 | 1       |
| 2-Butanone                    | <0.00270  | U            | 0.0500  | 0.00270 mg/L  |   |          | 02/10/22 10:11 | 1       |
| Carbon tetrachloride          | <0.000423 | U            | 0.00500 | 0.000423 mg/L |   |          | 02/10/22 10:11 | 1       |
| Chlorobenzene                 | <0.000159 | U            | 0.00100 | 0.000159 mg/L |   |          | 02/10/22 10:11 | 1       |
| Chloroethane                  | <0.000433 | U            | 0.0100  | 0.000433 mg/L |   |          | 02/10/22 10:11 | 1       |
| Chloroform                    | <0.000259 | U            | 0.00100 | 0.000259 mg/L |   |          | 02/10/22 10:11 | 1       |
| Chloromethane                 | <0.000318 | U            | 0.0100  | 0.000318 mg/L |   |          | 02/10/22 10:11 | 1       |
| 2-Chlorotoluene               | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/10/22 10:11 | 1       |
| 4-Chlorotoluene               | <0.000183 | U            | 0.00100 | 0.000183 mg/L |   |          | 02/10/22 10:11 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U            | 0.00100 | 0.000174 mg/L |   |          | 02/10/22 10:11 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U            | 0.00500 | 0.000690 mg/L |   |          | 02/10/22 10:11 | 1       |
| Dibromochloromethane          | <0.000739 | U            | 0.00500 | 0.000739 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U            | 0.00500 | 0.000319 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U            | 0.00500 | 0.000337 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dichlorobenzene           | <0.000236 | U            | 0.00100 | 0.000236 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U            | 0.00100 | 0.000197 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/10/22 10:11 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U            | 0.00100 | 0.000316 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U            | 0.00100 | 0.000244 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U            | 0.00100 | 0.000285 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U            | 0.00100 | 0.000216 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U            | 0.00500 | 0.000396 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U            | 0.00500 | 0.000439 mg/L |   |          | 02/10/22 10:11 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U            | 0.00500 | 0.000360 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U            | 0.00500 | 0.000481 mg/L |   |          | 02/10/22 10:11 | 1       |
| Ethylbenzene                  | <0.000515 | U            | 0.00100 | 0.000515 mg/L |   |          | 02/10/22 10:11 | 1       |
| Hexachlorobutadiene           | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/10/22 10:11 | 1       |
| Isopropylbenzene              | <0.000161 | U            | 0.00100 | 0.000161 mg/L |   |          | 02/10/22 10:11 | 1       |
| Methylene Chloride            | <0.00191  | U            | 0.00500 | 0.00191 mg/L  |   |          | 02/10/22 10:11 | 1       |
| m,p-Xylenes                   | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/10/22 10:11 | 1       |
| MTBE                          | <0.000571 | U            | 0.00500 | 0.000571 mg/L |   |          | 02/10/22 10:11 | 1       |
| Naphthalene                   | <0.00200  | U            | 0.0100  | 0.00200 mg/L  |   |          | 02/10/22 10:11 | 1       |
| n-Butylbenzene                | <0.000286 | U            | 0.00100 | 0.000286 mg/L |   |          | 02/10/22 10:11 | 1       |
| N-Propylbenzene               | <0.000179 | U            | 0.00100 | 0.000179 mg/L |   |          | 02/10/22 10:11 | 1       |
| o-Xylene                      | <0.000192 | U            | 0.00100 | 0.000192 mg/L |   |          | 02/10/22 10:11 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U            | 0.00100 | 0.000233 mg/L |   |          | 02/10/22 10:11 | 1       |
| sec-Butylbenzene              | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/10/22 10:11 | 1       |
| Styrene                       | <0.000623 | U            | 0.00100 | 0.000623 mg/L |   |          | 02/10/22 10:11 | 1       |
| tert-Butylbenzene             | <0.000195 | U            | 0.00100 | 0.000195 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U            | 0.00100 | 0.000327 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U            | 0.00100 | 0.000284 mg/L |   |          | 02/10/22 10:11 | 1       |
| Tetrachloroethene             | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/10/22 10:11 | 1       |
| Toluene                       | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/10/22 10:11 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 860-40924/10

Matrix: Water

Analysis Batch: 40924

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                      | MB Result    | MB Qualifier | RL       | Unit          | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|---------------|---|----------|----------------|---------|
| trans-1,2-Dichloroethene     | <0.000256    | U            | 0.00100  | 0.000256 mg/L |   |          | 02/10/22 10:11 | 1       |
| trans-1,3-Dichloropropene    | <0.000752    | U            | 0.00500  | 0.000752 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2,3-Trichlorobenzene       | <0.00200     | U            | 0.00500  | 0.00200 mg/L  |   |          | 02/10/22 10:11 | 1       |
| 1,2,4-Trichlorobenzene       | <0.00200     | U            | 0.00500  | 0.00200 mg/L  |   |          | 02/10/22 10:11 | 1       |
| 1,1,1-Trichloroethane        | <0.000504    | U            | 0.00500  | 0.000504 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,1,2-Trichloroethane        | <0.000228    | U            | 0.00100  | 0.000228 mg/L |   |          | 02/10/22 10:11 | 1       |
| Trichloroethene              | <0.000424    | U            | 0.00500  | 0.000424 mg/L |   |          | 02/10/22 10:11 | 1       |
| Trichlorofluoromethane       | <0.000245    | U            | 0.00100  | 0.000245 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2,3-Trichloropropane       | <0.000283    | U            | 0.00100  | 0.000283 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,2,4-Trimethylbenzene       | <0.000252    | U            | 0.00100  | 0.000252 mg/L |   |          | 02/10/22 10:11 | 1       |
| 1,3,5-Trimethylbenzene       | <0.000279    | U            | 0.00100  | 0.000279 mg/L |   |          | 02/10/22 10:11 | 1       |
| Vinyl chloride               | <0.000234    | U            | 0.00200  | 0.000234 mg/L |   |          | 02/10/22 10:11 | 1       |
| Xylenes, Total               | <0.000330    | U            | 0.0100   | 0.000330 mg/L |   |          | 02/10/22 10:11 | 1       |
| Total BTEX                   | <0.000214    | U            | 0.0100   | 0.000214 mg/L |   |          | 02/10/22 10:11 | 1       |
| Surrogate                    | MB %Recovery | MB Qualifier | Limits   |               |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr)  | 104          |              | 74 - 124 |               |   |          | 02/10/22 10:11 | 1       |
| Dibromofluoromethane (Surr)  | 103          |              | 75 - 131 |               |   |          | 02/10/22 10:11 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 106          |              | 63 - 144 |               |   |          | 02/10/22 10:11 | 1       |
| Toluene-d8 (Surr)            | 101          |              | 80 - 117 |               |   |          | 02/10/22 10:11 | 1       |

Lab Sample ID: LCS 860-40924/3

Matrix: Water

Analysis Batch: 40924

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene                     | 0.0500      | 0.05438    |               | mg/L |   | 109  | 66 - 142     |
| Bromobenzene                | 0.0500      | 0.05249    |               | mg/L |   | 105  | 75 - 125     |
| Bromochloromethane          | 0.0500      | 0.05413    |               | mg/L |   | 108  | 60 - 140     |
| Bromodichloromethane        | 0.0500      | 0.05595    |               | mg/L |   | 112  | 75 - 125     |
| Bromoform                   | 0.0500      | 0.05180    |               | mg/L |   | 104  | 75 - 125     |
| Bromomethane                | 0.0500      | 0.06204    |               | mg/L |   | 124  | 60 - 140     |
| 2-Butanone                  | 0.250       | 0.2486     |               | mg/L |   | 99   | 60 - 140     |
| Carbon tetrachloride        | 0.0500      | 0.05526    |               | mg/L |   | 111  | 62 - 125     |
| Chlorobenzene               | 0.0500      | 0.05375    |               | mg/L |   | 108  | 60 - 133     |
| Chloroethane                | 0.0500      | 0.04342    |               | mg/L |   | 87   | 60 - 140     |
| Chloroform                  | 0.0500      | 0.05606    |               | mg/L |   | 112  | 70 - 130     |
| Chloromethane               | 0.0500      | 0.03891    |               | mg/L |   | 78   | 60 - 140     |
| 2-Chlorotoluene             | 0.0500      | 0.05420    |               | mg/L |   | 108  | 73 - 125     |
| 4-Chlorotoluene             | 0.0500      | 0.05451    |               | mg/L |   | 109  | 74 - 125     |
| cis-1,2-Dichloroethene      | 0.0500      | 0.05581    |               | mg/L |   | 112  | 75 - 125     |
| cis-1,3-Dichloropropene     | 0.0500      | 0.05191    |               | mg/L |   | 104  | 74 - 125     |
| Dibromochloromethane        | 0.0500      | 0.05205    |               | mg/L |   | 104  | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane | 0.0500      | 0.05110    |               | mg/L |   | 102  | 59 - 125     |
| 1,2-Dibromoethane           | 0.0500      | 0.05227    |               | mg/L |   | 105  | 73 - 125     |
| 1,2-Dichlorobenzene         | 0.0500      | 0.05258    |               | mg/L |   | 105  | 75 - 125     |
| 1,3-Dichlorobenzene         | 0.0500      | 0.05395    |               | mg/L |   | 108  | 75 - 125     |
| 1,4-Dichlorobenzene         | 0.0500      | 0.05263    |               | mg/L |   | 105  | 75 - 125     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 860-40924/3

Matrix: Water

Analysis Batch: 40924

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| Dichlorodifluoromethane       | 0.0500      | 0.02954    | *-            | mg/L |   | 59   | 70 - 130     |
| 1,1-Dichloroethane            | 0.0500      | 0.05571    |               | mg/L |   | 111  | 72 - 125     |
| 1,2-Dichloroethane            | 0.0500      | 0.05289    |               | mg/L |   | 106  | 68 - 127     |
| 1,1-Dichloroethene            | 0.0500      | 0.04665    |               | mg/L |   | 93   | 59 - 172     |
| 1,2-Dichloropropane           | 0.0500      | 0.05385    |               | mg/L |   | 108  | 74 - 125     |
| 1,3-Dichloropropane           | 0.0500      | 0.05151    |               | mg/L |   | 103  | 75 - 125     |
| 2,2-Dichloropropane           | 0.0500      | 0.05536    |               | mg/L |   | 111  | 75 - 125     |
| 1,1-Dichloropropene           | 0.0500      | 0.05655    |               | mg/L |   | 113  | 75 - 125     |
| Ethylbenzene                  | 0.0500      | 0.05618    |               | mg/L |   | 112  | 75 - 125     |
| Hexachlorobutadiene           | 0.0500      | 0.05227    |               | mg/L |   | 105  | 75 - 125     |
| Isopropylbenzene              | 0.0500      | 0.05618    |               | mg/L |   | 112  | 75 - 125     |
| Methylene Chloride            | 0.0500      | 0.04489    |               | mg/L |   | 90   | 75 - 125     |
| m,p-Xylenes                   | 0.0500      | 0.05553    |               | mg/L |   | 111  | 75 - 125     |
| MTBE                          | 0.0500      | 0.05089    |               | mg/L |   | 102  | 65 - 135     |
| Naphthalene                   | 0.0500      | 0.05483    |               | mg/L |   | 110  | 70 - 130     |
| n-Butylbenzene                | 0.0500      | 0.05469    |               | mg/L |   | 109  | 75 - 125     |
| N-Propylbenzene               | 0.0500      | 0.05576    |               | mg/L |   | 112  | 75 - 125     |
| o-Xylene                      | 0.0500      | 0.05579    |               | mg/L |   | 112  | 75 - 125     |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.05519    |               | mg/L |   | 110  | 75 - 125     |
| sec-Butylbenzene              | 0.0500      | 0.05474    |               | mg/L |   | 109  | 75 - 125     |
| Styrene                       | 0.0500      | 0.04890    |               | mg/L |   | 98   | 75 - 125     |
| tert-Butylbenzene             | 0.0500      | 0.05344    |               | mg/L |   | 107  | 75 - 125     |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.04957    |               | mg/L |   | 99   | 72 - 125     |
| 1,1,2,2-Tetrachloroethane     | 0.0500      | 0.05102    |               | mg/L |   | 102  | 74 - 125     |
| Tetrachloroethene             | 0.0500      | 0.04944    |               | mg/L |   | 99   | 71 - 125     |
| Toluene                       | 0.0500      | 0.05471    |               | mg/L |   | 109  | 59 - 139     |
| trans-1,2-Dichloroethene      | 0.0500      | 0.05372    |               | mg/L |   | 107  | 75 - 125     |
| trans-1,3-Dichloropropene     | 0.0500      | 0.05500    |               | mg/L |   | 110  | 66 - 125     |
| 1,2,3-Trichlorobenzene        | 0.0500      | 0.05471    |               | mg/L |   | 109  | 75 - 137     |
| 1,2,4-Trichlorobenzene        | 0.0500      | 0.05431    |               | mg/L |   | 109  | 75 - 135     |
| 1,1,1-Trichloroethane         | 0.0500      | 0.05711    |               | mg/L |   | 114  | 75 - 125     |
| 1,1,2-Trichloroethane         | 0.0500      | 0.05186    |               | mg/L |   | 104  | 75 - 127     |
| Trichloroethene               | 0.0500      | 0.05353    |               | mg/L |   | 107  | 62 - 137     |
| Trichlorofluoromethane        | 0.0500      | 0.05217    |               | mg/L |   | 104  | 60 - 140     |
| 1,2,3-Trichloropropane        | 0.0500      | 0.05145    |               | mg/L |   | 103  | 75 - 125     |
| 1,2,4-Trimethylbenzene        | 0.0500      | 0.05513    |               | mg/L |   | 110  | 75 - 125     |
| 1,3,5-Trimethylbenzene        | 0.0500      | 0.05567    |               | mg/L |   | 111  | 60 - 140     |
| Vinyl chloride                | 0.0500      | 0.04330    |               | mg/L |   | 87   | 60 - 140     |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr)  | 100           |               | 74 - 124 |
| Dibromofluoromethane (Surr)  | 103           |               | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 103           |               | 63 - 144 |
| Toluene-d8 (Surr)            | 99            |               | 80 - 117 |

Eurofins Midland



## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-40924/4

Matrix: Water

Analysis Batch: 40924

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                       | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
|                               |             |             |                |      |   |      |              |     |           |
| Benzene                       | 0.0500      | 0.05412     |                | mg/L |   | 108  | 66 - 142     | 0   | 25        |
| Bromobenzene                  | 0.0500      | 0.05272     |                | mg/L |   | 105  | 75 - 125     | 0   | 25        |
| Bromochloromethane            | 0.0500      | 0.05261     |                | mg/L |   | 105  | 60 - 140     | 3   | 25        |
| Bromodichloromethane          | 0.0500      | 0.05588     |                | mg/L |   | 112  | 75 - 125     | 0   | 25        |
| Bromoform                     | 0.0500      | 0.05247     |                | mg/L |   | 105  | 75 - 125     | 1   | 25        |
| Bromomethane                  | 0.0500      | 0.05432     |                | mg/L |   | 109  | 60 - 140     | 13  | 25        |
| 2-Butanone                    | 0.250       | 0.2573      |                | mg/L |   | 103  | 60 - 140     | 3   | 25        |
| Carbon tetrachloride          | 0.0500      | 0.05359     |                | mg/L |   | 107  | 62 - 125     | 3   | 25        |
| Chlorobenzene                 | 0.0500      | 0.05419     |                | mg/L |   | 108  | 60 - 133     | 1   | 25        |
| Chloroethane                  | 0.0500      | 0.04202     |                | mg/L |   | 84   | 60 - 140     | 3   | 25        |
| Chloroform                    | 0.0500      | 0.05466     |                | mg/L |   | 109  | 70 - 130     | 3   | 25        |
| Chloromethane                 | 0.0500      | 0.03571     |                | mg/L |   | 71   | 60 - 140     | 9   | 25        |
| 2-Chlorotoluene               | 0.0500      | 0.05458     |                | mg/L |   | 109  | 73 - 125     | 1   | 25        |
| 4-Chlorotoluene               | 0.0500      | 0.05464     |                | mg/L |   | 109  | 74 - 125     | 0   | 25        |
| cis-1,2-Dichloroethene        | 0.0500      | 0.05453     |                | mg/L |   | 109  | 75 - 125     | 2   | 25        |
| cis-1,3-Dichloropropene       | 0.0500      | 0.05231     |                | mg/L |   | 105  | 74 - 125     | 1   | 25        |
| Dibromochloromethane          | 0.0500      | 0.05294     |                | mg/L |   | 106  | 73 - 125     | 2   | 25        |
| 1,2-Dibromo-3-Chloropropane   | 0.0500      | 0.05565     |                | mg/L |   | 111  | 59 - 125     | 9   | 25        |
| 1,2-Dibromoethane             | 0.0500      | 0.05236     |                | mg/L |   | 105  | 73 - 125     | 0   | 25        |
| 1,2-Dichlorobenzene           | 0.0500      | 0.05382     |                | mg/L |   | 108  | 75 - 125     | 2   | 25        |
| 1,3-Dichlorobenzene           | 0.0500      | 0.05484     |                | mg/L |   | 110  | 75 - 125     | 2   | 25        |
| 1,4-Dichlorobenzene           | 0.0500      | 0.05446     |                | mg/L |   | 109  | 75 - 125     | 3   | 25        |
| Dichlorodifluoromethane       | 0.0500      | 0.02967     | *              | mg/L |   | 59   | 70 - 130     | 0   | 25        |
| 1,1-Dichloroethane            | 0.0500      | 0.05287     |                | mg/L |   | 106  | 72 - 125     | 5   | 25        |
| 1,2-Dichloroethane            | 0.0500      | 0.05359     |                | mg/L |   | 107  | 68 - 127     | 1   | 25        |
| 1,1-Dichloroethene            | 0.0500      | 0.04536     |                | mg/L |   | 91   | 59 - 172     | 3   | 25        |
| 1,2-Dichloropropane           | 0.0500      | 0.05417     |                | mg/L |   | 108  | 74 - 125     | 1   | 25        |
| 1,3-Dichloropropane           | 0.0500      | 0.05217     |                | mg/L |   | 104  | 75 - 125     | 1   | 25        |
| 2,2-Dichloropropane           | 0.0500      | 0.05372     |                | mg/L |   | 107  | 75 - 125     | 3   | 25        |
| 1,1-Dichloropropene           | 0.0500      | 0.05592     |                | mg/L |   | 112  | 75 - 125     | 1   | 25        |
| Ethylbenzene                  | 0.0500      | 0.05547     |                | mg/L |   | 111  | 75 - 125     | 1   | 25        |
| Hexachlorobutadiene           | 0.0500      | 0.05660     |                | mg/L |   | 113  | 75 - 125     | 8   | 25        |
| Isopropylbenzene              | 0.0500      | 0.05631     |                | mg/L |   | 113  | 75 - 125     | 0   | 25        |
| Methylene Chloride            | 0.0500      | 0.04390     |                | mg/L |   | 88   | 75 - 125     | 2   | 25        |
| m,p-Xylenes                   | 0.0500      | 0.05529     |                | mg/L |   | 111  | 75 - 125     | 0   | 25        |
| MTBE                          | 0.0500      | 0.05027     |                | mg/L |   | 101  | 65 - 135     | 1   | 25        |
| Naphthalene                   | 0.0500      | 0.06171     |                | mg/L |   | 123  | 70 - 130     | 12  | 25        |
| n-Butylbenzene                | 0.0500      | 0.05654     |                | mg/L |   | 113  | 75 - 125     | 3   | 25        |
| N-Propylbenzene               | 0.0500      | 0.05641     |                | mg/L |   | 113  | 75 - 125     | 1   | 25        |
| o-Xylene                      | 0.0500      | 0.05511     |                | mg/L |   | 110  | 75 - 125     | 1   | 25        |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.05698     |                | mg/L |   | 114  | 75 - 125     | 3   | 25        |
| sec-Butylbenzene              | 0.0500      | 0.05683     |                | mg/L |   | 114  | 75 - 125     | 4   | 25        |
| Styrene                       | 0.0500      | 0.04832     |                | mg/L |   | 97   | 75 - 125     | 1   | 25        |
| tert-Butylbenzene             | 0.0500      | 0.05480     |                | mg/L |   | 110  | 75 - 125     | 3   | 25        |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.04869     |                | mg/L |   | 97   | 72 - 125     | 2   | 25        |
| 1,1,2,2-Tetrachloroethane     | 0.0500      | 0.05126     |                | mg/L |   | 103  | 74 - 125     | 0   | 25        |
| Tetrachloroethene             | 0.0500      | 0.04950     |                | mg/L |   | 99   | 71 - 125     | 0   | 25        |
| Toluene                       | 0.0500      | 0.05401     |                | mg/L |   | 108  | 59 - 139     | 1   | 25        |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-40924/4

Matrix: Water

Analysis Batch: 40924

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                   | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.    |     | RPD | Limit |
|---------------------------|----------------|----------------|-------------------|------|---|------|----------|-----|-----|-------|
|                           |                |                |                   |      |   |      | Limits   | RPD |     |       |
| trans-1,2-Dichloroethene  | 0.0500         | 0.05172        |                   | mg/L |   | 103  | 75 - 125 | 4   |     | 25    |
| trans-1,3-Dichloropropene | 0.0500         | 0.05479        |                   | mg/L |   | 110  | 66 - 125 | 0   |     | 25    |
| 1,2,3-Trichlorobenzene    | 0.0500         | 0.06082        |                   | mg/L |   | 122  | 75 - 137 | 11  |     | 25    |
| 1,2,4-Trichlorobenzene    | 0.0500         | 0.05798        |                   | mg/L |   | 116  | 75 - 135 | 7   |     | 25    |
| 1,1,1-Trichloroethane     | 0.0500         | 0.05646        |                   | mg/L |   | 113  | 75 - 125 | 1   |     | 25    |
| 1,1,2-Trichloroethane     | 0.0500         | 0.05208        |                   | mg/L |   | 104  | 75 - 127 | 0   |     | 25    |
| Trichloroethene           | 0.0500         | 0.05351        |                   | mg/L |   | 107  | 62 - 137 | 0   |     | 25    |
| Trichlorofluoromethane    | 0.0500         | 0.04947        |                   | mg/L |   | 99   | 60 - 140 | 5   |     | 25    |
| 1,2,3-Trichloropropane    | 0.0500         | 0.05523        |                   | mg/L |   | 110  | 75 - 125 | 7   |     | 25    |
| 1,2,4-Trimethylbenzene    | 0.0500         | 0.05547        |                   | mg/L |   | 111  | 75 - 125 | 1   |     | 25    |
| 1,3,5-Trimethylbenzene    | 0.0500         | 0.05589        |                   | mg/L |   | 112  | 60 - 140 | 0   |     | 25    |
| Vinyl chloride            | 0.0500         | 0.04102        |                   | mg/L |   | 82   | 60 - 140 | 5   |     | 25    |

| Surrogate                    | LCSD      |           | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr)  | 99        |           | 74 - 124 |
| Dibromofluoromethane (Surr)  | 103       |           | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 103       |           | 63 - 144 |
| Toluene-d8 (Surr)            | 98        |           | 80 - 117 |

Lab Sample ID: MB 860-41116/7

Matrix: Water

Analysis Batch: 41116

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte        | MB        |           | RL      | Unit     | D | Prepared | Analyzed       | Dil Fac |
|----------------|-----------|-----------|---------|----------|---|----------|----------------|---------|
|                | Result    | Qualifier |         |          |   |          |                |         |
| Benzene        | <0.000214 | U         | 0.00100 | 0.000214 |   |          | 02/11/22 10:53 | 1       |
| Ethylbenzene   | <0.000515 | U         | 0.00100 | 0.000515 |   |          | 02/11/22 10:53 | 1       |
| m,p-Xylenes    | <0.000330 | U         | 0.0100  | 0.000330 |   |          | 02/11/22 10:53 | 1       |
| MTBE           | <0.000571 | U         | 0.00500 | 0.000571 |   |          | 02/11/22 10:53 | 1       |
| o-Xylene       | <0.000192 | U         | 0.00100 | 0.000192 |   |          | 02/11/22 10:53 | 1       |
| Toluene        | <0.000500 | U         | 0.00100 | 0.000500 |   |          | 02/11/22 10:53 | 1       |
| Xylenes, Total | <0.000330 | U         | 0.0100  | 0.000330 |   |          | 02/11/22 10:53 | 1       |

| Surrogate                    | MB        |           | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
|                              | %Recovery | Qualifier |          |          |                |         |
| 4-Bromofluorobenzene (Surr)  | 93        |           | 74 - 124 |          | 02/11/22 10:53 | 1       |
| Dibromofluoromethane (Surr)  | 87        |           | 75 - 131 |          | 02/11/22 10:53 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 84        |           | 63 - 144 |          | 02/11/22 10:53 | 1       |
| Toluene-d8 (Surr)            | 98        |           | 80 - 117 |          | 02/11/22 10:53 | 1       |

Lab Sample ID: LCS 860-41116/3

Matrix: Water

Analysis Batch: 41116

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte      | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.    |  |
|--------------|----------------|---------------|------------------|------|---|------|----------|--|
|              |                |               |                  |      |   |      | Limits   |  |
| Benzene      | 0.0500         | 0.04713       |                  | mg/L |   | 94   | 66 - 142 |  |
| Ethylbenzene | 0.0500         | 0.04752       |                  | mg/L |   | 95   | 75 - 125 |  |
| m,p-Xylenes  | 0.0500         | 0.04811       |                  | mg/L |   | 96   | 75 - 125 |  |
| MTBE         | 0.0500         | 0.04166       |                  | mg/L |   | 83   | 65 - 135 |  |
| o-Xylene     | 0.0500         | 0.04775       |                  | mg/L |   | 96   | 75 - 125 |  |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 860-41116/3

Matrix: Water

Analysis Batch: 41116

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                      | Spike Added   | LCS Result    | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|---------------|---------------|---------------|------|---|------|--------------|
| Toluene                      | 0.0500        | 0.04751       |               | mg/L |   | 95   | 59 - 139     |
|                              |               |               |               |      |   |      |              |
| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits        |      |   |      |              |
| 4-Bromofluorobenzene (Surr)  | 95            |               | 74 - 124      |      |   |      |              |
| Dibromofluoromethane (Surr)  | 87            |               | 75 - 131      |      |   |      |              |
| 1,2-Dichloroethane-d4 (Surr) | 85            |               | 63 - 144      |      |   |      |              |
| Toluene-d8 (Surr)            | 93            |               | 80 - 117      |      |   |      |              |

Lab Sample ID: LCSD 860-41116/4

Matrix: Water

Analysis Batch: 41116

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                      | Spike Added    | LCSD Result    | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|----------------|----------------|----------------|------|---|------|--------------|-----|-----------|
| Benzene                      | 0.0500         | 0.05257        |                | mg/L |   | 105  | 66 - 142     | 11  | 25        |
| Ethylbenzene                 | 0.0500         | 0.05400        |                | mg/L |   | 108  | 75 - 125     | 13  | 25        |
| m,p-Xylenes                  | 0.0500         | 0.05492        |                | mg/L |   | 110  | 75 - 125     | 13  | 25        |
| MTBE                         | 0.0500         | 0.04738        |                | mg/L |   | 95   | 65 - 135     | 13  | 25        |
| o-Xylene                     | 0.0500         | 0.05416        |                | mg/L |   | 108  | 75 - 125     | 13  | 25        |
| Toluene                      | 0.0500         | 0.05574        |                | mg/L |   | 111  | 59 - 139     | 16  | 25        |
|                              |                |                |                |      |   |      |              |     |           |
| Surrogate                    | LCSD %Recovery | LCSD Qualifier | Limits         |      |   |      |              |     |           |
| 4-Bromofluorobenzene (Surr)  | 94             |                | 74 - 124       |      |   |      |              |     |           |
| Dibromofluoromethane (Surr)  | 86             |                | 75 - 131       |      |   |      |              |     |           |
| 1,2-Dichloroethane-d4 (Surr) | 84             |                | 63 - 144       |      |   |      |              |     |           |
| Toluene-d8 (Surr)            | 96             |                | 80 - 117       |      |   |      |              |     |           |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 860-41042/1-A

Matrix: Water

Analysis Batch: 40939

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 41042

| Analyte                              | MB Result    | MB Qualifier | RL       | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------------|--------------|----------|------------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <0.988       | U            | 5.00     | 0.988 mg/L |   | 02/10/22 13:54 | 02/11/22 00:38 | 1       |
| Diesel Range Organics (Over C10-C28) | <0.988       | U            | 5.00     | 0.988 mg/L |   | 02/10/22 13:54 | 02/11/22 00:38 | 1       |
| Oil Range Organics (Over C28-C36)    | <0.954       | U            | 5.00     | 0.954 mg/L |   | 02/10/22 13:54 | 02/11/22 00:38 | 1       |
|                                      |              |              |          |            |   |                |                |         |
| Surrogate                            | MB %Recovery | MB Qualifier | Limits   |            |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 93           |              | 70 - 135 |            |   | 02/10/22 13:54 | 02/11/22 00:38 | 1       |
| o-Terphenyl                          | 85           |              | 70 - 135 |            |   | 02/10/22 13:54 | 02/11/22 00:38 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 860-41042/2-A

Matrix: Water

Analysis Batch: 40939

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 41042

| Analyte                              |           |           | Spike    | LCS    | LCS       |      |   |      | %Rec.    |  |  |
|--------------------------------------|-----------|-----------|----------|--------|-----------|------|---|------|----------|--|--|
|                                      |           |           | Added    | Result | Qualifier | Unit | D | %Rec | Limits   |  |  |
| Gasoline Range Organics (GRO)-C6-C10 |           |           | 99.4     | 99.83  |           | mg/L |   | 100  | 70 - 135 |  |  |
| Diesel Range Organics (Over C10-C28) |           |           | 99.2     | 97.74  |           | mg/L |   | 99   | 70 - 135 |  |  |
|                                      |           | LCS       | LCS      |        |           |      |   |      |          |  |  |
| Surrogate                            | %Recovery | Qualifier | Limits   |        |           |      |   |      |          |  |  |
| 1-Chlorooctane                       | 97        |           | 70 - 135 |        |           |      |   |      |          |  |  |
| o-Terphenyl                          | 92        |           | 70 - 135 |        |           |      |   |      |          |  |  |

Lab Sample ID: LCSD 860-41042/3-A

Matrix: Water

Analysis Batch: 40939

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 41042

| Analyte                              |           |           | Spike    | LCSD   | LCSD      | Unit | D | %Rec.  | RPD | RPD   |
|--------------------------------------|-----------|-----------|----------|--------|-----------|------|---|--------|-----|-------|
|                                      |           |           | Added    | Result | Qualifier |      |   | Limits |     | Limit |
| Gasoline Range Organics (GRO)-C6-C10 |           |           | 99.4     | 99.04  |           | mg/L |   | 100    | 1   | 35    |
| Diesel Range Organics (Over C10-C28) |           |           | 99.2     | 99.78  |           | mg/L |   | 101    | 2   | 35    |
| Surrogate                            | LCSD      | LCSD      | Limits   |        |           |      |   |        |     |       |
|                                      | %Recovery | Qualifier |          |        |           |      |   |        |     |       |
| 1-Chlorooctane                       | 98        |           | 70 - 135 |        |           |      |   |        |     |       |
| o-Terphenyl                          | 92        |           | 70 - 135 |        |           |      |   |        |     |       |

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 860-41007/3

Matrix: Water

Analysis Batch: 41007

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB Result | MB Qualifier | RL    | Unit       | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-------|------------|---|----------|----------------|---------|
| Chloride | <0.200    | U            | 0.500 | 0.200 mg/L |   |          | 02/10/22 09:15 | 1       |
| Fluoride | <0.100    | U            | 0.500 | 0.100 mg/L |   |          | 02/10/22 09:15 | 1       |
| Sulfate  | <0.109    | U            | 0.500 | 0.109 mg/L |   |          | 02/10/22 09:15 | 1       |

Lab Sample ID: LCS 860-41007/4

Matrix: Water

Analysis Batch: 41007

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Chloride | 10.0        | 9.983      |               | mg/L |   | 100  | 90 - 110     |
| Fluoride | 10.0        | 10.19      |               | mg/L |   | 102  | 90 - 110     |
| Sulfate  | 10.0        | 9.879      |               | mg/L |   | 99   | 90 - 110     |

Lab Sample ID: LCSD 860-41007/5

Matrix: Water

Analysis Batch: 41007

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|----------|-------------|-------------|----------------|------|---|------|--------------|-----|-------|
| Chloride | 10.0        | 9.909       |                | mg/L |   | 99   | 90 - 110     | 1   | 20    |
| Fluoride | 10.0        | 10.11       |                | mg/L |   | 101  | 90 - 110     | 1   | 20    |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 860-41007/5

Matrix: Water

Analysis Batch: 41007

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Sulfate | 10.0        | 9.841       |                | mg/L |   | 98   | 90 - 110     | 0   | 20        |

Lab Sample ID: MB 860-41008/3

Matrix: Water

Analysis Batch: 41008

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte      | MB Result | MB Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|-----------|--------------|-------|-------------|---|----------|----------------|---------|
| Nitrate as N | <0.0391   | U            | 0.100 | 0.0391 mg/L |   |          | 02/10/22 09:15 | 1       |
| Nitrite as N | <0.0293   | U            | 0.100 | 0.0293 mg/L |   |          | 02/10/22 09:15 | 1       |

Lab Sample ID: LCS 860-41008/4

Matrix: Water

Analysis Batch: 41008

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte      | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |  |
|--------------|-------------|------------|---------------|------|---|------|--------------|--|
| Nitrate as N | 10.0        | 10.05      |               | mg/L |   | 100  | 80 - 120     |  |
| Nitrite as N | 5.00        | 5.080      |               | mg/L |   | 102  | 80 - 120     |  |

Lab Sample ID: LCSD 860-41008/5

Matrix: Water

Analysis Batch: 41008

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte      | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Nitrate as N | 10.0        | 10.02       |                | mg/L |   | 100  | 80 - 120     | 0   | 20        |
| Nitrite as N | 5.00        | 5.088       |                | mg/L |   | 102  | 80 - 120     | 0   | 20        |

## Method: SM 2320B - Alkalinity

Lab Sample ID: MB 860-41186/3

Matrix: Water

Analysis Batch: 41186

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                         | MB Result | MB Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|-----------|--------------|------|-----------|---|----------|----------------|---------|
| Alkalinity                      | <4.00     | U            | 4.00 | 4.00 mg/L |   |          | 02/11/22 09:38 | 1       |
| Bicarbonate Alkalinity as CaCO3 | <4.00     | U            | 4.00 | 4.00 mg/L |   |          | 02/11/22 09:38 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00     | U            | 4.00 | 4.00 mg/L |   |          | 02/11/22 09:38 | 1       |

Lab Sample ID: LCS 860-41186/4

Matrix: Water

Analysis Batch: 41186

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte    | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |  |
|------------|-------------|------------|---------------|------|---|------|--------------|--|
| Alkalinity | 250         | 268.6      |               | mg/L |   | 107  | 85 - 115     |  |

Lab Sample ID: LCSD 860-41186/5

Matrix: Water

Analysis Batch: 41186

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte    | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Alkalinity | 250         | 264.4       |                | mg/L |   | 106  | 85 - 115     | 2   | 20        |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## Method: SM 2320B - Alkalinity (Continued)

Lab Sample ID: 880-11027-1 DU

Matrix: Water

Analysis Batch: 41186

Client Sample ID: MW-1

Prep Type: Total/NA

| Analyte                                     | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | Limit |
|---------------------------------------------|---------------|------------------|-----------|--------------|------|---|-----|-------|
| Alkalinity                                  | 380           |                  | 391.0     |              | mg/L |   | 3   | 20    |
| Bicarbonate Alkalinity as CaCO <sub>3</sub> | 380           |                  | 391.0     |              | mg/L |   | 3   | 20    |
| Carbonate Alkalinity as CaCO <sub>3</sub>   | <4.00         | U                | <4.00     | U            | mg/L |   | NC  | 20    |

## Method: SM 4500 H+ B - pH

Lab Sample ID: 880-11027-1 DU

Matrix: Water

Analysis Batch: 41043

Client Sample ID: MW-1

Prep Type: Total/NA

| Analyte     | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit    | D | RPD | Limit |
|-------------|---------------|------------------|-----------|--------------|---------|---|-----|-------|
| pH          | 6.9           | HF               | 6.9       |              | SU      |   | 0.1 | 20    |
| Temperature | 20.8          | HF               | 20.8      |              | Celsius |   | 0   | 20    |

## Method: SM 4500 S2 F - Sulfide, Total

Lab Sample ID: MB 860-41456/1

Matrix: Water

Analysis Batch: 41456

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|---------|-----------|--------------|------|------------|---|----------|----------------|---------|
| Sulfide | <0.495    | U            | 5.00 | 0.495 mg/L |   |          | 02/11/22 17:26 | 1       |

Lab Sample ID: LCS 860-41456/2

Matrix: Water

Analysis Batch: 41456

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| Sulfide | 50.0        | 47.60      |               | mg/L |   | 95   | 80 - 120     |

Lab Sample ID: LCSD 860-41456/3

Matrix: Water

Analysis Batch: 41456

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|---------|-------------|-------------|----------------|------|---|------|--------------|-----|-------|
| Sulfide | 50.0        | 47.40       |                | mg/L |   | 95   | 80 - 120     | 0   | 20    |

Lab Sample ID: 880-11027-1 MS

Matrix: Water

Analysis Batch: 41456

Client Sample ID: MW-1

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Sulfide | <0.495        | U                | 50.0        | 48.80     |              | mg/L |   | 98   | 80 - 120     |

Lab Sample ID: 880-11027-1 MSD

Matrix: Water

Analysis Batch: 41456

Client Sample ID: MW-1

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
|---------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-------|
| Sulfide | <0.495        | U                | 50.0        | 49.00      |               | mg/L |   | 98   | 80 - 120     | 0   | 20    |

Eurofins Midland



## QC Association Summary

Client: Ensolum

Job ID: 880-11027-1

Project/Site: South Hobbs - 03B1417002

## GC/MS VOA

## Analysis Batch: 40924

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11027-1      | MW-1                   | Total/NA  | Water  | 8260C  |            |
| 880-11027-2      | MW-2                   | Total/NA  | Water  | 8260C  |            |
| MB 860-40924/10  | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-40924/3  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-40924/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |

## Analysis Batch: 41116

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11027-1      | MW-1                   | Total/NA  | Water  | 8260C  |            |
| 880-11027-2      | MW-2                   | Total/NA  | Water  | 8260C  |            |
| MB 860-41116/7   | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-41116/3  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-41116/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |

## GC Semi VOA

## Analysis Batch: 40939

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| MB 860-41042/1-A   | Method Blank           | Total/NA  | Water  | 8015B NM | 41042      |
| LCS 860-41042/2-A  | Lab Control Sample     | Total/NA  | Water  | 8015B NM | 41042      |
| LCSD 860-41042/3-A | Lab Control Sample Dup | Total/NA  | Water  | 8015B NM | 41042      |

## Prep Batch: 41042

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method         | Prep Batch |
|--------------------|------------------------|-----------|--------|----------------|------------|
| 880-11027-1        | MW-1                   | Total/NA  | Water  | 8015NM Aq Prep |            |
| 880-11027-2        | MW-2                   | Total/NA  | Water  | 8015NM Aq Prep |            |
| MB 860-41042/1-A   | Method Blank           | Total/NA  | Water  | 8015NM Aq Prep |            |
| LCS 860-41042/2-A  | Lab Control Sample     | Total/NA  | Water  | 8015NM Aq Prep |            |
| LCSD 860-41042/3-A | Lab Control Sample Dup | Total/NA  | Water  | 8015NM Aq Prep |            |

## Analysis Batch: 41195

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|---------------|------------------|-----------|--------|----------|------------|
| 880-11027-1   | MW-1             | Total/NA  | Water  | 8015B NM | 41042      |
| 880-11027-2   | MW-2             | Total/NA  | Water  | 8015B NM | 41042      |

## Analysis Batch: 41402

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method  | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 880-11027-1   | MW-1             | Total/NA  | Water  | 8015 NM |            |
| 880-11027-2   | MW-2             | Total/NA  | Water  | 8015 NM |            |

## HPLC/IC

## Analysis Batch: 41007

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11027-1      | MW-1                   | Total/NA  | Water  | 300.0  |            |
| 880-11027-2      | MW-2                   | Total/NA  | Water  | 300.0  |            |
| MB 860-41007/3   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-41007/4  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-41007/5 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

Eurofins Midland

QC Association Summary

Client: Ensolum

Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

HPLC/IC

Analysis Batch: 41008

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11027-1      | MW-1                   | Total/NA  | Water  | 300.0  |            |
| 880-11027-2      | MW-2                   | Total/NA  | Water  | 300.0  |            |
| MB 860-41008/3   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-41008/4  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-41008/5 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

General Chemistry

Analysis Batch: 41043

| Lab Sample ID  | Client Sample ID | Prep Type | Matrix | Method       | Prep Batch |
|----------------|------------------|-----------|--------|--------------|------------|
| 880-11027-1    | MW-1             | Total/NA  | Water  | SM 4500 H+ B |            |
| 880-11027-2    | MW-2             | Total/NA  | Water  | SM 4500 H+ B |            |
| 880-11027-1 DU | MW-1             | Total/NA  | Water  | SM 4500 H+ B |            |

Analysis Batch: 41186

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11027-1      | MW-1                   | Total/NA  | Water  | SM 2320B |            |
| 880-11027-2      | MW-2                   | Total/NA  | Water  | SM 2320B |            |
| MB 860-41186/3   | Method Blank           | Total/NA  | Water  | SM 2320B |            |
| LCS 860-41186/4  | Lab Control Sample     | Total/NA  | Water  | SM 2320B |            |
| LCSD 860-41186/5 | Lab Control Sample Dup | Total/NA  | Water  | SM 2320B |            |
| 880-11027-1 DU   | MW-1                   | Total/NA  | Water  | SM 2320B |            |

Analysis Batch: 41445

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method        | Prep Batch |
|---------------|------------------|-----------|--------|---------------|------------|
| 880-11027-1   | MW-1             | Total/NA  | Water  | SM 4500 CO2 D |            |
| 880-11027-2   | MW-2             | Total/NA  | Water  | SM 4500 CO2 D |            |

Analysis Batch: 41456

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method       | Prep Batch |
|------------------|------------------------|-----------|--------|--------------|------------|
| 880-11027-1      | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11027-2      | MW-2                   | Total/NA  | Water  | SM 4500 S2 F |            |
| MB 860-41456/1   | Method Blank           | Total/NA  | Water  | SM 4500 S2 F |            |
| LCS 860-41456/2  | Lab Control Sample     | Total/NA  | Water  | SM 4500 S2 F |            |
| LCSD 860-41456/3 | Lab Control Sample Dup | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11027-1 MS   | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11027-1 MSD  | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |

Lab Chronicle

Client: Ensolum

Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

Client Sample ID: MW-1

Lab Sample ID: 880-11027-1

Date Collected: 02/08/22 10:15

Matrix: Water

Date Received: 02/08/22 15:56

| Prep Type | Batch Type | Batch Method   | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|----------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C          |     | 1               | 41116        | 02/11/22 11:58       | AN      | XEN STF |
| Total/NA  | Analysis   | 8260C          |     | 1               | 40924        | 02/10/22 17:22       | NA      | XEN STF |
| Total/NA  | Analysis   | 8015 NM        |     | 1               | 41402        | 02/14/22 12:54       | DD      | XEN STF |
| Total/NA  | Prep       | 8015NM Aq Prep |     |                 | 41042        | 02/11/22 11:42       | SAR     | XEN STF |
| Total/NA  | Analysis   | 8015B NM       |     | 1               | 41195        | 02/11/22 20:18       | T1S     | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 41007        | 02/10/22 15:43       | WP      | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 41008        | 02/10/22 15:43       | WP      | XEN STF |
| Total/NA  | Analysis   | SM 2320B       |     | 1               | 41186        | 02/11/22 10:05       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 CO2 D  |     | 1               | 41445        | 02/14/22 16:29       | AA      | XEN STF |
| Total/NA  | Analysis   | SM 4500 H+ B   |     | 1               | 41043        | 02/10/22 14:11       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 S2 F   |     | 1               | 41456        | 02/11/22 17:26       | YVD     | XEN STF |

Client Sample ID: MW-2

Lab Sample ID: 880-11027-2

Date Collected: 02/08/22 11:15

Matrix: Water

Date Received: 02/08/22 15:56

| Prep Type | Batch Type | Batch Method   | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|----------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C          |     | 1               | 41116        | 02/11/22 11:37       | AN      | XEN STF |
| Total/NA  | Analysis   | 8260C          |     | 1               | 40924        | 02/10/22 17:42       | NA      | XEN STF |
| Total/NA  | Analysis   | 8015 NM        |     | 1               | 41402        | 02/14/22 12:54       | DD      | XEN STF |
| Total/NA  | Prep       | 8015NM Aq Prep |     |                 | 41042        | 02/11/22 11:42       | SAR     | XEN STF |
| Total/NA  | Analysis   | 8015B NM       |     | 1               | 41195        | 02/11/22 20:37       | T1S     | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 41007        | 02/10/22 16:06       | WP      | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 41008        | 02/10/22 16:06       | WP      | XEN STF |
| Total/NA  | Analysis   | SM 2320B       |     | 1               | 41186        | 02/11/22 10:31       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 CO2 D  |     | 1               | 41445        | 02/14/22 16:29       | AA      | XEN STF |
| Total/NA  | Analysis   | SM 4500 H+ B   |     | 1               | 41043        | 02/10/22 14:11       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 S2 F   |     | 1               | 41456        | 02/11/22 17:26       | YVD     | XEN STF |

Laboratory References:

XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas     | NELAP   | T104704215-21-44      | 06-30-22        |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method    | Matrix | Analyte                              |
|-----------------|----------------|--------|--------------------------------------|
| 8015 NM         |                | Water  | Total TPH                            |
| 8015B NM        | 8015NM Aq Prep | Water  | Diesel Range Organics (Over C10-C28) |
| 8015B NM        | 8015NM Aq Prep | Water  | Gasoline Range Organics (GRO)-C6-C10 |
| 8015B NM        | 8015NM Aq Prep | Water  | Oil Range Organics (Over C28-C36)    |
| 8260C           |                | Water  | Total BTEX                           |
| SM 2320B        |                | Water  | Bicarbonate Alkalinity as CaCO3      |
| SM 2320B        |                | Water  | Carbonate Alkalinity as CaCO3        |
| SM 4500 CO2 D   |                | Water  | Carbon dioxide                       |
| SM 4500 CO2 D   |                | Water  | Carbon Dioxide, Free                 |
| SM 4500 H+ B    |                | Water  | Temperature                          |

Method Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

| Method         | Method Description                                    | Protocol | Laboratory |
|----------------|-------------------------------------------------------|----------|------------|
| 8260C          | Volatile Organic Compounds by GC/MS                   | SW846    | XEN STF    |
| 8015 NM        | Diesel Range Organics (DRO) (GC)                      | SW846    | XEN STF    |
| 8015B NM       | Diesel Range Organics (DRO) (GC)                      | SW846    | XEN STF    |
| 300.0          | Anions, Ion Chromatography                            | MCAWW    | XEN STF    |
| SM 2320B       | Alkalinity                                            | SM       | XEN STF    |
| SM 4500 CO2 D  | Carbon Dioxide and Forms of Alkalinity by Calculation | SM       | XEN STF    |
| SM 4500 H+ B   | pH                                                    | SM       | XEN STF    |
| SM 4500 S2 F   | Sulfide, Total                                        | SM       | XEN STF    |
| 5030C          | Purge and Trap                                        | SW846    | XEN STF    |
| 8015NM Aq Prep | Microextraction                                       | SW846    | XEN STF    |

**Protocol References:**

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary


Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11027-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 880-11027-1   | MW-1             | Water  | 02/08/22 10:15 | 02/08/22 15:56 |
| 880-11027-2   | MW-2             | Water  | 02/08/22 11:15 | 02/08/22 15:56 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14





## Chain of Custody

Work Order No: 11027

2/14/2022

|                  |                   |                        |                       |
|------------------|-------------------|------------------------|-----------------------|
| Project Manager: | Beaux Jennings    | Bill to (if different) |                       |
| Company Name:    | Ensolum LLC       | Company Name:          |                       |
| Address:         | 705 W Wadley #210 | Address:               |                       |
| City, State ZIP: | Midland TX        | City, State ZIP:       |                       |
| Phone:           | 432-230-3344      | Email:                 | bjennings@ensolum.com |

|                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Work Order Comments</b>                                                                                                                                                                                                    |
| Program: UST/PST <input type="checkbox"/> PRR <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input checked="" type="checkbox"/> Superfund <input type="checkbox"/><br>State of Project: <i>New Mexico</i> |
| Reporting Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> ITRRP <input type="checkbox"/> Level IV <input type="checkbox"/>                                              |
| Deliverables EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other: <input type="checkbox"/>                                                                                                                      |

|                        |               |                                  |                         |  |  |  |  |  |                         |
|------------------------|---------------|----------------------------------|-------------------------|--|--|--|--|--|-------------------------|
| <b>Project Name:</b>   | South Hobbs   | <b>Turn Around</b>               | <b>ANALYSIS REQUEST</b> |  |  |  |  |  | <b>Work Order Notes</b> |
| <b>Project Number:</b> | 03B1417002    | Routine <input type="checkbox"/> |                         |  |  |  |  |  |                         |
| <b>P.O. Number:</b>    | 03B1417002    | Rush 24 Hr                       |                         |  |  |  |  |  |                         |
| <b>Sampler's Name:</b> | Aaron Marquez | Due Date                         |                         |  |  |  |  |  |                         |
|                        |               |                                  | 500 CO <sub>2</sub> c   |  |  |  |  |  |                         |
|                        |               |                                  | 76.2                    |  |  |  |  |  |                         |
|                        |               |                                  | 00                      |  |  |  |  |  |                         |
|                        |               |                                  |                         |  |  |  |  |  |                         |

|                       |          |                |     |                    |          |     |    |
|-----------------------|----------|----------------|-----|--------------------|----------|-----|----|
| <b>SAMPLE RECEIPT</b> |          | Temp Blank:    | Yes | No                 | Wet Ice: | Yes | No |
| Temperature (°C):     | 54/55    | Thermometer ID |     |                    |          |     |    |
| Received intact:      | (yes) No | IEG            |     |                    |          |     |    |
| Cooler Custody Seals: | Yes      | No             | N/A | Correction Factor: |          | 1   |    |
| Sample Custody Seals: | Yes      | No             | N/A | Total Containers:  |          |     |    |

Number of Containers

Reduced Carbon Dioxide 4

Reduced Sulfide SW-846 #37

SW-846 #8260

Method #8015

EPA Method #846 3

SW-846 Method 150.1



880-11027 Chain of Custody

TAT starts the day received by the lab, if received by 4:30pm

[illegible]

**CUSTODY SEAL**  
Date 2-8-22  
Signature [Signature]

**Thermo**  
SCIENTIFIC

90006

| Total 200.7 / 6010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                   | 200.8 / 6020:    |                             | 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn |           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------|-----------------------------|--------------------------------------------------------------------------------------------------------|-----------|
| Circle Method(s) and Metal(s) to be analyzed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                   | TCLP / SPLP 6010 |                             | 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U                                                   |           |
| 1631 / 245.1 / 7470 / 7474 Hg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                   |                  |                             |                                                                                                        |           |
| <p>Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.</p> |                                                                                   |                  |                             |                                                                                                        |           |
| Relinquished by (Signature)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Received by (Signature)                                                           | Date/Time        | Relinquished by (Signature) | Received by (Signature)                                                                                | Date/Time |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 2/6/22 15:50     | 2                           |                                                                                                        |           |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                   |                  | 4                           |                                                                                                        |           |
| 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                   |                  | 6                           |                                                                                                        |           |

Eurofins Midland

1211 W Florida Ave  
Midland, TX 79701  
Phone: 432-704-5440

### Chain of Custody Record



**Environment Testing  
America**

[illegible]

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11027-1

Login Number: 11027

List Number: 1

Creator: Teel, Brianna

List Source: Eurofins Midland

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11027-1

Login Number: 11027

List Number: 2

Creator: Palmar, Pedro

List Source: Eurofins Houston

List Creation: 02/10/22 12:42 PM

| Question                                                                         | Answer | Comment                                            |
|----------------------------------------------------------------------------------|--------|----------------------------------------------------|
| The cooler's custody seal, if present, is intact.                                | True   |                                                    |
| Sample custody seals, if present, are intact.                                    | True   |                                                    |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |                                                    |
| Samples were received on ice.                                                    | True   |                                                    |
| Cooler Temperature is acceptable.                                                | True   |                                                    |
| Cooler Temperature is recorded.                                                  | True   |                                                    |
| COC is present.                                                                  | True   |                                                    |
| COC is filled out in ink and legible.                                            | True   |                                                    |
| COC is filled out with all pertinent information.                                | True   |                                                    |
| Is the Field Sampler's name present on COC?                                      | N/A    |                                                    |
| There are no discrepancies between the containers received and the COC.          | True   |                                                    |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | False  | Received without enough holding time from Midland. |
| Sample containers have legible labels.                                           | True   |                                                    |
| Containers are not broken or leaking.                                            | True   |                                                    |
| Sample collection date/times are provided.                                       | True   |                                                    |
| Appropriate sample containers are used.                                          | True   |                                                    |
| Sample bottles are completely filled.                                            | True   |                                                    |
| Sample Preservation Verified.                                                    | True   |                                                    |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |                                                    |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |                                                    |



## Environment Testing America

### ANALYTICAL REPORT

Eurofins Midland  
1211 W. Florida Ave  
Midland, TX 79701  
Tel: (432)704-5440

Laboratory Job ID: 880-11380-1

Client Project/Site: South Hobbs - 03B1417002

Sampling Event: South Hobbs

**For:**

Ensolum  
705 W. Wadley  
Suite 210  
Midland, Texas 79701

Attn: Beaux Jennings

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:  
2/24/2022 8:44:59 PM

Jessica Kramer, Project Manager  
(432)704-5440  
[jessica.kramer@eurofinset.com](mailto:jessica.kramer@eurofinset.com)

#### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Laboratory Job ID: 880-11380-1

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 4  |
| Client Sample Results . . . . .  | 5  |
| Surrogate Summary . . . . .      | 10 |
| QC Sample Results . . . . .      | 11 |
| QC Association Summary . . . . . | 25 |
| Lab Chronicle . . . . .          | 27 |
| Certification Summary . . . . .  | 28 |
| Method Summary . . . . .         | 29 |
| Sample Summary . . . . .         | 30 |
| Chain of Custody . . . . .       | 31 |
| Receipt Checklists . . . . .     | 33 |

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14



Definitions/Glossary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| *-        | LCS and/or LCSD is outside acceptance limits, low biased.                                                      |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

GC Semi VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

HPLC/IC

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

General Chemistry

| Qualifier | Qualifier Description                                                                                |
|-----------|------------------------------------------------------------------------------------------------------|
| HF        | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| U         | Indicates the analyte was analyzed for but not detected.                                             |

Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |
| TNTC           | Too Numerous To Count                                                                                       |

## Case Narrative

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

**Job ID: 880-11380-1****Laboratory: Eurofins Midland****Narrative****Job Narrative  
880-11380-1****Receipt**

The samples were received on 2/16/2022 3:51 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.9°C

**GC/MS VOA**

Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-2 (880-11380-2). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**GC Semi VOA**

Method 8015MOD\_NM: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 860-42070.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**HPLC/IC**

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-42358 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-41809 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits. Chloride

Method 300\_ORGFMS: Spike compounds were inadvertently omitted during the extraction process for the matrix spike/matrix spike duplicate (MS/MSD); therefore, matrix spike recoveries are unavailable for analytical batch 860-41810. The associated laboratory control sample (LCS) met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**General Chemistry**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## Client Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-1

Lab Sample ID: 880-11380-1

Date Collected: 02/16/22 10:25

Matrix: Water

Date Received: 02/16/22 15:51

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                       | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | <0.000214 | U         | 0.00100 | 0.000214 mg/L |   |          | 02/18/22 19:30 | 1       |
| Bromobenzene                  | <0.000300 | U         | 0.00100 | 0.000300 mg/L |   |          | 02/18/22 19:30 | 1       |
| Bromochloromethane            | <0.000209 | U         | 0.00100 | 0.000209 mg/L |   |          | 02/18/22 19:30 | 1       |
| Bromodichloromethane          | <0.000231 | U         | 0.00100 | 0.000231 mg/L |   |          | 02/18/22 19:30 | 1       |
| Bromoform                     | <0.000630 | U         | 0.00500 | 0.000630 mg/L |   |          | 02/18/22 19:30 | 1       |
| Bromomethane                  | <0.00105  | U         | 0.00500 | 0.00105 mg/L  |   |          | 02/18/22 19:30 | 1       |
| 2-Butanone                    | <0.00270  | U         | 0.0500  | 0.00270 mg/L  |   |          | 02/18/22 19:30 | 1       |
| Carbon tetrachloride          | <0.000423 | U         | 0.00500 | 0.000423 mg/L |   |          | 02/18/22 19:30 | 1       |
| Chlorobenzene                 | <0.000159 | U         | 0.00100 | 0.000159 mg/L |   |          | 02/18/22 19:30 | 1       |
| Chloroethane                  | <0.000433 | U         | 0.0100  | 0.000433 mg/L |   |          | 02/18/22 19:30 | 1       |
| Chloroform                    | <0.000259 | U         | 0.00100 | 0.000259 mg/L |   |          | 02/18/22 19:30 | 1       |
| Chloromethane                 | <0.000318 | U         | 0.0100  | 0.000318 mg/L |   |          | 02/18/22 19:30 | 1       |
| 2-Chlorotoluene               | <0.000214 | U         | 0.00100 | 0.000214 mg/L |   |          | 02/18/22 19:30 | 1       |
| 4-Chlorotoluene               | <0.000183 | U         | 0.00100 | 0.000183 mg/L |   |          | 02/18/22 19:30 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U         | 0.00100 | 0.000174 mg/L |   |          | 02/18/22 19:30 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U         | 0.00500 | 0.000690 mg/L |   |          | 02/18/22 19:30 | 1       |
| Dibromochloromethane          | <0.000739 | U         | 0.00500 | 0.000739 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U         | 0.00500 | 0.000319 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U         | 0.00500 | 0.000337 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,2-Dichlorobenzene           | <0.000236 | U         | 0.00100 | 0.000236 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U         | 0.00100 | 0.000197 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U         | 0.00100 | 0.000199 mg/L |   |          | 02/18/22 19:30 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U         | 0.00100 | 0.000316 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U         | 0.00100 | 0.000244 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U         | 0.00100 | 0.000285 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U         | 0.00100 | 0.000216 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U         | 0.00500 | 0.000396 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U         | 0.00500 | 0.000439 mg/L |   |          | 02/18/22 19:30 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U         | 0.00500 | 0.000360 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U         | 0.00500 | 0.000481 mg/L |   |          | 02/18/22 19:30 | 1       |
| Ethylbenzene                  | <0.000515 | U         | 0.00100 | 0.000515 mg/L |   |          | 02/18/22 19:30 | 1       |
| Hexachlorobutadiene           | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 19:30 | 1       |
| Isopropylbenzene              | <0.000161 | U         | 0.00100 | 0.000161 mg/L |   |          | 02/18/22 19:30 | 1       |
| Methylene Chloride            | <0.00191  | U         | 0.00500 | 0.00191 mg/L  |   |          | 02/18/22 19:30 | 1       |
| m,p-Xylenes                   | <0.000330 | U         | 0.0100  | 0.000330 mg/L |   |          | 02/18/22 19:30 | 1       |
| MTBE                          | <0.000571 | U         | 0.00500 | 0.000571 mg/L |   |          | 02/18/22 19:30 | 1       |
| Naphthalene                   | <0.00200  | U         | 0.0100  | 0.00200 mg/L  |   |          | 02/18/22 19:30 | 1       |
| n-Butylbenzene                | <0.000286 | U         | 0.00100 | 0.000286 mg/L |   |          | 02/18/22 19:30 | 1       |
| N-Propylbenzene               | <0.000179 | U         | 0.00100 | 0.000179 mg/L |   |          | 02/18/22 19:30 | 1       |
| o-Xylene                      | <0.000192 | U         | 0.00100 | 0.000192 mg/L |   |          | 02/18/22 19:30 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U         | 0.00100 | 0.000233 mg/L |   |          | 02/18/22 19:30 | 1       |
| sec-Butylbenzene              | <0.000199 | U         | 0.00100 | 0.000199 mg/L |   |          | 02/18/22 19:30 | 1       |
| Styrene                       | <0.000623 | U         | 0.00100 | 0.000623 mg/L |   |          | 02/18/22 19:30 | 1       |
| tert-Butylbenzene             | <0.000195 | U         | 0.00100 | 0.000195 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U         | 0.00100 | 0.000327 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U         | 0.00100 | 0.000284 mg/L |   |          | 02/18/22 19:30 | 1       |
| Tetrachloroethene             | <0.000500 | U         | 0.00100 | 0.000500 mg/L |   |          | 02/18/22 19:30 | 1       |
| Toluene                       | <0.000500 | U         | 0.00100 | 0.000500 mg/L |   |          | 02/18/22 19:30 | 1       |
| trans-1,2-Dichloroethene      | <0.000256 | U         | 0.00100 | 0.000256 mg/L |   |          | 02/18/22 19:30 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-1

Lab Sample ID: 880-11380-1

Date Collected: 02/16/22 10:25

Matrix: Water

Date Received: 02/16/22 15:51

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                   | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene | <0.000752 | U         | 0.00500 | 0.000752 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 19:30 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 19:30 | 1       |
| 1,1,1-Trichloroethane     | <0.000504 | U         | 0.00500 | 0.000504 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,1,2-Trichloroethane     | <0.000228 | U         | 0.00100 | 0.000228 mg/L |   |          | 02/18/22 19:30 | 1       |
| Trichloroethene           | <0.000424 | U         | 0.00500 | 0.000424 mg/L |   |          | 02/18/22 19:30 | 1       |
| Trichlorofluoromethane    | <0.000245 | U         | 0.00100 | 0.000245 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,2,3-Trichloropropane    | <0.000283 | U         | 0.00100 | 0.000283 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,2,4-Trimethylbenzene    | <0.000252 | U         | 0.00100 | 0.000252 mg/L |   |          | 02/18/22 19:30 | 1       |
| 1,3,5-Trimethylbenzene    | <0.000279 | U         | 0.00100 | 0.000279 mg/L |   |          | 02/18/22 19:30 | 1       |
| Vinyl chloride            | <0.000234 | U         | 0.00200 | 0.000234 mg/L |   |          | 02/18/22 19:30 | 1       |
| Xylenes, Total            | <0.000330 | U         | 0.0100  | 0.000330 mg/L |   |          | 02/18/22 19:30 | 1       |
| Total BTEX                | <0.000214 | U         | 0.0100  | 0.000214 mg/L |   |          | 02/18/22 19:30 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 104       |           | 74 - 124 |          | 02/18/22 19:30 | 1       |
| Dibromofluoromethane (Surr)  | 97        |           | 75 - 131 |          | 02/18/22 19:30 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 100       |           | 63 - 144 |          | 02/18/22 19:30 | 1       |
| Toluene-d8 (Surr)            | 103       |           | 80 - 117 |          | 02/18/22 19:30 | 1       |

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------------|---|----------|----------------|---------|
| Total TPH | <0.877 | U         | 4.44 | 0.877 mg/L |   |          | 02/18/22 12:54 | 1       |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result    | Qualifier | RL       | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|-----------|----------|------------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <0.877    | U         | 4.44     | 0.877 mg/L |   | 02/18/22 12:19 | 02/18/22 13:35 | 1       |
| Diesel Range Organics (Over C10-C28) | <0.877    | U         | 4.44     | 0.877 mg/L |   | 02/18/22 12:19 | 02/18/22 13:35 | 1       |
| Oil Range Organics (Over C28-C36)    | <0.846    | U         | 4.44     | 0.846 mg/L |   | 02/18/22 12:19 | 02/18/22 13:35 | 1       |
| Surrogate                            | %Recovery | Qualifier | Limits   |            |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 98        |           | 70 - 135 |            |   | 02/18/22 12:19 | 02/18/22 13:35 | 1       |
| o-Terphenyl                          | 100       |           | 70 - 135 |            |   | 02/18/22 12:19 | 02/18/22 13:35 | 1       |

## Method: 300.0 - Anions, Ion Chromatography

| Analyte      | Result | Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-------------|---|----------|----------------|---------|
| Chloride     | 151    |           | 0.500 | 0.200 mg/L  |   |          | 02/18/22 00:21 | 1       |
| Nitrate as N | 0.0561 | J         | 0.100 | 0.0391 mg/L |   |          | 02/18/22 00:21 | 1       |
| Fluoride     | 0.712  |           | 0.500 | 0.100 mg/L  |   |          | 02/18/22 00:21 | 1       |
| Nitrite as N | 0.344  |           | 0.100 | 0.0293 mg/L |   |          | 02/18/22 00:21 | 1       |
| Sulfate      | 41.5   |           | 0.500 | 0.109 mg/L  |   |          | 02/18/22 00:21 | 1       |

## General Chemistry

| Analyte                         | Result | Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|------|-----------|---|----------|----------------|---------|
| Alkalinity                      | 384    |           | 4.00 | 4.00 mg/L |   |          | 02/18/22 12:18 | 1       |
| Bicarbonate Alkalinity as CaCO3 | 384    |           | 4.00 | 4.00 mg/L |   |          | 02/18/22 12:18 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00 mg/L |   |          | 02/18/22 12:18 | 1       |
| Carbon dioxide                  | 399    |           |      | mg/L      |   |          | 02/24/22 17:22 | 1       |
| Carbon Dioxide, Free            | 61.0   |           |      | mg/L      |   |          | 02/24/22 17:22 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-1

Lab Sample ID: 880-11380-1

Date Collected: 02/16/22 10:25

Matrix: Water

Date Received: 02/16/22 15:51

## General Chemistry (Continued)

| Analyte     | Result | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|-------------|--------|-----------|------|------------|---|----------|----------------|---------|
| pH          | 7.1    | HF        |      | SU         |   |          | 02/18/22 14:48 | 1       |
| Temperature | 18.7   | HF        |      | Celsius    |   |          | 02/18/22 14:48 | 1       |
| Sulfide     | <0.495 | U         | 5.00 | 0.495 mg/L |   |          | 02/21/22 14:28 | 1       |

Client Sample ID: MW-2

Lab Sample ID: 880-11380-2

Date Collected: 02/16/22 11:30

Matrix: Water

Date Received: 02/16/22 15:51

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                       | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | 0.0357    |           | 0.00100 | 0.000214 mg/L |   |          | 02/18/22 19:50 | 1       |
| Bromobenzene                  | <0.000300 | U         | 0.00100 | 0.000300 mg/L |   |          | 02/18/22 19:50 | 1       |
| Bromochloromethane            | <0.000209 | U         | 0.00100 | 0.000209 mg/L |   |          | 02/18/22 19:50 | 1       |
| Bromodichloromethane          | <0.000231 | U         | 0.00100 | 0.000231 mg/L |   |          | 02/18/22 19:50 | 1       |
| Bromoform                     | <0.000630 | U         | 0.00500 | 0.000630 mg/L |   |          | 02/18/22 19:50 | 1       |
| Bromomethane                  | <0.00105  | U         | 0.00500 | 0.00105 mg/L  |   |          | 02/18/22 19:50 | 1       |
| 2-Butanone                    | <0.00270  | U         | 0.0500  | 0.00270 mg/L  |   |          | 02/18/22 19:50 | 1       |
| Carbon tetrachloride          | <0.000423 | U         | 0.00500 | 0.000423 mg/L |   |          | 02/18/22 19:50 | 1       |
| Chlorobenzene                 | <0.000159 | U         | 0.00100 | 0.000159 mg/L |   |          | 02/18/22 19:50 | 1       |
| Chloroethane                  | <0.000433 | U         | 0.0100  | 0.000433 mg/L |   |          | 02/18/22 19:50 | 1       |
| Chloroform                    | <0.000259 | U         | 0.00100 | 0.000259 mg/L |   |          | 02/18/22 19:50 | 1       |
| Chloromethane                 | <0.000318 | U         | 0.0100  | 0.000318 mg/L |   |          | 02/18/22 19:50 | 1       |
| 2-Chlorotoluene               | <0.000214 | U         | 0.00100 | 0.000214 mg/L |   |          | 02/18/22 19:50 | 1       |
| 4-Chlorotoluene               | <0.000183 | U         | 0.00100 | 0.000183 mg/L |   |          | 02/18/22 19:50 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U         | 0.00100 | 0.000174 mg/L |   |          | 02/18/22 19:50 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U         | 0.00500 | 0.000690 mg/L |   |          | 02/18/22 19:50 | 1       |
| Dibromochloromethane          | <0.000739 | U         | 0.00500 | 0.000739 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U         | 0.00500 | 0.000319 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U         | 0.00500 | 0.000337 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U         | 0.00100 | 0.000197 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U         | 0.00100 | 0.000199 mg/L |   |          | 02/18/22 19:50 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U         | 0.00100 | 0.000316 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U         | 0.00100 | 0.000244 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U         | 0.00100 | 0.000285 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U         | 0.00100 | 0.000216 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U         | 0.00500 | 0.000396 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U         | 0.00500 | 0.000439 mg/L |   |          | 02/18/22 19:50 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U         | 0.00500 | 0.000360 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U         | 0.00500 | 0.000481 mg/L |   |          | 02/18/22 19:50 | 1       |
| Ethylbenzene                  | 0.0391    |           | 0.00100 | 0.000515 mg/L |   |          | 02/18/22 19:50 | 1       |
| Hexachlorobutadiene           | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 19:50 | 1       |
| Isopropylbenzene              | 0.0127    |           | 0.00100 | 0.000161 mg/L |   |          | 02/18/22 19:50 | 1       |
| Methylene Chloride            | <0.00191  | U         | 0.00500 | 0.00191 mg/L  |   |          | 02/18/22 19:50 | 1       |
| MTBE                          | <0.000571 | U         | 0.00500 | 0.000571 mg/L |   |          | 02/18/22 19:50 | 1       |
| Naphthalene                   | <0.00200  | U         | 0.0100  | 0.00200 mg/L  |   |          | 02/18/22 19:50 | 1       |
| n-Butylbenzene                | <0.000286 | U         | 0.00100 | 0.000286 mg/L |   |          | 02/18/22 19:50 | 1       |
| N-Propylbenzene               | 0.00392   |           | 0.00100 | 0.000179 mg/L |   |          | 02/18/22 19:50 | 1       |
| o-Xylene                      | 0.0307    |           | 0.00100 | 0.000192 mg/L |   |          | 02/18/22 19:50 | 1       |
| p-Cymene (p-Isopropyltoluene) | 0.000884  | J         | 0.00100 | 0.000233 mg/L |   |          | 02/18/22 19:50 | 1       |
| sec-Butylbenzene              | 0.00119   |           | 0.00100 | 0.000199 mg/L |   |          | 02/18/22 19:50 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-2

Lab Sample ID: 880-11380-2

Date Collected: 02/16/22 11:30

Matrix: Water

Date Received: 02/16/22 15:51

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                       | Result        | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|---------------|-----------|---------|---------------|---|----------|----------------|---------|
| Styrene                       | <0.000623     | U         | 0.00100 | 0.000623 mg/L |   |          | 02/18/22 19:50 | 1       |
| tert-Butylbenzene             | <0.000195     | U         | 0.00100 | 0.000195 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327     | U         | 0.00100 | 0.000327 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284     | U         | 0.00100 | 0.000284 mg/L |   |          | 02/18/22 19:50 | 1       |
| Tetrachloroethene             | <0.000500     | U         | 0.00100 | 0.000500 mg/L |   |          | 02/18/22 19:50 | 1       |
| <b>Toluene</b>                | <b>0.0270</b> |           | 0.00100 | 0.000500 mg/L |   |          | 02/18/22 19:50 | 1       |
| trans-1,2-Dichloroethene      | <0.000256     | U         | 0.00100 | 0.000256 mg/L |   |          | 02/18/22 19:50 | 1       |
| trans-1,3-Dichloropropene     | <0.000752     | U         | 0.00500 | 0.000752 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,2,3-Trichlorobenzene        | <0.00200      | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 19:50 | 1       |
| 1,2,4-Trichlorobenzene        | <0.00200      | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 19:50 | 1       |
| 1,1,1-Trichloroethane         | <0.000504     | U         | 0.00500 | 0.000504 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,1,2-Trichloroethane         | <0.000228     | U         | 0.00100 | 0.000228 mg/L |   |          | 02/18/22 19:50 | 1       |
| Trichloroethene               | <0.000424     | U         | 0.00500 | 0.000424 mg/L |   |          | 02/18/22 19:50 | 1       |
| Trichlorofluoromethane        | <0.000245     | U         | 0.00100 | 0.000245 mg/L |   |          | 02/18/22 19:50 | 1       |
| 1,2,3-Trichloropropane        | <0.000283     | U         | 0.00100 | 0.000283 mg/L |   |          | 02/18/22 19:50 | 1       |
| <b>1,2,4-Trimethylbenzene</b> | <b>0.0393</b> |           | 0.00100 | 0.000252 mg/L |   |          | 02/18/22 19:50 | 1       |
| <b>1,3,5-Trimethylbenzene</b> | <b>0.0103</b> |           | 0.00100 | 0.000279 mg/L |   |          | 02/18/22 19:50 | 1       |
| Vinyl chloride                | <0.000234     | U         | 0.00200 | 0.000234 mg/L |   |          | 02/18/22 19:50 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 101       |           | 74 - 124 |          | 02/18/22 19:50 | 1       |
| Dibromofluoromethane (Surr)  | 98        |           | 75 - 131 |          | 02/18/22 19:50 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 103       |           | 63 - 144 |          | 02/18/22 19:50 | 1       |
| Toluene-d8 (Surr)            | 100       |           | 80 - 117 |          | 02/18/22 19:50 | 1       |

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL

| Analyte               | Result       | Qualifier | RL     | Unit         | D | Prepared | Analyzed       | Dil Fac |
|-----------------------|--------------|-----------|--------|--------------|---|----------|----------------|---------|
| <b>m,p-Xylenes</b>    | <b>0.205</b> |           | 0.0500 | 0.00165 mg/L |   |          | 02/18/22 20:11 | 5       |
| <b>Xylenes, Total</b> | <b>0.244</b> |           | 0.0500 | 0.00165 mg/L |   |          | 02/18/22 20:11 | 5       |
| <b>Total BTEX</b>     | <b>0.371</b> |           | 0.0500 | 0.00107 mg/L |   |          | 02/18/22 20:11 | 5       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 103       |           | 74 - 124 |          | 02/18/22 20:11 | 5       |
| Dibromofluoromethane (Surr)  | 99        |           | 75 - 131 |          | 02/18/22 20:11 | 5       |
| 1,2-Dichloroethane-d4 (Surr) | 99        |           | 63 - 144 |          | 02/18/22 20:11 | 5       |
| Toluene-d8 (Surr)            | 100       |           | 80 - 117 |          | 02/18/22 20:11 | 5       |

## Method: 8260C - Volatile Organic Compounds by GC/MS - RA

| Analyte             | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| 1,2-Dichlorobenzene | <0.000236 | U         | 0.00100 | 0.000236 mg/L |   |          | 02/20/22 00:40 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 101       |           | 74 - 124 |          | 02/20/22 00:40 | 1       |
| Dibromofluoromethane (Surr)  | 106       |           | 75 - 131 |          | 02/20/22 00:40 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 102       |           | 63 - 144 |          | 02/20/22 00:40 | 1       |
| Toluene-d8 (Surr)            | 98        |           | 80 - 117 |          | 02/20/22 00:40 | 1       |

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte          | Result       | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------------|-----------|------|------------|---|----------|----------------|---------|
| <b>Total TPH</b> | <b>0.974</b> | <b>J</b>  | 4.37 | 0.864 mg/L |   |          | 02/18/22 12:54 | 1       |

Eurofins Midland



Client Sample Results

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

Client Sample ID: MW-2  
Date Collected: 02/16/22 11:30  
Date Received: 02/16/22 15:51

Lab Sample ID: 880-11380-2  
Matrix: Water

| Method: 8015B NM - Diesel Range Organics (DRO) (GC) - RA |           |           |          |       |      |   |                |                |         |
|----------------------------------------------------------|-----------|-----------|----------|-------|------|---|----------------|----------------|---------|
| Analyte                                                  | Result    | Qualifier | RL       |       | Unit | D | Prepared       | Analyzed       | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10                     | 0.974     | J         | 4.37     | 0.864 | mg/L |   | 02/18/22 12:19 | 02/18/22 14:34 | 1       |
| Diesel Range Organics (Over C10-C28)                     | <0.864    | U         | 4.37     | 0.864 | mg/L |   | 02/18/22 12:19 | 02/18/22 14:34 | 1       |
| OII Range Organics (Over C28-C36)                        | <0.834    | U         | 4.37     | 0.834 | mg/L |   | 02/18/22 12:19 | 02/18/22 14:34 | 1       |
| Surrogate                                                | %Recovery | Qualifier | Limits   |       |      |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                                           | 89        |           | 70 - 135 |       |      |   | 02/18/22 12:19 | 02/18/22 14:34 | 1       |
| o-Terphenyl                                              | 92        |           | 70 - 135 |       |      |   | 02/18/22 12:19 | 02/18/22 14:34 | 1       |

| Method: 300.0 - Anions, Ion Chromatography |        |           |       |        |      |   |          |                |         |
|--------------------------------------------|--------|-----------|-------|--------|------|---|----------|----------------|---------|
| Analyte                                    | Result | Qualifier | RL    |        | Unit | D | Prepared | Analyzed       | Dil Fac |
| Chloride                                   | 186    |           | 0.500 | 0.200  | mg/L |   |          | 02/18/22 01:08 | 1       |
| Nitrate as N                               | 0.809  |           | 0.100 | 0.0391 | mg/L |   |          | 02/18/22 01:08 | 1       |
| Fluoride                                   | 0.409  | J         | 0.500 | 0.100  | mg/L |   |          | 02/18/22 01:08 | 1       |
| Nitrite as N                               | 0.338  |           | 0.100 | 0.0293 | mg/L |   |          | 02/18/22 01:08 | 1       |
| Sulfate                                    | 113    |           | 0.500 | 0.109  | mg/L |   |          | 02/18/22 01:08 | 1       |

| General Chemistry               |        |           |      |       |         |   |          |                |         |
|---------------------------------|--------|-----------|------|-------|---------|---|----------|----------------|---------|
| Analyte                         | Result | Qualifier | RL   |       | Unit    | D | Prepared | Analyzed       | Dil Fac |
| Alkalinity                      | 1320   |           | 4.00 | 4.00  | mg/L    |   |          | 02/18/22 12:34 | 1       |
| Bicarbonate Alkalinity as CaCO3 | 1320   |           | 4.00 | 4.00  | mg/L    |   |          | 02/18/22 12:34 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00  | mg/L    |   |          | 02/18/22 12:34 | 1       |
| Carbon dioxide                  | 2830   |           |      |       | mg/L    |   |          | 02/24/22 17:22 | 1       |
| Carbon Dioxide, Free            | 1670   |           |      |       | mg/L    |   |          | 02/24/22 17:22 | 1       |
| pH                              | 6.2    | HF        |      |       | SU      |   |          | 02/18/22 14:48 | 1       |
| Temperature                     | 18.3   | HF        |      |       | Celsius |   |          | 02/18/22 14:48 | 1       |
| Sulfide                         | <0.495 | U         | 5.00 | 0.495 | mg/L    |   |          | 02/21/22 14:28 | 1       |

## Surrogate Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

## Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

|                                    |                        | Percent Surrogate Recovery (Acceptance Limits) |                  |                 |                 |
|------------------------------------|------------------------|------------------------------------------------|------------------|-----------------|-----------------|
| Lab Sample ID                      | Client Sample ID       | BFB<br>(74-124)                                | DBFM<br>(75-131) | DCA<br>(63-144) | TOL<br>(80-117) |
| 820-3445-C-2 MS                    | Matrix Spike           | 101                                            | 103              | 102             | 100             |
| 860-21040-H-2 MS                   | Matrix Spike           | 100                                            | 98               | 96              | 101             |
| 880-11380-1                        | MW-1                   | 104                                            | 97               | 100             | 103             |
| 880-11380-2                        | MW-2                   | 101                                            | 98               | 103             | 100             |
| 880-11380-2 - DL                   | MW-2                   | 103                                            | 99               | 99              | 100             |
| 880-11380-2 - RA                   | MW-2                   | 101                                            | 106              | 102             | 98              |
| LCS 860-41811/5                    | Lab Control Sample     | 99                                             | 99               | 96              | 100             |
| LCS 860-42135/3                    | Lab Control Sample     | 99                                             | 104              | 101             | 99              |
| LCSD 860-41811/4                   | Lab Control Sample Dup | 100                                            | 99               | 96              | 100             |
| LCSD 860-42135/4                   | Lab Control Sample Dup | 102                                            | 103              | 100             | 99              |
| MB 860-41811/11                    | Method Blank           | 105                                            | 98               | 100             | 101             |
| MB 860-42135/10                    | Method Blank           | 102                                            | 105              | 107             | 100             |
| <b>Surrogate Legend</b>            |                        |                                                |                  |                 |                 |
| BFB = 4-Bromofluorobenzene (Surr)  |                        |                                                |                  |                 |                 |
| DBFM = Dibromofluoromethane (Surr) |                        |                                                |                  |                 |                 |
| DCA = 1,2-Dichloroethane-d4 (Surr) |                        |                                                |                  |                 |                 |
| TOL = Toluene-d8 (Surr)            |                        |                                                |                  |                 |                 |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Water

Prep Type: Total/NA

|                         |                        | Percent Surrogate Recovery (Acceptance Limits) |                   |
|-------------------------|------------------------|------------------------------------------------|-------------------|
| Lab Sample ID           | Client Sample ID       | 1CO1<br>(70-135)                               | OTPH1<br>(70-135) |
| 880-11380-1             | MW-1                   | 98                                             | 100               |
| 880-11380-2 - RA        | MW-2                   | 89                                             | 92                |
| LCS 860-42070/2-A       | Lab Control Sample     | 119                                            | 99                |
| LCSD 860-42070/3-A      | Lab Control Sample Dup | 124                                            | 101               |
| MB 860-42070/1-A        | Method Blank           | 100                                            | 101               |
| <b>Surrogate Legend</b> |                        |                                                |                   |
| 1CO = 1-Chlorooctane    |                        |                                                |                   |
| OTPH = o-Terphenyl      |                        |                                                |                   |

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 860-41811/11

Matrix: Water

Analysis Batch: 41811

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                       | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/18/22 16:46 | 1       |
| Bromobenzene                  | <0.000300 | U            | 0.00100 | 0.000300 mg/L |   |          | 02/18/22 16:46 | 1       |
| Bromochloromethane            | <0.000209 | U            | 0.00100 | 0.000209 mg/L |   |          | 02/18/22 16:46 | 1       |
| Bromodichloromethane          | <0.000231 | U            | 0.00100 | 0.000231 mg/L |   |          | 02/18/22 16:46 | 1       |
| Bromoform                     | <0.000630 | U            | 0.00500 | 0.000630 mg/L |   |          | 02/18/22 16:46 | 1       |
| Bromomethane                  | <0.00105  | U            | 0.00500 | 0.00105 mg/L  |   |          | 02/18/22 16:46 | 1       |
| 2-Butanone                    | <0.00270  | U            | 0.0500  | 0.00270 mg/L  |   |          | 02/18/22 16:46 | 1       |
| Carbon tetrachloride          | <0.000423 | U            | 0.00500 | 0.000423 mg/L |   |          | 02/18/22 16:46 | 1       |
| Chlorobenzene                 | <0.000159 | U            | 0.00100 | 0.000159 mg/L |   |          | 02/18/22 16:46 | 1       |
| Chloroethane                  | <0.000433 | U            | 0.0100  | 0.000433 mg/L |   |          | 02/18/22 16:46 | 1       |
| Chloroform                    | <0.000259 | U            | 0.00100 | 0.000259 mg/L |   |          | 02/18/22 16:46 | 1       |
| Chloromethane                 | <0.000318 | U            | 0.0100  | 0.000318 mg/L |   |          | 02/18/22 16:46 | 1       |
| 2-Chlorotoluene               | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/18/22 16:46 | 1       |
| 4-Chlorotoluene               | <0.000183 | U            | 0.00100 | 0.000183 mg/L |   |          | 02/18/22 16:46 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U            | 0.00100 | 0.000174 mg/L |   |          | 02/18/22 16:46 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U            | 0.00500 | 0.000690 mg/L |   |          | 02/18/22 16:46 | 1       |
| Dibromochloromethane          | <0.000739 | U            | 0.00500 | 0.000739 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U            | 0.00500 | 0.000319 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U            | 0.00500 | 0.000337 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,2-Dichlorobenzene           | 0.0004069 | J            | 0.00100 | 0.000236 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U            | 0.00100 | 0.000197 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/18/22 16:46 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U            | 0.00100 | 0.000316 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U            | 0.00100 | 0.000244 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U            | 0.00100 | 0.000285 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U            | 0.00100 | 0.000216 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U            | 0.00500 | 0.000396 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U            | 0.00500 | 0.000439 mg/L |   |          | 02/18/22 16:46 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U            | 0.00500 | 0.000360 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U            | 0.00500 | 0.000481 mg/L |   |          | 02/18/22 16:46 | 1       |
| Ethylbenzene                  | <0.000515 | U            | 0.00100 | 0.000515 mg/L |   |          | 02/18/22 16:46 | 1       |
| Hexachlorobutadiene           | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/18/22 16:46 | 1       |
| Isopropylbenzene              | <0.000161 | U            | 0.00100 | 0.000161 mg/L |   |          | 02/18/22 16:46 | 1       |
| Methylene Chloride            | <0.00191  | U            | 0.00500 | 0.00191 mg/L  |   |          | 02/18/22 16:46 | 1       |
| m,p-Xylenes                   | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/18/22 16:46 | 1       |
| MTBE                          | <0.000571 | U            | 0.00500 | 0.000571 mg/L |   |          | 02/18/22 16:46 | 1       |
| Naphthalene                   | <0.00200  | U            | 0.0100  | 0.00200 mg/L  |   |          | 02/18/22 16:46 | 1       |
| n-Butylbenzene                | <0.000286 | U            | 0.00100 | 0.000286 mg/L |   |          | 02/18/22 16:46 | 1       |
| N-Propylbenzene               | <0.000179 | U            | 0.00100 | 0.000179 mg/L |   |          | 02/18/22 16:46 | 1       |
| o-Xylene                      | <0.000192 | U            | 0.00100 | 0.000192 mg/L |   |          | 02/18/22 16:46 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U            | 0.00100 | 0.000233 mg/L |   |          | 02/18/22 16:46 | 1       |
| sec-Butylbenzene              | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/18/22 16:46 | 1       |
| Styrene                       | <0.000623 | U            | 0.00100 | 0.000623 mg/L |   |          | 02/18/22 16:46 | 1       |
| tert-Butylbenzene             | <0.000195 | U            | 0.00100 | 0.000195 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U            | 0.00100 | 0.000327 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U            | 0.00100 | 0.000284 mg/L |   |          | 02/18/22 16:46 | 1       |
| Tetrachloroethene             | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/18/22 16:46 | 1       |
| Toluene                       | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/18/22 16:46 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 860-41811/11

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 41811

| Analyte                      | MB Result    | MB Qualifier | RL       | Unit          | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|---------------|---|----------|----------------|---------|
| trans-1,2-Dichloroethene     | <0.000256    | U            | 0.00100  | 0.000256 mg/L |   |          | 02/18/22 16:46 | 1       |
| trans-1,3-Dichloropropene    | <0.000752    | U            | 0.00500  | 0.000752 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,2,3-Trichlorobenzene       | <0.00200     | U            | 0.00500  | 0.00200 mg/L  |   |          | 02/18/22 16:46 | 1       |
| 1,2,4-Trichlorobenzene       | <0.00200     | U            | 0.00500  | 0.00200 mg/L  |   |          | 02/18/22 16:46 | 1       |
| 1,1,1-Trichloroethane        | <0.000504    | U            | 0.00500  | 0.000504 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,1,2-Trichloroethane        | <0.000228    | U            | 0.00100  | 0.000228 mg/L |   |          | 02/18/22 16:46 | 1       |
| Trichloroethene              | <0.000424    | U            | 0.00500  | 0.000424 mg/L |   |          | 02/18/22 16:46 | 1       |
| Trichlorofluoromethane       | <0.000245    | U            | 0.00100  | 0.000245 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,2,3-Trichloropropane       | <0.000283    | U            | 0.00100  | 0.000283 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,2,4-Trimethylbenzene       | <0.000252    | U            | 0.00100  | 0.000252 mg/L |   |          | 02/18/22 16:46 | 1       |
| 1,3,5-Trimethylbenzene       | <0.000279    | U            | 0.00100  | 0.000279 mg/L |   |          | 02/18/22 16:46 | 1       |
| Vinyl chloride               | <0.000234    | U            | 0.00200  | 0.000234 mg/L |   |          | 02/18/22 16:46 | 1       |
| Xylenes, Total               | <0.000330    | U            | 0.0100   | 0.000330 mg/L |   |          | 02/18/22 16:46 | 1       |
| Total BTEX                   | <0.000214    | U            | 0.0100   | 0.000214 mg/L |   |          | 02/18/22 16:46 | 1       |
| Surrogate                    | MB %Recovery | MB Qualifier | Limits   |               |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr)  | 105          |              | 74 - 124 |               |   |          | 02/18/22 16:46 | 1       |
| Dibromofluoromethane (Surr)  | 98           |              | 75 - 131 |               |   |          | 02/18/22 16:46 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 100          |              | 63 - 144 |               |   |          | 02/18/22 16:46 | 1       |
| Toluene-d8 (Surr)            | 101          |              | 80 - 117 |               |   |          | 02/18/22 16:46 | 1       |

Lab Sample ID: LCS 860-41811/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 41811

| Analyte                     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene                     | 0.0500      | 0.05233    |               | mg/L |   | 105  | 66 - 142     |
| Bromobenzene                | 0.0500      | 0.05373    |               | mg/L |   | 107  | 75 - 125     |
| Bromochloromethane          | 0.0500      | 0.05184    |               | mg/L |   | 104  | 60 - 140     |
| Bromodichloromethane        | 0.0500      | 0.05213    |               | mg/L |   | 104  | 75 - 125     |
| Bromoform                   | 0.0500      | 0.04998    |               | mg/L |   | 100  | 75 - 125     |
| Bromomethane                | 0.0500      | 0.04514    |               | mg/L |   | 90   | 60 - 140     |
| 2-Butanone                  | 0.250       | 0.2277     |               | mg/L |   | 91   | 60 - 140     |
| Carbon tetrachloride        | 0.0500      | 0.05213    |               | mg/L |   | 104  | 62 - 125     |
| Chlorobenzene               | 0.0500      | 0.05293    |               | mg/L |   | 106  | 60 - 133     |
| Chloroethane                | 0.0500      | 0.04989    |               | mg/L |   | 100  | 60 - 140     |
| Chloroform                  | 0.0500      | 0.05169    |               | mg/L |   | 103  | 70 - 130     |
| Chloromethane               | 0.0500      | 0.05327    |               | mg/L |   | 107  | 60 - 140     |
| 2-Chlorotoluene             | 0.0500      | 0.05262    |               | mg/L |   | 105  | 73 - 125     |
| 4-Chlorotoluene             | 0.0500      | 0.05269    |               | mg/L |   | 105  | 74 - 125     |
| cis-1,2-Dichloroethene      | 0.0500      | 0.05259    |               | mg/L |   | 105  | 75 - 125     |
| cis-1,3-Dichloropropene     | 0.0500      | 0.05341    |               | mg/L |   | 107  | 74 - 125     |
| Dibromochloromethane        | 0.0500      | 0.05206    |               | mg/L |   | 104  | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane | 0.0500      | 0.04404    |               | mg/L |   | 88   | 59 - 125     |
| 1,2-Dibromoethane           | 0.0500      | 0.04965    |               | mg/L |   | 99   | 73 - 125     |
| 1,2-Dichlorobenzene         | 0.0500      | 0.05287    |               | mg/L |   | 106  | 75 - 125     |
| 1,3-Dichlorobenzene         | 0.0500      | 0.05429    |               | mg/L |   | 109  | 75 - 125     |
| 1,4-Dichlorobenzene         | 0.0500      | 0.05353    |               | mg/L |   | 107  | 75 - 125     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 860-41811/5

Matrix: Water

Analysis Batch: 41811

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| Dichlorodifluoromethane       | 0.0500      | 0.05173    |               | mg/L |   | 103  | 70 - 130     |
| 1,1-Dichloroethane            | 0.0500      | 0.05237    |               | mg/L |   | 105  | 72 - 125     |
| 1,2-Dichloroethane            | 0.0500      | 0.05055    |               | mg/L |   | 101  | 68 - 127     |
| 1,1-Dichloroethene            | 0.0500      | 0.05299    |               | mg/L |   | 106  | 59 - 172     |
| 1,2-Dichloropropane           | 0.0500      | 0.05258    |               | mg/L |   | 105  | 74 - 125     |
| 1,3-Dichloropropane           | 0.0500      | 0.05003    |               | mg/L |   | 100  | 75 - 125     |
| 2,2-Dichloropropane           | 0.0500      | 0.05628    |               | mg/L |   | 113  | 75 - 125     |
| 1,1-Dichloropropene           | 0.0500      | 0.05282    |               | mg/L |   | 106  | 75 - 125     |
| Ethylbenzene                  | 0.0500      | 0.05282    |               | mg/L |   | 106  | 75 - 125     |
| Hexachlorobutadiene           | 0.0500      | 0.05216    |               | mg/L |   | 104  | 75 - 125     |
| Isopropylbenzene              | 0.0500      | 0.05295    |               | mg/L |   | 106  | 75 - 125     |
| Methylene Chloride            | 0.0500      | 0.04077    |               | mg/L |   | 82   | 75 - 125     |
| m,p-Xylenes                   | 0.0500      | 0.05239    |               | mg/L |   | 105  | 75 - 125     |
| MTBE                          | 0.0500      | 0.05281    |               | mg/L |   | 106  | 65 - 135     |
| Naphthalene                   | 0.0500      | 0.04475    |               | mg/L |   | 90   | 70 - 130     |
| n-Butylbenzene                | 0.0500      | 0.05471    |               | mg/L |   | 109  | 75 - 125     |
| N-Propylbenzene               | 0.0500      | 0.05406    |               | mg/L |   | 108  | 75 - 125     |
| o-Xylene                      | 0.0500      | 0.05281    |               | mg/L |   | 106  | 75 - 125     |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.05412    |               | mg/L |   | 108  | 75 - 125     |
| sec-Butylbenzene              | 0.0500      | 0.05373    |               | mg/L |   | 107  | 75 - 125     |
| Styrene                       | 0.0500      | 0.05348    |               | mg/L |   | 107  | 75 - 125     |
| tert-Butylbenzene             | 0.0500      | 0.05307    |               | mg/L |   | 106  | 75 - 125     |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.05243    |               | mg/L |   | 105  | 72 - 125     |
| 1,1,2,2-Tetrachloroethane     | 0.0500      | 0.04715    |               | mg/L |   | 94   | 74 - 125     |
| Tetrachloroethene             | 0.0500      | 0.05320    |               | mg/L |   | 106  | 71 - 125     |
| Toluene                       | 0.0500      | 0.05278    |               | mg/L |   | 106  | 59 - 139     |
| trans-1,2-Dichloroethene      | 0.0500      | 0.05678    |               | mg/L |   | 114  | 75 - 125     |
| trans-1,3-Dichloropropene     | 0.0500      | 0.05226    |               | mg/L |   | 105  | 66 - 125     |
| 1,2,3-Trichlorobenzene        | 0.0500      | 0.04359    |               | mg/L |   | 87   | 75 - 137     |
| 1,2,4-Trichlorobenzene        | 0.0500      | 0.04730    |               | mg/L |   | 95   | 75 - 135     |
| 1,1,1-Trichloroethane         | 0.0500      | 0.05297    |               | mg/L |   | 106  | 75 - 125     |
| 1,1,2-Trichloroethane         | 0.0500      | 0.05133    |               | mg/L |   | 103  | 75 - 127     |
| Trichloroethene               | 0.0500      | 0.05322    |               | mg/L |   | 106  | 62 - 137     |
| Trichlorofluoromethane        | 0.0500      | 0.05076    |               | mg/L |   | 102  | 60 - 140     |
| 1,2,3-Trichloropropane        | 0.0500      | 0.04637    |               | mg/L |   | 93   | 75 - 125     |
| 1,2,4-Trimethylbenzene        | 0.0500      | 0.05328    |               | mg/L |   | 107  | 75 - 125     |
| 1,3,5-Trimethylbenzene        | 0.0500      | 0.05301    |               | mg/L |   | 106  | 60 - 140     |
| Vinyl chloride                | 0.0500      | 0.05485    |               | mg/L |   | 110  | 60 - 140     |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr)  | 99            |               | 74 - 124 |
| Dibromofluoromethane (Surr)  | 99            |               | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 96            |               | 63 - 144 |
| Toluene-d8 (Surr)            | 100           |               | 80 - 117 |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-41811/4

Matrix: Water

Analysis Batch: 41811

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                       | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|-------------------------------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
|                               |                |                |                   |      |   |      |                 |     |              |
| Benzene                       | 0.0500         | 0.04908        |                   | mg/L |   | 98   | 66 - 142        | 6   | 25           |
| Bromobenzene                  | 0.0500         | 0.05159        |                   | mg/L |   | 103  | 75 - 125        | 4   | 25           |
| Bromochloromethane            | 0.0500         | 0.05184        |                   | mg/L |   | 104  | 60 - 140        | 0   | 25           |
| Bromodichloromethane          | 0.0500         | 0.05082        |                   | mg/L |   | 102  | 75 - 125        | 3   | 25           |
| Bromoform                     | 0.0500         | 0.04933        |                   | mg/L |   | 99   | 75 - 125        | 1   | 25           |
| Bromomethane                  | 0.0500         | 0.03794        |                   | mg/L |   | 76   | 60 - 140        | 17  | 25           |
| 2-Butanone                    | 0.250          | 0.2277         |                   | mg/L |   | 91   | 60 - 140        | 0   | 25           |
| Carbon tetrachloride          | 0.0500         | 0.04792        |                   | mg/L |   | 96   | 62 - 125        | 8   | 25           |
| Chlorobenzene                 | 0.0500         | 0.04945        |                   | mg/L |   | 99   | 60 - 133        | 7   | 25           |
| Chloroethane                  | 0.0500         | 0.04539        |                   | mg/L |   | 91   | 60 - 140        | 9   | 25           |
| Chloroform                    | 0.0500         | 0.04930        |                   | mg/L |   | 99   | 70 - 130        | 5   | 25           |
| Chloromethane                 | 0.0500         | 0.05089        |                   | mg/L |   | 102  | 60 - 140        | 5   | 25           |
| 2-Chlorotoluene               | 0.0500         | 0.04939        |                   | mg/L |   | 99   | 73 - 125        | 6   | 25           |
| 4-Chlorotoluene               | 0.0500         | 0.04963        |                   | mg/L |   | 99   | 74 - 125        | 6   | 25           |
| cis-1,2-Dichloroethene        | 0.0500         | 0.04988        |                   | mg/L |   | 100  | 75 - 125        | 5   | 25           |
| cis-1,3-Dichloropropene       | 0.0500         | 0.05099        |                   | mg/L |   | 102  | 74 - 125        | 5   | 25           |
| Dibromochloromethane          | 0.0500         | 0.04998        |                   | mg/L |   | 100  | 73 - 125        | 4   | 25           |
| 1,2-Dibromo-3-Chloropropane   | 0.0500         | 0.04415        |                   | mg/L |   | 88   | 59 - 125        | 0   | 25           |
| 1,2-Dibromoethane             | 0.0500         | 0.04922        |                   | mg/L |   | 98   | 73 - 125        | 1   | 25           |
| 1,2-Dichlorobenzene           | 0.0500         | 0.05079        |                   | mg/L |   | 102  | 75 - 125        | 4   | 25           |
| 1,3-Dichlorobenzene           | 0.0500         | 0.05064        |                   | mg/L |   | 101  | 75 - 125        | 7   | 25           |
| 1,4-Dichlorobenzene           | 0.0500         | 0.05026        |                   | mg/L |   | 101  | 75 - 125        | 6   | 25           |
| Dichlorodifluoromethane       | 0.0500         | 0.04939        |                   | mg/L |   | 99   | 70 - 130        | 5   | 25           |
| 1,1-Dichloroethane            | 0.0500         | 0.05012        |                   | mg/L |   | 100  | 72 - 125        | 4   | 25           |
| 1,2-Dichloroethane            | 0.0500         | 0.04960        |                   | mg/L |   | 99   | 68 - 127        | 2   | 25           |
| 1,1-Dichloroethene            | 0.0500         | 0.04856        |                   | mg/L |   | 97   | 59 - 172        | 9   | 25           |
| 1,2-Dichloropropane           | 0.0500         | 0.05037        |                   | mg/L |   | 101  | 74 - 125        | 4   | 25           |
| 1,3-Dichloropropane           | 0.0500         | 0.04879        |                   | mg/L |   | 98   | 75 - 125        | 3   | 25           |
| 2,2-Dichloropropane           | 0.0500         | 0.05130        |                   | mg/L |   | 103  | 75 - 125        | 9   | 25           |
| 1,1-Dichloropropene           | 0.0500         | 0.04897        |                   | mg/L |   | 98   | 75 - 125        | 8   | 25           |
| Ethylbenzene                  | 0.0500         | 0.04878        |                   | mg/L |   | 98   | 75 - 125        | 8   | 25           |
| Hexachlorobutadiene           | 0.0500         | 0.04783        |                   | mg/L |   | 96   | 75 - 125        | 9   | 25           |
| Isopropylbenzene              | 0.0500         | 0.04848        |                   | mg/L |   | 97   | 75 - 125        | 9   | 25           |
| Methylene Chloride            | 0.0500         | 0.04388        |                   | mg/L |   | 88   | 75 - 125        | 7   | 25           |
| m,p-Xylenes                   | 0.0500         | 0.04904        |                   | mg/L |   | 98   | 75 - 125        | 7   | 25           |
| MTBE                          | 0.0500         | 0.05215        |                   | mg/L |   | 104  | 65 - 135        | 1   | 25           |
| Naphthalene                   | 0.0500         | 0.04418        |                   | mg/L |   | 88   | 70 - 130        | 1   | 25           |
| n-Butylbenzene                | 0.0500         | 0.05050        |                   | mg/L |   | 101  | 75 - 125        | 8   | 25           |
| N-Propylbenzene               | 0.0500         | 0.05009        |                   | mg/L |   | 100  | 75 - 125        | 8   | 25           |
| o-Xylene                      | 0.0500         | 0.04906        |                   | mg/L |   | 98   | 75 - 125        | 7   | 25           |
| p-Cymene (p-Isopropyltoluene) | 0.0500         | 0.04993        |                   | mg/L |   | 100  | 75 - 125        | 8   | 25           |
| sec-Butylbenzene              | 0.0500         | 0.04972        |                   | mg/L |   | 99   | 75 - 125        | 8   | 25           |
| Styrene                       | 0.0500         | 0.04918        |                   | mg/L |   | 98   | 75 - 125        | 8   | 25           |
| tert-Butylbenzene             | 0.0500         | 0.04956        |                   | mg/L |   | 99   | 75 - 125        | 7   | 25           |
| 1,1,1,2-Tetrachloroethane     | 0.0500         | 0.05036        |                   | mg/L |   | 101  | 72 - 125        | 4   | 25           |
| 1,1,2,2-Tetrachloroethane     | 0.0500         | 0.04691        |                   | mg/L |   | 94   | 74 - 125        | 1   | 25           |
| Tetrachloroethene             | 0.0500         | 0.04876        |                   | mg/L |   | 98   | 71 - 125        | 9   | 25           |
| Toluene                       | 0.0500         | 0.04920        |                   | mg/L |   | 98   | 59 - 139        | 7   | 25           |

Eurofins Midland



## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-41811/4

Matrix: Water

Analysis Batch: 41811

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                   | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| trans-1,2-Dichloroethene  | 0.0500      | 0.05361     |                | mg/L |   | 107  | 75 - 125     | 6   | 25        |
| trans-1,3-Dichloropropene | 0.0500      | 0.05053     |                | mg/L |   | 101  | 66 - 125     | 3   | 25        |
| 1,2,3-Trichlorobenzene    | 0.0500      | 0.04178     |                | mg/L |   | 84   | 75 - 137     | 4   | 25        |
| 1,2,4-Trichlorobenzene    | 0.0500      | 0.04454     |                | mg/L |   | 89   | 75 - 135     | 6   | 25        |
| 1,1,1-Trichloroethane     | 0.0500      | 0.04855     |                | mg/L |   | 97   | 75 - 125     | 9   | 25        |
| 1,1,2-Trichloroethane     | 0.0500      | 0.05042     |                | mg/L |   | 101  | 75 - 127     | 2   | 25        |
| Trichloroethene           | 0.0500      | 0.05067     |                | mg/L |   | 101  | 62 - 137     | 5   | 25        |
| Trichlorofluoromethane    | 0.0500      | 0.04501     |                | mg/L |   | 90   | 60 - 140     | 12  | 25        |
| 1,2,3-Trichloropropane    | 0.0500      | 0.04950     |                | mg/L |   | 99   | 75 - 125     | 7   | 25        |
| 1,2,4-Trimethylbenzene    | 0.0500      | 0.04972     |                | mg/L |   | 99   | 75 - 125     | 7   | 25        |
| 1,3,5-Trimethylbenzene    | 0.0500      | 0.04949     |                | mg/L |   | 99   | 60 - 140     | 7   | 25        |
| Vinyl chloride            | 0.0500      | 0.05019     |                | mg/L |   | 100  | 60 - 140     | 9   | 25        |

| Surrogate                    | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|------------------------------|----------------|----------------|-------------|
| 4-Bromofluorobenzene (Surr)  | 100            |                | 74 - 124    |
| Dibromofluoromethane (Surr)  | 99             |                | 75 - 131    |
| 1,2-Dichloroethane-d4 (Surr) | 96             |                | 63 - 144    |
| Toluene-d8 (Surr)            | 100            |                | 80 - 117    |

Lab Sample ID: MB 860-42135/10

Matrix: Water

Analysis Batch: 42135

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                     | MB Result | MB Qualifier | RL      | Unit     | D    | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|--------------|---------|----------|------|----------|----------------|---------|
| Benzene                     | <0.000214 | U            | 0.00100 | 0.000214 | mg/L |          | 02/19/22 22:57 | 1       |
| Bromobenzene                | <0.000300 | U            | 0.00100 | 0.000300 | mg/L |          | 02/19/22 22:57 | 1       |
| Bromochloromethane          | <0.000209 | U            | 0.00100 | 0.000209 | mg/L |          | 02/19/22 22:57 | 1       |
| Bromodichloromethane        | <0.000231 | U            | 0.00100 | 0.000231 | mg/L |          | 02/19/22 22:57 | 1       |
| Bromoform                   | <0.000630 | U            | 0.00500 | 0.000630 | mg/L |          | 02/19/22 22:57 | 1       |
| Bromomethane                | <0.00105  | U            | 0.00500 | 0.00105  | mg/L |          | 02/19/22 22:57 | 1       |
| 2-Butanone                  | <0.00270  | U            | 0.0500  | 0.00270  | mg/L |          | 02/19/22 22:57 | 1       |
| Carbon tetrachloride        | <0.000423 | U            | 0.00500 | 0.000423 | mg/L |          | 02/19/22 22:57 | 1       |
| Chlorobenzene               | <0.000159 | U            | 0.00100 | 0.000159 | mg/L |          | 02/19/22 22:57 | 1       |
| Chloroethane                | <0.000433 | U            | 0.0100  | 0.000433 | mg/L |          | 02/19/22 22:57 | 1       |
| Chloroform                  | <0.000259 | U            | 0.00100 | 0.000259 | mg/L |          | 02/19/22 22:57 | 1       |
| Chloromethane               | <0.000318 | U            | 0.0100  | 0.000318 | mg/L |          | 02/19/22 22:57 | 1       |
| 2-Chlorotoluene             | <0.000214 | U            | 0.00100 | 0.000214 | mg/L |          | 02/19/22 22:57 | 1       |
| 4-Chlorotoluene             | <0.000183 | U            | 0.00100 | 0.000183 | mg/L |          | 02/19/22 22:57 | 1       |
| cis-1,2-Dichloroethene      | <0.000174 | U            | 0.00100 | 0.000174 | mg/L |          | 02/19/22 22:57 | 1       |
| cis-1,3-Dichloropropene     | <0.000690 | U            | 0.00500 | 0.000690 | mg/L |          | 02/19/22 22:57 | 1       |
| Dibromochloromethane        | <0.000739 | U            | 0.00500 | 0.000739 | mg/L |          | 02/19/22 22:57 | 1       |
| 1,2-Dibromo-3-Chloropropane | <0.000319 | U            | 0.00500 | 0.000319 | mg/L |          | 02/19/22 22:57 | 1       |
| 1,2-Dibromoethane           | <0.000337 | U            | 0.00500 | 0.000337 | mg/L |          | 02/19/22 22:57 | 1       |
| 1,2-Dichlorobenzene         | <0.000236 | U            | 0.00100 | 0.000236 | mg/L |          | 02/19/22 22:57 | 1       |
| 1,3-Dichlorobenzene         | <0.000197 | U            | 0.00100 | 0.000197 | mg/L |          | 02/19/22 22:57 | 1       |
| 1,4-Dichlorobenzene         | <0.000199 | U            | 0.00100 | 0.000199 | mg/L |          | 02/19/22 22:57 | 1       |
| Dichlorodifluoromethane     | <0.000316 | U            | 0.00100 | 0.000316 | mg/L |          | 02/19/22 22:57 | 1       |
| 1,1-Dichloroethane          | <0.000244 | U            | 0.00100 | 0.000244 | mg/L |          | 02/19/22 22:57 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 860-42135/10

Matrix: Water

Analysis Batch: 42135

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                       | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| 1,2-Dichloroethane            | <0.000285 | U            | 0.00100 | 0.000285 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U            | 0.00100 | 0.000216 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U            | 0.00500 | 0.000396 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U            | 0.00500 | 0.000439 mg/L |   |          | 02/19/22 22:57 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U            | 0.00500 | 0.000360 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U            | 0.00500 | 0.000481 mg/L |   |          | 02/19/22 22:57 | 1       |
| Ethylbenzene                  | <0.000515 | U            | 0.00100 | 0.000515 mg/L |   |          | 02/19/22 22:57 | 1       |
| Hexachlorobutadiene           | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/19/22 22:57 | 1       |
| Isopropylbenzene              | <0.000161 | U            | 0.00100 | 0.000161 mg/L |   |          | 02/19/22 22:57 | 1       |
| Methylene Chloride            | <0.00191  | U            | 0.00500 | 0.00191 mg/L  |   |          | 02/19/22 22:57 | 1       |
| m,p-Xylenes                   | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/19/22 22:57 | 1       |
| MTBE                          | <0.000571 | U            | 0.00500 | 0.000571 mg/L |   |          | 02/19/22 22:57 | 1       |
| Naphthalene                   | <0.00200  | U            | 0.0100  | 0.00200 mg/L  |   |          | 02/19/22 22:57 | 1       |
| n-Butylbenzene                | <0.000286 | U            | 0.00100 | 0.000286 mg/L |   |          | 02/19/22 22:57 | 1       |
| N-Propylbenzene               | <0.000179 | U            | 0.00100 | 0.000179 mg/L |   |          | 02/19/22 22:57 | 1       |
| o-Xylene                      | <0.000192 | U            | 0.00100 | 0.000192 mg/L |   |          | 02/19/22 22:57 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U            | 0.00100 | 0.000233 mg/L |   |          | 02/19/22 22:57 | 1       |
| sec-Butylbenzene              | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/19/22 22:57 | 1       |
| Styrene                       | <0.000623 | U            | 0.00100 | 0.000623 mg/L |   |          | 02/19/22 22:57 | 1       |
| tert-Butylbenzene             | <0.000195 | U            | 0.00100 | 0.000195 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U            | 0.00100 | 0.000327 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U            | 0.00100 | 0.000284 mg/L |   |          | 02/19/22 22:57 | 1       |
| Tetrachloroethene             | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/19/22 22:57 | 1       |
| Toluene                       | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/19/22 22:57 | 1       |
| trans-1,2-Dichloroethene      | <0.000256 | U            | 0.00100 | 0.000256 mg/L |   |          | 02/19/22 22:57 | 1       |
| trans-1,3-Dichloropropene     | <0.000752 | U            | 0.00500 | 0.000752 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,2,3-Trichlorobenzene        | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/19/22 22:57 | 1       |
| 1,2,4-Trichlorobenzene        | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/19/22 22:57 | 1       |
| 1,1,1-Trichloroethane         | <0.000504 | U            | 0.00500 | 0.000504 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,1,2-Trichloroethane         | <0.000228 | U            | 0.00100 | 0.000228 mg/L |   |          | 02/19/22 22:57 | 1       |
| Trichloroethene               | <0.000424 | U            | 0.00500 | 0.000424 mg/L |   |          | 02/19/22 22:57 | 1       |
| Trichlorofluoromethane        | <0.000245 | U            | 0.00100 | 0.000245 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,2,3-Trichloropropane        | <0.000283 | U            | 0.00100 | 0.000283 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,2,4-Trimethylbenzene        | <0.000252 | U            | 0.00100 | 0.000252 mg/L |   |          | 02/19/22 22:57 | 1       |
| 1,3,5-Trimethylbenzene        | <0.000279 | U            | 0.00100 | 0.000279 mg/L |   |          | 02/19/22 22:57 | 1       |
| Vinyl chloride                | <0.000234 | U            | 0.00200 | 0.000234 mg/L |   |          | 02/19/22 22:57 | 1       |
| Xylenes, Total                | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/19/22 22:57 | 1       |
| Total BTEX                    | <0.000214 | U            | 0.0100  | 0.000214 mg/L |   |          | 02/19/22 22:57 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 102          |              | 74 - 124 |          | 02/19/22 22:57 | 1       |
| Dibromofluoromethane (Surr)  | 105          |              | 75 - 131 |          | 02/19/22 22:57 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 107          |              | 63 - 144 |          | 02/19/22 22:57 | 1       |
| Toluene-d8 (Surr)            | 100          |              | 80 - 117 |          | 02/19/22 22:57 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 860-42135/3

Matrix: Water

Analysis Batch: 42135

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene                       | 0.0500      | 0.04970    |               | mg/L |   | 99   | 66 - 142     |
| Bromobenzene                  | 0.0500      | 0.04890    |               | mg/L |   | 98   | 75 - 125     |
| Bromochloromethane            | 0.0500      | 0.05037    |               | mg/L |   | 101  | 60 - 140     |
| Bromodichloromethane          | 0.0500      | 0.05265    |               | mg/L |   | 105  | 75 - 125     |
| Bromoform                     | 0.0500      | 0.04703    |               | mg/L |   | 94   | 75 - 125     |
| Bromomethane                  | 0.0500      | 0.05203    |               | mg/L |   | 104  | 60 - 140     |
| 2-Butanone                    | 0.250       | 0.2366     |               | mg/L |   | 95   | 60 - 140     |
| Carbon tetrachloride          | 0.0500      | 0.04125    |               | mg/L |   | 82   | 62 - 125     |
| Chlorobenzene                 | 0.0500      | 0.04939    |               | mg/L |   | 99   | 60 - 133     |
| Chloroethane                  | 0.0500      | 0.04382    |               | mg/L |   | 88   | 60 - 140     |
| Chloroform                    | 0.0500      | 0.05193    |               | mg/L |   | 104  | 70 - 130     |
| Chloromethane                 | 0.0500      | 0.05544    |               | mg/L |   | 111  | 60 - 140     |
| 2-Chlorotoluene               | 0.0500      | 0.04916    |               | mg/L |   | 98   | 73 - 125     |
| 4-Chlorotoluene               | 0.0500      | 0.04943    |               | mg/L |   | 99   | 74 - 125     |
| cis-1,2-Dichloroethene        | 0.0500      | 0.05014    |               | mg/L |   | 100  | 75 - 125     |
| cis-1,3-Dichloropropene       | 0.0500      | 0.04827    |               | mg/L |   | 97   | 74 - 125     |
| Dibromochloromethane          | 0.0500      | 0.04806    |               | mg/L |   | 96   | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane   | 0.0500      | 0.04760    |               | mg/L |   | 95   | 59 - 125     |
| 1,2-Dibromoethane             | 0.0500      | 0.04791    |               | mg/L |   | 96   | 73 - 125     |
| 1,2-Dichlorobenzene           | 0.0500      | 0.04887    |               | mg/L |   | 98   | 75 - 125     |
| 1,3-Dichlorobenzene           | 0.0500      | 0.04897    |               | mg/L |   | 98   | 75 - 125     |
| 1,4-Dichlorobenzene           | 0.0500      | 0.04914    |               | mg/L |   | 98   | 75 - 125     |
| Dichlorodifluoromethane       | 0.0500      | 0.03443    | *             | mg/L |   | 69   | 70 - 130     |
| 1,1-Dichloroethane            | 0.0500      | 0.05093    |               | mg/L |   | 102  | 72 - 125     |
| 1,2-Dichloroethane            | 0.0500      | 0.04950    |               | mg/L |   | 99   | 68 - 127     |
| 1,1-Dichloroethene            | 0.0500      | 0.03959    |               | mg/L |   | 79   | 59 - 172     |
| 1,2-Dichloropropane           | 0.0500      | 0.05056    |               | mg/L |   | 101  | 74 - 125     |
| 1,3-Dichloropropane           | 0.0500      | 0.04772    |               | mg/L |   | 95   | 75 - 125     |
| 2,2-Dichloropropane           | 0.0500      | 0.04494    |               | mg/L |   | 90   | 75 - 125     |
| 1,1-Dichloropropene           | 0.0500      | 0.04711    |               | mg/L |   | 94   | 75 - 125     |
| Ethylbenzene                  | 0.0500      | 0.05007    |               | mg/L |   | 100  | 75 - 125     |
| Hexachlorobutadiene           | 0.0500      | 0.04422    |               | mg/L |   | 88   | 75 - 125     |
| Isopropylbenzene              | 0.0500      | 0.04943    |               | mg/L |   | 99   | 75 - 125     |
| Methylene Chloride            | 0.0500      | 0.04152    |               | mg/L |   | 83   | 75 - 125     |
| m,p-Xylenes                   | 0.0500      | 0.04952    |               | mg/L |   | 99   | 75 - 125     |
| MTBE                          | 0.0500      | 0.04817    |               | mg/L |   | 96   | 65 - 135     |
| Naphthalene                   | 0.0500      | 0.05101    |               | mg/L |   | 102  | 70 - 130     |
| n-Butylbenzene                | 0.0500      | 0.04566    |               | mg/L |   | 91   | 75 - 125     |
| N-Propylbenzene               | 0.0500      | 0.04854    |               | mg/L |   | 97   | 75 - 125     |
| o-Xylene                      | 0.0500      | 0.04992    |               | mg/L |   | 100  | 75 - 125     |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.04713    |               | mg/L |   | 94   | 75 - 125     |
| sec-Butylbenzene              | 0.0500      | 0.04700    |               | mg/L |   | 94   | 75 - 125     |
| Styrene                       | 0.0500      | 0.04448    |               | mg/L |   | 89   | 75 - 125     |
| tert-Butylbenzene             | 0.0500      | 0.04708    |               | mg/L |   | 94   | 75 - 125     |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.04579    |               | mg/L |   | 92   | 72 - 125     |
| 1,1,1,2,2-Tetrachloroethane   | 0.0500      | 0.04431    |               | mg/L |   | 89   | 74 - 125     |
| Tetrachloroethene             | 0.0500      | 0.04126    |               | mg/L |   | 83   | 71 - 125     |
| Toluene                       | 0.0500      | 0.05000    |               | mg/L |   | 100  | 59 - 139     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 860-42135/3

Matrix: Water

Analysis Batch: 42135

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                   | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|------|---|------|--------------|
| trans-1,2-Dichloroethene  | 0.0500      | 0.04646    |               | mg/L |   | 93   | 75 - 125     |
| trans-1,3-Dichloropropene | 0.0500      | 0.04960    |               | mg/L |   | 99   | 66 - 125     |
| 1,2,3-Trichlorobenzene    | 0.0500      | 0.05049    |               | mg/L |   | 101  | 75 - 137     |
| 1,2,4-Trichlorobenzene    | 0.0500      | 0.04889    |               | mg/L |   | 98   | 75 - 135     |
| 1,1,1-Trichloroethane     | 0.0500      | 0.05052    |               | mg/L |   | 101  | 75 - 125     |
| 1,1,2-Trichloroethane     | 0.0500      | 0.04846    |               | mg/L |   | 97   | 75 - 127     |
| Trichloroethene           | 0.0500      | 0.04954    |               | mg/L |   | 99   | 62 - 137     |
| Trichlorofluoromethane    | 0.0500      | 0.04182    |               | mg/L |   | 84   | 60 - 140     |
| 1,2,3-Trichloropropane    | 0.0500      | 0.04648    |               | mg/L |   | 93   | 75 - 125     |
| 1,2,4-Trimethylbenzene    | 0.0500      | 0.04890    |               | mg/L |   | 98   | 75 - 125     |
| 1,3,5-Trimethylbenzene    | 0.0500      | 0.04911    |               | mg/L |   | 98   | 60 - 140     |
| Vinyl chloride            | 0.0500      | 0.04434    |               | mg/L |   | 89   | 60 - 140     |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr)  | 99            |               | 74 - 124 |
| Dibromofluoromethane (Surr)  | 104           |               | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 101           |               | 63 - 144 |
| Toluene-d8 (Surr)            | 99            |               | 80 - 117 |

Lab Sample ID: LCSD 860-42135/4

Matrix: Water

Analysis Batch: 42135

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                     | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Benzene                     | 0.0500      | 0.05001     |                | mg/L |   | 100  | 66 - 142     | 1   | 25        |
| Bromobenzene                | 0.0500      | 0.05021     |                | mg/L |   | 100  | 75 - 125     | 3   | 25        |
| Bromochloromethane          | 0.0500      | 0.04996     |                | mg/L |   | 100  | 60 - 140     | 1   | 25        |
| Bromodichloromethane        | 0.0500      | 0.05337     |                | mg/L |   | 107  | 75 - 125     | 1   | 25        |
| Bromoform                   | 0.0500      | 0.04598     |                | mg/L |   | 92   | 75 - 125     | 2   | 25        |
| Bromomethane                | 0.0500      | 0.05172     |                | mg/L |   | 103  | 60 - 140     | 1   | 25        |
| 2-Butanone                  | 0.250       | 0.2224      |                | mg/L |   | 89   | 60 - 140     | 6   | 25        |
| Carbon tetrachloride        | 0.0500      | 0.04026     |                | mg/L |   | 81   | 62 - 125     | 2   | 25        |
| Chlorobenzene               | 0.0500      | 0.04925     |                | mg/L |   | 98   | 60 - 133     | 0   | 25        |
| Chloroethane                | 0.0500      | 0.04413     |                | mg/L |   | 88   | 60 - 140     | 1   | 25        |
| Chloroform                  | 0.0500      | 0.05248     |                | mg/L |   | 105  | 70 - 130     | 1   | 25        |
| Chloromethane               | 0.0500      | 0.05572     |                | mg/L |   | 111  | 60 - 140     | 0   | 25        |
| 2-Chlorotoluene             | 0.0500      | 0.05058     |                | mg/L |   | 101  | 73 - 125     | 3   | 25        |
| 4-Chlorotoluene             | 0.0500      | 0.05147     |                | mg/L |   | 103  | 74 - 125     | 4   | 25        |
| cis-1,2-Dichloroethene      | 0.0500      | 0.05029     |                | mg/L |   | 101  | 75 - 125     | 0   | 25        |
| cis-1,3-Dichloropropene     | 0.0500      | 0.04892     |                | mg/L |   | 98   | 74 - 125     | 1   | 25        |
| Dibromochloromethane        | 0.0500      | 0.04793     |                | mg/L |   | 96   | 73 - 125     | 0   | 25        |
| 1,2-Dibromo-3-Chloropropane | 0.0500      | 0.04471     |                | mg/L |   | 89   | 59 - 125     | 6   | 25        |
| 1,2-Dibromoethane           | 0.0500      | 0.04659     |                | mg/L |   | 93   | 73 - 125     | 3   | 25        |
| 1,2-Dichlorobenzene         | 0.0500      | 0.04971     |                | mg/L |   | 99   | 75 - 125     | 2   | 25        |
| 1,3-Dichlorobenzene         | 0.0500      | 0.05047     |                | mg/L |   | 101  | 75 - 125     | 3   | 25        |
| 1,4-Dichlorobenzene         | 0.0500      | 0.05033     |                | mg/L |   | 101  | 75 - 125     | 2   | 25        |
| Dichlorodifluoromethane     | 0.0500      | 0.03378     | *-             | mg/L |   | 68   | 70 - 130     | 2   | 25        |
| 1,1-Dichloroethane          | 0.0500      | 0.05056     |                | mg/L |   | 101  | 72 - 125     | 1   | 25        |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-42135/4

Client Sample ID: Lab Control Sample Dup

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 42135

| Analyte                       | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| 1,2-Dichloroethane            | 0.0500      | 0.04923     |                | mg/L |   | 98   | 68 - 127     | 1   | 25        |
| 1,1-Dichloroethene            | 0.0500      | 0.03924     |                | mg/L |   | 78   | 59 - 172     | 1   | 25        |
| 1,2-Dichloropropane           | 0.0500      | 0.05080     |                | mg/L |   | 102  | 74 - 125     | 0   | 25        |
| 1,3-Dichloropropane           | 0.0500      | 0.04695     |                | mg/L |   | 94   | 75 - 125     | 2   | 25        |
| 2,2-Dichloropropane           | 0.0500      | 0.04558     |                | mg/L |   | 91   | 75 - 125     | 1   | 25        |
| 1,1-Dichloropropene           | 0.0500      | 0.04722     |                | mg/L |   | 94   | 75 - 125     | 0   | 25        |
| Ethylbenzene                  | 0.0500      | 0.04951     |                | mg/L |   | 99   | 75 - 125     | 1   | 25        |
| Hexachlorobutadiene           | 0.0500      | 0.04559     |                | mg/L |   | 91   | 75 - 125     | 3   | 25        |
| Isopropylbenzene              | 0.0500      | 0.04865     |                | mg/L |   | 97   | 75 - 125     | 2   | 25        |
| Methylene Chloride            | 0.0500      | 0.04244     |                | mg/L |   | 85   | 75 - 125     | 2   | 25        |
| m,p-Xylenes                   | 0.0500      | 0.04900     |                | mg/L |   | 98   | 75 - 125     | 1   | 25        |
| MTBE                          | 0.0500      | 0.04742     |                | mg/L |   | 95   | 65 - 135     | 2   | 25        |
| Naphthalene                   | 0.0500      | 0.04829     |                | mg/L |   | 97   | 70 - 130     | 5   | 25        |
| n-Butylbenzene                | 0.0500      | 0.04679     |                | mg/L |   | 94   | 75 - 125     | 2   | 25        |
| N-Propylbenzene               | 0.0500      | 0.05005     |                | mg/L |   | 100  | 75 - 125     | 3   | 25        |
| o-Xylene                      | 0.0500      | 0.05030     |                | mg/L |   | 101  | 75 - 125     | 1   | 25        |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.04875     |                | mg/L |   | 98   | 75 - 125     | 3   | 25        |
| sec-Butylbenzene              | 0.0500      | 0.04803     |                | mg/L |   | 96   | 75 - 125     | 2   | 25        |
| Styrene                       | 0.0500      | 0.04447     |                | mg/L |   | 89   | 75 - 125     | 0   | 25        |
| tert-Butylbenzene             | 0.0500      | 0.04846     |                | mg/L |   | 97   | 75 - 125     | 3   | 25        |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.04621     |                | mg/L |   | 92   | 72 - 125     | 1   | 25        |
| 1,1,2,2-Tetrachloroethane     | 0.0500      | 0.04396     |                | mg/L |   | 88   | 74 - 125     | 1   | 25        |
| Tetrachloroethene             | 0.0500      | 0.04150     |                | mg/L |   | 83   | 71 - 125     | 1   | 25        |
| Toluene                       | 0.0500      | 0.05081     |                | mg/L |   | 102  | 59 - 139     | 2   | 25        |
| trans-1,2-Dichloroethene      | 0.0500      | 0.04674     |                | mg/L |   | 93   | 75 - 125     | 1   | 25        |
| trans-1,3-Dichloropropene     | 0.0500      | 0.04936     |                | mg/L |   | 99   | 66 - 125     | 0   | 25        |
| 1,2,3-Trichlorobenzene        | 0.0500      | 0.04938     |                | mg/L |   | 99   | 75 - 137     | 2   | 25        |
| 1,2,4-Trichlorobenzene        | 0.0500      | 0.04904     |                | mg/L |   | 98   | 75 - 135     | 0   | 25        |
| 1,1,1-Trichloroethane         | 0.0500      | 0.05021     |                | mg/L |   | 100  | 75 - 125     | 1   | 25        |
| 1,1,2-Trichloroethane         | 0.0500      | 0.04699     |                | mg/L |   | 94   | 75 - 127     | 3   | 25        |
| Trichloroethene               | 0.0500      | 0.04885     |                | mg/L |   | 98   | 62 - 137     | 1   | 25        |
| Trichlorofluoromethane        | 0.0500      | 0.03978     |                | mg/L |   | 80   | 60 - 140     | 5   | 25        |
| 1,2,3-Trichloropropane        | 0.0500      | 0.04582     |                | mg/L |   | 92   | 75 - 125     | 1   | 25        |
| 1,2,4-Trimethylbenzene        | 0.0500      | 0.05051     |                | mg/L |   | 101  | 75 - 125     | 3   | 25        |
| 1,3,5-Trimethylbenzene        | 0.0500      | 0.05129     |                | mg/L |   | 103  | 60 - 140     | 4   | 25        |
| Vinyl chloride                | 0.0500      | 0.04346     |                | mg/L |   | 87   | 60 - 140     | 2   | 25        |

| Surrogate                    | LCSD %Recovery | LCSD Qualifier | Limits   |
|------------------------------|----------------|----------------|----------|
| 4-Bromofluorobenzene (Surr)  | 102            |                | 74 - 124 |
| Dibromofluoromethane (Surr)  | 103            |                | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 100            |                | 63 - 144 |
| Toluene-d8 (Surr)            | 99             |                | 80 - 117 |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 860-42070/1-A

Matrix: Water

Analysis Batch: 42049

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 42070

| Analyte                              | MB Result | MB Qualifier | RL       | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------|--------------|----------|------------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <0.988    | U            | 5.00     | 0.988 mg/L |   | 02/18/22 12:19 | 02/18/22 13:14 | 1       |
| Diesel Range Organics (Over C10-C28) | <0.988    | U            | 5.00     | 0.988 mg/L |   | 02/18/22 12:19 | 02/18/22 13:14 | 1       |
| Oil Range Organics (Over C28-C36)    | <0.954    | U            | 5.00     | 0.954 mg/L |   | 02/18/22 12:19 | 02/18/22 13:14 | 1       |
| Surrogate                            | %Recovery | MB Qualifier | Limits   |            |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 100       |              | 70 - 135 |            |   | 02/18/22 12:19 | 02/18/22 13:14 | 1       |
| o-Terphenyl                          | 101       |              | 70 - 135 |            |   | 02/18/22 12:19 | 02/18/22 13:14 | 1       |

Lab Sample ID: LCS 860-42070/2-A

Matrix: Water

Analysis Batch: 42049

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 42070

| Analyte                              | Spike Added | LCS Result    | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------------------------|-------------|---------------|---------------|------|---|------|--------------|
| Gasoline Range Organics (GRO)-C6-C10 | 99.4        | 104.0         |               | mg/L |   | 105  | 70 - 135     |
| Diesel Range Organics (Over C10-C28) | 99.2        | 107.4         |               | mg/L |   | 108  | 70 - 135     |
| Surrogate                            | %Recovery   | LCS Qualifier | Limits        |      |   |      |              |
| 1-Chlorooctane                       | 119         |               | 70 - 135      |      |   |      |              |
| o-Terphenyl                          | 99          |               | 70 - 135      |      |   |      |              |

Lab Sample ID: LCSD 860-42070/3-A

Matrix: Water

Analysis Batch: 42049

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 42070

| Analyte                              | Spike Added | LCSD Result    | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------------------------------|-------------|----------------|----------------|------|---|------|--------------|-----|-----------|
| Gasoline Range Organics (GRO)-C6-C10 | 99.4        | 110.3          |                | mg/L |   | 111  | 70 - 135     | 6   | 35        |
| Diesel Range Organics (Over C10-C28) | 99.2        | 113.7          |                | mg/L |   | 115  | 70 - 135     | 6   | 35        |
| Surrogate                            | %Recovery   | LCSD Qualifier | Limits         |      |   |      |              |     |           |
| 1-Chlorooctane                       | 124         |                | 70 - 135       |      |   |      |              |     |           |
| o-Terphenyl                          | 101         |                | 70 - 135       |      |   |      |              |     |           |

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 860-41809/67

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB Result | MB Qualifier | RL    | Unit       | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-------|------------|---|----------|----------------|---------|
| Chloride | <0.200    | U            | 0.500 | 0.200 mg/L |   |          | 02/17/22 23:00 | 1       |
| Fluoride | <0.100    | U            | 0.500 | 0.100 mg/L |   |          | 02/17/22 23:00 | 1       |
| Sulfate  | <0.109    | U            | 0.500 | 0.109 mg/L |   |          | 02/17/22 23:00 | 1       |

Eurofins Midland



## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 860-41809/68

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
| Chloride | 10.0        | 9.332      |               | mg/L |   | 93   | 90 - 110     |
| Fluoride | 10.0        | 9.962      |               | mg/L |   | 100  | 90 - 110     |
| Sulfate  | 10.0        | 9.258      |               | mg/L |   | 93   | 90 - 110     |

Lab Sample ID: LCSD 860-41809/69

Matrix: Water

Analysis Batch: 41809

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Chloride | 10.0        | 9.707       |                | mg/L |   | 97   | 90 - 110     | 4   | 20        |
| Fluoride | 10.0        | 10.24       |                | mg/L |   | 102  | 90 - 110     | 3   | 20        |
| Sulfate  | 10.0        | 9.628       |                | mg/L |   | 96   | 90 - 110     | 4   | 20        |

Lab Sample ID: MB 860-41810/36

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte      | MB Result | MB Qualifier | RL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|-----------|--------------|-------|------|---|----------|----------------|---------|
| Nitrate as N | <0.0391   | U            | 0.100 | mg/L |   |          | 02/17/22 16:58 | 1       |
| Nitrite as N | <0.0293   | U            | 0.100 | mg/L |   |          | 02/17/22 16:58 | 1       |

Lab Sample ID: MB 860-41810/67

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte      | MB Result | MB Qualifier | RL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|-----------|--------------|-------|------|---|----------|----------------|---------|
| Nitrate as N | <0.0391   | U            | 0.100 | mg/L |   |          | 02/17/22 23:00 | 1       |
| Nitrite as N | <0.0293   | U            | 0.100 | mg/L |   |          | 02/17/22 23:00 | 1       |

Lab Sample ID: LCS 860-41810/37

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte      | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|------|---|------|--------------|
| Nitrate as N | 10.0        | 9.859      |               | mg/L |   | 99   | 80 - 120     |
| Nitrite as N | 5.00        | 4.906      |               | mg/L |   | 98   | 80 - 120     |

Lab Sample ID: LCS 860-41810/68

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte      | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------|-------------|------------|---------------|------|---|------|--------------|
| Nitrate as N | 10.0        | 9.367      |               | mg/L |   | 94   | 80 - 120     |
| Nitrite as N | 5.00        | 4.713      |               | mg/L |   | 94   | 80 - 120     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 860-41810/38

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte      | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
|              |             |             |                |      |   |      |              |     |           |
| Nitrate as N | 10.0        | 10.01       |                | mg/L |   | 100  | 80 - 120     | 2   | 20        |
| Nitrite as N | 5.00        | 4.874       |                | mg/L |   | 97   | 80 - 120     | 1   | 20        |

Lab Sample ID: LCSD 860-41810/69

Matrix: Water

Analysis Batch: 41810

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte      | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
|              |             |             |                |      |   |      |              |     |           |
| Nitrate as N | 10.0        | 9.743       |                | mg/L |   | 97   | 80 - 120     | 4   | 20        |
| Nitrite as N | 5.00        | 4.769       |                | mg/L |   | 95   | 80 - 120     | 1   | 20        |

Lab Sample ID: MB 860-42358/46

Matrix: Water

Analysis Batch: 42358

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB MB  |           | RL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-------|------|---|----------|----------------|---------|
|          | Result | Qualifier |       |      |   |          |                |         |
| Chloride | <0.200 | U         | 0.500 | mg/L |   |          | 02/22/22 21:12 | 1       |
| Fluoride | <0.100 | U         | 0.500 | mg/L |   |          | 02/22/22 21:12 | 1       |
| Sulfate  | <0.109 | U         | 0.500 | mg/L |   |          | 02/22/22 21:12 | 1       |

Lab Sample ID: LCS 860-42358/47

Matrix: Water

Analysis Batch: 42358

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|------|---|------|--------------|
|          |             |            |               |      |   |      |              |
| Chloride | 10.0        | 10.34      |               | mg/L |   | 103  | 90 - 110     |
| Fluoride | 10.0        | 10.72      |               | mg/L |   | 107  | 90 - 110     |
| Sulfate  | 10.0        | 10.42      |               | mg/L |   | 104  | 90 - 110     |

Lab Sample ID: LCSD 860-42358/48

Matrix: Water

Analysis Batch: 42358

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
|          |             |             |                |      |   |      |              |     |           |
| Chloride | 10.0        | 9.943       |                | mg/L |   | 99   | 90 - 110     | 4   | 20        |
| Fluoride | 10.0        | 10.52       |                | mg/L |   | 105  | 90 - 110     | 2   | 20        |
| Sulfate  | 10.0        | 10.20       |                | mg/L |   | 102  | 90 - 110     | 2   | 20        |

## Method: SM 2320B - Alkalinity

Lab Sample ID: MB 860-42087/3

Matrix: Water

Analysis Batch: 42087

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                         | MB MB  |           | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|------|------|---|----------|----------------|---------|
|                                 | Result | Qualifier |      |      |   |          |                |         |
| Alkalinity                      | <4.00  | U         | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |
| Bicarbonate Alkalinity as CaCO3 | <4.00  | U         | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## Method: SM 2320B - Alkalinity (Continued)

Lab Sample ID: LCS 860-42087/4

Matrix: Water

Analysis Batch: 42087

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte    | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|-------------|------------|---------------|------|---|------|--------------|
| Alkalinity | 250         | 265.7      |               | mg/L |   | 106  | 85 - 115     |

Lab Sample ID: LCSD 860-42087/5

Matrix: Water

Analysis Batch: 42087

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte    | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Alkalinity | 250         | 268.5       |                | mg/L |   | 107  | 85 - 115     | 1   | 20        |

Lab Sample ID: MB 860-42248/4

Matrix: Water

Analysis Batch: 42248

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                         | MB Result | MB Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|-----------|--------------|------|------|---|----------|----------------|---------|
| Alkalinity                      | <4.00     | U            | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |
| Bicarbonate Alkalinity as CaCO3 | <4.00     | U            | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00     | U            | 4.00 | mg/L |   |          | 02/18/22 11:21 | 1       |

Lab Sample ID: LCS 860-42248/5

Matrix: Water

Analysis Batch: 42248

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte    | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------|-------------|------------|---------------|------|---|------|--------------|
| Alkalinity | 250         | 265.7      |               | mg/L |   | 106  | 85 - 115     |

Lab Sample ID: LCSD 860-42248/6

Matrix: Water

Analysis Batch: 42248

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte    | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| Alkalinity | 250         | 268.5       |                | mg/L |   | 107  | 85 - 115     | 1   | 20        |

## Method: SM 4500 S2 F - Sulfide, Total

Lab Sample ID: MB 860-42286/1

Matrix: Water

Analysis Batch: 42286

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------|-----------|--------------|------|------|---|----------|----------------|---------|
| Sulfide | <0.495    | U            | 5.00 | mg/L |   |          | 02/21/22 14:28 | 1       |

Lab Sample ID: LCS 860-42286/2

Matrix: Water

Analysis Batch: 42286

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------|-------------|------------|---------------|------|---|------|--------------|
| Sulfide | 51.4        | 49.80      |               | mg/L |   | 97   | 80 - 120     |

Eurofins Midland

QC Sample Results

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

Method: SM 4500 S2 F - Sulfide, Total (Continued)

|                                 |  |  |             |                                          |                |      |   |      |              |     |           |
|---------------------------------|--|--|-------------|------------------------------------------|----------------|------|---|------|--------------|-----|-----------|
| Lab Sample ID: LCSD 860-42286/3 |  |  |             | Client Sample ID: Lab Control Sample Dup |                |      |   |      |              |     |           |
| Matrix: Water                   |  |  |             | Prep Type: Total/NA                      |                |      |   |      |              |     |           |
| Analysis Batch: 42286           |  |  |             |                                          |                |      |   |      |              |     |           |
| Analyte                         |  |  | Spike Added | LCSD Result                              | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
| Sulfide                         |  |  | 51.4        | 49.60                                    |                | mg/L |   | 97   | 80 - 120     | 0   | 20        |

|                               |               |                  |             |                        |              |      |   |      |              |  |  |
|-------------------------------|---------------|------------------|-------------|------------------------|--------------|------|---|------|--------------|--|--|
| Lab Sample ID: 880-11380-1 MS |               |                  |             | Client Sample ID: MW-1 |              |      |   |      |              |  |  |
| Matrix: Water                 |               |                  |             | Prep Type: Total/NA    |              |      |   |      |              |  |  |
| Analysis Batch: 42286         |               |                  |             |                        |              |      |   |      |              |  |  |
| Analyte                       | Sample Result | Sample Qualifier | Spike Added | MS Result              | MS Qualifier | Unit | D | %Rec | %Rec. Limits |  |  |
| Sulfide                       | <0.495        | U                | 51.4        | 49.60                  |              | mg/L |   | 97   | 80 - 120     |  |  |

|                                |               |                  |             |                        |               |      |   |      |              |     |           |
|--------------------------------|---------------|------------------|-------------|------------------------|---------------|------|---|------|--------------|-----|-----------|
| Lab Sample ID: 880-11380-1 MSD |               |                  |             | Client Sample ID: MW-1 |               |      |   |      |              |     |           |
| Matrix: Water                  |               |                  |             | Prep Type: Total/NA    |               |      |   |      |              |     |           |
| Analysis Batch: 42286          |               |                  |             |                        |               |      |   |      |              |     |           |
| Analyte                        | Sample Result | Sample Qualifier | Spike Added | MSD Result             | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
| Sulfide                        | <0.495        | U                | 51.4        | 49.40                  |               | mg/L |   | 96   | 80 - 120     | 0   | 20        |

## QC Association Summary

Client: Ensolum

Job ID: 880-11380-1

Project/Site: South Hobbs - 03B1417002

## GC/MS VOA

## Analysis Batch: 41811

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11380-1      | MW-1                   | Total/NA  | Water  | 8260C  |            |
| 880-11380-2      | MW-2                   | Total/NA  | Water  | 8260C  |            |
| 880-11380-2 - DL | MW-2                   | Total/NA  | Water  | 8260C  |            |
| MB 860-41811/11  | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-41811/5  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-41811/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |

## Analysis Batch: 42135

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11380-2 - RA | MW-2                   | Total/NA  | Water  | 8260C  |            |
| MB 860-42135/10  | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-42135/3  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-42135/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |

## GC Semi VOA

## Analysis Batch: 41402

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method  | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 880-11380-1   | MW-1             | Total/NA  | Water  | 8015 NM |            |
| 880-11380-2   | MW-2             | Total/NA  | Water  | 8015 NM |            |

## Analysis Batch: 42049

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| 880-11380-1        | MW-1                   | Total/NA  | Water  | 8015B NM | 42070      |
| 880-11380-2 - RA   | MW-2                   | Total/NA  | Water  | 8015B NM | 42070      |
| MB 860-42070/1-A   | Method Blank           | Total/NA  | Water  | 8015B NM | 42070      |
| LCS 860-42070/2-A  | Lab Control Sample     | Total/NA  | Water  | 8015B NM | 42070      |
| LCSD 860-42070/3-A | Lab Control Sample Dup | Total/NA  | Water  | 8015B NM | 42070      |

## Prep Batch: 42070

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method         | Prep Batch |
|--------------------|------------------------|-----------|--------|----------------|------------|
| 880-11380-1        | MW-1                   | Total/NA  | Water  | 8015NM Aq Prep |            |
| 880-11380-2 - RA   | MW-2                   | Total/NA  | Water  | 8015NM Aq Prep |            |
| MB 860-42070/1-A   | Method Blank           | Total/NA  | Water  | 8015NM Aq Prep |            |
| LCS 860-42070/2-A  | Lab Control Sample     | Total/NA  | Water  | 8015NM Aq Prep |            |
| LCSD 860-42070/3-A | Lab Control Sample Dup | Total/NA  | Water  | 8015NM Aq Prep |            |

## HPLC/IC

## Analysis Batch: 41809

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 880-11380-1       | MW-1                   | Total/NA  | Water  | 300.0  |            |
| 880-11380-2       | MW-2                   | Total/NA  | Water  | 300.0  |            |
| MB 860-41809/67   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-41809/68  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-41809/69 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

## Analysis Batch: 41810

| Lab Sample ID   | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-----------|--------|--------|------------|
| 880-11380-1     | MW-1             | Total/NA  | Water  | 300.0  |            |
| 880-11380-2     | MW-2             | Total/NA  | Water  | 300.0  |            |
| MB 860-41810/36 | Method Blank     | Total/NA  | Water  | 300.0  |            |

Eurofins Midland

QC Association Summary

Client: Ensolum

Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

HPLC/IC (Continued)

Analysis Batch: 41810 (Continued)

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| MB 860-41810/67   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-41810/37  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCS 860-41810/68  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-41810/38 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |
| LCSD 860-41810/69 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

Analysis Batch: 42358

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| MB 860-42358/46   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-42358/47  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-42358/48 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

General Chemistry

Analysis Batch: 42087

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11380-1      | MW-1                   | Total/NA  | Water  | SM 2320B |            |
| 880-11380-2      | MW-2                   | Total/NA  | Water  | SM 2320B |            |
| MB 860-42087/3   | Method Blank           | Total/NA  | Water  | SM 2320B |            |
| LCS 860-42087/4  | Lab Control Sample     | Total/NA  | Water  | SM 2320B |            |
| LCSD 860-42087/5 | Lab Control Sample Dup | Total/NA  | Water  | SM 2320B |            |

Analysis Batch: 42091

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method       | Prep Batch |
|---------------|------------------|-----------|--------|--------------|------------|
| 880-11380-1   | MW-1             | Total/NA  | Water  | SM 4500 H+ B |            |
| 880-11380-2   | MW-2             | Total/NA  | Water  | SM 4500 H+ B |            |

Analysis Batch: 42248

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| MB 860-42248/4   | Method Blank           | Total/NA  | Water  | SM 2320B |            |
| LCS 860-42248/5  | Lab Control Sample     | Total/NA  | Water  | SM 2320B |            |
| LCSD 860-42248/6 | Lab Control Sample Dup | Total/NA  | Water  | SM 2320B |            |

Analysis Batch: 42286

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method       | Prep Batch |
|------------------|------------------------|-----------|--------|--------------|------------|
| 880-11380-1      | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11380-2      | MW-2                   | Total/NA  | Water  | SM 4500 S2 F |            |
| MB 860-42286/1   | Method Blank           | Total/NA  | Water  | SM 4500 S2 F |            |
| LCS 860-42286/2  | Lab Control Sample     | Total/NA  | Water  | SM 4500 S2 F |            |
| LCSD 860-42286/3 | Lab Control Sample Dup | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11380-1 MS   | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11380-1 MSD  | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |

Analysis Batch: 42849

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method        | Prep Batch |
|---------------|------------------|-----------|--------|---------------|------------|
| 880-11380-1   | MW-1             | Total/NA  | Water  | SM 4500 CO2 D |            |
| 880-11380-2   | MW-2             | Total/NA  | Water  | SM 4500 CO2 D |            |



Lab Chronicle

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

**Client Sample ID: MW-1**  
**Date Collected: 02/16/22 10:25**  
**Date Received: 02/16/22 15:51**

**Lab Sample ID: 880-11380-1**  
**Matrix: Water**

| Prep Type | Batch Type | Batch Method   | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|----------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C          |     | 1               | 41811        | 02/18/22 19:30       | NA      | XEN STF |
| Total/NA  | Analysis   | 8015 NM        |     | 1               | 41402        | 02/18/22 12:54       | DD      | XEN STF |
| Total/NA  | Prep       | 8015NM Aq Prep |     |                 | 42070        | 02/18/22 12:19       | SAR     | XEN STF |
| Total/NA  | Analysis   | 8015B NM       |     | 1               | 42049        | 02/18/22 13:35       | IS      | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 41809        | 02/18/22 00:21       | WP      | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 41810        | 02/18/22 00:21       | WP      | XEN STF |
| Total/NA  | Analysis   | SM 2320B       |     | 1               | 42087        | 02/18/22 12:18       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 CO2 D  |     | 1               | 42849        | 02/24/22 17:22       | AA      | XEN STF |
| Total/NA  | Analysis   | SM 4500 H+ B   |     | 1               | 42091        | 02/18/22 14:48       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 S2 F   |     | 1               | 42286        | 02/21/22 14:28       | YVD     | XEN STF |

**Client Sample ID: MW-2**  
**Date Collected: 02/16/22 11:30**  
**Date Received: 02/16/22 15:51**

**Lab Sample ID: 880-11380-2**  
**Matrix: Water**

| Prep Type | Batch Type | Batch Method   | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|----------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C          | RA  | 1               | 42135        | 02/20/22 00:40       | A1S     | XEN STF |
| Total/NA  | Analysis   | 8260C          |     | 1               | 41811        | 02/18/22 19:50       | NA      | XEN STF |
| Total/NA  | Analysis   | 8260C          | DL  | 5               | 41811        | 02/18/22 20:11       | NA      | XEN STF |
| Total/NA  | Analysis   | 8015 NM        |     | 1               | 41402        | 02/18/22 12:54       | DD      | XEN STF |
| Total/NA  | Prep       | 8015NM Aq Prep | RA  |                 | 42070        | 02/18/22 12:19       | SAR     | XEN STF |
| Total/NA  | Analysis   | 8015B NM       | RA  | 1               | 42049        | 02/18/22 14:34       | IS      | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 41809        | 02/18/22 01:08       | WP      | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 41810        | 02/18/22 01:08       | WP      | XEN STF |
| Total/NA  | Analysis   | SM 2320B       |     | 1               | 42087        | 02/18/22 12:34       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 CO2 D  |     | 1               | 42849        | 02/24/22 17:22       | AA      | XEN STF |
| Total/NA  | Analysis   | SM 4500 H+ B   |     | 1               | 42091        | 02/18/22 14:48       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 S2 F   |     | 1               | 42286        | 02/21/22 14:28       | YVD     | XEN STF |

**Laboratory References:**  
XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas     | NELAP   | T104704215-21-44      | 06-30-22        |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method    | Matrix | Analyte                              |
|-----------------|----------------|--------|--------------------------------------|
| 8015 NM         |                | Water  | Total TPH                            |
| 8015B NM        | 8015NM Aq Prep | Water  | Diesel Range Organics (Over C10-C28) |
| 8015B NM        | 8015NM Aq Prep | Water  | Gasoline Range Organics (GRO)-C6-C10 |
| 8015B NM        | 8015NM Aq Prep | Water  | Oil Range Organics (Over C28-C36)    |
| 8260C           |                | Water  | Total BTEX                           |
| SM 2320B        |                | Water  | Bicarbonate Alkalinity as CaCO3      |
| SM 2320B        |                | Water  | Carbonate Alkalinity as CaCO3        |
| SM 4500 CO2 D   |                | Water  | Carbon dioxide                       |
| SM 4500 CO2 D   |                | Water  | Carbon Dioxide, Free                 |
| SM 4500 H+ B    |                | Water  | Temperature                          |

Method Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

| Method         | Method Description                                    | Protocol | Laboratory |
|----------------|-------------------------------------------------------|----------|------------|
| 8260C          | Volatile Organic Compounds by GC/MS                   | SW846    | XEN STF    |
| 8015 NM        | Diesel Range Organics (DRO) (GC)                      | SW846    | XEN STF    |
| 8015B NM       | Diesel Range Organics (DRO) (GC)                      | SW846    | XEN STF    |
| 300.0          | Anions, Ion Chromatography                            | MCAWW    | XEN STF    |
| SM 2320B       | Alkalinity                                            | SM       | XEN STF    |
| SM 4500 CO2 D  | Carbon Dioxide and Forms of Alkalinity by Calculation | SM       | XEN STF    |
| SM 4500 H+ B   | pH                                                    | SM       | XEN STF    |
| SM 4500 S2 F   | Sulfide, Total                                        | SM       | XEN STF    |
| 5030C          | Purge and Trap                                        | SW846    | XEN STF    |
| 8015NM Aq Prep | Microextraction                                       | SW846    | XEN STF    |

**Protocol References:**

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11380-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 880-11380-1   | MW-1             | Water  | 02/16/22 10:25 | 02/16/22 15:51 |
| 880-11380-2   | MW-2             | Water  | 02/16/22 11:30 | 02/16/22 15:51 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432-704-5440) EL Paso, TX (915)585-3443 Lubbock, TX (806)794-1296  
Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0800) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

Chain of Custody

Work Order No: 11380

|                  |                   |                         |                       |
|------------------|-------------------|-------------------------|-----------------------|
| Project Manager: | Beaux Jennings    | Bill to: (if different) |                       |
| Company Name:    | Ensolum LLC       | Company Name:           |                       |
| Address:         | 705 W Wadley #210 | Address:                |                       |
| City, State ZIP: | Midland TX        | City, State ZIP:        |                       |
| Phone:           | 432-230-3344      | Email:                  | bjennings@ensolum.com |

|                                                                                                                                                                                                       |                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Program: <input checked="" type="checkbox"/> UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund                |                                                                                                           |
| State of Project: <u>New Mexico</u>                                                                                                                                                                   |                                                                                                           |
| Reporting Level: <input type="checkbox"/> I <input type="checkbox"/> II <input type="checkbox"/> III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV | Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other: <input type="checkbox"/> |

|                 |               |                                  |  |
|-----------------|---------------|----------------------------------|--|
| Project Name:   | South Hobbs   | Turn Around                      |  |
| Project Number: | 03B1417002    | Routine <input type="checkbox"/> |  |
| P.O. Number:    | 03B1417002    | Rush: 24 Hr                      |  |
| Sampler's Name: | Aaron Marquez | Due Date:                        |  |

|                |                       |                                                                     |                    |                                                                     |
|----------------|-----------------------|---------------------------------------------------------------------|--------------------|---------------------------------------------------------------------|
| SAMPLE RECEIPT | Temp Blank:           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Wet Ice:           | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> |
|                | Temperature (°C):     | 60.5.9                                                              | Thermometer ID     | TPP                                                                 |
|                | Received Intact:      | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Correction Factor: | 1                                                                   |
|                | Cooler Custody Seals: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | Total Containers:  |                                                                     |
|                | Sample Custody Seals: | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> |                    |                                                                     |

|                                     |  |                  |
|-------------------------------------|--|------------------|
| ANALYSIS REQUEST                    |  | Work Order Notes |
| Number of Containers                |  |                  |
| Dissolved Carbon Dioxide 4500 CO2 c |  |                  |
| Dissolved Sulfide SW-846 #376.2     |  |                  |
| VOC SW-846 #8260                    |  |                  |
| TPH EPA Method #8015                |  |                  |
| Chloride EPA Method #846 300        |  |                  |
| pH EPA SW-846 Method 150.1          |  |                  |



880-11380 Chain of Custody

TAT starts the day received by the lab, if received by 4:30pm

Sample Comments

24 Hr.

| Sample Identification | Matrix | Date Sampled | Time Sampled | Depth |
|-----------------------|--------|--------------|--------------|-------|
| MMW-1                 | GW     | 2-16-22      | 10:25        | 75'   |
| MMW-2                 | GW     | 2-16-22      | 11:30        | 85'   |

|              |         |
|--------------|---------|
| CUSTODY SEAL |         |
| Date         | 2-16-22 |
| Signature    |         |



Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM TCPLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

| Relinquished by: (Signature) | Received by: (Signature) | Date/Time     | Relinquished by: (Signature) | Received by: (Signature) | Date/Time |
|------------------------------|--------------------------|---------------|------------------------------|--------------------------|-----------|
|                              |                          | 2/16/22 15:51 |                              |                          |           |
|                              |                          |               |                              |                          |           |
|                              |                          |               |                              |                          |           |
|                              |                          |               |                              |                          |           |

eurofins  
Environment Testing  
America

| Custody Seals Intact: | Custody Seal No. | Cooler Temperature(s) °C and Other Remarks: |
|-----------------------|------------------|---------------------------------------------|
| A Yes A No            |                  |                                             |

---



## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11380-1

Login Number: 11380

List Source: Eurofins Midland

List Number: 1

Creator: Teel, Brianna

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11380-1

Login Number: 11380

List Number: 2

Creator: Milone, Jeancarlo

List Source: Eurofins Houston

List Creation: 02/17/22 02:18 PM

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | True   |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | N/A    |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |



## Environment Testing America

### ANALYTICAL REPORT

Eurofins Midland  
1211 W. Florida Ave  
Midland, TX 79701  
Tel: (432)704-5440

Laboratory Job ID: 880-11743-1

Client Project/Site: South Hobbs - 03B1417002

Sampling Event: South Hobbs

**For:**

Ensolum  
705 W. Wadley  
Suite 210  
Midland, Texas 79701

Attn: Beaux Jennings

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:  
3/2/2022 3:08:40 PM

Jessica Kramer, Project Manager  
(432)704-5440  
[jessica.kramer@eurofinset.com](mailto:jessica.kramer@eurofinset.com)

#### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Laboratory Job ID: 880-11743-1

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 4  |
| Client Sample Results . . . . .  | 5  |
| Surrogate Summary . . . . .      | 10 |
| QC Sample Results . . . . .      | 11 |
| QC Association Summary . . . . . | 22 |
| Lab Chronicle . . . . .          | 24 |
| Certification Summary . . . . .  | 25 |
| Method Summary . . . . .         | 26 |
| Sample Summary . . . . .         | 27 |
| Chain of Custody . . . . .       | 28 |
| Receipt Checklists . . . . .     | 31 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

GC Semi VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

HPLC/IC

| Qualifier | Qualifier Description                                    |
|-----------|----------------------------------------------------------|
| U         | Indicates the analyte was analyzed for but not detected. |

General Chemistry

| Qualifier | Qualifier Description                                                                                |
|-----------|------------------------------------------------------------------------------------------------------|
| HF        | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| U         | Indicates the analyte was analyzed for but not detected.                                             |

Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |
| TNTC           | Too Numerous To Count                                                                                       |

## Case Narrative

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

**Job ID: 880-11743-1**

**Laboratory: Eurofins Midland**

### Narrative

#### Job Narrative 880-11743-1

#### Receipt

The samples were received on 2/25/2022 3:15 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.4°C

#### GC/MS VOA

Method 8260C: Due to the high concentration of Methyl tert-butyl ether, Benzene, Ethylbenzene, Xylenes, Total and m-Xylene & p-Xylene, the matrix spike / matrix spike duplicate (MS/MSD) for analytical batch 860-43074 could not be evaluated for accuracy and precision. The associated laboratory control sample (LCS) met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-42915 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300\_ORGFM\_28D: The following samples were diluted due to the nature of the sample matrix: (180-133828-A-1), (180-133828-A-1 MS) and (180-133828-A-1 MSD). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



## Client Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-1

Lab Sample ID: 880-11743-1

Date Collected: 02/25/22 10:10

Matrix: Water

Date Received: 02/25/22 15:15

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                       | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | <0.000214 | U         | 0.00100 | 0.000214 mg/L |   |          | 02/28/22 12:29 | 1       |
| Bromobenzene                  | <0.000300 | U         | 0.00100 | 0.000300 mg/L |   |          | 02/28/22 12:29 | 1       |
| Bromochloromethane            | <0.000209 | U         | 0.00100 | 0.000209 mg/L |   |          | 02/28/22 12:29 | 1       |
| Bromodichloromethane          | <0.000231 | U         | 0.00100 | 0.000231 mg/L |   |          | 02/28/22 12:29 | 1       |
| Bromoform                     | <0.000630 | U         | 0.00500 | 0.000630 mg/L |   |          | 02/28/22 12:29 | 1       |
| Bromomethane                  | <0.00105  | U         | 0.00500 | 0.00105 mg/L  |   |          | 02/28/22 12:29 | 1       |
| 2-Butanone                    | <0.00270  | U         | 0.0500  | 0.00270 mg/L  |   |          | 02/28/22 12:29 | 1       |
| Carbon tetrachloride          | <0.000423 | U         | 0.00500 | 0.000423 mg/L |   |          | 02/28/22 12:29 | 1       |
| Chlorobenzene                 | <0.000159 | U         | 0.00100 | 0.000159 mg/L |   |          | 02/28/22 12:29 | 1       |
| Chloroethane                  | <0.000433 | U         | 0.0100  | 0.000433 mg/L |   |          | 02/28/22 12:29 | 1       |
| Chloroform                    | <0.000259 | U         | 0.00100 | 0.000259 mg/L |   |          | 02/28/22 12:29 | 1       |
| Chloromethane                 | <0.000318 | U         | 0.0100  | 0.000318 mg/L |   |          | 02/28/22 12:29 | 1       |
| 2-Chlorotoluene               | <0.000214 | U         | 0.00100 | 0.000214 mg/L |   |          | 02/28/22 12:29 | 1       |
| 4-Chlorotoluene               | <0.000183 | U         | 0.00100 | 0.000183 mg/L |   |          | 02/28/22 12:29 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U         | 0.00100 | 0.000174 mg/L |   |          | 02/28/22 12:29 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U         | 0.00500 | 0.000690 mg/L |   |          | 02/28/22 12:29 | 1       |
| Dibromochloromethane          | <0.000739 | U         | 0.00500 | 0.000739 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U         | 0.00500 | 0.000319 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U         | 0.00500 | 0.000337 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,2-Dichlorobenzene           | <0.000236 | U         | 0.00100 | 0.000236 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U         | 0.00100 | 0.000197 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U         | 0.00100 | 0.000199 mg/L |   |          | 02/28/22 12:29 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U         | 0.00100 | 0.000316 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U         | 0.00100 | 0.000244 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U         | 0.00100 | 0.000285 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U         | 0.00100 | 0.000216 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U         | 0.00500 | 0.000396 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U         | 0.00500 | 0.000439 mg/L |   |          | 02/28/22 12:29 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U         | 0.00500 | 0.000360 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U         | 0.00500 | 0.000481 mg/L |   |          | 02/28/22 12:29 | 1       |
| Ethylbenzene                  | <0.000515 | U         | 0.00100 | 0.000515 mg/L |   |          | 02/28/22 12:29 | 1       |
| Hexachlorobutadiene           | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 12:29 | 1       |
| Isopropylbenzene              | <0.000161 | U         | 0.00100 | 0.000161 mg/L |   |          | 02/28/22 12:29 | 1       |
| Methylene Chloride            | <0.00191  | U         | 0.00500 | 0.00191 mg/L  |   |          | 02/28/22 12:29 | 1       |
| MTBE                          | <0.000571 | U         | 0.00500 | 0.000571 mg/L |   |          | 02/28/22 12:29 | 1       |
| Naphthalene                   | <0.00200  | U         | 0.0100  | 0.00200 mg/L  |   |          | 02/28/22 12:29 | 1       |
| n-Butylbenzene                | <0.000286 | U         | 0.00100 | 0.000286 mg/L |   |          | 02/28/22 12:29 | 1       |
| N-Propylbenzene               | <0.000179 | U         | 0.00100 | 0.000179 mg/L |   |          | 02/28/22 12:29 | 1       |
| o-Xylene                      | <0.000192 | U         | 0.00100 | 0.000192 mg/L |   |          | 02/28/22 12:29 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U         | 0.00100 | 0.000233 mg/L |   |          | 02/28/22 12:29 | 1       |
| sec-Butylbenzene              | <0.000199 | U         | 0.00100 | 0.000199 mg/L |   |          | 02/28/22 12:29 | 1       |
| Styrene                       | <0.000623 | U         | 0.00100 | 0.000623 mg/L |   |          | 02/28/22 12:29 | 1       |
| tert-Butylbenzene             | <0.000195 | U         | 0.00100 | 0.000195 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U         | 0.00100 | 0.000327 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U         | 0.00100 | 0.000284 mg/L |   |          | 02/28/22 12:29 | 1       |
| Tetrachloroethene             | <0.000500 | U         | 0.00100 | 0.000500 mg/L |   |          | 02/28/22 12:29 | 1       |
| Toluene                       | <0.000500 | U         | 0.00100 | 0.000500 mg/L |   |          | 02/28/22 12:29 | 1       |
| trans-1,2-Dichloroethene      | <0.000256 | U         | 0.00100 | 0.000256 mg/L |   |          | 02/28/22 12:29 | 1       |
| trans-1,3-Dichloropropene     | <0.000752 | U         | 0.00500 | 0.000752 mg/L |   |          | 02/28/22 12:29 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-1

Lab Sample ID: 880-11743-1

Date Collected: 02/25/22 10:10

Matrix: Water

Date Received: 02/25/22 15:15

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| 1,2,3-Trichlorobenzene | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 12:29 | 1       |
| 1,2,4-Trichlorobenzene | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 12:29 | 1       |
| 1,1,1-Trichloroethane  | <0.000504 | U         | 0.00500 | 0.000504 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,1,2-Trichloroethane  | <0.000228 | U         | 0.00100 | 0.000228 mg/L |   |          | 02/28/22 12:29 | 1       |
| Trichloroethene        | <0.000424 | U         | 0.00500 | 0.000424 mg/L |   |          | 02/28/22 12:29 | 1       |
| Trichlorofluoromethane | <0.000245 | U         | 0.00100 | 0.000245 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,2,3-Trichloropropane | <0.000283 | U         | 0.00100 | 0.000283 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,2,4-Trimethylbenzene | <0.000252 | U         | 0.00100 | 0.000252 mg/L |   |          | 02/28/22 12:29 | 1       |
| 1,3,5-Trimethylbenzene | <0.000279 | U         | 0.00100 | 0.000279 mg/L |   |          | 02/28/22 12:29 | 1       |
| Vinyl chloride         | <0.000234 | U         | 0.00200 | 0.000234 mg/L |   |          | 02/28/22 12:29 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 106       |           | 74 - 124 |          | 02/28/22 12:29 | 1       |
| Dibromofluoromethane (Surr)  | 108       |           | 75 - 131 |          | 02/28/22 12:29 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 116       |           | 63 - 144 |          | 02/28/22 12:29 | 1       |
| Toluene-d8 (Surr)            | 102       |           | 80 - 117 |          | 02/28/22 12:29 | 1       |

## Method: 8260C - Volatile Organic Compounds by GC/MS - RA

| Analyte        | Result    | Qualifier | RL     | Unit          | D | Prepared | Analyzed       | Dil Fac |
|----------------|-----------|-----------|--------|---------------|---|----------|----------------|---------|
| m,p-Xylenes    | <0.000330 | U         | 0.0100 | 0.000330 mg/L |   |          | 02/28/22 14:24 | 1       |
| Xylenes, Total | <0.000330 | U         | 0.0100 | 0.000330 mg/L |   |          | 02/28/22 14:24 | 1       |
| Total BTEX     | <0.000214 | U         | 0.0100 | 0.000214 mg/L |   |          | 02/28/22 14:24 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 103       |           | 74 - 124 |          | 02/28/22 14:24 | 1       |
| Dibromofluoromethane (Surr)  | 98        |           | 75 - 131 |          | 02/28/22 14:24 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 93        |           | 63 - 144 |          | 02/28/22 14:24 | 1       |
| Toluene-d8 (Surr)            | 99        |           | 80 - 117 |          | 02/28/22 14:24 | 1       |

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------------|---|----------|----------------|---------|
| Total TPH | <0.923 | U         | 4.67 | 0.923 mg/L |   |          | 02/28/22 14:31 | 1       |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <0.923 | U         | 4.67 | 0.923 mg/L |   | 02/28/22 17:24 | 02/28/22 19:26 | 1       |
| Diesel Range Organics (Over C10-C28) | <0.923 | U         | 4.67 | 0.923 mg/L |   | 02/28/22 17:24 | 02/28/22 19:26 | 1       |
| Oil Range Organics (Over C28-C36)    | <0.891 | U         | 4.67 | 0.891 mg/L |   | 02/28/22 17:24 | 02/28/22 19:26 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 106       |           | 70 - 135 | 02/28/22 17:24 | 02/28/22 19:26 | 1       |
| o-Terphenyl    | 124       |           | 70 - 135 | 02/28/22 17:24 | 02/28/22 19:26 | 1       |

## Method: 300.0 - Anions, Ion Chromatography

| Analyte      | Result | Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-------------|---|----------|----------------|---------|
| Chloride     | 171    |           | 0.500 | 0.200 mg/L  |   |          | 02/26/22 16:08 | 1       |
| Nitrate as N | 0.125  |           | 0.100 | 0.0391 mg/L |   |          | 02/26/22 16:08 | 1       |
| Fluoride     | 0.739  |           | 0.500 | 0.100 mg/L  |   |          | 02/26/22 16:08 | 1       |
| Nitrite as N | 0.156  |           | 0.100 | 0.0293 mg/L |   |          | 02/26/22 16:08 | 1       |
| Sulfate      | 50.3   |           | 0.500 | 0.109 mg/L  |   |          | 02/26/22 16:08 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-1

Lab Sample ID: 880-11743-1

Date Collected: 02/25/22 10:10

Matrix: Water

Date Received: 02/25/22 15:15

## General Chemistry

| Analyte                         | Result | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|------|------------|---|----------|----------------|---------|
| Alkalinity                      | 342    |           | 4.00 | 4.00 mg/L  |   |          | 02/28/22 12:43 | 1       |
| Bicarbonate Alkalinity as CaCO3 | 342    |           | 4.00 | 4.00 mg/L  |   |          | 02/28/22 12:43 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00 mg/L  |   |          | 02/28/22 12:43 | 1       |
| Carbon dioxide                  | 355    |           |      | mg/L       |   |          | 03/02/22 09:54 | 1       |
| Carbon Dioxide, Free            | 54.2   |           |      | mg/L       |   |          | 03/02/22 09:54 | 1       |
| pH                              | 7.1    | HF        |      | SU         |   |          | 02/28/22 16:30 | 1       |
| Temperature                     | 20.0   | HF        |      | Celsius    |   |          | 02/28/22 16:30 | 1       |
| Sulfide                         | <0.495 | U         | 5.00 | 0.495 mg/L |   |          | 03/01/22 11:34 | 1       |

Client Sample ID: MW-2

Lab Sample ID: 880-11743-2

Date Collected: 02/25/22 11:10

Matrix: Water

Date Received: 02/25/22 15:15

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                     | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| Benzene                     | 0.0341    |           | 0.00100 | 0.000214 mg/L |   |          | 02/28/22 11:48 | 1       |
| Bromobenzene                | <0.000300 | U         | 0.00100 | 0.000300 mg/L |   |          | 02/28/22 11:48 | 1       |
| Bromochloromethane          | <0.000209 | U         | 0.00100 | 0.000209 mg/L |   |          | 02/28/22 11:48 | 1       |
| Bromodichloromethane        | <0.000231 | U         | 0.00100 | 0.000231 mg/L |   |          | 02/28/22 11:48 | 1       |
| Bromoform                   | <0.000630 | U         | 0.00500 | 0.000630 mg/L |   |          | 02/28/22 11:48 | 1       |
| Bromomethane                | <0.00105  | U         | 0.00500 | 0.00105 mg/L  |   |          | 02/28/22 11:48 | 1       |
| 2-Butanone                  | <0.00270  | U         | 0.0500  | 0.00270 mg/L  |   |          | 02/28/22 11:48 | 1       |
| Carbon tetrachloride        | <0.000423 | U         | 0.00500 | 0.000423 mg/L |   |          | 02/28/22 11:48 | 1       |
| Chlorobenzene               | <0.000159 | U         | 0.00100 | 0.000159 mg/L |   |          | 02/28/22 11:48 | 1       |
| Chloroethane                | <0.000433 | U         | 0.0100  | 0.000433 mg/L |   |          | 02/28/22 11:48 | 1       |
| Chloroform                  | <0.000259 | U         | 0.00100 | 0.000259 mg/L |   |          | 02/28/22 11:48 | 1       |
| Chloromethane               | <0.000318 | U         | 0.0100  | 0.000318 mg/L |   |          | 02/28/22 11:48 | 1       |
| 2-Chlorotoluene             | <0.000214 | U         | 0.00100 | 0.000214 mg/L |   |          | 02/28/22 11:48 | 1       |
| 4-Chlorotoluene             | <0.000183 | U         | 0.00100 | 0.000183 mg/L |   |          | 02/28/22 11:48 | 1       |
| cis-1,2-Dichloroethene      | <0.000174 | U         | 0.00100 | 0.000174 mg/L |   |          | 02/28/22 11:48 | 1       |
| cis-1,3-Dichloropropene     | <0.000690 | U         | 0.00500 | 0.000690 mg/L |   |          | 02/28/22 11:48 | 1       |
| Dibromochloromethane        | <0.000739 | U         | 0.00500 | 0.000739 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,2-Dibromo-3-Chloropropane | <0.000319 | U         | 0.00500 | 0.000319 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,2-Dibromoethane           | <0.000337 | U         | 0.00500 | 0.000337 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,2-Dichlorobenzene         | <0.000236 | U         | 0.00100 | 0.000236 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,3-Dichlorobenzene         | <0.000197 | U         | 0.00100 | 0.000197 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,4-Dichlorobenzene         | <0.000199 | U         | 0.00100 | 0.000199 mg/L |   |          | 02/28/22 11:48 | 1       |
| Dichlorodifluoromethane     | <0.000316 | U         | 0.00100 | 0.000316 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,1-Dichloroethane          | <0.000244 | U         | 0.00100 | 0.000244 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,2-Dichloroethane          | <0.000285 | U         | 0.00100 | 0.000285 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,1-Dichloroethene          | <0.000216 | U         | 0.00100 | 0.000216 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,2-Dichloropropane         | <0.000396 | U         | 0.00500 | 0.000396 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,3-Dichloropropane         | <0.000439 | U         | 0.00500 | 0.000439 mg/L |   |          | 02/28/22 11:48 | 1       |
| 2,2-Dichloropropane         | <0.000360 | U         | 0.00500 | 0.000360 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,1-Dichloropropene         | <0.000481 | U         | 0.00500 | 0.000481 mg/L |   |          | 02/28/22 11:48 | 1       |
| Ethylbenzene                | 0.0206    |           | 0.00100 | 0.000515 mg/L |   |          | 02/28/22 11:48 | 1       |
| Hexachlorobutadiene         | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 11:48 | 1       |
| Isopropylbenzene            | 0.0114    |           | 0.00100 | 0.000161 mg/L |   |          | 02/28/22 11:48 | 1       |
| Methylene Chloride          | <0.00191  | U         | 0.00500 | 0.00191 mg/L  |   |          | 02/28/22 11:48 | 1       |
| m,p-Xylenes                 | 0.134     |           | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 11:48 | 1       |

Eurofins Midland

## Client Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

Client Sample ID: MW-2

Lab Sample ID: 880-11743-2

Date Collected: 02/25/22 11:10

Matrix: Water

Date Received: 02/25/22 15:15

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

| Analyte                       | Result    | Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|-----------|---------|---------------|---|----------|----------------|---------|
| MTBE                          | <0.000571 | U         | 0.00500 | 0.000571 mg/L |   |          | 02/28/22 11:48 | 1       |
| Naphthalene                   | <0.00200  | U         | 0.0100  | 0.00200 mg/L  |   |          | 02/28/22 11:48 | 1       |
| n-Butylbenzene                | <0.000286 | U         | 0.00100 | 0.000286 mg/L |   |          | 02/28/22 11:48 | 1       |
| N-Propylbenzene               | 0.00295   |           | 0.00100 | 0.000179 mg/L |   |          | 02/28/22 11:48 | 1       |
| o-Xylene                      | 0.0111    |           | 0.00100 | 0.000192 mg/L |   |          | 02/28/22 11:48 | 1       |
| p-Cymene (p-Isopropyltoluene) | 0.000996  | J         | 0.00100 | 0.000233 mg/L |   |          | 02/28/22 11:48 | 1       |
| sec-Butylbenzene              | <0.000199 | U         | 0.00100 | 0.000199 mg/L |   |          | 02/28/22 11:48 | 1       |
| Styrene                       | <0.000623 | U         | 0.00100 | 0.000623 mg/L |   |          | 02/28/22 11:48 | 1       |
| tert-Butylbenzene             | <0.000195 | U         | 0.00100 | 0.000195 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U         | 0.00100 | 0.000327 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U         | 0.00100 | 0.000284 mg/L |   |          | 02/28/22 11:48 | 1       |
| Tetrachloroethene             | <0.000500 | U         | 0.00100 | 0.000500 mg/L |   |          | 02/28/22 11:48 | 1       |
| Toluene                       | 0.00559   |           | 0.00100 | 0.000500 mg/L |   |          | 02/28/22 11:48 | 1       |
| trans-1,2-Dichloroethene      | <0.000256 | U         | 0.00100 | 0.000256 mg/L |   |          | 02/28/22 11:48 | 1       |
| trans-1,3-Dichloropropene     | <0.000752 | U         | 0.00500 | 0.000752 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,2,3-Trichlorobenzene        | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 11:48 | 1       |
| 1,2,4-Trichlorobenzene        | <0.00200  | U         | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 11:48 | 1       |
| 1,1,1-Trichloroethane         | <0.000504 | U         | 0.00500 | 0.000504 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,1,2-Trichloroethane         | <0.000228 | U         | 0.00100 | 0.000228 mg/L |   |          | 02/28/22 11:48 | 1       |
| Trichloroethene               | <0.000424 | U         | 0.00500 | 0.000424 mg/L |   |          | 02/28/22 11:48 | 1       |
| Trichlorofluoromethane        | <0.000245 | U         | 0.00100 | 0.000245 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,2,3-Trichloropropane        | <0.000283 | U         | 0.00100 | 0.000283 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,2,4-Trimethylbenzene        | 0.0386    |           | 0.00100 | 0.000252 mg/L |   |          | 02/28/22 11:48 | 1       |
| 1,3,5-Trimethylbenzene        | 0.00997   |           | 0.00100 | 0.000279 mg/L |   |          | 02/28/22 11:48 | 1       |
| Vinyl chloride                | <0.000234 | U         | 0.00200 | 0.000234 mg/L |   |          | 02/28/22 11:48 | 1       |
| Xylenes, Total                | 0.145     |           | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 11:48 | 1       |
| Total BTEX                    | 0.206     |           | 0.0100  | 0.000214 mg/L |   |          | 02/28/22 11:48 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 102       |           | 74 - 124 |          | 02/28/22 11:48 | 1       |
| Dibromofluoromethane (Surr)  | 108       |           | 75 - 131 |          | 02/28/22 11:48 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 115       |           | 63 - 144 |          | 02/28/22 11:48 | 1       |
| Toluene-d8 (Surr)            | 101       |           | 80 - 117 |          | 02/28/22 11:48 | 1       |

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

| Analyte   | Result | Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|-----------|--------|-----------|------|------------|---|----------|----------------|---------|
| Total TPH | 1.43   | J         | 4.89 | 0.965 mg/L |   |          | 02/28/22 14:31 | 1       |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte                              | Result | Qualifier | RL   | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------|-----------|------|------------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | 1.43   | J         | 4.89 | 0.965 mg/L |   | 02/28/22 17:24 | 02/28/22 20:05 | 1       |
| Diesel Range Organics (Over C10-C28) | <0.965 | U         | 4.89 | 0.965 mg/L |   | 02/28/22 17:24 | 02/28/22 20:05 | 1       |
| Oil Range Organics (Over C28-C36)    | <0.932 | U         | 4.89 | 0.932 mg/L |   | 02/28/22 17:24 | 02/28/22 20:05 | 1       |

| Surrogate      | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|----------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane | 88        |           | 70 - 135 | 02/28/22 17:24 | 02/28/22 20:05 | 1       |
| o-Terphenyl    | 109       |           | 70 - 135 | 02/28/22 17:24 | 02/28/22 20:05 | 1       |

Eurofins Midland

Client Sample Results

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

Client Sample ID: MW-2  
Date Collected: 02/25/22 11:10  
Date Received: 02/25/22 15:15

Lab Sample ID: 880-11743-2  
Matrix: Water

| Method: 300.0 - Anions, Ion Chromatography |        |           |       |        |      |   |          |                |         |
|--------------------------------------------|--------|-----------|-------|--------|------|---|----------|----------------|---------|
| Analyte                                    | Result | Qualifier | RL    |        | Unit | D | Prepared | Analyzed       | Dil Fac |
| Chloride                                   | 133    |           | 0.500 | 0.200  | mg/L |   |          | 02/26/22 16:19 | 1       |
| Nitrate as N                               | 0.536  |           | 0.100 | 0.0391 | mg/L |   |          | 02/26/22 16:19 | 1       |
| Fluoride                                   | 0.704  |           | 0.500 | 0.100  | mg/L |   |          | 02/26/22 16:19 | 1       |
| Nitrite as N                               | 0.647  |           | 0.100 | 0.0293 | mg/L |   |          | 02/26/22 16:19 | 1       |
| Sulfate                                    | 154    |           | 0.500 | 0.109  | mg/L |   |          | 02/26/22 16:19 | 1       |

| General Chemistry               |        |           |      |       |         |   |          |                |         |
|---------------------------------|--------|-----------|------|-------|---------|---|----------|----------------|---------|
| Analyte                         | Result | Qualifier | RL   |       | Unit    | D | Prepared | Analyzed       | Dil Fac |
| Alkalinity                      | 1280   |           | 4.00 | 4.00  | mg/L    |   |          | 02/28/22 12:59 | 1       |
| Bicarbonate Alkalinity as CaCO3 | 1280   |           | 4.00 | 4.00  | mg/L    |   |          | 02/28/22 12:59 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00  | U         | 4.00 | 4.00  | mg/L    |   |          | 02/28/22 12:59 | 1       |
| Carbon dioxide                  | 2400   |           |      |       | mg/L    |   |          | 03/02/22 09:54 | 1       |
| Carbon Dioxide, Free            | 1280   |           |      |       | mg/L    |   |          | 03/02/22 09:54 | 1       |
| pH                              | 6.3    | HF        |      |       | SU      |   |          | 02/28/22 16:30 | 1       |
| Temperature                     | 19.9   | HF        |      |       | Celsius |   |          | 02/28/22 16:30 | 1       |
| Sulfide                         | <0.495 | U         | 5.00 | 0.495 | mg/L    |   |          | 03/01/22 11:34 | 1       |

## Surrogate Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

## Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID                      | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |                  |                 |                 |
|------------------------------------|------------------------|------------------------------------------------|------------------|-----------------|-----------------|
|                                    |                        | BFB<br>(74-124)                                | DBFM<br>(75-131) | DCA<br>(63-144) | TOL<br>(80-117) |
| 860-21639-B-5 MS                   | Matrix Spike           | 96                                             | 96               | 94              | 98              |
| 880-11743-1                        | MW-1                   | 106                                            | 108              | 116             | 102             |
| 880-11743-1 - RA                   | MW-1                   | 103                                            | 98               | 93              | 99              |
| 880-11743-1 MS                     | MW-1                   | 103                                            | 107              | 108             | 99              |
| 880-11743-2                        | MW-2                   | 102                                            | 108              | 115             | 101             |
| LCS 860-43049/3                    | Lab Control Sample     | 100                                            | 104              | 100             | 99              |
| LCS 860-43074/3                    | Lab Control Sample     | 97                                             | 93               | 94              | 99              |
| LCSD 860-43049/4                   | Lab Control Sample Dup | 99                                             | 104              | 99              | 98              |
| LCSD 860-43074/4                   | Lab Control Sample Dup | 99                                             | 97               | 96              | 100             |
| MB 860-43049/10                    | Method Blank           | 101                                            | 107              | 103             | 98              |
| MB 860-43074/8                     | Method Blank           | 102                                            | 98               | 91              | 101             |
| <b>Surrogate Legend</b>            |                        |                                                |                  |                 |                 |
| BFB = 4-Bromofluorobenzene (Surr)  |                        |                                                |                  |                 |                 |
| DBFM = Dibromofluoromethane (Surr) |                        |                                                |                  |                 |                 |
| DCA = 1,2-Dichloroethane-d4 (Surr) |                        |                                                |                  |                 |                 |
| TOL = Toluene-d8 (Surr)            |                        |                                                |                  |                 |                 |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID           | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |                   |
|-------------------------|------------------------|------------------------------------------------|-------------------|
|                         |                        | 1CO1<br>(70-135)                               | OTPH1<br>(70-135) |
| 880-11743-1             | MW-1                   | 106                                            | 124               |
| 880-11743-1 MS          | MW-1                   | 118                                            | 115               |
| 880-11743-2             | MW-2                   | 88                                             | 109               |
| LCS 860-43181/2-A       | Lab Control Sample     | 109                                            | 103               |
| LCSD 860-43181/3-A      | Lab Control Sample Dup | 118                                            | 114               |
| MB 860-43181/1-A        | Method Blank           | 93                                             | 109               |
| <b>Surrogate Legend</b> |                        |                                                |                   |
| 1CO = 1-Chlorooctane    |                        |                                                |                   |
| OTPH = o-Terphenyl      |                        |                                                |                   |

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 860-43049/10

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                       | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| Benzene                       | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromobenzene                  | <0.000300 | U            | 0.00100 | 0.000300 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromochloromethane            | <0.000209 | U            | 0.00100 | 0.000209 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromodichloromethane          | <0.000231 | U            | 0.00100 | 0.000231 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromoform                     | <0.000630 | U            | 0.00500 | 0.000630 mg/L |   |          | 02/28/22 10:47 | 1       |
| Bromomethane                  | <0.00105  | U            | 0.00500 | 0.00105 mg/L  |   |          | 02/28/22 10:47 | 1       |
| 2-Butanone                    | <0.00270  | U            | 0.0500  | 0.00270 mg/L  |   |          | 02/28/22 10:47 | 1       |
| Carbon tetrachloride          | <0.000423 | U            | 0.00500 | 0.000423 mg/L |   |          | 02/28/22 10:47 | 1       |
| Chlorobenzene                 | <0.000159 | U            | 0.00100 | 0.000159 mg/L |   |          | 02/28/22 10:47 | 1       |
| Chloroethane                  | <0.000433 | U            | 0.0100  | 0.000433 mg/L |   |          | 02/28/22 10:47 | 1       |
| Chloroform                    | <0.000259 | U            | 0.00100 | 0.000259 mg/L |   |          | 02/28/22 10:47 | 1       |
| Chloromethane                 | <0.000318 | U            | 0.0100  | 0.000318 mg/L |   |          | 02/28/22 10:47 | 1       |
| 2-Chlorotoluene               | <0.000214 | U            | 0.00100 | 0.000214 mg/L |   |          | 02/28/22 10:47 | 1       |
| 4-Chlorotoluene               | <0.000183 | U            | 0.00100 | 0.000183 mg/L |   |          | 02/28/22 10:47 | 1       |
| cis-1,2-Dichloroethene        | <0.000174 | U            | 0.00100 | 0.000174 mg/L |   |          | 02/28/22 10:47 | 1       |
| cis-1,3-Dichloropropene       | <0.000690 | U            | 0.00500 | 0.000690 mg/L |   |          | 02/28/22 10:47 | 1       |
| Dibromochloromethane          | <0.000739 | U            | 0.00500 | 0.000739 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dibromo-3-Chloropropane   | <0.000319 | U            | 0.00500 | 0.000319 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dibromoethane             | <0.000337 | U            | 0.00500 | 0.000337 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dichlorobenzene           | <0.000236 | U            | 0.00100 | 0.000236 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,3-Dichlorobenzene           | <0.000197 | U            | 0.00100 | 0.000197 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,4-Dichlorobenzene           | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/28/22 10:47 | 1       |
| Dichlorodifluoromethane       | <0.000316 | U            | 0.00100 | 0.000316 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1-Dichloroethane            | <0.000244 | U            | 0.00100 | 0.000244 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dichloroethane            | <0.000285 | U            | 0.00100 | 0.000285 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1-Dichloroethene            | <0.000216 | U            | 0.00100 | 0.000216 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2-Dichloropropane           | <0.000396 | U            | 0.00500 | 0.000396 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,3-Dichloropropane           | <0.000439 | U            | 0.00500 | 0.000439 mg/L |   |          | 02/28/22 10:47 | 1       |
| 2,2-Dichloropropane           | <0.000360 | U            | 0.00500 | 0.000360 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1-Dichloropropene           | <0.000481 | U            | 0.00500 | 0.000481 mg/L |   |          | 02/28/22 10:47 | 1       |
| Ethylbenzene                  | <0.000515 | U            | 0.00100 | 0.000515 mg/L |   |          | 02/28/22 10:47 | 1       |
| Hexachlorobutadiene           | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 10:47 | 1       |
| Isopropylbenzene              | <0.000161 | U            | 0.00100 | 0.000161 mg/L |   |          | 02/28/22 10:47 | 1       |
| Methylene Chloride            | <0.00191  | U            | 0.00500 | 0.00191 mg/L  |   |          | 02/28/22 10:47 | 1       |
| m,p-Xylenes                   | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 10:47 | 1       |
| MTBE                          | <0.000571 | U            | 0.00500 | 0.000571 mg/L |   |          | 02/28/22 10:47 | 1       |
| Naphthalene                   | <0.00200  | U            | 0.0100  | 0.00200 mg/L  |   |          | 02/28/22 10:47 | 1       |
| n-Butylbenzene                | <0.000286 | U            | 0.00100 | 0.000286 mg/L |   |          | 02/28/22 10:47 | 1       |
| N-Propylbenzene               | <0.000179 | U            | 0.00100 | 0.000179 mg/L |   |          | 02/28/22 10:47 | 1       |
| o-Xylene                      | <0.000192 | U            | 0.00100 | 0.000192 mg/L |   |          | 02/28/22 10:47 | 1       |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U            | 0.00100 | 0.000233 mg/L |   |          | 02/28/22 10:47 | 1       |
| sec-Butylbenzene              | <0.000199 | U            | 0.00100 | 0.000199 mg/L |   |          | 02/28/22 10:47 | 1       |
| Styrene                       | <0.000623 | U            | 0.00100 | 0.000623 mg/L |   |          | 02/28/22 10:47 | 1       |
| tert-Butylbenzene             | <0.000195 | U            | 0.00100 | 0.000195 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U            | 0.00100 | 0.000327 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U            | 0.00100 | 0.000284 mg/L |   |          | 02/28/22 10:47 | 1       |
| Tetrachloroethene             | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/28/22 10:47 | 1       |
| Toluene                       | <0.000500 | U            | 0.00100 | 0.000500 mg/L |   |          | 02/28/22 10:47 | 1       |

Eurofins Midland



## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 860-43049/10

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                   | MB Result | MB Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|---------------------------|-----------|--------------|---------|---------------|---|----------|----------------|---------|
| trans-1,2-Dichloroethene  | <0.000256 | U            | 0.00100 | 0.000256 mg/L |   |          | 02/28/22 10:47 | 1       |
| trans-1,3-Dichloropropene | <0.000752 | U            | 0.00500 | 0.000752 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2,3-Trichlorobenzene    | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 10:47 | 1       |
| 1,2,4-Trichlorobenzene    | <0.00200  | U            | 0.00500 | 0.00200 mg/L  |   |          | 02/28/22 10:47 | 1       |
| 1,1,1-Trichloroethane     | <0.000504 | U            | 0.00500 | 0.000504 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,1,2-Trichloroethane     | <0.000228 | U            | 0.00100 | 0.000228 mg/L |   |          | 02/28/22 10:47 | 1       |
| Trichloroethene           | <0.000424 | U            | 0.00500 | 0.000424 mg/L |   |          | 02/28/22 10:47 | 1       |
| Trichlorofluoromethane    | <0.000245 | U            | 0.00100 | 0.000245 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2,3-Trichloropropane    | <0.000283 | U            | 0.00100 | 0.000283 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,2,4-Trimethylbenzene    | <0.000252 | U            | 0.00100 | 0.000252 mg/L |   |          | 02/28/22 10:47 | 1       |
| 1,3,5-Trimethylbenzene    | <0.000279 | U            | 0.00100 | 0.000279 mg/L |   |          | 02/28/22 10:47 | 1       |
| Vinyl chloride            | <0.000234 | U            | 0.00200 | 0.000234 mg/L |   |          | 02/28/22 10:47 | 1       |
| Xylenes, Total            | <0.000330 | U            | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 10:47 | 1       |
| Total BTEX                | <0.000214 | U            | 0.0100  | 0.000214 mg/L |   |          | 02/28/22 10:47 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 101          |              | 74 - 124 |          | 02/28/22 10:47 | 1       |
| Dibromofluoromethane (Surr)  | 107          |              | 75 - 131 |          | 02/28/22 10:47 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 103          |              | 63 - 144 |          | 02/28/22 10:47 | 1       |
| Toluene-d8 (Surr)            | 98           |              | 80 - 117 |          | 02/28/22 10:47 | 1       |

Lab Sample ID: LCS 860-43049/3

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Benzene                     | 0.0500      | 0.05362    |               | mg/L |   | 107  | 66 - 142     |
| Bromobenzene                | 0.0500      | 0.05293    |               | mg/L |   | 106  | 75 - 125     |
| Bromochloromethane          | 0.0500      | 0.05318    |               | mg/L |   | 106  | 60 - 140     |
| Bromodichloromethane        | 0.0500      | 0.05675    |               | mg/L |   | 114  | 75 - 125     |
| Bromoform                   | 0.0500      | 0.05307    |               | mg/L |   | 106  | 75 - 125     |
| Bromomethane                | 0.0500      | 0.05712    |               | mg/L |   | 114  | 60 - 140     |
| 2-Butanone                  | 0.250       | 0.2460     |               | mg/L |   | 98   | 60 - 140     |
| Carbon tetrachloride        | 0.0500      | 0.04799    |               | mg/L |   | 96   | 62 - 125     |
| Chlorobenzene               | 0.0500      | 0.05259    |               | mg/L |   | 105  | 60 - 133     |
| Chloroethane                | 0.0500      | 0.04922    |               | mg/L |   | 98   | 60 - 140     |
| Chloroform                  | 0.0500      | 0.05518    |               | mg/L |   | 110  | 70 - 130     |
| Chloromethane               | 0.0500      | 0.05902    |               | mg/L |   | 118  | 60 - 140     |
| 2-Chlorotoluene             | 0.0500      | 0.05400    |               | mg/L |   | 108  | 73 - 125     |
| 4-Chlorotoluene             | 0.0500      | 0.05441    |               | mg/L |   | 109  | 74 - 125     |
| cis-1,2-Dichloroethene      | 0.0500      | 0.05383    |               | mg/L |   | 108  | 75 - 125     |
| cis-1,3-Dichloropropene     | 0.0500      | 0.05261    |               | mg/L |   | 105  | 74 - 125     |
| Dibromochloromethane        | 0.0500      | 0.05316    |               | mg/L |   | 106  | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane | 0.0500      | 0.05071    |               | mg/L |   | 101  | 59 - 125     |
| 1,2-Dibromoethane           | 0.0500      | 0.04999    |               | mg/L |   | 100  | 73 - 125     |
| 1,2-Dichlorobenzene         | 0.0500      | 0.05354    |               | mg/L |   | 107  | 75 - 125     |
| 1,3-Dichlorobenzene         | 0.0500      | 0.05497    |               | mg/L |   | 110  | 75 - 125     |
| 1,4-Dichlorobenzene         | 0.0500      | 0.05417    |               | mg/L |   | 108  | 75 - 125     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 860-43049/3

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| Dichlorodifluoromethane       | 0.0500      | 0.04880    |               | mg/L |   | 98   | 70 - 130     |
| 1,1-Dichloroethane            | 0.0500      | 0.05219    |               | mg/L |   | 104  | 72 - 125     |
| 1,2-Dichloroethane            | 0.0500      | 0.05176    |               | mg/L |   | 104  | 68 - 127     |
| 1,1-Dichloroethene            | 0.0500      | 0.04492    |               | mg/L |   | 90   | 59 - 172     |
| 1,2-Dichloropropane           | 0.0500      | 0.05340    |               | mg/L |   | 107  | 74 - 125     |
| 1,3-Dichloropropane           | 0.0500      | 0.05027    |               | mg/L |   | 101  | 75 - 125     |
| 2,2-Dichloropropane           | 0.0500      | 0.05558    |               | mg/L |   | 111  | 75 - 125     |
| 1,1-Dichloropropene           | 0.0500      | 0.05312    |               | mg/L |   | 106  | 75 - 125     |
| Ethylbenzene                  | 0.0500      | 0.05344    |               | mg/L |   | 107  | 75 - 125     |
| Hexachlorobutadiene           | 0.0500      | 0.05268    |               | mg/L |   | 105  | 75 - 125     |
| Isopropylbenzene              | 0.0500      | 0.05404    |               | mg/L |   | 108  | 75 - 125     |
| Methylene Chloride            | 0.0500      | 0.04424    |               | mg/L |   | 88   | 75 - 125     |
| m,p-Xylenes                   | 0.0500      | 0.05325    |               | mg/L |   | 107  | 75 - 125     |
| MTBE                          | 0.0500      | 0.05086    |               | mg/L |   | 102  | 65 - 135     |
| Naphthalene                   | 0.0500      | 0.05003    |               | mg/L |   | 100  | 70 - 130     |
| n-Butylbenzene                | 0.0500      | 0.05364    |               | mg/L |   | 107  | 75 - 125     |
| N-Propylbenzene               | 0.0500      | 0.05519    |               | mg/L |   | 110  | 75 - 125     |
| o-Xylene                      | 0.0500      | 0.05315    |               | mg/L |   | 106  | 75 - 125     |
| p-Cymene (p-Isopropyltoluene) | 0.0500      | 0.05486    |               | mg/L |   | 110  | 75 - 125     |
| sec-Butylbenzene              | 0.0500      | 0.05433    |               | mg/L |   | 109  | 75 - 125     |
| Styrene                       | 0.0500      | 0.04707    |               | mg/L |   | 94   | 75 - 125     |
| tert-Butylbenzene             | 0.0500      | 0.05293    |               | mg/L |   | 106  | 75 - 125     |
| 1,1,1,2-Tetrachloroethane     | 0.0500      | 0.04894    |               | mg/L |   | 98   | 72 - 125     |
| 1,1,2,2-Tetrachloroethane     | 0.0500      | 0.05069    |               | mg/L |   | 101  | 74 - 125     |
| Tetrachloroethene             | 0.0500      | 0.04681    |               | mg/L |   | 94   | 71 - 125     |
| Toluene                       | 0.0500      | 0.05411    |               | mg/L |   | 108  | 59 - 139     |
| trans-1,2-Dichloroethene      | 0.0500      | 0.05124    |               | mg/L |   | 102  | 75 - 125     |
| trans-1,3-Dichloropropene     | 0.0500      | 0.05415    |               | mg/L |   | 108  | 66 - 125     |
| 1,2,3-Trichlorobenzene        | 0.0500      | 0.05062    |               | mg/L |   | 101  | 75 - 137     |
| 1,2,4-Trichlorobenzene        | 0.0500      | 0.05270    |               | mg/L |   | 105  | 75 - 135     |
| 1,1,1-Trichloroethane         | 0.0500      | 0.05542    |               | mg/L |   | 111  | 75 - 125     |
| 1,1,2-Trichloroethane         | 0.0500      | 0.05073    |               | mg/L |   | 101  | 75 - 127     |
| Trichloroethene               | 0.0500      | 0.05101    |               | mg/L |   | 102  | 62 - 137     |
| Trichlorofluoromethane        | 0.0500      | 0.05074    |               | mg/L |   | 101  | 60 - 140     |
| 1,2,3-Trichloropropane        | 0.0500      | 0.04817    |               | mg/L |   | 96   | 75 - 125     |
| 1,2,4-Trimethylbenzene        | 0.0500      | 0.05485    |               | mg/L |   | 110  | 75 - 125     |
| 1,3,5-Trimethylbenzene        | 0.0500      | 0.05457    |               | mg/L |   | 109  | 60 - 140     |
| Vinyl chloride                | 0.0500      | 0.04981    |               | mg/L |   | 100  | 60 - 140     |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr)  | 100           |               | 74 - 124 |
| Dibromofluoromethane (Surr)  | 104           |               | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 100           |               | 63 - 144 |
| Toluene-d8 (Surr)            | 99            |               | 80 - 117 |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-43049/4

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                       | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|-------------------------------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
|                               |                |                |                   |      |   |      |                 |     |              |
| Benzene                       | 0.0500         | 0.05362        |                   | mg/L |   | 107  | 66 - 142        | 0   | 25           |
| Bromobenzene                  | 0.0500         | 0.05207        |                   | mg/L |   | 104  | 75 - 125        | 2   | 25           |
| Bromochloromethane            | 0.0500         | 0.05427        |                   | mg/L |   | 109  | 60 - 140        | 2   | 25           |
| Bromodichloromethane          | 0.0500         | 0.05572        |                   | mg/L |   | 111  | 75 - 125        | 2   | 25           |
| Bromoform                     | 0.0500         | 0.05347        |                   | mg/L |   | 107  | 75 - 125        | 1   | 25           |
| Bromomethane                  | 0.0500         | 0.06687        |                   | mg/L |   | 134  | 60 - 140        | 16  | 25           |
| 2-Butanone                    | 0.250          | 0.2626         |                   | mg/L |   | 105  | 60 - 140        | 7   | 25           |
| Carbon tetrachloride          | 0.0500         | 0.05014        |                   | mg/L |   | 100  | 62 - 125        | 4   | 25           |
| Chlorobenzene                 | 0.0500         | 0.05262        |                   | mg/L |   | 105  | 60 - 133        | 0   | 25           |
| Chloroethane                  | 0.0500         | 0.04998        |                   | mg/L |   | 100  | 60 - 140        | 2   | 25           |
| Chloroform                    | 0.0500         | 0.05669        |                   | mg/L |   | 113  | 70 - 130        | 3   | 25           |
| Chloromethane                 | 0.0500         | 0.05832        |                   | mg/L |   | 117  | 60 - 140        | 1   | 25           |
| 2-Chlorotoluene               | 0.0500         | 0.05281        |                   | mg/L |   | 106  | 73 - 125        | 2   | 25           |
| 4-Chlorotoluene               | 0.0500         | 0.05333        |                   | mg/L |   | 107  | 74 - 125        | 2   | 25           |
| cis-1,2-Dichloroethene        | 0.0500         | 0.05430        |                   | mg/L |   | 109  | 75 - 125        | 1   | 25           |
| cis-1,3-Dichloropropene       | 0.0500         | 0.05195        |                   | mg/L |   | 104  | 74 - 125        | 1   | 25           |
| Dibromochloromethane          | 0.0500         | 0.05304        |                   | mg/L |   | 106  | 73 - 125        | 0   | 25           |
| 1,2-Dibromo-3-Chloropropane   | 0.0500         | 0.05350        |                   | mg/L |   | 107  | 59 - 125        | 5   | 25           |
| 1,2-Dibromoethane             | 0.0500         | 0.05014        |                   | mg/L |   | 100  | 73 - 125        | 0   | 25           |
| 1,2-Dichlorobenzene           | 0.0500         | 0.05180        |                   | mg/L |   | 104  | 75 - 125        | 3   | 25           |
| 1,3-Dichlorobenzene           | 0.0500         | 0.05333        |                   | mg/L |   | 107  | 75 - 125        | 3   | 25           |
| 1,4-Dichlorobenzene           | 0.0500         | 0.05264        |                   | mg/L |   | 105  | 75 - 125        | 3   | 25           |
| Dichlorodifluoromethane       | 0.0500         | 0.05092        |                   | mg/L |   | 102  | 70 - 130        | 4   | 25           |
| 1,1-Dichloroethane            | 0.0500         | 0.05440        |                   | mg/L |   | 109  | 72 - 125        | 4   | 25           |
| 1,2-Dichloroethane            | 0.0500         | 0.05144        |                   | mg/L |   | 103  | 68 - 127        | 1   | 25           |
| 1,1-Dichloroethene            | 0.0500         | 0.04458        |                   | mg/L |   | 89   | 59 - 172        | 1   | 25           |
| 1,2-Dichloropropane           | 0.0500         | 0.05345        |                   | mg/L |   | 107  | 74 - 125        | 0   | 25           |
| 1,3-Dichloropropane           | 0.0500         | 0.05021        |                   | mg/L |   | 100  | 75 - 125        | 0   | 25           |
| 2,2-Dichloropropane           | 0.0500         | 0.05689        |                   | mg/L |   | 114  | 75 - 125        | 2   | 25           |
| 1,1-Dichloropropene           | 0.0500         | 0.05586        |                   | mg/L |   | 112  | 75 - 125        | 5   | 25           |
| Ethylbenzene                  | 0.0500         | 0.05381        |                   | mg/L |   | 108  | 75 - 125        | 1   | 25           |
| Hexachlorobutadiene           | 0.0500         | 0.05306        |                   | mg/L |   | 106  | 75 - 125        | 1   | 25           |
| Isopropylbenzene              | 0.0500         | 0.05444        |                   | mg/L |   | 109  | 75 - 125        | 1   | 25           |
| Methylene Chloride            | 0.0500         | 0.04588        |                   | mg/L |   | 92   | 75 - 125        | 4   | 25           |
| m,p-Xylenes                   | 0.0500         | 0.05429        |                   | mg/L |   | 109  | 75 - 125        | 2   | 25           |
| MTBE                          | 0.0500         | 0.05182        |                   | mg/L |   | 104  | 65 - 135        | 2   | 25           |
| Naphthalene                   | 0.0500         | 0.05368        |                   | mg/L |   | 107  | 70 - 130        | 7   | 25           |
| n-Butylbenzene                | 0.0500         | 0.05380        |                   | mg/L |   | 108  | 75 - 125        | 0   | 25           |
| N-Propylbenzene               | 0.0500         | 0.05441        |                   | mg/L |   | 109  | 75 - 125        | 1   | 25           |
| o-Xylene                      | 0.0500         | 0.05325        |                   | mg/L |   | 106  | 75 - 125        | 0   | 25           |
| p-Cymene (p-Isopropyltoluene) | 0.0500         | 0.05437        |                   | mg/L |   | 109  | 75 - 125        | 1   | 25           |
| sec-Butylbenzene              | 0.0500         | 0.05361        |                   | mg/L |   | 107  | 75 - 125        | 1   | 25           |
| Styrene                       | 0.0500         | 0.04660        |                   | mg/L |   | 93   | 75 - 125        | 1   | 25           |
| tert-Butylbenzene             | 0.0500         | 0.05237        |                   | mg/L |   | 105  | 75 - 125        | 1   | 25           |
| 1,1,1,2-Tetrachloroethane     | 0.0500         | 0.04828        |                   | mg/L |   | 97   | 72 - 125        | 1   | 25           |
| 1,1,1,2,2-Tetrachloroethane   | 0.0500         | 0.05113        |                   | mg/L |   | 102  | 74 - 125        | 1   | 25           |
| Tetrachloroethene             | 0.0500         | 0.04708        |                   | mg/L |   | 94   | 71 - 125        | 1   | 25           |
| Toluene                       | 0.0500         | 0.05413        |                   | mg/L |   | 108  | 59 - 139        | 0   | 25           |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 860-43049/4

Matrix: Water

Analysis Batch: 43049

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte                   | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|---------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| trans-1,2-Dichloroethene  | 0.0500      | 0.05326     |                | mg/L |   | 107  | 75 - 125     | 4   | 25        |
| trans-1,3-Dichloropropene | 0.0500      | 0.05388     |                | mg/L |   | 108  | 66 - 125     | 0   | 25        |
| 1,2,3-Trichlorobenzene    | 0.0500      | 0.05403     |                | mg/L |   | 108  | 75 - 137     | 7   | 25        |
| 1,2,4-Trichlorobenzene    | 0.0500      | 0.05308     |                | mg/L |   | 106  | 75 - 135     | 1   | 25        |
| 1,1,1-Trichloroethane     | 0.0500      | 0.05774     |                | mg/L |   | 115  | 75 - 125     | 4   | 25        |
| 1,1,2-Trichloroethane     | 0.0500      | 0.05050     |                | mg/L |   | 101  | 75 - 127     | 0   | 25        |
| Trichloroethene           | 0.0500      | 0.05158     |                | mg/L |   | 103  | 62 - 137     | 1   | 25        |
| Trichlorofluoromethane    | 0.0500      | 0.05299     |                | mg/L |   | 106  | 60 - 140     | 4   | 25        |
| 1,2,3-Trichloropropane    | 0.0500      | 0.04927     |                | mg/L |   | 99   | 75 - 125     | 2   | 25        |
| 1,2,4-Trimethylbenzene    | 0.0500      | 0.05369     |                | mg/L |   | 107  | 75 - 125     | 2   | 25        |
| 1,3,5-Trimethylbenzene    | 0.0500      | 0.05453     |                | mg/L |   | 109  | 60 - 140     | 0   | 25        |
| Vinyl chloride            | 0.0500      | 0.05238     |                | mg/L |   | 105  | 60 - 140     | 5   | 25        |

| Surrogate                    | LCSD %Recovery | LCSD Qualifier | LCSD Limits |
|------------------------------|----------------|----------------|-------------|
| 4-Bromofluorobenzene (Surr)  | 99             |                | 74 - 124    |
| Dibromofluoromethane (Surr)  | 104            |                | 75 - 131    |
| 1,2-Dichloroethane-d4 (Surr) | 99             |                | 63 - 144    |
| Toluene-d8 (Surr)            | 98             |                | 80 - 117    |

Lab Sample ID: 880-11743-1 MS

Matrix: Water

Analysis Batch: 43049

Client Sample ID: MW-1

Prep Type: Total/NA

| Analyte                     | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| Benzene                     | <0.000214     | U                | 0.0500      | 0.05494   |              | mg/L |   | 110  | 66 - 142     |
| Bromobenzene                | <0.000300     | U                | 0.0500      | 0.05496   |              | mg/L |   | 110  | 75 - 125     |
| Bromochloromethane          | <0.000209     | U                | 0.0500      | 0.05490   |              | mg/L |   | 110  | 60 - 140     |
| Bromodichloromethane        | <0.000231     | U                | 0.0500      | 0.06105   |              | mg/L |   | 122  | 75 - 125     |
| Bromoform                   | <0.000630     | U                | 0.0500      | 0.05271   |              | mg/L |   | 105  | 75 - 125     |
| Bromomethane                | <0.00105      | U                | 0.0500      | 0.06156   |              | mg/L |   | 123  | 60 - 140     |
| 2-Butanone                  | <0.00270      | U                | 0.250       | 0.2513    |              | mg/L |   | 101  | 60 - 140     |
| Carbon tetrachloride        | <0.000423     | U                | 0.0500      | 0.05088   |              | mg/L |   | 102  | 62 - 125     |
| Chlorobenzene               | <0.000159     | U                | 0.0500      | 0.05398   |              | mg/L |   | 108  | 60 - 133     |
| Chloroethane                | <0.000433     | U                | 0.0500      | 0.05159   |              | mg/L |   | 103  | 60 - 140     |
| Chloroform                  | <0.000259     | U                | 0.0500      | 0.05973   |              | mg/L |   | 119  | 70 - 130     |
| Chloromethane               | <0.000318     | U                | 0.0500      | 0.06090   |              | mg/L |   | 122  | 60 - 140     |
| 2-Chlorotoluene             | <0.000214     | U                | 0.0500      | 0.05663   |              | mg/L |   | 113  | 73 - 125     |
| 4-Chlorotoluene             | <0.000183     | U                | 0.0500      | 0.05712   |              | mg/L |   | 114  | 74 - 125     |
| cis-1,2-Dichloroethene      | <0.000174     | U                | 0.0500      | 0.05823   |              | mg/L |   | 116  | 75 - 125     |
| cis-1,3-Dichloropropene     | <0.000690     | U                | 0.0500      | 0.05519   |              | mg/L |   | 110  | 74 - 125     |
| Dibromochloromethane        | <0.000739     | U                | 0.0500      | 0.05462   |              | mg/L |   | 109  | 73 - 125     |
| 1,2-Dibromo-3-Chloropropane | <0.000319     | U                | 0.0500      | 0.05076   |              | mg/L |   | 102  | 59 - 125     |
| 1,2-Dibromoethane           | <0.000337     | U                | 0.0500      | 0.05057   |              | mg/L |   | 101  | 73 - 125     |
| 1,2-Dichlorobenzene         | <0.000236     | U                | 0.0500      | 0.05502   |              | mg/L |   | 110  | 75 - 125     |
| 1,3-Dichlorobenzene         | <0.000197     | U                | 0.0500      | 0.05623   |              | mg/L |   | 112  | 75 - 125     |
| 1,4-Dichlorobenzene         | <0.000199     | U                | 0.0500      | 0.05651   |              | mg/L |   | 113  | 75 - 125     |
| Dichlorodifluoromethane     | <0.000316     | U                | 0.0500      | 0.05442   |              | mg/L |   | 109  | 70 - 130     |
| 1,1-Dichloroethane          | <0.000244     | U                | 0.0500      | 0.05814   |              | mg/L |   | 116  | 72 - 125     |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 880-11743-1 MS

Client Sample ID: MW-1

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 43049

| Analyte                       | Sample    | Sample    | Spike    | MS      | MS        | Unit | D | %Rec | %Rec.    |  |
|-------------------------------|-----------|-----------|----------|---------|-----------|------|---|------|----------|--|
|                               | Result    | Qualifier | Added    | Result  | Qualifier |      |   |      | Limits   |  |
| 1,2-Dichloroethane            | <0.000285 | U         | 0.0500   | 0.05701 |           | mg/L |   | 114  | 68 - 127 |  |
| 1,1-Dichloroethene            | <0.000216 | U         | 0.0500   | 0.04767 |           | mg/L |   | 95   | 59 - 172 |  |
| 1,2-Dichloropropane           | <0.000396 | U         | 0.0500   | 0.05590 |           | mg/L |   | 112  | 74 - 125 |  |
| 1,3-Dichloropropane           | <0.000439 | U         | 0.0500   | 0.05098 |           | mg/L |   | 102  | 75 - 125 |  |
| 2,2-Dichloropropane           | <0.000360 | U         | 0.0500   | 0.05971 |           | mg/L |   | 119  | 75 - 125 |  |
| 1,1-Dichloropropene           | <0.000481 | U         | 0.0500   | 0.05659 |           | mg/L |   | 113  | 75 - 125 |  |
| Ethylbenzene                  | <0.000515 | U         | 0.0500   | 0.05599 |           | mg/L |   | 112  | 75 - 125 |  |
| Hexachlorobutadiene           | <0.00200  | U         | 0.0500   | 0.05405 |           | mg/L |   | 108  | 75 - 125 |  |
| Isopropylbenzene              | <0.000161 | U         | 0.0500   | 0.05595 |           | mg/L |   | 112  | 75 - 125 |  |
| Methylene Chloride            | <0.00191  | U         | 0.0500   | 0.04629 |           | mg/L |   | 93   | 75 - 125 |  |
| m,p-Xylenes                   | 0.000391  | J         | 0.0500   | 0.05558 |           | mg/L |   | 110  | 75 - 125 |  |
| MTBE                          | <0.000571 | U         | 0.0500   | 0.05347 |           | mg/L |   | 107  | 65 - 135 |  |
| Naphthalene                   | <0.00200  | U         | 0.0500   | 0.05250 |           | mg/L |   | 105  | 70 - 130 |  |
| n-Butylbenzene                | <0.000286 | U         | 0.0500   | 0.05730 |           | mg/L |   | 115  | 75 - 125 |  |
| N-Propylbenzene               | <0.000179 | U         | 0.0500   | 0.05720 |           | mg/L |   | 114  | 75 - 125 |  |
| o-Xylene                      | <0.000192 | U         | 0.0500   | 0.05568 |           | mg/L |   | 111  | 75 - 125 |  |
| p-Cymene (p-Isopropyltoluene) | <0.000233 | U         | 0.0500   | 0.05682 |           | mg/L |   | 114  | 75 - 125 |  |
| sec-Butylbenzene              | <0.000199 | U         | 0.0500   | 0.05647 |           | mg/L |   | 113  | 75 - 125 |  |
| Styrene                       | <0.000623 | U         | 0.0500   | 0.04907 |           | mg/L |   | 98   | 75 - 125 |  |
| tert-Butylbenzene             | <0.000195 | U         | 0.0500   | 0.05483 |           | mg/L |   | 110  | 75 - 125 |  |
| 1,1,1,2-Tetrachloroethane     | <0.000327 | U         | 0.0500   | 0.04999 |           | mg/L |   | 100  | 72 - 125 |  |
| 1,1,2,2-Tetrachloroethane     | <0.000284 | U         | 0.0500   | 0.05112 |           | mg/L |   | 102  | 74 - 125 |  |
| Tetrachloroethene             | <0.000500 | U         | 0.0500   | 0.04741 |           | mg/L |   | 95   | 71 - 125 |  |
| Toluene                       | <0.000500 | U         | 0.0500   | 0.05539 |           | mg/L |   | 111  | 59 - 139 |  |
| trans-1,2-Dichloroethene      | <0.000256 | U         | 0.0500   | 0.05357 |           | mg/L |   | 107  | 75 - 125 |  |
| trans-1,3-Dichloropropene     | <0.000752 | U         | 0.0500   | 0.05620 |           | mg/L |   | 112  | 66 - 125 |  |
| 1,2,3-Trichlorobenzene        | <0.00200  | U         | 0.0500   | 0.05423 |           | mg/L |   | 108  | 75 - 137 |  |
| 1,2,4-Trichlorobenzene        | <0.00200  | U         | 0.0500   | 0.05404 |           | mg/L |   | 108  | 75 - 135 |  |
| 1,1,1-Trichloroethane         | <0.000504 | U         | 0.0500   | 0.06057 |           | mg/L |   | 121  | 75 - 125 |  |
| 1,1,2-Trichloroethane         | <0.000228 | U         | 0.0500   | 0.05169 |           | mg/L |   | 103  | 75 - 127 |  |
| Trichloroethene               | <0.000424 | U         | 0.0500   | 0.05237 |           | mg/L |   | 105  | 62 - 137 |  |
| Trichlorofluoromethane        | <0.000245 | U         | 0.0500   | 0.05756 |           | mg/L |   | 115  | 60 - 140 |  |
| 1,2,3-Trichloropropane        | <0.000283 | U         | 0.0500   | 0.04951 |           | mg/L |   | 99   | 75 - 125 |  |
| 1,2,4-Trimethylbenzene        | <0.000252 | U         | 0.0500   | 0.05647 |           | mg/L |   | 113  | 75 - 125 |  |
| 1,3,5-Trimethylbenzene        | <0.000279 | U         | 0.0500   | 0.05723 |           | mg/L |   | 114  | 70 - 125 |  |
| Vinyl chloride                | <0.000234 | U         | 0.0500   | 0.05395 |           | mg/L |   | 108  | 60 - 140 |  |
| Surrogate                     | MS        |           | Limits   |         |           |      |   |      |          |  |
|                               | %Recovery | Qualifier |          |         |           |      |   |      |          |  |
| 4-Bromofluorobenzene (Surr)   | 103       |           | 74 - 124 |         |           |      |   |      |          |  |
| Dibromofluoromethane (Surr)   | 107       |           | 75 - 131 |         |           |      |   |      |          |  |
| 1,2-Dichloroethane-d4 (Surr)  | 108       |           | 63 - 144 |         |           |      |   |      |          |  |
| Toluene-d8 (Surr)             | 99        |           | 80 - 117 |         |           |      |   |      |          |  |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 860-43074/8

Matrix: Water

Analysis Batch: 43074

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte        | MB<br>Result | MB<br>Qualifier | RL      | Unit          | D | Prepared | Analyzed       | Dil Fac |
|----------------|--------------|-----------------|---------|---------------|---|----------|----------------|---------|
| m,p-Xylenes    | <0.000330    | U               | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 11:40 | 1       |
| o-Xylene       | <0.000192    | U               | 0.00100 | 0.000192 mg/L |   |          | 02/28/22 11:40 | 1       |
| Xylenes, Total | <0.000330    | U               | 0.0100  | 0.000330 mg/L |   |          | 02/28/22 11:40 | 1       |
| Total BTEX     | <0.000214    | U               | 0.0100  | 0.000214 mg/L |   |          | 02/28/22 11:40 | 1       |

| Surrogate                    | MB<br>%Recovery | MB<br>Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------------|-----------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr)  | 102             |                 | 74 - 124 |          | 02/28/22 11:40 | 1       |
| Dibromofluoromethane (Surr)  | 98              |                 | 75 - 131 |          | 02/28/22 11:40 | 1       |
| 1,2-Dichloroethane-d4 (Surr) | 91              |                 | 63 - 144 |          | 02/28/22 11:40 | 1       |
| Toluene-d8 (Surr)            | 101             |                 | 80 - 117 |          | 02/28/22 11:40 | 1       |

Lab Sample ID: LCS 860-43074/3

Matrix: Water

Analysis Batch: 43074

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte     | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|-------------|----------------|---------------|------------------|------|---|------|-----------------|
| m,p-Xylenes | 0.0500         | 0.04848       |                  | mg/L |   | 97   | 75 - 125        |
| o-Xylene    | 0.0500         | 0.04758       |                  | mg/L |   | 95   | 75 - 125        |

| Surrogate                    | LCS<br>%Recovery | LCS<br>Qualifier | Limits   |
|------------------------------|------------------|------------------|----------|
| 4-Bromofluorobenzene (Surr)  | 97               |                  | 74 - 124 |
| Dibromofluoromethane (Surr)  | 93               |                  | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 94               |                  | 63 - 144 |
| Toluene-d8 (Surr)            | 99               |                  | 80 - 117 |

Lab Sample ID: LCSD 860-43074/4

Matrix: Water

Analysis Batch: 43074

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte     | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|-------------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
| m,p-Xylenes | 0.0500         | 0.04640        |                   | mg/L |   | 93   | 75 - 125        | 4   | 25           |
| o-Xylene    | 0.0500         | 0.04592        |                   | mg/L |   | 92   | 75 - 125        | 4   | 25           |

| Surrogate                    | LCSD<br>%Recovery | LCSD<br>Qualifier | Limits   |
|------------------------------|-------------------|-------------------|----------|
| 4-Bromofluorobenzene (Surr)  | 99                |                   | 74 - 124 |
| Dibromofluoromethane (Surr)  | 97                |                   | 75 - 131 |
| 1,2-Dichloroethane-d4 (Surr) | 96                |                   | 63 - 144 |
| Toluene-d8 (Surr)            | 100               |                   | 80 - 117 |

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 860-43181/1-A

Matrix: Water

Analysis Batch: 43104

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 43181

| Analyte                              | MB<br>Result | MB<br>Qualifier | RL   | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|--------------|-----------------|------|------------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <0.988       | U               | 5.00 | 0.988 mg/L |   | 02/28/22 17:24 | 02/28/22 19:07 | 1       |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 860-43181/1-A

Matrix: Water

Analysis Batch: 43104

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 43181

| Analyte                              | MB<br>Result    | MB<br>Qualifier | RL       | Unit       | D | Prepared       | Analyzed       | Dil Fac |
|--------------------------------------|-----------------|-----------------|----------|------------|---|----------------|----------------|---------|
| Diesel Range Organics (Over C10-C28) | <0.988          | U               | 5.00     | 0.988 mg/L |   | 02/28/22 17:24 | 02/28/22 19:07 | 1       |
| Oil Range Organics (Over C28-C36)    | <0.954          | U               | 5.00     | 0.954 mg/L |   | 02/28/22 17:24 | 02/28/22 19:07 | 1       |
| Surrogate                            | MB<br>%Recovery | MB<br>Qualifier | Limits   |            |   | Prepared       | Analyzed       | Dil Fac |
| 1-Chlorooctane                       | 93              |                 | 70 - 135 |            |   | 02/28/22 17:24 | 02/28/22 19:07 | 1       |
| o-Terphenyl                          | 109             |                 | 70 - 135 |            |   | 02/28/22 17:24 | 02/28/22 19:07 | 1       |

Lab Sample ID: LCS 860-43181/2-A

Matrix: Water

Analysis Batch: 43104

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 43181

| Analyte                              | Spike<br>Added   | LCS<br>Result    | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|--------------------------------------|------------------|------------------|------------------|------|---|------|-----------------|
| Gasoline Range Organics (GRO)-C6-C10 | 99.9             | 92.62            |                  | mg/L |   | 93   | 70 - 135        |
| Diesel Range Organics (Over C10-C28) | 99.4             | 103.4            |                  | mg/L |   | 104  | 70 - 135        |
| Surrogate                            | LCS<br>%Recovery | LCS<br>Qualifier | Limits           |      |   |      |                 |
| 1-Chlorooctane                       | 109              |                  | 70 - 135         |      |   |      |                 |
| o-Terphenyl                          | 103              |                  | 70 - 135         |      |   |      |                 |

Lab Sample ID: LCSD 860-43181/3-A

Matrix: Water

Analysis Batch: 43104

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 43181

| Analyte                              | Spike<br>Added    | LCSD<br>Result    | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|--------------------------------------|-------------------|-------------------|-------------------|------|---|------|-----------------|-----|--------------|
| Gasoline Range Organics (GRO)-C6-C10 | 99.9              | 106.0             |                   | mg/L |   | 106  | 70 - 135        | 13  | 35           |
| Diesel Range Organics (Over C10-C28) | 99.4              | 103.8             |                   | mg/L |   | 105  | 70 - 135        | 0   | 35           |
| Surrogate                            | LCSD<br>%Recovery | LCSD<br>Qualifier | Limits            |      |   |      |                 |     |              |
| 1-Chlorooctane                       | 118               |                   | 70 - 135          |      |   |      |                 |     |              |
| o-Terphenyl                          | 114               |                   | 70 - 135          |      |   |      |                 |     |              |

Lab Sample ID: 880-11743-1 MS

Matrix: Water

Analysis Batch: 43104

Client Sample ID: MW-1

Prep Type: Total/NA

Prep Batch: 43181

| Analyte                              | Sample<br>Result | Sample<br>Qualifier | Spike<br>Added | MS<br>Result | MS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|--------------------------------------|------------------|---------------------|----------------|--------------|-----------------|------|---|------|-----------------|
| Gasoline Range Organics (GRO)-C6-C10 | <0.923           | U                   | 92.8           | 98.25        |                 | mg/L |   | 106  | 70 - 135        |
| Diesel Range Organics (Over C10-C28) | <0.923           | U                   | 92.3           | 94.19        |                 | mg/L |   | 102  | 70 - 135        |
| Surrogate                            | MS<br>%Recovery  | MS<br>Qualifier     | Limits         |              |                 |      |   |      |                 |
| 1-Chlorooctane                       | 118              |                     | 70 - 135       |              |                 |      |   |      |                 |
| o-Terphenyl                          | 115              |                     | 70 - 135       |              |                 |      |   |      |                 |

Eurofins Midland



## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 860-42915/110

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB<br>Result | MB<br>Qualifier | RL    | Unit       | D | Prepared | Analyzed       | Dil Fac |
|----------|--------------|-----------------|-------|------------|---|----------|----------------|---------|
| Chloride | <0.200       | U               | 0.500 | 0.200 mg/L |   |          | 02/26/22 08:47 | 1       |
| Fluoride | <0.100       | U               | 0.500 | 0.100 mg/L |   |          | 02/26/22 08:47 | 1       |
| Sulfate  | <0.109       | U               | 0.500 | 0.109 mg/L |   |          | 02/26/22 08:47 | 1       |

Lab Sample ID: MB 860-42915/3

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte  | MB<br>Result | MB<br>Qualifier | RL    | Unit       | D | Prepared | Analyzed       | Dil Fac |
|----------|--------------|-----------------|-------|------------|---|----------|----------------|---------|
| Chloride | <0.200       | U               | 0.500 | 0.200 mg/L |   |          | 02/25/22 11:31 | 1       |
| Fluoride | <0.100       | U               | 0.500 | 0.100 mg/L |   |          | 02/25/22 11:31 | 1       |
| Sulfate  | <0.109       | U               | 0.500 | 0.109 mg/L |   |          | 02/25/22 11:31 | 1       |

Lab Sample ID: LCS 860-42915/111

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|----------|----------------|---------------|------------------|------|---|------|-----------------|
| Chloride | 10.0           | 10.55         |                  | mg/L |   | 105  | 90 - 110        |
| Fluoride | 10.0           | 10.31         |                  | mg/L |   | 103  | 90 - 110        |
| Sulfate  | 10.0           | 10.13         |                  | mg/L |   | 101  | 90 - 110        |

Lab Sample ID: LCS 860-42915/4

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte  | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|----------|----------------|---------------|------------------|------|---|------|-----------------|
| Chloride | 10.0           | 10.53         |                  | mg/L |   | 105  | 90 - 110        |
| Fluoride | 10.0           | 10.73         |                  | mg/L |   | 107  | 90 - 110        |
| Sulfate  | 10.0           | 10.28         |                  | mg/L |   | 103  | 90 - 110        |

Lab Sample ID: LCSD 860-42915/112

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|----------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
| Chloride | 10.0           | 10.21          |                   | mg/L |   | 102  | 90 - 110        | 3   | 20           |
| Fluoride | 10.0           | 10.36          |                   | mg/L |   | 104  | 90 - 110        | 0   | 20           |
| Sulfate  | 10.0           | 10.15          |                   | mg/L |   | 101  | 90 - 110        | 0   | 20           |

Lab Sample ID: LCSD 860-42915/5

Matrix: Water

Analysis Batch: 42915

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte  | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|----------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
| Chloride | 10.0           | 10.19          |                   | mg/L |   | 102  | 90 - 110        | 3   | 20           |
| Fluoride | 10.0           | 10.75          |                   | mg/L |   | 107  | 90 - 110        | 0   | 20           |
| Sulfate  | 10.0           | 10.28          |                   | mg/L |   | 103  | 90 - 110        | 0   | 20           |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 860-42916/110

Matrix: Water

Analysis Batch: 42916

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte      | MB<br>Result | MB<br>Qualifier | RL    | Unit        | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------------|-----------------|-------|-------------|---|----------|----------------|---------|
| Nitrate as N | <0.0391      | U               | 0.100 | 0.0391 mg/L |   |          | 02/26/22 08:47 | 1       |
| Nitrite as N | <0.0293      | U               | 0.100 | 0.0293 mg/L |   |          | 02/26/22 08:47 | 1       |

Lab Sample ID: LCS 860-42916/111

Matrix: Water

Analysis Batch: 42916

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte      | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|--------------|----------------|---------------|------------------|------|---|------|-----------------|
| Nitrate as N | 10.0           | 10.56         |                  | mg/L |   | 106  | 80 - 120        |
| Nitrite as N | 5.00           | 5.214         |                  | mg/L |   | 104  | 80 - 120        |

Lab Sample ID: LCSD 860-42916/112

Matrix: Water

Analysis Batch: 42916

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte      | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|--------------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
| Nitrate as N | 10.0           | 10.56          |                   | mg/L |   | 106  | 80 - 120        | 0   | 20           |
| Nitrite as N | 5.00           | 5.240          |                   | mg/L |   | 105  | 80 - 120        | 0   | 20           |

## Method: SM 2320B - Alkalinity

Lab Sample ID: MB 860-43179/3

Matrix: Water

Analysis Batch: 43179

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                         | MB<br>Result | MB<br>Qualifier | RL   | Unit      | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|--------------|-----------------|------|-----------|---|----------|----------------|---------|
| Alkalinity                      | <4.00        | U               | 4.00 | 4.00 mg/L |   |          | 02/28/22 11:44 | 1       |
| Bicarbonate Alkalinity as CaCO3 | <4.00        | U               | 4.00 | 4.00 mg/L |   |          | 02/28/22 11:44 | 1       |
| Carbonate Alkalinity as CaCO3   | <4.00        | U               | 4.00 | 4.00 mg/L |   |          | 02/28/22 11:44 | 1       |

Lab Sample ID: LCS 860-43179/4

Matrix: Water

Analysis Batch: 43179

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte    | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|------------|----------------|---------------|------------------|------|---|------|-----------------|
| Alkalinity | 250            | 254.8         |                  | mg/L |   | 102  | 85 - 115        |

Lab Sample ID: LCSD 860-43179/5

Matrix: Water

Analysis Batch: 43179

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte    | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|------------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
| Alkalinity | 250            | 261.0          |                   | mg/L |   | 104  | 85 - 115        | 2   | 20           |

Eurofins Midland

## QC Sample Results

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## Method: SM 4500 S2 F - Sulfide, Total

Lab Sample ID: MB 860-43270/1

Matrix: Water

Analysis Batch: 43270

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB<br>Result | MB<br>Qualifier | RL   | Unit       | D | Prepared | Analyzed       | Dil Fac |
|---------|--------------|-----------------|------|------------|---|----------|----------------|---------|
| Sulfide | <0.495       | U               | 5.00 | 0.495 mg/L |   |          | 03/01/22 11:34 | 1       |

Lab Sample ID: LCS 860-43270/2

Matrix: Water

Analysis Batch: 43270

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike<br>Added | LCS<br>Result | LCS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|---------|----------------|---------------|------------------|------|---|------|-----------------|
| Sulfide | 50.0           | 47.40         |                  | mg/L |   | 95   | 80 - 120        |

Lab Sample ID: LCSD 860-43270/3

Matrix: Water

Analysis Batch: 43270

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike<br>Added | LCSD<br>Result | LCSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|---------|----------------|----------------|-------------------|------|---|------|-----------------|-----|--------------|
| Sulfide | 50.0           | 47.20          |                   | mg/L |   | 94   | 80 - 120        | 0   | 20           |

Lab Sample ID: 880-11743-1 MS

Matrix: Water

Analysis Batch: 43270

Client Sample ID: MW-1

Prep Type: Total/NA

| Analyte | Sample<br>Result | Sample<br>Qualifier | Spike<br>Added | MS<br>Result | MS<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits |
|---------|------------------|---------------------|----------------|--------------|-----------------|------|---|------|-----------------|
| Sulfide | <0.495           | U                   | 50.0           | 48.20        |                 | mg/L |   | 96   | 80 - 120        |

Lab Sample ID: 880-11743-1 MSD

Matrix: Water

Analysis Batch: 43270

Client Sample ID: MW-1

Prep Type: Total/NA

| Analyte | Sample<br>Result | Sample<br>Qualifier | Spike<br>Added | MSD<br>Result | MSD<br>Qualifier | Unit | D | %Rec | %Rec.<br>Limits | RPD | RPD<br>Limit |
|---------|------------------|---------------------|----------------|---------------|------------------|------|---|------|-----------------|-----|--------------|
| Sulfide | <0.495           | U                   | 50.0           | 48.40         |                  | mg/L |   | 97   | 80 - 120        | 0   | 20           |

Eurofins Midland

## QC Association Summary

Client: Ensolum

Job ID: 880-11743-1

Project/Site: South Hobbs - 03B1417002

## GC/MS VOA

## Analysis Batch: 43049

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11743-1      | MW-1                   | Total/NA  | Water  | 8260C  |            |
| 880-11743-2      | MW-2                   | Total/NA  | Water  | 8260C  |            |
| MB 860-43049/10  | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-43049/3  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-43049/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |
| 880-11743-1 MS   | MW-1                   | Total/NA  | Water  | 8260C  |            |

## Analysis Batch: 43074

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-11743-1 - RA | MW-1                   | Total/NA  | Water  | 8260C  |            |
| MB 860-43074/8   | Method Blank           | Total/NA  | Water  | 8260C  |            |
| LCS 860-43074/3  | Lab Control Sample     | Total/NA  | Water  | 8260C  |            |
| LCSD 860-43074/4 | Lab Control Sample Dup | Total/NA  | Water  | 8260C  |            |

## GC Semi VOA

## Analysis Batch: 41402

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method  | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 880-11743-1   | MW-1             | Total/NA  | Water  | 8015 NM |            |
| 880-11743-2   | MW-2             | Total/NA  | Water  | 8015 NM |            |

## Analysis Batch: 43104

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|------------------------|-----------|--------|----------|------------|
| 880-11743-1        | MW-1                   | Total/NA  | Water  | 8015B NM | 43181      |
| 880-11743-2        | MW-2                   | Total/NA  | Water  | 8015B NM | 43181      |
| MB 860-43181/1-A   | Method Blank           | Total/NA  | Water  | 8015B NM | 43181      |
| LCS 860-43181/2-A  | Lab Control Sample     | Total/NA  | Water  | 8015B NM | 43181      |
| LCSD 860-43181/3-A | Lab Control Sample Dup | Total/NA  | Water  | 8015B NM | 43181      |
| 880-11743-1 MS     | MW-1                   | Total/NA  | Water  | 8015B NM | 43181      |

## Prep Batch: 43181

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method         | Prep Batch |
|--------------------|------------------------|-----------|--------|----------------|------------|
| 880-11743-1        | MW-1                   | Total/NA  | Water  | 8015NM Aq Prep |            |
| 880-11743-2        | MW-2                   | Total/NA  | Water  | 8015NM Aq Prep |            |
| MB 860-43181/1-A   | Method Blank           | Total/NA  | Water  | 8015NM Aq Prep |            |
| LCS 860-43181/2-A  | Lab Control Sample     | Total/NA  | Water  | 8015NM Aq Prep |            |
| LCSD 860-43181/3-A | Lab Control Sample Dup | Total/NA  | Water  | 8015NM Aq Prep |            |
| 880-11743-1 MS     | MW-1                   | Total/NA  | Water  | 8015NM Aq Prep |            |

## HPLC/IC

## Analysis Batch: 42915

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-11743-1        | MW-1                   | Total/NA  | Water  | 300.0  |            |
| 880-11743-2        | MW-2                   | Total/NA  | Water  | 300.0  |            |
| MB 860-42915/110   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| MB 860-42915/3     | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-42915/111  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCS 860-42915/4    | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-42915/112 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |
| LCSD 860-42915/5   | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

Eurofins Midland

QC Association Summary

Client: Ensolum

Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

HPLC/IC

Analysis Batch: 42916

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-11743-1        | MW-1                   | Total/NA  | Water  | 300.0  |            |
| 880-11743-2        | MW-2                   | Total/NA  | Water  | 300.0  |            |
| MB 860-42916/110   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 860-42916/111  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 860-42916/112 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

General Chemistry

Analysis Batch: 43170

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method       | Prep Batch |
|---------------|------------------|-----------|--------|--------------|------------|
| 880-11743-1   | MW-1             | Total/NA  | Water  | SM 4500 H+ B |            |
| 880-11743-2   | MW-2             | Total/NA  | Water  | SM 4500 H+ B |            |

Analysis Batch: 43179

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-11743-1      | MW-1                   | Total/NA  | Water  | SM 2320B |            |
| 880-11743-2      | MW-2                   | Total/NA  | Water  | SM 2320B |            |
| MB 860-43179/3   | Method Blank           | Total/NA  | Water  | SM 2320B |            |
| LCS 860-43179/4  | Lab Control Sample     | Total/NA  | Water  | SM 2320B |            |
| LCSD 860-43179/5 | Lab Control Sample Dup | Total/NA  | Water  | SM 2320B |            |

Analysis Batch: 43270

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method       | Prep Batch |
|------------------|------------------------|-----------|--------|--------------|------------|
| 880-11743-1      | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11743-2      | MW-2                   | Total/NA  | Water  | SM 4500 S2 F |            |
| MB 860-43270/1   | Method Blank           | Total/NA  | Water  | SM 4500 S2 F |            |
| LCS 860-43270/2  | Lab Control Sample     | Total/NA  | Water  | SM 4500 S2 F |            |
| LCSD 860-43270/3 | Lab Control Sample Dup | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11743-1 MS   | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |
| 880-11743-1 MSD  | MW-1                   | Total/NA  | Water  | SM 4500 S2 F |            |

Analysis Batch: 43412

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method        | Prep Batch |
|---------------|------------------|-----------|--------|---------------|------------|
| 880-11743-1   | MW-1             | Total/NA  | Water  | SM 4500 CO2 D |            |
| 880-11743-2   | MW-2             | Total/NA  | Water  | SM 4500 CO2 D |            |

Lab Chronicle

Client: Ensolum

Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

Client Sample ID: MW-1

Lab Sample ID: 880-11743-1

Date Collected: 02/25/22 10:10

Matrix: Water

Date Received: 02/25/22 15:15

| Prep Type | Batch Type | Batch Method   | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|----------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C          | RA  | 1               | 43074        | 02/28/22 14:24       | AN      | XEN STF |
| Total/NA  | Analysis   | 8260C          |     | 1               | 43049        | 02/28/22 12:29       | NA      | XEN STF |
| Total/NA  | Analysis   | 8015 NM        |     | 1               | 41402        | 02/28/22 14:31       | DD      | XEN STF |
| Total/NA  | Prep       | 8015NM Aq Prep |     |                 | 43181        | 02/28/22 17:24       | SAR     | XEN STF |
| Total/NA  | Analysis   | 8015B NM       |     | 1               | 43104        | 02/28/22 19:26       | T1S     | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 42915        | 02/26/22 16:08       | WP      | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 42916        | 02/26/22 16:08       | WP      | XEN STF |
| Total/NA  | Analysis   | SM 2320B       |     | 1               | 43179        | 02/28/22 12:43       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 CO2 D  |     | 1               | 43412        | 03/02/22 09:54       | AA      | XEN STF |
| Total/NA  | Analysis   | SM 4500 H+ B   |     | 1               | 43170        | 02/28/22 16:30       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 S2 F   |     | 1               | 43270        | 03/01/22 11:34       | YVD     | XEN STF |

Client Sample ID: MW-2

Lab Sample ID: 880-11743-2

Date Collected: 02/25/22 11:10

Matrix: Water

Date Received: 02/25/22 15:15

| Prep Type | Batch Type | Batch Method   | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|----------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C          |     | 1               | 43049        | 02/28/22 11:48       | NA      | XEN STF |
| Total/NA  | Analysis   | 8015 NM        |     | 1               | 41402        | 02/28/22 14:31       | DD      | XEN STF |
| Total/NA  | Prep       | 8015NM Aq Prep |     |                 | 43181        | 02/28/22 17:24       | SAR     | XEN STF |
| Total/NA  | Analysis   | 8015B NM       |     | 1               | 43104        | 02/28/22 20:05       | T1S     | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 42915        | 02/26/22 16:19       | WP      | XEN STF |
| Total/NA  | Analysis   | 300.0          |     | 1               | 42916        | 02/26/22 16:19       | WP      | XEN STF |
| Total/NA  | Analysis   | SM 2320B       |     | 1               | 43179        | 02/28/22 12:59       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 CO2 D  |     | 1               | 43412        | 03/02/22 09:54       | AA      | XEN STF |
| Total/NA  | Analysis   | SM 4500 H+ B   |     | 1               | 43170        | 02/28/22 16:30       | TL      | XEN STF |
| Total/NA  | Analysis   | SM 4500 S2 F   |     | 1               | 43270        | 03/01/22 11:34       | YVD     | XEN STF |

Laboratory References:

XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas     | NELAP   | T104704215-21-44      | 06-30-22        |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method    | Matrix | Analyte                              |
|-----------------|----------------|--------|--------------------------------------|
| 8015 NM         |                | Water  | Total TPH                            |
| 8015B NM        | 8015NM Aq Prep | Water  | Diesel Range Organics (Over C10-C28) |
| 8015B NM        | 8015NM Aq Prep | Water  | Gasoline Range Organics (GRO)-C6-C10 |
| 8015B NM        | 8015NM Aq Prep | Water  | Oil Range Organics (Over C28-C36)    |
| 8260C           |                | Water  | Total BTEX                           |
| SM 2320B        |                | Water  | Bicarbonate Alkalinity as CaCO3      |
| SM 2320B        |                | Water  | Carbonate Alkalinity as CaCO3        |
| SM 4500 CO2 D   |                | Water  | Carbon dioxide                       |
| SM 4500 CO2 D   |                | Water  | Carbon Dioxide, Free                 |
| SM 4500 H+ B    |                | Water  | Temperature                          |



Method Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

| Method         | Method Description                                    | Protocol | Laboratory |
|----------------|-------------------------------------------------------|----------|------------|
| 8260C          | Volatile Organic Compounds by GC/MS                   | SW846    | XEN STF    |
| 8015 NM        | Diesel Range Organics (DRO) (GC)                      | SW846    | XEN STF    |
| 8015B NM       | Diesel Range Organics (DRO) (GC)                      | SW846    | XEN STF    |
| 300.0          | Anions, Ion Chromatography                            | MCAWW    | XEN STF    |
| SM 2320B       | Alkalinity                                            | SM       | XEN STF    |
| SM 4500 CO2 D  | Carbon Dioxide and Forms of Alkalinity by Calculation | SM       | XEN STF    |
| SM 4500 H+ B   | pH                                                    | SM       | XEN STF    |
| SM 4500 S2 F   | Sulfide, Total                                        | SM       | XEN STF    |
| 5030C          | Purge and Trap                                        | SW846    | XEN STF    |
| 8015NM Aq Prep | Microextraction                                       | SW846    | XEN STF    |

**Protocol References:**

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

XEN STF = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: Ensolum  
Project/Site: South Hobbs - 03B1417002

Job ID: 880-11743-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 880-11743-1   | MW-1             | Water  | 02/25/22 10:10 | 02/25/22 15:15 |
| 880-11743-2   | MW-2             | Water  | 02/25/22 11:10 | 02/25/22 15:15 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



## 27



880-11743 Chain of Custody

880-11743 Chain of Custody

| Work Order Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Program:</b> UST/ST <input type="checkbox"/> PRR <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/><br><b>State of Project:</b> <i>New Mexico</i><br><b>Reporting Level:</b> I <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/><br><b>Deliverables:</b> EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other: |  |

| SAMPLE RECEIPT        |       | Temp Blank:    | Yes | No                 | Wet Ice: | Yes | No |
|-----------------------|-------|----------------|-----|--------------------|----------|-----|----|
| Temperature (°C):     | 15.14 | Thermometer ID |     |                    |          |     |    |
| Received intact:      | Yes   | No             |     |                    |          |     |    |
| Cooler Custody Seals: | Yes   | No             | N/A | Correction Factor: |          | -1  |    |
| Sample Custody Seals: | Yes   | No             | N/A | Total Containers:  |          |     |    |

Number of Containers

Preserved Carbon Dioxide #

Unpreserved Sulfide SW-846 #3

SW-846 #8260

EPA Method #8015

EPA Method #846

SW-846 Method 150

TAT starts the day received by the lab, if received by 4:30pm

[illegible]

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco. Its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Revised Date 051418 Rev. 2018.1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

CUSTODY SEAL

Date

2-25-22

Signature

*[Handwritten Signature]*

**Thermo**  
SCIENTIFIC

90009

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Eurofins Midland

1211 W Florida Ave  
Midland, TX 79701  
Phone: 432-704-5440

Temp: 2.4R ID:HOU-323  
C/F+0.2  
Corrected Temp: 2.6

Chain of Custody Record

fins  
Environment Testing  
America

Client Information (Sub Contract Lab)

Shipping/Receiving  
Eurofins Environment Testing South Cent

Lab P/N:  
Kramer Jessica  
E-Mail:  
jessica.kramer@eurofins.com



880-11743 Chain of Custody

Company:  
Eurofins Environment Testing South Cent

Address:  
4145 Greenbrier Dr

City:  
Stafford

State, Zip:  
TX, 77477

Phone:  
281-240-4200(Tel)

Email:  
Project #:  
88000023

Project Name:  
South Hobbs 03B 1417002

Site:  
South Hobbs

Sample Identification Client ID (Lab ID)

Sample Date  
MMW-1 (880-11743-1)  
2/25/22

Sample Time  
10:10  
Mountain

Sample Type  
(C=Comp, G=grab)  
Water

Matrix  
(Residue, Sealed, Opened, Aqueous, Solid)  
Water

Field Filtered Sample (Yes or No)  
Perform MS/MSD (Yes or No)

SM4500\_CO2\_D/ (MOD) Carbon Dioxide  
SM4500\_H+

SM4500\_S2\_F/ Sulfide, Total  
8260C/8030C (MOD) Full List VOCs

8015MOD\_NM/8015NM\_Aq\_Prep (MOD) Full TPH  
300\_ORGFMS/ (MOD) Custom List

300\_ORGFMS/ (MOD) Custom List  
2320B/ (MOD) Copy Analytes

8015MOD\_Calc  
Total Number of Containers

Special Instructions/Note:  
DISSOLVED SULFIDE  
DISSOLVED SULFIDE

Unconfirmed  
Deliverable Requested I II III IV Other (Specify)

Primary Deliverable Rank: 2  
Empty Kit Relinquished by  
Relinquished by  
Relinquished by  
Custody Seals Intact:  
Δ Yes Δ No

Date Requested:  
2/27/2022

TAT Requested (days):

PO #:

WO #:

Project #:

SSOW#:

Analysis Requested

Job #:

880-11743-1

Preservation Codes:

A HCL  
B NaOH  
C Zn Acetate  
D Nitric Acid  
E NaHSO4  
F MeOH  
G Amelior  
H Acetic Acid  
I Ice  
J DI Water  
K EDTA  
L EDTA  
M Hexane  
N None  
O AsAcO2  
P Na2O4S  
Q Na2SO3  
R Na2S2O3  
S H2SO4  
T TSP Dodecahydrate  
U Acetone  
V MCA  
W pH 4-5  
Z other (specify)

Method of Shipment:

Date/Time:

Received by:

Date/Time:

Company:

Received by:

Date/Time:

Company:

Received by:

Date/Time:

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11743-1

Login Number: 11743

List Source: Eurofins Midland

List Number: 1

Creator: Teel, Brianna

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   |         |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |

## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 880-11743-1

Login Number: 11743

List Number: 2

Creator: Torres, Sandra

List Source: Eurofins Houston

List Creation: 02/26/22 01:57 PM

| Question                                                                         | Answer | Comment |
|----------------------------------------------------------------------------------|--------|---------|
| The cooler's custody seal, if present, is intact.                                | True   |         |
| Sample custody seals, if present, are intact.                                    | True   |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.                                                    | True   |         |
| Cooler Temperature is acceptable.                                                | True   |         |
| Cooler Temperature is recorded.                                                  | True   | 2.6     |
| COC is present.                                                                  | True   |         |
| COC is filled out in ink and legible.                                            | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.                                           | True   |         |
| Containers are not broken or leaking.                                            | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.                                          | True   |         |
| Sample bottles are completely filled.                                            | True   |         |
| Sample Preservation Verified.                                                    | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |





## ANALYTICAL REPORT

February 09, 2022

**Ensolum, LLC**

Sample Delivery Group: L1458131  
Samples Received: 02/05/2022  
Project Number: 03B1417001  
Description: Levey Well  
Site: 03B1417001  
Report To: Beaux Jennings  
705 W. Wadley Ave, Ste 210  
Midland, TX 79705



Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "M. Beasley".

Mark W. Beasley  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

|                                                 |    |                  |
|-------------------------------------------------|----|------------------|
| Cp: Cover Page                                  | 1  | <sup>1</sup> Cp  |
| Tc: Table of Contents                           | 2  |                  |
| Ss: Sample Summary                              | 3  | <sup>2</sup> Tc  |
| Cn: Case Narrative                              | 4  |                  |
| Tr: TRRP Summary                                | 5  | <sup>3</sup> Ss  |
| TRRP form R                                     | 6  |                  |
| TRRP form S                                     | 7  | <sup>4</sup> Cn  |
| TRRP Exception Reports                          | 8  | <sup>5</sup> Tr  |
| Sr: Sample Results                              | 9  |                  |
| LEVEY WELL L1458131-01                          | 9  | <sup>6</sup> Sr  |
| LEVEY WELL L1458131-02                          | 11 |                  |
| LEVEY WELL L1458131-03                          | 13 | <sup>7</sup> Qc  |
| LEVEY WELL L1458131-04                          | 15 | <sup>8</sup> Gl  |
| Qc: Quality Control Summary                     | 17 |                  |
| Volatile Organic Compounds (MS) by Method TO-15 | 17 | <sup>9</sup> Al  |
| Gl: Glossary of Terms                           | 27 |                  |
| Al: Accreditations & Locations                  | 28 | <sup>10</sup> Sc |
| Sc: Sample Chain of Custody                     | 29 |                  |

LEVEY WELL L1458131-01 Air

Collected by Aaron Marquez  
Collected date/time 02/02/22 09:21  
Received date/time 02/05/22 10:00

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1813894 | 200      | 02/07/22 17:45        | 02/07/22 17:45     | DAH     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1814444 | 5000     | 02/08/22 13:24        | 02/08/22 13:24     | CAW     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1815170 | 40000    | 02/08/22 21:09        | 02/08/22 21:09     | CEP     | Mt. Juliet, TN |

1Cp

2Tc

3Ss

LEVEY WELL L1458131-02 Air

Collected by Aaron Marquez  
Collected date/time 02/02/22 09:50  
Received date/time 02/05/22 10:00

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1813608 | 20       | 02/06/22 19:57        | 02/06/22 19:57     | DAH     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1813894 | 500      | 02/07/22 18:21        | 02/07/22 18:21     | DAH     | Mt. Juliet, TN |

4Cn

5Tr

6Sr

LEVEY WELL L1458131-03 Air

Collected by Aaron Marquez  
Collected date/time 02/02/22 10:30  
Received date/time 02/05/22 10:00

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1813608 | 1        | 02/06/22 20:36        | 02/06/22 20:36     | DAH     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1813894 | 20       | 02/07/22 18:56        | 02/07/22 18:56     | DAH     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1814444 | 100      | 02/08/22 13:58        | 02/08/22 13:58     | CAW     | Mt. Juliet, TN |

7Qc

8Gl

9Al

LEVEY WELL L1458131-04 Air

Collected by Aaron Marquez  
Collected date/time 02/02/22 11:58  
Received date/time 02/05/22 10:00

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1813608 | 1        | 02/06/22 21:16        | 02/06/22 21:16     | DAH     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1813894 | 20       | 02/07/22 19:32        | 02/07/22 19:32     | DAH     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1814444 | 100      | 02/08/22 14:31        | 02/08/22 14:31     | CEP     | Mt. Juliet, TN |

10Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley  
Project Manager

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Tr

<sup>6</sup> Sr

<sup>7</sup> Qc

<sup>8</sup> Gl

<sup>9</sup> Al

<sup>10</sup> Sc

## Laboratory Data Package Cover Page

This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
  - a. Items consistent with NELAC Chapter 5,
  - b. dilution factors,
  - c. preparation methods,
  - d. cleanup methods, and
  - e. if required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
  - a. Calculated recovery (%R), and
  - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
  - a. LCS spiking amounts,
  - b. Calculated %R for each analyte, and
  - c. The laboratory's LCS QC limits.
- R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
  - a. Samples associated with the MS/MSD clearly identified,
  - b. MS/MSD spiking amounts,
  - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
  - d. Calculated %Rs and relative percent differences (RPDs), and
  - e. The laboratory's MS/MSD QC limits
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
  - a. The amount of analyte measured in the duplicate,
  - b. The calculated RPD, and
  - c. The laboratory's QC limits for analytical duplicates.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.



Mark W. Beasley  
Project Manager

# Laboratory Review Checklist: Reportable Data

| Laboratory Name: Pace Analytical National |                | LRC Date: 02/09/2022 09:49                                                                                                                                               |     |    |                 |                 |                  |
|-------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|-----------------|-----------------|------------------|
| Project Name: Levey Well                  |                | Laboratory Job Number: L1458131-01, 02, 03 and 04                                                                                                                        |     |    |                 |                 |                  |
| Reviewer Name: Mark W. Beasley            |                | Prep Batch Number(s): WG1813608, WG1813894, WG1814444 and WG1815170                                                                                                      |     |    |                 |                 |                  |
| # <sup>1</sup>                            | A <sup>2</sup> | Description                                                                                                                                                              | Yes | No | NA <sup>3</sup> | NR <sup>4</sup> | ER# <sup>5</sup> |
| R1                                        | OI             | Chain-of-custody (C-O-C)                                                                                                                                                 |     |    |                 |                 |                  |
|                                           |                | Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?                                                                              | X   |    |                 |                 |                  |
|                                           |                | Were all departures from standard conditions described in an exception report?                                                                                           |     |    | X               |                 |                  |
| R2                                        | OI             | Sample and quality control (QC) identification                                                                                                                           |     |    |                 |                 |                  |
|                                           |                | Are all field sample ID numbers cross-referenced to the laboratory ID numbers?                                                                                           | X   |    |                 |                 |                  |
|                                           |                | Are all laboratory ID numbers cross-referenced to the corresponding QC data?                                                                                             | X   |    |                 |                 |                  |
| R3                                        | OI             | Test reports                                                                                                                                                             |     |    |                 |                 |                  |
|                                           |                | Were all samples prepared and analyzed within holding times?                                                                                                             | X   |    |                 |                 |                  |
|                                           |                | Other than those results < MQL, were all other raw values bracketed by calibration standards?                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were calculations checked by a peer or supervisor?                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Were all analyte identifications checked by a peer or supervisor?                                                                                                        | X   |    |                 |                 |                  |
|                                           |                | Were sample detection limits reported for all analytes not detected?                                                                                                     | X   |    |                 |                 |                  |
|                                           |                | Were all results for soil and sediment samples reported on a dry weight basis?                                                                                           | X   |    |                 |                 |                  |
|                                           |                | Were % moisture (or solids) reported for all soil and sediment samples?                                                                                                  |     |    | X               |                 |                  |
|                                           |                | Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?                                                                      |     |    | X               |                 |                  |
|                                           |                | If required for the project, are TICs reported?                                                                                                                          |     |    | X               |                 |                  |
| R4                                        | O              | Surrogate recovery data                                                                                                                                                  |     |    |                 |                 |                  |
|                                           |                | Were surrogates added prior to extraction?                                                                                                                               | X   |    |                 |                 |                  |
|                                           |                | Were surrogate percent recoveries in all samples within the laboratory QC limits?                                                                                        | X   |    |                 |                 |                  |
| R5                                        | OI             | Test reports/summary forms for blank samples                                                                                                                             |     |    |                 |                 |                  |
|                                           |                | Were appropriate type(s) of blanks analyzed?                                                                                                                             | X   |    |                 |                 |                  |
|                                           |                | Were blanks analyzed at the appropriate frequency?                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?                                            | X   |    |                 |                 |                  |
|                                           |                | Were blank concentrations < MQL?                                                                                                                                         | X   |    |                 |                 |                  |
| R6                                        | OI             | Laboratory control samples (LCS):                                                                                                                                        |     |    |                 |                 |                  |
|                                           |                | Were all COCs included in the LCS?                                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were LCSs analyzed at the required frequency?                                                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?                                                                                                  | X   |    |                 |                 |                  |
|                                           |                | Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?                                  | X   |    |                 |                 |                  |
|                                           |                | Was the LCSD RPD within QC limits?                                                                                                                                       | X   |    |                 |                 |                  |
| R7                                        | OI             | Matrix spike (MS) and matrix spike duplicate (MSD) data                                                                                                                  |     |    |                 |                 |                  |
|                                           |                | Were the project/method specified analytes included in the MS and MSD?                                                                                                   |     |    | X               |                 |                  |
|                                           |                | Were MS/MSD analyzed at the appropriate frequency?                                                                                                                       |     |    | X               |                 |                  |
|                                           |                | Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?                                                                                                    |     |    | X               |                 |                  |
|                                           |                | Were MS/MSD RPDs within laboratory QC limits?                                                                                                                            |     |    | X               |                 |                  |
| R8                                        | OI             | Analytical duplicate data                                                                                                                                                |     |    |                 |                 |                  |
|                                           |                | Were appropriate analytical duplicates analyzed for each matrix?                                                                                                         |     |    | X               |                 |                  |
|                                           |                | Were analytical duplicates analyzed at the appropriate frequency?                                                                                                        |     |    | X               |                 |                  |
|                                           |                | Were RPDs or relative standard deviations within the laboratory QC limits?                                                                                               |     |    | X               |                 |                  |
| R9                                        | OI             | Method quantitation limits (MQLs):                                                                                                                                       |     |    |                 |                 |                  |
|                                           |                | Are the MQLs for each method analyte included in the laboratory data package?                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?                                                                                 | X   |    |                 |                 |                  |
|                                           |                | Are unadjusted MQLs and DCSs included in the laboratory data package?                                                                                                    | X   |    |                 |                 |                  |
| R10                                       | OI             | Other problems/anomalies                                                                                                                                                 |     |    |                 |                 |                  |
|                                           |                | Are all known problems/anomalies/special conditions noted in this LRC and ER?                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?                                         | X   |    |                 |                 |                  |
|                                           |                | Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package? | X   |    |                 |                 |                  |

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.  
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);  
3. NA = Not applicable;  
4. NR = Not reviewed;  
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

# Laboratory Review Checklist: Supporting Data

| Laboratory Name: Pace Analytical National                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                | LRC Date: 02/09/2022 09:49                                                                             |     |    |                 |                 |                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------|-----|----|-----------------|-----------------|------------------|
| Project Name: Levey Well                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                | Laboratory Job Number: L1458131-01, 02, 03 and 04                                                      |     |    |                 |                 |                  |
| Reviewer Name: Mark W. Beasley                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                | Prep Batch Number(s): WG1813608, WG1813894, WG1814444 and WG1815170                                    |     |    |                 |                 |                  |
| # <sup>1</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | A <sup>2</sup> | Description                                                                                            | Yes | No | NA <sup>3</sup> | NR <sup>4</sup> | ER# <sup>5</sup> |
| S1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Initial calibration (ICAL)                                                                             |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were response factors and/or relative response factors for each analyte within QC limits?              | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent RSDs or correlation coefficient criteria met?                                             | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the number of standards recommended in the method used for all analytes?                           | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were all points generated between the lowest and highest standard used to calculate the curve?         | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are ICAL data available for all instruments used?                                                      | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Has the initial calibration curve been verified using an appropriate second source standard?           | X   |    |                 |                 |                  |
| S2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB): |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the CCV analyzed at the method-required frequency?                                                 | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent differences for each analyte within the method-required QC limits?                        | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the ICAL curve verified for each analyte?                                                          | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the absolute value of the analyte concentration in the inorganic CCB < MDL?                        |     |    | X               |                 |                  |
| S3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Mass spectral tuning                                                                                   |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the appropriate compound for the method used for tuning?                                           | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were ion abundance data within the method-required QC limits?                                          | X   |    |                 |                 |                  |
| S4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Internal standards (IS)                                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were IS area counts and retention times within the method-required QC limits?                          | X   |    |                 |                 |                  |
| S5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Raw data (NELAC Section 5.5.10)                                                                        |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?                  | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were data associated with manual integrations flagged on the raw data?                                 | X   |    |                 |                 |                  |
| S6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Dual column confirmation                                                                               |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Did dual column confirmation results meet the method-required QC?                                      |     |    | X               |                 |                  |
| S7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Tentatively identified compounds (TICs)                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?              |     |    | X               |                 |                  |
| S8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | I              | Interference Check Sample (ICS) results                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent recoveries within method QC limits?                                                       |     |    | X               |                 |                  |
| S9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | I              | Serial dilutions, post digestion spikes, and method of standard additions                              |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent differences, recoveries, and the linearity within the QC limits specified in the method?  |     |    | X               |                 |                  |
| S10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Method detection limit (MDL) studies                                                                   |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was a MDL study performed for each reported analyte?                                                   | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Is the MDL either adjusted or supported by the analysis of DCSs?                                       | X   |    |                 |                 |                  |
| S11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Proficiency test reports                                                                               |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies? | X   |    |                 |                 |                  |
| S12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Standards documentation                                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?      | X   |    |                 |                 |                  |
| S13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Compound/analyte identification procedures                                                             |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are the procedures for compound/analyte identification documented?                                     | X   |    |                 |                 |                  |
| S14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Demonstration of analyst competency (DOC)                                                              |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was DOC conducted consistent with NELAC Chapter 5?                                                     | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Is documentation of the analyst's competency up-to-date and on file?                                   | X   |    |                 |                 |                  |
| S15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Verification/validation documentation for methods (NELAC Chapter 5)                                    |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are all the methods used to generate the data documented, verified, and validated, where applicable?   | X   |    |                 |                 |                  |
| S16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Laboratory standard operating procedures (SOPs)                                                        |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are laboratory SOPs current and on file for each method performed                                      | X   |    |                 |                 |                  |
| <p>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);</p> <p>3. NA = Not applicable;</p> <p>4. NR = Not reviewed;</p> <p>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p> |                |                                                                                                        |     |    |                 |                 |                  |



## Laboratory Review Checklist: Exception Reports

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                    |                                                                     |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------|--|
| Laboratory Name: Pace Analytical National                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                    | LRC Date: 02/09/2022 09:49                                          |  |
| Project Name: Levey Well                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                    | Laboratory Job Number: L1458131-01, 02, 03 and 04                   |  |
| Reviewer Name: Mark W. Beasley                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    | Prep Batch Number(s): WG1813608, WG1813894, WG1814444 and WG1815170 |  |
| <b>ER #<sup>1</sup></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Description</b> |                                                                     |  |
| The Exception Report intentionally left blank, there are no exceptions applied to this SDG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    |                                                                     |  |
| <small>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.<br/>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);<br/>3. NA = Not applicable;<br/>4. NR = Not reviewed;<br/>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</small> |                    |                                                                     |  |

Collected date/time: 02/02/22 09:21

L1458131

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|-----------|
| Acetone                        | 67-64-1    | 58.10    | 250          | 594           | 1700           | 4040            |           | 200      | WG1813894 |
| Allyl chloride                 | 107-05-1   | 76.53    | 40.0         | 125           | ND             | ND              |           | 200      | WG1813894 |
| Benzene                        | 71-43-2    | 78.10    | 40.0         | 128           | 1860           | 5940            |           | 200      | WG1813894 |
| Benzyl Chloride                | 100-44-7   | 127      | 40.0         | 208           | ND             | ND              |           | 200      | WG1813894 |
| Bromodichloromethane           | 75-27-4    | 164      | 40.0         | 268           | ND             | ND              |           | 200      | WG1813894 |
| Bromoform                      | 75-25-2    | 253      | 120          | 1240          | ND             | ND              |           | 200      | WG1813894 |
| Bromomethane                   | 74-83-9    | 94.90    | 40.0         | 155           | ND             | ND              |           | 200      | WG1813894 |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 400          | 885           | ND             | ND              |           | 200      | WG1813894 |
| Carbon disulfide               | 75-15-0    | 76.10    | 40.0         | 124           | ND             | ND              |           | 200      | WG1813894 |
| Carbon tetrachloride           | 56-23-5    | 154      | 40.0         | 252           | ND             | ND              |           | 200      | WG1813894 |
| Chlorobenzene                  | 108-90-7   | 113      | 40.0         | 185           | ND             | ND              |           | 200      | WG1813894 |
| Chloroethane                   | 75-00-3    | 64.50    | 40.0         | 106           | ND             | ND              |           | 200      | WG1813894 |
| Chloroform                     | 67-66-3    | 119      | 40.0         | 195           | ND             | ND              |           | 200      | WG1813894 |
| Chloromethane                  | 74-87-3    | 50.50    | 40.0         | 82.6          | ND             | ND              |           | 200      | WG1813894 |
| 2-Chlorotoluene                | 95-49-8    | 126      | 40.0         | 206           | ND             | ND              |           | 200      | WG1813894 |
| Cyclohexane                    | 110-82-7   | 84.20    | 1000         | 3440          | 66500          | 229000          |           | 5000     | WG1814444 |
| Dibromochloromethane           | 124-48-1   | 208      | 40.0         | 340           | ND             | ND              |           | 200      | WG1813894 |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 40.0         | 308           | ND             | ND              |           | 200      | WG1813894 |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 40.0         | 240           | ND             | ND              |           | 200      | WG1813894 |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 40.0         | 240           | ND             | ND              |           | 200      | WG1813894 |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 40.0         | 240           | ND             | ND              |           | 200      | WG1813894 |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 40.0         | 162           | ND             | ND              |           | 200      | WG1813894 |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 40.0         | 160           | ND             | ND              |           | 200      | WG1813894 |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 40.0         | 159           | ND             | ND              |           | 200      | WG1813894 |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 40.0         | 159           | ND             | ND              |           | 200      | WG1813894 |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 40.0         | 159           | ND             | ND              |           | 200      | WG1813894 |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 40.0         | 185           | ND             | ND              |           | 200      | WG1813894 |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 40.0         | 182           | ND             | ND              |           | 200      | WG1813894 |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 40.0         | 182           | ND             | ND              |           | 200      | WG1813894 |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 40.0         | 144           | ND             | ND              |           | 200      | WG1813894 |
| Ethanol                        | 64-17-5    | 46.10    | 250          | 471           | ND             | ND              |           | 200      | WG1813894 |
| Ethylbenzene                   | 100-41-4   | 106      | 40.0         | 173           | 45.0           | 195             |           | 200      | WG1813894 |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 40.0         | 196           | ND             | ND              |           | 200      | WG1813894 |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 40.0         | 225           | ND             | ND              |           | 200      | WG1813894 |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 40.0         | 198           | ND             | ND              |           | 200      | WG1813894 |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 40.0         | 307           | ND             | ND              |           | 200      | WG1813894 |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 40.0         | 280           | ND             | ND              |           | 200      | WG1813894 |
| Heptane                        | 142-82-5   | 100      | 1000         | 4090          | 53100          | 217000          |           | 5000     | WG1814444 |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 126          | 1350          | ND             | ND              |           | 200      | WG1813894 |
| n-Hexane                       | 110-54-3   | 86.20    | 25200        | 88800         | 2470000        | 8710000         |           | 40000    | WG1815170 |
| Isopropylbenzene               | 98-82-8    | 120.20   | 40.0         | 197           | ND             | ND              |           | 200      | WG1813894 |
| Methylene Chloride             | 75-09-2    | 84.90    | 40.0         | 139           | ND             | ND              |           | 200      | WG1813894 |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 250          | 1020          | ND             | ND              |           | 200      | WG1813894 |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 250          | 737           | 460            | 1360            |           | 200      | WG1813894 |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 250          | 1020          | ND             | ND              |           | 200      | WG1813894 |
| Methyl methacrylate            | 80-62-6    | 100.12   | 40.0         | 164           | ND             | ND              |           | 200      | WG1813894 |
| MTBE                           | 1634-04-4  | 88.10    | 40.0         | 144           | ND             | ND              |           | 200      | WG1813894 |
| Naphthalene                    | 91-20-3    | 128      | 126          | 660           | ND             | ND              |           | 200      | WG1813894 |
| 2-Propanol                     | 67-63-0    | 60.10    | 250          | 615           | 4380           | 10800           |           | 200      | WG1813894 |
| Propene                        | 115-07-1   | 42.10    | 250          | 430           | ND             | ND              |           | 200      | WG1813894 |
| Styrene                        | 100-42-5   | 104      | 40.0         | 170           | ND             | ND              |           | 200      | WG1813894 |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 40.0         | 275           | ND             | ND              |           | 200      | WG1813894 |
| Tetrachloroethylene            | 127-18-4   | 166      | 40.0         | 272           | ND             | ND              |           | 200      | WG1813894 |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 40.0         | 118           | ND             | ND              |           | 200      | WG1813894 |
| Toluene                        | 108-88-3   | 92.10    | 100          | 377           | 323            | 1220            |           | 200      | WG1813894 |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 126          | 933           | ND             | ND              |           | 200      | WG1813894 |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/02/22 09:21

L1458131

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 40.0         | 218           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 40.0         | 218           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| Trichloroethylene          | 79-01-6   | 131      | 40.0         | 214           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 40.0         | 196           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 40.0         | 196           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 40.0         | 187           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| Vinyl chloride             | 75-01-4   | 62.50    | 40.0         | 102           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| Vinyl Bromide              | 593-60-2  | 106.95   | 40.0         | 175           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| Vinyl acetate              | 108-05-4  | 86.10    | 40.0         | 141           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| m&p-Xylene                 | 1330-20-7 | 106      | 80.0         | 347           | 111            | 481             |           | 200      | <a href="#">WG1813894</a> |
| o-Xylene                   | 95-47-6   | 106      | 40.0         | 173           | ND             | ND              |           | 200      | <a href="#">WG1813894</a> |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 40000        | 165000        | 876000         | 3620000         |           | 200      | <a href="#">WG1813894</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 97.2           |                 |           |          | <a href="#">WG1813894</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 101            |                 |           |          | <a href="#">WG1814444</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 103            |                 |           |          | <a href="#">WG1815170</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/02/22 09:50

L1458131

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| Acetone                        | 67-64-1    | 58.10    | 25.0         | 59.4          | 142            | 337             |           | 20       | <a href="#">WG1813608</a> |
| Allyl chloride                 | 107-05-1   | 76.53    | 4.00         | 12.5          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Benzene                        | 71-43-2    | 78.10    | 4.00         | 12.8          | 130            | 415             |           | 20       | <a href="#">WG1813608</a> |
| Benzyl Chloride                | 100-44-7   | 127      | 4.00         | 20.8          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Bromodichloromethane           | 75-27-4    | 164      | 4.00         | 26.8          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Bromoform                      | 75-25-2    | 253      | 12.0         | 124           | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Bromomethane                   | 74-83-9    | 94.90    | 4.00         | 15.5          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 40.0         | 88.5          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Carbon disulfide               | 75-15-0    | 76.10    | 4.00         | 12.4          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Carbon tetrachloride           | 56-23-5    | 154      | 4.00         | 25.2          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Chlorobenzene                  | 108-90-7   | 113      | 4.00         | 18.5          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Chloroethane                   | 75-00-3    | 64.50    | 4.00         | 10.6          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Chloroform                     | 67-66-3    | 119      | 4.00         | 19.5          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Chloromethane                  | 74-87-3    | 50.50    | 4.00         | 8.26          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 2-Chlorotoluene                | 95-49-8    | 126      | 4.00         | 20.6          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Cyclohexane                    | 110-82-7   | 84.20    | 100          | 344           | 4840           | 16700           |           | 500      | <a href="#">WG1813894</a> |
| Dibromochloromethane           | 124-48-1   | 208      | 4.00         | 34.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 4.00         | 30.8          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 4.00         | 24.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 4.00         | 24.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 4.00         | 24.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 4.00         | 16.2          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 4.00         | 16.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 4.00         | 15.9          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 4.00         | 15.9          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 4.00         | 15.9          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 4.00         | 18.5          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 4.00         | 18.2          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 4.00         | 18.2          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 4.00         | 14.4          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Ethanol                        | 64-17-5    | 46.10    | 25.0         | 47.1          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Ethylbenzene                   | 100-41-4   | 106      | 4.00         | 17.3          | 34.0           | 147             |           | 20       | <a href="#">WG1813608</a> |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 4.00         | 19.6          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 4.00         | 22.5          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 4.00         | 19.8          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 4.00         | 30.7          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 4.00         | 28.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Heptane                        | 142-82-5   | 100      | 100          | 409           | 8850           | 36200           |           | 500      | <a href="#">WG1813894</a> |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 12.6         | 135           | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| n-Hexane                       | 110-54-3   | 86.20    | 315          | 1110          | 32300          | 114000          |           | 500      | <a href="#">WG1813894</a> |
| Isopropylbenzene               | 98-82-8    | 120.20   | 4.00         | 19.7          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Methylene Chloride             | 75-09-2    | 84.90    | 4.00         | 13.9          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 25.0         | 102           | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 25.0         | 73.7          | 78.2           | 231             |           | 20       | <a href="#">WG1813608</a> |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 25.0         | 102           | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Methyl methacrylate            | 80-62-6    | 100.12   | 4.00         | 16.4          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| MTBE                           | 1634-04-4  | 88.10    | 4.00         | 14.4          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Naphthalene                    | 91-20-3    | 128      | 12.6         | 66.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 2-Propanol                     | 67-63-0    | 60.10    | 25.0         | 61.5          | 35.9           | 88.2            |           | 20       | <a href="#">WG1813608</a> |
| Propene                        | 115-07-1   | 42.10    | 25.0         | 43.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Styrene                        | 100-42-5   | 104      | 4.00         | 17.0          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 4.00         | 27.5          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Tetrachloroethylene            | 127-18-4   | 166      | 4.00         | 27.2          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 4.00         | 11.8          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |
| Toluene                        | 108-88-3   | 92.10    | 10.0         | 37.7          | 83.0           | 313             |           | 20       | <a href="#">WG1813608</a> |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 12.6         | 93.3          | ND             | ND              |           | 20       | <a href="#">WG1813608</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/02/22 09:50

L1458131

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|-----------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 4.00         | 21.8          | ND             | ND              |           | 20       | WG1813608 |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 4.00         | 21.8          | ND             | ND              |           | 20       | WG1813608 |
| Trichloroethylene          | 79-01-6   | 131      | 4.00         | 21.4          | ND             | ND              |           | 20       | WG1813608 |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 4.00         | 19.6          | 5.50           | 27.0            |           | 20       | WG1813608 |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 4.00         | 19.6          | ND             | ND              |           | 20       | WG1813608 |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 4.00         | 18.7          | ND             | ND              |           | 20       | WG1813608 |
| Vinyl chloride             | 75-01-4   | 62.50    | 4.00         | 10.2          | ND             | ND              |           | 20       | WG1813608 |
| Vinyl Bromide              | 593-60-2  | 106.95   | 4.00         | 17.5          | ND             | ND              |           | 20       | WG1813608 |
| Vinyl acetate              | 108-05-4  | 86.10    | 4.00         | 14.1          | ND             | ND              |           | 20       | WG1813608 |
| m&p-Xylene                 | 1330-20-7 | 106      | 8.00         | 34.7          | 85.3           | 370             |           | 20       | WG1813608 |
| o-Xylene                   | 95-47-6   | 106      | 4.00         | 17.3          | 25.0           | 108             |           | 20       | WG1813608 |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 4000         | 16500         | 98900          | 409000          |           | 20       | WG1813608 |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 98.3           |                 |           |          | WG1813608 |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 98.8           |                 |           |          | WG1813894 |

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Tr<sup>6</sup>Sr<sup>7</sup>Qc<sup>8</sup>Gl<sup>9</sup>Al<sup>10</sup>Sc

Collected date/time: 02/02/22 10:30

L1458131

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|-----------|
| Acetone                        | 67-64-1    | 58.10    | 1.25         | 2.97          | 23.9           | 56.8            |           | 1        | WG1813608 |
| Allyl chloride                 | 107-05-1   | 76.53    | 0.200        | 0.626         | ND             | ND              |           | 1        | WG1813608 |
| Benzene                        | 71-43-2    | 78.10    | 0.200        | 0.639         | 9.37           | 29.9            |           | 1        | WG1813608 |
| Benzyl Chloride                | 100-44-7   | 127      | 0.200        | 1.04          | ND             | ND              |           | 1        | WG1813608 |
| Bromodichloromethane           | 75-27-4    | 164      | 0.200        | 1.34          | ND             | ND              |           | 1        | WG1813608 |
| Bromoform                      | 75-25-2    | 253      | 0.600        | 6.21          | ND             | ND              |           | 1        | WG1813608 |
| Bromomethane                   | 74-83-9    | 94.90    | 0.200        | 0.776         | ND             | ND              |           | 1        | WG1813608 |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 2.00         | 4.43          | ND             | ND              |           | 1        | WG1813608 |
| Carbon disulfide               | 75-15-0    | 76.10    | 0.200        | 0.622         | ND             | ND              |           | 1        | WG1813608 |
| Carbon tetrachloride           | 56-23-5    | 154      | 0.200        | 1.26          | ND             | ND              |           | 1        | WG1813608 |
| Chlorobenzene                  | 108-90-7   | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | WG1813608 |
| Chloroethane                   | 75-00-3    | 64.50    | 0.200        | 0.528         | ND             | ND              |           | 1        | WG1813608 |
| Chloroform                     | 67-66-3    | 119      | 0.200        | 0.973         | ND             | ND              |           | 1        | WG1813608 |
| Chloromethane                  | 74-87-3    | 50.50    | 0.200        | 0.413         | ND             | ND              |           | 1        | WG1813608 |
| 2-Chlorotoluene                | 95-49-8    | 126      | 0.200        | 1.03          | ND             | ND              |           | 1        | WG1813608 |
| Cyclohexane                    | 110-82-7   | 84.20    | 4.00         | 13.8          | 662            | 2280            |           | 20       | WG1813894 |
| Dibromochloromethane           | 124-48-1   | 208      | 0.200        | 1.70          | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 0.200        | 1.54          | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1813608 |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1813608 |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 0.200        | 0.810         | ND             | ND              |           | 1        | WG1813608 |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 0.200        | 0.802         | ND             | ND              |           | 1        | WG1813608 |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1813608 |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1813608 |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | WG1813608 |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | WG1813608 |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | WG1813608 |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | WG1813608 |
| Ethanol                        | 64-17-5    | 46.10    | 1.25         | 2.36          | 5.57           | 10.5            |           | 1        | WG1813608 |
| Ethylbenzene                   | 100-41-4   | 106      | 0.200        | 0.867         | 5.82           | 25.2            |           | 1        | WG1813608 |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 0.200        | 0.982         | ND             | ND              |           | 1        | WG1813608 |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 0.200        | 1.12          | ND             | ND              |           | 1        | WG1813608 |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 0.200        | 0.989         | 0.499          | 2.47            |           | 1        | WG1813608 |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 0.200        | 1.53          | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 0.200        | 1.40          | ND             | ND              |           | 1        | WG1813608 |
| Heptane                        | 142-82-5   | 100      | 4.00         | 16.4          | 1330           | 5440            |           | 20       | WG1813894 |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 0.630        | 6.73          | ND             | ND              |           | 1        | WG1813608 |
| n-Hexane                       | 110-54-3   | 86.20    | 63.0         | 222           | 2660           | 9380            |           | 100      | WG1814444 |
| Isopropylbenzene               | 98-82-8    | 120.20   | 0.200        | 0.983         | 0.417          | 2.05            |           | 1        | WG1813608 |
| Methylene Chloride             | 75-09-2    | 84.90    | 0.200        | 0.694         | ND             | ND              |           | 1        | WG1813608 |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 1.25         | 5.11          | ND             | ND              |           | 1        | WG1813608 |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 1.25         | 3.69          | 11.7           | 34.5            |           | 1        | WG1813608 |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 1.25         | 5.12          | ND             | ND              |           | 1        | WG1813608 |
| Methyl methacrylate            | 80-62-6    | 100.12   | 0.200        | 0.819         | ND             | ND              |           | 1        | WG1813608 |
| MTBE                           | 1634-04-4  | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | WG1813608 |
| Naphthalene                    | 91-20-3    | 128      | 0.630        | 3.30          | ND             | ND              |           | 1        | WG1813608 |
| 2-Propanol                     | 67-63-0    | 60.10    | 1.25         | 3.07          | 12.3           | 30.2            |           | 1        | WG1813608 |
| Propene                        | 115-07-1   | 42.10    | 1.25         | 2.15          | ND             | ND              |           | 1        | WG1813608 |
| Styrene                        | 100-42-5   | 104      | 0.200        | 0.851         | ND             | ND              |           | 1        | WG1813608 |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 0.200        | 1.37          | ND             | ND              |           | 1        | WG1813608 |
| Tetrachloroethylene            | 127-18-4   | 166      | 0.200        | 1.36          | ND             | ND              |           | 1        | WG1813608 |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 0.200        | 0.590         | ND             | ND              |           | 1        | WG1813608 |
| Toluene                        | 108-88-3   | 92.10    | 0.500        | 1.88          | 12.3           | 46.3            |           | 1        | WG1813608 |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 0.630        | 4.66          | ND             | ND              |           | 1        | WG1813608 |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/02/22 10:30

L1458131

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| Trichloroethylene          | 79-01-6   | 131      | 0.200        | 1.07          | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 0.200        | 0.982         | 1.87           | 9.18            |           | 1        | <a href="#">WG1813608</a> |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 0.200        | 0.982         | 1.34           | 6.58            |           | 1        | <a href="#">WG1813608</a> |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 0.200        | 0.934         | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| Vinyl chloride             | 75-01-4   | 62.50    | 0.200        | 0.511         | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| Vinyl Bromide              | 593-60-2  | 106.95   | 0.200        | 0.875         | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| Vinyl acetate              | 108-05-4  | 86.10    | 0.200        | 0.704         | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| m&p-Xylene                 | 1330-20-7 | 106      | 0.400        | 1.73          | 14.5           | 62.9            |           | 1        | <a href="#">WG1813608</a> |
| o-Xylene                   | 95-47-6   | 106      | 0.200        | 0.867         | 4.05           | 17.6            |           | 1        | <a href="#">WG1813608</a> |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 4000         | 16500         | 17300          | 71500           |           | 20       | <a href="#">WG1813894</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 99.2           |                 |           |          | <a href="#">WG1813608</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 98.1           |                 |           |          | <a href="#">WG1813894</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 102            |                 |           |          | <a href="#">WG1814444</a> |

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Tr<sup>6</sup>Sr<sup>7</sup>Qc<sup>8</sup>Gl<sup>9</sup>Al<sup>10</sup>Sc



Collected date/time: 02/02/22 11:58

L1458131

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|-----------|
| Acetone                        | 67-64-1    | 58.10    | 1.25         | 2.97          | 34.0           | 80.8            |           | 1        | WG1813608 |
| Allyl chloride                 | 107-05-1   | 76.53    | 0.200        | 0.626         | ND             | ND              |           | 1        | WG1813608 |
| Benzene                        | 71-43-2    | 78.10    | 0.200        | 0.639         | 9.30           | 29.7            |           | 1        | WG1813608 |
| Benzyl Chloride                | 100-44-7   | 127      | 0.200        | 1.04          | ND             | ND              |           | 1        | WG1813608 |
| Bromodichloromethane           | 75-27-4    | 164      | 0.200        | 1.34          | ND             | ND              |           | 1        | WG1813608 |
| Bromoform                      | 75-25-2    | 253      | 0.600        | 6.21          | ND             | ND              |           | 1        | WG1813608 |
| Bromomethane                   | 74-83-9    | 94.90    | 0.200        | 0.776         | ND             | ND              |           | 1        | WG1813608 |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 2.00         | 4.43          | ND             | ND              |           | 1        | WG1813608 |
| Carbon disulfide               | 75-15-0    | 76.10    | 0.200        | 0.622         | ND             | ND              |           | 1        | WG1813608 |
| Carbon tetrachloride           | 56-23-5    | 154      | 0.200        | 1.26          | ND             | ND              |           | 1        | WG1813608 |
| Chlorobenzene                  | 108-90-7   | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | WG1813608 |
| Chloroethane                   | 75-00-3    | 64.50    | 0.200        | 0.528         | ND             | ND              |           | 1        | WG1813608 |
| Chloroform                     | 67-66-3    | 119      | 0.200        | 0.973         | ND             | ND              |           | 1        | WG1813608 |
| Chloromethane                  | 74-87-3    | 50.50    | 0.200        | 0.413         | ND             | ND              |           | 1        | WG1813608 |
| 2-Chlorotoluene                | 95-49-8    | 126      | 0.200        | 1.03          | ND             | ND              |           | 1        | WG1813608 |
| Cyclohexane                    | 110-82-7   | 84.20    | 4.00         | 13.8          | 799            | 2750            |           | 20       | WG1813894 |
| Dibromochloromethane           | 124-48-1   | 208      | 0.200        | 1.70          | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 0.200        | 1.54          | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1813608 |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1813608 |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 0.200        | 0.810         | ND             | ND              |           | 1        | WG1813608 |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 0.200        | 0.802         | ND             | ND              |           | 1        | WG1813608 |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1813608 |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1813608 |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | WG1813608 |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | WG1813608 |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | WG1813608 |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | WG1813608 |
| Ethanol                        | 64-17-5    | 46.10    | 1.25         | 2.36          | 2.19           | 4.13            |           | 1        | WG1813608 |
| Ethylbenzene                   | 100-41-4   | 106      | 0.200        | 0.867         | 4.40           | 19.1            |           | 1        | WG1813608 |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 0.200        | 0.982         | ND             | ND              |           | 1        | WG1813608 |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 0.200        | 1.12          | ND             | ND              |           | 1        | WG1813608 |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 0.200        | 0.989         | 0.522          | 2.58            |           | 1        | WG1813608 |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 0.200        | 1.53          | ND             | ND              |           | 1        | WG1813608 |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 0.200        | 1.40          | ND             | ND              |           | 1        | WG1813608 |
| Heptane                        | 142-82-5   | 100      | 4.00         | 16.4          | 1430           | 5850            |           | 20       | WG1813894 |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 0.630        | 6.73          | ND             | ND              |           | 1        | WG1813608 |
| n-Hexane                       | 110-54-3   | 86.20    | 63.0         | 222           | 2460           | 8670            |           | 100      | WG1814444 |
| Isopropylbenzene               | 98-82-8    | 120.20   | 0.200        | 0.983         | 0.370          | 1.82            |           | 1        | WG1813608 |
| Methylene Chloride             | 75-09-2    | 84.90    | 0.200        | 0.694         | ND             | ND              |           | 1        | WG1813608 |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 1.25         | 5.11          | ND             | ND              |           | 1        | WG1813608 |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 1.25         | 3.69          | 12.5           | 36.9            |           | 1        | WG1813608 |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 1.25         | 5.12          | ND             | ND              |           | 1        | WG1813608 |
| Methyl methacrylate            | 80-62-6    | 100.12   | 0.200        | 0.819         | ND             | ND              |           | 1        | WG1813608 |
| MTBE                           | 1634-04-4  | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | WG1813608 |
| Naphthalene                    | 91-20-3    | 128      | 0.630        | 3.30          | ND             | ND              |           | 1        | WG1813608 |
| 2-Propanol                     | 67-63-0    | 60.10    | 1.25         | 3.07          | 17.5           | 43.0            |           | 1        | WG1813608 |
| Propene                        | 115-07-1   | 42.10    | 1.25         | 2.15          | ND             | ND              |           | 1        | WG1813608 |
| Styrene                        | 100-42-5   | 104      | 0.200        | 0.851         | ND             | ND              |           | 1        | WG1813608 |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 0.200        | 1.37          | ND             | ND              |           | 1        | WG1813608 |
| Tetrachloroethylene            | 127-18-4   | 166      | 0.200        | 1.36          | ND             | ND              |           | 1        | WG1813608 |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 0.200        | 0.590         | ND             | ND              |           | 1        | WG1813608 |
| Toluene                        | 108-88-3   | 92.10    | 0.500        | 1.88          | 10.3           | 38.8            |           | 1        | WG1813608 |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 0.630        | 4.66          | ND             | ND              |           | 1        | WG1813608 |



Collected date/time: 02/02/22 11:58

L1458131

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| Trichloroethylene          | 79-01-6   | 131      | 0.200        | 1.07          | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 0.200        | 0.982         | 1.59           | 7.80            |           | 1        | <a href="#">WG1813608</a> |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 0.200        | 0.982         | 1.09           | 5.35            |           | 1        | <a href="#">WG1813608</a> |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 0.200        | 0.934         | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| Vinyl chloride             | 75-01-4   | 62.50    | 0.200        | 0.511         | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| Vinyl Bromide              | 593-60-2  | 106.95   | 0.200        | 0.875         | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| Vinyl acetate              | 108-05-4  | 86.10    | 0.200        | 0.704         | ND             | ND              |           | 1        | <a href="#">WG1813608</a> |
| m&p-Xylene                 | 1330-20-7 | 106      | 0.400        | 1.73          | 10.8           | 46.8            |           | 1        | <a href="#">WG1813608</a> |
| o-Xylene                   | 95-47-6   | 106      | 0.200        | 0.867         | 2.99           | 13.0            |           | 1        | <a href="#">WG1813608</a> |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 4000         | 16500         | 14400          | 59500           |           | 20       | <a href="#">WG1813894</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 98.6           |                 |           |          | <a href="#">WG1813608</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 98.7           |                 |           |          | <a href="#">WG1813894</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 101            |                 |           |          | <a href="#">WG1814444</a> |

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

Method Blank (MB)

(MB) R3757459-3 02/06/22 11:01

| Analyte                        | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|--------------------------------|-------------------|--------------|----------------|----------------|
| Acetone                        | U                 |              | 0.584          | 1.25           |
| Allyl Chloride                 | U                 |              | 0.114          | 0.200          |
| Benzene                        | U                 |              | 0.0715         | 0.200          |
| Benzyl Chloride                | U                 |              | 0.0598         | 0.200          |
| Bromodichloromethane           | U                 |              | 0.0702         | 0.200          |
| Bromoform                      | U                 |              | 0.0732         | 0.600          |
| Bromomethane                   | U                 |              | 0.0982         | 0.200          |
| 1,3-Butadiene                  | U                 |              | 0.104          | 2.00           |
| Carbon disulfide               | U                 |              | 0.102          | 0.200          |
| Carbon tetrachloride           | U                 |              | 0.0732         | 0.200          |
| Chlorobenzene                  | U                 |              | 0.0832         | 0.200          |
| Chloroethane                   | U                 |              | 0.0996         | 0.200          |
| Chloroform                     | U                 |              | 0.0717         | 0.200          |
| Chloromethane                  | U                 |              | 0.103          | 0.200          |
| 2-Chlorotoluene                | U                 |              | 0.0828         | 0.200          |
| Dibromochloromethane           | U                 |              | 0.0727         | 0.200          |
| 1,2-Dibromoethane              | U                 |              | 0.0721         | 0.200          |
| 1,2-Dichlorobenzene            | U                 |              | 0.128          | 0.200          |
| 1,3-Dichlorobenzene            | U                 |              | 0.182          | 0.200          |
| 1,4-Dichlorobenzene            | U                 |              | 0.0557         | 0.200          |
| 1,2-Dichloroethane             | U                 |              | 0.0700         | 0.200          |
| 1,1-Dichloroethane             | U                 |              | 0.0723         | 0.200          |
| 1,1-Dichloroethene             | U                 |              | 0.0762         | 0.200          |
| cis-1,2-Dichloroethene         | U                 |              | 0.0784         | 0.200          |
| trans-1,2-Dichloroethene       | U                 |              | 0.0673         | 0.200          |
| 1,2-Dichloropropane            | U                 |              | 0.0760         | 0.200          |
| cis-1,3-Dichloropropene        | U                 |              | 0.0689         | 0.200          |
| trans-1,3-Dichloropropene      | U                 |              | 0.0728         | 0.200          |
| 1,4-Dioxane                    | U                 |              | 0.0833         | 0.200          |
| Ethylbenzene                   | U                 |              | 0.0835         | 0.200          |
| 4-Ethyltoluene                 | U                 |              | 0.0783         | 0.200          |
| Trichlorofluoromethane         | U                 |              | 0.0819         | 0.200          |
| Dichlorodifluoromethane        | U                 |              | 0.137          | 0.200          |
| 1,1,2-Trichlorotrifluoroethane | U                 |              | 0.0793         | 0.200          |
| 1,2-Dichlorotetrafluoroethane  | U                 |              | 0.0890         | 0.200          |
| Hexachloro-1,3-butadiene       | U                 |              | 0.105          | 0.630          |
| Isopropylbenzene               | U                 |              | 0.0777         | 0.200          |
| Methylene Chloride             | U                 |              | 0.0979         | 0.200          |
| Methyl Butyl Ketone            | U                 |              | 0.133          | 1.25           |
| 2-Butanone (MEK)               | U                 |              | 0.0814         | 1.25           |

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Tr

<sup>6</sup> Sr

<sup>7</sup> Qc

<sup>8</sup> Gl

<sup>9</sup> Al

<sup>10</sup> Sc

Method Blank (MB)

(MB) R3757459-3 02/06/22 11:01

| Analyte                     | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|-----------------------------|-------------------|--------------|----------------|----------------|
| 4-Methyl-2-pentanone (MIBK) | U                 |              | 0.0765         | 1.25           |
| Methyl Methacrylate         | U                 |              | 0.0876         | 0.200          |
| MTBE                        | U                 |              | 0.0647         | 0.200          |
| Naphthalene                 | U                 |              | 0.350          | 0.630          |
| 2-Propanol                  | U                 |              | 0.264          | 1.25           |
| Propene                     | U                 |              | 0.0932         | 1.25           |
| Styrene                     | U                 |              | 0.0788         | 0.200          |
| 1,1,2,2-Tetrachloroethane   | U                 |              | 0.0743         | 0.200          |
| Tetrachloroethylene         | U                 |              | 0.0814         | 0.200          |
| Tetrahydrofuran             | U                 |              | 0.0734         | 0.200          |
| Toluene                     | U                 |              | 0.0870         | 0.500          |
| 1,2,4-Trichlorobenzene      | U                 |              | 0.148          | 0.630          |
| 1,1,1-Trichloroethane       | U                 |              | 0.0736         | 0.200          |
| 1,1,2-Trichloroethane       | U                 |              | 0.0775         | 0.200          |
| Trichloroethylene           | U                 |              | 0.0680         | 0.200          |
| 1,2,4-Trimethylbenzene      | U                 |              | 0.0764         | 0.200          |
| 1,3,5-Trimethylbenzene      | U                 |              | 0.0779         | 0.200          |
| 2,2,4-Trimethylpentane      | U                 |              | 0.133          | 0.200          |
| Vinyl chloride              | U                 |              | 0.0949         | 0.200          |
| Vinyl Bromide               | U                 |              | 0.0852         | 0.200          |
| Vinyl acetate               | U                 |              | 0.116          | 0.200          |
| m&p-Xylene                  | U                 |              | 0.135          | 0.400          |
| o-Xylene                    | U                 |              | 0.0828         | 0.200          |
| Ethanol                     | U                 |              | 0.265          | 1.25           |
| TPH (GC/MS) Low Fraction    | U                 |              | 39.7           | 200            |
| (S) 1,4-Bromofluorobenzene  | 97.6              |              |                | 60.0-140       |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3757459-1 02/06/22 09:43 • (LCSD) R3757459-2 02/06/22 10:22

| Analyte                       | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|-------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Ethanol                       | 3.75                 | 3.67               | 3.71                | 97.9          | 98.9           | 55.0-148         |               |                | 1.08     | 25              |
| Propene                       | 3.75                 | 3.92               | 4.03                | 105           | 107            | 64.0-144         |               |                | 2.77     | 25              |
| Dichlorodifluoromethane       | 3.75                 | 4.09               | 4.17                | 109           | 111            | 64.0-139         |               |                | 1.94     | 25              |
| 1,2-Dichlorotetrafluoroethane | 3.75                 | 4.05               | 4.14                | 108           | 110            | 70.0-130         |               |                | 2.20     | 25              |
| Chloromethane                 | 3.75                 | 3.97               | 4.04                | 106           | 108            | 70.0-130         |               |                | 1.75     | 25              |
| Vinyl chloride                | 3.75                 | 4.16               | 4.20                | 111           | 112            | 70.0-130         |               |                | 0.957    | 25              |
| 1,3-Butadiene                 | 3.75                 | 4.08               | 4.13                | 109           | 110            | 70.0-130         |               |                | 1.22     | 25              |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3757459-1 02/06/22 09:43 • (LCSD) R3757459-2 02/06/22 10:22

| Analyte                        | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|--------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Bromomethane                   | 3.75                 | 4.15               | 4.17                | 111           | 111            | 70.0-130         |               |                | 0.481    | 25              |
| Chloroethane                   | 3.75                 | 4.13               | 4.10                | 110           | 109            | 70.0-130         |               |                | 0.729    | 25              |
| Trichlorofluoromethane         | 3.75                 | 4.15               | 4.25                | 111           | 113            | 70.0-130         |               |                | 2.38     | 25              |
| 1,1,2-Trichlorotrifluoroethane | 3.75                 | 4.00               | 4.11                | 107           | 110            | 70.0-130         |               |                | 2.71     | 25              |
| 1,1-Dichloroethene             | 3.75                 | 3.98               | 4.06                | 106           | 108            | 70.0-130         |               |                | 1.99     | 25              |
| 1,1-Dichloroethane             | 3.75                 | 4.00               | 4.09                | 107           | 109            | 70.0-130         |               |                | 2.22     | 25              |
| Acetone                        | 3.75                 | 3.92               | 4.01                | 105           | 107            | 70.0-130         |               |                | 2.27     | 25              |
| 2-Propanol                     | 3.75                 | 3.91               | 3.98                | 104           | 106            | 70.0-139         |               |                | 1.77     | 25              |
| Carbon disulfide               | 3.75                 | 3.97               | 4.03                | 106           | 107            | 70.0-130         |               |                | 1.50     | 25              |
| Methylene Chloride             | 3.75                 | 4.00               | 4.05                | 107           | 108            | 70.0-130         |               |                | 1.24     | 25              |
| MTBE                           | 3.75                 | 3.99               | 4.06                | 106           | 108            | 70.0-130         |               |                | 1.74     | 25              |
| trans-1,2-Dichloroethene       | 3.75                 | 3.99               | 4.05                | 106           | 108            | 70.0-130         |               |                | 1.49     | 25              |
| Vinyl acetate                  | 3.75                 | 3.84               | 3.89                | 102           | 104            | 70.0-130         |               |                | 1.29     | 25              |
| Methyl Ethyl Ketone            | 3.75                 | 3.99               | 4.08                | 106           | 109            | 70.0-130         |               |                | 2.23     | 25              |
| cis-1,2-Dichloroethene         | 3.75                 | 4.01               | 4.06                | 107           | 108            | 70.0-130         |               |                | 1.24     | 25              |
| Chloroform                     | 3.75                 | 4.02               | 4.07                | 107           | 109            | 70.0-130         |               |                | 1.24     | 25              |
| 1,1,1-Trichloroethane          | 3.75                 | 4.04               | 4.09                | 108           | 109            | 70.0-130         |               |                | 1.23     | 25              |
| Carbon tetrachloride           | 3.75                 | 4.08               | 4.13                | 109           | 110            | 70.0-130         |               |                | 1.22     | 25              |
| Benzene                        | 3.75                 | 4.05               | 4.12                | 108           | 110            | 70.0-130         |               |                | 1.71     | 25              |
| 1,2-Dichloroethane             | 3.75                 | 4.09               | 4.21                | 109           | 112            | 70.0-130         |               |                | 2.89     | 25              |
| Trichloroethylene              | 3.75                 | 3.98               | 4.11                | 106           | 110            | 70.0-130         |               |                | 3.21     | 25              |
| 1,2-Dichloropropane            | 3.75                 | 4.07               | 4.15                | 109           | 111            | 70.0-130         |               |                | 1.95     | 25              |
| 1,4-Dioxane                    | 3.75                 | 3.99               | 4.12                | 106           | 110            | 70.0-140         |               |                | 3.21     | 25              |
| Bromodichloromethane           | 3.75                 | 4.09               | 4.15                | 109           | 111            | 70.0-130         |               |                | 1.46     | 25              |
| cis-1,3-Dichloropropene        | 3.75                 | 4.05               | 4.13                | 108           | 110            | 70.0-130         |               |                | 1.96     | 25              |
| 4-Methyl-2-pentanone (MIBK)    | 3.75                 | 4.07               | 4.15                | 109           | 111            | 70.0-139         |               |                | 1.95     | 25              |
| Toluene                        | 3.75                 | 4.02               | 4.12                | 107           | 110            | 70.0-130         |               |                | 2.46     | 25              |
| trans-1,3-Dichloropropene      | 3.75                 | 4.11               | 4.20                | 110           | 112            | 70.0-130         |               |                | 2.17     | 25              |
| 1,1,2-Trichloroethane          | 3.75                 | 4.08               | 4.16                | 109           | 111            | 70.0-130         |               |                | 1.94     | 25              |
| Tetrachloroethylene            | 3.75                 | 4.05               | 4.17                | 108           | 111            | 70.0-130         |               |                | 2.92     | 25              |
| Methyl Butyl Ketone            | 3.75                 | 4.13               | 4.25                | 110           | 113            | 70.0-149         |               |                | 2.86     | 25              |
| Dibromochloromethane           | 3.75                 | 4.18               | 4.25                | 111           | 113            | 70.0-130         |               |                | 1.66     | 25              |
| 1,2-Dibromoethane              | 3.75                 | 4.11               | 4.20                | 110           | 112            | 70.0-130         |               |                | 2.17     | 25              |
| Chlorobenzene                  | 3.75                 | 4.11               | 4.19                | 110           | 112            | 70.0-130         |               |                | 1.93     | 25              |
| Ethylbenzene                   | 3.75                 | 4.04               | 4.14                | 108           | 110            | 70.0-130         |               |                | 2.44     | 25              |
| m&p-Xylene                     | 7.50                 | 8.16               | 8.31                | 109           | 111            | 70.0-130         |               |                | 1.82     | 25              |
| o-Xylene                       | 3.75                 | 4.02               | 4.12                | 107           | 110            | 70.0-130         |               |                | 2.46     | 25              |
| Styrene                        | 3.75                 | 4.08               | 4.16                | 109           | 111            | 70.0-130         |               |                | 1.94     | 25              |
| Bromoform                      | 3.75                 | 4.24               | 4.30                | 113           | 115            | 70.0-130         |               |                | 1.41     | 25              |
| 1,1,2,2-Tetrachloroethane      | 3.75                 | 4.09               | 4.15                | 109           | 111            | 70.0-130         |               |                | 1.46     | 25              |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Volatile Organic Compounds (MS) by Method TO-15

L1458131-02.03.04

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3757459-1 02/06/22 09:43 • (LCSD) R3757459-2 02/06/22 10:22

| Analyte                    | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | <u>LCS Qualifier</u> | <u>LCSD Qualifier</u> | RPD<br>% | RPD Limits<br>% |
|----------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|----------------------|-----------------------|----------|-----------------|
| 4-Ethyltoluene             | 3.75                 | 4.11               | 4.19                | 110           | 112            | 70.0-130         |                      |                       | 1.93     | 25              |
| 1,3,5-Trimethylbenzene     | 3.75                 | 4.14               | 4.23                | 110           | 113            | 70.0-130         |                      |                       | 2.15     | 25              |
| 1,2,4-Trimethylbenzene     | 3.75                 | 4.12               | 4.22                | 110           | 113            | 70.0-130         |                      |                       | 2.40     | 25              |
| 1,3-Dichlorobenzene        | 3.75                 | 4.17               | 4.22                | 111           | 113            | 70.0-130         |                      |                       | 1.19     | 25              |
| 1,4-Dichlorobenzene        | 3.75                 | 4.22               | 4.31                | 113           | 115            | 70.0-130         |                      |                       | 2.11     | 25              |
| Benzyl Chloride            | 3.75                 | 4.21               | 4.35                | 112           | 116            | 70.0-152         |                      |                       | 3.27     | 25              |
| 1,2-Dichlorobenzene        | 3.75                 | 4.16               | 4.25                | 111           | 113            | 70.0-130         |                      |                       | 2.14     | 25              |
| 1,2,4-Trichlorobenzene     | 3.75                 | 4.04               | 4.22                | 108           | 113            | 70.0-160         |                      |                       | 4.36     | 25              |
| Hexachloro-1,3-butadiene   | 3.75                 | 4.09               | 4.21                | 109           | 112            | 70.0-151         |                      |                       | 2.89     | 25              |
| Naphthalene                | 3.75                 | 4.11               | 4.26                | 110           | 114            | 70.0-159         |                      |                       | 3.58     | 25              |
| TPH (GC/MS) Low Fraction   | 203                  | 228                | 233                 | 112           | 115            | 70.0-130         |                      |                       | 2.17     | 25              |
| Allyl Chloride             | 3.75                 | 3.79               | 4.02                | 101           | 107            | 70.0-130         |                      |                       | 5.89     | 25              |
| 2-Chlorotoluene            | 3.75                 | 4.13               | 4.18                | 110           | 111            | 70.0-130         |                      |                       | 1.20     | 25              |
| Methyl Methacrylate        | 3.75                 | 4.02               | 4.10                | 107           | 109            | 70.0-130         |                      |                       | 1.97     | 25              |
| Tetrahydrofuran            | 3.75                 | 3.99               | 4.03                | 106           | 107            | 70.0-137         |                      |                       | 0.998    | 25              |
| 2,2,4-Trimethylpentane     | 3.75                 | 3.97               | 4.04                | 106           | 108            | 70.0-130         |                      |                       | 1.75     | 25              |
| Vinyl Bromide              | 3.75                 | 4.09               | 4.13                | 109           | 110            | 70.0-130         |                      |                       | 0.973    | 25              |
| Isopropylbenzene           | 3.75                 | 4.07               | 4.15                | 109           | 111            | 70.0-130         |                      |                       | 1.95     | 25              |
| (S) 1,4-Bromofluorobenzene |                      |                    |                     | 97.4          | 97.7           | 60.0-140         |                      |                       |          |                 |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Method Blank (MB)

(MB) R3757840-3 02/07/22 08:43

| Analyte                        | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|--------------------------------|-------------------|--------------|----------------|----------------|
| Acetone                        | U                 |              | 0.584          | 1.25           |
| Allyl Chloride                 | U                 |              | 0.114          | 0.200          |
| Benzene                        | U                 |              | 0.0715         | 0.200          |
| Benzyl Chloride                | U                 |              | 0.0598         | 0.200          |
| Bromodichloromethane           | U                 |              | 0.0702         | 0.200          |
| Bromoform                      | U                 |              | 0.0732         | 0.600          |
| Bromomethane                   | U                 |              | 0.0982         | 0.200          |
| 1,3-Butadiene                  | U                 |              | 0.104          | 2.00           |
| Carbon disulfide               | U                 |              | 0.102          | 0.200          |
| Carbon tetrachloride           | U                 |              | 0.0732         | 0.200          |
| Chlorobenzene                  | U                 |              | 0.0832         | 0.200          |
| Chloroethane                   | U                 |              | 0.0996         | 0.200          |
| Chloroform                     | U                 |              | 0.0717         | 0.200          |
| Chloromethane                  | U                 |              | 0.103          | 0.200          |
| 2-Chlorotoluene                | U                 |              | 0.0828         | 0.200          |
| Cyclohexane                    | U                 |              | 0.0753         | 0.200          |
| Dibromochloromethane           | U                 |              | 0.0727         | 0.200          |
| 1,2-Dibromoethane              | U                 |              | 0.0721         | 0.200          |
| 1,2-Dichlorobenzene            | U                 |              | 0.128          | 0.200          |
| 1,3-Dichlorobenzene            | U                 |              | 0.182          | 0.200          |
| 1,4-Dichlorobenzene            | U                 |              | 0.0557         | 0.200          |
| 1,2-Dichloroethane             | U                 |              | 0.0700         | 0.200          |
| 1,1-Dichloroethane             | U                 |              | 0.0723         | 0.200          |
| 1,1-Dichloroethene             | U                 |              | 0.0762         | 0.200          |
| cis-1,2-Dichloroethene         | U                 |              | 0.0784         | 0.200          |
| trans-1,2-Dichloroethene       | U                 |              | 0.0673         | 0.200          |
| 1,2-Dichloropropane            | U                 |              | 0.0760         | 0.200          |
| cis-1,3-Dichloropropene        | U                 |              | 0.0689         | 0.200          |
| trans-1,3-Dichloropropene      | U                 |              | 0.0728         | 0.200          |
| 1,4-Dioxane                    | U                 |              | 0.0833         | 0.200          |
| Ethylbenzene                   | U                 |              | 0.0835         | 0.200          |
| 4-Ethyltoluene                 | U                 |              | 0.0783         | 0.200          |
| Trichlorofluoromethane         | U                 |              | 0.0819         | 0.200          |
| Dichlorodifluoromethane        | U                 |              | 0.137          | 0.200          |
| 1,1,2-Trichlorotrifluoroethane | U                 |              | 0.0793         | 0.200          |
| 1,2-Dichlorotetrafluoroethane  | U                 |              | 0.0890         | 0.200          |
| Heptane                        | U                 |              | 0.104          | 0.200          |
| Hexachloro-1,3-butadiene       | U                 |              | 0.105          | 0.630          |
| n-Hexane                       | U                 |              | 0.206          | 0.630          |
| Isopropylbenzene               | U                 |              | 0.0777         | 0.200          |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc



Volatile Organic Compounds (MS) by Method TO-15

L1458131-01,02,03,04

Method Blank (MB)

(MB) R3757840-3 02/07/22 08:43

| Analyte                     | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|-----------------------------|-------------------|--------------|----------------|----------------|
| Methylene Chloride          | U                 |              | 0.0979         | 0.200          |
| Methyl Butyl Ketone         | U                 |              | 0.133          | 1.25           |
| 2-Butanone (MEK)            | U                 |              | 0.0814         | 1.25           |
| 4-Methyl-2-pentanone (MIBK) | U                 |              | 0.0765         | 1.25           |
| Methyl Methacrylate         | U                 |              | 0.0876         | 0.200          |
| MTBE                        | U                 |              | 0.0647         | 0.200          |
| Naphthalene                 | U                 |              | 0.350          | 0.630          |
| 2-Propanol                  | U                 |              | 0.264          | 1.25           |
| Propene                     | 0.365             | U            | 0.0932         | 1.25           |
| Styrene                     | U                 |              | 0.0788         | 0.200          |
| 1,1,2,2-Tetrachloroethane   | U                 |              | 0.0743         | 0.200          |
| Tetrachloroethylene         | U                 |              | 0.0814         | 0.200          |
| Tetrahydrofuran             | U                 |              | 0.0734         | 0.200          |
| Toluene                     | U                 |              | 0.0870         | 0.500          |
| 1,2,4-Trichlorobenzene      | U                 |              | 0.148          | 0.630          |
| 1,1,1-Trichloroethane       | U                 |              | 0.0736         | 0.200          |
| 1,1,2-Trichloroethane       | U                 |              | 0.0775         | 0.200          |
| Trichloroethylene           | U                 |              | 0.0680         | 0.200          |
| 1,2,4-Trimethylbenzene      | U                 |              | 0.0764         | 0.200          |
| 1,3,5-Trimethylbenzene      | U                 |              | 0.0779         | 0.200          |
| 2,2,4-Trimethylpentane      | U                 |              | 0.133          | 0.200          |
| Vinyl chloride              | U                 |              | 0.0949         | 0.200          |
| Vinyl Bromide               | U                 |              | 0.0852         | 0.200          |
| Vinyl acetate               | U                 |              | 0.116          | 0.200          |
| m&p-Xylene                  | U                 |              | 0.135          | 0.400          |
| o-Xylene                    | U                 |              | 0.0828         | 0.200          |
| Ethanol                     | U                 |              | 0.265          | 1.25           |
| TPH (GC/MS) Low Fraction    | U                 |              | 39.7           | 200            |
| (S) 1,4-Bromofluorobenzene  | 97.5              |              |                | 60.0-140       |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3757840-1 02/07/22 07:28 • (LCSD) R3757840-2 02/07/22 08:06

| Analyte                       | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|-------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Ethanol                       | 3.75                 | 3.49               | 4.11                | 93.1          | 110            | 55.0-148         |               |                | 16.3     | 25              |
| Propene                       | 3.75                 | 3.98               | 4.11                | 106           | 110            | 64.0-144         |               |                | 3.21     | 25              |
| Dichlorodifluoromethane       | 3.75                 | 4.15               | 4.24                | 111           | 113            | 64.0-139         |               |                | 2.15     | 25              |
| 1,2-Dichlorotetrafluoroethane | 3.75                 | 4.11               | 4.21                | 110           | 112            | 70.0-130         |               |                | 2.40     | 25              |

Volatile Organic Compounds (MS) by Method TO-15

L1458131-01.02.03.04

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3757840-1 02/07/22 07:28 • (LCSD) R3757840-2 02/07/22 08:06

| Analyte                        | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|--------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Chloromethane                  | 3.75                 | 4.09               | 4.18                | 109           | 111            | 70.0-130         |               |                | 2.18     | 25              |
| Vinyl chloride                 | 3.75                 | 4.31               | 4.25                | 115           | 113            | 70.0-130         |               |                | 1.40     | 25              |
| 1,3-Butadiene                  | 3.75                 | 4.10               | 4.08                | 109           | 109            | 70.0-130         |               |                | 0.489    | 25              |
| Bromomethane                   | 3.75                 | 3.73               | 4.65                | 99.5          | 124            | 70.0-130         |               |                | 22.0     | 25              |
| Chloroethane                   | 3.75                 | 3.81               | 4.56                | 102           | 122            | 70.0-130         |               |                | 17.9     | 25              |
| Trichlorofluoromethane         | 3.75                 | 3.85               | 4.32                | 103           | 115            | 70.0-130         |               |                | 11.5     | 25              |
| 1,1,2-Trichlorotrifluoroethane | 3.75                 | 4.06               | 4.20                | 108           | 112            | 70.0-130         |               |                | 3.39     | 25              |
| 1,1-Dichloroethene             | 3.75                 | 4.05               | 4.15                | 108           | 111            | 70.0-130         |               |                | 2.44     | 25              |
| 1,1-Dichloroethane             | 3.75                 | 4.11               | 4.15                | 110           | 111            | 70.0-130         |               |                | 0.969    | 25              |
| Acetone                        | 3.75                 | 3.79               | 3.85                | 101           | 103            | 70.0-130         |               |                | 1.57     | 25              |
| 2-Propanol                     | 3.75                 | 3.83               | 3.89                | 102           | 104            | 70.0-139         |               |                | 1.55     | 25              |
| Carbon disulfide               | 3.75                 | 4.05               | 4.01                | 108           | 107            | 70.0-130         |               |                | 0.993    | 25              |
| Methylene Chloride             | 3.75                 | 3.94               | 4.17                | 105           | 111            | 70.0-130         |               |                | 5.67     | 25              |
| MTBE                           | 3.75                 | 3.83               | 3.89                | 102           | 104            | 70.0-130         |               |                | 1.55     | 25              |
| trans-1,2-Dichloroethene       | 3.75                 | 4.08               | 4.04                | 109           | 108            | 70.0-130         |               |                | 0.985    | 25              |
| n-Hexane                       | 3.75                 | 4.26               | 4.31                | 114           | 115            | 70.0-130         |               |                | 1.17     | 25              |
| Vinyl acetate                  | 3.75                 | 3.46               | 3.57                | 92.3          | 95.2           | 70.0-130         |               |                | 3.13     | 25              |
| Methyl Ethyl Ketone            | 3.75                 | 4.03               | 3.87                | 107           | 103            | 70.0-130         |               |                | 4.05     | 25              |
| cis-1,2-Dichloroethene         | 3.75                 | 3.92               | 3.82                | 105           | 102            | 70.0-130         |               |                | 2.58     | 25              |
| Chloroform                     | 3.75                 | 4.01               | 4.14                | 107           | 110            | 70.0-130         |               |                | 3.19     | 25              |
| Cyclohexane                    | 3.75                 | 4.13               | 4.14                | 110           | 110            | 70.0-130         |               |                | 0.242    | 25              |
| 1,1,1-Trichloroethane          | 3.75                 | 3.97               | 4.08                | 106           | 109            | 70.0-130         |               |                | 2.73     | 25              |
| Carbon tetrachloride           | 3.75                 | 3.89               | 4.02                | 104           | 107            | 70.0-130         |               |                | 3.29     | 25              |
| Benzene                        | 3.75                 | 4.18               | 4.13                | 111           | 110            | 70.0-130         |               |                | 1.20     | 25              |
| 1,2-Dichloroethane             | 3.75                 | 4.11               | 4.22                | 110           | 113            | 70.0-130         |               |                | 2.64     | 25              |
| Heptane                        | 3.75                 | 4.43               | 4.40                | 118           | 117            | 70.0-130         |               |                | 0.679    | 25              |
| Trichloroethylene              | 3.75                 | 4.15               | 4.11                | 111           | 110            | 70.0-130         |               |                | 0.969    | 25              |
| 1,2-Dichloropropane            | 3.75                 | 4.23               | 4.22                | 113           | 113            | 70.0-130         |               |                | 0.237    | 25              |
| 1,4-Dioxane                    | 3.75                 | 3.93               | 3.85                | 105           | 103            | 70.0-140         |               |                | 2.06     | 25              |
| Bromodichloromethane           | 3.75                 | 4.13               | 4.04                | 110           | 108            | 70.0-130         |               |                | 2.20     | 25              |
| cis-1,3-Dichloropropene        | 3.75                 | 4.08               | 4.08                | 109           | 109            | 70.0-130         |               |                | 0.000    | 25              |
| 4-Methyl-2-pentanone (MIBK)    | 3.75                 | 4.16               | 4.12                | 111           | 110            | 70.0-139         |               |                | 0.966    | 25              |
| Toluene                        | 3.75                 | 4.20               | 4.16                | 112           | 111            | 70.0-130         |               |                | 0.957    | 25              |
| trans-1,3-Dichloropropene      | 3.75                 | 4.07               | 4.08                | 109           | 109            | 70.0-130         |               |                | 0.245    | 25              |
| 1,1,2-Trichloroethane          | 3.75                 | 4.10               | 4.07                | 109           | 109            | 70.0-130         |               |                | 0.734    | 25              |
| Tetrachloroethylene            | 3.75                 | 4.12               | 4.07                | 110           | 109            | 70.0-130         |               |                | 1.22     | 25              |
| Methyl Butyl Ketone            | 3.75                 | 3.83               | 3.79                | 102           | 101            | 70.0-149         |               |                | 1.05     | 25              |
| Dibromochloromethane           | 3.75                 | 4.10               | 4.05                | 109           | 108            | 70.0-130         |               |                | 1.23     | 25              |
| 1,2-Dibromoethane              | 3.75                 | 4.05               | 4.04                | 108           | 108            | 70.0-130         |               |                | 0.247    | 25              |
| Chlorobenzene                  | 3.75                 | 4.28               | 4.26                | 114           | 114            | 70.0-130         |               |                | 0.468    | 25              |

1

Cp

2

Tc

3

Ss

4

Cn

5

Tr

6

Sr

7

Qc

8

Gl

9

Al

10

Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3757840-1 02/07/22 07:28 • (LCSD) R3757840-2 02/07/22 08:06

| Analyte                    | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | <u>LCS Qualifier</u> | <u>LCSD Qualifier</u> | RPD<br>% | RPD Limits<br>% |
|----------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|----------------------|-----------------------|----------|-----------------|
| Ethylbenzene               | 3.75                 | 4.13               | 4.18                | 110           | 111            | 70.0-130         |                      |                       | 1.20     | 25              |
| m&p-Xylene                 | 7.50                 | 8.45               | 8.53                | 113           | 114            | 70.0-130         |                      |                       | 0.942    | 25              |
| o-Xylene                   | 3.75                 | 4.12               | 4.15                | 110           | 111            | 70.0-130         |                      |                       | 0.726    | 25              |
| Styrene                    | 3.75                 | 4.24               | 4.33                | 113           | 115            | 70.0-130         |                      |                       | 2.10     | 25              |
| Bromoform                  | 3.75                 | 3.96               | 3.92                | 106           | 105            | 70.0-130         |                      |                       | 1.02     | 25              |
| 1,1,2,2-Tetrachloroethane  | 3.75                 | 4.06               | 4.09                | 108           | 109            | 70.0-130         |                      |                       | 0.736    | 25              |
| 4-Ethyltoluene             | 3.75                 | 4.12               | 4.18                | 110           | 111            | 70.0-130         |                      |                       | 1.45     | 25              |
| 1,3,5-Trimethylbenzene     | 3.75                 | 4.26               | 4.28                | 114           | 114            | 70.0-130         |                      |                       | 0.468    | 25              |
| 1,2,4-Trimethylbenzene     | 3.75                 | 4.22               | 4.25                | 113           | 113            | 70.0-130         |                      |                       | 0.708    | 25              |
| 1,3-Dichlorobenzene        | 3.75                 | 4.30               | 4.33                | 115           | 115            | 70.0-130         |                      |                       | 0.695    | 25              |
| 1,4-Dichlorobenzene        | 3.75                 | 4.46               | 4.45                | 119           | 119            | 70.0-130         |                      |                       | 0.224    | 25              |
| Benzyl Chloride            | 3.75                 | 4.19               | 4.23                | 112           | 113            | 70.0-152         |                      |                       | 0.950    | 25              |
| 1,2-Dichlorobenzene        | 3.75                 | 4.25               | 4.27                | 113           | 114            | 70.0-130         |                      |                       | 0.469    | 25              |
| 1,2,4-Trichlorobenzene     | 3.75                 | 4.19               | 4.21                | 112           | 112            | 70.0-160         |                      |                       | 0.476    | 25              |
| Hexachloro-1,3-butadiene   | 3.75                 | 4.14               | 4.15                | 110           | 111            | 70.0-151         |                      |                       | 0.241    | 25              |
| Naphthalene                | 3.75                 | 4.19               | 4.23                | 112           | 113            | 70.0-159         |                      |                       | 0.950    | 25              |
| TPH (GC/MS) Low Fraction   | 203                  | 227                | 228                 | 112           | 112            | 70.0-130         |                      |                       | 0.440    | 25              |
| Allyl Chloride             | 3.75                 | 3.94               | 4.09                | 105           | 109            | 70.0-130         |                      |                       | 3.74     | 25              |
| 2-Chlorotoluene            | 3.75                 | 4.26               | 4.30                | 114           | 115            | 70.0-130         |                      |                       | 0.935    | 25              |
| Methyl Methacrylate        | 3.75                 | 4.20               | 4.06                | 112           | 108            | 70.0-130         |                      |                       | 3.39     | 25              |
| Tetrahydrofuran            | 3.75                 | 4.16               | 4.06                | 111           | 108            | 70.0-137         |                      |                       | 2.43     | 25              |
| 2,2,4-Trimethylpentane     | 3.75                 | 4.23               | 4.32                | 113           | 115            | 70.0-130         |                      |                       | 2.11     | 25              |
| Vinyl Bromide              | 3.75                 | 3.65               | 4.61                | 97.3          | 123            | 70.0-130         |                      |                       | 23.2     | 25              |
| Isopropylbenzene           | 3.75                 | 4.12               | 4.17                | 110           | 111            | 70.0-130         |                      |                       | 1.21     | 25              |
| (S) 1,4-Bromofluorobenzene |                      |                    |                     | 98.8          | 98.5           | 60.0-140         |                      |                       |          |                 |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Volatile Organic Compounds (MS) by Method TO-15 [L1458131-01.03.04](#)

Method Blank (MB)

(MB) R3758043-3 02/08/22 10:28

| Analyte                    | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|----------------------------|-------------------|--------------|----------------|----------------|
| Cyclohexane                | U                 |              | 0.0753         | 0.200          |
| Heptane                    | U                 |              | 0.104          | 0.200          |
| n-Hexane                   | U                 |              | 0.206          | 0.630          |
| (S) 1,4-Bromofluorobenzene | 98.8              |              |                | 60.0-140       |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3758043-1 02/08/22 08:53 • (LCSD) R3758043-2 02/08/22 09:41

| Analyte                    | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| n-Hexane                   | 3.75                 | 3.89               | 3.93                | 104           | 105            | 70.0-130         |               |                | 1.02     | 25              |
| Cyclohexane                | 3.75                 | 3.93               | 3.88                | 105           | 103            | 70.0-130         |               |                | 1.28     | 25              |
| Heptane                    | 3.75                 | 3.77               | 3.92                | 101           | 105            | 70.0-130         |               |                | 3.90     | 25              |
| (S) 1,4-Bromofluorobenzene |                      |                    |                     | 102           | 102            | 60.0-140         |               |                |          |                 |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Volatile Organic Compounds (MS) by Method TO-15 [L1458131-01](#)

Method Blank (MB)

(MB) R3758262-3 02/08/22 10:28

| Analyte                    | MB Result | MB Qualifier | MB MDL | MB RDL   |
|----------------------------|-----------|--------------|--------|----------|
|                            | ppbv      |              | ppbv   | ppbv     |
| n-Hexane                   | U         |              | 0.206  | 0.630    |
| (S) 1,4-Bromofluorobenzene | 98.8      |              |        | 60.0-140 |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3758262-1 02/08/22 08:53 • (LCSD) R3758262-2 02/08/22 09:41

| Analyte                    | Spike Amount | LCS Result | LCSD Result | LCS Rec. | LCSD Rec. | Rec. Limits | LCS Qualifier | LCSD Qualifier | RPD  | RPD Limits |
|----------------------------|--------------|------------|-------------|----------|-----------|-------------|---------------|----------------|------|------------|
|                            | ppbv         | ppbv       | ppbv        | %        | %         | %           |               |                | %    | %          |
| n-Hexane                   | 3.75         | 3.89       | 3.93        | 104      | 105       | 70.0-130    |               |                | 1.02 | 25         |
| (S) 1,4-Bromofluorobenzene |              |            |             | 102      | 102       | 60.0-140    |               |                |      |            |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MDL                          | Method Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| ND                           | Not detected at the Method Quantitation Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| RDL                          | Reported Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Rec.                         | Recovery.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| RPD                          | Relative Percent Difference.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| SDG                          | Sample Delivery Group.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| (S)                          | Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.                                                                                                                                                                                                                                               |
| U                            | Not detected at the Sample Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Analyte                      | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dilution                     | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.                                                                                    |
| Limits                       | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.                                                                                                                                                                                                                                                      |
| Qualifier                    | This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.                                                                                                                                                                  |
| Result                       | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Uncertainty (Radiochemistry) | Confidence level of 2 sigma.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Case Narrative (Cn)          | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.                                                                                                                                                                          |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.                                                                                                                                                                                              |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.                                                              |
| Sample Results (Sr)          | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.                                                                                                                                                                                             |
| Sample Summary (Ss)          | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.                                                                                                                                                                                                                                                                                                                                                            |

QualifierDescription

JThe identification of the analyte is acceptable; the reported value is an estimate.

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

|                                |             |                             |                  |
|--------------------------------|-------------|-----------------------------|------------------|
| Alabama                        | 40660       | Nebraska                    | NE-OS-15-05      |
| Alaska                         | 17-026      | Nevada                      | TN000032021-1    |
| Arizona                        | AZ0612      | New Hampshire               | 2975             |
| Arkansas                       | 88-0469     | New Jersey--NELAP           | TN002            |
| California                     | 2932        | New Mexico <sup>1</sup>     | TN00003          |
| Colorado                       | TN00003     | New York                    | 11742            |
| Connecticut                    | PH-0197     | North Carolina              | Env375           |
| Florida                        | E87487      | North Carolina <sup>1</sup> | DW21704          |
| Georgia                        | NELAP       | North Carolina <sup>3</sup> | 41               |
| Georgia <sup>1</sup>           | 923         | North Dakota                | R-140            |
| Idaho                          | TN00003     | Ohio--VAP                   | CL0069           |
| Illinois                       | 200008      | Oklahoma                    | 9915             |
| Indiana                        | C-TN-01     | Oregon                      | TN200002         |
| Iowa                           | 364         | Pennsylvania                | 68-02979         |
| Kansas                         | E-10277     | Rhode Island                | LA000356         |
| Kentucky <sup>1 6</sup>        | KY90010     | South Carolina              | 84004002         |
| Kentucky <sup>2</sup>          | 16          | South Dakota                | n/a              |
| Louisiana                      | AI30792     | Tennessee <sup>1 4</sup>    | 2006             |
| Louisiana                      | LA018       | Texas                       | T104704245-20-18 |
| Maine                          | TN00003     | Texas <sup>5</sup>          | LAB0152          |
| Maryland                       | 324         | Utah                        | TN000032021-11   |
| Massachusetts                  | M-TN003     | Vermont                     | VT2006           |
| Michigan                       | 9958        | Virginia                    | 110033           |
| Minnesota                      | 047-999-395 | Washington                  | C847             |
| Mississippi                    | TN00003     | West Virginia               | 233              |
| Missouri                       | 340         | Wisconsin                   | 998093910        |
| Montana                        | CERT0086    | Wyoming                     | A2LA             |
| A2LA -- ISO 17025              | 1461.01     | AIHA-LAP,LLC EMLAP          | 100789           |
| A2LA -- ISO 17025 <sup>5</sup> | 1461.02     | DOD                         | 1461.01          |
| Canada                         | 1461.01     | USDA                        | P330-15-00234    |
| EPA--Crypto                    | TN00003     |                             |                  |

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc



Released to Imaging: 3/6/2024 9:46:27 AM





## ANALYTICAL REPORT

February 14, 2022

**Ensolum, LLC**

Sample Delivery Group: L1459491  
Samples Received: 02/09/2022  
Project Number: 03B1417001  
Description: Levey Well  
Site: 03B1417001  
Report To: Beaux Jennings  
705 W. Wadley Ave, Ste 210  
Midland, TX 79705



Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "M. Beasley".

Mark W. Beasley  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

|                                                 |    |                  |
|-------------------------------------------------|----|------------------|
| Cp: Cover Page                                  | 1  | <sup>1</sup> Cp  |
| Tc: Table of Contents                           | 2  |                  |
| Ss: Sample Summary                              | 3  | <sup>2</sup> Tc  |
| Cn: Case Narrative                              | 4  |                  |
| Tr: TRRP Summary                                | 5  | <sup>3</sup> Ss  |
| TRRP form R                                     | 6  |                  |
| TRRP form S                                     | 7  | <sup>4</sup> Cn  |
| TRRP Exception Reports                          | 8  | <sup>5</sup> Tr  |
| Sr: Sample Results                              | 9  |                  |
| LEVEY WELL L1459491-01                          | 9  | <sup>6</sup> Sr  |
| Qc: Quality Control Summary                     | 11 | <sup>7</sup> Qc  |
| Volatile Organic Compounds (MS) by Method TO-15 | 11 |                  |
| Gl: Glossary of Terms                           | 17 | <sup>8</sup> Gl  |
| Al: Accreditations & Locations                  | 18 |                  |
| Sc: Sample Chain of Custody                     | 19 | <sup>9</sup> Al  |
|                                                 |    | <sup>10</sup> Sc |

LEVEY WELL L1459491-01 Air

Collected by Aaron Marquez  
Collected date/time 02/08/22 12:00  
Received date/time 02/09/22 13:40

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1815593 | 1        | 02/10/22 00:19        | 02/10/22 00:19     | DAH     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1815885 | 10       | 02/10/22 22:41        | 02/10/22 22:41     | CEP     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1816661 | 100      | 02/12/22 01:46        | 02/12/22 01:46     | CEP     | Mt. Juliet, TN |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley  
Project Manager

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Laboratory Data Package Cover Page

This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
  - a. Items consistent with NELAC Chapter 5,
  - b. dilution factors,
  - c. preparation methods,
  - d. cleanup methods, and
  - e. if required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
  - a. Calculated recovery (%R), and
  - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
  - a. LCS spiking amounts,
  - b. Calculated %R for each analyte, and
  - c. The laboratory's LCS QC limits.
- R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
  - a. Samples associated with the MS/MSD clearly identified,
  - b. MS/MSD spiking amounts,
  - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
  - d. Calculated %Rs and relative percent differences (RPDs), and
  - e. The laboratory's MS/MSD QC limits
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
  - a. The amount of analyte measured in the duplicate,
  - b. The calculated RPD, and
  - c. The laboratory's QC limits for analytical duplicates.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.



Mark W. Beasley  
Project Manager

# Laboratory Review Checklist: Reportable Data

| Laboratory Name: Pace Analytical National |                | LRC Date: 02/14/2022 11:35                                                                                                                                               |     |    |                 |                 |                  |
|-------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|-----------------|-----------------|------------------|
| Project Name: Levey Well                  |                | Laboratory Job Number: L1459491-01                                                                                                                                       |     |    |                 |                 |                  |
| Reviewer Name: Mark W. Beasley            |                | Prep Batch Number(s): WG1815593, WG1815885 and WG1816661                                                                                                                 |     |    |                 |                 |                  |
| # <sup>1</sup>                            | A <sup>2</sup> | Description                                                                                                                                                              | Yes | No | NA <sup>3</sup> | NR <sup>4</sup> | ER# <sup>5</sup> |
| R1                                        | OI             | Chain-of-custody (C-O-C)                                                                                                                                                 |     |    |                 |                 |                  |
|                                           |                | Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?                                                                              | X   |    |                 |                 |                  |
|                                           |                | Were all departures from standard conditions described in an exception report?                                                                                           |     |    | X               |                 |                  |
| R2                                        | OI             | Sample and quality control (QC) identification                                                                                                                           |     |    |                 |                 |                  |
|                                           |                | Are all field sample ID numbers cross-referenced to the laboratory ID numbers?                                                                                           | X   |    |                 |                 |                  |
|                                           |                | Are all laboratory ID numbers cross-referenced to the corresponding QC data?                                                                                             | X   |    |                 |                 |                  |
| R3                                        | OI             | Test reports                                                                                                                                                             |     |    |                 |                 |                  |
|                                           |                | Were all samples prepared and analyzed within holding times?                                                                                                             | X   |    |                 |                 |                  |
|                                           |                | Other than those results < MQL, were all other raw values bracketed by calibration standards?                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were calculations checked by a peer or supervisor?                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Were all analyte identifications checked by a peer or supervisor?                                                                                                        | X   |    |                 |                 |                  |
|                                           |                | Were sample detection limits reported for all analytes not detected?                                                                                                     | X   |    |                 |                 |                  |
|                                           |                | Were all results for soil and sediment samples reported on a dry weight basis?                                                                                           | X   |    |                 |                 |                  |
|                                           |                | Were % moisture (or solids) reported for all soil and sediment samples?                                                                                                  |     |    | X               |                 |                  |
|                                           |                | Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?                                                                      |     |    | X               |                 |                  |
|                                           |                | If required for the project, are TICs reported?                                                                                                                          |     |    | X               |                 |                  |
| R4                                        | O              | Surrogate recovery data                                                                                                                                                  |     |    |                 |                 |                  |
|                                           |                | Were surrogates added prior to extraction?                                                                                                                               | X   |    |                 |                 |                  |
|                                           |                | Were surrogate percent recoveries in all samples within the laboratory QC limits?                                                                                        | X   |    |                 |                 |                  |
| R5                                        | OI             | Test reports/summary forms for blank samples                                                                                                                             |     |    |                 |                 |                  |
|                                           |                | Were appropriate type(s) of blanks analyzed?                                                                                                                             | X   |    |                 |                 |                  |
|                                           |                | Were blanks analyzed at the appropriate frequency?                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?                                            | X   |    |                 |                 |                  |
|                                           |                | Were blank concentrations < MQL?                                                                                                                                         | X   |    |                 |                 |                  |
| R6                                        | OI             | Laboratory control samples (LCS):                                                                                                                                        |     |    |                 |                 |                  |
|                                           |                | Were all COCs included in the LCS?                                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were LCSs analyzed at the required frequency?                                                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?                                                                                                  | X   |    |                 |                 |                  |
|                                           |                | Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?                                  | X   |    |                 |                 |                  |
|                                           |                | Was the LCSD RPD within QC limits?                                                                                                                                       | X   |    |                 |                 |                  |
| R7                                        | OI             | Matrix spike (MS) and matrix spike duplicate (MSD) data                                                                                                                  |     |    |                 |                 |                  |
|                                           |                | Were the project/method specified analytes included in the MS and MSD?                                                                                                   |     |    | X               |                 |                  |
|                                           |                | Were MS/MSD analyzed at the appropriate frequency?                                                                                                                       |     |    | X               |                 |                  |
|                                           |                | Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?                                                                                                    |     |    | X               |                 |                  |
|                                           |                | Were MS/MSD RPDs within laboratory QC limits?                                                                                                                            |     |    | X               |                 |                  |
| R8                                        | OI             | Analytical duplicate data                                                                                                                                                |     |    |                 |                 |                  |
|                                           |                | Were appropriate analytical duplicates analyzed for each matrix?                                                                                                         |     |    | X               |                 |                  |
|                                           |                | Were analytical duplicates analyzed at the appropriate frequency?                                                                                                        |     |    | X               |                 |                  |
|                                           |                | Were RPDs or relative standard deviations within the laboratory QC limits?                                                                                               |     |    | X               |                 |                  |
| R9                                        | OI             | Method quantitation limits (MQLs):                                                                                                                                       |     |    |                 |                 |                  |
|                                           |                | Are the MQLs for each method analyte included in the laboratory data package?                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?                                                                                 | X   |    |                 |                 |                  |
|                                           |                | Are unadjusted MQLs and DCSs included in the laboratory data package?                                                                                                    | X   |    |                 |                 |                  |
| R10                                       | OI             | Other problems/anomalies                                                                                                                                                 |     |    |                 |                 |                  |
|                                           |                | Are all known problems/anomalies/special conditions noted in this LRC and ER?                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?                                         | X   |    |                 |                 |                  |
|                                           |                | Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package? | X   |    |                 |                 |                  |

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.  
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);  
3. NA = Not applicable;  
4. NR = Not reviewed;  
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).



# Laboratory Review Checklist: Supporting Data

| Laboratory Name: Pace Analytical National                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                | LRC Date: 02/14/2022 11:35                                                                             |     |    |                 |                 |                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------|-----|----|-----------------|-----------------|------------------|
| Project Name: Levey Well                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                | Laboratory Job Number: L1459491-01                                                                     |     |    |                 |                 |                  |
| Reviewer Name: Mark W. Beasley                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                | Prep Batch Number(s): WG1815593, WG1815885 and WG1816661                                               |     |    |                 |                 |                  |
| # <sup>1</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | A <sup>2</sup> | Description                                                                                            | Yes | No | NA <sup>3</sup> | NR <sup>4</sup> | ER# <sup>5</sup> |
| S1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Initial calibration (ICAL)                                                                             |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were response factors and/or relative response factors for each analyte within QC limits?              | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent RSDs or correlation coefficient criteria met?                                             | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the number of standards recommended in the method used for all analytes?                           | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were all points generated between the lowest and highest standard used to calculate the curve?         | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are ICAL data available for all instruments used?                                                      | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Has the initial calibration curve been verified using an appropriate second source standard?           | X   |    |                 |                 |                  |
| S2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB): |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the CCV analyzed at the method-required frequency?                                                 | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent differences for each analyte within the method-required QC limits?                        | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the ICAL curve verified for each analyte?                                                          | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the absolute value of the analyte concentration in the inorganic CCB < MDL?                        |     |    | X               |                 |                  |
| S3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Mass spectral tuning                                                                                   |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the appropriate compound for the method used for tuning?                                           | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were ion abundance data within the method-required QC limits?                                          | X   |    |                 |                 |                  |
| S4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Internal standards (IS)                                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were IS area counts and retention times within the method-required QC limits?                          | X   |    |                 |                 |                  |
| S5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Raw data (NELAC Section 5.5.10)                                                                        |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?                  | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were data associated with manual integrations flagged on the raw data?                                 | X   |    |                 |                 |                  |
| S6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Dual column confirmation                                                                               |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Did dual column confirmation results meet the method-required QC?                                      |     |    | X               |                 |                  |
| S7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Tentatively identified compounds (TICs)                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?              |     |    | X               |                 |                  |
| S8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | I              | Interference Check Sample (ICS) results                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent recoveries within method QC limits?                                                       |     |    | X               |                 |                  |
| S9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | I              | Serial dilutions, post digestion spikes, and method of standard additions                              |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent differences, recoveries, and the linearity within the QC limits specified in the method?  |     |    | X               |                 |                  |
| S10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Method detection limit (MDL) studies                                                                   |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was a MDL study performed for each reported analyte?                                                   | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Is the MDL either adjusted or supported by the analysis of DCSs?                                       | X   |    |                 |                 |                  |
| S11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Proficiency test reports                                                                               |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies? | X   |    |                 |                 |                  |
| S12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Standards documentation                                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?      | X   |    |                 |                 |                  |
| S13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Compound/analyte identification procedures                                                             |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are the procedures for compound/analyte identification documented?                                     | X   |    |                 |                 |                  |
| S14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Demonstration of analyst competency (DOC)                                                              |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was DOC conducted consistent with NELAC Chapter 5?                                                     | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Is documentation of the analyst's competency up-to-date and on file?                                   | X   |    |                 |                 |                  |
| S15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Verification/validation documentation for methods (NELAC Chapter 5)                                    |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are all the methods used to generate the data documented, verified, and validated, where applicable?   | X   |    |                 |                 |                  |
| S16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Laboratory standard operating procedures (SOPs)                                                        |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are laboratory SOPs current and on file for each method performed                                      | X   |    |                 |                 |                  |
| <p>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);</p> <p>3. NA = Not applicable;</p> <p>4. NR = Not reviewed;</p> <p>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p> |                |                                                                                                        |     |    |                 |                 |                  |

## Laboratory Review Checklist: Exception Reports

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                    |                                                          |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------|--|
| Laboratory Name: Pace Analytical National                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                    | LRC Date: 02/14/2022 11:35                               |  |
| Project Name: Levey Well                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                    | Laboratory Job Number: L1459491-01                       |  |
| Reviewer Name: Mark W. Beasley                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    | Prep Batch Number(s): WG1815593, WG1815885 and WG1816661 |  |
| <b>ER #<sup>1</sup></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Description</b> |                                                          |  |
| The Exception Report intentionally left blank, there are no exceptions applied to this SDG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    |                                                          |  |
| <small>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.<br/>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);<br/>3. NA = Not applicable;<br/>4. NR = Not reviewed;<br/>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</small> |                    |                                                          |  |

Collected date/time: 02/08/22 12:00

L1459491

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|-----------|
| Acetone                        | 67-64-1    | 58.10    | 1.25         | 2.97          | 37.3           | 88.6            |           | 1        | WG1815593 |
| Allyl chloride                 | 107-05-1   | 76.53    | 0.200        | 0.626         | ND             | ND              |           | 1        | WG1815593 |
| Benzene                        | 71-43-2    | 78.10    | 0.200        | 0.639         | ND             | ND              |           | 1        | WG1815593 |
| Benzyl Chloride                | 100-44-7   | 127      | 0.200        | 1.04          | ND             | ND              |           | 1        | WG1815593 |
| Bromodichloromethane           | 75-27-4    | 164      | 0.200        | 1.34          | ND             | ND              |           | 1        | WG1815593 |
| Bromoform                      | 75-25-2    | 253      | 0.600        | 6.21          | ND             | ND              |           | 1        | WG1815593 |
| Bromomethane                   | 74-83-9    | 94.90    | 0.200        | 0.776         | ND             | ND              |           | 1        | WG1815593 |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 2.00         | 4.43          | ND             | ND              |           | 1        | WG1815593 |
| Carbon disulfide               | 75-15-0    | 76.10    | 0.200        | 0.622         | ND             | ND              |           | 1        | WG1815593 |
| Carbon tetrachloride           | 56-23-5    | 154      | 0.200        | 1.26          | ND             | ND              |           | 1        | WG1815593 |
| Chlorobenzene                  | 108-90-7   | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | WG1815593 |
| Chloroethane                   | 75-00-3    | 64.50    | 0.200        | 0.528         | ND             | ND              |           | 1        | WG1815593 |
| Chloroform                     | 67-66-3    | 119      | 0.200        | 0.973         | ND             | ND              |           | 1        | WG1815593 |
| Chloromethane                  | 74-87-3    | 50.50    | 0.200        | 0.413         | ND             | ND              |           | 1        | WG1815593 |
| 2-Chlorotoluene                | 95-49-8    | 126      | 0.200        | 1.03          | ND             | ND              |           | 1        | WG1815593 |
| Cyclohexane                    | 110-82-7   | 84.20    | 2.00         | 6.89          | 381            | 1310            |           | 10       | WG1815885 |
| Dibromochloromethane           | 124-48-1   | 208      | 0.200        | 1.70          | ND             | ND              |           | 1        | WG1815593 |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 0.200        | 1.54          | ND             | ND              |           | 1        | WG1815593 |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1815593 |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1815593 |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1815593 |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 0.200        | 0.810         | ND             | ND              |           | 1        | WG1815593 |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 0.200        | 0.802         | ND             | ND              |           | 1        | WG1815593 |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1815593 |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1815593 |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1815593 |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | WG1815593 |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | WG1815593 |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | WG1815593 |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | WG1815593 |
| Ethanol                        | 64-17-5    | 46.10    | 1.25         | 2.36          | ND             | ND              |           | 1        | WG1815593 |
| Ethylbenzene                   | 100-41-4   | 106      | 0.200        | 0.867         | 6.28           | 27.2            |           | 1        | WG1815593 |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 0.200        | 0.982         | ND             | ND              |           | 1        | WG1815593 |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 0.200        | 1.12          | ND             | ND              |           | 1        | WG1815593 |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 0.200        | 0.989         | ND             | ND              |           | 1        | WG1815593 |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 0.200        | 1.53          | 0.786          | 6.02            |           | 1        | WG1815593 |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 0.200        | 1.40          | ND             | ND              |           | 1        | WG1815593 |
| Heptane                        | 142-82-5   | 100      | 2.00         | 8.18          | 645            | 2640            |           | 10       | WG1815885 |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 0.630        | 6.73          | ND             | ND              |           | 1        | WG1815593 |
| n-Hexane                       | 110-54-3   | 86.20    | 63.0         | 222           | 3880           | 13700           |           | 100      | WG1816661 |
| Isopropylbenzene               | 98-82-8    | 120.20   | 0.200        | 0.983         | 2.94           | 14.5            |           | 1        | WG1815593 |
| Methylene Chloride             | 75-09-2    | 84.90    | 0.200        | 0.694         | ND             | ND              |           | 1        | WG1815593 |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 1.25         | 5.11          | ND             | ND              |           | 1        | WG1815593 |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 1.25         | 3.69          | 5.24           | 15.5            |           | 1        | WG1815593 |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 1.25         | 5.12          | ND             | ND              |           | 1        | WG1815593 |
| Methyl methacrylate            | 80-62-6    | 100.12   | 0.200        | 0.819         | ND             | ND              |           | 1        | WG1815593 |
| MTBE                           | 1634-04-4  | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | WG1815593 |
| Naphthalene                    | 91-20-3    | 128      | 0.630        | 3.30          | 0.695          | 3.64            |           | 1        | WG1815593 |
| 2-Propanol                     | 67-63-0    | 60.10    | 1.25         | 3.07          | 31.0           | 76.2            |           | 1        | WG1815593 |
| Propene                        | 115-07-1   | 42.10    | 1.25         | 2.15          | ND             | ND              |           | 1        | WG1815593 |
| Styrene                        | 100-42-5   | 104      | 0.200        | 0.851         | ND             | ND              |           | 1        | WG1815593 |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 0.200        | 1.37          | ND             | ND              |           | 1        | WG1815593 |
| Tetrachloroethylene            | 127-18-4   | 166      | 0.200        | 1.36          | 0.498          | 3.38            |           | 1        | WG1815593 |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 0.200        | 0.590         | ND             | ND              |           | 1        | WG1815593 |
| Toluene                        | 108-88-3   | 92.10    | 0.500        | 1.88          | 3.26           | 12.3            |           | 1        | WG1815593 |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 0.630        | 4.66          | ND             | ND              |           | 1        | WG1815593 |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/08/22 12:00

L1459491

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|-----------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | WG1815593 |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | WG1815593 |
| Trichloroethylene          | 79-01-6   | 131      | 0.200        | 1.07          | ND             | ND              |           | 1        | WG1815593 |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 0.200        | 0.982         | 8.92           | 43.8            |           | 1        | WG1815593 |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 0.200        | 0.982         | 9.47           | 46.5            |           | 1        | WG1815593 |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 0.200        | 0.934         | ND             | ND              |           | 1        | WG1815593 |
| Vinyl chloride             | 75-01-4   | 62.50    | 0.200        | 0.511         | ND             | ND              |           | 1        | WG1815593 |
| Vinyl Bromide              | 593-60-2  | 106.95   | 0.200        | 0.875         | ND             | ND              |           | 1        | WG1815593 |
| Vinyl acetate              | 108-05-4  | 86.10    | 0.200        | 0.704         | ND             | ND              |           | 1        | WG1815593 |
| m&p-Xylene                 | 1330-20-7 | 106      | 0.400        | 1.73          | 21.2           | 91.9            |           | 1        | WG1815593 |
| o-Xylene                   | 95-47-6   | 106      | 0.200        | 0.867         | 9.08           | 39.4            |           | 1        | WG1815593 |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 2000         | 8260          | 20100          | 83000           |           | 10       | WG1815885 |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 125            |                 |           |          | WG1815593 |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 95.1           |                 |           |          | WG1815885 |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 102            |                 |           |          | WG1816661 |

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

Method Blank (MB)

(MB) R3758717-3 02/09/22 17:11

| Analyte                        | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|--------------------------------|-------------------|--------------|----------------|----------------|
| Acetone                        | U                 |              | 0.584          | 1.25           |
| Allyl Chloride                 | U                 |              | 0.114          | 0.200          |
| Benzene                        | U                 |              | 0.0715         | 0.200          |
| Benzyl Chloride                | U                 |              | 0.0598         | 0.200          |
| Bromodichloromethane           | U                 |              | 0.0702         | 0.200          |
| Bromoform                      | U                 |              | 0.0732         | 0.600          |
| Bromomethane                   | U                 |              | 0.0982         | 0.200          |
| 1,3-Butadiene                  | U                 |              | 0.104          | 2.00           |
| Carbon disulfide               | U                 |              | 0.102          | 0.200          |
| Carbon tetrachloride           | U                 |              | 0.0732         | 0.200          |
| Chlorobenzene                  | U                 |              | 0.0832         | 0.200          |
| Chloroethane                   | U                 |              | 0.0996         | 0.200          |
| Chloroform                     | U                 |              | 0.0717         | 0.200          |
| Chloromethane                  | U                 |              | 0.103          | 0.200          |
| 2-Chlorotoluene                | U                 |              | 0.0828         | 0.200          |
| Dibromochloromethane           | U                 |              | 0.0727         | 0.200          |
| 1,2-Dibromoethane              | U                 |              | 0.0721         | 0.200          |
| 1,2-Dichlorobenzene            | U                 |              | 0.128          | 0.200          |
| 1,3-Dichlorobenzene            | U                 |              | 0.182          | 0.200          |
| 1,4-Dichlorobenzene            | U                 |              | 0.0557         | 0.200          |
| 1,2-Dichloroethane             | U                 |              | 0.0700         | 0.200          |
| 1,1-Dichloroethane             | U                 |              | 0.0723         | 0.200          |
| 1,1-Dichloroethene             | U                 |              | 0.0762         | 0.200          |
| cis-1,2-Dichloroethene         | U                 |              | 0.0784         | 0.200          |
| trans-1,2-Dichloroethene       | U                 |              | 0.0673         | 0.200          |
| 1,2-Dichloropropane            | U                 |              | 0.0760         | 0.200          |
| cis-1,3-Dichloropropene        | U                 |              | 0.0689         | 0.200          |
| trans-1,3-Dichloropropene      | U                 |              | 0.0728         | 0.200          |
| 1,4-Dioxane                    | U                 |              | 0.0833         | 0.200          |
| Ethylbenzene                   | U                 |              | 0.0835         | 0.200          |
| 4-Ethyltoluene                 | U                 |              | 0.0783         | 0.200          |
| Trichlorofluoromethane         | U                 |              | 0.0819         | 0.200          |
| Dichlorodifluoromethane        | U                 |              | 0.137          | 0.200          |
| 1,1,2-Trichlorotrifluoroethane | U                 |              | 0.0793         | 0.200          |
| 1,2-Dichlorotetrafluoroethane  | U                 |              | 0.0890         | 0.200          |
| Hexachloro-1,3-butadiene       | U                 |              | 0.105          | 0.630          |
| Isopropylbenzene               | U                 |              | 0.0777         | 0.200          |
| Methylene Chloride             | U                 |              | 0.0979         | 0.200          |
| Methyl Butyl Ketone            | U                 |              | 0.133          | 1.25           |
| 2-Butanone (MEK)               | U                 |              | 0.0814         | 1.25           |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Volatile Organic Compounds (MS) by Method TO-15

L1459491-01

Method Blank (MB)

(MB) R3758717-3 02/09/22 17:11

| Analyte                     | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|-----------------------------|-------------------|--------------|----------------|----------------|
| 4-Methyl-2-pentanone (MIBK) | U                 |              | 0.0765         | 1.25           |
| Methyl Methacrylate         | U                 |              | 0.0876         | 0.200          |
| MTBE                        | U                 |              | 0.0647         | 0.200          |
| Naphthalene                 | U                 |              | 0.350          | 0.630          |
| 2-Propanol                  | U                 |              | 0.264          | 1.25           |
| Propene                     | U                 |              | 0.0932         | 1.25           |
| Styrene                     | U                 |              | 0.0788         | 0.200          |
| 1,1,2,2-Tetrachloroethane   | U                 |              | 0.0743         | 0.200          |
| Tetrachloroethylene         | U                 |              | 0.0814         | 0.200          |
| Tetrahydrofuran             | U                 |              | 0.0734         | 0.200          |
| Toluene                     | U                 |              | 0.0870         | 0.500          |
| 1,2,4-Trichlorobenzene      | U                 |              | 0.148          | 0.630          |
| 1,1,1-Trichloroethane       | U                 |              | 0.0736         | 0.200          |
| 1,1,2-Trichloroethane       | U                 |              | 0.0775         | 0.200          |
| Trichloroethylene           | U                 |              | 0.0680         | 0.200          |
| 1,2,4-Trimethylbenzene      | U                 |              | 0.0764         | 0.200          |
| 1,3,5-Trimethylbenzene      | U                 |              | 0.0779         | 0.200          |
| 2,2,4-Trimethylpentane      | U                 |              | 0.133          | 0.200          |
| Vinyl chloride              | U                 |              | 0.0949         | 0.200          |
| Vinyl Bromide               | U                 |              | 0.0852         | 0.200          |
| Vinyl acetate               | U                 |              | 0.116          | 0.200          |
| m&p-Xylene                  | U                 |              | 0.135          | 0.400          |
| o-Xylene                    | U                 |              | 0.0828         | 0.200          |
| Ethanol                     | U                 |              | 0.265          | 1.25           |
| (S) 1,4-Bromofluorobenzene  | 90.5              |              |                | 60.0-140       |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3758717-1 02/09/22 15:46 • (LCSD) R3758717-2 02/09/22 16:29

| Analyte                       | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|-------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Ethanol                       | 3.75                 | 3.02               | 3.14                | 80.5          | 83.7           | 55.0-148         |               |                | 3.90     | 25              |
| Propene                       | 3.75                 | 3.20               | 3.20                | 85.3          | 85.3           | 64.0-144         |               |                | 0.000    | 25              |
| Dichlorodifluoromethane       | 3.75                 | 3.43               | 3.56                | 91.5          | 94.9           | 64.0-139         |               |                | 3.72     | 25              |
| 1,2-Dichlorotetrafluoroethane | 3.75                 | 3.39               | 3.47                | 90.4          | 92.5           | 70.0-130         |               |                | 2.33     | 25              |
| Chloromethane                 | 3.75                 | 3.28               | 3.41                | 87.5          | 90.9           | 70.0-130         |               |                | 3.89     | 25              |
| Vinyl chloride                | 3.75                 | 3.32               | 3.27                | 88.5          | 87.2           | 70.0-130         |               |                | 1.52     | 25              |
| 1,3-Butadiene                 | 3.75                 | 3.02               | 3.02                | 80.5          | 80.5           | 70.0-130         |               |                | 0.000    | 25              |
| Bromomethane                  | 3.75                 | 2.95               | 3.04                | 78.7          | 81.1           | 70.0-130         |               |                | 3.01     | 25              |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3758717-1 02/09/22 15:46 • (LCSD) R3758717-2 02/09/22 16:29

| Analyte                        | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | <u>LCS Qualifier</u> | <u>LCSD Qualifier</u> | RPD<br>% | RPD Limits<br>% |
|--------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|----------------------|-----------------------|----------|-----------------|
| Chloroethane                   | 3.75                 | 2.96               | 2.98                | 78.9          | 79.5           | 70.0-130         |                      |                       | 0.673    | 25              |
| Trichlorofluoromethane         | 3.75                 | 3.17               | 3.27                | 84.5          | 87.2           | 70.0-130         |                      |                       | 3.11     | 25              |
| 1,1,2-Trichlorotrifluoroethane | 3.75                 | 3.31               | 3.38                | 88.3          | 90.1           | 70.0-130         |                      |                       | 2.09     | 25              |
| 1,1-Dichloroethene             | 3.75                 | 3.28               | 3.33                | 87.5          | 88.8           | 70.0-130         |                      |                       | 1.51     | 25              |
| 1,1-Dichloroethane             | 3.75                 | 3.27               | 3.35                | 87.2          | 89.3           | 70.0-130         |                      |                       | 2.42     | 25              |
| Acetone                        | 3.75                 | 2.68               | 3.07                | 71.5          | 81.9           | 70.0-130         |                      |                       | 13.6     | 25              |
| 2-Propanol                     | 3.75                 | 3.09               | 3.13                | 82.4          | 83.5           | 70.0-139         |                      |                       | 1.29     | 25              |
| Carbon disulfide               | 3.75                 | 3.19               | 3.25                | 85.1          | 86.7           | 70.0-130         |                      |                       | 1.86     | 25              |
| Methylene Chloride             | 3.75                 | 3.07               | 3.16                | 81.9          | 84.3           | 70.0-130         |                      |                       | 2.89     | 25              |
| MTBE                           | 3.75                 | 3.28               | 3.40                | 87.5          | 90.7           | 70.0-130         |                      |                       | 3.59     | 25              |
| trans-1,2-Dichloroethene       | 3.75                 | 3.26               | 3.41                | 86.9          | 90.9           | 70.0-130         |                      |                       | 4.50     | 25              |
| Vinyl acetate                  | 3.75                 | 3.17               | 3.26                | 84.5          | 86.9           | 70.0-130         |                      |                       | 2.80     | 25              |
| Methyl Ethyl Ketone            | 3.75                 | 3.32               | 3.37                | 88.5          | 89.9           | 70.0-130         |                      |                       | 1.49     | 25              |
| cis-1,2-Dichloroethene         | 3.75                 | 3.35               | 3.34                | 89.3          | 89.1           | 70.0-130         |                      |                       | 0.299    | 25              |
| Chloroform                     | 3.75                 | 3.33               | 3.39                | 88.8          | 90.4           | 70.0-130         |                      |                       | 1.79     | 25              |
| 1,1,1-Trichloroethane          | 3.75                 | 3.48               | 3.56                | 92.8          | 94.9           | 70.0-130         |                      |                       | 2.27     | 25              |
| Carbon tetrachloride           | 3.75                 | 3.59               | 3.70                | 95.7          | 98.7           | 70.0-130         |                      |                       | 3.02     | 25              |
| Benzene                        | 3.75                 | 3.48               | 3.42                | 92.8          | 91.2           | 70.0-130         |                      |                       | 1.74     | 25              |
| 1,2-Dichloroethane             | 3.75                 | 3.30               | 3.27                | 88.0          | 87.2           | 70.0-130         |                      |                       | 0.913    | 25              |
| Trichloroethylene              | 3.75                 | 3.46               | 3.42                | 92.3          | 91.2           | 70.0-130         |                      |                       | 1.16     | 25              |
| 1,2-Dichloropropane            | 3.75                 | 3.29               | 3.21                | 87.7          | 85.6           | 70.0-130         |                      |                       | 2.46     | 25              |
| 1,4-Dioxane                    | 3.75                 | 3.26               | 3.22                | 86.9          | 85.9           | 70.0-140         |                      |                       | 1.23     | 25              |
| Bromodichloromethane           | 3.75                 | 3.46               | 3.41                | 92.3          | 90.9           | 70.0-130         |                      |                       | 1.46     | 25              |
| cis-1,3-Dichloropropene        | 3.75                 | 3.47               | 3.42                | 92.5          | 91.2           | 70.0-130         |                      |                       | 1.45     | 25              |
| 4-Methyl-2-pentanone (MIBK)    | 3.75                 | 3.01               | 3.01                | 80.3          | 80.3           | 70.0-139         |                      |                       | 0.000    | 25              |
| Toluene                        | 3.75                 | 3.50               | 3.50                | 93.3          | 93.3           | 70.0-130         |                      |                       | 0.000    | 25              |
| trans-1,3-Dichloropropene      | 3.75                 | 3.52               | 3.46                | 93.9          | 92.3           | 70.0-130         |                      |                       | 1.72     | 25              |
| 1,1,2-Trichloroethane          | 3.75                 | 3.43               | 3.45                | 91.5          | 92.0           | 70.0-130         |                      |                       | 0.581    | 25              |
| Tetrachloroethylene            | 3.75                 | 3.74               | 3.66                | 99.7          | 97.6           | 70.0-130         |                      |                       | 2.16     | 25              |
| Methyl Butyl Ketone            | 3.75                 | 2.98               | 3.02                | 79.5          | 80.5           | 70.0-149         |                      |                       | 1.33     | 25              |
| Dibromochloromethane           | 3.75                 | 3.66               | 3.64                | 97.6          | 97.1           | 70.0-130         |                      |                       | 0.548    | 25              |
| 1,2-Dibromoethane              | 3.75                 | 3.45               | 3.48                | 92.0          | 92.8           | 70.0-130         |                      |                       | 0.866    | 25              |
| Chlorobenzene                  | 3.75                 | 3.55               | 3.53                | 94.7          | 94.1           | 70.0-130         |                      |                       | 0.565    | 25              |
| Ethylbenzene                   | 3.75                 | 3.48               | 3.48                | 92.8          | 92.8           | 70.0-130         |                      |                       | 0.000    | 25              |
| m&p-Xylene                     | 7.50                 | 7.08               | 7.14                | 94.4          | 95.2           | 70.0-130         |                      |                       | 0.844    | 25              |
| o-Xylene                       | 3.75                 | 3.48               | 3.54                | 92.8          | 94.4           | 70.0-130         |                      |                       | 1.71     | 25              |
| Styrene                        | 3.75                 | 3.59               | 3.66                | 95.7          | 97.6           | 70.0-130         |                      |                       | 1.93     | 25              |
| Bromoform                      | 3.75                 | 3.78               | 3.80                | 101           | 101            | 70.0-130         |                      |                       | 0.528    | 25              |
| 1,1,2,2-Tetrachloroethane      | 3.75                 | 3.22               | 3.24                | 85.9          | 86.4           | 70.0-130         |                      |                       | 0.619    | 25              |
| 4-Ethyltoluene                 | 3.75                 | 3.36               | 3.42                | 89.6          | 91.2           | 70.0-130         |                      |                       | 1.77     | 25              |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc



Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3758717-1 02/09/22 15:46 • (LCSD) R3758717-2 02/09/22 16:29

| Analyte                    | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | <u>LCS Qualifier</u> | <u>LCSD Qualifier</u> | RPD<br>% | RPD Limits<br>% |
|----------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|----------------------|-----------------------|----------|-----------------|
| 1,3,5-Trimethylbenzene     | 3.75                 | 3.43               | 3.46                | 91.5          | 92.3           | 70.0-130         |                      |                       | 0.871    | 25              |
| 1,2,4-Trimethylbenzene     | 3.75                 | 3.34               | 3.28                | 89.1          | 87.5           | 70.0-130         |                      |                       | 1.81     | 25              |
| 1,3-Dichlorobenzene        | 3.75                 | 3.51               | 3.58                | 93.6          | 95.5           | 70.0-130         |                      |                       | 1.97     | 25              |
| 1,4-Dichlorobenzene        | 3.75                 | 3.65               | 3.62                | 97.3          | 96.5           | 70.0-130         |                      |                       | 0.825    | 25              |
| Benzyl Chloride            | 3.75                 | 3.34               | 3.31                | 89.1          | 88.3           | 70.0-152         |                      |                       | 0.902    | 25              |
| 1,2-Dichlorobenzene        | 3.75                 | 3.56               | 3.48                | 94.9          | 92.8           | 70.0-130         |                      |                       | 2.27     | 25              |
| 1,2,4-Trichlorobenzene     | 3.75                 | 3.51               | 3.46                | 93.6          | 92.3           | 70.0-160         |                      |                       | 1.43     | 25              |
| Hexachloro-1,3-butadiene   | 3.75                 | 3.89               | 3.84                | 104           | 102            | 70.0-151         |                      |                       | 1.29     | 25              |
| Naphthalene                | 3.75                 | 3.32               | 3.30                | 88.5          | 88.0           | 70.0-159         |                      |                       | 0.604    | 25              |
| Allyl Chloride             | 3.75                 | 3.20               | 2.94                | 85.3          | 78.4           | 70.0-130         |                      |                       | 8.47     | 25              |
| 2-Chlorotoluene            | 3.75                 | 3.47               | 3.51                | 92.5          | 93.6           | 70.0-130         |                      |                       | 1.15     | 25              |
| Methyl Methacrylate        | 3.75                 | 3.11               | 3.09                | 82.9          | 82.4           | 70.0-130         |                      |                       | 0.645    | 25              |
| Tetrahydrofuran            | 3.75                 | 3.12               | 3.12                | 83.2          | 83.2           | 70.0-137         |                      |                       | 0.000    | 25              |
| 2,2,4-Trimethylpentane     | 3.75                 | 3.30               | 3.38                | 88.0          | 90.1           | 70.0-130         |                      |                       | 2.40     | 25              |
| Vinyl Bromide              | 3.75                 | 3.10               | 3.18                | 82.7          | 84.8           | 70.0-130         |                      |                       | 2.55     | 25              |
| Isopropylbenzene           | 3.75                 | 3.63               | 3.64                | 96.8          | 97.1           | 70.0-130         |                      |                       | 0.275    | 25              |
| (S) 1,4-Bromofluorobenzene |                      |                    |                     | 92.7          | 91.9           | 60.0-140         |                      |                       |          |                 |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Volatile Organic Compounds (MS) by Method TO-15 [L1459491-01](#)

Method Blank (MB)

(MB) R3759204-3 02/10/22 07:42

| Analyte                    | MB Result | MB Qualifier | MB MDL | MB RDL   |
|----------------------------|-----------|--------------|--------|----------|
|                            | ppbv      |              | ppbv   | ppbv     |
| Cyclohexane                | U         |              | 0.0753 | 0.200    |
| Heptane                    | U         |              | 0.104  | 0.200    |
| TPH (GC/MS) Low Fraction   | U         |              | 39.7   | 200      |
| (S) 1,4-Bromofluorobenzene | 88.1      |              |        | 60.0-140 |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3759204-1 02/10/22 06:17 • (LCSD) R3759204-2 02/10/22 07:01

| Analyte                    | Spike Amount | LCS Result | LCSD Result | LCS Rec. | LCSD Rec. | Rec. Limits | LCS Qualifier | LCSD Qualifier | RPD   | RPD Limits |
|----------------------------|--------------|------------|-------------|----------|-----------|-------------|---------------|----------------|-------|------------|
|                            | ppbv         | ppbv       | ppbv        | %        | %         | %           |               |                | %     | %          |
| Cyclohexane                | 3.75         | 3.62       | 3.65        | 96.5     | 97.3      | 70.0-130    |               |                | 0.825 | 25         |
| Heptane                    | 3.75         | 3.19       | 3.09        | 85.1     | 82.4      | 70.0-130    |               |                | 3.18  | 25         |
| TPH (GC/MS) Low Fraction   | 203          | 197        | 184         | 97.0     | 90.6      | 70.0-130    |               |                | 6.82  | 25         |
| (S) 1,4-Bromofluorobenzene |              |            |             | 90.4     | 89.6      | 60.0-140    |               |                |       |            |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Volatile Organic Compounds (MS) by Method TO-15

L1459491-01

Method Blank (MB)

(MB) R3759450-3 02/11/22 11:20

| Analyte                    | MB Result | MB Qualifier | MB MDL | MB RDL   |
|----------------------------|-----------|--------------|--------|----------|
|                            | ppbv      |              | ppbv   | ppbv     |
| n-Hexane                   | U         |              | 0.206  | 0.630    |
| (S) 1,4-Bromofluorobenzene | 98.3      |              |        | 60.0-140 |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3759450-1 02/11/22 09:45 • (LCSD) R3759450-2 02/11/22 10:33

| Analyte                    | Spike Amount | LCS Result | LCSD Result | LCS Rec. | LCSD Rec. | Rec. Limits | LCS Qualifier | LCSD Qualifier | RPD  | RPD Limits |
|----------------------------|--------------|------------|-------------|----------|-----------|-------------|---------------|----------------|------|------------|
|                            | ppbv         | ppbv       | ppbv        | %        | %         | %           |               |                | %    | %          |
| n-Hexane                   | 3.75         | 4.39       | 4.46        | 117      | 119       | 70.0-130    |               |                | 1.58 | 25         |
| (S) 1,4-Bromofluorobenzene |              |            |             | 100      | 100       | 60.0-140    |               |                |      |            |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MDL                          | Method Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| ND                           | Not detected at the Method Quantitation Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| RDL                          | Reported Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Rec.                         | Recovery.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| RPD                          | Relative Percent Difference.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| SDG                          | Sample Delivery Group.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| (S)                          | Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.                                                                                                                                                                                                                                               |
| U                            | Not detected at the Sample Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Analyte                      | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dilution                     | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.                                                                                    |
| Limits                       | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.                                                                                                                                                                                                                                                      |
| Qualifier                    | This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.                                                                                                                                                                  |
| Result                       | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Uncertainty (Radiochemistry) | Confidence level of 2 sigma.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Case Narrative (Cn)          | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.                                                                                                                                                                          |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.                                                                                                                                                                                              |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.                                                              |
| Sample Results (Sr)          | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.                                                                                                                                                                                             |
| Sample Summary (Ss)          | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.                                                                                                                                                                                                                                                                                                                                                            |

QualifierDescription

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

|                                |             |                             |                  |
|--------------------------------|-------------|-----------------------------|------------------|
| Alabama                        | 40660       | Nebraska                    | NE-OS-15-05      |
| Alaska                         | 17-026      | Nevada                      | TN000032021-1    |
| Arizona                        | AZ0612      | New Hampshire               | 2975             |
| Arkansas                       | 88-0469     | New Jersey--NELAP           | TN002            |
| California                     | 2932        | New Mexico <sup>1</sup>     | TN00003          |
| Colorado                       | TN00003     | New York                    | 11742            |
| Connecticut                    | PH-0197     | North Carolina              | Env375           |
| Florida                        | E87487      | North Carolina <sup>1</sup> | DW21704          |
| Georgia                        | NELAP       | North Carolina <sup>3</sup> | 41               |
| Georgia <sup>1</sup>           | 923         | North Dakota                | R-140            |
| Idaho                          | TN00003     | Ohio--VAP                   | CL0069           |
| Illinois                       | 200008      | Oklahoma                    | 9915             |
| Indiana                        | C-TN-01     | Oregon                      | TN200002         |
| Iowa                           | 364         | Pennsylvania                | 68-02979         |
| Kansas                         | E-10277     | Rhode Island                | LA000356         |
| Kentucky <sup>1 6</sup>        | KY90010     | South Carolina              | 84004002         |
| Kentucky <sup>2</sup>          | 16          | South Dakota                | n/a              |
| Louisiana                      | AI30792     | Tennessee <sup>1 4</sup>    | 2006             |
| Louisiana                      | LA018       | Texas                       | T104704245-20-18 |
| Maine                          | TN00003     | Texas <sup>5</sup>          | LAB0152          |
| Maryland                       | 324         | Utah                        | TN000032021-11   |
| Massachusetts                  | M-TN003     | Vermont                     | VT2006           |
| Michigan                       | 9958        | Virginia                    | 110033           |
| Minnesota                      | 047-999-395 | Washington                  | C847             |
| Mississippi                    | TN00003     | West Virginia               | 233              |
| Missouri                       | 340         | Wisconsin                   | 998093910        |
| Montana                        | CERT0086    | Wyoming                     | A2LA             |
| A2LA -- ISO 17025              | 1461.01     | AIHA-LAP,LLC EMLAP          | 100789           |
| A2LA -- ISO 17025 <sup>5</sup> | 1461.02     | DOD                         | 1461.01          |
| Canada                         | 1461.01     | USDA                        | P330-15-00234    |
| EPA--Crypto                    | TN00003     |                             |                  |

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc



## Ensolum, LLC

705 W. Wadley Ave, Ste 210  
Midland, TX 79705

Report to:

Beaux Jennings

Project Description:

Levey Well

Phone: 210-219-8858

Client Project #

03B1417001

Collected by (print):

Aaron Marquez

Collected by (signature):



Immediately

Packed on Ice N ☒ Y ☐

Billing Information:

Accounts Payable

2351 W Northwest Hwy. Ste.  
1203  
Dallas, TX 75220

Pres  
Chk

Email To: bjennings@ensolum.com

City/State

Collected: Hobbs, New Mexico

Please Circle:

PT MT CT ET

Lab Project #

ENSOLUMTX-SUMMA

P.O. #

03B1417001

Quote #

Date Results Needed

No.  
of  
Cntrs

TO-15 Summa

Analysis / Container / Preservative

Chain of Custody



12065 Lebanon Road Mt Juliet, TN 37122  
Phone: 615-758-5858 Alt: 800-767-5859  
Submitting a sample via this chain of custody  
constitutes acknowledgment and acceptance of the  
Pace Terms and Conditions found at:  
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG #

L1459491

Ta

K014

Acctnum: ENSOLUMMTX

Template: T180734

Prelogin: P827709

PM: 134 - Mark W. Beasley

PB:

Shipped Via:

Remarks

Sample # (lab only)

Sample ID

Comp/Grab

Matrix \*

Depth

Date

Time

Levey Well

G

Air

-

28-22/200

1

X

-01

\* Matrix:

SS - Soil AIR - Air F - Filter  
GW - Groundwater B - Bioassay  
WW - Wastewater  
DW - Drinking Water  
OT - Other

Remarks:

pH Temp

Flow Other

Samples returned via:

UPS FedEx Courier

Tracking #

5318 9950 2224

Sample Receipt Checklist

COC Seal Present/Intact: ☒ Y ☐ N  
COC Signed/Accurate: ☒ Y ☐ N  
Bottles arrive intact: ☒ Y ☐ N  
Correct bottles used: ☒ Y ☐ N  
Sufficient volume sent: ☒ Y ☐ N  
If Applicable  
VOA Zero Headpace: ☒ Y ☐ N  
Preservation Correct/Checked: ☒ Y ☐ N  
RAD Screen <0.5 mR/hr: ☒ Y ☐ N

Relinquished by: (Signature)



Date:

2-8-22

Time:

15:30

Received by: (Signature)



Trip Blank Received: Yes / No

HCL / MeOH  
TBR

Relinquished by: (Signature)



Date:

2-8-22

Time:

16:00

Received by: (Signature)

FedEx

Temp: °C

AMB

Bottles Received:

1

If preservation required by Login: Date/Time

Relinquished by: (Signature)



Date:

2-8-22

Time:

18:40

Received for lab by: (Signature)

D. Barry

Date:

2-9-22

Time:

18:40

Hold:

Condition:

NCF / OK



## ANALYTICAL REPORT

February 23, 2022

**Ensolum, LLC**

Sample Delivery Group: L1463687  
Samples Received: 02/18/2022  
Project Number: 03B1417001  
Description: Levey Well  
Site: 03B1417001  
Report To: Beaux Jennings  
705 W. Wadley Ave, Ste 210  
Midland, TX 79705



Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "M. Beasley".

Mark W. Beasley  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com



|                                                 |    |                  |
|-------------------------------------------------|----|------------------|
| Cp: Cover Page                                  | 1  | <sup>1</sup> Cp  |
| Tc: Table of Contents                           | 2  |                  |
| Ss: Sample Summary                              | 3  | <sup>2</sup> Tc  |
| Cn: Case Narrative                              | 4  |                  |
| Tr: TRRP Summary                                | 5  | <sup>3</sup> Ss  |
| TRRP form R                                     | 6  |                  |
| TRRP form S                                     | 7  | <sup>4</sup> Cn  |
| TRRP Exception Reports                          | 8  | <sup>5</sup> Tr  |
| Sr: Sample Results                              | 9  |                  |
| LEVEY WELL L1463687-01                          | 9  | <sup>6</sup> Sr  |
| Qc: Quality Control Summary                     | 11 | <sup>7</sup> Qc  |
| Volatile Organic Compounds (MS) by Method TO-15 | 11 |                  |
| Gl: Glossary of Terms                           | 16 | <sup>8</sup> Gl  |
| Al: Accreditations & Locations                  | 17 |                  |
| Sc: Sample Chain of Custody                     | 18 | <sup>9</sup> Al  |
|                                                 |    | <sup>10</sup> Sc |

LEVEY WELL L1463687-01 Air

Collected by Aaron Marquez  
Collected date/time 02/16/22 12:24  
Received date/time 02/18/22 09:30

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1821740 | 20       | 02/22/22 13:16        | 02/22/22 13:16     | DAH     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1822585 | 500      | 02/23/22 14:41        | 02/23/22 14:41     | CAW     | Mt. Juliet, TN |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley  
Project Manager

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

## Laboratory Data Package Cover Page

This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
  - a. Items consistent with NELAC Chapter 5,
  - b. dilution factors,
  - c. preparation methods,
  - d. cleanup methods, and
  - e. if required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
  - a. Calculated recovery (%R), and
  - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
  - a. LCS spiking amounts,
  - b. Calculated %R for each analyte, and
  - c. The laboratory's LCS QC limits.
- R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
  - a. Samples associated with the MS/MSD clearly identified,
  - b. MS/MSD spiking amounts,
  - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
  - d. Calculated %Rs and relative percent differences (RPDs), and
  - e. The laboratory's MS/MSD QC limits
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
  - a. The amount of analyte measured in the duplicate,
  - b. The calculated RPD, and
  - c. The laboratory's QC limits for analytical duplicates.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.



Mark W. Beasley  
Project Manager

# Laboratory Review Checklist: Reportable Data

| Laboratory Name: Pace Analytical National |                |                                                                                                                                                                          | LRC Date: 02/23/2022 15:33                    |    |                 |                 |                  |
|-------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----|-----------------|-----------------|------------------|
| Project Name: Levey Well                  |                |                                                                                                                                                                          | Laboratory Job Number: L1463687-01            |    |                 |                 |                  |
| Reviewer Name: Mark W. Beasley            |                |                                                                                                                                                                          | Prep Batch Number(s): WG1821740 and WG1822585 |    |                 |                 |                  |
| # <sup>1</sup>                            | A <sup>2</sup> | Description                                                                                                                                                              | Yes                                           | No | NA <sup>3</sup> | NR <sup>4</sup> | ER# <sup>5</sup> |
| R1                                        | OI             | Chain-of-custody (C-O-C)                                                                                                                                                 |                                               |    |                 |                 |                  |
|                                           |                | Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?                                                                              | X                                             |    |                 |                 |                  |
|                                           |                | Were all departures from standard conditions described in an exception report?                                                                                           |                                               |    | X               |                 |                  |
| R2                                        | OI             | Sample and quality control (QC) identification                                                                                                                           |                                               |    |                 |                 |                  |
|                                           |                | Are all field sample ID numbers cross-referenced to the laboratory ID numbers?                                                                                           | X                                             |    |                 |                 |                  |
|                                           |                | Are all laboratory ID numbers cross-referenced to the corresponding QC data?                                                                                             | X                                             |    |                 |                 |                  |
| R3                                        | OI             | Test reports                                                                                                                                                             |                                               |    |                 |                 |                  |
|                                           |                | Were all samples prepared and analyzed within holding times?                                                                                                             | X                                             |    |                 |                 |                  |
|                                           |                | Other than those results < MQL, were all other raw values bracketed by calibration standards?                                                                            | X                                             |    |                 |                 |                  |
|                                           |                | Were calculations checked by a peer or supervisor?                                                                                                                       | X                                             |    |                 |                 |                  |
|                                           |                | Were all analyte identifications checked by a peer or supervisor?                                                                                                        | X                                             |    |                 |                 |                  |
|                                           |                | Were sample detection limits reported for all analytes not detected?                                                                                                     | X                                             |    |                 |                 |                  |
|                                           |                | Were all results for soil and sediment samples reported on a dry weight basis?                                                                                           | X                                             |    |                 |                 |                  |
|                                           |                | Were % moisture (or solids) reported for all soil and sediment samples?                                                                                                  |                                               |    | X               |                 |                  |
|                                           |                | Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?                                                                      |                                               |    | X               |                 |                  |
|                                           |                | If required for the project, are TICs reported?                                                                                                                          |                                               |    | X               |                 |                  |
| R4                                        | O              | Surrogate recovery data                                                                                                                                                  |                                               |    |                 |                 |                  |
|                                           |                | Were surrogates added prior to extraction?                                                                                                                               | X                                             |    |                 |                 |                  |
|                                           |                | Were surrogate percent recoveries in all samples within the laboratory QC limits?                                                                                        | X                                             |    |                 |                 |                  |
| R5                                        | OI             | Test reports/summary forms for blank samples                                                                                                                             |                                               |    |                 |                 |                  |
|                                           |                | Were appropriate type(s) of blanks analyzed?                                                                                                                             | X                                             |    |                 |                 |                  |
|                                           |                | Were blanks analyzed at the appropriate frequency?                                                                                                                       | X                                             |    |                 |                 |                  |
|                                           |                | Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?                                            | X                                             |    |                 |                 |                  |
|                                           |                | Were blank concentrations < MQL?                                                                                                                                         | X                                             |    |                 |                 |                  |
| R6                                        | OI             | Laboratory control samples (LCS):                                                                                                                                        |                                               |    |                 |                 |                  |
|                                           |                | Were all COCs included in the LCS?                                                                                                                                       | X                                             |    |                 |                 |                  |
|                                           |                | Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?                                                                            | X                                             |    |                 |                 |                  |
|                                           |                | Were LCSs analyzed at the required frequency?                                                                                                                            | X                                             |    |                 |                 |                  |
|                                           |                | Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?                                                                                                  | X                                             |    |                 |                 |                  |
|                                           |                | Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?                                  | X                                             |    |                 |                 |                  |
|                                           |                | Was the LCSD RPD within QC limits?                                                                                                                                       | X                                             |    |                 |                 |                  |
| R7                                        | OI             | Matrix spike (MS) and matrix spike duplicate (MSD) data                                                                                                                  |                                               |    |                 |                 |                  |
|                                           |                | Were the project/method specified analytes included in the MS and MSD?                                                                                                   |                                               |    | X               |                 |                  |
|                                           |                | Were MS/MSD analyzed at the appropriate frequency?                                                                                                                       |                                               |    | X               |                 |                  |
|                                           |                | Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?                                                                                                    |                                               |    | X               |                 |                  |
|                                           |                | Were MS/MSD RPDs within laboratory QC limits?                                                                                                                            |                                               |    | X               |                 |                  |
| R8                                        | OI             | Analytical duplicate data                                                                                                                                                |                                               |    |                 |                 |                  |
|                                           |                | Were appropriate analytical duplicates analyzed for each matrix?                                                                                                         |                                               |    | X               |                 |                  |
|                                           |                | Were analytical duplicates analyzed at the appropriate frequency?                                                                                                        |                                               |    | X               |                 |                  |
|                                           |                | Were RPDs or relative standard deviations within the laboratory QC limits?                                                                                               |                                               |    | X               |                 |                  |
| R9                                        | OI             | Method quantitation limits (MQLs):                                                                                                                                       |                                               |    |                 |                 |                  |
|                                           |                | Are the MQLs for each method analyte included in the laboratory data package?                                                                                            | X                                             |    |                 |                 |                  |
|                                           |                | Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?                                                                                 | X                                             |    |                 |                 |                  |
|                                           |                | Are unadjusted MQLs and DCSs included in the laboratory data package?                                                                                                    | X                                             |    |                 |                 |                  |
| R10                                       | OI             | Other problems/anomalies                                                                                                                                                 |                                               |    |                 |                 |                  |
|                                           |                | Are all known problems/anomalies/special conditions noted in this LRC and ER?                                                                                            | X                                             |    |                 |                 |                  |
|                                           |                | Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?                                         | X                                             |    |                 |                 |                  |
|                                           |                | Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package? | X                                             |    |                 |                 |                  |

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.  
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);  
3. NA = Not applicable;  
4. NR = Not reviewed;  
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

# Laboratory Review Checklist: Supporting Data

| Laboratory Name: Pace Analytical National                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                |                                                                                                        | LRC Date: 02/23/2022 15:33                    |    |                 |                 |                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------|----|-----------------|-----------------|------------------|
| Project Name: Levey Well                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                |                                                                                                        | Laboratory Job Number: L1463687-01            |    |                 |                 |                  |
| Reviewer Name: Mark W. Beasley                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                |                                                                                                        | Prep Batch Number(s): WG1821740 and WG1822585 |    |                 |                 |                  |
| # <sup>1</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | A <sup>2</sup> | Description                                                                                            | Yes                                           | No | NA <sup>3</sup> | NR <sup>4</sup> | ER# <sup>5</sup> |
| S1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Initial calibration (ICAL)                                                                             |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were response factors and/or relative response factors for each analyte within QC limits?              | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent RSDs or correlation coefficient criteria met?                                             | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the number of standards recommended in the method used for all analytes?                           | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were all points generated between the lowest and highest standard used to calculate the curve?         | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are ICAL data available for all instruments used?                                                      | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Has the initial calibration curve been verified using an appropriate second source standard?           | X                                             |    |                 |                 |                  |
| S2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB): |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the CCV analyzed at the method-required frequency?                                                 | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent differences for each analyte within the method-required QC limits?                        | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the ICAL curve verified for each analyte?                                                          | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the absolute value of the analyte concentration in the inorganic CCB < MDL?                        |                                               |    | X               |                 |                  |
| S3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Mass spectral tuning                                                                                   |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the appropriate compound for the method used for tuning?                                           | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were ion abundance data within the method-required QC limits?                                          | X                                             |    |                 |                 |                  |
| S4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Internal standards (IS)                                                                                |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were IS area counts and retention times within the method-required QC limits?                          | X                                             |    |                 |                 |                  |
| S5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | OI             | Raw data (NELAC Section 5.5.10)                                                                        |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?                  | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were data associated with manual integrations flagged on the raw data?                                 | X                                             |    |                 |                 |                  |
| S6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Dual column confirmation                                                                               |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Did dual column confirmation results meet the method-required QC?                                      |                                               |    | X               |                 |                  |
| S7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | O              | Tentatively identified compounds (TICs)                                                                |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?              |                                               |    | X               |                 |                  |
| S8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | I              | Interference Check Sample (ICS) results                                                                |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent recoveries within method QC limits?                                                       |                                               |    | X               |                 |                  |
| S9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | I              | Serial dilutions, post digestion spikes, and method of standard additions                              |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Were percent differences, recoveries, and the linearity within the QC limits specified in the method?  |                                               |    | X               |                 |                  |
| S10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Method detection limit (MDL) studies                                                                   |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was a MDL study performed for each reported analyte?                                                   | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Is the MDL either adjusted or supported by the analysis of DCSs?                                       | X                                             |    |                 |                 |                  |
| S11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Proficiency test reports                                                                               |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies? | X                                             |    |                 |                 |                  |
| S12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Standards documentation                                                                                |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?      | X                                             |    |                 |                 |                  |
| S13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Compound/analyte identification procedures                                                             |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are the procedures for compound/analyte identification documented?                                     | X                                             |    |                 |                 |                  |
| S14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Demonstration of analyst competency (DOC)                                                              |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Was DOC conducted consistent with NELAC Chapter 5?                                                     | X                                             |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Is documentation of the analyst's competency up-to-date and on file?                                   | X                                             |    |                 |                 |                  |
| S15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Verification/validation documentation for methods (NELAC Chapter 5)                                    |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are all the methods used to generate the data documented, verified, and validated, where applicable?   | X                                             |    |                 |                 |                  |
| S16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OI             | Laboratory standard operating procedures (SOPs)                                                        |                                               |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Are laboratory SOPs current and on file for each method performed                                      | X                                             |    |                 |                 |                  |
| <p>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);</p> <p>3. NA = Not applicable;</p> <p>4. NR = Not reviewed;</p> <p>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p> |                |                                                                                                        |                                               |    |                 |                 |                  |

## Laboratory Review Checklist: Exception Reports

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                    |                                               |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------------------|--|
| Laboratory Name: Pace Analytical National                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                    | LRC Date: 02/23/2022 15:33                    |  |
| Project Name: Levey Well                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                    | Laboratory Job Number: L1463687-01            |  |
| Reviewer Name: Mark W. Beasley                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    | Prep Batch Number(s): WG1821740 and WG1822585 |  |
| <b>ER #<sup>1</sup></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Description</b> |                                               |  |
| The Exception Report intentionally left blank, there are no exceptions applied to this SDG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    |                                               |  |
| <small>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.<br/>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);<br/>3. NA = Not applicable;<br/>4. NR = Not reviewed;<br/>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</small> |                    |                                               |  |



Collected date/time: 02/16/22 12:24

L1463687

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|-----------|
| Acetone                        | 67-64-1    | 58.10    | 25.0         | 59.4          | 90.4           | 215             |           | 20       | WG1821740 |
| Allyl chloride                 | 107-05-1   | 76.53    | 4.00         | 12.5          | ND             | ND              |           | 20       | WG1821740 |
| Benzene                        | 71-43-2    | 78.10    | 4.00         | 12.8          | ND             | ND              |           | 20       | WG1821740 |
| Benzyl Chloride                | 100-44-7   | 127      | 4.00         | 20.8          | ND             | ND              |           | 20       | WG1821740 |
| Bromodichloromethane           | 75-27-4    | 164      | 4.00         | 26.8          | ND             | ND              |           | 20       | WG1821740 |
| Bromoform                      | 75-25-2    | 253      | 12.0         | 124           | ND             | ND              |           | 20       | WG1821740 |
| Bromomethane                   | 74-83-9    | 94.90    | 4.00         | 15.5          | ND             | ND              |           | 20       | WG1821740 |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 40.0         | 88.5          | ND             | ND              |           | 20       | WG1821740 |
| Carbon disulfide               | 75-15-0    | 76.10    | 4.00         | 12.4          | ND             | ND              |           | 20       | WG1821740 |
| Carbon tetrachloride           | 56-23-5    | 154      | 4.00         | 25.2          | ND             | ND              |           | 20       | WG1821740 |
| Chlorobenzene                  | 108-90-7   | 113      | 4.00         | 18.5          | ND             | ND              |           | 20       | WG1821740 |
| Chloroethane                   | 75-00-3    | 64.50    | 4.00         | 10.6          | ND             | ND              |           | 20       | WG1821740 |
| Chloroform                     | 67-66-3    | 119      | 4.00         | 19.5          | ND             | ND              |           | 20       | WG1821740 |
| Chloromethane                  | 74-87-3    | 50.50    | 4.00         | 8.26          | ND             | ND              |           | 20       | WG1821740 |
| 2-Chlorotoluene                | 95-49-8    | 126      | 4.00         | 20.6          | ND             | ND              |           | 20       | WG1821740 |
| Cyclohexane                    | 110-82-7   | 84.20    | 100          | 344           | 10900          | 37500           |           | 500      | WG1822585 |
| Dibromochloromethane           | 124-48-1   | 208      | 4.00         | 34.0          | ND             | ND              |           | 20       | WG1821740 |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 4.00         | 30.8          | ND             | ND              |           | 20       | WG1821740 |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 4.00         | 24.0          | ND             | ND              |           | 20       | WG1821740 |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 4.00         | 24.0          | ND             | ND              |           | 20       | WG1821740 |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 4.00         | 24.0          | ND             | ND              |           | 20       | WG1821740 |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 4.00         | 16.2          | ND             | ND              |           | 20       | WG1821740 |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 4.00         | 16.0          | ND             | ND              |           | 20       | WG1821740 |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 4.00         | 15.9          | ND             | ND              |           | 20       | WG1821740 |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 4.00         | 15.9          | ND             | ND              |           | 20       | WG1821740 |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 4.00         | 15.9          | ND             | ND              |           | 20       | WG1821740 |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 4.00         | 18.5          | ND             | ND              |           | 20       | WG1821740 |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 4.00         | 18.2          | ND             | ND              |           | 20       | WG1821740 |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 4.00         | 18.2          | ND             | ND              |           | 20       | WG1821740 |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 4.00         | 14.4          | ND             | ND              |           | 20       | WG1821740 |
| Ethanol                        | 64-17-5    | 46.10    | 25.0         | 47.1          | ND             | ND              |           | 20       | WG1821740 |
| Ethylbenzene                   | 100-41-4   | 106      | 4.00         | 17.3          | ND             | ND              |           | 20       | WG1821740 |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 4.00         | 19.6          | 4.50           | 22.1            |           | 20       | WG1821740 |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 4.00         | 22.5          | ND             | ND              |           | 20       | WG1821740 |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 4.00         | 19.8          | ND             | ND              |           | 20       | WG1821740 |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 4.00         | 30.7          | ND             | ND              |           | 20       | WG1821740 |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 4.00         | 28.0          | ND             | ND              |           | 20       | WG1821740 |
| Heptane                        | 142-82-5   | 100      | 4.00         | 16.4          | 1780           | 7280            |           | 20       | WG1821740 |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 12.6         | 135           | ND             | ND              |           | 20       | WG1821740 |
| n-Hexane                       | 110-54-3   | 86.20    | 315          | 1110          | 17800          | 62800           |           | 500      | WG1822585 |
| Isopropylbenzene               | 98-82-8    | 120.20   | 4.00         | 19.7          | ND             | ND              |           | 20       | WG1821740 |
| Methylene Chloride             | 75-09-2    | 84.90    | 4.00         | 13.9          | ND             | ND              |           | 20       | WG1821740 |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 25.0         | 102           | ND             | ND              |           | 20       | WG1821740 |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 25.0         | 73.7          | ND             | ND              |           | 20       | WG1821740 |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 25.0         | 102           | ND             | ND              |           | 20       | WG1821740 |
| Methyl methacrylate            | 80-62-6    | 100.12   | 4.00         | 16.4          | ND             | ND              |           | 20       | WG1821740 |
| MTBE                           | 1634-04-4  | 88.10    | 4.00         | 14.4          | ND             | ND              |           | 20       | WG1821740 |
| Naphthalene                    | 91-20-3    | 128      | 12.6         | 66.0          | ND             | ND              |           | 20       | WG1821740 |
| 2-Propanol                     | 67-63-0    | 60.10    | 25.0         | 61.5          | 63.5           | 156             |           | 20       | WG1821740 |
| Propene                        | 115-07-1   | 42.10    | 25.0         | 43.0          | ND             | ND              |           | 20       | WG1821740 |
| Styrene                        | 100-42-5   | 104      | 4.00         | 17.0          | ND             | ND              |           | 20       | WG1821740 |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 4.00         | 27.5          | ND             | ND              |           | 20       | WG1821740 |
| Tetrachloroethylene            | 127-18-4   | 166      | 4.00         | 27.2          | ND             | ND              |           | 20       | WG1821740 |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 4.00         | 11.8          | ND             | ND              |           | 20       | WG1821740 |
| Toluene                        | 108-88-3   | 92.10    | 10.0         | 37.7          | ND             | ND              |           | 20       | WG1821740 |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 12.6         | 93.3          | ND             | ND              |           | 20       | WG1821740 |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/16/22 12:24

Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 4.00         | 21.8          | ND             | ND              |           | 20       | <a href="#">WG1821740</a> |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 4.00         | 21.8          | ND             | ND              |           | 20       | <a href="#">WG1821740</a> |
| Trichloroethylene          | 79-01-6   | 131      | 4.00         | 21.4          | ND             | ND              |           | 20       | <a href="#">WG1821740</a> |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 4.00         | 19.6          | 4.70           | 23.1            |           | 20       | <a href="#">WG1821740</a> |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 4.00         | 19.6          | 4.00           | 19.6            |           | 20       | <a href="#">WG1821740</a> |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 4.00         | 18.7          | ND             | ND              |           | 20       | <a href="#">WG1821740</a> |
| Vinyl chloride             | 75-01-4   | 62.50    | 4.00         | 10.2          | ND             | ND              |           | 20       | <a href="#">WG1821740</a> |
| Vinyl Bromide              | 593-60-2  | 106.95   | 4.00         | 17.5          | ND             | ND              |           | 20       | <a href="#">WG1821740</a> |
| Vinyl acetate              | 108-05-4  | 86.10    | 4.00         | 14.1          | ND             | ND              |           | 20       | <a href="#">WG1821740</a> |
| m&p-Xylene                 | 1330-20-7 | 106      | 8.00         | 34.7          | 8.85           | 38.4            |           | 20       | <a href="#">WG1821740</a> |
| o-Xylene                   | 95-47-6   | 106      | 4.00         | 17.3          | ND             | ND              |           | 20       | <a href="#">WG1821740</a> |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 4000         | 16500         | 65800          | 272000          |           | 20       | <a href="#">WG1821740</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 92.6           |                 |           |          | <a href="#">WG1821740</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 98.1           |                 |           |          | <a href="#">WG1822585</a> |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Method Blank (MB)

(MB) R3762802-3 02/22/22 08:36

| Analyte                        | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|--------------------------------|-------------------|--------------|----------------|----------------|
| Acetone                        | U                 |              | 0.584          | 1.25           |
| Allyl Chloride                 | U                 |              | 0.114          | 0.200          |
| Benzene                        | U                 |              | 0.0715         | 0.200          |
| Benzyl Chloride                | U                 |              | 0.0598         | 0.200          |
| Bromodichloromethane           | U                 |              | 0.0702         | 0.200          |
| Bromoform                      | U                 |              | 0.0732         | 0.600          |
| Bromomethane                   | U                 |              | 0.0982         | 0.200          |
| 1,3-Butadiene                  | U                 |              | 0.104          | 2.00           |
| Carbon disulfide               | U                 |              | 0.102          | 0.200          |
| Carbon tetrachloride           | U                 |              | 0.0732         | 0.200          |
| Chlorobenzene                  | U                 |              | 0.0832         | 0.200          |
| Chloroethane                   | U                 |              | 0.0996         | 0.200          |
| Chloroform                     | U                 |              | 0.0717         | 0.200          |
| Chloromethane                  | U                 |              | 0.103          | 0.200          |
| 2-Chlorotoluene                | U                 |              | 0.0828         | 0.200          |
| Dibromochloromethane           | U                 |              | 0.0727         | 0.200          |
| 1,2-Dibromoethane              | U                 |              | 0.0721         | 0.200          |
| 1,2-Dichlorobenzene            | U                 |              | 0.128          | 0.200          |
| 1,3-Dichlorobenzene            | U                 |              | 0.182          | 0.200          |
| 1,4-Dichlorobenzene            | U                 |              | 0.0557         | 0.200          |
| 1,2-Dichloroethane             | U                 |              | 0.0700         | 0.200          |
| 1,1-Dichloroethane             | U                 |              | 0.0723         | 0.200          |
| 1,1-Dichloroethene             | U                 |              | 0.0762         | 0.200          |
| cis-1,2-Dichloroethene         | U                 |              | 0.0784         | 0.200          |
| trans-1,2-Dichloroethene       | U                 |              | 0.0673         | 0.200          |
| 1,2-Dichloropropane            | U                 |              | 0.0760         | 0.200          |
| cis-1,3-Dichloropropene        | U                 |              | 0.0689         | 0.200          |
| trans-1,3-Dichloropropene      | U                 |              | 0.0728         | 0.200          |
| 1,4-Dioxane                    | U                 |              | 0.0833         | 0.200          |
| Ethylbenzene                   | U                 |              | 0.0835         | 0.200          |
| 4-Ethyltoluene                 | U                 |              | 0.0783         | 0.200          |
| Trichlorofluoromethane         | U                 |              | 0.0819         | 0.200          |
| Dichlorodifluoromethane        | U                 |              | 0.137          | 0.200          |
| 1,1,2-Trichlorotrifluoroethane | U                 |              | 0.0793         | 0.200          |
| 1,2-Dichlorotetrafluoroethane  | U                 |              | 0.0890         | 0.200          |
| Heptane                        | U                 |              | 0.104          | 0.200          |
| Hexachloro-1,3-butadiene       | 0.108             | U            | 0.105          | 0.630          |
| Isopropylbenzene               | U                 |              | 0.0777         | 0.200          |
| Methylene Chloride             | U                 |              | 0.0979         | 0.200          |
| Methyl Butyl Ketone            | U                 |              | 0.133          | 1.25           |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Method Blank (MB)

(MB) R3762802-3 02/22/22 08:36

| Analyte                     | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|-----------------------------|-------------------|--------------|----------------|----------------|
| 2-Butanone (MEK)            | U                 |              | 0.0814         | 1.25           |
| 4-Methyl-2-pentanone (MIBK) | U                 |              | 0.0765         | 1.25           |
| Methyl Methacrylate         | U                 |              | 0.0876         | 0.200          |
| MTBE                        | U                 |              | 0.0647         | 0.200          |
| Naphthalene                 | U                 |              | 0.350          | 0.630          |
| 2-Propanol                  | U                 |              | 0.264          | 1.25           |
| Propene                     | 0.135             | U            | 0.0932         | 1.25           |
| Styrene                     | U                 |              | 0.0788         | 0.200          |
| 1,1,2,2-Tetrachloroethane   | U                 |              | 0.0743         | 0.200          |
| Tetrachloroethylene         | U                 |              | 0.0814         | 0.200          |
| Tetrahydrofuran             | U                 |              | 0.0734         | 0.200          |
| Toluene                     | U                 |              | 0.0870         | 0.500          |
| 1,2,4-Trichlorobenzene      | U                 |              | 0.148          | 0.630          |
| 1,1,1-Trichloroethane       | U                 |              | 0.0736         | 0.200          |
| 1,1,2-Trichloroethane       | U                 |              | 0.0775         | 0.200          |
| Trichloroethylene           | U                 |              | 0.0680         | 0.200          |
| 1,2,4-Trimethylbenzene      | U                 |              | 0.0764         | 0.200          |
| 1,3,5-Trimethylbenzene      | U                 |              | 0.0779         | 0.200          |
| 2,2,4-Trimethylpentane      | U                 |              | 0.133          | 0.200          |
| Vinyl chloride              | U                 |              | 0.0949         | 0.200          |
| Vinyl Bromide               | U                 |              | 0.0852         | 0.200          |
| Vinyl acetate               | U                 |              | 0.116          | 0.200          |
| m&p-Xylene                  | U                 |              | 0.135          | 0.400          |
| o-Xylene                    | U                 |              | 0.0828         | 0.200          |
| Ethanol                     | U                 |              | 0.265          | 1.25           |
| TPH (GC/MS) Low Fraction    | U                 |              | 39.7           | 200            |
| (S) 1,4-Bromofluorobenzene  | 86.4              |              |                | 60.0-140       |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3762802-1 02/22/22 07:11 • (LCSD) R3762802-2 02/22/22 07:54

| Analyte                       | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|-------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Ethanol                       | 3.75                 | 3.48               | 3.44                | 92.8          | 91.7           | 55.0-148         |               |                | 1.16     | 25              |
| Propene                       | 3.75                 | 3.32               | 3.41                | 88.5          | 90.9           | 64.0-144         |               |                | 2.67     | 25              |
| Dichlorodifluoromethane       | 3.75                 | 4.17               | 4.26                | 111           | 114            | 64.0-139         |               |                | 2.14     | 25              |
| 1,2-Dichlorotetrafluoroethane | 3.75                 | 4.10               | 4.14                | 109           | 110            | 70.0-130         |               |                | 0.971    | 25              |
| Chloromethane                 | 3.75                 | 3.74               | 3.71                | 99.7          | 98.9           | 70.0-130         |               |                | 0.805    | 25              |
| Vinyl chloride                | 3.75                 | 3.72               | 3.75                | 99.2          | 100            | 70.0-130         |               |                | 0.803    | 25              |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3762802-1 02/22/22 07:11 • (LCSD) R3762802-2 02/22/22 07:54

| Analyte                        | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | <u>LCS Qualifier</u> | <u>LCSD Qualifier</u> | RPD<br>% | RPD Limits<br>% |
|--------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|----------------------|-----------------------|----------|-----------------|
| 1,3-Butadiene                  | 3.75                 | 3.79               | 3.66                | 101           | 97.6           | 70.0-130         |                      |                       | 3.49     | 25              |
| Bromomethane                   | 3.75                 | 3.76               | 3.97                | 100           | 106            | 70.0-130         |                      |                       | 5.43     | 25              |
| Chloroethane                   | 3.75                 | 3.82               | 3.87                | 102           | 103            | 70.0-130         |                      |                       | 1.30     | 25              |
| Trichlorofluoromethane         | 3.75                 | 4.24               | 4.39                | 113           | 117            | 70.0-130         |                      |                       | 3.48     | 25              |
| 1,1,2-Trichlorotrifluoroethane | 3.75                 | 3.97               | 4.02                | 106           | 107            | 70.0-130         |                      |                       | 1.25     | 25              |
| 1,1-Dichloroethene             | 3.75                 | 3.74               | 3.80                | 99.7          | 101            | 70.0-130         |                      |                       | 1.59     | 25              |
| 1,1-Dichloroethane             | 3.75                 | 3.66               | 3.72                | 97.6          | 99.2           | 70.0-130         |                      |                       | 1.63     | 25              |
| Acetone                        | 3.75                 | 3.53               | 3.63                | 94.1          | 96.8           | 70.0-130         |                      |                       | 2.79     | 25              |
| 2-Propanol                     | 3.75                 | 3.41               | 3.46                | 90.9          | 92.3           | 70.0-139         |                      |                       | 1.46     | 25              |
| Carbon disulfide               | 3.75                 | 3.46               | 3.54                | 92.3          | 94.4           | 70.0-130         |                      |                       | 2.29     | 25              |
| Methylene Chloride             | 3.75                 | 3.42               | 3.40                | 91.2          | 90.7           | 70.0-130         |                      |                       | 0.587    | 25              |
| MTBE                           | 3.75                 | 3.80               | 3.92                | 101           | 105            | 70.0-130         |                      |                       | 3.11     | 25              |
| trans-1,2-Dichloroethene       | 3.75                 | 3.74               | 3.73                | 99.7          | 99.5           | 70.0-130         |                      |                       | 0.268    | 25              |
| Vinyl acetate                  | 3.75                 | 2.94               | 3.03                | 78.4          | 80.8           | 70.0-130         |                      |                       | 3.02     | 25              |
| Methyl Ethyl Ketone            | 3.75                 | 3.60               | 3.68                | 96.0          | 98.1           | 70.0-130         |                      |                       | 2.20     | 25              |
| cis-1,2-Dichloroethene         | 3.75                 | 3.66               | 3.75                | 97.6          | 100            | 70.0-130         |                      |                       | 2.43     | 25              |
| Chloroform                     | 3.75                 | 3.85               | 3.86                | 103           | 103            | 70.0-130         |                      |                       | 0.259    | 25              |
| 1,1,1-Trichloroethane          | 3.75                 | 4.16               | 4.23                | 111           | 113            | 70.0-130         |                      |                       | 1.67     | 25              |
| Carbon tetrachloride           | 3.75                 | 4.33               | 4.33                | 115           | 115            | 70.0-130         |                      |                       | 0.000    | 25              |
| Benzene                        | 3.75                 | 3.74               | 3.74                | 99.7          | 99.7           | 70.0-130         |                      |                       | 0.000    | 25              |
| 1,2-Dichloroethane             | 3.75                 | 3.96               | 3.97                | 106           | 106            | 70.0-130         |                      |                       | 0.252    | 25              |
| Heptane                        | 3.75                 | 3.45               | 3.38                | 92.0          | 90.1           | 70.0-130         |                      |                       | 2.05     | 25              |
| Trichloroethylene              | 3.75                 | 4.05               | 4.06                | 108           | 108            | 70.0-130         |                      |                       | 0.247    | 25              |
| 1,2-Dichloropropane            | 3.75                 | 3.74               | 3.60                | 99.7          | 96.0           | 70.0-130         |                      |                       | 3.81     | 25              |
| 1,4-Dioxane                    | 3.75                 | 3.88               | 3.84                | 103           | 102            | 70.0-140         |                      |                       | 1.04     | 25              |
| Bromodichloromethane           | 3.75                 | 3.91               | 3.97                | 104           | 106            | 70.0-130         |                      |                       | 1.52     | 25              |
| cis-1,3-Dichloropropene        | 3.75                 | 3.80               | 3.92                | 101           | 105            | 70.0-130         |                      |                       | 3.11     | 25              |
| 4-Methyl-2-pentanone (MIBK)    | 3.75                 | 3.55               | 3.56                | 94.7          | 94.9           | 70.0-139         |                      |                       | 0.281    | 25              |
| Toluene                        | 3.75                 | 4.04               | 4.04                | 108           | 108            | 70.0-130         |                      |                       | 0.000    | 25              |
| trans-1,3-Dichloropropene      | 3.75                 | 3.89               | 3.89                | 104           | 104            | 70.0-130         |                      |                       | 0.000    | 25              |
| 1,1,2-Trichloroethane          | 3.75                 | 4.02               | 4.08                | 107           | 109            | 70.0-130         |                      |                       | 1.48     | 25              |
| Tetrachloroethylene            | 3.75                 | 4.57               | 4.72                | 122           | 126            | 70.0-130         |                      |                       | 3.23     | 25              |
| Methyl Butyl Ketone            | 3.75                 | 3.68               | 3.70                | 98.1          | 98.7           | 70.0-149         |                      |                       | 0.542    | 25              |
| Dibromochloromethane           | 3.75                 | 4.32               | 4.42                | 115           | 118            | 70.0-130         |                      |                       | 2.29     | 25              |
| 1,2-Dibromoethane              | 3.75                 | 4.09               | 4.19                | 109           | 112            | 70.0-130         |                      |                       | 2.42     | 25              |
| Chlorobenzene                  | 3.75                 | 4.36               | 4.40                | 116           | 117            | 70.0-130         |                      |                       | 0.913    | 25              |
| Ethylbenzene                   | 3.75                 | 4.08               | 4.01                | 109           | 107            | 70.0-130         |                      |                       | 1.73     | 25              |
| m&p-Xylene                     | 7.50                 | 8.37               | 8.26                | 112           | 110            | 70.0-130         |                      |                       | 1.32     | 25              |
| o-Xylene                       | 3.75                 | 4.10               | 4.07                | 109           | 109            | 70.0-130         |                      |                       | 0.734    | 25              |
| Styrene                        | 3.75                 | 4.28               | 4.28                | 114           | 114            | 70.0-130         |                      |                       | 0.000    | 25              |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3762802-1 02/22/22 07:11 • (LCSD) R3762802-2 02/22/22 07:54

| Analyte                    | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | <u>LCS Qualifier</u> | <u>LCSD Qualifier</u> | RPD<br>% | RPD Limits<br>% |
|----------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|----------------------|-----------------------|----------|-----------------|
| Bromoform                  | 3.75                 | 4.39               | 4.33                | 117           | 115            | 70.0-130         |                      |                       | 1.38     | 25              |
| 1,1,2,2-Tetrachloroethane  | 3.75                 | 3.57               | 3.55                | 95.2          | 94.7           | 70.0-130         |                      |                       | 0.562    | 25              |
| 4-Ethyltoluene             | 3.75                 | 3.90               | 3.77                | 104           | 101            | 70.0-130         |                      |                       | 3.39     | 25              |
| 1,3,5-Trimethylbenzene     | 3.75                 | 4.11               | 4.06                | 110           | 108            | 70.0-130         |                      |                       | 1.22     | 25              |
| 1,2,4-Trimethylbenzene     | 3.75                 | 3.93               | 3.95                | 105           | 105            | 70.0-130         |                      |                       | 0.508    | 25              |
| 1,3-Dichlorobenzene        | 3.75                 | 4.04               | 4.05                | 108           | 108            | 70.0-130         |                      |                       | 0.247    | 25              |
| 1,4-Dichlorobenzene        | 3.75                 | 4.23               | 4.24                | 113           | 113            | 70.0-130         |                      |                       | 0.236    | 25              |
| Benzyl Chloride            | 3.75                 | 4.03               | 4.08                | 107           | 109            | 70.0-152         |                      |                       | 1.23     | 25              |
| 1,2-Dichlorobenzene        | 3.75                 | 4.12               | 3.99                | 110           | 106            | 70.0-130         |                      |                       | 3.21     | 25              |
| 1,2,4-Trichlorobenzene     | 3.75                 | 4.39               | 4.33                | 117           | 115            | 70.0-160         |                      |                       | 1.38     | 25              |
| Hexachloro-1,3-butadiene   | 3.75                 | 4.47               | 4.61                | 119           | 123            | 70.0-151         |                      |                       | 3.08     | 25              |
| Naphthalene                | 3.75                 | 4.10               | 4.11                | 109           | 110            | 70.0-159         |                      |                       | 0.244    | 25              |
| TPH (GC/MS) Low Fraction   | 203                  | 218                | 216                 | 107           | 106            | 70.0-130         |                      |                       | 0.922    | 25              |
| Allyl Chloride             | 3.75                 | 3.07               | 3.16                | 81.9          | 84.3           | 70.0-130         |                      |                       | 2.89     | 25              |
| 2-Chlorotoluene            | 3.75                 | 3.97               | 3.95                | 106           | 105            | 70.0-130         |                      |                       | 0.505    | 25              |
| Methyl Methacrylate        | 3.75                 | 3.61               | 3.60                | 96.3          | 96.0           | 70.0-130         |                      |                       | 0.277    | 25              |
| Tetrahydrofuran            | 3.75                 | 3.26               | 3.31                | 86.9          | 88.3           | 70.0-137         |                      |                       | 1.52     | 25              |
| 2,2,4-Trimethylpentane     | 3.75                 | 3.74               | 3.68                | 99.7          | 98.1           | 70.0-130         |                      |                       | 1.62     | 25              |
| Vinyl Bromide              | 3.75                 | 3.92               | 4.14                | 105           | 110            | 70.0-130         |                      |                       | 5.46     | 25              |
| Isopropylbenzene           | 3.75                 | 4.26               | 4.13                | 114           | 110            | 70.0-130         |                      |                       | 3.10     | 25              |
| (S) 1,4-Bromofluorobenzene |                      |                    |                     | 90.0          | 89.2           | 60.0-140         |                      |                       |          |                 |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Volatile Organic Compounds (MS) by Method TO-15 [L1463687-01](#)

Method Blank (MB)

(MB) R3763040-3 02/23/22 13:35

| Analyte                    | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|----------------------------|-------------------|--------------|----------------|----------------|
| Cyclohexane                | U                 |              | 0.0753         | 0.200          |
| n-Hexane                   | U                 |              | 0.206          | 0.630          |
| (S) 1,4-Bromofluorobenzene | 98.8              |              |                | 60.0-140       |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3763040-1 02/23/22 12:17 • (LCSD) R3763040-2 02/23/22 12:57

| Analyte                    | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| n-Hexane                   | 3.75                 | 4.12               | 4.18                | 110           | 111            | 70.0-130         |               |                | 1.45     | 25              |
| Cyclohexane                | 3.75                 | 4.25               | 4.25                | 113           | 113            | 70.0-130         |               |                | 0.000    | 25              |
| (S) 1,4-Bromofluorobenzene |                      |                    |                     | 98.8          | 99.2           | 60.0-140         |               |                |          |                 |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc



## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MDL                          | Method Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| ND                           | Not detected at the Method Quantitation Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| RDL                          | Reported Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Rec.                         | Recovery.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| RPD                          | Relative Percent Difference.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| SDG                          | Sample Delivery Group.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| (S)                          | Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.                                                                                                                                                                                                                                               |
| U                            | Not detected at the Sample Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Analyte                      | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dilution                     | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.                                                                                    |
| Limits                       | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.                                                                                                                                                                                                                                                      |
| Qualifier                    | This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.                                                                                                                                                                  |
| Result                       | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Uncertainty (Radiochemistry) | Confidence level of 2 sigma.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Case Narrative (Cn)          | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.                                                                                                                                                                          |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.                                                                                                                                                                                              |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.                                                              |
| Sample Results (Sr)          | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.                                                                                                                                                                                             |
| Sample Summary (Ss)          | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.                                                                                                                                                                                                                                                                                                                                                            |

### Qualifier Description

|   |                                                                                     |
|---|-------------------------------------------------------------------------------------|
| J | The identification of the analyte is acceptable; the reported value is an estimate. |
|---|-------------------------------------------------------------------------------------|



## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122




|                                |             |                             |                  |
|--------------------------------|-------------|-----------------------------|------------------|
| Alabama                        | 40660       | Nebraska                    | NE-OS-15-05      |
| Alaska                         | 17-026      | Nevada                      | TN000032021-1    |
| Arizona                        | AZ0612      | New Hampshire               | 2975             |
| Arkansas                       | 88-0469     | New Jersey--NELAP           | TN002            |
| California                     | 2932        | New Mexico <sup>1</sup>     | TN00003          |
| Colorado                       | TN00003     | New York                    | 11742            |
| Connecticut                    | PH-0197     | North Carolina              | Env375           |
| Florida                        | E87487      | North Carolina <sup>1</sup> | DW21704          |
| Georgia                        | NELAP       | North Carolina <sup>3</sup> | 41               |
| Georgia <sup>1</sup>           | 923         | North Dakota                | R-140            |
| Idaho                          | TN00003     | Ohio--VAP                   | CL0069           |
| Illinois                       | 200008      | Oklahoma                    | 9915             |
| Indiana                        | C-TN-01     | Oregon                      | TN200002         |
| Iowa                           | 364         | Pennsylvania                | 68-02979         |
| Kansas                         | E-10277     | Rhode Island                | LA000356         |
| Kentucky <sup>1 6</sup>        | KY90010     | South Carolina              | 84004002         |
| Kentucky <sup>2</sup>          | 16          | South Dakota                | n/a              |
| Louisiana                      | AI30792     | Tennessee <sup>1 4</sup>    | 2006             |
| Louisiana                      | LA018       | Texas                       | T104704245-20-18 |
| Maine                          | TN00003     | Texas <sup>5</sup>          | LAB0152          |
| Maryland                       | 324         | Utah                        | TN000032021-11   |
| Massachusetts                  | M-TN003     | Vermont                     | VT2006           |
| Michigan                       | 9958        | Virginia                    | 110033           |
| Minnesota                      | 047-999-395 | Washington                  | C847             |
| Mississippi                    | TN00003     | West Virginia               | 233              |
| Missouri                       | 340         | Wisconsin                   | 998093910        |
| Montana                        | CERT0086    | Wyoming                     | A2LA             |
| A2LA -- ISO 17025              | 1461.01     | AIHA-LAP,LLC EMLAP          | 100789           |
| A2LA -- ISO 17025 <sup>5</sup> | 1461.02     | DOD                         | 1461.01          |
| Canada                         | 1461.01     | USDA                        | P330-15-00234    |
| EPA--Crypto                    | TN00003     |                             |                  |

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



|                                                                                                                                                  |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|---------------------------------|--|
| Company Name/Address<br><b>Ensolum, LLC</b><br>705 W. Wadley Ave, Ste 210<br>Midland, TX 79705                                                   |          | Billing Information:<br>Accounts Payable<br>2351 W Northwest Hwy. Ste.<br>1203<br>Dallas, TX 75220<br>Email To: bjennings@ensolum.com                              |                      | Pres<br>Chk                                                                                                              | Analysis / Container / Preservation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  | Chain of Custody<br>Page 3 of 1 |  |
| Report to:<br><b>Beaux Jennings</b>                                                                                                              |          | City/State<br>Collected: <b>Hobbs, New Mexico</b>                                                                                                                  |                      | Please Circle:<br><b>RT</b> MT CT ET                                                                                     | <div style="text-align: center;">  <p><b>Pace Analytical®</b><br/>National Center for Testing &amp; Analysis</p> <p>2285 Lakewood Road NE, Salem, TN 37166<br/>Phone: 615-758-0808 or 800-757-0808<br/>Subscribing to this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found on the back of this package. <a href="http://www.paceanalytical.com/PaceTermsConditions">www.paceanalytical.com/PaceTermsConditions</a></p> </div> |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  | SOG #                           |  |
| Project Description:<br><b>Leaky Well</b>                                                                                                        |          | Client Project #<br><b>03B1417001</b>                                                                                                                              |                      | Lab Project #<br><b>ENSOLUMTX-SUMMA</b>                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  | Table #<br><b>L1463687</b>      |  |
| Phone: <b>210-219-8858</b>                                                                                                                       |          | Site/Facility ID #<br><b>03B1417001</b>                                                                                                                            |                      | P.O. #<br><b>03B1417001</b>                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  | Acctnum: <b>ENSOLUMMTX</b>      |  |
| Collected by (print):<br><b>Arion Marquez</b>                                                                                                    |          | Rush? (Lab MUST Be Notified)<br>Same Day _____ Five Day _____<br>Next Day _____ 5 Day (Rad Only) _____<br>Two Day _____ 10 Day (Rad Only) _____<br>Three Day _____ |                      | Quote #                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  | Template: <b>T180734</b>        |  |
| Collected by (signature):<br>                                   |          | Date Results Needed                                                                                                                                                |                      | No. of<br>Cntrs                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  | Prelim: <b>P827709</b>          |  |
| Immediately<br>Packed on Ice: <b>N</b> <input checked="" type="checkbox"/> <b>Y</b> <input type="checkbox"/>                                     |          |                                                                                                                                                                    |                      |                                                                                                                          | PM: <b>134 - Mark W. Beasley</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| Sample ID                                                                                                                                        |          | Comp/Grab                                                                                                                                                          | Matrix *             | Depth                                                                                                                    | Date                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Time                                                                | Shipped Via:        |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| <b>Leaky Well</b>                                                                                                                                | <b>G</b> | <b>Air</b>                                                                                                                                                         | <b>-</b>             | <b>2-16-22</b>                                                                                                           | <b>1224</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>1</b>                                                            | Remarks             |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
|                                                                                                                                                  |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     | Sample # (for only) |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
|                                                                                                                                                  |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     | <b>-01</b>          |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| <b>NFE AAM 2-16-22</b>                                                                                                                           |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| Remarks:                                                                                                                                         |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| <p>MR - Air    F - Filter<br/>         Water    B - Bioassay<br/>         Water<br/>         g Water</p>                                         |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| <p>pH _____ Temp _____<br/>         Flow _____ Other _____</p>                                                                                   |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| <p>Samples returned via: <input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Courier _____ Tracking # _____</p> |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| by: (Signature)<br>                                           |          | Date:<br><b>2-16-22</b>                                                                                                                                            | Time:<br><b>3:53</b> | Received by: (Signature)<br>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Trip Blank Received: <b>Yes/No</b><br><b>HCL/Mech</b><br><b>TBR</b> |                     | <p><b>Sample Receipt Checklist</b><br/>         COC Seal Present/Intact: <input checked="" type="checkbox"/> NP<br/>         COC Signed/Accurate:<br/>         Bottles arrive intact:<br/>         Correct bottles used:<br/>         Sufficient volume sent:<br/>         If Applicable<br/>         VOA Zero Headspace:<br/>         Preservation Correct/Checked:<br/>         RAD Screen &lt;0.5 mR/hrs</p> |  |  |  |  |  |  |                                 |  |
| (Signature)                                                                                                                                      |          | Date:                                                                                                                                                              | Time:                | Received by: (Signature)                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Temp: _____ °C    Bottles Received: <b>1</b>                        |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
| (Signature)                                                                                                                                      |          | Date:                                                                                                                                                              | Time:                | Received for lab by: (Signature)<br> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Date: <b>2-18-22</b> Time: <b>0930</b>                              |                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |                                 |  |
|                                                                                                                                                  |          |                                                                                                                                                                    |                      |                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                     | Hold:               | Cond<br><b>NCF</b>                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  |  |  |  |                                 |  |



2/18-NCF-L1463687 ENSOLUMMTX TD

R5

Time estimate: oh Time spent: oh

Members

-  Troy Dunlap (responsible)
-  MB Mark Beasley

- ☐ Login Clarification needed
- ☐ Chain of custody is incomplete
- ☐ Please specify Metals requested
- ☐ Please specify TCLP requested
- ☐ Received additional samples not listed on COC
- ☐ Sample IDs on containers do not match IDs on COC
- ☐ Client did not "X" analysis
- ☒ Chain of Custody is missing
- ☐ If no COC: Received by: \_\_\_\_\_
- ☐ If no COC: Date/Time: \_\_\_\_\_
- ☐ If no COC: Temp./Cont.Rec./pH: \_\_\_\_\_ amb/1
- ☐ If no COC: Carrier: \_\_\_\_\_
- ☐ If no COC: Tracking #: \_ 2899 1897 3669
- ☐ Client informed by call
- ☐ Client informed by Email
- ☐ Client informed by Voicemail
- ☐ Date/Time: \_ 2/21/22 \_\_\_\_\_
- ☐ PM initials: \_\_\_\_\_ MB \_\_\_\_\_
- ☐ Client Contact: \_\_\_\_\_

Comments

|                                                                                                                               |                           |
|-------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| Troy Dunlap<br>COC is missing. Looked up Can #8519 in Air track to get cocode. No info on tag other than a starting pressure. | 18 February 2022 3:55 PM  |
| Mark Beasley<br>See attached COC                                                                                              | 21 February 2022 9:55 AM  |
| Troy Dunlap<br>Done.                                                                                                          | 21 February 2022 10:32 AM |



## ANALYTICAL REPORT

March 07, 2022

**Ensolum, LLC**

Sample Delivery Group: L1466940  
Samples Received: 03/02/2022  
Project Number: 03B1417001  
Description: Levey Well  
Site: 03B1417001  
Report To: Beaux Jennings  
705 W. Wadley Ave, Ste 210  
Midland, TX 79705



Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "M. Beasley".

Mark W. Beasley  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

|                                                 |    |                  |
|-------------------------------------------------|----|------------------|
| Cp: Cover Page                                  | 1  | <sup>1</sup> Cp  |
| Tc: Table of Contents                           | 2  |                  |
| Ss: Sample Summary                              | 3  | <sup>2</sup> Tc  |
| Cn: Case Narrative                              | 4  |                  |
| Tr: TRRP Summary                                | 5  | <sup>3</sup> Ss  |
| TRRP form R                                     | 6  |                  |
| TRRP form S                                     | 7  | <sup>4</sup> Cn  |
| TRRP Exception Reports                          | 8  | <sup>5</sup> Tr  |
| Sr: Sample Results                              | 9  |                  |
| 10608 L1466940-01                               | 9  | <sup>6</sup> Sr  |
| 12507 L1466940-02                               | 11 |                  |
| 10572 L1466940-03                               | 13 | <sup>7</sup> Qc  |
| 7273 L1466940-04                                | 15 | <sup>8</sup> Gl  |
| Qc: Quality Control Summary                     | 17 |                  |
| Volatile Organic Compounds (MS) by Method TO-15 | 17 | <sup>9</sup> Al  |
| Gl: Glossary of Terms                           | 26 |                  |
| Al: Accreditations & Locations                  | 27 | <sup>10</sup> Sc |
| Sc: Sample Chain of Custody                     | 28 |                  |

10608 L1466940-01 Air

Collected by Aaron Marquez  
Collected date/time 02/28/22 14:05  
Received date/time 03/02/22 14:30

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1827407 | 50       | 03/04/22 16:40        | 03/04/22 16:40     | DAH     | Mt. Juliet, TN |

1Cp

2Tc

12507 L1466940-02 Air

Collected by Aaron Marquez  
Collected date/time 02/28/22 15:10  
Received date/time 03/02/22 14:30

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1826672 | 1        | 03/03/22 15:42        | 03/03/22 15:42     | CEP     | Mt. Juliet, TN |
| Volatile Organic Compounds (MS) by Method TO-15 | WG1827402 | 10       | 03/04/22 19:35        | 03/04/22 19:35     | DAH     | Mt. Juliet, TN |

3Ss

4Cn

5Tr

6Sr

10572 L1466940-03 Air

Collected by Aaron Marquez  
Collected date/time 02/28/22 14:28  
Received date/time 03/02/22 14:30

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1827407 | 50       | 03/04/22 17:10        | 03/04/22 17:10     | DAH     | Mt. Juliet, TN |

7Qc

8Gl

7273 L1466940-04 Air

Collected by Aaron Marquez  
Collected date/time 02/28/22 16:35  
Received date/time 03/02/22 14:30

| Method                                          | Batch     | Dilution | Preparation date/time | Analysis date/time | Analyst | Location       |
|-------------------------------------------------|-----------|----------|-----------------------|--------------------|---------|----------------|
| Volatile Organic Compounds (MS) by Method TO-15 | WG1827407 | 1        | 03/04/22 13:33        | 03/04/22 13:33     | DAH     | Mt. Juliet, TN |

9Al

10Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley  
Project Manager

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Laboratory Data Package Cover Page

This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
  - a. Items consistent with NELAC Chapter 5,
  - b. dilution factors,
  - c. preparation methods,
  - d. cleanup methods, and
  - e. if required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
  - a. Calculated recovery (%R), and
  - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
  - a. LCS spiking amounts,
  - b. Calculated %R for each analyte, and
  - c. The laboratory's LCS QC limits.
- R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
  - a. Samples associated with the MS/MSD clearly identified,
  - b. MS/MSD spiking amounts,
  - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
  - d. Calculated %Rs and relative percent differences (RPDs), and
  - e. The laboratory's MS/MSD QC limits
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
  - a. The amount of analyte measured in the duplicate,
  - b. The calculated RPD, and
  - c. The laboratory's QC limits for analytical duplicates.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.



Mark W. Beasley  
Project Manager

# Laboratory Review Checklist: Reportable Data

| Laboratory Name: Pace Analytical National |                | LRC Date: 03/07/2022 13:27                                                                                                                                               |     |    |                 |                 |                  |
|-------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|-----------------|-----------------|------------------|
| Project Name: Levey Well                  |                | Laboratory Job Number: L1466940-01, 02, 03 and 04                                                                                                                        |     |    |                 |                 |                  |
| Reviewer Name: Mark W. Beasley            |                | Prep Batch Number(s): WG1826672, WG1827402 and WG1827407                                                                                                                 |     |    |                 |                 |                  |
| # <sup>1</sup>                            | A <sup>2</sup> | Description                                                                                                                                                              | Yes | No | NA <sup>3</sup> | NR <sup>4</sup> | ER# <sup>5</sup> |
| R1                                        | OI             | Chain-of-custody (C-O-C)                                                                                                                                                 |     |    |                 |                 |                  |
|                                           |                | Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?                                                                              | X   |    |                 |                 |                  |
|                                           |                | Were all departures from standard conditions described in an exception report?                                                                                           |     |    | X               |                 |                  |
| R2                                        | OI             | Sample and quality control (QC) identification                                                                                                                           |     |    |                 |                 |                  |
|                                           |                | Are all field sample ID numbers cross-referenced to the laboratory ID numbers?                                                                                           | X   |    |                 |                 |                  |
|                                           |                | Are all laboratory ID numbers cross-referenced to the corresponding QC data?                                                                                             | X   |    |                 |                 |                  |
| R3                                        | OI             | Test reports                                                                                                                                                             |     |    |                 |                 |                  |
|                                           |                | Were all samples prepared and analyzed within holding times?                                                                                                             | X   |    |                 |                 |                  |
|                                           |                | Other than those results < MQL, were all other raw values bracketed by calibration standards?                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were calculations checked by a peer or supervisor?                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Were all analyte identifications checked by a peer or supervisor?                                                                                                        | X   |    |                 |                 |                  |
|                                           |                | Were sample detection limits reported for all analytes not detected?                                                                                                     | X   |    |                 |                 |                  |
|                                           |                | Were all results for soil and sediment samples reported on a dry weight basis?                                                                                           | X   |    |                 |                 |                  |
|                                           |                | Were % moisture (or solids) reported for all soil and sediment samples?                                                                                                  |     |    | X               |                 |                  |
|                                           |                | Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?                                                                      |     |    | X               |                 |                  |
|                                           |                | If required for the project, are TICs reported?                                                                                                                          |     |    | X               |                 |                  |
| R4                                        | O              | Surrogate recovery data                                                                                                                                                  |     |    |                 |                 |                  |
|                                           |                | Were surrogates added prior to extraction?                                                                                                                               | X   |    |                 |                 |                  |
|                                           |                | Were surrogate percent recoveries in all samples within the laboratory QC limits?                                                                                        | X   |    |                 |                 |                  |
| R5                                        | OI             | Test reports/summary forms for blank samples                                                                                                                             |     |    |                 |                 |                  |
|                                           |                | Were appropriate type(s) of blanks analyzed?                                                                                                                             | X   |    |                 |                 |                  |
|                                           |                | Were blanks analyzed at the appropriate frequency?                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?                                            | X   |    |                 |                 |                  |
|                                           |                | Were blank concentrations < MQL?                                                                                                                                         | X   |    |                 |                 |                  |
| R6                                        | OI             | Laboratory control samples (LCS):                                                                                                                                        |     |    |                 |                 |                  |
|                                           |                | Were all COCs included in the LCS?                                                                                                                                       | X   |    |                 |                 |                  |
|                                           |                | Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were LCSs analyzed at the required frequency?                                                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?                                                                                                  | X   |    |                 |                 |                  |
|                                           |                | Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?                                  | X   |    |                 |                 |                  |
|                                           |                | Was the LCSD RPD within QC limits?                                                                                                                                       | X   |    |                 |                 |                  |
| R7                                        | OI             | Matrix spike (MS) and matrix spike duplicate (MSD) data                                                                                                                  |     |    |                 |                 |                  |
|                                           |                | Were the project/method specified analytes included in the MS and MSD?                                                                                                   |     |    | X               |                 |                  |
|                                           |                | Were MS/MSD analyzed at the appropriate frequency?                                                                                                                       |     |    | X               |                 |                  |
|                                           |                | Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?                                                                                                    |     |    | X               |                 |                  |
|                                           |                | Were MS/MSD RPDs within laboratory QC limits?                                                                                                                            |     |    | X               |                 |                  |
| R8                                        | OI             | Analytical duplicate data                                                                                                                                                |     |    |                 |                 |                  |
|                                           |                | Were appropriate analytical duplicates analyzed for each matrix?                                                                                                         |     |    | X               |                 |                  |
|                                           |                | Were analytical duplicates analyzed at the appropriate frequency?                                                                                                        |     |    | X               |                 |                  |
|                                           |                | Were RPDs or relative standard deviations within the laboratory QC limits?                                                                                               |     |    | X               |                 |                  |
| R9                                        | OI             | Method quantitation limits (MQLs):                                                                                                                                       |     |    |                 |                 |                  |
|                                           |                | Are the MQLs for each method analyte included in the laboratory data package?                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?                                                                                 | X   |    |                 |                 |                  |
|                                           |                | Are unadjusted MQLs and DCSs included in the laboratory data package?                                                                                                    | X   |    |                 |                 |                  |
| R10                                       | OI             | Other problems/anomalies                                                                                                                                                 |     |    |                 |                 |                  |
|                                           |                | Are all known problems/anomalies/special conditions noted in this LRC and ER?                                                                                            | X   |    |                 |                 |                  |
|                                           |                | Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?                                         | X   |    |                 |                 |                  |
|                                           |                | Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package? | X   |    |                 |                 |                  |

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.  
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);  
3. NA = Not applicable;  
4. NR = Not reviewed;  
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

# Laboratory Review Checklist: Supporting Data

| Laboratory Name: Pace Analytical National                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                | LRC Date: 03/07/2022 13:27                                                                             |     |    |                 |                 |                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------|-----|----|-----------------|-----------------|------------------|
| Project Name: Levey Well                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Laboratory Job Number: L1466940-01, 02, 03 and 04                                                      |     |    |                 |                 |                  |
| Reviewer Name: Mark W. Beasley                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                | Prep Batch Number(s): WG1826672, WG1827402 and WG1827407                                               |     |    |                 |                 |                  |
| # <sup>1</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | A <sup>2</sup> | Description                                                                                            | Yes | No | NA <sup>3</sup> | NR <sup>4</sup> | ER# <sup>5</sup> |
| S1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | OI             | Initial calibration (ICAL)                                                                             |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were response factors and/or relative response factors for each analyte within QC limits?              | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were percent RSDs or correlation coefficient criteria met?                                             | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Was the number of standards recommended in the method used for all analytes?                           | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were all points generated between the lowest and highest standard used to calculate the curve?         | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Are ICAL data available for all instruments used?                                                      | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Has the initial calibration curve been verified using an appropriate second source standard?           | X   |    |                 |                 |                  |
| S2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | OI             | Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB): |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Was the CCV analyzed at the method-required frequency?                                                 | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were percent differences for each analyte within the method-required QC limits?                        | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Was the ICAL curve verified for each analyte?                                                          | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Was the absolute value of the analyte concentration in the inorganic CCB < MDL?                        |     |    | X               |                 |                  |
| S3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | O              | Mass spectral tuning                                                                                   |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Was the appropriate compound for the method used for tuning?                                           | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were ion abundance data within the method-required QC limits?                                          | X   |    |                 |                 |                  |
| S4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | O              | Internal standards (IS)                                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were IS area counts and retention times within the method-required QC limits?                          | X   |    |                 |                 |                  |
| S5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | OI             | Raw data (NELAC Section 5.5.10)                                                                        |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?                  | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were data associated with manual integrations flagged on the raw data?                                 | X   |    |                 |                 |                  |
| S6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | O              | Dual column confirmation                                                                               |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Did dual column confirmation results meet the method-required QC?                                      |     |    | X               |                 |                  |
| S7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | O              | Tentatively identified compounds (TICs)                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?              |     |    | X               |                 |                  |
| S8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | I              | Interference Check Sample (ICS) results                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were percent recoveries within method QC limits?                                                       |     |    | X               |                 |                  |
| S9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | I              | Serial dilutions, post digestion spikes, and method of standard additions                              |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Were percent differences, recoveries, and the linearity within the QC limits specified in the method?  |     |    | X               |                 |                  |
| S10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OI             | Method detection limit (MDL) studies                                                                   |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Was a MDL study performed for each reported analyte?                                                   | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Is the MDL either adjusted or supported by the analysis of DCSs?                                       | X   |    |                 |                 |                  |
| S11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OI             | Proficiency test reports                                                                               |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies? | X   |    |                 |                 |                  |
| S12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OI             | Standards documentation                                                                                |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?      | X   |    |                 |                 |                  |
| S13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OI             | Compound/analyte identification procedures                                                             |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Are the procedures for compound/analyte identification documented?                                     | X   |    |                 |                 |                  |
| S14                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OI             | Demonstration of analyst competency (DOC)                                                              |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Was DOC conducted consistent with NELAC Chapter 5?                                                     | X   |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Is documentation of the analyst's competency up-to-date and on file?                                   | X   |    |                 |                 |                  |
| S15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OI             | Verification/validation documentation for methods (NELAC Chapter 5)                                    |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Are all the methods used to generate the data documented, verified, and validated, where applicable?   | X   |    |                 |                 |                  |
| S16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OI             | Laboratory standard operating procedures (SOPs)                                                        |     |    |                 |                 |                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | Are laboratory SOPs current and on file for each method performed                                      | X   |    |                 |                 |                  |
| 1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.<br>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);<br>3. NA = Not applicable;<br>4. NR = Not reviewed;<br>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked). |                |                                                                                                        |     |    |                 |                 |                  |

## Laboratory Review Checklist: Exception Reports

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    |                                                          |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------|--|
| Laboratory Name: Pace Analytical National                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    | LRC Date: 03/07/2022 13:27                               |  |
| Project Name: Levey Well                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                    | Laboratory Job Number: L1466940-01, 02, 03 and 04        |  |
| Reviewer Name: Mark W. Beasley                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                    | Prep Batch Number(s): WG1826672, WG1827402 and WG1827407 |  |
| <b>ER #<sup>1</sup></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>Description</b> |                                                          |  |
| The Exception Report intentionally left blank, there are no exceptions applied to this SDG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |                                                          |  |
| <p>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);</p> <p>3. NA = Not applicable;</p> <p>4. NR = Not reviewed;</p> <p>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p> |                    |                                                          |  |

Collected date/time: 02/28/22 14:05

L1466940

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| Acetone                        | 67-64-1    | 58.10    | 62.5         | 149           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Allyl chloride                 | 107-05-1   | 76.53    | 10.0         | 31.3          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Benzene                        | 71-43-2    | 78.10    | 10.0         | 31.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Benzyl Chloride                | 100-44-7   | 127      | 10.0         | 51.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Bromodichloromethane           | 75-27-4    | 164      | 10.0         | 67.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Bromoform                      | 75-25-2    | 253      | 30.0         | 310           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Bromomethane                   | 74-83-9    | 94.90    | 10.0         | 38.8          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 100          | 221           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Carbon disulfide               | 75-15-0    | 76.10    | 10.0         | 31.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Carbon tetrachloride           | 56-23-5    | 154      | 10.0         | 63.0          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Chlorobenzene                  | 108-90-7   | 113      | 10.0         | 46.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Chloroethane                   | 75-00-3    | 64.50    | 10.0         | 26.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Chloroform                     | 67-66-3    | 119      | 10.0         | 48.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Chloromethane                  | 74-87-3    | 50.50    | 10.0         | 20.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 2-Chlorotoluene                | 95-49-8    | 126      | 10.0         | 51.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Cyclohexane                    | 110-82-7   | 84.20    | 10.0         | 34.4          | 151            | 520             |           | 50       | <a href="#">WG1827407</a> |
| Dibromochloromethane           | 124-48-1   | 208      | 10.0         | 85.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 10.0         | 76.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 10.0         | 60.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 10.0         | 60.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 10.0         | 60.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 10.0         | 40.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 10.0         | 40.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 10.0         | 39.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 10.0         | 39.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 10.0         | 39.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 10.0         | 46.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 10.0         | 45.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 10.0         | 45.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 10.0         | 36.0          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Ethanol                        | 64-17-5    | 46.10    | 62.5         | 118           | 444            | 837             |           | 50       | <a href="#">WG1827407</a> |
| Ethylbenzene                   | 100-41-4   | 106      | 10.0         | 43.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 10.0         | 49.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 10.0         | 56.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 10.0         | 49.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 10.0         | 76.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 10.0         | 69.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Heptane                        | 142-82-5   | 100      | 10.0         | 40.9          | 53.7           | 220             |           | 50       | <a href="#">WG1827407</a> |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 31.5         | 336           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| n-Hexane                       | 110-54-3   | 86.20    | 31.5         | 111           | 962            | 3390            |           | 50       | <a href="#">WG1827407</a> |
| Isopropylbenzene               | 98-82-8    | 120.20   | 10.0         | 49.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Methylene Chloride             | 75-09-2    | 84.90    | 10.0         | 34.7          | 13.7           | 47.6            |           | 50       | <a href="#">WG1827407</a> |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 62.5         | 256           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 62.5         | 184           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 62.5         | 256           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Methyl methacrylate            | 80-62-6    | 100.12   | 10.0         | 40.9          | 187            | 766             |           | 50       | <a href="#">WG1827407</a> |
| MTBE                           | 1634-04-4  | 88.10    | 10.0         | 36.0          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Naphthalene                    | 91-20-3    | 128      | 31.5         | 165           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 2-Propanol                     | 67-63-0    | 60.10    | 62.5         | 154           | 3450           | 8480            |           | 50       | <a href="#">WG1827407</a> |
| Propene                        | 115-07-1   | 42.10    | 62.5         | 108           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Styrene                        | 100-42-5   | 104      | 10.0         | 42.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 10.0         | 68.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Tetrachloroethylene            | 127-18-4   | 166      | 10.0         | 67.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 10.0         | 29.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Toluene                        | 108-88-3   | 92.10    | 25.0         | 94.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 31.5         | 233           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/28/22 14:05

L1466940

Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 10.0         | 54.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 10.0         | 54.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Trichloroethylene          | 79-01-6   | 131      | 10.0         | 53.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 10.0         | 49.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 10.0         | 49.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 10.0         | 46.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Vinyl chloride             | 75-01-4   | 62.50    | 10.0         | 25.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Vinyl Bromide              | 593-60-2  | 106.95   | 10.0         | 43.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Vinyl acetate              | 108-05-4  | 86.10    | 10.0         | 35.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| m&p-Xylene                 | 1330-20-7 | 106      | 20.0         | 86.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| o-Xylene                   | 95-47-6   | 106      | 10.0         | 43.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 10000        | 41300         | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 99.6           |                 |           |          | <a href="#">WG1827407</a> |

1

Cp

2

Tc

3

Ss

4

Cn

5

Tr

6

Sr

7

Qc

8

Gl

9

Al

10

Sc



Collected date/time: 02/28/22 15:10

L1466940

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|-----------|
| Acetone                        | 67-64-1    | 58.10    | 1.25         | 2.97          | ND             | ND              |           | 1        | WG1826672 |
| Allyl chloride                 | 107-05-1   | 76.53    | 0.200        | 0.626         | ND             | ND              |           | 1        | WG1826672 |
| Benzene                        | 71-43-2    | 78.10    | 0.200        | 0.639         | 0.561          | 1.79            |           | 1        | WG1826672 |
| Benzyl Chloride                | 100-44-7   | 127      | 0.200        | 1.04          | ND             | ND              |           | 1        | WG1826672 |
| Bromodichloromethane           | 75-27-4    | 164      | 0.200        | 1.34          | ND             | ND              |           | 1        | WG1826672 |
| Bromoform                      | 75-25-2    | 253      | 0.600        | 6.21          | ND             | ND              |           | 1        | WG1826672 |
| Bromomethane                   | 74-83-9    | 94.90    | 0.200        | 0.776         | ND             | ND              |           | 1        | WG1826672 |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 2.00         | 4.43          | ND             | ND              |           | 1        | WG1826672 |
| Carbon disulfide               | 75-15-0    | 76.10    | 0.200        | 0.622         | ND             | ND              |           | 1        | WG1826672 |
| Carbon tetrachloride           | 56-23-5    | 154      | 0.200        | 1.26          | ND             | ND              |           | 1        | WG1826672 |
| Chlorobenzene                  | 108-90-7   | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | WG1826672 |
| Chloroethane                   | 75-00-3    | 64.50    | 0.200        | 0.528         | ND             | ND              |           | 1        | WG1826672 |
| Chloroform                     | 67-66-3    | 119      | 0.200        | 0.973         | ND             | ND              |           | 1        | WG1826672 |
| Chloromethane                  | 74-87-3    | 50.50    | 0.200        | 0.413         | ND             | ND              |           | 1        | WG1826672 |
| 2-Chlorotoluene                | 95-49-8    | 126      | 0.200        | 1.03          | ND             | ND              |           | 1        | WG1826672 |
| Cyclohexane                    | 110-82-7   | 84.20    | 0.200        | 0.689         | 88.7           | 305             |           | 1        | WG1826672 |
| Dibromochloromethane           | 124-48-1   | 208      | 0.200        | 1.70          | ND             | ND              |           | 1        | WG1826672 |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 0.200        | 1.54          | ND             | ND              |           | 1        | WG1826672 |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1826672 |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1826672 |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | WG1826672 |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 0.200        | 0.810         | ND             | ND              |           | 1        | WG1826672 |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 0.200        | 0.802         | ND             | ND              |           | 1        | WG1826672 |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1826672 |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1826672 |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | WG1826672 |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | WG1826672 |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | WG1826672 |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | WG1826672 |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | WG1826672 |
| Ethanol                        | 64-17-5    | 46.10    | 1.25         | 2.36          | 3.95           | 7.45            |           | 1        | WG1826672 |
| Ethylbenzene                   | 100-41-4   | 106      | 0.200        | 0.867         | 0.473          | 2.05            |           | 1        | WG1826672 |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 0.200        | 0.982         | 0.489          | 2.40            |           | 1        | WG1826672 |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 0.200        | 1.12          | ND             | ND              |           | 1        | WG1826672 |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 0.200        | 0.989         | 0.430          | 2.13            |           | 1        | WG1826672 |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 0.200        | 1.53          | ND             | ND              |           | 1        | WG1826672 |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 0.200        | 1.40          | ND             | ND              |           | 1        | WG1826672 |
| Heptane                        | 142-82-5   | 100      | 0.200        | 0.818         | 44.5           | 182             |           | 1        | WG1826672 |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 0.630        | 6.73          | ND             | ND              |           | 1        | WG1826672 |
| n-Hexane                       | 110-54-3   | 86.20    | 6.30         | 22.2          | 145            | 511             |           | 10       | WG1827402 |
| Isopropylbenzene               | 98-82-8    | 120.20   | 0.200        | 0.983         | 0.228          | 1.12            |           | 1        | WG1826672 |
| Methylene Chloride             | 75-09-2    | 84.90    | 0.200        | 0.694         | ND             | ND              |           | 1        | WG1826672 |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 1.25         | 5.11          | ND             | ND              |           | 1        | WG1826672 |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 1.25         | 3.69          | 3.59           | 10.6            |           | 1        | WG1826672 |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 1.25         | 5.12          | ND             | ND              |           | 1        | WG1826672 |
| Methyl methacrylate            | 80-62-6    | 100.12   | 0.200        | 0.819         | ND             | ND              |           | 1        | WG1826672 |
| MTBE                           | 1634-04-4  | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | WG1826672 |
| Naphthalene                    | 91-20-3    | 128      | 0.630        | 3.30          | ND             | ND              |           | 1        | WG1826672 |
| 2-Propanol                     | 67-63-0    | 60.10    | 1.25         | 3.07          | 10.4           | 25.6            |           | 1        | WG1826672 |
| Propene                        | 115-07-1   | 42.10    | 1.25         | 2.15          | ND             | ND              |           | 1        | WG1826672 |
| Styrene                        | 100-42-5   | 104      | 0.200        | 0.851         | ND             | ND              |           | 1        | WG1826672 |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 0.200        | 1.37          | ND             | ND              |           | 1        | WG1826672 |
| Tetrachloroethylene            | 127-18-4   | 166      | 0.200        | 1.36          | ND             | ND              |           | 1        | WG1826672 |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 0.200        | 0.590         | ND             | ND              |           | 1        | WG1826672 |
| Toluene                        | 108-88-3   | 92.10    | 0.500        | 1.88          | 0.993          | 3.74            |           | 1        | WG1826672 |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 0.630        | 4.66          | ND             | ND              |           | 1        | WG1826672 |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/28/22 15:10

L1466940

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | <a href="#">WG1826672</a> |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | <a href="#">WG1826672</a> |
| Trichloroethylene          | 79-01-6   | 131      | 0.200        | 1.07          | ND             | ND              |           | 1        | <a href="#">WG1826672</a> |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 0.200        | 0.982         | 1.01           | 4.96            |           | 1        | <a href="#">WG1826672</a> |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 0.200        | 0.982         | 1.00           | 4.91            |           | 1        | <a href="#">WG1826672</a> |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 0.200        | 0.934         | ND             | ND              |           | 1        | <a href="#">WG1826672</a> |
| Vinyl chloride             | 75-01-4   | 62.50    | 0.200        | 0.511         | ND             | ND              |           | 1        | <a href="#">WG1826672</a> |
| Vinyl Bromide              | 593-60-2  | 106.95   | 0.200        | 0.875         | ND             | ND              |           | 1        | <a href="#">WG1826672</a> |
| Vinyl acetate              | 108-05-4  | 86.10    | 0.200        | 0.704         | ND             | ND              |           | 1        | <a href="#">WG1826672</a> |
| m&p-Xylene                 | 1330-20-7 | 106      | 0.400        | 1.73          | 0.737          | 3.20            |           | 1        | <a href="#">WG1826672</a> |
| o-Xylene                   | 95-47-6   | 106      | 0.200        | 0.867         | 0.333          | 1.44            |           | 1        | <a href="#">WG1826672</a> |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 200          | 826           | 1560           | 6440            |           | 1        | <a href="#">WG1826672</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 101            |                 |           |          | <a href="#">WG1826672</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 94.5           |                 |           |          | <a href="#">WG1827402</a> |

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

Collected date/time: 02/28/22 14:28

L1466940

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| Acetone                        | 67-64-1    | 58.10    | 62.5         | 149           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Allyl chloride                 | 107-05-1   | 76.53    | 10.0         | 31.3          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Benzene                        | 71-43-2    | 78.10    | 10.0         | 31.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Benzyl Chloride                | 100-44-7   | 127      | 10.0         | 51.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Bromodichloromethane           | 75-27-4    | 164      | 10.0         | 67.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Bromoform                      | 75-25-2    | 253      | 30.0         | 310           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Bromomethane                   | 74-83-9    | 94.90    | 10.0         | 38.8          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 100          | 221           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Carbon disulfide               | 75-15-0    | 76.10    | 10.0         | 31.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Carbon tetrachloride           | 56-23-5    | 154      | 10.0         | 63.0          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Chlorobenzene                  | 108-90-7   | 113      | 10.0         | 46.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Chloroethane                   | 75-00-3    | 64.50    | 10.0         | 26.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Chloroform                     | 67-66-3    | 119      | 10.0         | 48.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Chloromethane                  | 74-87-3    | 50.50    | 10.0         | 20.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 2-Chlorotoluene                | 95-49-8    | 126      | 10.0         | 51.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Cyclohexane                    | 110-82-7   | 84.20    | 10.0         | 34.4          | 190            | 654             |           | 50       | <a href="#">WG1827407</a> |
| Dibromochloromethane           | 124-48-1   | 208      | 10.0         | 85.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 10.0         | 76.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 10.0         | 60.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 10.0         | 60.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 10.0         | 60.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 10.0         | 40.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 10.0         | 40.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 10.0         | 39.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 10.0         | 39.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 10.0         | 39.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 10.0         | 46.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 10.0         | 45.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 10.0         | 45.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 10.0         | 36.0          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Ethanol                        | 64-17-5    | 46.10    | 62.5         | 118           | 363            | 684             |           | 50       | <a href="#">WG1827407</a> |
| Ethylbenzene                   | 100-41-4   | 106      | 10.0         | 43.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 10.0         | 49.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 10.0         | 56.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 10.0         | 49.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 10.0         | 76.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 10.0         | 69.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Heptane                        | 142-82-5   | 100      | 10.0         | 40.9          | 64.4           | 263             |           | 50       | <a href="#">WG1827407</a> |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 31.5         | 336           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| n-Hexane                       | 110-54-3   | 86.20    | 31.5         | 111           | 714            | 2520            |           | 50       | <a href="#">WG1827407</a> |
| Isopropylbenzene               | 98-82-8    | 120.20   | 10.0         | 49.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Methylene Chloride             | 75-09-2    | 84.90    | 10.0         | 34.7          | 11.1           | 38.5            |           | 50       | <a href="#">WG1827407</a> |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 62.5         | 256           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 62.5         | 184           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 62.5         | 256           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Methyl methacrylate            | 80-62-6    | 100.12   | 10.0         | 40.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| MTBE                           | 1634-04-4  | 88.10    | 10.0         | 36.0          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Naphthalene                    | 91-20-3    | 128      | 31.5         | 165           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 2-Propanol                     | 67-63-0    | 60.10    | 62.5         | 154           | 2590           | 6370            |           | 50       | <a href="#">WG1827407</a> |
| Propene                        | 115-07-1   | 42.10    | 62.5         | 108           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Styrene                        | 100-42-5   | 104      | 10.0         | 42.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 10.0         | 68.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Tetrachloroethylene            | 127-18-4   | 166      | 10.0         | 67.9          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 10.0         | 29.5          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Toluene                        | 108-88-3   | 92.10    | 25.0         | 94.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 31.5         | 233           | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/28/22 14:28

L1466940

Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 10.0         | 54.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 10.0         | 54.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Trichloroethylene          | 79-01-6   | 131      | 10.0         | 53.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 10.0         | 49.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 10.0         | 49.1          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 10.0         | 46.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Vinyl chloride             | 75-01-4   | 62.50    | 10.0         | 25.6          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Vinyl Bromide              | 593-60-2  | 106.95   | 10.0         | 43.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| Vinyl acetate              | 108-05-4  | 86.10    | 10.0         | 35.2          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| m&p-Xylene                 | 1330-20-7 | 106      | 20.0         | 86.7          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| o-Xylene                   | 95-47-6   | 106      | 10.0         | 43.4          | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 10000        | 41300         | ND             | ND              |           | 50       | <a href="#">WG1827407</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 97.1           |                 |           |          | <a href="#">WG1827407</a> |

1

Cp

2

Tc

3

Ss

4

Cn

5

Tr

6

Sr

7

Qc

8

Gl

9

Al

10

Sc

Collected date/time: 02/28/22 16:35

L1466940

## Volatile Organic Compounds (MS) by Method TO-15

| Analyte                        | CAS #      | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|--------------------------------|------------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| Acetone                        | 67-64-1    | 58.10    | 1.25         | 2.97          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Allyl chloride                 | 107-05-1   | 76.53    | 0.200        | 0.626         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Benzene                        | 71-43-2    | 78.10    | 0.200        | 0.639         | 0.406          | 1.30            |           | 1        | <a href="#">WG1827407</a> |
| Benzyl Chloride                | 100-44-7   | 127      | 0.200        | 1.04          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Bromodichloromethane           | 75-27-4    | 164      | 0.200        | 1.34          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Bromoform                      | 75-25-2    | 253      | 0.600        | 6.21          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Bromomethane                   | 74-83-9    | 94.90    | 0.200        | 0.776         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,3-Butadiene                  | 106-99-0   | 54.10    | 2.00         | 4.43          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Carbon disulfide               | 75-15-0    | 76.10    | 0.200        | 0.622         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Carbon tetrachloride           | 56-23-5    | 154      | 0.200        | 1.26          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Chlorobenzene                  | 108-90-7   | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Chloroethane                   | 75-00-3    | 64.50    | 0.200        | 0.528         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Chloroform                     | 67-66-3    | 119      | 0.200        | 0.973         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Chloromethane                  | 74-87-3    | 50.50    | 0.200        | 0.413         | 0.743          | 1.53            |           | 1        | <a href="#">WG1827407</a> |
| 2-Chlorotoluene                | 95-49-8    | 126      | 0.200        | 1.03          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Cyclohexane                    | 110-82-7   | 84.20    | 0.200        | 0.689         | 22.3           | 76.8            |           | 1        | <a href="#">WG1827407</a> |
| Dibromochloromethane           | 124-48-1   | 208      | 0.200        | 1.70          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,2-Dibromoethane              | 106-93-4   | 188      | 0.200        | 1.54          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,2-Dichlorobenzene            | 95-50-1    | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,3-Dichlorobenzene            | 541-73-1   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,4-Dichlorobenzene            | 106-46-7   | 147      | 0.200        | 1.20          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,2-Dichloroethane             | 107-06-2   | 99       | 0.200        | 0.810         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,1-Dichloroethane             | 75-34-3    | 98       | 0.200        | 0.802         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,1-Dichloroethene             | 75-35-4    | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| cis-1,2-Dichloroethene         | 156-59-2   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| trans-1,2-Dichloroethene       | 156-60-5   | 96.90    | 0.200        | 0.793         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,2-Dichloropropane            | 78-87-5    | 113      | 0.200        | 0.924         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| cis-1,3-Dichloropropene        | 10061-01-5 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| trans-1,3-Dichloropropene      | 10061-02-6 | 111      | 0.200        | 0.908         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,4-Dioxane                    | 123-91-1   | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Ethanol                        | 64-17-5    | 46.10    | 1.25         | 2.36          | 3.98           | 7.50            |           | 1        | <a href="#">WG1827407</a> |
| Ethylbenzene                   | 100-41-4   | 106      | 0.200        | 0.867         | 0.406          | 1.76            |           | 1        | <a href="#">WG1827407</a> |
| 4-Ethyltoluene                 | 622-96-8   | 120      | 0.200        | 0.982         | 0.422          | 2.07            |           | 1        | <a href="#">WG1827407</a> |
| Trichlorofluoromethane         | 75-69-4    | 137.40   | 0.200        | 1.12          | 0.227          | 1.28            |           | 1        | <a href="#">WG1827407</a> |
| Dichlorodifluoromethane        | 75-71-8    | 120.92   | 0.200        | 0.989         | 0.512          | 2.53            |           | 1        | <a href="#">WG1827407</a> |
| 1,1,2-Trichlorotrifluoroethane | 76-13-1    | 187.40   | 0.200        | 1.53          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,2-Dichlorotetrafluoroethane  | 76-14-2    | 171      | 0.200        | 1.40          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Heptane                        | 142-82-5   | 100      | 0.200        | 0.818         | 15.7           | 64.2            |           | 1        | <a href="#">WG1827407</a> |
| Hexachloro-1,3-butadiene       | 87-68-3    | 261      | 0.630        | 6.73          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| n-Hexane                       | 110-54-3   | 86.20    | 0.630        | 2.22          | 33.1           | 117             |           | 1        | <a href="#">WG1827407</a> |
| Isopropylbenzene               | 98-82-8    | 120.20   | 0.200        | 0.983         | 0.239          | 1.17            |           | 1        | <a href="#">WG1827407</a> |
| Methylene Chloride             | 75-09-2    | 84.90    | 0.200        | 0.694         | 0.244          | 0.847           |           | 1        | <a href="#">WG1827407</a> |
| Methyl Butyl Ketone            | 591-78-6   | 100      | 1.25         | 5.11          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 2-Butanone (MEK)               | 78-93-3    | 72.10    | 1.25         | 3.69          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 4-Methyl-2-pentanone (MIBK)    | 108-10-1   | 100.10   | 1.25         | 5.12          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Methyl methacrylate            | 80-62-6    | 100.12   | 0.200        | 0.819         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| MTBE                           | 1634-04-4  | 88.10    | 0.200        | 0.721         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Naphthalene                    | 91-20-3    | 128      | 0.630        | 3.30          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 2-Propanol                     | 67-63-0    | 60.10    | 1.25         | 3.07          | 16.4           | 40.3            |           | 1        | <a href="#">WG1827407</a> |
| Propene                        | 115-07-1   | 42.10    | 1.25         | 2.15          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Styrene                        | 100-42-5   | 104      | 0.200        | 0.851         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,1,2,2-Tetrachloroethane      | 79-34-5    | 168      | 0.200        | 1.37          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Tetrachloroethylene            | 127-18-4   | 166      | 0.200        | 1.36          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Tetrahydrofuran                | 109-99-9   | 72.10    | 0.200        | 0.590         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Toluene                        | 108-88-3   | 92.10    | 0.500        | 1.88          | 0.600          | 2.26            |           | 1        | <a href="#">WG1827407</a> |
| 1,2,4-Trichlorobenzene         | 120-82-1   | 181      | 0.630        | 4.66          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 02/28/22 16:35

L1466940

Volatile Organic Compounds (MS) by Method TO-15

| Analyte                    | CAS #     | Mol. Wt. | RDL1<br>ppbv | RDL2<br>ug/m3 | Result<br>ppbv | Result<br>ug/m3 | Qualifier | Dilution | Batch                     |
|----------------------------|-----------|----------|--------------|---------------|----------------|-----------------|-----------|----------|---------------------------|
| 1,1,1-Trichloroethane      | 71-55-6   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,1,2-Trichloroethane      | 79-00-5   | 133      | 0.200        | 1.09          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Trichloroethylene          | 79-01-6   | 131      | 0.200        | 1.07          | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| 1,2,4-Trimethylbenzene     | 95-63-6   | 120      | 0.200        | 0.982         | 0.958          | 4.70            |           | 1        | <a href="#">WG1827407</a> |
| 1,3,5-Trimethylbenzene     | 108-67-8  | 120      | 0.200        | 0.982         | 0.865          | 4.25            |           | 1        | <a href="#">WG1827407</a> |
| 2,2,4-Trimethylpentane     | 540-84-1  | 114.22   | 0.200        | 0.934         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Vinyl chloride             | 75-01-4   | 62.50    | 0.200        | 0.511         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Vinyl Bromide              | 593-60-2  | 106.95   | 0.200        | 0.875         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| Vinyl acetate              | 108-05-4  | 86.10    | 0.200        | 0.704         | ND             | ND              |           | 1        | <a href="#">WG1827407</a> |
| m&p-Xylene                 | 1330-20-7 | 106      | 0.400        | 1.73          | 0.789          | 3.42            |           | 1        | <a href="#">WG1827407</a> |
| o-Xylene                   | 95-47-6   | 106      | 0.200        | 0.867         | 0.319          | 1.38            |           | 1        | <a href="#">WG1827407</a> |
| TPH (GC/MS) Low Fraction   | 8006-61-9 | 101      | 200          | 826           | 587            | 2420            |           | 1        | <a href="#">WG1827407</a> |
| (S) 1,4-Bromofluorobenzene | 460-00-4  | 175      | 60.0-140     |               | 101            |                 |           |          | <a href="#">WG1827407</a> |

1

Cp

2

Tc

3

Ss

4

Cn

5

Tr

6

Sr

7

Qc

8

Gl

9

Al

10

Sc

Method Blank (MB)

(MB) R3765968-3 03/03/22 09:46

| Analyte                        | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|--------------------------------|-------------------|--------------|----------------|----------------|
| Acetone                        | U                 |              | 0.584          | 1.25           |
| Allyl Chloride                 | U                 |              | 0.114          | 0.200          |
| Benzene                        | U                 |              | 0.0715         | 0.200          |
| Benzyl Chloride                | U                 |              | 0.0598         | 0.200          |
| Bromodichloromethane           | U                 |              | 0.0702         | 0.200          |
| Bromoform                      | U                 |              | 0.0732         | 0.600          |
| Bromomethane                   | U                 |              | 0.0982         | 0.200          |
| 1,3-Butadiene                  | U                 |              | 0.104          | 2.00           |
| Carbon disulfide               | U                 |              | 0.102          | 0.200          |
| Carbon tetrachloride           | U                 |              | 0.0732         | 0.200          |
| Chlorobenzene                  | U                 |              | 0.0832         | 0.200          |
| Chloroethane                   | U                 |              | 0.0996         | 0.200          |
| Chloroform                     | U                 |              | 0.0717         | 0.200          |
| Chloromethane                  | U                 |              | 0.103          | 0.200          |
| 2-Chlorotoluene                | U                 |              | 0.0828         | 0.200          |
| Cyclohexane                    | U                 |              | 0.0753         | 0.200          |
| Dibromochloromethane           | U                 |              | 0.0727         | 0.200          |
| 1,2-Dibromoethane              | U                 |              | 0.0721         | 0.200          |
| 1,2-Dichlorobenzene            | U                 |              | 0.128          | 0.200          |
| 1,3-Dichlorobenzene            | U                 |              | 0.182          | 0.200          |
| 1,4-Dichlorobenzene            | U                 |              | 0.0557         | 0.200          |
| 1,2-Dichloroethane             | U                 |              | 0.0700         | 0.200          |
| 1,1-Dichloroethane             | U                 |              | 0.0723         | 0.200          |
| 1,1-Dichloroethene             | U                 |              | 0.0762         | 0.200          |
| cis-1,2-Dichloroethene         | U                 |              | 0.0784         | 0.200          |
| trans-1,2-Dichloroethene       | U                 |              | 0.0673         | 0.200          |
| 1,2-Dichloropropane            | U                 |              | 0.0760         | 0.200          |
| cis-1,3-Dichloropropene        | U                 |              | 0.0689         | 0.200          |
| trans-1,3-Dichloropropene      | U                 |              | 0.0728         | 0.200          |
| 1,4-Dioxane                    | U                 |              | 0.0833         | 0.200          |
| Ethanol                        | U                 |              | 0.265          | 1.25           |
| Ethylbenzene                   | U                 |              | 0.0835         | 0.200          |
| 4-Ethyltoluene                 | U                 |              | 0.0783         | 0.200          |
| Trichlorofluoromethane         | U                 |              | 0.0819         | 0.200          |
| Dichlorodifluoromethane        | U                 |              | 0.137          | 0.200          |
| 1,1,2-Trichlorotrifluoroethane | U                 |              | 0.0793         | 0.200          |
| 1,2-Dichlorotetrafluoroethane  | U                 |              | 0.0890         | 0.200          |
| Heptane                        | U                 |              | 0.104          | 0.200          |
| Hexachloro-1,3-butadiene       | U                 |              | 0.105          | 0.630          |
| Isopropylbenzene               | U                 |              | 0.0777         | 0.200          |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc



Volatile Organic Compounds (MS) by Method TO-15

L1466940-02

Method Blank (MB)

(MB) R3765968-3 03/03/22 09:46

| Analyte                     | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|-----------------------------|-------------------|--------------|----------------|----------------|
| Methylene Chloride          | U                 |              | 0.0979         | 0.200          |
| Methyl Butyl Ketone         | U                 |              | 0.133          | 1.25           |
| 2-Butanone (MEK)            | U                 |              | 0.0814         | 1.25           |
| 4-Methyl-2-pentanone (MIBK) | U                 |              | 0.0765         | 1.25           |
| Methyl Methacrylate         | U                 |              | 0.0876         | 0.200          |
| MTBE                        | U                 |              | 0.0647         | 0.200          |
| Naphthalene                 | U                 |              | 0.350          | 0.630          |
| 2-Propanol                  | U                 |              | 0.264          | 1.25           |
| Propene                     | U                 |              | 0.0932         | 1.25           |
| Styrene                     | U                 |              | 0.0788         | 0.200          |
| 1,1,2,2-Tetrachloroethane   | U                 |              | 0.0743         | 0.200          |
| Tetrachloroethylene         | U                 |              | 0.0814         | 0.200          |
| Tetrahydrofuran             | U                 |              | 0.0734         | 0.200          |
| Toluene                     | U                 |              | 0.0870         | 0.500          |
| 1,2,4-Trichlorobenzene      | U                 |              | 0.148          | 0.630          |
| 1,1,1-Trichloroethane       | U                 |              | 0.0736         | 0.200          |
| 1,1,2-Trichloroethane       | U                 |              | 0.0775         | 0.200          |
| Trichloroethylene           | U                 |              | 0.0680         | 0.200          |
| 1,2,4-Trimethylbenzene      | U                 |              | 0.0764         | 0.200          |
| 1,3,5-Trimethylbenzene      | U                 |              | 0.0779         | 0.200          |
| 2,2,4-Trimethylpentane      | U                 |              | 0.133          | 0.200          |
| Vinyl chloride              | U                 |              | 0.0949         | 0.200          |
| Vinyl Bromide               | U                 |              | 0.0852         | 0.200          |
| Vinyl acetate               | U                 |              | 0.116          | 0.200          |
| m&p-Xylene                  | U                 |              | 0.135          | 0.400          |
| o-Xylene                    | U                 |              | 0.0828         | 0.200          |
| TPH (GC/MS) Low Fraction    | 58.7              | ⬇            | 39.7           | 200            |
| (S) 1,4-Bromofluorobenzene  | 97.7              |              |                | 60.0-140       |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3765968-1 03/03/22 08:43 • (LCSD) R3765968-2 03/03/22 09:16

| Analyte              | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Acetone              | 3.75                 | 3.73               | 3.79                | 99.5          | 101            | 70.0-130         |               |                | 1.60     | 25              |
| Allyl Chloride       | 3.75                 | 3.82               | 3.92                | 102           | 105            | 70.0-130         |               |                | 2.58     | 25              |
| Benzene              | 3.75                 | 3.79               | 3.76                | 101           | 100            | 70.0-130         |               |                | 0.795    | 25              |
| Benzyl Chloride      | 3.75                 | 3.82               | 3.93                | 102           | 105            | 70.0-152         |               |                | 2.84     | 25              |
| Bromodichloromethane | 3.75                 | 3.86               | 3.79                | 103           | 101            | 70.0-130         |               |                | 1.83     | 25              |

Volatile Organic Compounds (MS) by Method TO-15

L1466940-02

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3765968-1 03/03/22 08:43 • (LCSD) R3765968-2 03/03/22 09:16

| Analyte                        | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|--------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Bromoform                      | 3.75                 | 3.53               | 3.52                | 94.1          | 93.9           | 70.0-130         |               |                | 0.284    | 25              |
| Bromomethane                   | 3.75                 | 3.81               | 3.87                | 102           | 103            | 70.0-130         |               |                | 1.56     | 25              |
| 1,3-Butadiene                  | 3.75                 | 3.68               | 3.86                | 98.1          | 103            | 70.0-130         |               |                | 4.77     | 25              |
| Carbon disulfide               | 3.75                 | 3.94               | 4.07                | 105           | 109            | 70.0-130         |               |                | 3.25     | 25              |
| Carbon tetrachloride           | 3.75                 | 3.87               | 3.94                | 103           | 105            | 70.0-130         |               |                | 1.79     | 25              |
| Chlorobenzene                  | 3.75                 | 3.71               | 3.66                | 98.9          | 97.6           | 70.0-130         |               |                | 1.36     | 25              |
| Chloroethane                   | 3.75                 | 3.89               | 4.03                | 104           | 107            | 70.0-130         |               |                | 3.54     | 25              |
| Chloroform                     | 3.75                 | 3.69               | 3.75                | 98.4          | 100            | 70.0-130         |               |                | 1.61     | 25              |
| Chloromethane                  | 3.75                 | 3.85               | 3.98                | 103           | 106            | 70.0-130         |               |                | 3.32     | 25              |
| 2-Chlorotoluene                | 3.75                 | 3.77               | 3.71                | 101           | 98.9           | 70.0-130         |               |                | 1.60     | 25              |
| Cyclohexane                    | 3.75                 | 3.65               | 3.69                | 97.3          | 98.4           | 70.0-130         |               |                | 1.09     | 25              |
| Dibromochloromethane           | 3.75                 | 3.74               | 3.61                | 99.7          | 96.3           | 70.0-130         |               |                | 3.54     | 25              |
| 1,2-Dibromoethane              | 3.75                 | 3.59               | 3.72                | 95.7          | 99.2           | 70.0-130         |               |                | 3.56     | 25              |
| 1,2-Dichlorobenzene            | 3.75                 | 3.63               | 3.69                | 96.8          | 98.4           | 70.0-130         |               |                | 1.64     | 25              |
| 1,3-Dichlorobenzene            | 3.75                 | 3.62               | 3.66                | 96.5          | 97.6           | 70.0-130         |               |                | 1.10     | 25              |
| 1,4-Dichlorobenzene            | 3.75                 | 3.50               | 3.50                | 93.3          | 93.3           | 70.0-130         |               |                | 0.000    | 25              |
| 1,2-Dichloroethane             | 3.75                 | 3.71               | 3.55                | 98.9          | 94.7           | 70.0-130         |               |                | 4.41     | 25              |
| 1,1-Dichloroethane             | 3.75                 | 3.71               | 3.79                | 98.9          | 101            | 70.0-130         |               |                | 2.13     | 25              |
| 1,1-Dichloroethene             | 3.75                 | 3.81               | 3.91                | 102           | 104            | 70.0-130         |               |                | 2.59     | 25              |
| cis-1,2-Dichloroethene         | 3.75                 | 3.72               | 3.68                | 99.2          | 98.1           | 70.0-130         |               |                | 1.08     | 25              |
| trans-1,2-Dichloroethene       | 3.75                 | 3.90               | 3.99                | 104           | 106            | 70.0-130         |               |                | 2.28     | 25              |
| 1,2-Dichloropropane            | 3.75                 | 3.76               | 3.71                | 100           | 98.9           | 70.0-130         |               |                | 1.34     | 25              |
| cis-1,3-Dichloropropene        | 3.75                 | 3.68               | 3.55                | 98.1          | 94.7           | 70.0-130         |               |                | 3.60     | 25              |
| trans-1,3-Dichloropropene      | 3.75                 | 3.79               | 3.65                | 101           | 97.3           | 70.0-130         |               |                | 3.76     | 25              |
| 1,4-Dioxane                    | 3.75                 | 3.52               | 3.53                | 93.9          | 94.1           | 70.0-140         |               |                | 0.284    | 25              |
| Ethanol                        | 3.75                 | 4.18               | 4.21                | 111           | 112            | 55.0-148         |               |                | 0.715    | 25              |
| Ethylbenzene                   | 3.75                 | 3.70               | 3.71                | 98.7          | 98.9           | 70.0-130         |               |                | 0.270    | 25              |
| 4-Ethyltoluene                 | 3.75                 | 3.78               | 3.70                | 101           | 98.7           | 70.0-130         |               |                | 2.14     | 25              |
| Trichlorofluoromethane         | 3.75                 | 3.83               | 3.95                | 102           | 105            | 70.0-130         |               |                | 3.08     | 25              |
| Dichlorodifluoromethane        | 3.75                 | 3.99               | 4.05                | 106           | 108            | 64.0-139         |               |                | 1.49     | 25              |
| 1,1,2-Trichlorotrifluoroethane | 3.75                 | 3.91               | 3.97                | 104           | 106            | 70.0-130         |               |                | 1.52     | 25              |
| 1,2-Dichlorotetrafluoroethane  | 3.75                 | 3.87               | 4.07                | 103           | 109            | 70.0-130         |               |                | 5.04     | 25              |
| Heptane                        | 3.75                 | 3.58               | 3.46                | 95.5          | 92.3           | 70.0-130         |               |                | 3.41     | 25              |
| Hexachloro-1,3-butadiene       | 3.75                 | 3.68               | 3.75                | 98.1          | 100            | 70.0-151         |               |                | 1.88     | 25              |
| Isopropylbenzene               | 3.75                 | 3.63               | 3.62                | 96.8          | 96.5           | 70.0-130         |               |                | 0.276    | 25              |
| Methylene Chloride             | 3.75                 | 3.84               | 3.89                | 102           | 104            | 70.0-130         |               |                | 1.29     | 25              |
| Methyl Butyl Ketone            | 3.75                 | 3.54               | 3.51                | 94.4          | 93.6           | 70.0-149         |               |                | 0.851    | 25              |
| Methyl Ethyl Ketone            | 3.75                 | 3.79               | 3.63                | 101           | 96.8           | 70.0-130         |               |                | 4.31     | 25              |
| 4-Methyl-2-pentanone (MIBK)    | 3.75                 | 3.45               | 3.38                | 92.0          | 90.1           | 70.0-139         |               |                | 2.05     | 25              |
| Methyl Methacrylate            | 3.75                 | 3.72               | 3.62                | 99.2          | 96.5           | 70.0-130         |               |                | 2.72     | 25              |

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Tr

6  
Sr

7  
Qc

8  
Gl

9  
Al

10  
Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3765968-1 03/03/22 08:43 • (LCSD) R3765968-2 03/03/22 09:16

| Analyte                    | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|----------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| MTBE                       | 3.75                 | 3.68               | 3.75                | 98.1          | 100            | 70.0-130         |               |                | 1.88     | 25              |
| Naphthalene                | 3.75                 | 3.63               | 3.71                | 96.8          | 98.9           | 70.0-159         |               |                | 2.18     | 25              |
| 2-Propanol                 | 3.75                 | 3.75               | 3.80                | 100           | 101            | 70.0-139         |               |                | 1.32     | 25              |
| Propene                    | 3.75                 | 3.81               | 3.76                | 102           | 100            | 64.0-144         |               |                | 1.32     | 25              |
| Styrene                    | 3.75                 | 3.68               | 3.68                | 98.1          | 98.1           | 70.0-130         |               |                | 0.000    | 25              |
| 1,1,2,2-Tetrachloroethane  | 3.75                 | 3.72               | 3.79                | 99.2          | 101            | 70.0-130         |               |                | 1.86     | 25              |
| Tetrachloroethylene        | 3.75                 | 3.48               | 3.60                | 92.8          | 96.0           | 70.0-130         |               |                | 3.39     | 25              |
| Tetrahydrofuran            | 3.75                 | 3.44               | 3.53                | 91.7          | 94.1           | 70.0-137         |               |                | 2.58     | 25              |
| Toluene                    | 3.75                 | 3.70               | 3.66                | 98.7          | 97.6           | 70.0-130         |               |                | 1.09     | 25              |
| 1,2,4-Trichlorobenzene     | 3.75                 | 3.85               | 3.98                | 103           | 106            | 70.0-160         |               |                | 3.32     | 25              |
| 1,1,1-Trichloroethane      | 3.75                 | 3.75               | 3.77                | 100           | 101            | 70.0-130         |               |                | 0.532    | 25              |
| 1,1,2-Trichloroethane      | 3.75                 | 3.61               | 3.61                | 96.3          | 96.3           | 70.0-130         |               |                | 0.000    | 25              |
| Trichloroethylene          | 3.75                 | 3.66               | 3.57                | 97.6          | 95.2           | 70.0-130         |               |                | 2.49     | 25              |
| 1,2,4-Trimethylbenzene     | 3.75                 | 3.48               | 3.57                | 92.8          | 95.2           | 70.0-130         |               |                | 2.55     | 25              |
| 1,3,5-Trimethylbenzene     | 3.75                 | 3.64               | 3.73                | 97.1          | 99.5           | 70.0-130         |               |                | 2.44     | 25              |
| 2,2,4-Trimethylpentane     | 3.75                 | 3.58               | 3.64                | 95.5          | 97.1           | 70.0-130         |               |                | 1.66     | 25              |
| Vinyl chloride             | 3.75                 | 3.91               | 4.04                | 104           | 108            | 70.0-130         |               |                | 3.27     | 25              |
| Vinyl Bromide              | 3.75                 | 3.96               | 4.01                | 106           | 107            | 70.0-130         |               |                | 1.25     | 25              |
| Vinyl acetate              | 3.75                 | 3.56               | 3.57                | 94.9          | 95.2           | 70.0-130         |               |                | 0.281    | 25              |
| m&p-Xylene                 | 7.50                 | 7.20               | 7.14                | 96.0          | 95.2           | 70.0-130         |               |                | 0.837    | 25              |
| o-Xylene                   | 3.75                 | 3.54               | 3.64                | 94.4          | 97.1           | 70.0-130         |               |                | 2.79     | 25              |
| TPH (GC/MS) Low Fraction   | 203                  | 228                | 230                 | 112           | 113            | 70.0-130         |               |                | 0.873    | 25              |
| (S) 1,4-Bromofluorobenzene |                      |                    |                     | 99.6          | 98.7           | 60.0-140         |               |                |          |                 |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Method Blank (MB)

(MB) R3766491-3 03/04/22 10:08

| Analyte                    | MB Result | MB Qualifier | MB MDL | MB RDL   |
|----------------------------|-----------|--------------|--------|----------|
| n-Hexane                   | U         |              | 0.206  | 0.630    |
| (S) 1,4-Bromofluorobenzene | 94.6      |              |        | 60.0-140 |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3766491-1 03/04/22 08:45 • (LCSD) R3766491-2 03/04/22 09:27

| Analyte                    | Spike Amount | LCS Result | LCSD Result | LCS Rec. | LCSD Rec. | Rec. Limits | LCS Qualifier | LCSD Qualifier | RPD  | RPD Limits |
|----------------------------|--------------|------------|-------------|----------|-----------|-------------|---------------|----------------|------|------------|
| n-Hexane                   | 3.75         | 4.49       | 4.43        | 120      | 118       | 70.0-130    |               |                | 1.35 | 25         |
| (S) 1,4-Bromofluorobenzene |              |            |             | 96.2     | 97.5      | 60.0-140    |               |                |      |            |

Method Blank (MB)

(MB) R3766630-3 03/04/22 09:43

| Analyte                        | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|--------------------------------|-------------------|--------------|----------------|----------------|
| Acetone                        | U                 |              | 0.584          | 1.25           |
| Allyl Chloride                 | U                 |              | 0.114          | 0.200          |
| Benzene                        | U                 |              | 0.0715         | 0.200          |
| Benzyl Chloride                | U                 |              | 0.0598         | 0.200          |
| Bromodichloromethane           | U                 |              | 0.0702         | 0.200          |
| Bromoform                      | U                 |              | 0.0732         | 0.600          |
| Bromomethane                   | U                 |              | 0.0982         | 0.200          |
| 1,3-Butadiene                  | U                 |              | 0.104          | 2.00           |
| Carbon disulfide               | U                 |              | 0.102          | 0.200          |
| Carbon tetrachloride           | U                 |              | 0.0732         | 0.200          |
| Chlorobenzene                  | U                 |              | 0.0832         | 0.200          |
| Chloroethane                   | U                 |              | 0.0996         | 0.200          |
| Chloroform                     | U                 |              | 0.0717         | 0.200          |
| Chloromethane                  | U                 |              | 0.103          | 0.200          |
| 2-Chlorotoluene                | U                 |              | 0.0828         | 0.200          |
| Cyclohexane                    | U                 |              | 0.0753         | 0.200          |
| Dibromochloromethane           | U                 |              | 0.0727         | 0.200          |
| 1,2-Dibromoethane              | U                 |              | 0.0721         | 0.200          |
| 1,2-Dichlorobenzene            | U                 |              | 0.128          | 0.200          |
| 1,3-Dichlorobenzene            | U                 |              | 0.182          | 0.200          |
| 1,4-Dichlorobenzene            | U                 |              | 0.0557         | 0.200          |
| 1,2-Dichloroethane             | U                 |              | 0.0700         | 0.200          |
| 1,1-Dichloroethane             | U                 |              | 0.0723         | 0.200          |
| 1,1-Dichloroethene             | U                 |              | 0.0762         | 0.200          |
| cis-1,2-Dichloroethene         | U                 |              | 0.0784         | 0.200          |
| trans-1,2-Dichloroethene       | U                 |              | 0.0673         | 0.200          |
| 1,2-Dichloropropane            | U                 |              | 0.0760         | 0.200          |
| cis-1,3-Dichloropropene        | U                 |              | 0.0689         | 0.200          |
| trans-1,3-Dichloropropene      | U                 |              | 0.0728         | 0.200          |
| 1,4-Dioxane                    | U                 |              | 0.0833         | 0.200          |
| Ethanol                        | U                 |              | 0.265          | 1.25           |
| Ethylbenzene                   | U                 |              | 0.0835         | 0.200          |
| 4-Ethyltoluene                 | U                 |              | 0.0783         | 0.200          |
| Trichlorofluoromethane         | U                 |              | 0.0819         | 0.200          |
| Dichlorodifluoromethane        | U                 |              | 0.137          | 0.200          |
| 1,1,2-Trichlorotrifluoroethane | U                 |              | 0.0793         | 0.200          |
| 1,2-Dichlorotetrafluoroethane  | U                 |              | 0.0890         | 0.200          |
| Heptane                        | U                 |              | 0.104          | 0.200          |
| Hexachloro-1,3-butadiene       | U                 |              | 0.105          | 0.630          |
| n-Hexane                       | U                 |              | 0.206          | 0.630          |

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Volatile Organic Compounds (MS) by Method TO-15

L1466940-01.03.04

Method Blank (MB)

(MB) R3766630-3 03/04/22 09:43

| Analyte                     | MB Result<br>ppbv | MB Qualifier | MB MDL<br>ppbv | MB RDL<br>ppbv |
|-----------------------------|-------------------|--------------|----------------|----------------|
| Isopropylbenzene            | U                 |              | 0.0777         | 0.200          |
| Methylene Chloride          | U                 |              | 0.0979         | 0.200          |
| Methyl Butyl Ketone         | U                 |              | 0.133          | 1.25           |
| 2-Butanone (MEK)            | U                 |              | 0.0814         | 1.25           |
| 4-Methyl-2-pentanone (MIBK) | U                 |              | 0.0765         | 1.25           |
| Methyl Methacrylate         | U                 |              | 0.0876         | 0.200          |
| MTBE                        | U                 |              | 0.0647         | 0.200          |
| Naphthalene                 | U                 |              | 0.350          | 0.630          |
| 2-Propanol                  | U                 |              | 0.264          | 1.25           |
| Propene                     | U                 |              | 0.0932         | 1.25           |
| Styrene                     | U                 |              | 0.0788         | 0.200          |
| 1,1,2,2-Tetrachloroethane   | U                 |              | 0.0743         | 0.200          |
| Tetrachloroethylene         | U                 |              | 0.0814         | 0.200          |
| Tetrahydrofuran             | U                 |              | 0.0734         | 0.200          |
| Toluene                     | U                 |              | 0.0870         | 0.500          |
| 1,2,4-Trichlorobenzene      | U                 |              | 0.148          | 0.630          |
| 1,1,1-Trichloroethane       | U                 |              | 0.0736         | 0.200          |
| 1,1,2-Trichloroethane       | U                 |              | 0.0775         | 0.200          |
| Trichloroethylene           | U                 |              | 0.0680         | 0.200          |
| 1,2,4-Trimethylbenzene      | U                 |              | 0.0764         | 0.200          |
| 1,3,5-Trimethylbenzene      | U                 |              | 0.0779         | 0.200          |
| 2,2,4-Trimethylpentane      | U                 |              | 0.133          | 0.200          |
| Vinyl chloride              | U                 |              | 0.0949         | 0.200          |
| Vinyl Bromide               | U                 |              | 0.0852         | 0.200          |
| Vinyl acetate               | U                 |              | 0.116          | 0.200          |
| m&p-Xylene                  | U                 |              | 0.135          | 0.400          |
| o-Xylene                    | U                 |              | 0.0828         | 0.200          |
| TPH (GC/MS) Low Fraction    | 58.4              | U            | 39.7           | 200            |
| (S) 1,4-Bromofluorobenzene  | 96.9              |              |                | 60.0-140       |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3766630-1 03/04/22 08:39 • (LCSD) R3766630-2 03/04/22 09:11

| Analyte         | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|-----------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Acetone         | 3.75                 | 3.74               | 3.73                | 99.7          | 99.5           | 70.0-130         |               |                | 0.268    | 25              |
| Allyl Chloride  | 3.75                 | 3.92               | 3.85                | 105           | 103            | 70.0-130         |               |                | 1.80     | 25              |
| Benzene         | 3.75                 | 3.77               | 3.68                | 101           | 98.1           | 70.0-130         |               |                | 2.42     | 25              |
| Benzyl Chloride | 3.75                 | 3.95               | 3.91                | 105           | 104            | 70.0-152         |               |                | 1.02     | 25              |

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3766630-1 03/04/22 08:39 • (LCSD) R3766630-2 03/04/22 09:11

| Analyte                        | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|--------------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| Bromodichloromethane           | 3.75                 | 3.89               | 3.91                | 104           | 104            | 70.0-130         |               |                | 0.513    | 25              |
| Bromoform                      | 3.75                 | 3.63               | 3.64                | 96.8          | 97.1           | 70.0-130         |               |                | 0.275    | 25              |
| Bromomethane                   | 3.75                 | 3.88               | 3.75                | 103           | 100            | 70.0-130         |               |                | 3.41     | 25              |
| 1,3-Butadiene                  | 3.75                 | 3.70               | 3.76                | 98.7          | 100            | 70.0-130         |               |                | 1.61     | 25              |
| Carbon disulfide               | 3.75                 | 3.93               | 4.01                | 105           | 107            | 70.0-130         |               |                | 2.02     | 25              |
| Carbon tetrachloride           | 3.75                 | 3.95               | 3.85                | 105           | 103            | 70.0-130         |               |                | 2.56     | 25              |
| Chlorobenzene                  | 3.75                 | 3.67               | 3.59                | 97.9          | 95.7           | 70.0-130         |               |                | 2.20     | 25              |
| Chloroethane                   | 3.75                 | 3.82               | 3.95                | 102           | 105            | 70.0-130         |               |                | 3.35     | 25              |
| Chloroform                     | 3.75                 | 3.76               | 3.66                | 100           | 97.6           | 70.0-130         |               |                | 2.70     | 25              |
| Chloromethane                  | 3.75                 | 3.85               | 3.91                | 103           | 104            | 70.0-130         |               |                | 1.55     | 25              |
| 2-Chlorotoluene                | 3.75                 | 3.82               | 3.70                | 102           | 98.7           | 70.0-130         |               |                | 3.19     | 25              |
| Cyclohexane                    | 3.75                 | 3.78               | 3.79                | 101           | 101            | 70.0-130         |               |                | 0.264    | 25              |
| Dibromochloromethane           | 3.75                 | 3.82               | 3.74                | 102           | 99.7           | 70.0-130         |               |                | 2.12     | 25              |
| 1,2-Dibromoethane              | 3.75                 | 3.80               | 3.75                | 101           | 100            | 70.0-130         |               |                | 1.32     | 25              |
| 1,2-Dichlorobenzene            | 3.75                 | 3.73               | 3.63                | 99.5          | 96.8           | 70.0-130         |               |                | 2.72     | 25              |
| 1,3-Dichlorobenzene            | 3.75                 | 3.52               | 3.50                | 93.9          | 93.3           | 70.0-130         |               |                | 0.570    | 25              |
| 1,4-Dichlorobenzene            | 3.75                 | 3.56               | 3.50                | 94.9          | 93.3           | 70.0-130         |               |                | 1.70     | 25              |
| 1,2-Dichloroethane             | 3.75                 | 3.73               | 3.68                | 99.5          | 98.1           | 70.0-130         |               |                | 1.35     | 25              |
| 1,1-Dichloroethane             | 3.75                 | 3.81               | 3.77                | 102           | 101            | 70.0-130         |               |                | 1.06     | 25              |
| 1,1-Dichloroethene             | 3.75                 | 3.87               | 3.85                | 103           | 103            | 70.0-130         |               |                | 0.518    | 25              |
| cis-1,2-Dichloroethene         | 3.75                 | 3.73               | 3.71                | 99.5          | 98.9           | 70.0-130         |               |                | 0.538    | 25              |
| trans-1,2-Dichloroethene       | 3.75                 | 3.93               | 3.91                | 105           | 104            | 70.0-130         |               |                | 0.510    | 25              |
| 1,2-Dichloropropane            | 3.75                 | 3.80               | 3.69                | 101           | 98.4           | 70.0-130         |               |                | 2.94     | 25              |
| cis-1,3-Dichloropropene        | 3.75                 | 3.69               | 3.72                | 98.4          | 99.2           | 70.0-130         |               |                | 0.810    | 25              |
| trans-1,3-Dichloropropene      | 3.75                 | 3.93               | 3.83                | 105           | 102            | 70.0-130         |               |                | 2.58     | 25              |
| 1,4-Dioxane                    | 3.75                 | 3.70               | 3.69                | 98.7          | 98.4           | 70.0-140         |               |                | 0.271    | 25              |
| Ethanol                        | 3.75                 | 4.29               | 3.98                | 114           | 106            | 55.0-148         |               |                | 7.50     | 25              |
| Ethylbenzene                   | 3.75                 | 3.75               | 3.69                | 100           | 98.4           | 70.0-130         |               |                | 1.61     | 25              |
| 4-Ethyltoluene                 | 3.75                 | 3.86               | 3.78                | 103           | 101            | 70.0-130         |               |                | 2.09     | 25              |
| Trichlorofluoromethane         | 3.75                 | 3.92               | 3.87                | 105           | 103            | 70.0-130         |               |                | 1.28     | 25              |
| Dichlorodifluoromethane        | 3.75                 | 3.90               | 4.04                | 104           | 108            | 64.0-139         |               |                | 3.53     | 25              |
| 1,1,2-Trichlorotrifluoroethane | 3.75                 | 3.98               | 3.97                | 106           | 106            | 70.0-130         |               |                | 0.252    | 25              |
| 1,2-Dichlorotetrafluoroethane  | 3.75                 | 3.97               | 3.96                | 106           | 106            | 70.0-130         |               |                | 0.252    | 25              |
| Heptane                        | 3.75                 | 3.63               | 3.61                | 96.8          | 96.3           | 70.0-130         |               |                | 0.552    | 25              |
| Hexachloro-1,3-butadiene       | 3.75                 | 3.67               | 3.57                | 97.9          | 95.2           | 70.0-151         |               |                | 2.76     | 25              |
| n-Hexane                       | 3.75                 | 3.59               | 3.55                | 95.7          | 94.7           | 70.0-130         |               |                | 1.12     | 25              |
| Isopropylbenzene               | 3.75                 | 3.69               | 3.71                | 98.4          | 98.9           | 70.0-130         |               |                | 0.541    | 25              |
| Methylene Chloride             | 3.75                 | 3.80               | 3.75                | 101           | 100            | 70.0-130         |               |                | 1.32     | 25              |
| Methyl Butyl Ketone            | 3.75                 | 3.62               | 3.58                | 96.5          | 95.5           | 70.0-149         |               |                | 1.11     | 25              |
| Methyl Ethyl Ketone            | 3.75                 | 3.64               | 3.51                | 97.1          | 93.6           | 70.0-130         |               |                | 3.64     | 25              |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc



Volatile Organic Compounds (MS) by Method TO-15

L1466940-01.03.04

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3766630-1 03/04/22 08:39 • (LCSD) R3766630-2 03/04/22 09:11

| Analyte                     | Spike Amount<br>ppbv | LCS Result<br>ppbv | LCSD Result<br>ppbv | LCS Rec.<br>% | LCSD Rec.<br>% | Rec. Limits<br>% | LCS Qualifier | LCSD Qualifier | RPD<br>% | RPD Limits<br>% |
|-----------------------------|----------------------|--------------------|---------------------|---------------|----------------|------------------|---------------|----------------|----------|-----------------|
| 4-Methyl-2-pentanone (MIBK) | 3.75                 | 3.55               | 3.57                | 94.7          | 95.2           | 70.0-139         |               |                | 0.562    | 25              |
| Methyl Methacrylate         | 3.75                 | 3.77               | 3.71                | 101           | 98.9           | 70.0-130         |               |                | 1.60     | 25              |
| MTBE                        | 3.75                 | 3.71               | 3.70                | 98.9          | 98.7           | 70.0-130         |               |                | 0.270    | 25              |
| Naphthalene                 | 3.75                 | 3.56               | 3.64                | 94.9          | 97.1           | 70.0-159         |               |                | 2.22     | 25              |
| 2-Propanol                  | 3.75                 | 3.76               | 3.78                | 100           | 101            | 70.0-139         |               |                | 0.531    | 25              |
| Propene                     | 3.75                 | 3.89               | 3.96                | 104           | 106            | 64.0-144         |               |                | 1.78     | 25              |
| Styrene                     | 3.75                 | 3.83               | 3.72                | 102           | 99.2           | 70.0-130         |               |                | 2.91     | 25              |
| 1,1,2,2-Tetrachloroethane   | 3.75                 | 3.69               | 3.65                | 98.4          | 97.3           | 70.0-130         |               |                | 1.09     | 25              |
| Tetrachloroethylene         | 3.75                 | 3.47               | 3.55                | 92.5          | 94.7           | 70.0-130         |               |                | 2.28     | 25              |
| Tetrahydrofuran             | 3.75                 | 3.50               | 3.51                | 93.3          | 93.6           | 70.0-137         |               |                | 0.285    | 25              |
| Toluene                     | 3.75                 | 3.73               | 3.65                | 99.5          | 97.3           | 70.0-130         |               |                | 2.17     | 25              |
| 1,2,4-Trichlorobenzene      | 3.75                 | 3.78               | 3.75                | 101           | 100            | 70.0-160         |               |                | 0.797    | 25              |
| 1,1,1-Trichloroethane       | 3.75                 | 3.77               | 3.73                | 101           | 99.5           | 70.0-130         |               |                | 1.07     | 25              |
| 1,1,2-Trichloroethane       | 3.75                 | 3.64               | 3.64                | 97.1          | 97.1           | 70.0-130         |               |                | 0.000    | 25              |
| Trichloroethylene           | 3.75                 | 3.65               | 3.68                | 97.3          | 98.1           | 70.0-130         |               |                | 0.819    | 25              |
| 1,2,4-Trimethylbenzene      | 3.75                 | 3.58               | 3.55                | 95.5          | 94.7           | 70.0-130         |               |                | 0.842    | 25              |
| 1,3,5-Trimethylbenzene      | 3.75                 | 3.70               | 3.68                | 98.7          | 98.1           | 70.0-130         |               |                | 0.542    | 25              |
| 2,2,4-Trimethylpentane      | 3.75                 | 3.68               | 3.65                | 98.1          | 97.3           | 70.0-130         |               |                | 0.819    | 25              |
| Vinyl chloride              | 3.75                 | 3.93               | 3.98                | 105           | 106            | 70.0-130         |               |                | 1.26     | 25              |
| Vinyl Bromide               | 3.75                 | 3.85               | 3.92                | 103           | 105            | 70.0-130         |               |                | 1.80     | 25              |
| Vinyl acetate               | 3.75                 | 3.64               | 3.62                | 97.1          | 96.5           | 70.0-130         |               |                | 0.551    | 25              |
| m&p-Xylene                  | 7.50                 | 7.52               | 7.31                | 100           | 97.5           | 70.0-130         |               |                | 2.83     | 25              |
| o-Xylene                    | 3.75                 | 3.67               | 3.63                | 97.9          | 96.8           | 70.0-130         |               |                | 1.10     | 25              |
| TPH (GC/MS) Low Fraction    | 203                  | 233                | 231                 | 115           | 114            | 70.0-130         |               |                | 0.862    | 25              |
| (S) 1,4-Bromofluorobenzene  |                      |                    |                     | 103           | 98.9           | 60.0-140         |               |                |          |                 |

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MDL                          | Method Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| ND                           | Not detected at the Method Quantitation Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| RDL                          | Reported Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Rec.                         | Recovery.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| RPD                          | Relative Percent Difference.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| SDG                          | Sample Delivery Group.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| (S)                          | Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.                                                                                                                                                                                                                                               |
| U                            | Not detected at the Sample Detection Limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Analyte                      | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dilution                     | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.                                                                                    |
| Limits                       | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.                                                                                                                                                                                                                                                      |
| Qualifier                    | This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.                                                                                                                                                                  |
| Result                       | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Uncertainty (Radiochemistry) | Confidence level of 2 sigma.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Case Narrative (Cn)          | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.                                                                                                                                                                          |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.                                                                                                                                                                                              |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.                                                              |
| Sample Results (Sr)          | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.                                                                                                                                                                                             |
| Sample Summary (Ss)          | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.                                                                                                                                                                                                                                                                                                                                                            |

### Qualifier Description

|   |                                                                                     |
|---|-------------------------------------------------------------------------------------|
| J | The identification of the analyte is acceptable; the reported value is an estimate. |
|---|-------------------------------------------------------------------------------------|



Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

|                                |             |                             |                  |
|--------------------------------|-------------|-----------------------------|------------------|
| Alabama                        | 40660       | Nebraska                    | NE-OS-15-05      |
| Alaska                         | 17-026      | Nevada                      | TN000032021-1    |
| Arizona                        | AZ0612      | New Hampshire               | 2975             |
| Arkansas                       | 88-0469     | New Jersey--NELAP           | TN002            |
| California                     | 2932        | New Mexico <sup>1</sup>     | TN00003          |
| Colorado                       | TN00003     | New York                    | 11742            |
| Connecticut                    | PH-0197     | North Carolina              | Env375           |
| Florida                        | E87487      | North Carolina <sup>1</sup> | DW21704          |
| Georgia                        | NELAP       | North Carolina <sup>3</sup> | 41               |
| Georgia <sup>1</sup>           | 923         | North Dakota                | R-140            |
| Idaho                          | TN00003     | Ohio--VAP                   | CL0069           |
| Illinois                       | 200008      | Oklahoma                    | 9915             |
| Indiana                        | C-TN-01     | Oregon                      | TN200002         |
| Iowa                           | 364         | Pennsylvania                | 68-02979         |
| Kansas                         | E-10277     | Rhode Island                | LA000356         |
| Kentucky <sup>1 6</sup>        | KY90010     | South Carolina              | 84004002         |
| Kentucky <sup>2</sup>          | 16          | South Dakota                | n/a              |
| Louisiana                      | AI30792     | Tennessee <sup>1 4</sup>    | 2006             |
| Louisiana                      | LA018       | Texas                       | T104704245-20-18 |
| Maine                          | TN00003     | Texas <sup>5</sup>          | LAB0152          |
| Maryland                       | 324         | Utah                        | TN000032021-11   |
| Massachusetts                  | M-TN003     | Vermont                     | VT2006           |
| Michigan                       | 9958        | Virginia                    | 110033           |
| Minnesota                      | 047-999-395 | Washington                  | C847             |
| Mississippi                    | TN00003     | West Virginia               | 233              |
| Missouri                       | 340         | Wisconsin                   | 998093910        |
| Montana                        | CERT0086    | Wyoming                     | A2LA             |
| A2LA -- ISO 17025              | 1461.01     | AIHA-LAP,LLC EMLAP          | 100789           |
| A2LA -- ISO 17025 <sup>5</sup> | 1461.02     | DOD                         | 1461.01          |
| Canada                         | 1461.01     | USDA                        | P330-15-00234    |
| EPA--Crypto                    | TN00003     |                             |                  |

<sup>1</sup> Drinking Water   <sup>2</sup> Underground Storage Tanks   <sup>3</sup> Aquatic Toxicity   <sup>4</sup> Chemical/Microbiological   <sup>5</sup> Mold   <sup>6</sup> Wastewater   n/a Accreditation not applicable  
\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.  
\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>Qc

<sup>8</sup>Gl

<sup>9</sup>Al

<sup>10</sup>Sc

Released to Imaging: 3/6/2024 9:46:27 AM



3/2-NCF-L1466940 ENSOLUMMTX TD

R3/R4/RX/EX

Time estimate: oh Time spent: oh

Members

-  Troy Dunlap (responsible)
-  MB Mark Beasley

- ☐ Login Clarification needed
- ☐ Chain of custody is incomplete
- ☐ Please specify Metals requested
- ☐ Please specify TCLP requested
- ☐ Received additional samples not listed on COC
- ☒ Sample IDs on containers do not match IDs on COC
- ☐ Client did not "X" analysis
- ☐ Chain of Custody is missing
- ☐ If no COC; Received by: \_\_\_\_\_
- ☐ If no COC; Date/Time: \_\_\_\_\_
- ☐ If no COC; Temp./Cont.Rec./pH: \_\_\_\_\_
- ☐ If no COC; Carrier: \_\_\_\_\_
- ☐ If no COC; Tracking #: \_\_\_\_\_
- ☐ Client informed by call
- ☐ Client informed by Email
- ☐ Client informed by Voicemail
- ☐ Date/Time: 3/2/22
- ☐ PM initials: MB
- ☐ Client Contact: Beaux Jennings

Comments


|                                                                                                                                                                                                                                                             |                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <i>Troy Dunlap</i><br>All sample ID's are the same. Could not match with times. No times matched the COC. Client requesting 3 day rush.<br>Received:<br>Can# 10608 (1358-1405)<br>Can# 12507 (1458-1510)<br>Can# 10572 (1421-1428)<br>Can# 7273 (1626-1635) | 2 March 2022 3:07 PM |
| <i>Mark Beasley</i><br>Add canister # to COC and log per sample IDs.                                                                                                                                                                                        | 2 March 2022 4:03 PM |
| <i>Troy Dunlap</i><br>Done.                                                                                                                                                                                                                                 | 2 March 2022 5:02 PM |




## APPENDIX D

### Levey Well Integrity Test Documentation
















**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 284026

CONDITIONS

|                                                                               |                                                                          |
|-------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| Operator:<br>OCCIDENTAL PERMIAN LTD<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>157984                                                         |
|                                                                               | Action Number:<br>284026                                                 |
|                                                                               | Action Type:<br>[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT) |

CONDITIONS

| Created By       | Condition                | Condition Date |
|------------------|--------------------------|----------------|
| michael.buchanan | Accepted for the record. | 3/6/2024       |