Volume calculator

There was no volume calculator prepared when the spill occurred.



June 8, 2023 Vertex Project #: 21E-02816-36

Spill Closure Report: SDE 31 Federal #009

Unit J, Section 31, Township 23 South, Range 32 East

API: 30-025-32868 County: Lea

Incident Reports: nPAC0534054352, nPAC0534054473 and nPRS0531129171

Prepared For: Devon Energy Production Company, LP

6488 Seven Rivers Highway Artesia, New Mexico 88210

New Mexico Oil Conservation Division - District 1 - Hobbs

1625 North French Drive Hobbs, New Mexico 88240

Devon Energy Production Company, LP retained Vertex Resource Services Inc. (Vertex) to conduct a Spill Assessment for releases of produced water caused by injection line leaks at SDE 31 Federal #009, API 30-025-32868, Incidents nPAC0534054352, nPAC0534054473, and nPRS0531129171 (hereafter referred to as "SDE"). This letter provides a description of the Spill Assessment and includes a request for Spill Closure. The spill area is located at N 32.2591248, W -103.7115784.

#### **Background**

The site is a saltwater disposal well located approximately 21 miles east of Malaga New Mexico (Google Inc., 2022). The legal location for the site is Unit J, Section 31, Township 23 South and Range 32 East in Lea County, New Mexico. The spill area is located on Bureau of Land Management property. An aerial photograph and site schematic are included in Attachment 1.

The Geological Map of New Mexico (New Mexico Bureau of Geology and Mineral Resources, 2022) indicates the site's surface geology is comprised primarily of Qep - eolian and piedmont deposits. The Natural Resources Conservation Service Web Soil Survey characterizes the predominant soil texture on the site Pyote loamy fine sand. It tends to be well drained with negligible runoff and low available moisture levels in the soil profile (United States Department of Agriculture, Natural Resources Conservation Service, 2022).

The surrounding landscape is associated with plains at elevations of 3,000 to 3,900 feet above sea level. The climate is semi-arid, with annual precipitation ranging between 10 to 12 inches. Historically, the plant community was dominated by grasses with scattered shrubs. Black grama is dominant with a mixture of mesquite and shinnery oak shrubs. Overgrazing and extended drought can reduce grass cover (United States Department of Agriculture, Natural Resources Conservation Service, 2022).

vertex.ca

**Devon Energy Production Company, LP** SDE 31 Federal #009 2023 Spill Assessment and Closure June 2023

There is no surface water located at SDE. The nearest significant watercourse, as defined in Subsection P of 19.15.17.7 Mexico Administrative Code (NMAC; New Mexico Oil Conservation Division, 2018), is an intermittent stream located approximately 5.5 miles northwest of the site (United States Fish and Wildlife Service, 2022). There are no continuous flowing watercourses, lakebeds, sinkholes, playa lakes, or other critical water or community features as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC.

#### **Incident Description**

The releases occurred on October 18 and 31, 2005, due to corrosion-induced leaks in the saltwater injection line. The spills were reported on October 18 and 31, 2005, and involved the releases of approximately 20 barrels (bbl) and an unknown volume of produced water on the pad site. Free fluid was not removed during initial spill clean-up. The New Mexico Oil Conservation Division (NMOCD) C-141 Reports: nPAC0534054352, nPAC0534054473, nPRS0531129171 are included in Attachment 2. New initial C-141 notifications for nPAC0534054352, nPAC0534054473, and nPRS0531129171 were created because the originals were lost prior to upload. The daily field reports (DFR) and site photographs are included in Attachment 3.

#### **Closure Criteria Determination**

The depth to groundwater was determined using information from Oil and Gas Drilling records and the New Mexico Office of the State Engineer Water Column/Average Depth to Water report. The closest recorded depth to groundwater was determined to be 380 feet below ground surface (bgs) and 5,040 feet from the site (New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System, 2022).

The available depth to groundwater reference exceeded the 0.5 mile radius limit, and a closer confirmation reference was required. Vision Resources, Inc. obtained a permit from New Mexico Office of the State Engineer approving collection of lithological data for a test borehole for depth to groundwater approximately 0.3 miles northwest of the site. On March 7, 2023, the borehole was drilled to a depth of 55 feet, was left open as per requirements on the WR - 07 Application for Permit to Drill a Well With No Water Right, and an interface probe lowered into the bottom of the borehole on March 13, 2023 to investigate if groundwater may have accumulated during the 72 hour waiting period; no water was present at that time. The borehole was plugged on March 14, 2023, as per requirements on the WR - 08, Well Plugging Plan of Operations. The well information and location are included with documentation used in Closure Criteria Determination research in Attachment 4.

**Devon Energy Production Company, LP** SDE 31 Federal #009

2023 Spill Assessment and Closure June 2023

ill Coo	ne: SDE 31 Federal #009 rdinates:	X: 32.2591248	Y: -103.7115784
	cific Conditions	Value	Unit
1	Depth to Groundwater	>55	feet
2	Within 300 feet of any continuously flowing watercourse or any other significant watercourse	29,176	feet
3	Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark)	32,778	feet
4	Within 300 feet from an occupied residence, school, hospital, institution or church	19,359	feet
5	i) Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, <b>or</b>	5,036	feet
	ii) Within 1000 feet of any fresh water well or spring		feet
6	Within incorporated municipal boundaries or within a defined municipal fresh water field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended, unless the municipality specifically approves	No	(Y/N)
7	Within 300 feet of a wetland	4,877	feet
8	Within the area overlying a subsurface mine	No	(Y/N)
9	Within an unstable area (Karst Map)	Low	Critical High Medium Low
10	Within a 100-year Floodplain	No	year
11	Soil Type	Pyote loamy fine sand	
12	Ecological Classification	Loamy Sand	
13	Geology	Eolian and piedmont deposits	
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	51-100'	<50' 51-100' >100'

The closure criteria determined for the site are associated with the following constituent concentration limits as presented in Table 1.

vertex.ca

3101 Boyd Drive, Carlsbad, New Mexico 88220, USA | P 575.725.5001

**Devon Energy Production Company, LP** SDE 31 Federal #009 2023 Spill Assessment and Closure June 2023

Table 1. Closure Criteria for Soils to Remediation & Reclamation Standards				
	Constituent			
0.4 foot bas (10.15.20.12)	Chloride	600 mg/kg		
0-4 feet bgs (19.15.29.13)	TPH (GRO+DRO+MRO)	100 mg/kg		
	Chloride	10,000 mg/kg		
	TPH (GRO+DRO+MRO)	2,500 mg/kg		
DTGW 51-100 feet (19.15.29.12)	GRO+DRO	1,000 mg/kg		
	BTEX	50 mg/kg		
	Benzene	10 mg/kg		

bgs – Below ground surface

DTGW - Depth to groundwater

TPH - Total petroleum hydrocarbons = gasoline range organics (GRO) + diesel range organics (DRO) + motor oil range organics (MRO),

BTEX - Benzene, toluene, ethylbenzene, and xylenes

#### **Remedial Actions Taken**

Initial site inspection and site characterization activities at SDE were completed by Vertex between February 24 and November 7, 2022, including horizontal and vertical delineation. The impacted area was initially determined to be approximately 192 feet long and 152 feet wide; the total affected area was determined to be 19,473 square feet. A DFR associated with the delineation is included in Attachment 3.

Remediation efforts began on November 10, 2022, and were completed on November 22, 2022. Vertex personnel supervised the excavation of impacted soils. Field screening was completed on soil from surfaces samples as excavation progressed and consisted of analysis using a photo ionization detector (volatile hydrocarbons), Dexsil Petroflag using EPA SW-846 Method 9074 (extractable hydrocarbons) and an Electroconductivity meter (chloride). Field screening results were used to identify areas requiring further remediation from those areas showing concentrations below determined closure criteria levels. Soils were removed to a depth of 4 feet bgs. Impacted soil was transported by a licensed waste hauler and disposed of at an approved waste management facility. Field screening results and DFRs are included in Attachments 5 and 3, respectively.

Notification that confirmatory samples were being collected was provided to the NMOCD on November 29, 2022 and is included in Attachment 6. Confirmatory 5-point composite samples were collected from the base and walls of the excavation in 200 square foot increments. A total of 143 samples were collected for laboratory analysis following NMOCD soil sampling procedures. Samples were submitted to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico under chain-of-custody protocols and analyzed for BTEX (EPA Method 8021B), total Petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D) and total chlorides (EPA Method 300.0). Laboratory results are presented in Table 3 (Attachment 5) and the laboratory data reports are included in Attachment 7. All confirmatory samples collected and analyzed were below closure criteria for the site.

vertex.ca

**Devon Energy Production Company, LP** SDE 31 Federal #009

2023 Spill Assessment and Closure June 2023

#### **Closure Request**

Vertex recommends no additional remediation action to address the releases at SDE 31 Federal #009. Laboratory analyses of the final confirmatory samples showed constituent of concern concentration levels below NMOCD closure criteria for areas where depth to groundwater is 51-100 feet bgs as shown in Table 1. There are no anticipated risks to human, ecological or hydrological receptors associated with the release sites.

The excavation was backfilled with non-waste-containing, uncontaminated, earthen material, sourced locally, and placed to meet the site's existing grade to prevent ponding of water and erosion.

Vertex requests that these incidents (nPAC0534054352, nPAC0534054473 and nPRS0531129171) be closed as all closure requirements set forth in Subsection E of 19.15.29.12 NMAC have been met. Devon certifies that all information in this report and the attachments is correct, and that they have complied with all applicable closure requirements and conditions specified in Division rules and directives to meet NMOCD requirements to obtain closure on the October 18 and 31, 2005 releases at SDE 31 Federal #009.

The release area was fully delineated, remediated, and backfilled with local soils by March 7, 2023. Confirmatory samples were analyzed by the laboratory and found to be below allowable concentrations as per the NMAC Closure Criteria for Soils Impacted by a Release locations between 51 and 100 feet to groundwater. Based on these findings, Devon requests that this release be closed.

Should you have any questions or concerns, please do not hesitate to contact the undersigned at 346.814.1413 or kstallings@vertex.ca.

Lakin Pullman	June 8, 2023	
Lakin Pullman, B.Sc.	Date	
SENIOR TECHNICAL EXPERT, REPORTING		
Kent Stallings P.G.	June 12, 2023	
Kent Stallings, P.G.	Date	
PROJECT MANAGER, REPORT REVIEW		
vortov co		

**Devon Energy Production Company, LP** SDE 31 Federal #009

2023 Spill Assessment and Closure June 2023

#### **Attachments**

Attachment 1. Site Schematic

Attachment 2. NMOCD C-141 Report(s)

Attachment 3. Daily Field Reports with Pictures

Attachment 4. Closure Criteria for Soils Impacted by a Release Research Determination Documentation

Attachment 5. Tables

Attachment 6. Confirmatory Sampling Notification to the NMOCD

Attachment 7. Laboratory Data Reports and COCs

**Devon Energy Production Company, LP** SDE 31 Federal #009 2023 Spill Assessment and Closure June 2023

#### References

- Google Inc. (2022). *Google Earth Pro* (Version 7.3.4) [Software]. Retrieved from http://www.google.com/earth on November 4, 2022.
- New Mexico Bureau of Geology and Mineral Resources. (2022). *Interactive Geologic Map.* Retrieved from http://geoinfo.nmt.edu.
- New Mexico Oil Conservation Division. (2018). New Mexico Administrative Code Natural Resources and Wildlife Oil and Gas Releases. Santa Fe, New Mexico.
- New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2022). Water Column/Average Depth to Water Report. Retrieved from http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html
- United States Department of Agriculture, Natural Resources Conservation Service. (2022). *Web Soil Survey*. Retrieved from https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx.

vertex.ca


**Devon Energy Production Company, LP** SDE 31 Federal #009 2023 Spill Assessment and Closure June 2023


#### Limitations

This report has been prepared for the sole benefit of Devon Energy Production Company, LP. This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division and the Bureau of Land Management, without the express written consent of Vertex Resource Services Inc. (Vertex) and Devon Energy Production Company, LP. Any use of this report by a third party, or any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgement of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

## **ATTACHMENT 1**





Geospatial data presented in this figure may be a inaccuracies. This figure is intended for reference

ERTEX

0 5 10 20 ft.

NAD 1983 UTM Zone 13N
Date: Dec 21/22

Map Center: Lat: 32.259190, Long:-103.711662 Confirmatory Sample Location SDE 31 Federal #009 devon

Note: Background imagery from Google Earth, 2022. Features from GPS. Vertex Professional Services Ltd., 2022

## **ATTACHMENT 2**

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	nPAC0534054352,
	nPAC0534054473
District RP	
Facility ID	
Application ID	

## **Release Notification**

## **Responsible Party**

Responsible Party Harvard Petroleum Company, LLC				OGRID 1	0155			
Contact Name Jeff Harvard				Contact Telephone 575-208-7135				
Contact email jharvard@hpcnm.com				Incident #	(assigned by OCD) nPAC0534054352, nPA	AC0534054473		
Contact mail	ing address	P.O. Box 936 R	oswell, NM 8820	)2	1			
			Location	n of R	delease So	ource		
Latitude 32.2.	591248		(NAD 83 in a	lecimal de	Longitude <u>-</u> grees to 5 decin	-103.7115784 nal places)		
Site Name S	DE 31 Fed	eral #009			Site Type	Oil Well		
Date Release	Discovered	October 18, 200	)5		API# (if app	plicable) 30-025-32868		
Unit Letter	Section	Township	Range		Coun	nty		
J	31	23S   32E   Lea						
	Materia		Nature and attack	d Vo		justification for the volumes provided below	)	
Crude Oi		Volume Release				Volume Recovered (bbls)		
Produced	Water	Volume Release				Volume Recovered (bbls) 0		
		Is the concentra produced water	tion of dissolved >10,000 mg/l?	chloride	e in the	Yes No		
Condensa	ite	Volume Release	ed (bbls)			Volume Recovered (bbls)		
Natural Gas Volume Released (Mcf)			Volume Recovered (Mcf)					
Other (describe) Volume/Weight Released (provide units			)	Volume/Weight Recovered (provi	de units)			
Cause of Release Release is historical and on file with NMOCD but original C-141 is not on file (possibly never uploaded). Injection line developed a leak due to corrosion. Notation on NMOCD incident web page is as follows: "C-141: "Injection line leak (corrosion) Shut in well. Lease road to well."								

Received by OCD: 3/21/2024 2:29:44 PM Form C-141 State of New Mexico Page 2 Oil Conservation Division

70	15		121
Page	10	OT .	4 Z I
8-		<u></u>	

Incident ID	mDAC0524054252
incident ID	nPAC0534054352,
	nPAC0534054473
District RP	
Facility ID	30-025-32868
Application ID	

		Application ID
Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the res	ponsible party consider this a major release?
☐ Yes ⊠ No		
If YES, was immediate no	otice given to the OCD? By whom? To	whom? When and by what means (phone, email, etc)?
	Initial	Response
The responsible p	party must undertake the following actions immedi	ately unless they could create a safety hazard that would result in injury
☐ The source of the rele	ease has been stopped.	
☐ The impacted area ha	s been secured to protect human health a	nd the environment.
	_	or dikes, absorbent pads, or other containment devices.
	ecoverable materials have been removed	and managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, expla	in why:
Historic release outside of	f containment	
Tilbiotic Telease Gaistae G		
D-:: 10 15 20 9 D (4) NIM	[AC4]	
has begun, please attach	a narrative of actions to date. If remedi	re remediation immediately after discovery of a release. If remediation ial efforts have been successfully completed or if the release occurred ), please attach all information needed for closure evaluation.
regulations all operators are public health or the environr failed to adequately investig	required to report and/or file certain release r ment. The acceptance of a C-141 report by thate and remediate contamination that pose a t	the best of my knowledge and understand that pursuant to OCD rules and notifications and perform corrective actions for releases which may endanger to OCD does not relieve the operator of liability should their operations have threat to groundwater, surface water, human health or the environment. In of responsibility for compliance with any other federal, state, or local laws
Printed Name: <u>Jeff</u>	<u>Harvard</u>	Title: President and Manager
Signature:		Date:
email:jharvard@hp	ocnm.com	Telephone: <u>575-208-7135</u>
OCD Only		
		D .
Received by:		Date:

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	nPRS0531129171
District RP	
Facility ID	30-025-32868
Application ID	

## **Release Notification**

## **Responsible Party**

Responsible Party Harvard Petroleum Company, LLC				OGRID 1	0155			
Contact Name Jeff Harvard				Contact Telephone 575-208-7135				
Contact email jharvard@hpcnm.com				Incident #	(assigned by OCD) nPRS0531129171			
Contact mail	ling address	P.O. Box 936 R	oswell, NM 8820	2				
			Location	of R	Release So	ource		
Latitude 32.2	591248				Longitude -	-103.7115784		
			(NAD 83 in d	ecimal de	grees to 5 decin	nal places)		
Site Name S	SDE 31 Fed	eral #009			Site Type	Oil Well		
Date Release	Discovered	October 31, 20	05		API# (if app	plicable) 30-025-32868		
II '4 I 44	G 4:	T 1'	D					
Unit Letter J	Section 31	Township 23S	Range 32E	Lea	Coun	<u>1ty</u>		
J	31	233	32E	LCa				
Surface Owne	r: State	⊠ Federal □ T	ribal 🗌 Private (	(Name:			)	
			Nature an	d Vo	lume of 1	Release		
	Materia	al(s) Released (Select a	all that apply and attac	h calcula	tions or specific	justification for the volumes provided below	w)	
Crude Oi		Volume Release			•	Volume Recovered (bbls)		
Produced	Water	Volume Release	ed (bbls) Unkno	wn		Volume Recovered (bbls) Unknown		
		Is the concentra	tion of dissolved >10,000 mg/l?	chlorid	e in the	☐ Yes ☐ No		
Condensa	ite	Volume Release	ed (bbls)		Volume Recovered (bbls)			
Natural Gas Volume Released (Mcf)				Volume Recovered (Mcf)				
Other (describe) Volume/Weight Released (provide units			)	Volume/Weight Recovered (prov	vide units)			
Cause of Release Release is historical and on file with NMOCD but original C-141 is not on file (possibly never uploaded). Injection line developed a leak due to corrosion. Notation on NMOCD incident web page is as follows: "C-141: "Injection line leak (corrosion) Shut well in."								

Page 17 of 420

Incident ID	nPRS0531129171
District RP	
Facility ID	30-025-32868
Application ID	

Was this a major	If YES, for what reason(s) does the resp	consible party consider this a major release?				
release as defined by 19.15.29.7(A) NMAC?	Volume not recorded. Assume more that	nn 25 bbl and therefore a Major release.				
⊠ Yes □ No						
If YES, was immediate no	otice given to the OCD? By whom? To	whom? When and by what means (phone, email, etc)?				
Unknown.						
	Initial 1	Response				
The responsible	party must undertake the following actions immedic	ately unless they could create a safety hazard that would result in injury				
The source of the rele	ease has been stopped.					
The impacted area ha	s been secured to protect human health an	nd the environment.				
Released materials ha	ave been contained via the use of berms of	r dikes, absorbent pads, or other containment devices.				
All free liquids and re	ecoverable materials have been removed	and managed appropriately.				
If all the actions described	d above have <u>not</u> been undertaken, explai	n why:				
Historic release outside o	f containment.					
has begun, please attach	Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.						
Printed Name: <u>Jeff</u>	Harvard	Title: President and Manager				
Signature:		Date:				
email: <u>jharvard@h</u> j	pcnm.com_	Telephone: <u>575-208-7135</u>				
OCD Only						
Received by:		Date:				
·						

Page 18 of 420

	I ugt 10 Uj Ti
Incident ID	nPAC0534054352,
	nPAC0534054473,
	nPRS0531129171
District RP	
Facility ID	30-025-32868
Application ID	

### **Site Assessment/Characterization**

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>&gt;55</u> (ft bgs)	
Did this release impact groundwater or surface water?	☐ Yes ⊠ No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ⊠ No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ⊠ No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ⊠ No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ⊠ No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ⊠ No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ⊠ No	
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ⊠ No	
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ⊠ No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ⊠ No	
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ⊠ No	
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	☐ Yes ⊠ No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics		

Characterization Report Checklist: Each of the following items must be included in the report.
Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
☐ Field data
Data table of soil contaminant concentration data
Depth to water determination
Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
Boring or excavation logs
Photographs including date and GIS information
Topographic/Aerial maps
Laboratory data including chain of custody
a constant of the control of the con

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 3/21/2024 2:29:44 PM Form C-141 State of New Mexico Page 4 Oil Conservation Division

Page 19 of 420

Incident ID	nPAC0534054352,
	nPAC0534054473,
	nPRS0531129171
District RP	
Facility ID	30-025-32868
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: <u>Jeff Harvard</u>	Title: President and Manager
Signature:	Date:
email: <u>jharvard@hpcnm.com</u>	Telephone: <u>575-208-7135</u>
OCD Only	
Received by:	Date:
Received by.	

te of New Mexico

Incident ID	nPAC0534054352,
	nPAC0534054473,
	nPRS0531129171
District RP	
Facility ID	30-025-32868
Application ID	

# **Remediation Plan**

Remediation Plan Checklist: Each of the following items must be	pe included in the plan.
<ul> <li>☑ Detailed description of proposed remediation technique</li> <li>☑ Scaled sitemap with GPS coordinates showing delineation poin</li> <li>☑ Estimated volume of material to be remediated</li> <li>☑ Closure criteria is to Table 1 specifications subject to 19.15.29</li> <li>☑ Proposed schedule for remediation (note if remediation plan ting)</li> </ul>	.12(C)(4) NMAC
<u>Deferral Requests Only</u> : Each of the following items must be co	nfirmed as part of any request for deferral of remediation.
Contamination must be in areas immediately under or around p deconstruction.	production equipment where remediation could cause a major facility
Extents of contamination must be fully delineated.	
Contamination does not cause an imminent risk to human heal	th, the environment, or groundwater.
rules and regulations all operators are required to report and/or file	acceptance of a C-141 report does not relieve the operator of
Printed Name:	Title: President and Manager
Signature:	Date:
email:jharvard@hpcnm.com	Telephone: <u>575-208-7135</u>
OCD Only	
Received by:	Date:
☐ Approved with Attached Conditions of	Approval Denied Deferral Approved
Signature:	Date:

Received by OCD: 3/21/2024 2:29:44 PM Form C-141 State of New Mexico Page 6 Oil Conservation Division

Incident ID nPAC0534054352, nPAC0534054473, nPRS0531120171

nPRS0531129171

District RP
Facility ID 30-025-32868

Application ID

# Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following	items must be included in the closure report.		
A scaled site and sampling diagram as described in 19.15.29	2.11 NMAC		
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)			
☐ Laboratory analyses of final sampling (Note: appropriate Of	OC District office must be notified 2 days prior to final sampling)		
Description of remediation activities			
and regulations all operators are required to report and/or file certamay endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rehuman health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regu			
Signature:	Date:		
email: jharvard@hpcnm.com	Telephone: <u>575-208-7135</u>		
OCD Only			
Received by:	Date:		
	by of liability should their operations have failed to adequately investigate and e water, human health, or the environment nor does not relieve the responsible d/or regulations.		
Closure Approved by:	Date:		
Printed Name:	Title:		

## **ATTACHMENT 3**



Client:	Devon Energy Corporation	Inspection Date:	9/4/2022
Site Location Name:	SDE 31 Federal #009	Report Run Date:	9/4/2022 11:49 PM
Client Contact Name:	Wes Matthews	API #:	
Client Contact Phone #:	(575) 748-0176	_	
Unique Project ID		– Project Owner:	
Project Reference #		Project Manager:	
	Summary of Times		
Arrived at Site	9/4/2022 2:19 PM		
Departed Site	9/4/2022 4:41 PM		
Field Notes			

- **16:08** Completed safety paperwork at previous site. On site to complete horizontal delineation.
- **16:22** Mapped sample locations to complete horizontal delineation and acquire more information about area inside former containment berm.
- **16:26** Swept sample point locations with magnetic locator prior to ground disturbance. Boreholes advanced with hand tools.
- **16:29** Advanced BH22-22 off south edge of pad and south of BH22-20. Field screening results for TPH and chloride below NMOCD strictest criteria.
- **16:30** Advanced BH22-23 immediately west of former containment berm on west edge of pad. Field screening results for TPH and chloride below NMOCD strictest criteria.
- **16:31** Advanced BH22-24 in southwest corner of former containment area. Field screening results for chloride exceeded NMOCD strictest criteria.
- 16:32 Horizontal delineation tentatively complete pending laboratory results.
- **16:33** May need additional sample points between BH22-23 and BH22-21 to refine edge of contamination.
- **16:34** Will require machinery to complete vertical delineation.



### **Next Steps & Recommendations**

1 Completed vertical delineation with mechanical advantage.



#### **Site Photos**





South of pad facing north. Advanced BH22-22 south of BH22-20 for horizontal delineation.

#### **Viewing Direction**: Northeast



Southeast corner of berm facing northeast. Advanced BH22-24 inside southwest corner of former containment area.

#### Viewing Direction: East



West edge of pad facing east. Advanced BH22-23 west of berm for horizontal delineation.

#### Viewing Direction: East



West edge of pad facing east.



#### **Daily Site Visit Signature**

**Inspector:** Lakin Pullman

Signature: \_\_\_\_



Client:	Devon Energy Corporation	Inspection Date:	12/2/2022
Site Location Name:	SDE 31 Federal CTB	Report Run Date:	12/3/2022 12:09 AM
Client Contact Name:	Wes Matthews	API #:	
Client Contact Phone #:	(575) 748-0176	_	
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	
Summary of Times			
Arrived at Site	12/2/2022 6:22 AM		
Departed Site	12/2/2022 3:22 PM		

#### **Field Notes**

- **6:51** Completed JSA and safety meeting. On site to collect confirmation samples from excavation surfaces.
- 15:21 Excavation and corresponding side walls are 4 feet in depth. Excavation base area is approximately 25000 square feet.
- **6:55** Swept excavation surfaces with magnetic locator prior to ground disturbance.
- **15:13** Collected 16 wall excavation samples and 127 base excavation samples.

### **Next Steps & Recommendations**

1 Submit samples to laboratory for analyses.



#### **Site Photos**





Northwest corner of pad facing south.

Viewing Direction: North



East of southeast corner of pad facing north.

Viewing Direction: Southwest



East of pad east of wellhead facing southwest.

#### Viewing Direction: Northwest



East of southeast corner of pad facing northwest.





East of southeast corner of pad facing west.



Southwest corner of pad facing east.



Southwest corner of pad facing east.



Southwest corner of pad facing northeast.





Southwest corner of pad facing north.



West edge of pad facing southeast.



West edge of pad facing east.



Northwest corner of pad facing southeast.





West edge of pad facing northeast.



Northwest corner of pad facing east.



East of northeast corner of pad facing south along injection line.



East of northeast corner of pad facing west.





East of northeast corner of pad facing southwest.



East of northeast corner of pad facing south.



East of pad east of wellhead facing northwest.



East of pad east of wellhead facing west.



#### **Daily Site Visit Signature**

**Inspector:** Lakin Pullman

Signature:



Client:	Devon Energy Corporation	Inspection Date:	3/7/2023
Site Location Name:	SDE 31 Federal 4	Report Run Date:	3/8/2023 1:49 AM
Client Contact Name:	Wes Matthews	API #:	30-025-32716
Client Contact Phone #:	(575) 748-0176		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

Summary of Times		
Arrived at Site	3/7/2023 4:30 PM	
Departed Site	3/7/2023 5:35 PM	

#### **Field Notes**


- 16:40 Arrived on site and discussed site plan. Began drilling borehole for well at 16:35.
- **17:11** Drilling borehole and well installation completed 17:10.
- **17:22** Well reading at 17:15 with Solinst model 122. Pipe height above ground is 2 ft 7 inches. Dry well reading at 60 ft and 7 inches. (58 ft depth of well).
- **17:30** Collected coordinates of actual well location (32.2628063, -103.7162248). Well is 85ft directly east of pump jack, northeast outside of pad.

### **Next Steps & Recommendations**


1




#### **Site Photos**



Drilling rig and well site





Run on 3/8/2023 1:49 AM UTC Powered by www.krinkleldar.com Page 2 of 3



#### **Daily Site Visit Signature**

**Inspector:** Stephanie McCartyM

Signature:



Client:	Devon Energy Corporation	Inspection Date:	3/13/2023
Site Location Name:	SDE 31 Federal 4	Report Run Date:	4/17/2023 3:44 PM
Client Contact Name:	Wes Matthews	API #:	30-025-32716
Client Contact Phone #:	(575) 748-0176		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

	Summary of Times	
Arrived at Site	3/13/2023 3:00 PM	
Departed Site	3/13/2023 4:06 PM	

#### **Field Notes**

- 15:21 Completed JSA on arrival. On site to test depth of water in exploratory well.
- **15:29** Top of well casing was 2 feet 7.5 inches above ground surface.
- 15:38 Extended Solinst Model 122 Interface Meter to base of exploratory well at 15:35 on March 13, 2023.
- **15:44** Once the interface probe was at the bottom of the well, the tape read 61 feet at the top of the well casing. The well was approximately 58 feet 4.5 inches deep.
- **15:46** There was no indication of water throughout the depth of the well. Confirmed dry well.
- 15:59 Approximate coordinates of well: 32.2627890, -103.7162235. Exploratory well is approximately 111 feet east of oil wellhead.

## **Next Steps & Recommendations**

1



#### **Site Photos**





East edge of well pad facing east. Exploratory well marked with orange cone.

Viewing Direction: West



East of well pad facing west. Exploratory well.

Viewing Direction: West



East of well pad facing west. Exploratory well marked with orange cone.


Viewing Direction: West



East of well pad facing west.









South of pump jack facing north.




#### **Daily Site Visit Signature**

**Inspector:** Lakin Pullman


Signature: 📐

## **ATTACHMENT 4**

	Criteria Worksheet			
	e: SDE 31 Federal #009 rdinates:	X: 32.2591248	Y: -103.7115784	
	ific Conditions	Value	Unit	Reference
1	Depth to Groundwater	>55	feet	1
2	Within 300 feet of any continuously flowing watercourse or any other significant watercourse	29,176	feet	2
3	Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark)	32,778	feet	3
4	Within 300 feet from an occupied residence, school, hospital, institution or church	19,359	feet	4
5	i) Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, <b>or</b>	5,036	feet	5
	ii) Within 1000 feet of any fresh water well or spring		feet	5
6	Within incorporated municipal boundaries or within a defined municipal fresh water field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended, unless the municipality specifically approves	No	(Y/N)	6
7	Within 300 feet of a wetland	4,877	feet	7
8	Within the area overlying a subsurface mine	No	(Y/N)	8
9	Within an unstable area (Karst Map)	Low	Critical High Medium Low	9
10	Within a 100-year Floodplain	No	year	10
11	Soil Type	Pyote loamy fine sand		11
12	Ecological Classification	Loamy Sand		12
13	Geology	Eolian and piedmont deposits		13
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	51-100'	<50' 51-100' >100'	



# OSE POD 0.5 mile



4/18/2023, 5:45:12 PM **GIS WATERS PODs** 

0 Active

Pending

OSE District Boundary

Water Right Regulations


Closure Area

New Mexico State Trust Lands

**Both Estates** 

SiteBoundaries

Subsurface Estate



Esri, HERE, iPC, U.S. Department of Energy Office of Legacy Management, Esri, HERE, Garmin, iPC, Maxar



# Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

		POD		_	_	_									
POD Number	Code	Sub-	County		Q 16			Twe	Dna	X	Y	DistanceDe	nthWallDa		Water
C 04712 POD1	Coue	CUB	LE		4			23S	32E	620917	3570289	485	55 55	pui water (	Joiumm
C 04672 POD 1		CUB	ED		1	4	01	24S	31E	619762	3568286	1827	110		
C 03555 POD1		C	LE	2	2	1	05	24S	32E	622748	3569233	2185	600	380	220
C 03529 POD1		C	LE	2	4	3	29	23S	32E	622651	3571212	2397	550		
<u>C 02405</u>		CUB	ED		4	1	02	24S	31E	617690	3568631*	3221	275	160	115
<u>C 02348</u>		C	ED	1	4	3	26	23S	31E	617648	3571068	3239	700	430	270
<u>C 02258</u>		C	ED		3	2	26	23S	31E	618055	3571853*	3269	662		
<u>C 02464</u>		C	ED	2	3	1	02	24S	31E	617645	3568581	3282	320	205	115
C 03851 POD1		CUB	LE	3	3	4	20	23S	32E	622880	3572660	3559	1392	713	679
C 04687 POD1		CUB	ED	4	2	3	12	24S	31E	619481	3566450	3624	110		
<u>C 02460</u>		C	ED			3	02	24S	31E	617496	3568022*	3668	320		
C 02460 POD2		C	ED			3	02	24S	31E	617496	3568022*	3668	320		
C 03530 POD1		C	LE	3	4	3	07	24S	32E	620886	3566156	3728	550		
C 04712 POD3		CUB	ED	4	1	2	24	23S	31E	619651	3573877	4125	55		

Average Depth to Water: 377 feet
Minimum Depth: 160 feet

Maximum Depth: 713 feet

Record Count: 14

UTMNAD83 Radius Search (in meters):

**Easting (X):** 620660.13 **Northing (Y):** 3569877.79 **Radius:** 5000

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/16/23 8:32 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER



# **Point of Diversion Summary**

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

 Well Tag
 POD Number
 Q64 Q16 Q4 Sec
 Tws
 Rng
 X
 Y

 NA
 C 04712 POD1
 1 4 1 31 23S 32E
 620917 3570289

Driller License: 1833 Driller Company: VISION RESOURCES, INC

**Driller Name:** JASON MALEY

**Drill Start Date:** 03/09/2023 **Drill Finish Date:** 03/09/2023 **Plug Date:** 03/14/2023

Log File Date: 04/04/2023 PCW Rcv Date: Source:

Pump Type:Pipe Discharge Size:Estimated Yield:Casing Size:Depth Well:55 feetDepth Water:

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/16/23 8:52 AM

POINT OF DIVERSION SUMMARY



# **Water Right Summary**



WR File Number: C 04712 Subbasin: CUB Cross Reference: -

Primary Purpose: MON MONITORING WELL

**Primary Status:** PMT PERMIT

Total Acres: Subfile: - Header: -

Total Diversion: 0 Cause/Case: -

Owner: VERTEX RESOURCES

User: HARVARD PETROLEUM COMPANY LLC

Contact: JUSTIN WARREN

**Documents on File** 

				Sta	atus		From/			
	Trn#	Doc	File/Act	1	2	Transaction Desc.	To	Acres	Diversion	Consumptive
g <u>et</u>	743189	EXPL	2023-02-21	PMT	APR	C 04712 POD1-6	T	0	0	

#### **Current Points of Diversion**

		(NAD83 UTM in meters)								
POD Number	Well Tag Source	640	_	-			0	X	Y	Other Location Desc
<u>C 04712 POD1</u>	NA	I	4	1	31	23S	32E	620917	3570289	SDE
<u>C 04712 POD2</u>	NA	4	4	4	17	23S	32E	623332	3574331	TOMCAT17
<u>C 04712 POD3</u>	NA	4	1	2	24	23S	31E	619651	3573877	TODD24
<u>C 04712 POD4</u>	NA	1	4	3	14	23S	31E	617535	3574316	TODD14
<u>C 04712 POD5</u>	NA	4	4	3	09	23S	31E	614393	3575754	NPG9
<u>C 04712 POD6</u>	NA	3	3	4	08	23S	31E	613147	3575740	NPG8

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/18/23 5:57 PM WATER RIGHT SUMMARY



## Intermittent, 29,176 feet

November 5, 2022

#### Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake


Other

Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



# SDE 31 Fed 9 Lake 32,778 ft



October 12, 2022

#### Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond


Lake

Other

Riverine

Other

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.





# **Water Right Summary**

get image list

WR File Number: C 03555 Subbasin: C Cross Reference: -

Primary Purpose: STK 72-12-1 LIVESTOCK WATERING

**Primary Status:** PMT PERMIT

Total Acres: Subfile: - Header: -

Total Diversion: 3 Cause/Case: -

Owner: NGL WATER SOLUTIONS PERMIAN

Contact: R CHARLES WILKIN

#### **Documents on File**

				Sta	tus		From/			
Tr	rn#	Doc	File/Act	1	2	Transaction Desc.	To	Acres	Diversion	Consumptive
get 67	77211	UWL	2020-08-06	UWL	ACC	C 03555	T		0	
get 63	33172	COWN	F 2018-09-17	CHG	PRC	C 03555	T		0	
get 53	34311	72121	2013-09-19	PMT	LOG	C 03555	T		3	
images 50	06470	72121	2012-06-29	EXP	EXP	C 03555	T		3	

#### **Current Points of Diversion**

(NAD83 UTM in meters)

POD Number	Well Tag	Source	6	2 4(	<b>Q16</b>	Q4	Sec	Tws	Rng	X	Y	Other Location Desc
C 03555 POD1	NA	Shallow	2	2	2	1	05	24S	32E	622748	3569233	)

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/12/22 4:30 PM WATER RIGHT SUMMARY



## **Active & Inactive Points of Diversion**

(with Ownership Information)

(R=POD has been replaced and no longer serves this file, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are smallest to largest)

(NAD83 UTM in met

(acre ft per annum)

Sub

 basin
 Use
 Diversion
 Owner

 C
 STK
 3
 NGL WATER SOLUTIONS PERMIAN

County POD Number

Well Tag NA

Code Grant

 Source
 6416 4
 Sec
 Tws
 Rng

 Shallow
 2 2 1 05 24S 32E

X Y 22748 3569233

Record Count: 1

WR File Nbr

UTMNAD83 Radius Search (in meters):

Easting (X): 621359.234

Northing (Y): 3569886.694

Radius: 1610

Sorted by: Distance

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for purpose of the data.

10/12/22 4:30 PM ACTIVE & INACTIVE POINTS OF DI



## SDE 31 Fed 9 Wetland 4877ft



October 12, 2022

#### Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake


Other


Riverine

Otner

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.


# Active Mines in New Mexico





Aggregate, Stone etc. Salt

Sources: Esri, USGS, NOAA, Sources: Esri, Garmin, USGS, NPS



OReleas 250 to Imaging: 4/4/2024 9:999:21 AM

# Received by OCD: 3/21/2024 2:29:44 PM National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage

OTHER AREAS OF FLOOD HAZARD Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X Area with Flood Risk due to Levee Zone D

**Future Conditions 1% Annual** 

areas of less than one square mile Zone X

NO SCREEN Area of Minimal Flood Hazard Zone X Effective LOMRs

OTHER AREAS Area of Undetermined Flood Hazard Zone D

- - - Channel, Culvert, or Storm Sewer **GENERAL** STRUCTURES | LILLIL Levee, Dike, or Floodwall

> 17.5 Water Surface Elevation **Coastal Transect** Base Flood Elevation Line (BFE) Limit of Study **Jurisdiction Boundary** -- -- Coastal Transect Baseline **Profile Baseline**

20.2 Cross Sections with 1% Annual Chance

OTHER **FEATURES** 

Digital Data Available

No Digital Data Available

Hydrographic Feature

Unmapped


MAP PANELS

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 10/12/2022 at 7:05 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



2.000



**VRCS** 

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

# Custom Soil Resource Report for Lea County, New Mexico



## **Preface**

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2 053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

# **Contents**

Preface	2
How Soil Surveys Are Made	5
Soil Map	
Soil Map (SDE 31 Fed 9 Soil Map)	9
Legend	10
Map Unit Legend (SDE 31 Fed 9 Soil Map)	11
Map Unit Descriptions (SDE 31 Fed 9 Soil Map)	11
Lea County, New Mexico	13
BE—Berino-Cacique loamy fine sands association	13
KD—Kermit-Palomas fine sands, 0 to 12 percent slopes	15
MF—Maljamar and Palomas fine sands, 0 to 3 percent slopes	17
PT—Pyote loamy fine sand	19
PU—Pyote and Maljamar fine sands	20
SE—Simona fine sandy loam, 0 to 3 percent slopes	
References	24

# **How Soil Surveys Are Made**

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

# Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



#### MAP LEGEND

å

Ŷ

Δ

**Water Features** 

Transportation

---

00

Background

Spoil Area

Stony Spot

Wet Spot

Other

Rails

**US Routes** 

Major Roads

Local Roads

Very Stony Spot

Special Line Features

Streams and Canals

Interstate Highways

Aerial Photography

#### Area of Interest (AOI)

Area of Interest (AOI)

#### Soils

Soil Map Unit Polygons

-

Soil Map Unit Lines

Soil Map Unit Points

#### **Special Point Features**

(9)

Blowout

 $\boxtimes$ 

Borrow Pit

Ж

Clay Spot

 $\Diamond$ 

Closed Depression

36

Gravel Pit

00

**Gravelly Spot** 

0

Landfill Lava Flow

٨.

Marsh or swamp

2

Mine or Quarry

0

Miscellaneous Water

0

Perennial Water
Rock Outcrop

į.

Saline Spot

• • •

Sandy Spot

-

Severely Eroded Spot

۸

Sinkhole

Ø

Sodic Spot

Slide or Slip

#### MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico Survey Area Data: Version 19, Sep 8, 2022

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## Map Unit Legend (SDE 31 Fed 9 Soil Map)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BE	Berino-Cacique loamy fine sands association	9.7	1.6%
KD	Kermit-Palomas fine sands, 0 to 12 percent slopes	26.9	4.5%
MF	Maljamar and Palomas fine sands, 0 to 3 percent slopes	46.6	7.8%
PT	Pyote loamy fine sand	188.5	31.6%
PU	Pyote and Maljamar fine sands	318.0	53.3%
SE	Simona fine sandy loam, 0 to 3 percent slopes	6.5	1.1%
Totals for Area of Interest	,	596.1	100.0%

# Map Unit Descriptions (SDE 31 Fed 9 Soil Map)

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not

mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

#### Lea County, New Mexico

#### BE—Berino-Cacique loamy fine sands association

#### **Map Unit Setting**

National map unit symbol: dmpd Elevation: 3,000 to 3,900 feet

Mean annual precipitation: 10 to 13 inches
Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Not prime farmland

#### **Map Unit Composition**

Berino and similar soils: 50 percent Cacique and similar soils: 40 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

#### **Description of Berino**

#### Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Sandy eolian deposits derived from sedimentary rock over

calcareous sandy alluvium derived from sedimentary rock

#### Typical profile

A - 0 to 6 inches: loamy fine sand Btk - 6 to 60 inches: sandy clay loam

#### **Properties and qualities**

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 40 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Moderate (about 8.7 inches)

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: B

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Description of Cacique**

#### Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Calcareous eolian deposits derived from sedimentary rock

#### Typical profile

A - 0 to 12 inches: loamy fine sand Bt - 12 to 28 inches: sandy clay loam Bkm - 28 to 38 inches: cemented material

#### **Properties and qualities**

Slope: 0 to 3 percent

Depth to restrictive feature: 20 to 40 inches to petrocalcic

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 3.6 inches)

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: C

Ecological site: R070BD004NM - Sandy

Hydric soil rating: No

#### **Minor Components**

#### Maljamar

Percent of map unit: 6 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

#### **Palomas**

Percent of map unit: 4 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### KD—Kermit-Palomas fine sands, 0 to 12 percent slopes

#### **Map Unit Setting**

National map unit symbol: dmpv Elevation: 3,000 to 4,400 feet

Mean annual precipitation: 10 to 12 inches Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Not prime farmland

#### **Map Unit Composition**

Kermit and similar soils: 70 percent Palomas and similar soils: 20 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

#### **Description of Kermit**

#### Setting

Landform: Dunes

Landform position (two-dimensional): Shoulder, backslope, footslope

Landform position (three-dimensional): Side slope Down-slope shape: Concave, linear, convex

Across-slope shape: Convex

Parent material: Calcareous sandy eolian deposits derived from sedimentary rock

#### Typical profile

A - 0 to 8 inches: fine sand C - 8 to 60 inches: fine sand

#### **Properties and qualities**

Slope: 3 to 12 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Excessively drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): Very high (20.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Maximum salinity: Nonsaline (0.0 to 1.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 3.1 inches)

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: A

Ecological site: R070BD005NM - Deep Sand

Hydric soil rating: No

#### **Description of Palomas**

#### Setting

Landform: Dunes

Landform position (two-dimensional): Shoulder, backslope, footslope

Landform position (three-dimensional): Side slope Down-slope shape: Convex, linear, concave

Across-slope shape: Convex

Parent material: Alluvium derived from sandstone

#### **Typical profile**

A - 0 to 16 inches: fine sand

Bt - 16 to 60 inches: sandy clay loam Bk - 60 to 66 inches: sandy loam

#### **Properties and qualities**

Slope: 0 to 5 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 50 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Moderate (about 7.5 inches)

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: B

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Minor Components**

#### **Pyote**

Percent of map unit: 4 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### Maljamar

Percent of map unit: 4 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Palomas**

Percent of map unit: 1 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Dune land**

Percent of map unit: 1 percent

Hydric soil rating: No

#### MF—Maljamar and Palomas fine sands, 0 to 3 percent slopes

#### Map Unit Setting

National map unit symbol: dmqb Elevation: 3,000 to 3,900 feet

Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Farmland of statewide importance

#### **Map Unit Composition**

Maljamar and similar soils: 46 percent Palomas and similar soils: 44 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

#### **Description of Maljamar**

#### Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Sandy eolian deposits derived from sedimentary rock

#### Typical profile

A - 0 to 24 inches: fine sand

Bt - 24 to 50 inches: sandy clay loam
Bkm - 50 to 60 inches: cemented material

#### **Properties and qualities**

Slope: 0 to 3 percent

Depth to restrictive feature: 40 to 60 inches to petrocalcic

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 5.6 inches)

#### Interpretive groups

Land capability classification (irrigated): 7e Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: B

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Description of Palomas**

#### Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Alluvium derived from sandstone

#### **Typical profile**

A - 0 to 16 inches: fine sand

Bt - 16 to 60 inches: sandy clay loam Bk - 60 to 66 inches: sandy loam

#### Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 45 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Moderate (about 7.5 inches)

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: B

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Minor Components**

#### **Kermit**

Percent of map unit: 5 percent

Ecological site: R070BC022NM - Sandhills

Hydric soil rating: No

#### Wink

Percent of map unit: 5 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### PT—Pyote loamy fine sand

#### **Map Unit Setting**

National map unit symbol: dmqp Elevation: 3,000 to 3,900 feet

Mean annual precipitation: 10 to 12 inches Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 200 days

Farmland classification: Farmland of statewide importance

#### **Map Unit Composition**

Pyote and similar soils: 85 percent Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

#### **Description of Pyote**

#### Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Sandy eolian deposits derived from sedimentary rock

#### Typical profile

A - 0 to 25 inches: loamy fine sand Bt - 25 to 60 inches: fine sandy loam

#### **Properties and qualities**

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00

in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 5.3 inches)

#### Interpretive groups

Land capability classification (irrigated): 6e Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Minor Components**

#### Maljamar

Percent of map unit: 8 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Palomas**

Percent of map unit: 7 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### PU—Pyote and Maljamar fine sands

#### **Map Unit Setting**

National map unit symbol: dmqq Elevation: 3,000 to 3,900 feet

Mean annual precipitation: 10 to 12 inches Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Not prime farmland

#### **Map Unit Composition**

Pyote and similar soils: 46 percent Maljamar and similar soils: 44 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

#### **Description of Pyote**

#### Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Sandy eolian deposits derived from sedimentary rock

#### Typical profile

A - 0 to 30 inches: fine sand

Bt - 30 to 60 inches: fine sandy loam

#### Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00

in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 5.1 inches)

#### Interpretive groups

Land capability classification (irrigated): 6e Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Description of Maljamar**

#### Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Sandy eolian deposits derived from sedimentary rock

#### **Typical profile**

A - 0 to 24 inches: fine sand

Bt - 24 to 50 inches: sandy clay loam
Bkm - 50 to 60 inches: cemented material

#### **Properties and qualities**

Slope: 0 to 3 percent

Depth to restrictive feature: 40 to 60 inches to petrocalcic

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 5.6 inches)

#### Interpretive groups

Land capability classification (irrigated): 6e Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: B

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

#### **Minor Components**

#### Kermit

Percent of map unit: 10 percent

Ecological site: R070BC022NM - Sandhills

Hydric soil rating: No

#### SE—Simona fine sandy loam, 0 to 3 percent slopes

#### **Map Unit Setting**

National map unit symbol: dmr2 Elevation: 3,000 to 4,200 feet

Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 58 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Not prime farmland

#### **Map Unit Composition**

Simona and similar soils: 85 percent Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

#### **Description of Simona**

#### Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Calcareous eolian deposits derived from sedimentary rock

#### Typical profile

A - 0 to 8 inches: fine sandy loam

Bk - 8 to 16 inches: gravelly fine sandy loam Bkm - 16 to 26 inches: cemented material

#### **Properties and qualities**

Slope: 0 to 3 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 35 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Very low (about 2.0 inches)

#### Interpretive groups

Land capability classification (irrigated): 6s Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R070BD002NM - Shallow Sandy

Hydric soil rating: No

#### **Minor Components**

#### Kimbrough

Percent of map unit: 8 percent

Ecological site: R077CY037TX - Very Shallow 16-21" PZ

Hydric soil rating: No

#### Lea

Percent of map unit: 7 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

## References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2 053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2\_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE\_DOCUMENTS/nrcs142p2\_052290.pdf



# Ecological site R070BD003NM Loamy Sand

Accessed: 11/05/2022

#### **General information**

**Provisional**. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

#### Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

#### **Associated sites**

R070BD004NM	<b>Sandy</b> Sandy
R070BD005NM	<b>Deep Sand</b> Deep Sand

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

#### Physiographic features

This site is on uplands, plains, dunes, fan piedmonts and in inter dunal areas. The parent material consists of mixed alluvium and or eolian sands derived from sedimentary rock. Slope range on this site range from 0 to 9 percent with the average of 5 percent.

Low stabilized dunes may occur occasionally on this site. Elevations range from 2,800 to 5,000 feet.

Table 2. Representative physiographic features

Landforms	<ul><li>(1) Fan piedmont</li><li>(2) Alluvial fan</li><li>(3) Dune</li></ul>
Elevation	2,800–5,000 ft
Slope	0–9%
Aspect	Aspect is not a significant factor

#### **Climatic features**

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common. Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity-short duration thunderstorms.

Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes.

The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer.

The average frost-free season is 207 to 220 days. The last killing frost being late March or early April and the first killing frost being in later October or early November.

Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of this site. Strong winds blow from the southwest from January through June, which accelerates soil drying during a critical period for cool season plant growth.

Climate data was obtained from http://www.wrcc.sage.dri.edu/summary/climsmnm.html web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	221 days
Freeze-free period (average)	240 days
Precipitation total (average)	13 in

#### Influencing water features

This site is not influenced from water from wetlands or streams.

#### Soil features

Soils are moderately deep or very deep. Surface textures are loamy fine sand, fine sandy loam, loamy very fine sand or gravelly sandy loam.

Subsurface is a loamy fine sand, coarse sandy loam, fine sandy loam or loam that averages less than 18 percent clay and less than 15 percent carbonates.

Substratum is a fine sandy loam or gravelly fine sandy loam with less than 15 percent gravel and with less than 40 percent calcium carbonate. Some layers high in lime or with caliche fragments may occur at depths of 20 to 30 inches.

These soils, if unprotected by plant cover and organic residue, become wind blown and low hummocks are formed.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic soils are:

Maljamar

Berino

Parjarito

**Palomas** 

Wink

Pyote

Table 4. Representative soil features

Surface texture	<ul><li>(1) Fine sand</li><li>(2) Fine sandy loam</li><li>(3) Loamy fine sand</li></ul>
Family particle size	(1) Sandy
Drainage class	Well drained to somewhat excessively drained
Permeability class	Moderate to moderately rapid

Soil depth	40–72 in
Surface fragment cover <=3"	0–10%
Surface fragment cover >3"	0%
Available water capacity (0-40in)	5–7 in
Calcium carbonate equivalent (0-40in)	3–40%
Electrical conductivity (0-40in)	2–4 mmhos/cm
Sodium adsorption ratio (0-40in)	0–2
Soil reaction (1:1 water) (0-40in)	6.6–8.4
Subsurface fragment volume <=3" (Depth not specified)	4–12%
Subsurface fragment volume >3" (Depth not specified)	0%

#### **Ecological dynamics**

#### Overview


The Loamy Sand site intergrades with the Deep Sand and Sandy sites (SD-3). These sites can be differentiated by surface soil texture and depth to a textural change. Loamy Sand and Deep Sand sites have coarse textured (sands and loamy sand) surface soils while Sandy sites have moderately coarse textured (sandy loam and fine sandy loam) surfaces. Although Loamy Sand and Deep Sand sites have similar surface textures, the depth to a textural change is different—Loamy Sand sub-surface textures typically increase in clay at approximately 20 to 30 inches, and Deep Sand sites not until around 40 inches.

The historic plant community of Loamy Sand sites is dominated by black grama (*Bouteloua eriopoda*), dropseeds (*Sporobolus flexuosus*, *S. contractus*, *S. cryptandrus*), and bluestems (*Schizachyrium scoparium* and *Andropogon hallii*), with scattered shinnery oak (*Quercus havardii*) and sand sage (*Artemisia filifolia*). Perennial and annual forb abundance and distribution are dependent on precipitation. Litter and to a lesser extent, bare ground, are a significant proportion of ground cover while grasses compose the remainder. Decreases in black grama indicate a transition to either a grass/shrub or shrub-dominated state. The grass/shrub state is composed of grasses/honey mesquite (*Prosopis glandulosa*), grasses/broom snakeweed (*Gutierrezia sarothrae*), or grasses/sand sage. The shrub-dominated state occurs after a severe loss of grass cover and a prevalence of sand sage with secondary shinnery oak and mesquite. Heavy grazing intensity and/or drought are influential drivers in decreasing black grama and bluestems and subsequently increasing shrub cover, erosion, and bare patches. Historical fire suppression also encourages shrub pervasiveness and a competitive advantage over grass species (McPherson 1995). Brush and grazing management, however, may reverse grass/shrub and shrub-dominated states toward the grassland-dominated historic plant community.

#### State and transition model

## Plant Communities and Transitional Pathways (diagram):

## MLRA-42, SD-3, Loamy Sand



- 1a. Drought, over grazing, fire suppression.
- 1b. Brush control, prescribed grazing
- 2.a Severe loss of grass cover, fire suppression, erosion.
- Brush control, seeding, prescribed grazing.
- Continued loss of grass cover, erosion.

Figure 4.

# State 1 Historic Climax Plant Community

# **Community 1.1 Historic Climax Plant Community**

Grassland: The historic plant community is a uniformly distributed grassland dominated by black grama, dropseeds,

and bluestems. Sand sage and shinnery oak are evenly dispersed throughout the grassland due to the coarse soil surface texture. Perennial and annual forbs are common but their abundance and distribution are reflective of precipitation. Bluestems initially, followed by black grama, decrease with drought and heavy grazing intensity. Historical fire frequency is unknown but likely occurred enough to remove small shrubs to the competitive advantage of grass species. Fire suppression, drought conditions, and excessive grazing drive most grass species out of competition with shrub species. Diagnosis: Grassland dominated by black grama, dropseeds, and bluestems. Shrubs, such as sand sage, shinnery oak, and mesquite are dispersed throughout the grassland. Forbs are present and populations fluctuate with precipitation variability.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	High (Lb/Acre)
Grass/Grasslike	442	833	1224
Forb	110	208	306
Shrub/Vine	98	184	270
Total	650	1225	1800

Table 6. Ground cover

Tree foliar cover	0%					
Shrub/vine/liana foliar cover						
Grass/grasslike foliar cover	28%					
Forb foliar cover	0%					
Non-vascular plants	0%					
Biological crusts						
Litter						
Surface fragments >0.25" and <=3"						
Surface fragments >3"	0%					
Bedrock	0%					
Water	0%					
Bare ground	22%					

Figure 6. Plant community growth curve (percent production by month). NM2803, R042XC003NM-Loamy Sand-HCPC. SD-3 Loamy Sand - Warm season plant community .

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	0	3	5	10	10	25	30	12	5	0	0

State 2 Grass/Shrub

Community 2.1 Grass/Shrub





\*Black grame/Mesquite community, with some dropseeds, threeours, and scattered sand shirnery oak \*Oracs cover low to mederate

Grass/Shrub State: The grass/shrub state is dominated by communities of grasses/mesquite, grasses/snakeweed, or grasses/sand sage. Decreases in black grama and bluestem species lead to an increase in bare patches and mesquite which further competes with grass species. An increase of dropseeds and threeawns occurs. Grass distribution becomes more patchy with an absence or severe decrease in black grama and bluestems. Mesquite provides nitrogen and soil organic matter to co-dominant grasses (Ansley and Jacoby 1998, Ansley et al. 1998). Mesquite mortality when exposed to fire is low due to aggressive resprouting abilities. Herbicide application combined with subsequent prescribed fire may be more effective in mesquite reduction (Britton and Wright 1971). Diagnosis: This state is dominated by an increased abundance of communities including grass/mesquite, grass/snakeweed, or grass/sand sage. Dropseeds and threeawns have a patchy distribution. Transition to Grass/Shrub State (1a): The historic plant community begins to shift toward the grass/shrub state as drivers such as drought, fire suppression, interspecific competition, and excessive grazing contribute to alterations in soil properties and herbaceous cover. Cover loss and surface soil erosion are initial indicators of transition followed by a decrease in black grama with a subsequent increase of dropseeds, threeawns, mesquite, and snakeweed. Snakeweed has been documented to outcompete black grama especially under conditions of fire suppression and drought (McDaniel et al. 1984). Key indicators of approach to transition: • Loss of black grama cover • Surface soil erosion • Bare patch expansion • Increased dropseed/threeawn and mesquite, snakeweed, or sand sage abundances Transition to Historic Plant Community (1b): Brush and grazing management may restore the grassland component and reverse shrub or grass/shrub dominated states back toward the historic plant community.

# State 3 Shrub Dominated

#### Community 3.1 Shrub Dominated

Shrub-Dominated State: The shrub-dominated state results from a severe loss of grass cover. This state's primary species is sand sage. Shinnery oak and mesquite also occur; however, grass cover is limited to intershrub distribution. Sand sage stabilizes light sandy soils from wind erosion, which enhances protected grass/forb cover (Davis and Bonham 1979). However, shinnery oak also responds to the sandy soils with dense stands due to an

aggressive rhizome system. Shinnery oak's extensive root system promotes competitive exclusion of grasses and forbs. Sand sage, shinnery oak, and mesquite can be controlled with herbicide (Herbel et al. 1979, Pettit 1986). Transition to Shrub-Dominated (2a): Severe loss of grass species with increased erosion and fire suppression will result in a transition to a shrub-dominated state with sand sage, Shin oak, and honey mesquite directly from the grassland-dominated state. Key indicators of approach to transition: • Severe loss of grass species cover • Surface soil erosion • Bare patch expansion • Increased sand sage, shinnery oak, and mesquite abundance Transition to Historic Plant Community (2b): Brush and grazing management may restore the grassland component and reverse shrub or grass/shrub dominated states back toward the historic plant community. In addition, seeding with native grass species will augment the transition to a grassland-dominated state. Transition to Shrub-Dominated (3): If the grass/shrub site continues to lose grass cover with soil erosion, the site will transition to a shrub-dominated state with sand sage, shinnery oak, and honey mesquite. Key indicators of approach to transition: • Continual loss of dropseeds/threeawns cover • Surface soil erosion • Bare patch expansion • Increased sand sage, shinnery oak, and mesquite/dropseed/threeawn and mesquite/snakeweed abundance

#### Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover
Grass	/Grasslike				
1	Warm Season			61–123	
	little bluestem	scsc	Schizachyrium scoparium	61–123	_
2	Warm Season	•		37–61	
	sand bluestem	ANHA	Andropogon hallii	37–61	_
3	Warm Season	•		37–61	
	cane bluestem	BOBA3	Bothriochloa barbinodis	37–61	_
	silver bluestem	BOSA	Bothriochloa saccharoides	37–61	_
4	Warm Season		-	123–184	
	black grama	BOER4	Bouteloua eriopoda	123–184	_
	bush muhly	MUPO2	Muhlenbergia porteri	123–184	_
5	Warm Season		-	123–184	
	thin paspalum	PASE5	Paspalum setaceum	123–184	_
	plains bristlegrass	SEVU2	Setaria vulpiseta	123–184	_
	fringed signalgrass	URCI	Urochloa ciliatissima	123–184	_
6	Warm Season	•		123–184	
	spike dropseed	SPCO4	Sporobolus contractus	123–184	_
	sand dropseed	SPCR	Sporobolus cryptandrus	123–184	_
	mesa dropseed	SPFL2	Sporobolus flexuosus	123–184	_
7	Warm Season			61–123	
	hooded windmill grass	CHCU2	Chloris cucullata	61–123	_
	Arizona cottontop	DICA8	Digitaria californica	61–123	_
9	Other Perennial Grasses			37–61	
	Grass, perennial	2GP	Grass, perennial	37–61	_
Shrub	/Vine			•	
8	Warm Season			37–61	
	New Mexico feathergrass	HENE5	Hesperostipa neomexicana	37–61	-
	giant dropseed	SPGI	Sporobolus giganteus	37–61	_
10	Shrub	•	•	61–123	

	sand sagebrush	ARFI2	Artemisia filifolia	61–123	_
	Havard oak	QUHA3	Quercus havardii	61–123	_
11	Shrub			34–61	
	fourwing saltbush	ATCA2	Atriplex canescens	37–61	_
	featherplume	DAFO	Dalea formosa	37–61	_
12	Shrub			37–61	
	jointfir	EPHED	Ephedra	37–61	_
	littleleaf ratany	KRER	Krameria erecta	37–61	_
13	Other Shrubs			37–61	
	Shrub (>.5m)	2SHRUB	Shrub (>.5m)	37–61	_
Forb					
14	Forb			61–123	
	leatherweed	CRPOP	Croton pottsii var. pottsii	61–123	_
	Indian blanket	GAPU	Gaillardia pulchella	61–123	_
	globemallow	SPHAE	Sphaeralcea	61–123	_
15	Forb			12–37	
	woolly groundsel	PACA15	Packera cana	12–37	_
16	Forb			61–123	
	touristplant	DIWI2	Dimorphocarpa wislizeni	61–123	_
	woolly plantain	PLPA2	Plantago patagonica	61–123	_
17	Other Forbs			37–61	
	Forb (herbaceous, not grass nor grass-like)	2FORB	Forb (herbaceous, not grass nor grass-like)	37–61	_
	-		-		

#### **Animal community**

This Ecological Site provides habitat which supports a resident animal community that is characterized by pronghorn antelope, desert cottontail, spotted ground squirrel, black-tailed prairie dog, yellow faced pocket gopher, Ord's kangaroo rat, northern grasshopper mouse, southern plains woodrat, badger, roadrunner, meadowlark, burrowing owl, white necked raven, lesser prairie chicken, morning dove, scaled quail, Harris hawk, side blotched lizard, marbled whiptail, Texas horned lizard, western diamondback rattlesnake, dusty hognose snake and ornate box turtle.

Where mesquite has invaded, most resident birds and scissor-tailed flycatcher, morning dove and Swainson's hawk, nest. Vesper and grasshopper sparrows utilize the site during migration.

#### **Hydrological functions**

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Hydrologic Interpretations

Soil Series Hydrologic Group

Berino B

Kinco A

Maljamar B

Pajarito B

Palomas B

Wink B

Pyote A

#### Recreational uses

This site offers recreation potential for hiking, borseback riding, nature observation, photography and hunting. During years of abundant spring moisture, this site displays a colorful array of wildflowers during May and June.

#### **Wood products**

This site has no potential for wood products.

#### Other products

This site is suitable for grazing by all kinds and classes of livestock at any time of year. In cases where this site has been invaded by brush species it is especially suited for goats. Mismanagement of this site will cause a decrease in species such as the bluestems, blsck grama, bush muhly, plains bristlegrass, New Mexico feathergrass, Arizona cottontop and fourwing saltbush. A corresponding increase in the dropseeds, windmill grass, fall witchgrass, silver bluestem, sand sagebrush, shinery oak and ephedra will occur. This will also cause an increase in bare ground which will increase soil erodibility. This site will respond well to a system of management that rotates the season of use.

#### Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month Similarity Index Ac/AUM 100 - 762.3 - 3.5 75 - 513.0 - 4.5 50 - 264.6 - 9.0 25 - 09.1 +

#### Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

#### Other references

Literature Cited:

Ansley, R. J.; Jacoby, P. W. 1998. Manipulation of fire intensity to achieve mesquite management goals in north Texas. In: Pruden, Teresa L.; Brennan, Leonard A., eds. Fire in ecosystem management: shifting the paradigm from suppression to prescription: Proceedings, Tall Timbers fire ecology conference; 1996 May 7-10; Boise, ID. No. 20. Tallahassee, FL: Tall Timbers Research Station: 195-204.

Ansley, R. J.; Jones, D. L.; Tunnell, T. R.; [and others]. 1998. Honey mesquite canopy responses to single winter fires: relation to herbaceous fuel, weather and fire temperature. International Journal of Wildland Fire 8(4):241-252.

Britton, Carlton M.; Wright, Henry A. 1971. Correlation of weather and fuel variables to mesquite damage by fire. Journal of Range Management 24:136-141.

Davis, Joseph H., III and Bonham, Charles D. 1979. Interference of sand sagebrush canopy with needleandthread. Journal of Range Management 32(5):384-386.

Herbel, C. H, Steger, R, Gould, W. L. 1974. Managing semidesert ranges of the Southwest Circular 456. Las Cruces, NM: New Mexico State University, Cooperative Extension Service. 48 p.

McDaniel, Kirk C.; Pieper, Rex D.; Loomis, Lyn E.; Osman, Abdelgader A. 1984. Taxonomy and ecology of perennial snakeweeds in New Mexico. Bulletin 711. Las Cruces, NM: New Mexico State University, Agricultural Experiment Station. 34 p.

McPherson, Guy R. 1995. The role of fire in the desert grasslands. In: McClaran, Mitchel P.; Van Devender, Thomas R., eds. The desert grassland. Tucson, AZ: The University of Arizona Press: 130-151.

Pettit, Russell D. 1986. Sand shinnery oak: control and management. Management Note 8. Lubbock, TX: Texas Tech University, College of Agricultural Sciences, Department of Range and Wildlife Management. 5 p.

#### **Contributors**

Don Sylvester Quinn Hodgson

#### Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.


Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

#### Indicators

1110	illustris
1.	Number and extent of rills:
2.	Presence of water flow patterns:
3.	Number and height of erosional pedestals or terracettes:
4.	Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):
5.	Number of gullies and erosion associated with gullies:
6.	Extent of wind scoured, blowouts and/or depositional areas:

7.	Amount of litter movement (describe size and distance expected to travel):
8.	Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):
9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):
	Dominant:
	Sub-dominant:
	Other:
	Additional:
13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth ( in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):
16.	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:

17. Perennial plant reproductive capability:



## **ATTACHMENT 5**

Site Name: SDE 31 Federal #009

NM OCD Tracking #: nPAC0534054352, nPAC0534054473, nPRS0531129171

Project #: 21E-02816-036

Lab Reports: 2203002, 2209219, 2211577

	Sample D	Description	Fi	eld Screeni	ng			Petrole	um Hydro	carbons			
	Jampie	-cocption	Î .	J. W JOI CEIII		Vol	atile	. 20016		Extractable	9		Inorgani
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic  Compounds (PetroFlag)	Chloride Concentration	Benzene (mg/kg)	BTEX (Total)	යි Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics	(mg/kg)	Total Petroleum	3)   Chloride Concentration
	0-0.5	February 24, 2022	0	73	10,000	ND	ND	ND	ND	ND	ND	ND	17,000
	2	February 24, 2022	0	43	3,000	ND	ND	ND	ND	ND	ND	ND	3,600
BH22-01	3	September 3, 2022	0	-	8,681	ND	ND	ND	ND	ND	ND	ND	5,300
	4	February 24, 2022	0	24	1,725	ND	ND	ND	ND	ND	ND	ND	1,700
	0-0.5	February 24, 2022	0	55	1,330	ND	ND	ND	ND	ND	ND	ND	800
BH22-02	2	February 24, 2022	0	19	200	ND	ND	ND	ND	ND	ND	ND	160
	4	February 24, 2022	0	31	230	ND	ND	ND	ND	ND	ND	ND	87
	0-0.5	February 24, 2022	0	62	420	ND	ND	ND	ND	ND	ND	ND	670
BH22-03	2	February 24, 2022	0	43	190	ND	ND	ND	ND	ND	ND	ND	87
	4	February 24, 2022	0	7	215	ND	ND	ND	ND	ND	ND	ND	91
	0-0.5	February 24, 2022	0	-	260	ND	ND	ND	ND	ND	ND	ND	83
BH22-04	2	February 24, 2022	0	-	190	ND	ND	ND	ND	ND	ND	ND	ND
	4	February 24, 2022	0	-	175	ND	ND	ND	ND	ND	ND	ND	180
	0-0.5	February 24, 2022	0	-	300	ND	ND	ND	ND	ND	ND	ND	170
BH22-05	2	February 24, 2022	0	-	235	ND	ND	ND	ND	ND	ND	ND	210
	4	February 24, 2022	0	-	185	ND	ND	ND	ND	ND	ND	ND	75
B.1.00.00	0-0.5	February 24, 2022	0	-	275	ND	ND	ND	ND	ND	ND	ND	70
BH22-06	2	February 24, 2022	-	-	210	ND	ND	ND	ND	ND	ND	ND	ND 06
	4	February 24, 2022	0	-	130	ND	ND	ND	ND	ND	ND	ND	86
DU22 07	0-0.5	February 24, 2022	0	49	395	ND	ND	ND	ND	ND	ND	ND	820
BH22-07	4	February 24, 2022	0	60 14	315 260	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	230 82
	0-0.5	February 24, 2022 February 24, 2022	0	-	160	ND ND	ND ND	ND	ND ND	ND ND	ND ND	ND ND	220
BH22-08	2	September 3, 2022	1	-	111	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	350
D1122-00	2.5	September 3, 2022	0		622	ND	ND	ND	ND	ND	ND	ND ND	<b>750</b>
	0	September 3, 2022	0	_	ND	ND	ND	ND	ND	ND	ND	ND	78
BH22-09	2	September 3, 2022	1	-	5,237	ND	ND	ND	ND	ND	ND	ND	4500
	3.5	September 3, 2022	2	-	936	ND	ND	ND	ND	ND	ND	ND	1100
	0	September 3, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BH22-10	2	September 3, 2022	0	-	1,812	ND	ND	ND	ND	ND	ND	ND	2300
	2.5	September 3, 2022	0	-	2,304	ND	ND	ND	ND	ND	ND	ND	1900
	0	September 3, 2022	1	-	2,375	ND	ND	ND	ND	ND	ND	ND	2500
BH22-11	2	September 3, 2022	0	-	15,101	ND	ND	ND	ND	ND	ND	ND	11000
	2.5	September 3, 2022	0	-	8,444	ND	ND	ND	ND	ND	ND	ND	7200
<u> </u>	0	September 3, 2022	0	-	9,748	ND	ND	ND	ND	ND	ND	ND	8600
BH22-12	2	September 3, 2022	0	-	7,897	ND	ND	ND	ND	ND	ND	ND	7100
	2.5	September 3, 2022	0	-	7,300	ND	ND	ND	ND	ND	ND	ND	6100
	0	September 3, 2022	58	-	12,224	ND	ND	35	5400	2900	5435	8335	10000
	2	September 3, 2022	0	-	6,220	ND ND	ND	ND	ND	ND	ND 400	ND 240	5100
BH22-13	2.5	September 3, 2022	2	-	8,192	ND	ND	ND	180	130	180	310	7200
	6	November 7, 2022 November 7, 2022	-	- 21	4,806	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	3500
	8	November 7, 2022	-	21 22	645 598	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	160 190
	0	September 3, 2022	0	-	4	ND	ND	ND	ND	ND	ND	ND ND	77
BH22-14	2	September 3, 2022	0	-	868	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	880
	0	September 3, 2022	0	_	473	ND	ND	ND	ND	ND	ND	ND ND	ND
BH22-15	2	September 3, 2022	0	_	2,892	ND ND	ND	ND ND	ND ND	ND	ND ND	ND ND	1700
-	3	September 3, 2022	0	-	913	ND ND	ND	ND	ND	ND	ND	ND	460
	0	September 3, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BH22-16	2	September 3, 2022	0	-	5,393	ND	ND	ND	ND	ND	ND	ND	4800
	3	September 3, 2022	3	-	913	ND	ND	ND	ND	ND	ND	ND	1900
	0	September 3, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BH22-17	2	September 3, 2022	0	-	3,749	ND	ND	ND	ND	ND	ND	ND	2500
	4	September 3, 2022	0	-	2,649	ND	ND	ND	ND	ND	ND	ND	2100



Site Name: SDE 31 Federal #009

NM OCD Tracking #: nPAC0534054352, nPAC0534054473, nPRS0531129171

Project #: 21E-02816-036

Lab Reports: 2203002, 2209219, 2211577

	Sample D	escription	г:	eld Screeni	na			Datrola	eum Hydro	rarhors			
	Sample D	rescription	FI	eia Screeni	ng	Vol	atile	Petroie		Extractable			Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic  Gompounds (PetroFlag)	(3d Chloride Concentration	Benzene (mg/kg)	(May BTEX (Total)	Gasoline Range Organics	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(mg/kg)	Total Petroleum	33) Chloride Concentration
	0	Contombou 2 2022		(ppiii) -						(mg/kg)			
BH22-18	2	September 3, 2022	0		3,030	ND	ND	ND	ND	ND	ND	ND	2400
DU57-10	3	September 3, 2022	0	-	11,224 8,127	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	8800 7400
BH22-19	0	September 3, 2022	0	-									
BH22-19	2	September 3, 2022		-	ND 422	ND	ND	ND	ND	ND	ND	ND	ND 100
PU57-13	4	September 3, 2022	0	-	132 880	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	180 330
	0	September 3, 2022 September 3, 2022	0					ND ND			ND ND	ND ND	
BH22-20	2	September 3, 2022 September 3, 2022	0	-	155	ND ND	ND ND		ND	ND ND		<b>+</b>	96
D1122-20	3.5		0	-	396 1,633	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	300 <b>1500</b>
	0	September 3, 2022 September 3, 2022	0	-		ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	8900
BH22-21	2		0	-	8,501							1	
D1122-21	3	September 3, 2022	0	-	7,265 8,430	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	5300 6700
	0	September 3, 2022	_										
BH22-22	2	September 4, 2022 September 4, 2022	1	57	ND	ND ND	ND	ND ND	ND	ND	ND	ND	ND
DIIZZ-ZZ	4	September 4, 2022	1	64 70	ND 554	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	66 500
	0		1	29	ND	ND ND	ND ND	ND ND		ND ND	ND ND	ND ND	ND
BH22-23	2	September 4, 2022 September 4, 2022	2	29	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
DU57-52	3.5	September 4, 2022	1	30	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	170
	0	September 4, 2022	1	30	18,419	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	16000
BH22-24	2	September 4, 2022	1	-	5,734	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	4900
D1122-24	4	September 4, 2022	1	-	648	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	510
	0	November 7, 2022	-	33	ND	ND ND	ND ND	ND ND		ND ND		ND ND	ND
BH22-25	2	November 7, 2022	-	45	99	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	120
	0	November 7, 2022		23	357	ND	ND	ND ND	ND	ND	ND ND	ND	190
BH22-26	2	November 7, 2022		23	503	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	210
	0	November 7, 2022	<u> </u>	23	28	ND	ND	ND	ND	ND	ND	ND	ND
BH22-27	2	November 7, 2022	-	18	505	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	210
	0	November 7, 2022		20	ND	ND ND	ND ND	ND ND	ND	ND ND	ND ND	ND	ND
BH22-28	2	November 7, 2022	<del>-</del>	37	598	ND ND	ND	ND	ND ND	ND	ND ND	ND	440
	0	November 4, 2022	-	-	1,824	-	-	-	-	-	-	-	-
BH22-29	2	November 4, 2022		-	5,770	-	-		-	-	_	-	
	0	November 4, 2022	_	_	174	-	_		_	_	_	_	_
BH22-30	2	November 4, 2022	_	_	1,792	_	_	_	_	_	_	_	_
	0	November 4, 2022	-	-	178	-	-	-	-	-	-	-	_
BH22-31	2	November 4, 2022	-	-	828	-	-	-	-	-	-	-	-
	0	November 4, 2022	-	-	180	-	-	-	-	-	-	-	-
BH22-32	1.5	November 4, 2022	-	-	1,213	-	-	-	-	-	-	-	-
	0	November 4, 2022	-	-	217	-	_	-	-	_	-	-	_
BH22-33	2	November 4, 2022	-	-	3,471	-	-	-	-	-	-	-	-
	0	November 4, 2022	-	-	2,963	-	-	-	-	-	-	-	-
BH22-34	2	November 4, 2022	-	-	545	-	-	-	-	-	-	-	_
	0	November 7, 2022	-	40	7	ND	ND	ND	ND	ND	ND	ND	ND
BH22-35	2	November 7, 2022	_	14	ND	ND	ND	ND	ND	ND	ND	ND	ND

<sup>&</sup>quot;ND" Not Detected at the Reporting Limit
"-" indicates not analyzed/assessed

Bold and grey shaded indicates exceedance outside of NM OCD Closure Criteria



Site Name: SDE 31 Federal #009

NM OCD Tracking #: nPAC0534054352, nPAC0534054473, nPRS0531129171

Project #: 21E-02816-036 Lab Reports: 2212211

	Т	able 3. Confirmato	ry Sample	Field Scre	en and La	boratory I	Results - D	epth to Gr	oundwate	r 51-1 <mark>00</mark> f	eet bgs		
	Sample Descri	iption	Fi	eld Screeni	ing			Petrole	um Hydro	carbons			
			s			Vol	atile			Extractable	)		Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic  Compounds (PetroFlag)	Chloride Concentration	Benzene	BTEX (Total)	(GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics	(BRO + DRO)	Total Petroleum	Chloride Concentration
BS22-01	4	December 2, 2022	0	(ppiii)	63	ND	ND	ND	ND	ND	ND	ND	ND
BS22-02	4	December 2, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BS22-03	4	December 2, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BS22-04	4	December 2, 2022	0	-	243	ND	ND	ND	ND	ND	ND	ND	ND
BS22-05	4	December 2, 2022	0	-	222	ND	ND	ND	ND	ND	ND	ND	ND
BS22-06	4	December 2, 2022	0	-	300	ND	ND	ND	ND	ND	ND	ND	ND
BS22-07	4	December 2, 2022	0	-	1,007	ND	ND	ND	ND	ND	ND	ND	67
BS22-08	4	December 2, 2022	0	-	251	ND	ND	ND	ND	ND	ND	ND	ND
BS22-09	4	December 2, 2022	0	-	135	ND	ND	ND	ND	ND	ND	ND	ND
BS22-10 BS22-11	4	December 2, 2022	0	-	222	ND ND	ND ND	ND ND	ND ND	ND ND	ND	ND ND	ND ND
BS22-11 BS22-12	4	December 2, 2022 December 2, 2022	0	-	139 177	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
BS22-12 BS22-13	4	December 2, 2022	0	-	180	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
BS22-14	4	December 2, 2022	0	-	155	ND	ND	ND	ND	ND	ND	ND	ND
BS22-15	4	December 2, 2022	0	-	93	ND	ND	ND	ND	ND	ND	ND	ND
BS22-16	4	December 2, 2022	0	-	287	ND	ND	ND	ND	ND	ND	ND	ND
BS22-17	4	December 2, 2022	0	-	190	ND	ND	ND	ND	ND	ND	ND	ND
BS22-18	4	December 2, 2022	0	-	613	ND	ND	ND	ND	ND	ND	ND	ND
BS22-19	4	December 2, 2022	0	-	126	ND	ND	ND	ND	ND	ND	ND	ND
BS22-20	4	December 2, 2022	0	-	310	ND	ND	ND	ND	ND	ND	ND	ND
BS22-21	4	December 2, 2022	0	-	118	ND	ND	ND	ND	ND	ND	ND	ND
BS22-22	4	December 2, 2022	0	-	44	ND	ND	ND	ND	ND	ND	ND	ND
BS22-23 BS22-24	4	December 2, 2022 December 2, 2022	0	-	112	ND ND	ND	ND ND	ND ND	ND	ND ND	ND	ND ND
BS22-24 BS22-25	4	December 2, 2022	0	-	106 160	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
BS22-26	4	December 2, 2022	0	_	33	ND ND	ND	ND	ND	ND	ND ND	ND	ND
BS22-27	4	December 2, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BS22-28	4	December 2, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BS22-29	4	December 2, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BS22-30	4	December 2, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BS22-31	4	December 2, 2022	0	-	795	ND	ND	ND	ND	ND	ND	ND	ND
BS22-32	4	December 2, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BS22-33	4	December 2, 2022	0	-	21	ND	ND	ND	ND	ND	ND	ND	ND
BS22-34	4	December 2, 2022	0	-	ND	ND	ND	ND	ND	ND	ND	ND	ND
BS22-35 BS22-36	4	December 2, 2022 December 2, 2022	0	-	ND 75	ND ND	ND ND	ND ND	ND	ND	ND	ND ND	ND ND
BS22-36 BS22-37	4	December 2, 2022	0	-	75 112	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND 100
BS22-37 BS22-38	4	December 2, 2022	0	-	ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND
BS22-39	4	December 2, 2022	0	-	98	ND ND	ND	ND	ND	ND	ND	ND	89
BS22-40	4	December 2, 2022	0	-	307	ND	ND	ND	ND	ND	ND	ND	180
BS22-41	4	December 2, 2022	0	-	363	ND	ND	ND	ND	ND	ND	ND	280
BS22-42	4	December 2, 2022	0	-	565	ND	ND	ND	ND	ND	ND	ND	280
BS22-43	4	December 2, 2022	0	-	756	ND	ND	ND	ND	ND	ND	ND	430
BS22-44	4	December 2, 2022	0	-	541	ND	ND	ND	ND	ND	ND	ND	330
BS22-45	4	December 2, 2022	0	-	336	ND	ND	ND	51	ND	51	51	ND
BS22-46	4	December 2, 2022	0	-	232	ND	ND	ND	ND	ND	ND	ND	ND
BS22-47	4	December 2, 2022	0	-	411	ND ND	ND	ND	ND	ND	ND	ND	ND
BS22-48	4	December 2, 2022 December 2, 2022	0	-	401	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
BS22-49 BS22-50	4	December 2, 2022	0	-	324 331	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
BS22-50 BS22-51	4	December 2, 2022	0	-	269	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
BS22-52	4	December 2, 2022	0	-	370	ND	ND	ND	ND	ND	ND ND	ND	ND ND
BS22-53	4	December 2, 2022	0	-	297	ND	ND	ND	ND	ND	ND	ND	ND
BS22-54	4	December 2, 2022	0	-	342	ND	ND	ND	ND	ND	ND	ND	ND
BS22-55	4	December 2, 2022	0	-	262	ND	ND	ND	ND	ND	ND	ND	ND
BS22-56	4	December 2, 2022	0	-	308	ND	ND	ND	ND	ND	ND	ND	ND



Site Name: SDE 31 Federal #009

NM OCD Tracking #: nPAC0534054352, nPAC0534054473, nPRS0531129171

Project #: 21E-02816-036 Lab Reports: 2212211

		able 3. Confirmato		boratory I	Results - D	•			eet bgs				
	Sample Descri	ption	Fi	eld Screeni	ng	Val	-4:1-	Petrole	um Hydro				
			spuno		_	Vol	atile	S		Extractable . <u>೮</u>			Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum	3 স্থি সৌ সৌ সি
BS22-57	4	December 2, 2022	0	(ppiii) -	(ppm) 370	(mg/kg) ND	(mg/kg) ND	(mg/kg) ND	ND	(mg/kg) ND	(mg/kg) ND	ND	ND
BS22-57	4	December 2, 2022	0		271	ND ND	ND	ND ND	ND	ND	ND ND	ND ND	ND ND
BS22-59	4	December 2, 2022	0	-	271	ND	ND	ND	ND	ND	ND	ND	ND
BS22-60	4	December 2, 2022	0	-	622	ND	ND	ND	ND	ND	ND	ND	120
BS22-61	4	December 2, 2022	0	-	538	ND	ND	ND	47	76	47	123	ND
BS22-62	4	December 2, 2022	0	-	490	ND	ND	ND	ND	ND	ND	ND	ND
BS22-63	4	December 2, 2022	0	-	610	ND	ND	ND	ND	ND	ND	ND	230
BS22-64	4	December 2, 2022	0	-	555	ND	ND	ND	ND	ND	ND	ND	ND
BS22-65	4	December 2, 2022	0	-	445	ND	ND	ND	ND	ND	ND	ND	ND 400
BS22-66 BS22-67	4	December 2, 2022	0	-	590	ND ND	ND	ND ND	ND	ND ND	ND	ND	180
BS22-67 BS22-68	4	December 2, 2022 December 2, 2022	0	-	344	ND ND	ND	ND ND	ND	ND	ND	ND	ND ND
BS22-69	4	December 2, 2022	0	-	417 669	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND 170
BS22-70	4	December 2, 2022	0	-	437	ND ND	ND	ND ND	ND	ND	ND ND	ND ND	ND
BS22-71	4	December 2, 2022	0	-	552	ND	ND	ND	ND	ND	ND	ND	66
BS22-72	4	December 2, 2022	0	-	629	ND	ND	ND	ND	ND	ND	ND	ND
BS22-73	4	December 2, 2022	0	-	1,140	ND	ND	ND	ND	ND	ND	ND	490
BS22-74	4	December 2, 2022	0	-	438	ND	ND	ND	ND	ND	ND	ND	ND
BS22-75	4	December 2, 2022	0	-	424	ND	ND	ND	ND	ND	ND	ND	ND
BS22-76	4	December 2, 2022	0	-	673	ND	ND	ND	ND	ND	ND	ND	200
BS22-77	4	December 2, 2022	0	-	1,174	ND	ND	ND	ND	ND	ND	ND	540
BS22-78	4	December 2, 2022	0	-	330	ND	ND	ND	ND	ND	ND	ND	ND
BS22-79 BS22-80	4	December 2, 2022 December 2, 2022	0	-	340 253	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
BS22-80	4	December 2, 2022	0	_	379	ND ND	ND	ND	ND	ND	ND ND	ND	ND ND
BS22-82	4	December 2, 2022	0	_	278	ND	ND	ND	ND	ND	ND	ND	ND
BS22-83	4	December 2, 2022	0	-	269	ND	ND	ND	ND	ND	ND	ND	ND
BS22-84	4	December 2, 2022	0	-	418	ND	ND	ND	17	ND	17	17	ND
BS22-85	4	December 2, 2022	0	-	311	ND	ND	ND	ND	ND	ND	ND	ND
BS22-86	4	December 2, 2022	0	-	865	ND	ND	ND	ND	ND	ND	ND	360
BS22-87	4	December 2, 2022	0	-	275	ND	ND	ND	ND	ND	ND	ND	ND
BS22-88	4	December 2, 2022	0	-	906	ND	ND	ND	ND	ND	ND	ND	320
BS22-89	4	December 2, 2022	0	-	2,076	ND	ND	ND	ND	ND	ND	ND	1100
BS22-90	4	December 2, 2022	0	-	398	ND	ND	ND	ND	ND	ND	ND	ND 700
BS22-91 BS22-92	4	December 2, 2022 December 2, 2022	0	-	1,307 2,524	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	700 1600
BS22-92 BS22-93	4	December 2, 2022	0	<del>-</del>	1,830	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	850
BS22-94	4	December 2, 2022	0	-	5,013	ND	ND	ND	ND	ND	ND	ND	3900
BS22-95	4	December 2, 2022	0	-	978	ND	ND	ND	ND	ND	ND	ND	310
BS22-96	4	December 2, 2022	0	-	790	ND	ND	ND	ND	ND	ND	ND	230
BS22-97	4	December 2, 2022	0	-	477	ND	ND	ND	ND	ND	ND	ND	88
BS22-98	4	December 2, 2022	0	-	444	ND	ND	ND	ND	ND	ND	ND	ND
BS22-99	4	December 2, 2022	0	-	3,082	ND	ND	ND	ND	ND	ND	ND	1900
BS22-100	4	December 2, 2022	0	-	6,652	ND	ND	ND	ND	ND	ND	ND	5000
BS22-101	4	December 2, 2022	0	-	8,384	ND	ND	ND	ND	ND	ND	ND	6300
BS22-102	4	December 2, 2022	0	-	1,265	ND ND	ND	ND ND	ND ND	ND	ND ND	ND	700
BS22-103 BS22-104	4	December 2, 2022 December 2, 2022	0	-	1,895 1,625	ND ND	ND	ND ND	ND ND	ND ND	ND ND	ND ND	1300 930
BS22-104 BS22-105	4	December 2, 2022	0	-	935	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	600
BS22-105	4	December 2, 2022	0	-	7,109	ND ND	ND ND	ND ND	ND	ND	ND ND	ND ND	4200
BS22-107	4	December 2, 2022	0	-	1,415	ND	ND	ND	ND	ND	ND	ND	930
BS22-108	4	December 2, 2022	0	-	419	ND	ND	ND	ND	ND	ND	ND	120
BS22-109	4	December 2, 2022	0	-	404	ND	ND	ND	ND	ND	ND	ND	ND
BS22-110	4	December 2, 2022	0	-	184	ND	ND	ND	ND	ND	ND	ND	160
BS22-111	4	December 2, 2022	0	-	223	ND	ND	ND	ND	ND	ND	ND	ND
BS22-112	4	December 2, 2022	0	-	228	ND	ND	ND	ND	ND	ND	ND	ND



Site Name: SDE 31 Federal #009

NM OCD Tracking #: nPAC0534054352, nPAC0534054473, nPRS0531129171

Project #: 21E-02816-036 Lab Reports: 2212211

	Т	able 3. Confirmato	ry Sample	Field Scre	en and La	boratory F	Results - D	epth to Gr	oundwate	r 51-100 f	eet bgs		
	Sample Descri	Petroleum Hydrocarbons											
	s			Vol	atile			Extractable	)		Inorganic		
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Benzene (mg/kg)	BBEX (Total)	(GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(BRO + DRO)	Total Petroleum	(88/Chloride Concentration
BS22-113	4	December 2, 2022	0		176	ND	ND	ND	ND	ND	ND	ND	ND
BS22-114	4	December 2, 2022	0	_	200	ND	ND	ND	19	ND	19	19	ND
BS22-115	4	December 2, 2022	0	_	346	ND	ND	ND	30	ND	30	30	150
BS22-116	4	December 2, 2022	0	_	249	ND	ND	ND	ND	ND	ND	ND	ND
BS22-117	4	December 2, 2022	0	-	220	ND	ND	ND	ND	ND	ND	ND	77
BS22-118	4	December 2, 2022	0	_	154	ND	ND	ND	ND	ND	ND	ND	ND
BS22-119	4	December 2, 2022	0	-	139	ND	ND	ND	ND	ND	ND	ND	ND
BS22-120	4	December 2, 2022	0	-	304	ND	ND	ND	ND	ND	ND	ND	ND
BS22-121	4	December 2, 2022	0	-	189	ND	ND	ND	ND	ND	ND	ND	ND
BS22-122	4	December 2, 2022	0	-	675	ND	ND	ND	ND	ND	ND	ND	340
BS22-123	4	December 2, 2022	0	-	444	ND	ND	ND	ND	ND	ND	ND	110
BS22-124	4	December 2, 2022	0	-	292	ND	ND	ND	ND	ND	ND	ND	94
BS22-125	4	December 2, 2022	0	-	562	ND	ND	ND	ND	ND	ND	ND	140
BS22-126	4	December 2, 2022	0	-	627	ND	ND	ND	ND	ND	ND	ND	160
BS22-127	4	December 2, 2022	0	-	733	ND	ND	ND	ND	ND	ND	ND	210
WS22-01	0-4	December 2, 2022	0	13	412	ND	ND	ND	ND	ND	ND	ND	ND
WS22-02	0-4	December 2, 2022	0	20	406	ND	ND	ND	ND	ND	ND	ND	ND
WS22-03	0-4	December 2, 2022	0	18	415	ND	ND	ND	ND	ND	ND	ND	ND
WS22-04	0-4	December 2, 2022	0	22	152	ND	ND	ND	ND	ND	ND	ND	ND
WS22-05	0-4	December 2, 2022	0	23	125	ND	ND	ND	ND	ND	ND	ND	ND
WS22-06	0-4	December 2, 2022	0	22	113	ND	ND	ND	ND	ND	ND	ND	ND
WS22-07	0-4	December 2, 2022	0	15	99	ND	ND	ND	ND	ND	ND	ND	ND
WS22-08	0-4	December 2, 2022	0	17	298	ND	ND	ND	ND	ND	ND	ND	83
WS22-09	0-4	December 2, 2022	0	16	422	ND	ND	ND	ND	ND	ND	ND	110
WS22-10	0-4	December 2, 2022	0	19	106	ND	ND	ND	ND	ND	ND	ND	ND
WS22-11	0-4	December 2, 2022	0	20	121	ND	ND	ND	ND	ND	ND	ND	ND
WS22-12	0-4	December 2, 2022	0	15	150	ND	ND	ND	ND	ND	ND	ND	ND
WS22-13	0-4	December 2, 2022	0	17	102	ND	ND	ND	ND	ND	ND	ND	ND
WS22-14	0-4	December 2, 2022	0	22	93	ND	ND	ND	ND	ND	ND	ND	ND
WS22-15	0-4	December 2, 2022	0	13	147	ND	ND	ND	ND	ND	ND	ND	ND
WS22-16	0-4	December 2, 2022	0	16	147	ND	ND	ND	ND	ND	ND	ND	ND

<sup>&</sup>quot;ND" Not Detected at the Reporting Limit
"-" indicates not analyzed/assessed

Bold and grey shaded indicates exceedance outside of NM OCD Closure Criteria



## **ATTACHMENT 6**



#### Dhugal Hanton <vertexresourcegroupusa@gmail.com>

### **Confirmation sampling notice**

All,

Please accept this email as 48-hr notification that Vertex Resource Services has scheduled confirmatory sampling to be conducted for the following releases:

nPAC0534054352,

nPAC0534054473,

nPRS0531129171 -all releases from 2005

Site Name: SDE 31 Federal 9

This work will be completed on behalf of Devon Energy.

Starting on Thursday, December 1st through Wednesday December 7, 2022, at approximately 8:00 a.m., Lakin Pullman will be onsite to conduct continuous confirmatory sampling. He can be reached at 701-495-1722. If you need directions to the site, please do not hesitate to contact him. If you have any questions or concerns regarding this notification, please give me a call at 575-361-9880.

Thank you,

#### Kent Stallings P.G.

Project Manager

Vertex Resource Services Inc. 3101 Boyd Drive, Carlsbad, NM 88220

P 575.725.5001 C 346.814.1413

#### www.vertex.ca

Confidentiality Notice: This message and any attachments are solely for the intended recipient and may contain confidential or privileged information. If you are not the intended recipient, any disclosure, copying, use, or distribution of the information included in this message and any attachment is prohibited. If you have received this communication in error, please notify us by reply email and immediately and permanently delete this message and any attachments. Thank you

## **ATTACHMENT 7**



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: clients.hallenvironmental.com

March 09, 2022

Brandon Schafer Vertex Resources Services, Inc. 3101 Boyd Drive Carlsbad, NM 88220 TEL: (505) 506-0040

FAX

RE: SDE 31 Fed 9 OrderNo.: 2203002

#### Dear Brandon Schafer:

Hall Environmental Analysis Laboratory received 22 sample(s) on 3/1/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

## **Analytical Report**

Lab Order **2203002**Date Reported: **3/9/2022** 

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-01 0-6"

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 10:00:00 AM

 Lab ID:
 2203002-001
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	3/3/2022 4:09:06 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	3/3/2022 4:09:06 PM
Surr: DNOP	70.1	51.1-141	%Rec	1	3/3/2022 4:09:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	3/2/2022 2:58:00 PM
Surr: BFB	104	70-130	%Rec	1	3/2/2022 2:58:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/2/2022 2:58:00 PM
Toluene	ND	0.047	mg/Kg	1	3/2/2022 2:58:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	3/2/2022 2:58:00 PM
Xylenes, Total	ND	0.094	mg/Kg	1	3/2/2022 2:58:00 PM
Surr: 4-Bromofluorobenzene	88.4	70-130	%Rec	1	3/2/2022 2:58:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JMT
Chloride	17000	1500	mg/Kg	500	3/7/2022 3:58:41 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 29

# Analytical Report Lab Order 2203002

Date Reported: 3/9/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-01 2'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 10:15:00 AM

 Lab ID:
 2203002-002
 Matrix:
 SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	3/3/2022 4:20:15 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	3/3/2022 4:20:15 PM
Surr: DNOP	97.2	51.1-141	%Rec	1	3/3/2022 4:20:15 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	3/2/2022 3:18:00 PM
Surr: BFB	100	70-130	%Rec	1	3/2/2022 3:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.025	mg/Kg	1	3/2/2022 3:18:00 PM
Toluene	ND	0.049	mg/Kg	1	3/2/2022 3:18:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	3/2/2022 3:18:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	3/2/2022 3:18:00 PM
Surr: 4-Bromofluorobenzene	86.5	70-130	%Rec	1	3/2/2022 3:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	3600	150	mg/Kg	50	3/7/2022 4:11:03 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 29

# Analytical Report Lab Order 2203002

Date Reported: 3/9/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-01 4'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 10:30:00 AM

 Lab ID:
 2203002-003
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	3/3/2022 4:31:24 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	3/3/2022 4:31:24 PM
Surr: DNOP	63.1	51.1-141	%Rec	1	3/3/2022 4:31:24 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	3/2/2022 3:37:00 PM
Surr: BFB	102	70-130	%Rec	1	3/2/2022 3:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/2/2022 3:37:00 PM
Toluene	ND	0.048	mg/Kg	1	3/2/2022 3:37:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	3/2/2022 3:37:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	3/2/2022 3:37:00 PM
Surr: 4-Bromofluorobenzene	90.4	70-130	%Rec	1	3/2/2022 3:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	1700	60	mg/Kg	20	3/7/2022 1:05:52 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 29

# Analytical Report Lab Order 2203002

Date Reported: 3/9/2022

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-02 0-6"

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 10:45:00 AM

 Lab ID:
 2203002-004
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.0	mg/Kg	1	3/4/2022 11:06:07 AM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	3/4/2022 11:06:07 AM
Surr: DNOP	60.4	51.1-141	%Rec	1	3/4/2022 11:06:07 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	3/2/2022 3:57:00 PM
Surr: BFB	99.8	70-130	%Rec	1	3/2/2022 3:57:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/2/2022 3:57:00 PM
Toluene	ND	0.048	mg/Kg	1	3/2/2022 3:57:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	3/2/2022 3:57:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	3/2/2022 3:57:00 PM
Surr: 4-Bromofluorobenzene	87.5	70-130	%Rec	1	3/2/2022 3:57:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	800	60	mg/Kg	20	3/7/2022 1:42:55 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-02 2'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 11:00:00 AM

 Lab ID:
 2203002-005
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	3/3/2022 4:53:39 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	3/3/2022 4:53:39 PM
Surr: DNOP	81.3	51.1-141	%Rec	1	3/3/2022 4:53:39 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	3/2/2022 4:17:00 PM
Surr: BFB	107	70-130	%Rec	1	3/2/2022 4:17:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/2/2022 4:17:00 PM
Toluene	ND	0.049	mg/Kg	1	3/2/2022 4:17:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	3/2/2022 4:17:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	3/2/2022 4:17:00 PM
Surr: 4-Bromofluorobenzene	88.7	70-130	%Rec	1	3/2/2022 4:17:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	160	60	mg/Kg	20	3/7/2022 2:44:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-02 4'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 11:15:00 AM

 Lab ID:
 2203002-006
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	3/4/2022 11:30:28 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	3/4/2022 11:30:28 AM
Surr: DNOP	67.4	51.1-141	%Rec	1	3/4/2022 11:30:28 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	3/2/2022 4:36:00 PM
Surr: BFB	102	70-130	%Rec	1	3/2/2022 4:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/2/2022 4:36:00 PM
Toluene	ND	0.046	mg/Kg	1	3/2/2022 4:36:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	3/2/2022 4:36:00 PM
Xylenes, Total	ND	0.092	mg/Kg	1	3/2/2022 4:36:00 PM
Surr: 4-Bromofluorobenzene	90.8	70-130	%Rec	1	3/2/2022 4:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	87	60	mg/Kg	20	3/7/2022 2:56:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-03 0-6"

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 11:30:00 AM

 Lab ID:
 2203002-007
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	3/3/2022 5:15:51 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	3/3/2022 5:15:51 PM
Surr: DNOP	97.4	51.1-141	%Rec	1	3/3/2022 5:15:51 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	3/2/2022 4:56:00 PM
Surr: BFB	103	70-130	%Rec	1	3/2/2022 4:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/2/2022 4:56:00 PM
Toluene	ND	0.048	mg/Kg	1	3/2/2022 4:56:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	3/2/2022 4:56:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	3/2/2022 4:56:00 PM
Surr: 4-Bromofluorobenzene	89.5	70-130	%Rec	1	3/2/2022 4:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	670	60	mg/Kg	20	3/7/2022 3:09:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 7 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-03 2'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 11:45:00 AM

 Lab ID:
 2203002-008
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	3/3/2022 5:26:55 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	3/3/2022 5:26:55 PM
Surr: DNOP	65.9	51.1-141	%Rec	1	3/3/2022 5:26:55 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	3/2/2022 5:16:00 PM
Surr: BFB	107	70-130	%Rec	1	3/2/2022 5:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/2/2022 5:16:00 PM
Toluene	ND	0.048	mg/Kg	1	3/2/2022 5:16:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	3/2/2022 5:16:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	3/2/2022 5:16:00 PM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	3/2/2022 5:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	87	60	mg/Kg	20	3/7/2022 3:21:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-03 4'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 12:00:00 PM

 Lab ID:
 2203002-009
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	3/3/2022 5:37:59 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	3/3/2022 5:37:59 PM
Surr: DNOP	73.2	51.1-141	%Rec	1	3/3/2022 5:37:59 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	3/2/2022 5:35:00 PM
Surr: BFB	103	70-130	%Rec	1	3/2/2022 5:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/2/2022 5:35:00 PM
Toluene	ND	0.046	mg/Kg	1	3/2/2022 5:35:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	3/2/2022 5:35:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	3/2/2022 5:35:00 PM
Surr: 4-Bromofluorobenzene	87.5	70-130	%Rec	1	3/2/2022 5:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	91	60	mg/Kg	20	3/7/2022 3:33:59 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-04 0-6"

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 12:15:00 PM

 Lab ID:
 2203002-010
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	3/3/2022 5:49:02 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	3/3/2022 5:49:02 PM
Surr: DNOP	79.3	51.1-141	%Rec	1	3/3/2022 5:49:02 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	3/2/2022 5:55:00 PM
Surr: BFB	101	70-130	%Rec	1	3/2/2022 5:55:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.025	mg/Kg	1	3/2/2022 5:55:00 PM
Toluene	ND	0.049	mg/Kg	1	3/2/2022 5:55:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	3/2/2022 5:55:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	3/2/2022 5:55:00 PM
Surr: 4-Bromofluorobenzene	89.0	70-130	%Rec	1	3/2/2022 5:55:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	83	60	mg/Kg	20	3/7/2022 3:46:20 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-04 2'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 12:30:00 PM

 Lab ID:
 2203002-011
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	3/3/2022 6:00:03 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	3/3/2022 6:00:03 PM
Surr: DNOP	105	51.1-141	%Rec	1	3/3/2022 6:00:03 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	3/2/2022 7:53:00 PM
Surr: BFB	104	70-130	%Rec	1	3/2/2022 7:53:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/2/2022 7:53:00 PM
Toluene	ND	0.047	mg/Kg	1	3/2/2022 7:53:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	3/2/2022 7:53:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	3/2/2022 7:53:00 PM
Surr: 4-Bromofluorobenzene	90.0	70-130	%Rec	1	3/2/2022 7:53:00 PM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	ND	59	mg/Kg	20	3/7/2022 3:02:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-04 4'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 12:45:00 PM

 Lab ID:
 2203002-012
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	3/3/2022 6:11:03 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	3/3/2022 6:11:03 PM
Surr: DNOP	82.3	51.1-141	%Rec	1	3/3/2022 6:11:03 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	3/2/2022 8:52:00 PM
Surr: BFB	103	70-130	%Rec	1	3/2/2022 8:52:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/2/2022 8:52:00 PM
Toluene	ND	0.047	mg/Kg	1	3/2/2022 8:52:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	3/2/2022 8:52:00 PM
Xylenes, Total	ND	0.094	mg/Kg	1	3/2/2022 8:52:00 PM
Surr: 4-Bromofluorobenzene	90.4	70-130	%Rec	1	3/2/2022 8:52:00 PM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	180	60	mg/Kg	20	3/7/2022 3:39:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-05 0-6"

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 1:00:00 PM

 Lab ID:
 2203002-013
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS				Analyst: SB	
Diesel Range Organics (DRO)	ND	8.2	mg/Kg	1	3/3/2022 6:22:01 PM
Motor Oil Range Organics (MRO)	ND	41	mg/Kg	1	3/3/2022 6:22:01 PM
Surr: DNOP	71.8	51.1-141	%Rec	1	3/3/2022 6:22:01 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	3/2/2022 9:51:00 PM
Surr: BFB	101	70-130	%Rec	1	3/2/2022 9:51:00 PM
<b>EPA METHOD 8021B: VOLATILES</b>					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/2/2022 9:51:00 PM
Toluene	ND	0.048	mg/Kg	1	3/2/2022 9:51:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	3/2/2022 9:51:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	3/2/2022 9:51:00 PM
Surr: 4-Bromofluorobenzene	87.6	70-130	%Rec	1	3/2/2022 9:51:00 PM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	170	60	mg/Kg	20	3/7/2022 3:51:51 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-05 2'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 1:15:00 PM

 Lab ID:
 2203002-014
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	3/3/2022 6:32:57 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	3/3/2022 6:32:57 PM
Surr: DNOP	59.2	51.1-141	%Rec	1	3/3/2022 6:32:57 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	3/2/2022 10:10:00 PM
Surr: BFB	102	70-130	%Rec	1	3/2/2022 10:10:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.025	mg/Kg	1	3/2/2022 10:10:00 PM
Toluene	ND	0.050	mg/Kg	1	3/2/2022 10:10:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	3/2/2022 10:10:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	3/2/2022 10:10:00 PM
Surr: 4-Bromofluorobenzene	88.8	70-130	%Rec	1	3/2/2022 10:10:00 PM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	210	60	mg/Kg	20	3/7/2022 4:04:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-05 4'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 1:30:00 PM

 Lab ID:
 2203002-015
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	3/4/2022 12:19:05 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	3/4/2022 12:19:05 PM
Surr: DNOP	75.8	51.1-141	%Rec	1	3/4/2022 12:19:05 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	3/2/2022 10:30:00 PM
Surr: BFB	105	70-130	%Rec	1	3/2/2022 10:30:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/2/2022 10:30:00 PM
Toluene	ND	0.047	mg/Kg	1	3/2/2022 10:30:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	3/2/2022 10:30:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	3/2/2022 10:30:00 PM
Surr: 4-Bromofluorobenzene	89.6	70-130	%Rec	1	3/2/2022 10:30:00 PM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	75	61	mg/Kg	20	3/7/2022 4:16:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

t In Range Page 15 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-06 0-6"

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 1:45:00 PM

 Lab ID:
 2203002-016
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	3/4/2022 12:29:52 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	3/4/2022 12:29:52 PM
Surr: DNOP	62.0	51.1-141	%Rec	1	3/4/2022 12:29:52 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	3/2/2022 10:50:00 PM
Surr: BFB	103	70-130	%Rec	1	3/2/2022 10:50:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/2/2022 10:50:00 PM
Toluene	ND	0.046	mg/Kg	1	3/2/2022 10:50:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	3/2/2022 10:50:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	3/2/2022 10:50:00 PM
Surr: 4-Bromofluorobenzene	89.6	70-130	%Rec	1	3/2/2022 10:50:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>LRN</b>
Chloride	70	60	mg/Kg	20	3/7/2022 4:29:05 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-06 2'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 2:00:00 PM

 Lab ID:
 2203002-017
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	3/4/2022 12:40:41 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	3/4/2022 12:40:41 PM
Surr: DNOP	81.2	51.1-141	%Rec	1	3/4/2022 12:40:41 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	3/2/2022 11:09:00 PM
Surr: BFB	99.8	70-130	%Rec	1	3/2/2022 11:09:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/2/2022 11:09:00 PM
Toluene	ND	0.047	mg/Kg	1	3/2/2022 11:09:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	3/2/2022 11:09:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	3/2/2022 11:09:00 PM
Surr: 4-Bromofluorobenzene	87.8	70-130	%Rec	1	3/2/2022 11:09:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>LRN</b>
Chloride	ND	60	mg/Kg	20	3/7/2022 5:06:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-06 4'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 2:15:00 PM

 Lab ID:
 2203002-018
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.3	mg/Kg	1	3/4/2022 12:51:32 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	3/4/2022 12:51:32 PM
Surr: DNOP	74.7	51.1-141	%Rec	1	3/4/2022 12:51:32 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	3/2/2022 11:29:00 PM
Surr: BFB	107	70-130	%Rec	1	3/2/2022 11:29:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.025	mg/Kg	1	3/2/2022 11:29:00 PM
Toluene	ND	0.049	mg/Kg	1	3/2/2022 11:29:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	3/2/2022 11:29:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	3/2/2022 11:29:00 PM
Surr: 4-Bromofluorobenzene	92.0	70-130	%Rec	1	3/2/2022 11:29:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>LRN</b>
Chloride	86	60	mg/Kg	20	3/7/2022 5:18:44 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-07 0-6"

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 2:30:00 PM

 Lab ID:
 2203002-019
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	3/4/2022 1:02:24 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	3/4/2022 1:02:24 PM
Surr: DNOP	78.6	51.1-141	%Rec	1	3/4/2022 1:02:24 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	3/2/2022 11:49:00 PM
Surr: BFB	105	70-130	%Rec	1	3/2/2022 11:49:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/2/2022 11:49:00 PM
Toluene	ND	0.046	mg/Kg	1	3/2/2022 11:49:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	3/2/2022 11:49:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	3/2/2022 11:49:00 PM
Surr: 4-Bromofluorobenzene	89.9	70-130	%Rec	1	3/2/2022 11:49:00 PM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	820	60	mg/Kg	20	3/7/2022 5:31:09 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-07 2'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 2:45:00 PM

 Lab ID:
 2203002-020
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	3/4/2022 1:13:16 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	3/4/2022 1:13:16 PM
Surr: DNOP	73.1	51.1-141	%Rec	1	3/4/2022 1:13:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	3/3/2022 12:08:00 AM
Surr: BFB	102	70-130	%Rec	1	3/3/2022 12:08:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/3/2022 12:08:00 AM
Toluene	ND	0.046	mg/Kg	1	3/3/2022 12:08:00 AM
Ethylbenzene	ND	0.046	mg/Kg	1	3/3/2022 12:08:00 AM
Xylenes, Total	ND	0.092	mg/Kg	1	3/3/2022 12:08:00 AM
Surr: 4-Bromofluorobenzene	90.0	70-130	%Rec	1	3/3/2022 12:08:00 AM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	230	60	mg/Kg	20	3/7/2022 5:43:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 29

Date Reported: 3/9/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-07 4'

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 3:00:00 PM

 Lab ID:
 2203002-021
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	3/4/2022 1:24:12 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	3/4/2022 1:24:12 PM
Surr: DNOP	79.4	51.1-141	%Rec	1	3/4/2022 1:24:12 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	3/3/2022 1:07:00 AM
Surr: BFB	104	70-130	%Rec	1	3/3/2022 1:07:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	3/3/2022 1:07:00 AM
Toluene	ND	0.046	mg/Kg	1	3/3/2022 1:07:00 AM
Ethylbenzene	ND	0.046	mg/Kg	1	3/3/2022 1:07:00 AM
Xylenes, Total	ND	0.093	mg/Kg	1	3/3/2022 1:07:00 AM
Surr: 4-Bromofluorobenzene	90.2	70-130	%Rec	1	3/3/2022 1:07:00 AM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	82	60	mg/Kg	20	3/7/2022 5:55:59 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 29

Date Reported: 3/9/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-08 0-6"

 Project:
 SDE 31 Fed 9
 Collection Date: 2/24/2022 3:15:00 PM

 Lab ID:
 2203002-022
 Matrix: SOIL
 Received Date: 3/1/2022 7:50:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	3/4/2022 1:35:09 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	3/4/2022 1:35:09 PM
Surr: DNOP	77.8	51.1-141	%Rec	1	3/4/2022 1:35:09 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	3/3/2022 1:27:00 AM
Surr: BFB	98.9	70-130	%Rec	1	3/3/2022 1:27:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	3/3/2022 1:27:00 AM
Toluene	ND	0.047	mg/Kg	1	3/3/2022 1:27:00 AM
Ethylbenzene	ND	0.047	mg/Kg	1	3/3/2022 1:27:00 AM
Xylenes, Total	ND	0.094	mg/Kg	1	3/3/2022 1:27:00 AM
Surr: 4-Bromofluorobenzene	86.6	70-130	%Rec	1	3/3/2022 1:27:00 AM
EPA METHOD 300.0: ANIONS					Analyst: LRN
Chloride	220	59	mg/Kg	20	3/7/2022 6:08:24 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 29

#### Hall Environmental Analysis Laboratory, Inc.

WO#: **2203002** 

09-Mar-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Fed 9

Sample ID: MB-65960 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **65960** RunNo: **86255** 

Prep Date: 3/4/2022 Analysis Date: 3/4/2022 SeqNo: 3041604 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-65960 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 65960 RunNo: 86255

Prep Date: 3/4/2022 Analysis Date: 3/4/2022 SeqNo: 3041605 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.9 90 110

Sample ID: MB-65979 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 65979 RunNo: 86285

Prep Date: 3/7/2022 Analysis Date: 3/7/2022 SeqNo: 3043080 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-65979 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 65979 RunNo: 86285

Prep Date: 3/7/2022 Analysis Date: 3/7/2022 SeqNo: 3043081 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.9 90 110

Sample ID: MB-65998 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: **PBS** Batch ID: **65998** RunNo: **86300** 

Prep Date: 3/7/2022 Analysis Date: 3/7/2022 SeqNo: 3043174 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-65998 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 65998 RunNo: 86300

Prep Date: 3/7/2022 Analysis Date: 3/7/2022 SeqNo: 3043175 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.5 90 110

#### Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 23 of 29

### Hall Environmental Analysis Laboratory, Inc.

2203002 09-Mar-22

WO#:

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Fed 9

Sample ID: LCS-65910	SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID:	65910	R	unNo: <b>86217</b>					
Prep Date: 3/2/2022	Analysis Date:	3/3/2022	S	eqNo: <b>3039861</b>	Units: mg/Kg				
Analyte	Result P	QL SPK value	SPK Ref Val	%REC LowLimit	HighLimit %RP	D RPDLimit	Qual		
Diesel Range Organics (DRO)	49	10 50.00	0	98.2 68.9	135				
Surr: DNOP	4.2	5.000		83.1 51.1	141				
Sample ID: MB-65910	SampType	: MBLK	Test	Code: <b>EPA Method</b>	8015M/D: Diesel Ra	nge Organics			
Client ID: PBS	Batch ID:	65910	R	unNo: <b>86217</b>					
Prep Date: 3/2/2022	Analysis Date:	3/3/2022	2022 SeqNo: 3039864 Units: mg/Kg						
Analyte	Result P	QL SPK value	SPK Ref Val	%REC LowLimit	HighLimit %RP	D RPDLimit	Qual		
Diesel Range Organics (DRO)	ND	10							
Motor Oil Range Organics (MRO)	ND	50							
Surr: DNOP	9.0	10.00		90.2 51.1	141				
Sample ID: LCS-65926	SampType	: LCS	Test	Code: <b>EPA Method</b>	8015M/D: Diesel Ra	nge Organics			
Client ID: LCSS	Batch ID:	65926	R	unNo: <b>86243</b>					
Prep Date: 3/3/2022	Analysis Date:	3/4/2022	S	eqNo: <b>3040887</b>	Units: mg/Kg				
Analyte	Result P	QL SPK value	SPK Ref Val	%REC LowLimit	HighLimit %RP	D RPDLimit	Qual		
Diesel Range Organics (DRO)	47	10 50.00	0	94.0 68.9	135				
Surr: DNOP	4.1	5.000		82.7 51.1	141				
Sample ID: <b>MB-65926</b>	SampType	MBLK	Test	Code: EPA Method	8015M/D: Diesel Ra	nge Organics			

Sample ID: MB-65926	SampType: MBLK TestCode: EPA Method						8015M/D: Die	esel Range	organics	
Client ID: PBS	Batch	Batch ID: 65926			RunNo: <b>86243</b>					
Prep Date: 3/3/2022	Analysis D	ate: 3/4	4/2022	S	SeqNo: 30	040889	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.8		10.00		88.4	51.1	141			

Sample ID: 2203002-015AM	<b>S</b> SampT	ype: MS	3	Tes	tCode: <b>El</b>	PA Method	8015M/D: Die	esel Rang	e Organics	
Client ID: BH22-05 4'	Batch	n ID: <b>65</b>	926	F	RunNo: 8	6243				
Prep Date: 3/3/2022	Analysis D	ate: 3/	4/2022	8	SeqNo: 3	041572	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	45	9.5	47.30	0	95.0	39.3	155			
Surr: DNOP	3.5		4.730		74.3	51.1	141			

### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 29

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2203002 09-Mar-22** 

Qual

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Fed 9

Sample ID: 2203002-015AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: BH22-05 4' Batch ID: 65926 RunNo: 86243

Prep Date: 3/3/2022 Analysis Date: 3/4/2022 SeqNo: 3041573 Units: mg/Kg

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	
Diesel Range Organics (DRO)	44	9.5	47.26	0	93.0	39.3	155	2.21	23.4	
Surr: DNOP	3.4		4.726		72.2	51.1	141	0	0	

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 25 of 29

#### Hall Environmental Analysis Laboratory, Inc.

SampType: LCS

WO#: **2203002** 

09-Mar-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Fed 9

Sample ID: Ics-65871

								_		
Client ID: LCSS	Batcl	n ID: <b>65</b>	871	F	RunNo: 8	6209				
Prep Date: 3/1/2022	Analysis D	oate: 3/	/2/2022	5	SeqNo: 3	038584	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	28	5.0	25.00	0	112	78.6	131			
Surr: BFB	1200		1000		116	70	130			
Sample ID: mb-65871	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: PBS	Batcl	n ID: <b>65</b>	871	F	RunNo: 8	6209				
Prep Date: 3/1/2022	Analysis D	oate: 3/	/2/2022	5	SeqNo: 3	038585	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		103	70	130			
Sample ID: Ics-65876	SampT	ype: <b>LC</b>	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: LCSS	Batcl	n ID: <b>65</b>	876	F	RunNo: 8	6209				
Prep Date: 3/1/2022	Analysis D	oate: 3/	/2/2022	5	SeqNo: 3	038608	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	5.0	25.00	0	108	78.6	131	•		•
Surr: BFB	1100		1000		114	70	130			

TestCode: EPA Method 8015D: Gasoline Range

Sample ID: <b>mb-65876</b>	SampType: MBLK TestCode: EPA Method 80							line Rang	е	
Client ID: PBS	Batch	n ID: <b>65</b>	876	R	tunNo: 8	6209				
Prep Date: 3/1/2022	Analysis D	oate: 3/	2/2022	S	SeqNo: 3	038609	Units: mg/K	ίg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		102	70	130			

Sample ID: 2203002-011ams	SampT	ype: MS	3	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: BH22-04 2'	Batch	n ID: <b>65</b>	876	F	RunNo: 8	6209				
Prep Date: 3/1/2022	Analysis D	Date: 3/	2/2022	S	SeqNo: 3	038611	Units: mg/k	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	4.7	23.26	0	118	70	130			
Surr: BFB	1100		930.2		120	70	130			

Sample ID: 2203002-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: **BH22-04 2'** Batch ID: **65876** RunNo: **86209** 

Prep Date: 3/1/2022 Analysis Date: 3/2/2022 SeqNo: 3038612 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 26 of 29

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2203002** *09-Mar-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Fed 9

Sample ID: 2203002-011amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: **BH22-04 2'** Batch ID: **65876** RunNo: **86209** 

Prep Date: 3/1/2022 Analysis Date: 3/2/2022 SeqNo: 3038612 Units: mg/Kg

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	4.6	23.19	0	117	70	130	0.856	20	
Surr: BFB	1100		927.6		120	70	130	0	0	

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 27 of 29

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2203002** *09-Mar-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Fed 9

Sample ID: Ics-65871	SampT	Гуре: <b>LC</b>	s	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batcl	h ID: <b>65</b> 8	RunNo: <b>86209</b>							
Prep Date: 3/1/2022	Analysis D	Date: <b>3/</b>				Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.91	0.025	1.000	0	91.3	80	120			
Toluene	0.92	0.050	1.000	0	91.9	80	120			
Ethylbenzene	0.94	0.050	1.000	0	94.1	80	120			
Xylenes, Total	2.8	0.10	3.000	0	93.8	80	120			
Surr: 4-Bromofluorobenzene	0.92		1.000		91.6	70	130			

Sample ID: <b>mb-65871</b>	Sampl	ype: ME	BLK	les	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batcl	h ID: <b>65</b> 8	871	F	RunNo: 8	6209				
Prep Date: 3/1/2022	Analysis D	Date: 3/	2/2022	8	SeqNo: 3	038638	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.92		1.000		91.5	70	130			

Sample ID: Ics-65876	Samp1	Гуре: <b>LC</b>	S	Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: LCSS	Batc	h ID: <b>65</b> 8	876	F	RunNo: 80					
Prep Date: 3/1/2022	Analysis [	Date: 3/	2/2022	8	SeqNo: 3038661 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.025	1.000	0	93.5	80	120			
Toluene	0.96	0.050	1.000	0	96.3	80	120			
Ethylbenzene	0.97	0.050	1.000	0	96.8	80	120			
Xylenes, Total	2.9	0.10	3.000	0	96.5	80	120			
Surr: 4-Bromofluorobenzene	0.88		1.000		88.5	70	130			

Sample ID: mb-65876	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batch	n ID: <b>65</b> 8	876	RunNo: <b>86209</b>						
Prep Date: 3/1/2022	Analysis D	ate: 3/	2/2022	S	SeqNo: 3	038662	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025			•	•				
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.89		1.000		88.8	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 28 of 29

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2203002 09-Mar-22** 

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Fed 9


Sample ID: 2203002-012ams	SampT	уре: МS	3	TestCode: EPA Method 8021B: Volatiles						
Client ID: BH22-04 4'	Batcl	Batch ID: <b>65876</b> RunNo: <b>86209</b>								
Prep Date: 3/1/2022	Analysis D	Date: 3/	2/2022	SeqNo: <b>3038665</b>			Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.023	0.9381	0	102	80	120			
Toluene	0.99	0.047	0.9381	0	106	80	120			
Ethylbenzene	1.0	0.047	0.9381	0	108	80	120			
Xylenes, Total	3.0	0.094	2.814	0	108	80	120			
Surr: 4-Bromofluorobenzene	0.85		0.9381		90.4	70	130			

Sample ID: 2203002-012amsd	SampT	ype: <b>MS</b>	SD	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: BH22-04 4'	Batch	Batch ID: <b>65876</b> RunNo: <b>86209</b>								
Prep Date: 3/1/2022	Analysis D	ate: 3/	2/2022	\$	SeqNo: 3	038666	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.024	0.9461	0	100	80	120	0.578	20	
Toluene	0.98	0.047	0.9461	0	103	80	120	1.61	20	
Ethylbenzene	0.99	0.047	0.9461	0	105	80	120	1.96	20	
Xylenes, Total	3.0	0.095	2.838	0	105	80	120	2.03	20	
Surr: 4-Bromofluorobenzene	0.84		0.9461		89.3	70	130	0	0	

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 29 of 29



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

### Sample Log-In Check List

Website: clients.hallenvironmental.com Client Name: Vertex Resources Work Order Number: 2203002 RcptNo: 1 Services, Inc. Received By: Tracy Casarrubias 3/1/2022 7:50:00 AM Completed By: Tracy Casarrubias 3/1/2022 8:16:18 AM Reviewed By: JA3/1/22 Chain of Custody 1. Is Chain of Custody complete? Yes 🗸 No 🗌 Not Present 2. How was the sample delivered? Courier 3. Was an attempt made to cool the samples? Yes 🗸 No 🗌 NA 🗌 Were all samples received at a temperature of >0° C to 6.0°C No 🗌 Yes V NA 🗌 5. Sample(s) in proper container(s)? Yes V No | 6. Sufficient sample volume for indicated test(s)? Yes V No 🗍 7. Are samples (except VOA and ONG) properly preserved? ~ No 🗌 Yes 8. Was preservative added to bottles? Yes No V NA  $\square$ 9. Received at least 1 vial with headspace <1/4" for AQ VOA? No 🗌 NA V Yes 🗌 Yes 🗌 10. Were any sample containers received broken? No V # of preserved bottles checked 11. Does paperwork match bottle labels? Yes 🗸 No 🗌 for pH: (Note discrepancies on chain of custody) (<2 or >12 unless noted) 12. Are matrices correctly identified on Chain of Custody? Adjusted2 Yes 🗸 No L 13. Is it clear what analyses were requested? ~ No Checked by: KPG 3/1/22 14. Were all holding times able to be met? Yes 🗸 No 🗌 (If no, notify customer for authorization.) Special Handling (if applicable) 15. Was client notified of all discrepancies with this order? Yes 🗌 No 🗌 NA V Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 16. Additional remarks: 17. Cooler Information

Cooler No

1

Temp °C

5.4

Condition

Good

Seal Intact

Yes

Seal No

Seal Date

Signed By

Standard   Klush   5 00ct   1	Sandard   Rush   5 Dec	LYSIS LABORATORY allenvironmental.com
The property in the property is a container   Propert Name   Pro	Project Name:   SDE 3/ Fe& 9	allenvironmental.com
10	SDE 3/ Feb 9   4901 Hawki   Project #: Tel. 505-34	allenvironmental.com
Project Wanger   Project   Proje	Project #:   Canber Schafe   Project Manager:   Canber Schafe   Project Manager:   Canber Schafe   Project Manager:   Canber Schafe   Project Manager:   Canbriance   Sampler:	Alb
Sample:   Project Manager   Project   Proj	Project Manager:	- Albuquerque, NM 8/109
OC Fackage   Contest Manager:	Project Manager:   Cranks   Schafe   Schafe   Schafe   Schafe   Schafe   Schafe   Schafe   Schafe   Sampler:   Compliance   On Ice:     Yes   On Ice     No	Analysis Request
Continue	Container   Cont	(1
Standard   Chee   4 (Full Validation)   BSChaft-© Vertex, ca.   Standard   Chee   4 (Full Validation)   BSChaft-© Vertex, ca.   Standard   Chee   4 (Full Validation)   Chee	Devel 4 (Full Validation)   BSChafe CO Vertex.cq   88	uəs
Time   Reginquistred by:   Container	Other   Sampler:   C   On loc:     Yes   On loc:   Yes   On	<sup>†</sup> √Od
Figure   Continer   Confidence   Confidenc	Onloc:   Yes   No   No   No   No   No   No   No   N	02, I
Time   Matrix   Sample Name   Footensis	Matrix   Sample Name   Freservative   HEAL No.   Container   Type and # Type   Cooler Templing or) S.S6.1; S.4 (°C)   Fig. 6   Section   Secti	) 1C
Time   Matrix   Sample Name   Cooler Temposudus cs)   S6.1;	Time Matrix Sample Name Type and # Type 2203002 (2001)	10 o
Time   Matrix   Sample Name   Type and # Type   Type and # Type and # Type   Type and # Typ	Time         Matrix         Sample Name         Container Type and # Type         Preservative Type         HEAL No.         A R R R R R R R R R R R R R R R R R R R	. 83 Нен Нен Нен Нен Нен Нен Нен Нен Нен Нен
12   12   12   12   12   12   12   12	10:00 Soil BUZZ-01 6-6" 1 Jan 1990 2001 XX 10:30 00:30 BUZZ-01 4' 00:30 BUZZ-02 0-6" 0:45 BUZZ-02 0-6"	AHs by CRA 8 DF, Br 270 (Se
	8H22 - 01 21 8H22 - 02 0-6"	д 8 8
10:30   8H22 - 01 4'   003   004   1:00   8H22 - 02 0-6"   0004   1:00   8H22 - 02 0-6"   0007   0007   1:15   8H22 - 03 0-6"   0007   1:15   8H22 - 03 0-6"   0007   1:15   8H22 - 03 0-6"   0009   12:15   8H22 - 03 0-6"   0010   12:15   8H22 - 03 0-6"   0010   0	BH22 - 02 0-6"	
11:00   8H22 - 02 0.6"   0004   11:00   8H22 - 02 2'   0005   11:15   8H22 - 02 4'   0005   0004   11:15   8H22 - 03 4'   0009   0009   12:30   8H22 - 04 2'   010   0	8422 - 02 0-6"	
11:35   BH22-02 4'   0004   0004   11:35   BH22-03 2-6"   0009   0009   11:35   BH22-03 2'   0009   0009   0009   0100	12 20 - 27 HS	
11:30   BH22 - 03 0-6"   0034   11:45   BH22 - 03 2'   0009   12:30   BH22 - 04 2'   010   011	h 20 - 22H8	
12:15 8422- 63 2'  12:06 8422- 63 4'  12:17 8422- 64 0-6"  12:30 8422- 04 2'  12:30 8422- 04 2'  12:30 8422- 04 4'  12:30 8422- 04 4'  Time: Relinquished by: Via: Out Date Time Remarks:    Multiple 800   Other Bill Devon Schult.   Other Time Schult.   Other Schult.   Ot	8422 - 03 0-6"	
12:15   842-03 4'   0009   12:15   8422-04 2'   0110     12:30   8422-04 2'   011	BH22- 63 2,	
12:35 BH22 - 04 2'  12:35 BH22 - 04 2'  Time: Relinquished by: Via: Date Time Remarks:    Multiple 80   C. Brandon Schultzer   Chandon Schultzer	,५ ६० - १३ स	
12:30   BH22 - 04 2'   O112   Via:   O112   Via:   Date Time   Remarks:   Direct   Bill   Devon   Time: Relinquished by:   Received by: Via:   Carron   Date Time   Energy   Time: Relinquished by:   Carron   Carron   Carron   Energy   Time: Relinquished by:   Carron   Carro	8422 - 04 O-6"	
Time: Relinquished by: Via: Date Time Remarks: Direct 811 Devon Fine: Relinquished by: Via: Cour Date Time Remarks: Direct 811 Devon Energy (1/2) 1/40 (1/2) 1/40 (1/2) 1/40 (1/4) 1/40 (1/	12 2- 2248	
Time: Relinquished by: Via: Date Time Remarks:  [Multiple 80]  Time: Relinquished by: Via: Cour Date Time  [Multiple 80]  [Mul	710 A 1, 40 - 22#8 A 2x:0	<del></del>
Time: Relinquished by: Received by: Via: Cont Date Time  Received by: Via: Cont Date Time  SI/22 7.50 CL Brandon Schulter  SI/22 7.50 CL Brandon Schulter	Time: Relinquished M: Nia: Date Time Remarks:	
12 1900 Charles Charles Schale	Time: Relinduished by: Received by: Via Control Time	Ueres
	33	_



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

September 19, 2022

Kent Stallings Vertex Resources Services, Inc. 3101 Boyd Drive Carlsbad, NM 88220 TEL: (505) 506-0040

FAX:

RE: SDE 31 Federal 009 OrderNo.: 2209219

#### Dear Kent Stallings:

Hall Environmental Analysis Laboratory received 50 sample(s) on 9/7/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-12 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 9:20:00 AM

 Lab ID:
 2209219-001
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/9/2022 10:04:00 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/9/2022 10:04:00 AM
Surr: DNOP	90.6	21-129	%Rec	1	9/9/2022 10:04:00 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	8600	300	mg/Kg	100	9/14/2022 7:36:13 AM
EPA METHOD 8260B: VOLATILES SHORT LIS	ST				Analyst: BRM
Benzene	ND	0.12	mg/Kg	5	9/10/2022 12:44:03 AM
Toluene	ND	0.24	mg/Kg	5	9/10/2022 12:44:03 AM
Ethylbenzene	ND	0.24	mg/Kg	5	9/10/2022 12:44:03 AM
Xylenes, Total	ND	0.48	mg/Kg	5	9/10/2022 12:44:03 AM
Surr: 1,2-Dichloroethane-d4	99.8	70-130	%Rec	5	9/10/2022 12:44:03 AM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	5	9/10/2022 12:44:03 AM
Surr: Dibromofluoromethane	102	70-130	%Rec	5	9/10/2022 12:44:03 AM
Surr: Toluene-d8	97.8	70-130	%Rec	5	9/10/2022 12:44:03 AM
EPA METHOD 8015D MOD: GASOLINE RANG	iΕ				Analyst: BRM
Gasoline Range Organics (GRO)	ND	24	mg/Kg	5	9/10/2022 12:44:03 AM
Surr: BFB	97.3	70-130	%Rec	5	9/10/2022 12:44:03 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-12 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 9:55:00 AM

 Lab ID:
 2209219-002
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/9/2022 10:14:38 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/9/2022 10:14:38 AM
Surr: DNOP	92.0	21-129	%Rec	1	9/9/2022 10:14:38 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	7100	300	mg/Kg	100	9/14/2022 7:48:38 AM
EPA METHOD 8260B: VOLATILES SHOR	RT LIST				Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 1:10:57 AM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 1:10:57 AM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 1:10:57 AM
Xylenes, Total	ND	0.096	mg/Kg	1	9/10/2022 1:10:57 AM
Surr: 1,2-Dichloroethane-d4	105	70-130	%Rec	1	9/10/2022 1:10:57 AM
Surr: 4-Bromofluorobenzene	96.9	70-130	%Rec	1	9/10/2022 1:10:57 AM
Surr: Dibromofluoromethane	101	70-130	%Rec	1	9/10/2022 1:10:57 AM
Surr: Toluene-d8	101	70-130	%Rec	1	9/10/2022 1:10:57 AM
EPA METHOD 8015D MOD: GASOLINE R	RANGE				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 1:10:57 AM
Surr: BFB	98.1	70-130	%Rec	1	9/10/2022 1:10:57 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-12 2.5'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 10:00:00 AM

 Lab ID:
 2209219-003
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/9/2022 10:25:13 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/9/2022 10:25:13 AM
Surr: DNOP	92.5	21-129	%Rec	1	9/9/2022 10:25:13 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	6100	300	mg/Kg	100	9/14/2022 8:01:03 AM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.12	mg/Kg	5	9/10/2022 1:37:52 AM
Toluene	ND	0.23	mg/Kg	5	9/10/2022 1:37:52 AM
Ethylbenzene	ND	0.23	mg/Kg	5	9/10/2022 1:37:52 AM
Xylenes, Total	ND	0.47	mg/Kg	5	9/10/2022 1:37:52 AM
Surr: 1,2-Dichloroethane-d4	104	70-130	%Rec	5	9/10/2022 1:37:52 AM
Surr: 4-Bromofluorobenzene	97.7	70-130	%Rec	5	9/10/2022 1:37:52 AM
Surr: Dibromofluoromethane	99.3	70-130	%Rec	5	9/10/2022 1:37:52 AM
Surr: Toluene-d8	94.1	70-130	%Rec	5	9/10/2022 1:37:52 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	23	mg/Kg	5	9/10/2022 1:37:52 AM
Surr: BFB	90.0	70-130	%Rec	5	9/10/2022 1:37:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 65

Date Reported: 9/19/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-13 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 10:35:00 AM

 Lab ID:
 2209219-004
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	5400	290		mg/Kg	20	9/8/2022 9:02:01 PM
Motor Oil Range Organics (MRO)	2900	980		mg/Kg	20	9/8/2022 9:02:01 PM
Surr: DNOP	0	21-129	S	%Rec	20	9/8/2022 9:02:01 PM
EPA METHOD 300.0: ANIONS						Analyst: <b>JTT</b>
Chloride	10000	600		mg/Kg	200	9/14/2022 8:13:27 AM
EPA METHOD 8260B: VOLATILES SHORT LIS	ST					Analyst: <b>BRM</b>
Benzene	ND	0.12		mg/Kg	5	9/10/2022 2:04:47 AM
Toluene	ND	0.24		mg/Kg	5	9/10/2022 2:04:47 AM
Ethylbenzene	ND	0.24		mg/Kg	5	9/10/2022 2:04:47 AM
Xylenes, Total	ND	0.48		mg/Kg	5	9/10/2022 2:04:47 AM
Surr: 1,2-Dichloroethane-d4	103	70-130		%Rec	5	9/10/2022 2:04:47 AM
Surr: 4-Bromofluorobenzene	105	70-130		%Rec	5	9/10/2022 2:04:47 AM
Surr: Dibromofluoromethane	98.4	70-130		%Rec	5	9/10/2022 2:04:47 AM
Surr: Toluene-d8	97.5	70-130		%Rec	5	9/10/2022 2:04:47 AM
EPA METHOD 8015D MOD: GASOLINE RANG	Ε					Analyst: <b>BRM</b>
Gasoline Range Organics (GRO)	35	24		mg/Kg	5	9/10/2022 2:04:47 AM
Surr: BFB	99.7	70-130		%Rec	5	9/10/2022 2:04:47 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-13 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 10:45:00 AM

 Lab ID:
 2209219-005
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGAI	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 9:23:28 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	9/8/2022 9:23:28 PM
Surr: DNOP	93.6	21-129	%Rec	1	9/8/2022 9:23:28 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	5100	150	mg/Kg	50	9/14/2022 8:25:52 AM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	9/10/2022 3:25:41 AM
Toluene	ND	0.050	mg/Kg	1	9/10/2022 3:25:41 AM
Ethylbenzene	ND	0.050	mg/Kg	1	9/10/2022 3:25:41 AM
Xylenes, Total	ND	0.099	mg/Kg	1	9/10/2022 3:25:41 AM
Surr: 1,2-Dichloroethane-d4	98.3	70-130	%Rec	1	9/10/2022 3:25:41 AM
Surr: 4-Bromofluorobenzene	95.6	70-130	%Rec	1	9/10/2022 3:25:41 AM
Surr: Dibromofluoromethane	95.2	70-130	%Rec	1	9/10/2022 3:25:41 AM
Surr: Toluene-d8	105	70-130	%Rec	1	9/10/2022 3:25:41 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	9/10/2022 3:25:41 AM
Surr: BFB	101	70-130	%Rec	1	9/10/2022 3:25:41 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-13 2.5'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 11:00:00 AM

 Lab ID:
 2209219-006
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	180	14	mg/Kg	1	9/10/2022 2:46:20 AM
Motor Oil Range Organics (MRO)	130	47	mg/Kg	1	9/10/2022 2:46:20 AM
Surr: DNOP	81.8	21-129	%Rec	1	9/10/2022 2:46:20 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	7200	300	mg/Kg	100	9/14/2022 8:38:17 AM
EPA METHOD 8260B: VOLATILES SHORT LIS	Т				Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 4:46:42 AM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 4:46:42 AM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 4:46:42 AM
Xylenes, Total	ND	0.098	mg/Kg	1	9/10/2022 4:46:42 AM
Surr: 1,2-Dichloroethane-d4	99.2	70-130	%Rec	1	9/10/2022 4:46:42 AM
Surr: 4-Bromofluorobenzene	93.5	70-130	%Rec	1	9/10/2022 4:46:42 AM
Surr: Dibromofluoromethane	97.2	70-130	%Rec	1	9/10/2022 4:46:42 AM
Surr: Toluene-d8	103	70-130	%Rec	1	9/10/2022 4:46:42 AM
EPA METHOD 8015D MOD: GASOLINE RANGE	Ε				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 4:46:42 AM
Surr: BFB	101	70-130	%Rec	1	9/10/2022 4:46:42 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 6 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-14 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 11:00:00 AM

 Lab ID:
 2209219-007
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 9:44:56 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/8/2022 9:44:56 PM
Surr: DNOP	96.6	21-129	%Rec	1	9/8/2022 9:44:56 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	77	60	mg/Kg	20	9/13/2022 1:51:56 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	9/10/2022 5:13:36 AM
Toluene	ND	0.050	mg/Kg	1	9/10/2022 5:13:36 AM
Ethylbenzene	ND	0.050	mg/Kg	1	9/10/2022 5:13:36 AM
Xylenes, Total	ND	0.10	mg/Kg	1	9/10/2022 5:13:36 AM
Surr: 1,2-Dichloroethane-d4	103	70-130	%Rec	1	9/10/2022 5:13:36 AM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	9/10/2022 5:13:36 AM
Surr: Dibromofluoromethane	101	70-130	%Rec	1	9/10/2022 5:13:36 AM
Surr: Toluene-d8	101	70-130	%Rec	1	9/10/2022 5:13:36 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: <b>BRM</b>
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	9/10/2022 5:13:36 AM
Surr: BFB	95.0	70-130	%Rec	1	9/10/2022 5:13:36 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-14 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 11:25:00 AM

 Lab ID:
 2209219-008
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGAN	IICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 9:55:41 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	9/8/2022 9:55:41 PM
Surr: DNOP	94.4	21-129	%Rec	1	9/8/2022 9:55:41 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	880	61	mg/Kg	20	9/13/2022 2:04:21 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 5:40:32 AM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 5:40:32 AM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 5:40:32 AM
Xylenes, Total	ND	0.096	mg/Kg	1	9/10/2022 5:40:32 AM
Surr: 1,2-Dichloroethane-d4	101	70-130	%Rec	1	9/10/2022 5:40:32 AM
Surr: 4-Bromofluorobenzene	97.2	70-130	%Rec	1	9/10/2022 5:40:32 AM
Surr: Dibromofluoromethane	98.9	70-130	%Rec	1	9/10/2022 5:40:32 AM
Surr: Toluene-d8	100	70-130	%Rec	1	9/10/2022 5:40:32 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 5:40:32 AM
Surr: BFB	94.9	70-130	%Rec	1	9/10/2022 5:40:32 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-15 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 1:40:00 PM

 Lab ID:
 2209219-009
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 10:06:24 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/8/2022 10:06:24 PM
Surr: DNOP	95.4	21-129	%Rec	1	9/8/2022 10:06:24 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	9/13/2022 2:16:46 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 6:07:34 AM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 6:07:34 AM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 6:07:34 AM
Xylenes, Total	ND	0.095	mg/Kg	1	9/10/2022 6:07:34 AM
Surr: 1,2-Dichloroethane-d4	99.2	70-130	%Rec	1	9/10/2022 6:07:34 AM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	9/10/2022 6:07:34 AM
Surr: Dibromofluoromethane	102	70-130	%Rec	1	9/10/2022 6:07:34 AM
Surr: Toluene-d8	101	70-130	%Rec	1	9/10/2022 6:07:34 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 6:07:34 AM
Surr: BFB	93.8	70-130	%Rec	1	9/10/2022 6:07:34 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-15 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 1:45:00 PM

 Lab ID:
 2209219-010
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/13/2022 7:14:19 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	9/13/2022 7:14:19 PM
Surr: DNOP	78.7	21-129	%Rec	1	9/13/2022 7:14:19 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	1700	60	mg/Kg	20	9/13/2022 2:29:10 PM
EPA METHOD 8260B: VOLATILES SHORT LIS	ST				Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	9/10/2022 6:34:28 AM
Toluene	ND	0.050	mg/Kg	1	9/10/2022 6:34:28 AM
Ethylbenzene	ND	0.050	mg/Kg	1	9/10/2022 6:34:28 AM
Xylenes, Total	ND	0.099	mg/Kg	1	9/10/2022 6:34:28 AM
Surr: 1,2-Dichloroethane-d4	111	70-130	%Rec	1	9/10/2022 6:34:28 AM
Surr: 4-Bromofluorobenzene	93.2	70-130	%Rec	1	9/10/2022 6:34:28 AM
Surr: Dibromofluoromethane	106	70-130	%Rec	1	9/10/2022 6:34:28 AM
Surr: Toluene-d8	101	70-130	%Rec	1	9/10/2022 6:34:28 AM
EPA METHOD 8015D MOD: GASOLINE RANG	SE .				Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	9/10/2022 6:34:28 AM
Surr: BFB	94.6	70-130	%Rec	1	9/10/2022 6:34:28 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-15 3'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 1:50:00 PM

 Lab ID:
 2209219-011
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 10:27:54 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	9/8/2022 10:27:54 PM
Surr: DNOP	99.1	21-129	%Rec	1	9/8/2022 10:27:54 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	460	61	mg/Kg	20	9/13/2022 2:41:35 PM
EPA METHOD 8260B: VOLATILES SHORT LIS	ST				Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 7:01:32 AM
Toluene	ND	0.047	mg/Kg	1	9/10/2022 7:01:32 AM
Ethylbenzene	ND	0.047	mg/Kg	1	9/10/2022 7:01:32 AM
Xylenes, Total	ND	0.095	mg/Kg	1	9/10/2022 7:01:32 AM
Surr: 1,2-Dichloroethane-d4	101	70-130	%Rec	1	9/10/2022 7:01:32 AM
Surr: 4-Bromofluorobenzene	91.3	70-130	%Rec	1	9/10/2022 7:01:32 AM
Surr: Dibromofluoromethane	100	70-130	%Rec	1	9/10/2022 7:01:32 AM
Surr: Toluene-d8	101	70-130	%Rec	1	9/10/2022 7:01:32 AM
EPA METHOD 8015D MOD: GASOLINE RANG	iΕ				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	9/10/2022 7:01:32 AM
Surr: BFB	99.6	70-130	%Rec	1	9/10/2022 7:01:32 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-16 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 1:55:00 PM

 Lab ID:
 2209219-012
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 10:49:28 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/8/2022 10:49:28 PM
Surr: DNOP	102	21-129	%Rec	1	9/8/2022 10:49:28 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	9/13/2022 2:54:00 PM
EPA METHOD 8260B: VOLATILES SHORT LIS	ST				Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 7:28:29 AM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 7:28:29 AM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 7:28:29 AM
Xylenes, Total	ND	0.098	mg/Kg	1	9/10/2022 7:28:29 AM
Surr: 1,2-Dichloroethane-d4	97.9	70-130	%Rec	1	9/10/2022 7:28:29 AM
Surr: 4-Bromofluorobenzene	97.5	70-130	%Rec	1	9/10/2022 7:28:29 AM
Surr: Dibromofluoromethane	96.7	70-130	%Rec	1	9/10/2022 7:28:29 AM
Surr: Toluene-d8	101	70-130	%Rec	1	9/10/2022 7:28:29 AM
EPA METHOD 8015D MOD: GASOLINE RANG	Ε				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 7:28:29 AM
Surr: BFB	101	70-130	%Rec	1	9/10/2022 7:28:29 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-16 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 2:00:00 PM

 Lab ID:
 2209219-013
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 11:00:22 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	9/8/2022 11:00:22 PM
Surr: DNOP	93.2	21-129	%Rec	1	9/8/2022 11:00:22 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	4800	300	mg/Kg	100	9/14/2022 8:50:42 AM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: BRM
Benzene	ND	0.12	mg/Kg	5	9/10/2022 7:55:24 AM
Toluene	ND	0.24	mg/Kg	5	9/10/2022 7:55:24 AM
Ethylbenzene	ND	0.24	mg/Kg	5	9/10/2022 7:55:24 AM
Xylenes, Total	ND	0.49	mg/Kg	5	9/10/2022 7:55:24 AM
Surr: 1,2-Dichloroethane-d4	104	70-130	%Rec	5	9/10/2022 7:55:24 AM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	5	9/10/2022 7:55:24 AM
Surr: Dibromofluoromethane	102	70-130	%Rec	5	9/10/2022 7:55:24 AM
Surr: Toluene-d8	101	70-130	%Rec	5	9/10/2022 7:55:24 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	24	mg/Kg	5	9/10/2022 7:55:24 AM
Surr: BFB	94.6	70-130	%Rec	5	9/10/2022 7:55:24 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-16 3'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 2:10:00 PM

 Lab ID:
 2209219-014
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 11:11:20 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	9/8/2022 11:11:20 PM
Surr: DNOP	95.7	21-129	%Rec	1	9/8/2022 11:11:20 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	1900	60	mg/Kg	20	9/13/2022 10:16:52 AM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 8:22:26 AM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 8:22:26 AM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 8:22:26 AM
Xylenes, Total	ND	0.097	mg/Kg	1	9/10/2022 8:22:26 AM
Surr: 1,2-Dichloroethane-d4	106	70-130	%Rec	1	9/10/2022 8:22:26 AM
Surr: 4-Bromofluorobenzene	97.9	70-130	%Rec	1	9/10/2022 8:22:26 AM
Surr: Dibromofluoromethane	102	70-130	%Rec	1	9/10/2022 8:22:26 AM
Surr: Toluene-d8	101	70-130	%Rec	1	9/10/2022 8:22:26 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 8:22:26 AM
Surr: BFB	101	70-130	%Rec	1	9/10/2022 8:22:26 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-17 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 2:15:00 PM

 Lab ID:
 2209219-015
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 11:22:21 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/8/2022 11:22:21 PM
Surr: DNOP	94.1	21-129	%Rec	1	9/8/2022 11:22:21 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	9/13/2022 10:29:16 AM
EPA METHOD 8260B: VOLATILES SHORT LIS	ST				Analyst: <b>BRM</b>
Benzene	ND	0.024	mg/Kg	1	9/10/2022 8:49:23 AM
Toluene	ND	0.047	mg/Kg	1	9/10/2022 8:49:23 AM
Ethylbenzene	ND	0.047	mg/Kg	1	9/10/2022 8:49:23 AM
Xylenes, Total	ND	0.095	mg/Kg	1	9/10/2022 8:49:23 AM
Surr: 1,2-Dichloroethane-d4	102	70-130	%Rec	1	9/10/2022 8:49:23 AM
Surr: 4-Bromofluorobenzene	99.7	70-130	%Rec	1	9/10/2022 8:49:23 AM
Surr: Dibromofluoromethane	103	70-130	%Rec	1	9/10/2022 8:49:23 AM
Surr: Toluene-d8	96.7	70-130	%Rec	1	9/10/2022 8:49:23 AM
EPA METHOD 8015D MOD: GASOLINE RANG	E				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	9/10/2022 8:49:23 AM
Surr: BFB	93.5	70-130	%Rec	1	9/10/2022 8:49:23 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-17 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 2:20:00 PM

 Lab ID:
 2209219-016
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 11:33:23 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	9/8/2022 11:33:23 PM
Surr: DNOP	94.5	21-129	%Rec	1	9/8/2022 11:33:23 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	2500	150	mg/Kg	50	9/14/2022 9:03:07 AM
EPA METHOD 8260B: VOLATILES SHORT LIST	Г				Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 9:16:21 AM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 9:16:21 AM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 9:16:21 AM
Xylenes, Total	ND	0.097	mg/Kg	1	9/10/2022 9:16:21 AM
Surr: 1,2-Dichloroethane-d4	106	70-130	%Rec	1	9/10/2022 9:16:21 AM
Surr: 4-Bromofluorobenzene	95.4	70-130	%Rec	1	9/10/2022 9:16:21 AM
Surr: Dibromofluoromethane	106	70-130	%Rec	1	9/10/2022 9:16:21 AM
Surr: Toluene-d8	99.6	70-130	%Rec	1	9/10/2022 9:16:21 AM
EPA METHOD 8015D MOD: GASOLINE RANGE	<b></b>				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 9:16:21 AM
Surr: BFB	93.6	70-130	%Rec	1	9/10/2022 9:16:21 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

porting Limit Page 16 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-17 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 2:35:00 PM

 Lab ID:
 2209219-017
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 11:44:27 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	9/8/2022 11:44:27 PM
Surr: DNOP	99.2	21-129	%Rec	1	9/8/2022 11:44:27 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	2100	150	mg/Kg	50	9/14/2022 9:15:31 AM
EPA METHOD 8260B: VOLATILES SHORT LIST	Г				Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	9/10/2022 9:43:28 AM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 9:43:28 AM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 9:43:28 AM
Xylenes, Total	ND	0.099	mg/Kg	1	9/10/2022 9:43:28 AM
Surr: 1,2-Dichloroethane-d4	107	70-130	%Rec	1	9/10/2022 9:43:28 AM
Surr: 4-Bromofluorobenzene	97.6	70-130	%Rec	1	9/10/2022 9:43:28 AM
Surr: Dibromofluoromethane	103	70-130	%Rec	1	9/10/2022 9:43:28 AM
Surr: Toluene-d8	104	70-130	%Rec	1	9/10/2022 9:43:28 AM
EPA METHOD 8015D MOD: GASOLINE RANGE	<u> </u>				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 9:43:28 AM
Surr: BFB	95.2	70-130	%Rec	1	9/10/2022 9:43:28 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-18 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 2:40:00 PM

 Lab ID:
 2209219-018
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGAI	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 11:55:31 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/8/2022 11:55:31 PM
Surr: DNOP	102	21-129	%Rec	1	9/8/2022 11:55:31 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	2400	60	mg/Kg	20	9/13/2022 11:31:18 AM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 12:52:24 PM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 12:52:24 PM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 12:52:24 PM
Xylenes, Total	ND	0.098	mg/Kg	1	9/10/2022 12:52:24 PM
Surr: 1,2-Dichloroethane-d4	106	70-130	%Rec	1	9/10/2022 12:52:24 PM
Surr: 4-Bromofluorobenzene	96.6	70-130	%Rec	1	9/10/2022 12:52:24 PM
Surr: Dibromofluoromethane	102	70-130	%Rec	1	9/10/2022 12:52:24 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/10/2022 12:52:24 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 12:52:24 PM
Surr: BFB	94.4	70-130	%Rec	1	9/10/2022 12:52:24 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 65

Date Reported: 9/19/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-18 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 2:55:00 PM

 Lab ID:
 2209219-019
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	9/9/2022 12:06:33 AM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	9/9/2022 12:06:33 AM
Surr: DNOP	94.0	21-129	%Rec	1	9/9/2022 12:06:33 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	8800	600	mg/Kg	200	9/14/2022 9:27:56 AM
EPA METHOD 8260B: VOLATILES SHORT LIST	Г				Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 1:19:26 PM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 1:19:26 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 1:19:26 PM
Xylenes, Total	ND	0.096	mg/Kg	1	9/10/2022 1:19:26 PM
Surr: 1,2-Dichloroethane-d4	101	70-130	%Rec	1	9/10/2022 1:19:26 PM
Surr: 4-Bromofluorobenzene	96.6	70-130	%Rec	1	9/10/2022 1:19:26 PM
Surr: Dibromofluoromethane	102	70-130	%Rec	1	9/10/2022 1:19:26 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/10/2022 1:19:26 PM
EPA METHOD 8015D MOD: GASOLINE RANGE	<b>=</b>				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 1:19:26 PM
Surr: BFB	100	70-130	%Rec	1	9/10/2022 1:19:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-18 3'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 3:15:00 PM

 Lab ID:
 2209219-020
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/9/2022 12:17:49 AM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	9/9/2022 12:17:49 AM
Surr: DNOP	95.7	21-129	%Rec	1	9/9/2022 12:17:49 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	7400	300	mg/Kg	100	9/14/2022 10:05:12 AM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 1:46:30 PM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 1:46:30 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 1:46:30 PM
Xylenes, Total	ND	0.096	mg/Kg	1	9/10/2022 1:46:30 PM
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec	1	9/10/2022 1:46:30 PM
Surr: 4-Bromofluorobenzene	93.7	70-130	%Rec	1	9/10/2022 1:46:30 PM
Surr: Dibromofluoromethane	100	70-130	%Rec	1	9/10/2022 1:46:30 PM
Surr: Toluene-d8	103	70-130	%Rec	1	9/10/2022 1:46:30 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 1:46:30 PM
Surr: BFB	102	70-130	%Rec	1	9/10/2022 1:46:30 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 65

Date Reported: 9/19/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-19 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 3:20:00 PM

 Lab ID:
 2209219-021
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGAN	IICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/9/2022 12:28:58 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	9/9/2022 12:28:58 AM
Surr: DNOP	95.4	21-129	%Rec	1	9/9/2022 12:28:58 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	9/13/2022 12:33:20 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.024	mg/Kg	1	9/10/2022 2:13:35 PM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 2:13:35 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 2:13:35 PM
Xylenes, Total	ND	0.096	mg/Kg	1	9/10/2022 2:13:35 PM
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec	1	9/10/2022 2:13:35 PM
Surr: 4-Bromofluorobenzene	93.3	70-130	%Rec	1	9/10/2022 2:13:35 PM
Surr: Dibromofluoromethane	102	70-130	%Rec	1	9/10/2022 2:13:35 PM
Surr: Toluene-d8	106	70-130	%Rec	1	9/10/2022 2:13:35 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 2:13:35 PM
Surr: BFB	97.3	70-130	%Rec	1	9/10/2022 2:13:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-19 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 3:40:00 PM

 Lab ID:
 2209219-022
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/9/2022 12:40:09 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/9/2022 12:40:09 AM
Surr: DNOP	127	21-129	%Rec	1	9/9/2022 12:40:09 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	180	60	mg/Kg	20	9/13/2022 12:45:44 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: BRM
Benzene	ND	0.025	mg/Kg	1	9/10/2022 2:40:41 PM
Toluene	ND	0.050	mg/Kg	1	9/10/2022 2:40:41 PM
Ethylbenzene	ND	0.050	mg/Kg	1	9/10/2022 2:40:41 PM
Xylenes, Total	ND	0.10	mg/Kg	1	9/10/2022 2:40:41 PM
Surr: 1,2-Dichloroethane-d4	94.3	70-130	%Rec	1	9/10/2022 2:40:41 PM
Surr: 4-Bromofluorobenzene	93.9	70-130	%Rec	1	9/10/2022 2:40:41 PM
Surr: Dibromofluoromethane	98.4	70-130	%Rec	1	9/10/2022 2:40:41 PM
Surr: Toluene-d8	106	70-130	%Rec	1	9/10/2022 2:40:41 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: BRM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	9/10/2022 2:40:41 PM
Surr: BFB	101	70-130	%Rec	1	9/10/2022 2:40:41 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-19 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 3:45:00 PM

 Lab ID:
 2209219-023
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/9/2022 12:51:21 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/9/2022 12:51:21 AM
Surr: DNOP	120	21-129	%Rec	1	9/9/2022 12:51:21 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	330	60	mg/Kg	20	9/13/2022 12:58:08 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIS</b>	Т				Analyst: <b>BRM</b>
Benzene	ND	0.024	mg/Kg	1	9/10/2022 3:07:48 PM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 3:07:48 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 3:07:48 PM
Xylenes, Total	ND	0.096	mg/Kg	1	9/10/2022 3:07:48 PM
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec	1	9/10/2022 3:07:48 PM
Surr: 4-Bromofluorobenzene	97.1	70-130	%Rec	1	9/10/2022 3:07:48 PM
Surr: Dibromofluoromethane	107	70-130	%Rec	1	9/10/2022 3:07:48 PM
Surr: Toluene-d8	107	70-130	%Rec	1	9/10/2022 3:07:48 PM
EPA METHOD 8015D MOD: GASOLINE RANG	E				Analyst: BRM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 3:07:48 PM
Surr: BFB	94.5	70-130	%Rec	1	9/10/2022 3:07:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-20 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 3:30:00 PM

 Lab ID:
 2209219-024
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 11:23:22 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/8/2022 11:23:22 AM
Surr: DNOP	88.0	21-129	%Rec	1	9/8/2022 11:23:22 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	96	60	mg/Kg	20	9/13/2022 1:10:33 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: <b>JR</b>
Benzene	ND	0.024	mg/Kg	1	9/9/2022 1:05:01 PM
Toluene	ND	0.048	mg/Kg	1	9/9/2022 1:05:01 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/9/2022 1:05:01 PM
Xylenes, Total	ND	0.096	mg/Kg	1	9/9/2022 1:05:01 PM
Surr: 1,2-Dichloroethane-d4	104	70-130	%Rec	1	9/9/2022 1:05:01 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	9/9/2022 1:05:01 PM
Surr: Dibromofluoromethane	116	70-130	%Rec	1	9/9/2022 1:05:01 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/9/2022 1:05:01 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/9/2022 1:05:01 PM
Surr: BFB	114	70-130	%Rec	1	9/9/2022 1:05:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. **Client Sample ID:** BH22-01 3'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 11:40:00 AM

 Lab ID:
 2209219-025
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 12:34:52 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	9/8/2022 12:34:52 PM
Surr: DNOP	88.0	21-129	%Rec	1	9/8/2022 12:34:52 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	5300	300	mg/Kg	100	9/14/2022 10:17:37 AM
<b>EPA METHOD 8260B: VOLATILES SHORT LIS</b>	Т				Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/9/2022 2:30:48 PM
Toluene	ND	0.049	mg/Kg	1	9/9/2022 2:30:48 PM
Ethylbenzene	ND	0.049	mg/Kg	1	9/9/2022 2:30:48 PM
Xylenes, Total	ND	0.097	mg/Kg	1	9/9/2022 2:30:48 PM
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec	1	9/9/2022 2:30:48 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	9/9/2022 2:30:48 PM
Surr: Dibromofluoromethane	116	70-130	%Rec	1	9/9/2022 2:30:48 PM
Surr: Toluene-d8	105	70-130	%Rec	1	9/9/2022 2:30:48 PM
EPA METHOD 8015D MOD: GASOLINE RANG	E				Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/9/2022 2:30:48 PM
Surr: BFB	119	70-130	%Rec	1	9/9/2022 2:30:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 25 of 65

Date Reported: 9/19/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-08 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 8:55:00 AM

 Lab ID:
 2209219-026
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 12:58:39 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	9/8/2022 12:58:39 PM
Surr: DNOP	112	21-129	%Rec	1	9/8/2022 12:58:39 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	350	60	mg/Kg	20	9/13/2022 1:35:22 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/9/2022 3:56:37 PM
Toluene	ND	0.048	mg/Kg	1	9/9/2022 3:56:37 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/9/2022 3:56:37 PM
Xylenes, Total	ND	0.096	mg/Kg	1	9/9/2022 3:56:37 PM
Surr: 1,2-Dichloroethane-d4	101	70-130	%Rec	1	9/9/2022 3:56:37 PM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	9/9/2022 3:56:37 PM
Surr: Dibromofluoromethane	122	70-130	%Rec	1	9/9/2022 3:56:37 PM
Surr: Toluene-d8	104	70-130	%Rec	1	9/9/2022 3:56:37 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/9/2022 3:56:37 PM
Surr: BFB	119	70-130	%Rec	1	9/9/2022 3:56:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 26 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-08 2.5'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 9:20:00 AM

 Lab ID:
 2209219-027
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 1:22:25 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/8/2022 1:22:25 PM
Surr: DNOP	123	21-129	%Rec	1	9/8/2022 1:22:25 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	750	60	mg/Kg	20	9/13/2022 2:37:24 PM
EPA METHOD 8260B: VOLATILES SHORT LIST	Г				Analyst: JR
Benzene	ND	0.025	mg/Kg	1	9/9/2022 4:25:10 PM
Toluene	ND	0.050	mg/Kg	1	9/9/2022 4:25:10 PM
Ethylbenzene	ND	0.050	mg/Kg	1	9/9/2022 4:25:10 PM
Xylenes, Total	ND	0.10	mg/Kg	1	9/9/2022 4:25:10 PM
Surr: 1,2-Dichloroethane-d4	99.7	70-130	%Rec	1	9/9/2022 4:25:10 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	9/9/2022 4:25:10 PM
Surr: Dibromofluoromethane	114	70-130	%Rec	1	9/9/2022 4:25:10 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/9/2022 4:25:10 PM
EPA METHOD 8015D MOD: GASOLINE RANGE	<u> </u>				Analyst: JR
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	9/9/2022 4:25:10 PM
Surr: BFB	118	70-130	%Rec	1	9/9/2022 4:25:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 27 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-09 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 10:25:00 AM

 Lab ID:
 2209219-028
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 1:46:12 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/8/2022 1:46:12 PM
Surr: DNOP	84.9	21-129	%Rec	1	9/8/2022 1:46:12 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	78	59	mg/Kg	20	9/13/2022 2:49:48 PM
EPA METHOD 8260B: VOLATILES SHORT LIST	Г				Analyst: JR
Benzene	ND	0.023	mg/Kg	1	9/9/2022 4:53:43 PM
Toluene	ND	0.047	mg/Kg	1	9/9/2022 4:53:43 PM
Ethylbenzene	ND	0.047	mg/Kg	1	9/9/2022 4:53:43 PM
Xylenes, Total	ND	0.093	mg/Kg	1	9/9/2022 4:53:43 PM
Surr: 1,2-Dichloroethane-d4	101	70-130	%Rec	1	9/9/2022 4:53:43 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	9/9/2022 4:53:43 PM
Surr: Dibromofluoromethane	116	70-130	%Rec	1	9/9/2022 4:53:43 PM
Surr: Toluene-d8	101	70-130	%Rec	1	9/9/2022 4:53:43 PM
EPA METHOD 8015D MOD: GASOLINE RANGE	<b>≣</b>				Analyst: JR
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	9/9/2022 4:53:43 PM
Surr: BFB	118	70-130	%Rec	1	9/9/2022 4:53:43 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 28 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-09 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 10:35:00 AM

 Lab ID:
 2209219-029
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 2:57:30 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	9/8/2022 2:57:30 PM
Surr: DNOP	90.7	21-129	%Rec	1	9/8/2022 2:57:30 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	4500	150	mg/Kg	50	9/14/2022 10:30:01 AM
EPA METHOD 8260B: VOLATILES SHORT L	IST				Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/9/2022 5:22:17 PM
Toluene	ND	0.047	mg/Kg	1	9/9/2022 5:22:17 PM
Ethylbenzene	ND	0.047	mg/Kg	1	9/9/2022 5:22:17 PM
Xylenes, Total	ND	0.094	mg/Kg	1	9/9/2022 5:22:17 PM
Surr: 1,2-Dichloroethane-d4	95.9	70-130	%Rec	1	9/9/2022 5:22:17 PM
Surr: 4-Bromofluorobenzene	98.3	70-130	%Rec	1	9/9/2022 5:22:17 PM
Surr: Dibromofluoromethane	109	70-130	%Rec	1	9/9/2022 5:22:17 PM
Surr: Toluene-d8	101	70-130	%Rec	1	9/9/2022 5:22:17 PM
EPA METHOD 8015D MOD: GASOLINE RAN	IGE				Analyst: JR
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	9/9/2022 5:22:17 PM
Surr: BFB	116	70-130	%Rec	1	9/9/2022 5:22:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rting Limit Page 29 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-09 3.5'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 11:00:00 AM

 Lab ID:
 2209219-030
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 3:21:14 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	9/8/2022 3:21:14 PM
Surr: DNOP	92.6	21-129	%Rec	1	9/8/2022 3:21:14 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	1100	60	mg/Kg	20	9/13/2022 3:14:36 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIS</b>	ST				Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/9/2022 5:50:52 PM
Toluene	ND	0.049	mg/Kg	1	9/9/2022 5:50:52 PM
Ethylbenzene	ND	0.049	mg/Kg	1	9/9/2022 5:50:52 PM
Xylenes, Total	ND	0.098	mg/Kg	1	9/9/2022 5:50:52 PM
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec	1	9/9/2022 5:50:52 PM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	9/9/2022 5:50:52 PM
Surr: Dibromofluoromethane	115	70-130	%Rec	1	9/9/2022 5:50:52 PM
Surr: Toluene-d8	103	70-130	%Rec	1	9/9/2022 5:50:52 PM
EPA METHOD 8015D MOD: GASOLINE RANG	E				Analyst: JR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/9/2022 5:50:52 PM
Surr: BFB	118	70-130	%Rec	1	9/9/2022 5:50:52 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 30 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-10 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 11:10:00 AM

 Lab ID:
 2209219-031
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 4:08:46 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/8/2022 4:08:46 PM
Surr: DNOP	91.9	21-129	%Rec	1	9/8/2022 4:08:46 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	9/13/2022 3:27:00 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/9/2022 6:19:26 PM
Toluene	ND	0.048	mg/Kg	1	9/9/2022 6:19:26 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/9/2022 6:19:26 PM
Xylenes, Total	ND	0.096	mg/Kg	1	9/9/2022 6:19:26 PM
Surr: 1,2-Dichloroethane-d4	104	70-130	%Rec	1	9/9/2022 6:19:26 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	9/9/2022 6:19:26 PM
Surr: Dibromofluoromethane	119	70-130	%Rec	1	9/9/2022 6:19:26 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/9/2022 6:19:26 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/9/2022 6:19:26 PM
Surr: BFB	117	70-130	%Rec	1	9/9/2022 6:19:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 31 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-10 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 11:20:00 AM

 Lab ID:
 2209219-032
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 4:32:35 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/8/2022 4:32:35 PM
Surr: DNOP	127	21-129	%Rec	1	9/8/2022 4:32:35 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	2300	60	mg/Kg	20	9/13/2022 3:39:25 PM
EPA METHOD 8260B: VOLATILES SHORT LIST	Г				Analyst: JR
Benzene	ND	0.023	mg/Kg	1	9/9/2022 6:47:58 PM
Toluene	ND	0.046	mg/Kg	1	9/9/2022 6:47:58 PM
Ethylbenzene	ND	0.046	mg/Kg	1	9/9/2022 6:47:58 PM
Xylenes, Total	ND	0.091	mg/Kg	1	9/9/2022 6:47:58 PM
Surr: 1,2-Dichloroethane-d4	97.7	70-130	%Rec	1	9/9/2022 6:47:58 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	9/9/2022 6:47:58 PM
Surr: Dibromofluoromethane	111	70-130	%Rec	1	9/9/2022 6:47:58 PM
Surr: Toluene-d8	101	70-130	%Rec	1	9/9/2022 6:47:58 PM
EPA METHOD 8015D MOD: GASOLINE RANGE	<b>≣</b>				Analyst: JR
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	9/9/2022 6:47:58 PM
Surr: BFB	116	70-130	%Rec	1	9/9/2022 6:47:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 32 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-10 2.5'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 11:25:00 AM

 Lab ID:
 2209219-033
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 4:56:21 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/8/2022 4:56:21 PM
Surr: DNOP	93.5	21-129	%Rec	1	9/8/2022 4:56:21 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	1900	60	mg/Kg	20	9/13/2022 4:16:39 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: <b>JR</b>
Benzene	ND	0.024	mg/Kg	1	9/9/2022 7:16:29 PM
Toluene	ND	0.047	mg/Kg	1	9/9/2022 7:16:29 PM
Ethylbenzene	ND	0.047	mg/Kg	1	9/9/2022 7:16:29 PM
Xylenes, Total	ND	0.095	mg/Kg	1	9/9/2022 7:16:29 PM
Surr: 1,2-Dichloroethane-d4	104	70-130	%Rec	1	9/9/2022 7:16:29 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	9/9/2022 7:16:29 PM
Surr: Dibromofluoromethane	117	70-130	%Rec	1	9/9/2022 7:16:29 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/9/2022 7:16:29 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	9/9/2022 7:16:29 PM
Surr: BFB	116	70-130	%Rec	1	9/9/2022 7:16:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 33 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-11 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 9:05:00 AM

 Lab ID:
 2209219-034
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 5:20:03 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	9/8/2022 5:20:03 PM
Surr: DNOP	94.2	21-129	%Rec	1	9/8/2022 5:20:03 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	2500	150	mg/Kg	50	9/14/2022 10:42:26 AM
EPA METHOD 8260B: VOLATILES SHORT LI	ST				Analyst: <b>JR</b>
Benzene	ND	0.025	mg/Kg	1	9/9/2022 7:45:01 PM
Toluene	ND	0.049	mg/Kg	1	9/9/2022 7:45:01 PM
Ethylbenzene	ND	0.049	mg/Kg	1	9/9/2022 7:45:01 PM
Xylenes, Total	ND	0.099	mg/Kg	1	9/9/2022 7:45:01 PM
Surr: 1,2-Dichloroethane-d4	103	70-130	%Rec	1	9/9/2022 7:45:01 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	9/9/2022 7:45:01 PM
Surr: Dibromofluoromethane	117	70-130	%Rec	1	9/9/2022 7:45:01 PM
Surr: Toluene-d8	100	70-130	%Rec	1	9/9/2022 7:45:01 PM
EPA METHOD 8015D MOD: GASOLINE RANG	SE .				Analyst: JR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/9/2022 7:45:01 PM
Surr: BFB	115	70-130	%Rec	1	9/9/2022 7:45:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 34 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-11 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 9:15:00 AM

 Lab ID:
 2209219-035
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 5:43:53 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/8/2022 5:43:53 PM
Surr: DNOP	91.7	21-129	%Rec	1	9/8/2022 5:43:53 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	11000	600	mg/Kg	200	9/14/2022 10:54:51 AM
EPA METHOD 8260B: VOLATILES SHORT LI	ST				Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/9/2022 8:13:31 PM
Toluene	ND	0.048	mg/Kg	1	9/9/2022 8:13:31 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/9/2022 8:13:31 PM
Xylenes, Total	ND	0.096	mg/Kg	1	9/9/2022 8:13:31 PM
Surr: 1,2-Dichloroethane-d4	99.9	70-130	%Rec	1	9/9/2022 8:13:31 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	9/9/2022 8:13:31 PM
Surr: Dibromofluoromethane	113	70-130	%Rec	1	9/9/2022 8:13:31 PM
Surr: Toluene-d8	101	70-130	%Rec	1	9/9/2022 8:13:31 PM
EPA METHOD 8015D MOD: GASOLINE RANG	GE				Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/9/2022 8:13:31 PM
Surr: BFB	116	70-130	%Rec	1	9/9/2022 8:13:31 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 35 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-11 2.5'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 10:10:00 AM

 Lab ID:
 2209219-036
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 6:07:46 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	9/8/2022 6:07:46 PM
Surr: DNOP	91.8	21-129	%Rec	1	9/8/2022 6:07:46 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	7200	300	mg/Kg	100	9/14/2022 11:07:16 AM
EPA METHOD 8260B: VOLATILES SHORT LIST	Ī				Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/9/2022 8:42:00 PM
Toluene	ND	0.048	mg/Kg	1	9/9/2022 8:42:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	9/9/2022 8:42:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	9/9/2022 8:42:00 PM
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec	1	9/9/2022 8:42:00 PM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	9/9/2022 8:42:00 PM
Surr: Dibromofluoromethane	112	70-130	%Rec	1	9/9/2022 8:42:00 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/9/2022 8:42:00 PM
EPA METHOD 8015D MOD: GASOLINE RANGE	į				Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/9/2022 8:42:00 PM
Surr: BFB	117	70-130	%Rec	1	9/9/2022 8:42:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 36 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-20 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 3:35:00 PM

 Lab ID:
 2209219-037
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 6:31:34 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	9/8/2022 6:31:34 PM
Surr: DNOP	99.4	21-129	%Rec	1	9/8/2022 6:31:34 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	300	60	mg/Kg	20	9/13/2022 5:31:05 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/9/2022 9:10:27 PM
Toluene	ND	0.049	mg/Kg	1	9/9/2022 9:10:27 PM
Ethylbenzene	ND	0.049	mg/Kg	1	9/9/2022 9:10:27 PM
Xylenes, Total	ND	0.098	mg/Kg	1	9/9/2022 9:10:27 PM
Surr: 1,2-Dichloroethane-d4	98.6	70-130	%Rec	1	9/9/2022 9:10:27 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	9/9/2022 9:10:27 PM
Surr: Dibromofluoromethane	113	70-130	%Rec	1	9/9/2022 9:10:27 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/9/2022 9:10:27 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/9/2022 9:10:27 PM
Surr: BFB	116	70-130	%Rec	1	9/9/2022 9:10:27 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 37 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-20 3.5'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 3:45:00 PM

 Lab ID:
 2209219-038
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGAI	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 6:55:20 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	9/8/2022 6:55:20 PM
Surr: DNOP	106	21-129	%Rec	1	9/8/2022 6:55:20 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	1500	60	mg/Kg	20	9/13/2022 5:43:29 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: JR
Benzene	ND	0.025	mg/Kg	1	9/9/2022 9:38:55 PM
Toluene	ND	0.049	mg/Kg	1	9/9/2022 9:38:55 PM
Ethylbenzene	ND	0.049	mg/Kg	1	9/9/2022 9:38:55 PM
Xylenes, Total	ND	0.098	mg/Kg	1	9/9/2022 9:38:55 PM
Surr: 1,2-Dichloroethane-d4	101	70-130	%Rec	1	9/9/2022 9:38:55 PM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	9/9/2022 9:38:55 PM
Surr: Dibromofluoromethane	112	70-130	%Rec	1	9/9/2022 9:38:55 PM
Surr: Toluene-d8	102	70-130	%Rec	1	9/9/2022 9:38:55 PM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: JR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/9/2022 9:38:55 PM
Surr: BFB	117	70-130	%Rec	1	9/9/2022 9:38:55 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 38 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-21 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 3:50:00 PM

 Lab ID:
 2209219-039
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 7:19:10 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/8/2022 7:19:10 PM
Surr: DNOP	97.1	21-129	%Rec	1	9/8/2022 7:19:10 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	8900	600	mg/Kg	200	9/14/2022 11:19:40 AM
EPA METHOD 8260B: VOLATILES SHORT LIS	ST				Analyst: <b>JR</b>
Benzene	ND	0.023	mg/Kg	1	9/10/2022 12:30:06 AM
Toluene	ND	0.047	mg/Kg	1	9/10/2022 12:30:06 AM
Ethylbenzene	ND	0.047	mg/Kg	1	9/10/2022 12:30:06 AM
Xylenes, Total	ND	0.094	mg/Kg	1	9/10/2022 12:30:06 AM
Surr: 1,2-Dichloroethane-d4	97.6	70-130	%Rec	1	9/10/2022 12:30:06 AM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	9/10/2022 12:30:06 AM
Surr: Dibromofluoromethane	114	70-130	%Rec	1	9/10/2022 12:30:06 AM
Surr: Toluene-d8	99.2	70-130	%Rec	1	9/10/2022 12:30:06 AM
EPA METHOD 8015D MOD: GASOLINE RANG	Ε				Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	9/10/2022 12:30:06 AM
Surr: BFB	116	70-130	%Rec	1	9/10/2022 12:30:06 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 39 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-21 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 4:00:00 PM

 Lab ID:
 2209219-040
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 7:42:53 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/8/2022 7:42:53 PM
Surr: DNOP	96.7	21-129	%Rec	1	9/8/2022 7:42:53 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	5300	300	mg/Kg	100	9/14/2022 11:32:05 AM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: <b>JR</b>
Benzene	ND	0.024	mg/Kg	1	9/10/2022 12:58:38 AM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 12:58:38 AM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 12:58:38 AM
Xylenes, Total	ND	0.097	mg/Kg	1	9/10/2022 12:58:38 AM
Surr: 1,2-Dichloroethane-d4	102	70-130	%Rec	1	9/10/2022 12:58:38 AM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	9/10/2022 12:58:38 AM
Surr: Dibromofluoromethane	110	70-130	%Rec	1	9/10/2022 12:58:38 AM
Surr: Toluene-d8	101	70-130	%Rec	1	9/10/2022 12:58:38 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 12:58:38 AM
Surr: BFB	117	70-130	%Rec	1	9/10/2022 12:58:38 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 40 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-21 3'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/3/2022 4:05:00 PM

 Lab ID:
 2209219-041
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/8/2022 8:06:39 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	9/8/2022 8:06:39 PM
Surr: DNOP	94.7	21-129	%Rec	1	9/8/2022 8:06:39 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	6700	300	mg/Kg	100	9/14/2022 11:44:30 AM
<b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>					Analyst: <b>JR</b>
Benzene	ND	0.024	mg/Kg	1	9/10/2022 1:27:11 AM
Toluene	ND	0.048	mg/Kg	1	9/10/2022 1:27:11 AM
Ethylbenzene	ND	0.048	mg/Kg	1	9/10/2022 1:27:11 AM
Xylenes, Total	ND	0.096	mg/Kg	1	9/10/2022 1:27:11 AM
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec	1	9/10/2022 1:27:11 AM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	9/10/2022 1:27:11 AM
Surr: Dibromofluoromethane	114	70-130	%Rec	1	9/10/2022 1:27:11 AM
Surr: Toluene-d8	104	70-130	%Rec	1	9/10/2022 1:27:11 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/10/2022 1:27:11 AM
Surr: BFB	120	70-130	%Rec	1	9/10/2022 1:27:11 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 41 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-22 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 2:20:00 PM

 Lab ID:
 2209219-042
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 8:30:28 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	9/8/2022 8:30:28 PM
Surr: DNOP	96.2	21-129	%Rec	1	9/8/2022 8:30:28 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	9/13/2022 6:57:55 PM
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/10/2022 1:55:44 AM
Toluene	ND	0.047	mg/Kg	1	9/10/2022 1:55:44 AM
Ethylbenzene	ND	0.047	mg/Kg	1	9/10/2022 1:55:44 AM
Xylenes, Total	ND	0.094	mg/Kg	1	9/10/2022 1:55:44 AM
Surr: 1,2-Dichloroethane-d4	103	70-130	%Rec	1	9/10/2022 1:55:44 AM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	9/10/2022 1:55:44 AM
Surr: Dibromofluoromethane	111	70-130	%Rec	1	9/10/2022 1:55:44 AM
Surr: Toluene-d8	102	70-130	%Rec	1	9/10/2022 1:55:44 AM
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst: <b>JR</b>
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	9/10/2022 1:55:44 AM
Surr: BFB	115	70-130	%Rec	1	9/10/2022 1:55:44 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 42 of 65

Date Reported: 9/19/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-22 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 2:30:00 PM

 Lab ID:
 2209219-043
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/8/2022 8:54:23 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	9/8/2022 8:54:23 PM
Surr: DNOP	101	21-129	%Rec	1	9/8/2022 8:54:23 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	66	60	mg/Kg	20	9/13/2022 7:35:08 PM
<b>EPA METHOD 8260B: VOLATILES SHORT LIS</b>	Т				Analyst: JR
Benzene	ND	0.024	mg/Kg	1	9/10/2022 2:24:16 AM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 2:24:16 AM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 2:24:16 AM
Xylenes, Total	ND	0.097	mg/Kg	1	9/10/2022 2:24:16 AM
Surr: 1,2-Dichloroethane-d4	102	70-130	%Rec	1	9/10/2022 2:24:16 AM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	9/10/2022 2:24:16 AM
Surr: Dibromofluoromethane	115	70-130	%Rec	1	9/10/2022 2:24:16 AM
Surr: Toluene-d8	102	70-130	%Rec	1	9/10/2022 2:24:16 AM
EPA METHOD 8015D MOD: GASOLINE RANG	E				Analyst: JR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 2:24:16 AM
Surr: BFB	120	70-130	%Rec	1	9/10/2022 2:24:16 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 43 of 65

Date Reported: 9/19/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-22 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 2:40:00 PM

 Lab ID:
 2209219-044
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/9/2022 10:21:31 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/9/2022 10:21:31 PM
Surr: DNOP	87.5	21-129	%Rec	1	9/9/2022 10:21:31 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/9/2022 9:20:35 PM
Surr: BFB	99.6	37.7-212	%Rec	1	9/9/2022 9:20:35 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	9/9/2022 9:20:35 PM
Toluene	ND	0.049	mg/Kg	1	9/9/2022 9:20:35 PM
Ethylbenzene	ND	0.049	mg/Kg	1	9/9/2022 9:20:35 PM
Xylenes, Total	ND	0.098	mg/Kg	1	9/9/2022 9:20:35 PM
Surr: 4-Bromofluorobenzene	93.6	70-130	%Rec	1	9/9/2022 9:20:35 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	500	60	mg/Kg	20	9/13/2022 7:47:33 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 44 of 65

Date Reported: 9/19/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-23 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 2:45:00 PM

 Lab ID:
 2209219-045
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/9/2022 10:53:57 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	9/9/2022 10:53:57 PM
Surr: DNOP	87.3	21-129	%Rec	1	9/9/2022 10:53:57 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	9/9/2022 10:30:55 PM
Surr: BFB	98.4	37.7-212	%Rec	1	9/9/2022 10:30:55 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	9/9/2022 10:30:55 PM
Toluene	ND	0.050	mg/Kg	1	9/9/2022 10:30:55 PM
Ethylbenzene	ND	0.050	mg/Kg	1	9/9/2022 10:30:55 PM
Xylenes, Total	ND	0.10	mg/Kg	1	9/9/2022 10:30:55 PM
Surr: 4-Bromofluorobenzene	92.5	70-130	%Rec	1	9/9/2022 10:30:55 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	9/13/2022 7:59:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 45 of 65

Date Reported: 9/19/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-23 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 2:50:00 PM

 Lab ID:
 2209219-046
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	9/9/2022 11:04:52 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	9/9/2022 11:04:52 PM
Surr: DNOP	116	21-129	%Rec	1	9/9/2022 11:04:52 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/9/2022 11:41:15 PM
Surr: BFB	99.4	37.7-212	%Rec	1	9/9/2022 11:41:15 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	9/9/2022 11:41:15 PM
Toluene	ND	0.049	mg/Kg	1	9/9/2022 11:41:15 PM
Ethylbenzene	ND	0.049	mg/Kg	1	9/9/2022 11:41:15 PM
Xylenes, Total	ND	0.098	mg/Kg	1	9/9/2022 11:41:15 PM
Surr: 4-Bromofluorobenzene	94.2	70-130	%Rec	1	9/9/2022 11:41:15 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	ND	60	mg/Kg	20	9/13/2022 8:12:22 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$ 

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 46 of 65

Date Reported: 9/19/2022

# Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-23 3.5'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 2:55:00 PM

 Lab ID:
 2209219-047
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/9/2022 11:15:47 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	9/9/2022 11:15:47 PM
Surr: DNOP	88.4	21-129	%Rec	1	9/9/2022 11:15:47 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	9/10/2022 12:04:39 AM
Surr: BFB	96.6	37.7-212	%Rec	1	9/10/2022 12:04:39 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	9/10/2022 12:04:39 AM
Toluene	ND	0.050	mg/Kg	1	9/10/2022 12:04:39 AM
Ethylbenzene	ND	0.050	mg/Kg	1	9/10/2022 12:04:39 AM
Xylenes, Total	ND	0.10	mg/Kg	1	9/10/2022 12:04:39 AM
Surr: 4-Bromofluorobenzene	90.8	70-130	%Rec	1	9/10/2022 12:04:39 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	170	60	mg/Kg	20	9/13/2022 8:24:47 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 47 of 65

Date Reported: 9/19/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-24 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 2:55:00 PM

 Lab ID:
 2209219-048
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/9/2022 11:26:44 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	9/9/2022 11:26:44 PM
Surr: DNOP	120	21-129	%Rec	1	9/9/2022 11:26:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 12:28:15 AM
Surr: BFB	96.3	37.7-212	%Rec	1	9/10/2022 12:28:15 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	9/10/2022 12:28:15 AM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 12:28:15 AM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 12:28:15 AM
Xylenes, Total	ND	0.099	mg/Kg	1	9/10/2022 12:28:15 AM
Surr: 4-Bromofluorobenzene	91.3	70-130	%Rec	1	9/10/2022 12:28:15 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	16000	600	mg/Kg	200	9/14/2022 11:56:55 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 48 of 65

Date Reported: 9/19/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-24 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 3:00:00 PM

 Lab ID:
 2209219-049
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	9/9/2022 11:37:43 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	9/9/2022 11:37:43 PM
Surr: DNOP	87.1	21-129	%Rec	1	9/9/2022 11:37:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 12:51:37 AM
Surr: BFB	97.4	37.7-212	%Rec	1	9/10/2022 12:51:37 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	9/10/2022 12:51:37 AM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 12:51:37 AM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 12:51:37 AM
Xylenes, Total	ND	0.098	mg/Kg	1	9/10/2022 12:51:37 AM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	9/10/2022 12:51:37 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	4900	150	mg/Kg	50	9/14/2022 12:34:09 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 49 of 65

Date Reported: 9/19/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-24 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 9/4/2022 3:10:00 PM

 Lab ID:
 2209219-050
 Matrix: SOIL
 Received Date: 9/7/2022 7:30:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	9/9/2022 11:48:45 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	9/9/2022 11:48:45 PM
Surr: DNOP	89.3	21-129	%Rec	1	9/9/2022 11:48:45 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	9/10/2022 1:15:00 AM
Surr: BFB	98.2	37.7-212	%Rec	1	9/10/2022 1:15:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	9/10/2022 1:15:00 AM
Toluene	ND	0.049	mg/Kg	1	9/10/2022 1:15:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	9/10/2022 1:15:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	9/10/2022 1:15:00 AM
Surr: 4-Bromofluorobenzene	93.2	70-130	%Rec	1	9/10/2022 1:15:00 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JMT</b>
Chloride	510	60	mg/Kg	20	9/13/2022 9:02:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 50 of 65

### Hall Environmental Analysis Laboratory, Inc.

14

WO#: 2209219 19-Sep-22

**RPDLimit** 

110

Qual

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: MB-70129 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 70129 RunNo: 91016

Prep Date: 9/13/2022 Analysis Date: 9/13/2022 SeqNo: 3254887 Units: mq/Kq

SPK value SPK Ref Val %RPD **RPDLimit** Analyte Result **PQL** %REC LowLimit HighLimit Qual

Chloride ND 1.5

Sample ID: LCS-70129 TestCode: EPA Method 300.0: Anions SampType: Ics Client ID: LCSS Batch ID: 70129 RunNo: 91016 Prep Date: 9/13/2022 Analysis Date: 9/13/2022 SeqNo: 3254888 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD 15.00

Sample ID: MB-70135 SampType: mblk TestCode: EPA Method 300.0: Anions Client ID: PBS Batch ID: 70135 RunNo: 91016

90.0

Analysis Date: 9/13/2022 Prep Date: 9/13/2022 SeqNo: 3254917 Units: mg/Kg

Result POI SPK value SPK Ref Val %REC %RPD **RPDLimit** Qual Analyte I owl imit HighLimit

Chloride ND

Sample ID: LCS-70135 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 70135 RunNo: 91016

1.5

Prep Date: Analysis Date: 9/13/2022 SeqNo: 3254918 9/13/2022 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual LowLimit

Chloride 14 1.5 15.00 94.8 90

Sample ID: MB-70121 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: Batch ID: 70121 RunNo: 90987 PRS

Prep Date: 9/13/2022 Analysis Date: 9/13/2022 SeqNo: 3255009 Units: mg/Kg

SPK value SPK Ref Val %REC **RPDLimit** Analyte Result **PQL** LowLimit HighLimit %RPD Qual

ND Chloride 1.5

Sample ID: LCS-70121 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 70121 RunNo: 90987

Prep Date: 9/13/2022 Analysis Date: 9/13/2022 SeqNo: 3255010 Units: mg/Kg

**RPDLimit** Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual

Chloride 14 1.5

#### Qualifiers:

Chloride

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

POL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix interference

Analyte detected in the associated Method Blank

Estimated value

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 51 of 65

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219** 

19-Sep-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: MB-70126 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 70126 RunNo: 90978

Prep Date: 9/13/2022 Analysis Date: 9/13/2022 SeqNo: 3255241 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-70126 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 70126 RunNo: 90978

Prep Date: 9/13/2022 Analysis Date: 9/13/2022 SeqNo: 3255242 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.7 90 110

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 52 of 65

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219 19-Sep-22** 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Project: SDE 31	Federal 009		
Sample ID: MB-70035	SampType: MBLK	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 70035	RunNo: 90889	
Prep Date: 9/7/2022	Analysis Date: 9/8/2022	SeqNo: <b>3249478</b>	Units: mg/Kg
Analyte	Result PQL SPK valu	e SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 15		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	9.7 10.0	97.1 21	129
Sample ID: LCS-70021	SampType: LCS	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 70021	RunNo: 90851	
Prep Date: 9/7/2022	Analysis Date: 9/9/2022	SeqNo: <b>3250672</b>	Units: mg/Kg
Analyte	Result PQL SPK valu	e SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	36 15 50.0	0 72.2 64.4	127
Surr: DNOP	3.7 5.00	73.4 21	129
Sample ID: LCS-70026	SampType: <b>LCS</b>	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 70026	RunNo: 90851	
Prep Date: 9/7/2022	Analysis Date: 9/8/2022	SeqNo: <b>3250674</b>	Units: mg/Kg
Analyte	Result PQL SPK valu	e SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	37 15 50.0	0 74.4 64.4	127
Surr: DNOP	4.0 5.00	80.0 21	129
Sample ID: MB-70021	SampType: MBLK	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 70021	RunNo: 90851	
Prep Date: 9/7/2022	Analysis Date: 9/9/2022	SeqNo: <b>3250681</b>	Units: mg/Kg
Analyte	Result PQL SPK valu	e SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 15		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	9.9 10.0	98.6 21	129
Sample ID: MB-70026	SampType: MBLK	TestCode: EPA Method	8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 70026	RunNo: 90851	
Prep Date: 9/7/2022	Analysis Date: 9/8/2022	SeqNo: <b>3250682</b>	Units: mg/Kg
Analyte	Result PQL SPK valu	e SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 15		
Motor Oil Range Organics (MRO)	ND 50		
Surr: DNOP	10 10.00	103 21	129

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 53 of 65

2209219

19-Sep-22

WO#:

# **QC SUMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: I	LCS-70041	SampT	ype: <b>LC</b>	s	Tes	tCode: <b>EF</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID:	LCSS	Batch	ID: <b>70</b> 0	041	F	RunNo: <b>90</b>	851				
Prep Date:	9/8/2022	Analysis D	ate: <b>9/</b> 9	9/2022	5	SeqNo: 32	51929	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Or	rganics (DRO)	34	15	50.00	0	67.8	64.4	127			
Surr: DNOP		3.7		5.000		73.1	21	129			
Sample ID: I	MB-70041	SampT	уре: МЕ	BLK	Tes	tCode: <b>EF</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: I	PBS	Batch	ID: <b>70</b> 0	041	F	RunNo: <b>90</b>	851				
Prep Date:	9/8/2022	Analysis D	ate: <b>9/</b> 9	9/2022	5	SeqNo: 32	51931	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Or	rganics (DRO)	ND	15								
Motor Oil Range	e Organics (MRO)	ND	50								
Surr: DNOP		11		10.00		105	21	129			
Sample ID: 2	2209219-044AMS	SampT	уре: МS	3	Tes	tCode: <b>EF</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: I	BH22-22 4'	Rotch									
		Dato	ID: <b>70</b> 0	041	F	RunNo: <b>90</b>	851				
Prep Date:	9/8/2022	Analysis D				RunNo: 90 SeqNo: 32		Units: mg/K	g		
Prep Date: Analyte				9/2022		SeqNo: 32		Units: mg/K	g %RPD	RPDLimit	Qual
	9/8/2022	Analysis D	ate: <b>9/</b> 9	9/2022	5	SeqNo: 32	252501	J	J	RPDLimit	Qual
Analyte	9/8/2022	Analysis D Result	ate: 9/9	9/2022 SPK value	SPK Ref Val	SeqNo: 32 %REC	252501 LowLimit	HighLimit	J	RPDLimit	Qual
Analyte Diesel Range Or Surr: DNOP	9/8/2022	Analysis D Result 43 4.8	ate: 9/9	9/2022 SPK value 47.62 4.762	SPK Ref Val	%REC 89.5 99.8	252501 LowLimit 36.1 21	HighLimit 154	%RPD		Qual
Analyte Diesel Range Or Surr: DNOP	<b>9/8/2022</b> rganics (DRO)	Analysis D Result 43 4.8 SampT	PQL 14	9/2022 SPK value 47.62 4.762	SPK Ref Val 0	%REC 89.5 99.8	252501 LowLimit 36.1 21 PA Method	HighLimit 154 129	%RPD		Qual
Analyte Diesel Range Or Surr: DNOP	9/8/2022 rganics (DRO) 2209219-044AMSD	Analysis D Result 43 4.8 SampT	PQL 14 14 Type: MS	9/2022 SPK value 47.62 4.762 6D 041	SPK Ref Val 0 Tes	%REC 89.5 99.8 tCode: <b>EF</b>	LowLimit 36.1 21 PA Method 851	HighLimit 154 129	%RPD		Qual
Analyte Diesel Range Or Surr: DNOP  Sample ID: 2	9/8/2022 rganics (DRO) 2209219-044AMSD BH22-22 4'	Analysis D Result 43 4.8 SampT Batch	PQL 14 14 Type: MS	9/2022 SPK value 47.62 4.762 6D 041	SPK Ref Val  0  Tes	%REC 89.5 99.8 tCode: <b>EF</b> RunNo: <b>90</b>	LowLimit 36.1 21  A Method 851	HighLimit 154 129 8015M/D: Die	%RPD		Qual
Analyte Diesel Range Or Surr: DNOP  Sample ID: 2 Client ID: 1 Prep Date:	9/8/2022 rganics (DRO) 2209219-044AMSD BH22-22 4' 9/8/2022	Analysis D Result 43 4.8 SampT Batch Analysis D	PQL 14  14  Type: MS  1D: 700  Pate: 9/9	9/2022 SPK value 47.62 4.762 6D 041 9/2022	SPK Ref Val  0  Tes	%REC 89.5 99.8 tCode: EF RunNo: 90	252501 LowLimit 36.1 21 2A Method 2851 252502	HighLimit 154 129  8015M/D: Die  Units: mg/K	%RPD sel Range	Organics	

Sample ID:	LCS-70082	SampT	ype: <b>LC</b>	S	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die:	sel Range	Organics	
Client ID:	LCSS	Batch	ID: <b>70</b> 0	082	F	RunNo: 90	0945				
Prep Date:	9/9/2022	Analysis D	ate: <b>9/</b>	12/2022	5	SeqNo: 32	252836	Units: %Rec			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOF	)	3.9		5.000		78.7	21	129			

Sample ID: MB-70082	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 70082	RunNo: 90945
Prep Date: 9/9/2022	Analysis Date: 9/12/2022	SeqNo: 3252837 Units: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 54 of 65

### Hall Environmental Analysis Laboratory, Inc.

4.0

19-Sep-22

2209219

WO#:

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Surr: DNOP

Sample ID:	MB-70082	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID:	PRS	Batch ID: 70082	RunNo: 90945

Prep Date: Analysis Date: 9/12/2022 9/9/2022 SeqNo: 3252837 Units: %Rec

SPK Ref Val %RPD **RPDLimit** Analyte Result SPK value %REC LowLimit HighLimit Qual Surr: DNOP 8.6 10.00 86.0 21 129

Sample ID: LCS-70070 TestCode: EPA Method 8015M/D: Diesel Range Organics SampType: LCS Client ID: LCSS Batch ID: 70070 RunNo: 90945 Prep Date: 9/9/2022 Analysis Date: 9/13/2022 SeqNo: 3253581 Units: %Rec Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

79 7

21

129

Sample ID: MB-70070 TestCode: EPA Method 8015M/D: Diesel Range Organics SampType: MBLK Client ID: PBS Batch ID: 70070

Analysis Date: 9/13/2022 SeqNo: 3253585 Prep Date: 9/9/2022 Units: %Rec

5.000

**RPDLimit** Result POI SPK value SPK Ref Val %REC %RPD Qual Analyte I owl imit HighLimit Surr: DNOP 10.00

Sample ID: LCS-70035 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 70035 RunNo: 90889 Prep Date: Analysis Date: 9/8/2022 SeqNo: 3255226 9/7/2022 Units: mg/Kg **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual Analyte Result LowLimit Diesel Range Organics (DRO) 54 15 50.00 n 107 64.4 127 Surr: DNOP 4.7 5.000 94 5 21 129

Sample ID: 2209219-024AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: BH22-20 0' Batch ID: 70035 RunNo: 90889 Prep Date: Analysis Date: 9/8/2022 SeqNo: 3255228 Units: mg/Kg 9/7/2022 PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Result Diesel Range Organics (DRO) 14 40 46.17 86.5 36.1 154 Surr: DNOP 3.5 4.617 76.0 21 129

Sample ID: 2209219-024AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: BH22-20 0 Batch ID: 70035 RunNo: 90889 Prep Date: 9/7/2022 Analysis Date: 9/8/2022 SeqNo: 3255229 Units: mg/Kg %REC %RPD **RPDLimit** Analyte Result PQL SPK value SPK Ref Val LowLimit HighLimit Qual Diesel Range Organics (DRO) 42 46.17 90.4 36.1 154 4.40 33.9 Surr: DNOP 3.7 4.617 80.0 21 129 0 0

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 55 of 65

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219 19-Sep-22** 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: LCS-70107 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 70107 RunNo: 91025

Prep Date: 9/12/2022 Analysis Date: 9/13/2022 SeqNo: 3255463 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: DNOP 4.4 5.000 87.4 21 129

Sample ID: MB-70107 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 70107 RunNo: 91025

Prep Date: 9/12/2022 Analysis Date: 9/13/2022 SeqNo: 3255465 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: DNOP 9.5 10.00 95.2 21 129

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 56 of 65

### Hall Environmental Analysis Laboratory, Inc.

WO#: 2209219 19-Sep-22

Qual

%RPD

**RPDLimit** 

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID:	mb-70028	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range	
Client ID:	PBS	Batch ID: 70028	RunNo: 90918	
Prep Date:	9/7/2022	Analysis Date: 9/10/2022	SeqNo: <b>3251222</b> Units: <b>mg/Kg</b>	

%REC

LowLimit

HighLimit

SPK value SPK Ref Val Analyte Result Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 1000 1000 100 37.7 212

Sample ID: Ics-70028 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 70028 RunNo: 90918 Analysis Date: 9/9/2022 Prep Date: 9/7/2022 SeqNo: 3251223 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC I owl imit HighLimit %RPD **RPDLimit** Qual

Gasoline Range Organics (GRO) 23 25.00 92.4 72.3 137 Surr: BFB 2000 1000 198 37.7 212

Sample ID: 2209219-044ams SampType: MS TestCode: EPA Method 8015D: Gasoline Range Client ID: BH22-22 4' Batch ID: 70028 RunNo: 90918 Prep Date: 9/7/2022 Analysis Date: 9/9/2022 SeqNo: 3251225 Units: mg/Kg SPK value SPK Ref Val %REC %RPD **RPDLimit** Analyte Result PQI LowLimit HighLimit Qual Gasoline Range Organics (GRO) 23 4.9 24.61 93.0 70 130 Surr: BFB 1900 984.3 197 37.7 212

Sample ID: 2209219-044amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range Batch ID: 70028 Client ID: BH22-22 4' RunNo: 90918 Prep Date: 9/7/2022 Analysis Date: 9/9/2022 SeqNo: 3251226 Units: mg/Kg Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 22 88.1 70 130 20 5.0 24.83 4.54 Surr: BFB 1900 993.0 194 37.7 212 0 0

Sample ID: mb-70060 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range Client ID: PRS Batch ID: 70060 RunNo: 90918 Prep Date: Analysis Date: 9/10/2022 SeqNo: 3251246 Units: %Rec 9/8/2022 SPK value Analyte Result SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Surr: BFB 1000 1000 37.7 100 212

Sample ID: Ics-70060 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range Client ID: LCSS Batch ID: 70060 RunNo: 90918 Prep Date: 9/8/2022 Analysis Date: 9/10/2022 SeqNo: 3251247 Units: %Rec Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Surr BFB 1900 1000 195 37.7 212

#### Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix interference
- Analyte detected in the associated Method Blank
- Estimated value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 57 of 65

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219** 

19-Sep-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: mb-70028	Samp <sup>-</sup>	Гуре: МЕ	BLK	Tes						
Client ID: PBS	Batc	h ID: <b>70</b> 0	)28	F	RunNo: 90	918				
Prep Date: 9/7/2022	Analysis [	Date: 9/	10/2022	9	SeqNo: 32	251296	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.94		1.000		94.4	70	130			

Sample ID: LCS-70028	SampT	SampType: LCS TestCode: EPA Method 8021B: Volatiles										
Client ID: LCSS	Batch	n ID: <b>70</b> 0	)28	F	RunNo: 90	90918						
Prep Date: 9/7/2022	Analysis D	Date: 9/9	9/2022	5	SeqNo: 32	251297	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.90	0.025	1.000	0	89.8	80	120					
Toluene	0.93	0.050	1.000	0	92.6	80	120					
Ethylbenzene	0.92	0.050	1.000	0	92.2	80	120					
Xylenes, Total	2.8	0.10	3.000	0	91.7	80	120					
Surr: 4-Bromofluorobenzene		93.8	70	130								

Sample ID: 2209219-045ams	Samp	Type: MS	3	Tes	tCode: El					
Client ID: BH22-23 0'	Batc	h ID: <b>70</b> 0	028	F	RunNo: 9					
Prep Date: 9/7/2022	Analysis I	Date: <b>9/</b> 9	9/2022		SeqNo: 3	251300	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.85	0.025	0.9970	0	85.6	68.8	120			
Toluene	0.88	0.050	0.9970	0	88.0	73.6	124			
Ethylbenzene	0.88	0.050	0.9970	0	88.2	72.7	129			
Xylenes, Total	2.6	0.10	2.991	0.01892	86.3	75.7	126			
Surr: 4-Bromofluorobenzene	0.93		0.9970		93.7	70	130			

Sample ID: <b>2209219-045amsd</b>	SampT	ype: MS	D	Tes	tCode: <b>EF</b>	PA Method	8021B: Volati	les		
Client ID: BH22-23 0'	Batch	n ID: <b>700</b>	28	F	RunNo: 90	918				
Prep Date: 9/7/2022	Analysis D	ate: <b>9/</b> 9	9/2022	5	SeqNo: 32	251301	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.82	0.024	0.9785	0	83.8	68.8	120	4.06	20	
Toluene	0.86	0.049	0.9785	0	87.7	73.6	124	2.25	20	
Ethylbenzene	0.85	0.049	0.9785	0	87.2	72.7	129	2.96	20	
Xylenes, Total	2.5	0.098	2.935	0.01892	85.3	75.7	126	3.02	20	
Surr: 4-Bromofluorobenzene	0.94		0.9785		96.3	70	130	0	0	

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 58 of 65

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219** 

19-Sep-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: mb-70060 SampType: MBLK TestCode: EPA Method 8021B: Volatiles

Client ID: PBS Batch ID: 70060 RunNo: 90918

Prep Date: 9/8/2022 Analysis Date: 9/10/2022 SeqNo: 3251320 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: 4-Bromofluorobenzene 0.95 1.000 95.0 70 130

Sample ID: LCS-70060 SampType: LCS TestCode: EPA Method 8021B: Volatiles

Client ID: LCSS Batch ID: 70060 RunNo: 90918

Prep Date: 9/8/2022 Analysis Date: 9/10/2022 SeqNo: 3251321 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: 4-Bromofluorobenzene 0.95 1.000 95.3 70 130

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 59 of 65

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219** *19-Sep-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: 2209219-025ams	SampT	уре: МЅ	4	TestCode: EPA Method 8260B: Volatiles Short List						
Client ID: BH22-01 3'	F	RunNo: 90	0942							
Prep Date: 9/7/2022	SeqNo: 3251466 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.90	0.024	0.9533	0	94.2	75.8	123			
Toluene	0.92	0.048	0.9533	0	96.7	68.3	130			
Ethylbenzene	0.97	0.048	0.9533	0	102	76.6	132			
Xylenes, Total	2.9	0.095	2.860	0	102	74.7	132			
Surr: 1,2-Dichloroethane-d4	0.47		0.4766		98.8	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.4766		104	70	130			
Surr: Dibromofluoromethane	0.56		0.4766		117	70	130			
Surr: Toluene-d8	0.49		0.4766		102	70	130			

Samp	ype. WS	5D4	res	(Code: EF	ode: EPA Method 8260B: Volatiles Short List					
Batc	h ID: <b>70</b> 0	)22	F	RunNo: 90	942					
Analysis [	Date: <b>9/</b> 9	9/2022	5	SeqNo: 32	251468	Units: mg/K	g			
Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
0.88	0.024	0.9747	0	90.7	75.8	123	1.50	20		
0.94	0.049	0.9747	0	96.1	68.3	130	1.55	20		
0.96	0.049	0.9747	0	98.1	76.6	132	1.38	20		
3.0	0.097	2.924	0	101	74.7	132	0.751	20		
0.50		0.4873		102	70	130	0	0		
0.48		0.4873		99.0	70	130	0	0		
0.57		0.4873		116	70	130	0	0		
0.50		0.4873		103	70	130	0	0		
	Batci Analysis I Result 0.88 0.94 0.96 3.0 0.50 0.48 0.57	Batch ID: 700 Analysis Date: 9/9 Result PQL  0.88 0.024 0.94 0.049 0.96 0.049 3.0 0.097 0.50 0.48 0.57	Result         PQL         SPK value           0.88         0.024         0.9747           0.94         0.049         0.9747           0.96         0.049         0.9747           3.0         0.097         2.924           0.50         0.4873           0.48         0.4873           0.57         0.4873	Batch ID: 70022 FA Analysis Date: 9/9/2022 S  Result PQL SPK value SPK Ref Val  0.88 0.024 0.9747 0 0.94 0.049 0.9747 0 0.96 0.049 0.9747 0 3.0 0.097 2.924 0 0.50 0.4873 0.48 0.4873 0.57 0.4873	Batch ID: 70022       RunNo: 90         Analysis Date:       9/2022       SeqNo: 32         Result       PQL       SPK value       SPK Ref Val       %REC         0.88       0.024       0.9747       0       90.7         0.94       0.049       0.9747       0       96.1         0.96       0.049       0.9747       0       98.1         3.0       0.097       2.924       0       101         0.50       0.4873       102         0.48       0.4873       99.0         0.57       0.4873       116	Batch ID: 70022       RunNo: 90942         Analysis Date: 9/9/2022       SeqNo: 3251468         Result       PQL       SPK value       SPK Ref Val       %REC       LowLimit         0.88       0.024       0.9747       0       90.7       75.8         0.94       0.049       0.9747       0       96.1       68.3         0.96       0.049       0.9747       0       98.1       76.6         3.0       0.097       2.924       0       101       74.7         0.50       0.4873       102       70         0.48       0.4873       99.0       70         0.57       0.4873       116       70	Batch ID: 70022       RunNo: 90942         Analysis Date: 9/9/2022       SeqNo: 3251468       Units: mg/K         Result       PQL       SPK value       SPK Ref Val       %REC       LowLimit       HighLimit         0.88       0.024       0.9747       0       90.7       75.8       123         0.94       0.049       0.9747       0       96.1       68.3       130         0.96       0.049       0.9747       0       98.1       76.6       132         3.0       0.097       2.924       0       101       74.7       132         0.50       0.4873       102       70       130         0.48       0.4873       99.0       70       130         0.57       0.4873       116       70       130	Batch ID: 70022       RunNo: 90942         Analysis Date: 9/9/2022       SeqNo: 3251468       Units: mg/Kg         Result       PQL       SPK value       SPK Ref Val       %REC       LowLimit       High Limit       %RPD         0.88       0.024       0.9747       0       90.7       75.8       123       1.50         0.94       0.049       0.9747       0       96.1       68.3       130       1.55         0.96       0.049       0.9747       0       98.1       76.6       132       1.38         3.0       0.097       2.924       0       101       74.7       132       0.751         0.50       0.4873       102       70       130       0         0.48       0.4873       99.0       70       130       0         0.57       0.4873       116       70       130       0	Batch ID: 70022         RunNo: 90942           Analysis Date: 9/9/2022         SeqNo: 3251468         Units: mg/Kg           Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit           0.88         0.024         0.9747         0         90.7         75.8         123         1.50         20           0.94         0.049         0.9747         0         96.1         68.3         130         1.55         20           0.96         0.049         0.9747         0         98.1         76.6         132         1.38         20           3.0         0.097         2.924         0         101         74.7         132         0.751         20           0.50         0.4873         102         70         130         0         0           0.48         0.4873         99.0         70         130         0         0           0.57         0.4873         116         70         130         0         0	

Sample ID: Ics-70022	SampT	ype: LC	S4	Tes	tCode: EF	List					
Client ID: BatchQC	Batch	n ID: <b>700</b>	)22	F	RunNo: 90942						
Prep Date: 9/7/2022	Analysis Date: 9/9/2022			5	SeqNo: 3251501 Units: mg/Kg			g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.98	0.025	1.000	0	97.6	80	120				
Toluene	0.95	0.050	1.000	0	95.2	80	120				
Ethylbenzene	0.97	0.050	1.000	0	96.7	80	120				
Xylenes, Total	3.0	0.10	3.000	0	99.4	80	120				
Surr: 1,2-Dichloroethane-d4	0.48		0.5000		96.9	70	130				
Surr: 4-Bromofluorobenzene	0.50		0.5000		99.9	70	130				
Surr: Dibromofluoromethane	0.58		0.5000		115	70	130				
Surr: Toluene-d8	0.51		0.5000		102	70	130				

### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 60 of 65

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219** *19-Sep-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: mb-70022	Tes	tCode: EF	PA Method	8260B: Volati	les Short I	_ist				
Client ID: PBS	Batcl	h ID: <b>70</b> 0	)22	F	RunNo: 90	0942				
Prep Date: 9/7/2022	Analysis D	Date: <b>9/</b> 9	9/2022	5	SeqNo: 32	251503	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.48		0.5000		96.9	70	130			
Surr: 4-Bromofluorobenzene	0.52		0.5000		103	70	130			
Surr: Dibromofluoromethane	0.58		0.5000		116	70	130			
Surr: Toluene-d8	0.50		0.5000		99.4	70	130			

Sample ID: 2209219-005ams	Samp	SampType: MS4 TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: BH22-13 2'	Bato	h ID: <b>70</b> 0	018	F	RunNo: 90	0934				
Prep Date: 9/7/2022	Analysis I	Date: <b>9/</b>	10/2022		SeqNo: 32	251544	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.025	0.9960	0	95.7	75.8	123			
Toluene	1.0	0.050	0.9960	0	105	68.3	130			
Ethylbenzene	1.1	0.050	0.9960	0	106	76.6	132			
Xylenes, Total	3.2	0.10	2.988	0	106	74.7	132			
Surr: 1,2-Dichloroethane-d4	0.48		0.4980		96.9	70	130			
Surr: 4-Bromofluorobenzene	0.46		0.4980		92.9	70	130			
Surr: Dibromofluoromethane	0.47		0.4980		95.0	70	130			
Surr: Toluene-d8	0.50		0.4980		101	70	130			

Sample ID: 2209219-005amsd	Samp1	ype: MS	D4	Tes	_ist					
Client ID: BH22-13 2'	Batcl	n ID: <b>70</b> 0	)18	F	RunNo: 90934					
Prep Date: 9/7/2022	Analysis D	Date: 9/	10/2022	5	SeqNo: 32	251545	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.025	0.9940	0	95.9	75.8	123	0.0807	20	
Toluene	1.1	0.050	0.9940	0	110	68.3	130	4.15	20	
Ethylbenzene	1.1	0.050	0.9940	0	107	76.6	132	0.464	20	
Xylenes, Total	3.3	0.099	2.982	0	111	74.7	132	4.75	20	
Surr: 1,2-Dichloroethane-d4	0.48		0.4970		97.6	70	130	0	0	
Surr: 4-Bromofluorobenzene	0.46		0.4970		92.7	70	130	0	0	
Surr: Dibromofluoromethane	0.48		0.4970		97.5	70	130	0	0	
Surr: Toluene-d8	0.52		0.4970		106	70	130	0	0	

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix interference

B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 61 of 65

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219** 

19-Sep-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: Ics-70015	Samp <sup>1</sup>	Гуре: <b>LC</b> :	S4	TestCode: EPA Method 8260B: Volatiles Short List						
Client ID: BatchQC	Batc	h ID: <b>70</b> 0	)15	F	RunNo: 90					
Prep Date: 9/7/2022	Analysis [	Analysis Date: 9/9/2022			SeqNo: 3251564 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.91	0.025	1.000	0	90.8	80	120			
Toluene	1.0	0.050	1.000	0	102	80	120			
Ethylbenzene	1.0	0.050	1.000	0	102	80	120			
Xylenes, Total	3.0	0.10	3.000	0	100	80	120			
Surr: 1,2-Dichloroethane-d4	0.51		0.5000		102	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		98.0	70	130			
Surr: Dibromofluoromethane	0.51		0.5000		103	70	130			
Surr: Toluene-d8	0.52		0.5000		104	70	130			

Sample ID: Ics-70018	Samp <sup>-</sup>	Гуре: <b>LC</b>	S4	Tes	tCode: <b>EF</b>	PA Method	8260B: Volati	les Short I	List	
Client ID: BatchQC	Batc	h ID: <b>70</b> 0	018	F	RunNo: 90	0934				
Prep Date: 9/7/2022	Analysis [	Date: 9/9	9/2022		SeqNo: 32	251565	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.025	1.000	0	95.4	80	120			
Toluene	1.1	0.050	1.000	0	105	80	120			
Ethylbenzene	0.99	0.050	1.000	0	98.5	80	120			
Xylenes, Total	3.0	0.10	3.000	0	101	80	120			
Surr: 1,2-Dichloroethane-d4	0.52		0.5000		104	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		97.6	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		98.5	70	130			
Surr: Toluene-d8	0.54		0.5000		108	70	130			

Sample ID: mb-70015	SampT	ype: MB	LK	Tes	tCode: <b>EF</b>	PA Method	8260B: Volati	les Short I	List	
Client ID: PBS	Batch	n ID: <b>700</b>	15	F	RunNo: 90	0934				
Prep Date: 9/7/2022	Analysis D	oate: 9/9	9/2022	5	SeqNo: 32	251566	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.50		0.5000		100	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.5000		101	70	130			
Surr: Dibromofluoromethane	0.51		0.5000		102	70	130			
Surr: Toluene-d8	0.53		0.5000		106	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 62 of 65

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219** 

19-Sep-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: mb-70018	Samp	Гуре: МВ	BLK	Tes	tCode: EF	PA Method	8260B: Volati	iles Short	List	
Client ID: PBS	Batcl	h ID: <b>70</b> 0	)18	F	RunNo: 90	0934				
Prep Date: 9/7/2022	Analysis [	Date: <b>9/</b> 1	10/2022	(	SeqNo: 32	251567	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.49		0.5000		97.3	70	130			
Surr: 4-Bromofluorobenzene	0.47		0.5000		93.6	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		97.9	70	130			
Surr: Toluene-d8	0.51		0.5000		102	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix interference
- B Analyte detected in the associated Method Blank
- E Estimated value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 63 of 65

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219 19-Sep-22** 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

110ject. 5DE 511	ederar 007								
Sample ID: <b>2209219-004ams</b>	SampType: MS	<del></del>	Tes	tCode: EF	PA Method	8015D Mod: (	Gasoline R	lange	
Client ID: <b>BH22-13 0'</b>	Batch ID: 70	018	F	RunNo: 90	934				
Prep Date: 9/7/2022	Analysis Date: 9/	10/2022	(	SeqNo: 32	251484	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	49 24	23.65	35.35	58.8	65.9	123			S
Surr: BFB	2400	2365		101	70	130			
Sample ID: 2209219-004amsd	SampType: MS	SD	Tes	tCode: EF	PA Method	8015D Mod: 0	Gasoline R	ange	
Client ID: BH22-13 0'	Batch ID: 70	018	F	RunNo: 90	934				
Prep Date: 9/7/2022	Analysis Date: 9/	10/2022	5	SeqNo: 32	251486	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	53 24	23.63	35.35	73.6	65.9	123	6.86	20	
Surr: BFB	2500	2363		105	70	130	0	0	
Sample ID: Ics-70015	SampType: <b>LC</b>	s	Tes	tCode: EF	PA Method	8015D Mod: 0	Gasoline R	lange	
Client ID: LCSS	Batch ID: 70	015	F	RunNo: 90	934				
Prep Date: 9/7/2022	Analysis Date: 9/	9/2022	Ş	SeqNo: 32	251516	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26 5.0	25.00	0	105	70	130			
Surr: BFB	510	500.0		103	70	130			
Sample ID: Ics-70018	SampType: <b>LC</b>	s	Tes	tCode: EF	PA Method	8015D Mod: 0	Gasoline R	lange	
Client ID: LCSS	Batch ID: 70	018	F	RunNo: 90	934				
Prep Date: 9/7/2022	Analysis Date: 9/	9/2022	S	SeqNo: 32	251517	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23 5.0	25.00	0	92.0	70	130			
Surr: BFB	480	500.0		95.6	70	130			
Sample ID: mb-70015	SampType: ME	BLK	Tes	tCode: <b>EF</b>	PA Method	8015D Mod: 0	Gasoline R	ange	
Client ID: PBS	Batch ID: 70	015	F	RunNo: 90	934				
Prep Date: 9/7/2022	Analysis Date: 9/	9/2022	Ş	SeqNo: 32	251518	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND 5.0								
Surr: BFB	510	500.0		102	70	130			
0 1 10 1			_						

#### Qualifiers:

Analyte

Client ID:

Prep Date:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

Sample ID: mb-70018

PBS

9/7/2022

S % Recovery outside of range due to dilution or matrix interference

SampType: MBLK

Batch ID: 70018

Analysis Date: 9/10/2022

PQL

Result

B Analyte detected in the associated Method Blank

RunNo: 90934

SeqNo: 3251519

LowLimit

TestCode: EPA Method 8015D Mod: Gasoline Range

Units: mg/Kg

HighLimit

%RPD

E Estimated value

SPK value SPK Ref Val

J Analyte detected below quantitation limits

%REC

- P Sample pH Not In Range
- RL Reporting Limit

Page 64 of 65

**RPDLimit** 

Qual

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2209219** 

19-Sep-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: mb-70018	SampT	ype: ME	BLK	Tes	tCode: EF	PA Method	8015D Mod:	Gasoline R	lange	
Client ID: PBS	Batch	1D: <b>70</b> 0	)18	F	RunNo: 90	0934				
Prep Date: 9/7/2022	Analysis D	ate: <b>9/</b>	10/2022	5	SeqNo: 32	251519	Units: mg/k	<b>K</b> g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	470		500.0		94.7	70	130			
Sample ID: <b>2209219-024ams</b>	SampT	ype: <b>MS</b>	3	Tes	tCode: <b>EF</b>	PA Method	8015D Mod:	Gasoline R	lange	
Client ID: BH22-20 0'	Batch	1D: <b>70</b> 0	)22	F	RunNo: 90	0942				
Prep Date: 9/7/2022	Analysis D	ate: <b>9/</b> 9	9/2022	\$	SeqNo: 32	251687	Units: mg/k	<b>K</b> g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	4.8	24.13	0	91.7	65.9	123			
Surr: BFB	560		482.6		116	70	130			
Sample ID: 2209219-024amsd	SampT	уре: <b>М</b> S	SD	Tes	tCode: <b>EF</b>	PA Method	8015D Mod:	Gasoline R	lange	
Sample ID: <b>2209219-024amsd</b> Client ID: <b>BH22-20 0'</b>		ype: <b>MS</b>			tCode: <b>EF</b> RunNo: <b>9</b> (		8015D Mod:	Gasoline R	lange	
		n ID: <b>70</b> 0	)22	F		0942	<b>8015D Mod:</b> Units: <b>mg/</b>		ange	
Client ID: BH22-20 0'	Batch	n ID: <b>70</b> 0	)22 9/2022	F	RunNo: 90	0942			RANGE	Qual
Client ID: <b>BH22-20 0'</b> Prep Date: <b>9/7/2022</b>	Batch Analysis D	n ID: <b>70</b> 0 Pate: <b>9/</b> 9	)22 9/2022	F	RunNo: 90 SeqNo: 32	0942 251688	Units: mg/l	⟨g	Ü	Qual
Client ID: <b>BH22-20 0'</b> Prep Date: <b>9/7/2022</b> Analyte	Batch Analysis D Result	n ID: <b>70(</b> Pate: <b>9/</b> 9	9/2022 SPK value	F S SPK Ref Val	RunNo: 90 SeqNo: 32 %REC	0942 251688 LowLimit	Units: mg/k	<b>Kg</b> %RPD	RPDLimit	Qual
Client ID: BH22-20 0' Prep Date: 9/7/2022 Analyte Gasoline Range Organics (GRO)	Batch Analysis D Result 21 530	n ID: <b>70(</b> Pate: <b>9/</b> 9	9/2022 SPK value 24.11 482.2	SPK Ref Val	RunNo: 90 SeqNo: 32 %REC 87.3 111	251688 LowLimit 65.9 70	Units: mg/k HighLimit 123	<b>(g</b> %RPD 5.01 0	RPDLimit 20	Qual
Client ID: BH22-20 0' Prep Date: 9/7/2022 Analyte Gasoline Range Organics (GRO) Surr: BFB	Batch Analysis D Result 21 530 SampT	PQL 4.8	9/2022 SPK value 24.11 482.2	SPK Ref Val 0	RunNo: 90 SeqNo: 32 %REC 87.3 111	251688 LowLimit 65.9 70 PA Method	Units: mg/k HighLimit 123 130	<b>(g</b> %RPD 5.01 0	RPDLimit 20	Qual
Client ID: BH22-20 0' Prep Date: 9/7/2022 Analyte Gasoline Range Organics (GRO) Surr: BFB  Sample ID: Ics-70022	Batch Analysis D Result 21 530 SampT	PQL 4.8  Fype: LC 1D: 700	9/2022 SPK value 24.11 482.2 S	SPK Ref Val 0	RunNo: 96 SeqNo: 32  %REC 87.3 111 tCode: EF	251688 LowLimit 65.9 70 PA Method 1942	Units: mg/k HighLimit 123 130	%RPD 5.01 0	RPDLimit 20	Qual
Client ID: BH22-20 0' Prep Date: 9/7/2022 Analyte Gasoline Range Organics (GRO) Surr: BFB  Sample ID: Ics-70022 Client ID: LCSS	Batch Analysis D Result 21 530 SampT Batch	PQL 4.8  Fype: LC 1D: 700	9/2022 SPK value 24.11 482.2 S	SPK Ref Val 0	RunNo: 96 ReqNo: 32  **REC  87.3  111  **tCode: EF RunNo: 96	251688 LowLimit 65.9 70 PA Method 1942	Units: mg/k HighLimit 123 130 8015D Mod:	%RPD 5.01 0	RPDLimit 20	Qual
Client ID: BH22-20 0' Prep Date: 9/7/2022 Analyte Gasoline Range Organics (GRO) Surr: BFB  Sample ID: Ics-70022 Client ID: LCSS Prep Date: 9/7/2022	Batch Analysis D Result 21 530 SampT Batch Analysis D	PQL 4.8  Type: LC at D: 700  Attention of the control of the contr	9/2022 SPK value 24.11 482.2 S 0/2022	SPK Ref Val 0 Tes	RunNo: 96 SeqNo: 32 %REC 87.3 111 stCode: EF RunNo: 96 SeqNo: 32	251688 LowLimit 65.9 70 PA Method 1942 251708	Units: mg/k HighLimit 123 130  8015D Mod: Units: mg/k	%RPD 5.01 0  Gasoline R	RPDLimit 20 0	
Client ID: BH22-20 0' Prep Date: 9/7/2022  Analyte  Gasoline Range Organics (GRO) Surr: BFB  Sample ID: Ics-70022  Client ID: LCSS Prep Date: 9/7/2022  Analyte	Batch Analysis D Result 21 530 SampT Batch Analysis D Result	PQL 4.8  PQL 1D: 700  A.8  PQL 4.8  PQL 20: PQL 20: PQL  PQL PQL	9/2022 SPK value 24.11 482.2 S 022 9/2022 SPK value	SPK Ref Val  0  Tes  SPK Ref Val	RunNo: 96 SeqNo: 32  %REC  87.3  111  tCode: EF RunNo: 96 SeqNo: 32  %REC	251688  LowLimit 65.9 70  PA Method 2942 251708  LowLimit	Units: mg/k HighLimit 123 130  8015D Mod: Units: mg/k HighLimit	%RPD 5.01 0  Gasoline R	RPDLimit 20 0	

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

Sample ID: mb-70022

**PBS** 

Gasoline Range Organics (GRO)

9/7/2022

Client ID:

Prep Date:

Surr: BFB

S % Recovery outside of range due to dilution or matrix interference

SampType: MBLK

Batch ID: 70022

Analysis Date: 9/9/2022

5.0

Result

ND

580

B Analyte detected in the associated Method Blank

RunNo: 90942

117

SeqNo: 3251709

LowLimit

70

TestCode: EPA Method 8015D Mod: Gasoline Range

Units: mg/Kg

130

%RPD

**RPDLimit** 

Qual

HighLimit


E Estimated value

SPK value SPK Ref Val %REC

500.0

- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 65 of 65



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name:	Vertex Resources Services, Inc.	Work Order Number	2209219		RcptNo: 1	
Received By:	Juan Rojas	9/7/2022 7:30:00 AM		Guaran g		
Completed By:	Sean Livingston	9/7/2022 7:53:24 AM		Guaran G	n ol	
Reviewed By:	KPG 9.07	.22		3,-0,	<i>Joi</i>	
Chain of Cus	<u>tody</u>					
1. Is Chain of Cu	ustody complete?		Yes 🗸	No 🗌	Not Present	
2. How was the	sample delivered?		Courier			
Log In						
The state of the s	pt made to cool the sampl	es?	Yes 🔽	No 🗌	NA 🔲	
4. Were all samp	ples received at a temperat	ure of >0° C to 6.0°C	Yes 🗸	No 🗌	NA 🗆	
5. Sample(s) in p	oroper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sam	ple volume for indicated te	st(s)?	Yes 🗸	No 🗌		
7. Are samples (	except VOA and ONG) pro	perly preserved?	Yes 🗸	No 🗌		
8. Was preservat	tive added to bottles?		Yes 🗌	No 🔽	NA 🗆	
9. Received at le	ast 1 vial with headspace <	<1/4" for AQ VOA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any sam	nple containers received br	roken?	Yes	No 🗸	# of preserved	
	rk match bottle labels? ancies on chain of custody)		Yes 🗸	No 🗆	bottles checked for pH: (<2 or >12	unless noted)
12. Are matrices c	correctly identified on Chair	of Custody?	Yes 🗸	No 🗆	Adjusted?	
	analyses were requested?	,	Yes 🗸	No 🗌		1-100
	ng times able to be met? ustomer for authorization.)		Yes 🗸	No 🗌	Checked by: Jv	917122
Special Handli	ing (if applicable)					
	tified of all discrepancies w	vith this order?	Yes 🗌	No 🗌	NA 🔽	
Person	Notified:	Date:				
By Who	m:	Via: [	eMail	Phone  Fax	☐ In Person	
Regardi	ng:					
Client In	structions:					
16. Additional rer	marks:				_	
17. Cooler Inform	mation					
Cooler No	Temp °C Condition	Seal Intact Seal No S	Seal Date	Signed By		
1	1.7 Good					

		5	chair of eacted process				L					2		2		
Client:		Vertex		X Standard	H Rush	5 Day				Z		ST		BOR	ANALYSTS LABORATOR	. >
		(direct b	(direct bill to Devon)	Project Name:	e:					www	halle.	nviron	www.hallenvironmental.com	.com		
Mailing Address:	Address			SDE 31 Federal #009	eral #009			4901	Haw	4901 Hawkins NE -		nbnql	erque	Albuquerque, NM 87109	60	)CD:
				Project #:				<u>Te</u>	505-3	505-345-3975		Fax	505-3	505-345-4107		: 3/2.
Phone #:	94			22E-02816-36	98						Ans	Analysis	Request	st		1/20
email or Fax#:	Fax#:			Project Manager:	ager:		()	(0		Y	-0	b0	Ė	hu		24 2
QA/QC Package:	ackage:			Kent Stallings	S		(802		8.00	SWI	S 'FC	0 140		iesar		2:29:4
□ Standard	lard		☐ Level 4 (Full Validation)	kstallings@vertex.ca	ertex.ca		s,e		71.	S0.	М			<i>-</i> //III		44 I
Accreditation:	ation:	□ Az Co	☐ Az Compliance	Sampler:	-	Englebert	LWE				Ol	701		əsə		<u>PM</u> _
□ NELAC	C	□ Other		On Ice:	⊕-Yes	oN □	L /	_				. 45		14)		
☐ EDD (Type)	(Type)			# of Coolers:			BE					-		000		
				Cooler Temp(including CF):		F1=1-7	TM				_		100	IOIIIO		
Date 7	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No. 2209 219	X3T8	08:H9T	8081 PA	d sHA9	RCRA E	V) 0928	3) 0728	O lstoT		
09/03	9:20	9:20 Soil	BH22-12 0'	1, 4oz jar		188	×	×			×					
80/60	9:55	Soil	BH22-12 2'	1, 4oz jar		200	×	×			×					
60/60	10:00 Soil	Soil	BH22-12 2.5'	1, 4oz jar		500		×			×					
60/60	10:35 Soil	Soil	BH22-13 0'	1, 4oz jar		780	×	×			×	Į.				
60/60	10:45 Soil	Soil	BH22-13 2'	1, 4oz jar		200	×	×			×					
60/60	11:00 Soil	Soil	BH22-13 2.5'	1, 4oz jar		200	×	×			×					
60/60	11:00 Soil	Soil	BH22-14 0'	1, 4oz jar		100	×	×			×					
60/60	11:25 Soil	Soil	BH22-14 2'	1, 4oz jar		200	×	×			×					
60/60	13:40 Soil	Soil	BH22-15 0'	1, 4oz jar		600	×	×			×				100	
09/03	13:45 Soil	Soil	BH22-15 2'	1, 4oz jar		Oko	×	×			×					
60/60	13:50 Soil	Soil	BH22-15 3'	1, 4oz jar		) 0	×	~			×					
60/60	13:55 Soil	Soil	BH22-16 0'	1, 4oz jar		210	×	_			×					
Date: 7	Dar.LD	Relinquished	Mary Mary	Received by:	Via:	9 Jate Time	Remarks Direct bil	Remarks: Direct bill to Devon, Dale Woodall	to De	von, I	Jale V	Vood	=			
	Time:	Relinquished by	ed by:	Received by:	Via:	Date Time	5 X	stallir	@s6	verte	.ca fe	or Fin	cc. kstallings@vertex.ca for Final Report	To.		Page
4/6/77	DAVI	A. A.	7	9	1 1000	a 1-120										e 20

Mainting Address   Signaland   Risan 5 (MA)   MAINTASIS LABORATORY   MAINTING Address   Colored bill to Decorn   Propert Name:   Risan 5 (MA)   MAINTASIS LABORATORY   MAINTING Address   Signal and bill to Decorn   Propert Name:   Risan 5 (MA)   Mainting Address   Signal and bill to Decorn   Propert Name	)			minor for the same				L	L	_							
Address:   SDE 31 Federal #009   Project Name:   Pro	Client:		Vertex		Ø Standar	7	5 pary							<u> </u>	ON MANAGEMENT	PATO	. >
About Feets   SDE 31 Federal #009   Tels 505-345-4107   Tels 505-345-3107   Tels 505-345-3407   Tels 505-345-3407   Tels 505-345-3407   Tels 505-345-3407   Tels 505-345-3407   Tels 505-340-3407   Tels 505			(direct t	bill to Devon)	Project Nan						www	haller	viron	T to	Com	5	_
Table   Project #:   Table   Project #:   Table   Project #:   Table   Project #:   Table	Mailing	Addres	S:		SDE 31 Fed	eral #009			4901	Haw	vins N		Ibuau	erane	NM 8710	60	
Figure   Project Manager:   Pr					Project #:				Tel.	505-3	45-39		Fax	505-3	45-4107		
Fackfill	Phone ‡	¥:			22E-02816-	36						Ana	lysis	Requ	est		
Continue	email or	· Fax#:			Project Man	ager:		()	(0			0		Í	(11	F	H
Comparison   Comparison   Container   Co	QA/QC F	ackage	-25		Kent Stalling	3		208		8.0	SM	S	- (1		ıəsq		
Compliance   Az Compliance   Sampler   Zachary Englebent   Az Compliance   Onloca   Data	□ Stan	dard		□ Level 4 (Full Validation)	kstallings@v	ertex.ca		) s,		0.1	IIS0	Dd	2 1		A\tr		
Conference   Con	Accredi	tation:	□ Az C	ompliance	Sampler:	Zachary Engle	bert	BW.	7.11			·cOI	17		iəse		
Time   Matrix   Sample   Name   Footening of the Preservative   HEAL No.   Sample   Name   Container   Preservative   HEAL No.   Sample   Name   Container   Preservative   HEAL No.   Sample   Name   Type and # Type   Type   Name   Type and # Type   Name   Nam	□ NEL	4C	□ Othe	35	On Ice:		No □	L /				11		(A(	Pre)		
Time         Matrix         Sample Name         Preservative Temple No. Soil         HEAL No.         A DIP SOIL		(Type)			# of Coolers	25.0		BE				_	_	-ΛC	) w.		
Time         Matrix         Sample Name         Container Type and # Type         Preservative HEAL No.         HEAL No.         X         X         X         X         Y         <					Cooler Tem	9 1	-0-1=1.7	TM				-		imə	olifo		
14:10   Soil   BH22-16 2'   1,40z   jar   O/3   X   X   X   X   X   X   X   X   X		Time	Matrix		Container Type and #	Preservative Type	HEAL No.	\ X3T8		The same				S) 07S8	Total Co		
14:15 Soil BH22-17 ° 1, 4oz jar	80/60	14:00	Soil	BH22-16 2'	1, 4oz jar		610		~			×					
14:15   Soil   BH22-17 2'   1,402 jar   O 1 \( \sigma \)   Soil   BH22-17 2'   1,402 jar   O 1 \( \sigma \)   O 1 \( \sigma \	09/03	14:10	Soil	BH22-16 3'	1, 4oz jar		70	7.7	_			×					
14:26   Soil   BH22-17 4'   1,40z jar   O1 4'    X	80/60	14:15	Soil	BH22-17 0'	1, 4oz jar		015	100				×					
14:35 Soil BH22-174' 1,4oz jar	80/60	14:20	Soil	BH22-17 2'	1, 4oz jar		9/6	13	V			×					
14:40 Soil BH22-18 0' 1, 40z jar	60/60	14:35	Soil	BH22-17 4'	1, 4oz jar		4		_			×					
14.55   Soil   BH22-18 2'   1, 40z jar   C2c   X   X   X   X   X   X   X   X   X	60/60	14:40	Soil	BH22-18 0'	1, 4oz jar		810		_			×					
15:26 Soil BH22-19 0' 1, 4oz jar	60/60	14:55	Soil	BH22-18 2'	1, 4oz jar		とう		v			×					
15:20   Soil   BH22-19 0'   1, 40z jar   Ozc   X   X   X   X   X   X   X   X   X	60/60	15:15	Soil	BH22-18 3'	1, 4oz jar		070		J			×					
15:40   Soil   BH22-19 2'   1, 40z jar   O22   X   X   X   X   X   X   X   X   X	60/60	15:20	Soil	BH22-19 0'	1, 4oz jar		120	EA	2			×					
15:45   Soil   BH22-19 4'   1, 4oz jar   C23   X   X   X   X   X   X   X   X   X	60/60	15:40	Soil	BH22-19 2'	1, 4oz jar		220		v			×					
15:30   Soil   BH22-20 0'   1, 40z jar   C22   X   X   X   X   X   X   X   X   X	60/60	15:45	Soil	BH22-19 4'	1, 4oz jar		220		U			×		14			
Time: Relinquished by: Via: Date Time Remarks:  OF UN Sold Sold Sold Sold Sold Sold Sold Sold	-	15:30	Soil		1, 4oz jar		)720	×				×					
Time: Relinquished by: Via: Date Time cc. kstallings@vertex.ca for Final Report	Date:	Time:	Relinquish	nedby:	Received by:		Date Time	Rem	arks:								
Received by: Na: Via: Date Time Commission of the Commission of th	75-0-1	200	Jale	MUlham	Whim	Muso		DI S	t bill	to De	von, I	Jale W	/ooda	III SI Ror	to		
	23	ine:		ned by:	Received by:		Date /- /- /- /- /- /- /- /- /- /- /- /- /-										

Client:  Mailing Address:  Phone #: email or Fax#:	Vertex		,	-	1000	_					Z	Y			
Mailing Addre			Standard Standard	d Rush	2			E	2	718	CT	u	ANALYCIC I ABODATOD	VETS I ABOBATOBY	. >
Mailing Addre	(direct b	(direct bill to Devon)	Project Name:						<b>***</b>	www.hallenvironmental.com	noive	ment	moo le	5	l by C
Phone #:	ess:		SDE 31 Feder	eral #009			4901	Haw	4901 Hawkins NE -		Ibuan	lerane	Albuqueraue, NM 87109	60	CD.
Phone #:			Project #:				Tel	505-	505-345-3975		Fax	505	505-345-4107		. 0,2
email or Fax#			22E-02816-36	36						Ans	Analysis	Request	lest		
	;;		Project Manager:	ager:		()	(C	-		70	tro		(tr		F
	je:		Kent Stallings	S		802		S.G	SM	S '*(	o ite		ıpsqı		
□ Standard		□ Level 4 (Full Validation)	kstallings@vertex.ca	vertex.ca		) s,		)d	IS0	Ъа			A\tu		_
Accreditation:		☐ Az Compliance	Sampler:	Zachary Englebert	bert	BW.		_		OI	17 - 1		iəsə		
□ NELAC	-1		On Ice:		oN □	L /						(A(	Pre)		
☐ EDD (Type)	(e		# of Coolers.	-		38 I				-	_	V. 1	) w.		
			Cooler Temp(including CF):	(including CF):	たころけ	TM					_		olilo		
Date Time	e Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	NETEX /	08:H9T	8081 P6 M) 803	d sHA9	RCRA 8	V) 0928	S) 07S8	O lstoT		
11:4	11:40 Soil	BH22-01 3'	1, 4oz jar		520	×	×			×					
8:4	8:55 Soil	BH22-08 2'	1, 4oz jar		, 99 74		×			×					
09/03	9:20 Soil	BH22-08 2.5'	1, 4oz jar		420		×			×					
09/03 10:2	10:25 Soil	BH22-09 0'	1, 4oz jar		820	×	×			×					
09/03 10:3	10:35 Soil	BH22-09 2'	1, 4oz jar		620	×	×			×					
09/03 11:0	11:00 Soil	BH22-09 3.5'	1, 4oz jar		030	×	×			×					
09/03 11:7	11:10 Soil	BH22-10 0'	1, 4oz jar		031	×	×			×					
09/03 11:2	11:20 Soil	BH22-10 2'	1, 4oz jar		250	×	×			×					
09/03 11:2	11:25 Soil	BH22-10 2.5'	1, 4oz jar		033	×	~			×					
03/03	9:05 Soil	BH22-11 0'	1, 4oz jar		750	×	_			×					
09/03 9:1	9:15 Soil	BH22-11 2'	1, 4oz jar		750	37	_			×					
3	10:10 Soil	BH22-11 2.5'	1, 4oz jar		030	×	J			×					
Pate: Time:	Relinquished by	M. Med by:	Received by:	Via:		Remarks:	arks:	to De	nov.	Remarks: Direct hill to Devon Dale Woodall	2000/	=			
	Relin	ed by:	WWWW Received by:	Myrya Via:	23	-cc. k	stallir	gs@	verte	cc. kstallings@vertex.ca for Final Report	r Fina	al Re	oort		2 00
apply Boo	Chum	MANN	Tall	Mariara	401										ge 20

Client: Vertex	X Standard	Rush K	5 Buy	L		•	Z	LYS	SI	ANALYSIS LABORATOR	ATOR
(direct bill to Devon)	Project Name:		Э				www.h	allenvii	onme	www.hallenvironmental.com	
Mailing Address:	SDE 31 Federa	ral #009			4901	Hawki	4901 Hawkins NE -		ndner	Albuquerque, NM 87109	o
	Project #:				Tel.	505-34	505-345-3975		Fax 50	505-345-4107	
Phone #:	22E-02816-36					d		Ana	sis Re	Request	
email or Fax#:	Project Manager:	נ		(1	(0			<sup>⊅</sup> O		(tr	
QA/QC Package:	Kent Stallings			208			SV	S 'Þ		iəsc	
☐ Standard ☐ Level 4 (Full Validation)		ex.ca		3) s	11.7		VIS	ЬО		l∀∖ŀ	
Accreditation:   Az Compliance	Sampler:	>	Englebert	MB	-0.0		275	O <sup>S</sup>		uəs	
			No □	1 /					( ) (		
□ EDD (Type)	lers:			38							
	Cooler Temp(including CF):	uding CF):	1.6xc.121.7	TM						16.0	
Date Time Matrix Sample Name	Container Pr	Preservative Type	HEAL No.	X∃T8	08:H9T 99 1808	EDB (M	PAHs b	CI, F, E	V) 0528	S) 07S8 Total Co	
09/03 15:35 Soil BH22-20 2'	1, 4oz jar		t20	×							
09/03 15:45 Soil BH22-20 3.5'	1, 4oz jar		23%	77				×			
09/03 15:50 Soil BH22-21 0'	1, 4oz jar	-	039	×				×			
09/03 16:00 Soil BH22-21 2'	1, 4oz jar		OHO	×				×			
09/03 16:05 Soil BH22-21 3'	1, 4oz jar		140	×				×			
Date: Time: Relinquished by 9-6-21 OT:00 Sabu Millim	Received by:	Via:	all Date Time	Remarks: Direct bill	t bill t	o Dev	on, Da	Remarks: Direct bill to Devon, Dale Woodall	odall		
Date: Time: Relinquished by:	1	Via: Via: (OUN'S)	9/7/22 7.30	CC. KS	cc. kstallings@vertex.ca tor	gs@ve	этех.с	a tor i	ınalı	Final Keport	

Protect bill to Devot)   Protect bill to Devot bill to Devot)   Protect bill to Devot)   Protect bill to Devot bill to Devot)   Protect bill to Devot bill to De															
SDE 31 Federal #009   Project Name:   SDE 31 Federal #009   Project Name:   SDE 31 Federal #009   Project #1	Client:	Vertex		Standar		in 5 parx				AL S	ב ב ב			SNMEN	TAL
SDE 31 Federal #009   Project #:   SDE 31 Federal #009   Project #:   SZE-02816-36   Project #:   SZE-02816-36   Sandard   Content   C		(direct b	ill to Devon)	Project Nan	1.								5	BORAT	TOR R
Project #:	Mailing Address	32		SDE 31 Fed	leral #009			490,	H	V VVV	. п	lio livi	liellial.	COITI	
Container   Cont				Project #:				E 4	505-	345-36	75	Fav	sique,	AIN 07 109	
Project Manager:   Corper   Project Manager:   Corper   Project Manager:   Corper   Project Manager:   Corper	Phone #:			22E-02816-	36						Ana	lysis	Redue	21t-101	
National Scale   Complement   National Scale   Nationa	email or Fax#:			Project Man	ager:		(	(0	-		100		7,1	-	Ė
Standard	QA/QC Package:			Kent Stalling	<u>s</u>		120		S	SI	os ·		ues		
Sampler: Zachary Englebert   Sampler: Zachary Englebert   On toe: □_Ves □ No	□ Standard		☐ Level 4 (Full Validation)	kstallings@v	/ertex.ca		8) s		104 104	MIS	М		4₽/1	20.71	
NELAC   Other	Accreditation:	□ Az Cc	mpliance	Sampler:	>	glebert	.BM.		_		.cO		uəsi		
Head Cooler Temple Name	□ NELAC	□ Other		On Ice:		□ No	L /								
te Time Matrix Sample Name  14:20 Soil BH22-22 0' 1, 4oz jar  14:40 Soil BH22-22 4' 1, 4oz jar  14:50 Soil BH22-23 0' 1, 4oz jar  14:50 Soil BH22-24 0' 1, 4oz jar  15:00 Soil BH22-24 0' 1, 4oz jar  16:00 Soil BH22-24 0' 1, 4oz jar  17:00 Soil BH22-24 0' 1, 4oz jar  18:00 Soil BH22-24 0' 1, 4oz jar  19:00 Soil BH22-24 0' 1, 4oz jar  10:00 Soil	□ EDD (Type)			# of Coolers	-		38								
te Time Matrix Sample Name Type and # Type  14:20 Soil BH22-22 0' 1, 4oz jar O⊌√2  14:40 Soil BH22-22 4' 1, 4oz jar O∀√5  14:45 Soil BH22-23 0' 1, 4oz jar O∀√5  14:55 Soil BH22-23 0' 1, 4oz jar O∀√5  14:55 Soil BH22-24 0' 1, 4oz jar O√√5  14:55 Soil BH22-24 0' 1, 4oz jar O√√5  15:00 Soil BH22-24 0' 1, 4oz jar O√√5  16:00 Soil BH22-24 0' 1, 4oz jar O√√5  17:00 Soil BH22-24 0' 1, 4oz jar O√√5  18:00 Soil BH22-24 0' 1, 4oz jar O√√5  19:00 Soil BH22-24 0' 1, 4oz jar O√√5  10:00 Soil B				Cooler Tem	-	子1二十分	I I				_		2.5	34.	
94         14:20 Soil         BH22-22 2'         1, 40z jar         OUJ           94         14:30 Soil         BH22-22 4'         1, 40z jar         OUJ           94         14:40 Soil         BH22-23 4'         1, 40z jar         OUJ           94         14:50 Soil         BH22-23 3.5'         1, 40z jar         OUJ           94         14:55 Soil         BH22-24 0'         1, 40z jar         OUJ           94         15:00 Soil         BH22-24 1'         1, 40z jar         OUJ           94         15:00 Soil         BH22-24 2'         1, 40z jar         OUJ           94         15:00 Soil         BH22-24 4'         1, 40z jar         OUJ           94         15:00 Soil         BH22-24 4'         1, 40z jar         OUJ           94         15:00 Soil         BH22-24 4'         1, 40z jar         OUJ           94         15:00 Soil         BH22-24 4'         1, 40z jar         OUJ           10         10         10         10         10           10         10         10         10         10           11         10         10         10         10           12         10         10         10 <td< td=""><td>Time</td><td>Matrix</td><td></td><td>Container Type and #</td><td>Preservative Type</td><td></td><td>NETEX /</td><td></td><td></td><td></td><td></td><td>Charles (A)</td><td>1.1.</td><td></td><td></td></td<>	Time	Matrix		Container Type and #	Preservative Type		NETEX /					Charles (A)	1.1.		
94         14:30         Soil         BH22-22 2'         1, 4oz jar         OUG           94         14:40         Soil         BH22-23 0'         1, 4oz jar         OUG           94         14:50         Soil         BH22-23 2'         1, 4oz jar         OUG           94         14:55         Soil         BH22-23 3.5'         1, 4oz jar         OUG           94         14:55         Soil         BH22-24 0'         1, 4oz jar         OUG           94         15:00         Soil         BH22-24 2'         1, 4oz jar         OUG           94         15:10         Soil         BH22-24 4'         1, 4oz jar         OUG           94         15:10         Soil         BH22-24 4'         1, 4oz jar         OUG           94         15:10         Soil         BH22-24 4'         1, 4oz jar         OUG           1         15:10         Soil         BH22-24 4'         1, 4oz jar         OUG           1         15:10         Soil         BH22-24 4'         1, 4oz jar         OUG           1         15:10         Soil         BH22-24 4'         1, 4oz jar         OUG           1         16:10         MALIMMANA         OUG         O	14:20	Soil	BH22-22 0'	1, 4oz jar		240	7		1		-	1			
34         14:45         Soil         BH22-22 4'         1, 4oz jar         Oυς           34         14:45         Soil         BH22-23 0'         1, 4oz jar         Oυς           34         14:55         Soil         BH22-23 3.5'         1, 4oz jar         Oυς           34         14:55         Soil         BH22-24 0'         1, 4oz jar         Oυς           34         15:00         Soil         BH22-24 4'         1, 4oz jar         Oυς           34         15:10         Soil         BH22-24 4'         1, 4oz jar         Oυς           35         Or.30         BH22-24 4'         1, 4oz jar         Oυς           Time:         Relinquished by:         Received by:         Via:         Date           Time:         Relinquished by:         Received by:         Via:         Date		Soil	BH22-22 2'	1, 4oz jar		500		×			×		-		
34         14:45         Soil         BH22-23 2'         1, 4oz jar         ΟΨς           34         14:56         Soil         BH22-23 3.5'         1, 4oz jar         ΟΨ           34         14:56         Soil         BH22-24 0'         1, 4oz jar         ΟΨ           34         15:00         Soil         BH22-24 2'         1, 4oz jar         ΟΨ           34         15:10         Soil         BH22-24 4'         1, 4oz jar         ΟΣ           34         15:10         Soil         BH22-24 4'         1, 4oz jar         ΟΣ           35         O7:00         MUMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM		Soil	BH22-22 4'	1, 4oz jar		250	1	×			×		H		
34       14:56       Soil       BH22-23 3.5'       1, 4oz jar       O√3         34       14:55       Soil       BH22-24 0'       1, 4oz jar       O√3         34       15:00       Soil       BH22-24 2'       1, 4oz jar       O√3         34       15:10       Soil       BH22-24 4'       1, 4oz jar       O√3         34       15:10       Soil       BH22-24 4'       1, 4oz jar       O√3         35       O7:00       O7:00       O√4       O√2         35       O7:00       O7:00       O/1       O/2         35       O7:00       O7:00       O/1       O/1         35       O7:00       O7:00       O/1       O/1         35       O7:00       O7:00       O/1       O/1         35       O7:00       O/1       O/1       O/1         1       Filme:       Relinquished by:       Received by:       Via:       Date       Time         1       Filme:       Relinquished by:       Received by:       Via:       Date       Time		Soil	BH22-23 0'	1, 4oz jar		540		×			×				
34         14:55 Soil         BH22-23 3.5'         1, 4oz jar		Soil	BH22-23 2'	1, 4oz jar		240		×			×		-		
34       14:55 Soil       BH22-24 0'       1, 4oz jar       Ολης         34       15:00 Soil       BH22-24 4'       1, 4oz jar       Ολης         34       15:10 Soil       BH22-24 4'       1, 4oz jar       Ος Ο         34       15:10 Soil       BH22-24 4'       1, 4oz jar       Ος Ο         35       07:00       O 05 O       O 05 O         32       07:00       O 05 O         11 Hime:       Relinquished by:       Nia:       Date Time         12 Ime:       Relinquished by:       Nia:       Date Time		Soil	BH22-23 3.5'	1, 4oz jar		450	1	¥			×				
34         15:00 Soil         BH22-24 2'         1, 4oz jar         Ουμα           34         15:10 Soil         BH22-24 4'         1, 4oz jar         οςω           32         07:00         MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM	-	Soil	BH22-24 0'	1, 4oz jar		\$10		~			×				
15:10 Soil BH22-24 4' 1, 40z jar 0 5.2  Time: Relinquished by: Received by: Via: Date Time  Received by: Via: Date Time  Received by: Via: Date Time	-	Soil	BH22-24 2'	1, 4oz jar		SUA		_			×				
Time: Relinquished by: Via: Date Time    Compared by: Via: Date Time   Compared by: Via: Date Ti		Soil		1, 4oz jar		020		_			×				
Time: Relinquished by:  Received by: Via: Date Time  M. M								<u>a</u> .				ĮΞ			
Time: Relinquished by: Received by: Via: Date Time  Received by: Via: Date Time  Received by: Via: Date Time	Ë														
4/10/12 1900 allemans 1 100 1/10 2 30	07.30 Time: F	Selinquishe	Com	MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM	Via:	Sold of Date Date		arks: st bill stallin	to Der gs@v	von, L	ale W	oodal Fina	l Repo		



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 17, 2022

Kent Stallings Vertex Resources Services, Inc. 3101 Boyd Drive Carlsbad, NM 88220 TEL: (505) 506-0040

FAX:

RE: SDE 31 Federal 009 OrderNo.: 2211577

#### Dear Kent Stallings:

Hall Environmental Analysis Laboratory received 13 sample(s) on 11/10/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Lab Order 2211577

# Hall Environmental Analysis Laboratory, Inc. Date Reported: 11/17/2022

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-13 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 8:30:00 AM

 Lab ID:
 2211577-001
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/14/2022 7:08:55 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	11/14/2022 7:08:55 PM
Surr: DNOP	111	21-129	%Rec	1	11/14/2022 7:08:55 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/14/2022 12:49:00 PM
Surr: BFB	101	37.7-212	%Rec	1	11/14/2022 12:49:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	11/14/2022 12:49:00 PM
Toluene	ND	0.048	mg/Kg	1	11/14/2022 12:49:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/14/2022 12:49:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	11/14/2022 12:49:00 PM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	11/14/2022 12:49:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	3500	150	mg/Kg	50	11/15/2022 5:30:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 18

Lab Order 2211577

Date Reported: 11/17/2022

# Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-13 6'

**Project:** SDE 31 Federal 009 **Collection Date:** 11/7/2022 8:45:00 AM Lab ID: 2211577-002 Matrix: SOIL Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/14/2022 7:19:29 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/14/2022 7:19:29 PM
Surr: DNOP	104	21-129	%Rec	1	11/14/2022 7:19:29 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/14/2022 1:48:00 PM
Surr: BFB	93.7	37.7-212	%Rec	1	11/14/2022 1:48:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	11/14/2022 1:48:00 PM
Toluene	ND	0.048	mg/Kg	1	11/14/2022 1:48:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/14/2022 1:48:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	11/14/2022 1:48:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	11/14/2022 1:48:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	160	60	mg/Kg	20	11/14/2022 11:27:43 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Е
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 2 of 18

Lab Order 2211577

# Hall Environmental Analysis Laboratory, Inc.

Date Reported: 11/17/2022

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-13 8'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 9:00:00 AM

 Lab ID:
 2211577-003
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/14/2022 7:30:04 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/14/2022 7:30:04 PM
Surr: DNOP	112	21-129	%Rec	1	11/14/2022 7:30:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/14/2022 2:08:00 PM
Surr: BFB	98.2	37.7-212	%Rec	1	11/14/2022 2:08:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	11/14/2022 2:08:00 PM
Toluene	ND	0.048	mg/Kg	1	11/14/2022 2:08:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/14/2022 2:08:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/14/2022 2:08:00 PM
Surr: 4-Bromofluorobenzene	106	70-130	%Rec	1	11/14/2022 2:08:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	190	60	mg/Kg	20	11/15/2022 12:04:57 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 3 of 18

Lab Order **2211577**Date Reported: **11/17/2022** 

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-25 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 11:15:00 AM

 Lab ID:
 2211577-004
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	11/14/2022 7:40:37 PM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	11/14/2022 7:40:37 PM
Surr: DNOP	128	21-129	%Rec	1	11/14/2022 7:40:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/14/2022 2:27:00 PM
Surr: BFB	98.6	37.7-212	%Rec	1	11/14/2022 2:27:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	11/14/2022 2:27:00 PM
Toluene	ND	0.049	mg/Kg	1	11/14/2022 2:27:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	11/14/2022 2:27:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/14/2022 2:27:00 PM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	11/14/2022 2:27:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/15/2022 12:17:22 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 18

Lab Order **2211577** 

# Hall Environmental Analysis Laboratory, Inc.

Date Reported: 11/17/2022

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-25 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 11:20:00 AM

 Lab ID:
 2211577-005
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/14/2022 7:51:09 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	11/14/2022 7:51:09 PM
Surr: DNOP	114	21-129	%Rec	1	11/14/2022 7:51:09 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/14/2022 2:47:00 PM
Surr: BFB	96.8	37.7-212	%Rec	1	11/14/2022 2:47:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	11/14/2022 2:47:00 PM
Toluene	ND	0.048	mg/Kg	1	11/14/2022 2:47:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/14/2022 2:47:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/14/2022 2:47:00 PM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	11/14/2022 2:47:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	120	60	mg/Kg	20	11/15/2022 12:29:46 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 18

Lab Order 2211577

Date Reported: 11/17/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-26 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 1:00:00 PM

 Lab ID:
 2211577-006
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/14/2022 8:01:39 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/14/2022 8:01:39 PM
Surr: DNOP	109	21-129	%Rec	1	11/14/2022 8:01:39 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/14/2022 3:07:00 PM
Surr: BFB	100	37.7-212	%Rec	1	11/14/2022 3:07:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	11/14/2022 3:07:00 PM
Toluene	ND	0.048	mg/Kg	1	11/14/2022 3:07:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/14/2022 3:07:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	11/14/2022 3:07:00 PM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	11/14/2022 3:07:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	190	60	mg/Kg	20	11/15/2022 12:42:11 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 18

Lab Order **2211577** 

Date Reported: 11/17/2022

# Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-26 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 1:05:00 PM

 Lab ID:
 2211577-007
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/14/2022 8:22:30 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/14/2022 8:22:30 PM
Surr: DNOP	113	21-129	%Rec	1	11/14/2022 8:22:30 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/14/2022 3:27:00 PM
Surr: BFB	103	37.7-212	%Rec	1	11/14/2022 3:27:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.025	mg/Kg	1	11/14/2022 3:27:00 PM
Toluene	ND	0.049	mg/Kg	1	11/14/2022 3:27:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	11/14/2022 3:27:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	11/14/2022 3:27:00 PM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	11/14/2022 3:27:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	210	59	mg/Kg	20	11/15/2022 12:54:35 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$ 

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 7 of 18

Lab Order **2211577**Date Reported: **11/17/2022** 

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-27 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 2:15:00 PM

 Lab ID:
 2211577-008
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Result **RL Qual Units** DF **Date Analyzed Analyses EPA METHOD 8015M/D: DIESEL RANGE ORGANICS** Analyst: **DGH** Diesel Range Organics (DRO) ND 15 mg/Kg 1 11/14/2022 8:32:58 PM Motor Oil Range Organics (MRO) ND 49 mg/Kg 1 11/14/2022 8:32:58 PM Surr: DNOP 109 21-129 %Rec 1 11/14/2022 8:32:58 PM **EPA METHOD 8015D: GASOLINE RANGE** Analyst: RAA Gasoline Range Organics (GRO) ND 4.7 11/14/2022 3:47:00 PM mg/Kg 1 Surr: BFB 102 37.7-212 %Rec 1 11/14/2022 3:47:00 PM **EPA METHOD 8021B: VOLATILES** Analyst: RAA Benzene ND 11/14/2022 3:47:00 PM 0.023 mg/Kg 1 Toluene ND 0.047 mg/Kg 1 11/14/2022 3:47:00 PM Ethylbenzene ND 0.047 mg/Kg 1 11/14/2022 3:47:00 PM Xylenes, Total ND 0.094 mg/Kg 11/14/2022 3:47:00 PM 1 Surr: 4-Bromofluorobenzene 108 70-130 %Rec 1 11/14/2022 3:47:00 PM **EPA METHOD 300.0: ANIONS** Analyst: NAI Chloride mg/Kg 11/15/2022 1:07:00 AM ND 60 20

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 18

Lab Order 2211577

### Hall Environmental Analysis Laboratory, Inc. Date Reported: 11/17/2022

CLIENT: Vertex Resources Services, Inc. Client Sample ID: BH22-27 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 2:20:00 PM

 Lab ID:
 2211577-009
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/14/2022 8:43:26 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/14/2022 8:43:26 PM
Surr: DNOP	110	21-129	%Rec	1	11/14/2022 8:43:26 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/14/2022 4:06:00 PM
Surr: BFB	96.8	37.7-212	%Rec	1	11/14/2022 4:06:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	11/14/2022 4:06:00 PM
Toluene	ND	0.049	mg/Kg	1	11/14/2022 4:06:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	11/14/2022 4:06:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	11/14/2022 4:06:00 PM
Surr: 4-Bromofluorobenzene	106	70-130	%Rec	1	11/14/2022 4:06:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	210	60	mg/Kg	20	11/15/2022 1:19:25 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 18

Lab Order 2211577

Date Reported: 11/17/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-28 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 3:00:00 PM

 Lab ID:
 2211577-010
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/14/2022 8:53:56 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/14/2022 8:53:56 PM
Surr: DNOP	108	21-129	%Rec	1	11/14/2022 8:53:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	11/14/2022 4:46:00 PM
Surr: BFB	103	37.7-212	%Rec	1	11/14/2022 4:46:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	11/14/2022 4:46:00 PM
Toluene	ND	0.046	mg/Kg	1	11/14/2022 4:46:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	11/14/2022 4:46:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	11/14/2022 4:46:00 PM
Surr: 4-Bromofluorobenzene	109	70-130	%Rec	1	11/14/2022 4:46:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/15/2022 1:31:49 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 18

Lab Order 2211577

Date Reported: 11/17/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-28 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 3:15:00 PM

 Lab ID:
 2211577-011
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/14/2022 9:04:28 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	11/14/2022 9:04:28 PM
Surr: DNOP	117	21-129	%Rec	1	11/14/2022 9:04:28 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	11/14/2022 5:06:00 PM
Surr: BFB	97.8	37.7-212	%Rec	1	11/14/2022 5:06:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.024	mg/Kg	1	11/14/2022 5:06:00 PM
Toluene	ND	0.048	mg/Kg	1	11/14/2022 5:06:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	11/14/2022 5:06:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	11/14/2022 5:06:00 PM
Surr: 4-Bromofluorobenzene	108	70-130	%Rec	1	11/14/2022 5:06:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	440	60	mg/Kg	20	11/15/2022 1:44:13 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 18

Lab Order **2211577** 

### Hall Environmental Analysis Laboratory, Inc.

Date Reported: 11/17/2022

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH22-35 0'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 1:45:00 PM

 Lab ID:
 2211577-012
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	11/14/2022 9:15:00 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	11/14/2022 9:15:00 PM
Surr: DNOP	105	21-129	%Rec	1	11/14/2022 9:15:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	11/14/2022 5:25:00 PM
Surr: BFB	94.0	37.7-212	%Rec	1	11/14/2022 5:25:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.025	mg/Kg	1	11/14/2022 5:25:00 PM
Toluene	ND	0.049	mg/Kg	1	11/14/2022 5:25:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	11/14/2022 5:25:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	11/14/2022 5:25:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	11/14/2022 5:25:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	59	mg/Kg	20	11/15/2022 1:34:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 18

Lab Order **2211577**Date Reported: **11/17/2022** 

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BH22-35 2'

 Project:
 SDE 31 Federal 009
 Collection Date: 11/7/2022 1:50:00 PM

 Lab ID:
 2211577-013
 Matrix: SOIL
 Received Date: 11/10/2022 7:15:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	11/14/2022 9:25:31 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	11/14/2022 9:25:31 PM
Surr: DNOP	110	21-129	%Rec	1	11/14/2022 9:25:31 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	11/14/2022 5:45:00 PM
Surr: BFB	103	37.7-212	%Rec	1	11/14/2022 5:45:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: RAA
Benzene	ND	0.023	mg/Kg	1	11/14/2022 5:45:00 PM
Toluene	ND	0.047	mg/Kg	1	11/14/2022 5:45:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	11/14/2022 5:45:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	11/14/2022 5:45:00 PM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	11/14/2022 5:45:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	11/15/2022 2:12:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 18

#### Hall Environmental Analysis Laboratory, Inc.

2211577 17-Nov-22

WO#:

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: MB-71490 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 71490 RunNo: 92581

Prep Date: 11/14/2022 Analysis Date: 11/14/2022 SeqNo: 3329330 Units: mq/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-71490 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 71490 RunNo: 92581

Prep Date: 11/14/2022 Analysis Date: 11/14/2022 SeqNo: 3329331 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 15 1.5 15.00 0 97.6 90 110

Sample ID: MB-71506 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 71506 RunNo: 92584

Prep Date: 11/15/2022 Analysis Date: 11/15/2022 SeqNo: 3331205 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-71506 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 71506 RunNo: 92584

Prep Date: 11/15/2022 Analysis Date: 11/15/2022 SeqNo: 3331206 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 96.6 90 110

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 14 of 18

#### Hall Environmental Analysis Laboratory, Inc.

2211577 17-Nov-22

WO#:

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: LCS-71461 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 71461 RunNo: 92557 Prep Date: 11/14/2022 Analysis Date: 11/14/2022 SeqNo: 3327869 Units: %Rec SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Analyte Result LowLimit Qual

Surr: DNOP 5.0 5.000 101 21 129

Sample ID: MB-71461 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 71461 RunNo: 92557 Prep Date: 11/14/2022 Analysis Date: 11/14/2022 SeqNo: 3327870 Units: %Rec %REC **RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val LowLimit HighLimit %RPD Qual Surr: DNOP 9.3 10.00 926 21 129

Sample ID: LCS-71439 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 71439 Prep Date: Analysis Date: 11/14/2022 SeqNo: 3329477 Units: mg/Kg 11/11/2022 SPK value SPK Ref Val Analyte Result POI %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 63 15 0 126 50.00 64.4 Surr: DNOP 7.4 5.000 149 21 129 S

Sample ID: MB-71439 TestCode: EPA Method 8015M/D: Diesel Range Organics SampType: MBLK Client ID: PBS Batch ID: 71439 RunNo: 92557 Units: mg/Kg Prep Date: 11/11/2022 Analysis Date: 11/14/2022 SeqNo: 3329478 %RPD Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit **RPDLimit** Qual Diesel Range Organics (DRO) ND 15 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 10 105 10.00 21 129

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 18

### Hall Environmental Analysis Laboratory, Inc.

2211577 17-Nov-22

WO#:

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: Ics-71438	SampType: LCS TestCode: EPA Method 8						ine Range	•	
Client ID: LCSS	Batch ID: <b>71438</b> RunNo: <b>925</b> 6				2569				
Prep Date: 11/11/2022	Analysis Date: 11/	14/2022	9	SeqNo: 33	328706	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26 5.0	25.00	0	104	72.3	137			
Surr: BFB	2300	1000		226	37.7	212			S
Sample ID: mb-71438	SampType: MB	LK	Tes	tCode: <b>EF</b>	A Method	8015D: Gasol	ine Range		
Client ID: PBS	Batch ID: 714	38	F	RunNo: 92	2569				
Prep Date: 11/11/2022	Analysis Date: 11/	14/2022	9	SeqNo: 33	328707	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND 5.0								
Surr: BFB	1000	1000		101	37.7	212			
Sample ID: Ics-71448	SampType: LCS	6	Tes	tCode: <b>EF</b>	PA Method	8015D: Gasol	ine Range		
Client ID: LCSS	Batch ID: 714	48	F	RunNo: 92	2569				
Prep Date: 11/11/2022	Analysis Date: 11/	14/2022	5	SeqNo: 33	328730	Units: %Rec	:		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	2300	1000		227	37.7	212			S

Sample ID: mb-71448	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range
Client ID: PBS	Batch ID: 71448	RunNo: 92569
Prep Date: 11/11/2022	Analysis Date: 11/14/2022	SeqNo: <b>3328731</b> Units: <b>%Rec</b>
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: BFB	990 1000	99.2 37.7 212

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 18

### Hall Environmental Analysis Laboratory, Inc.

2211577 17-Nov-22

WO#:

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: Ics-71438	SampType: LCS			Tes	TestCode: EPA Method 8021B: Volatiles					
Client ID: LCSS	Batch ID: 71438			F	RunNo: 92569					
Prep Date: 11/11/2022	Analysis D	Analysis Date: 11/14/2022			SeqNo: 3328759			(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	113	80	120			
Toluene	1.1	0.050	1.000	0	113	80	120			
Ethylbenzene	1.1	0.050	1.000	0	113	80	120			
Xylenes, Total	3.3	0.10	3.000	0	111	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		111	70	130			

Sample ID: mb-71438	Samp1	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volatiles			
Client ID: PBS	Batcl	ch ID: <b>71438</b>			RunNo: 92	2569				
Prep Date: 11/11/2022	Analysis D	)ate: <b>11</b>	/14/2022	5	SeqNo: 33	328760	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025		_			_			
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		109	70	130			

Sample ID: 2211577-001ams	Samp <sup>¬</sup>	Гуре: МЅ	}	Tes	PA Method	8021B: Volati	les			
Client ID: BH22-13 4'	Batc	h ID: <b>71</b> 4	138	RunNo: <b>92569</b>						
Prep Date: 11/11/2022	Analysis [	Date: 11	/14/2022	9	328763	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.024	0.9643	0	104	68.8	120			
Toluene	1.0	0.048	0.9643	0	104	73.6	124			
Ethylbenzene	1.0	0.048	0.9643	0	105	72.7	129			
Xylenes, Total	3.0	0.096	2.893	0	104	75.7	126			
Surr: 4-Bromofluorobenzene	1.0		0.9643		106	70	130			

Sample ID: 2211577-001amsd	SampT	mpType: MSD TestCode: EPA Method 8						les			
Client ID: BH22-13 4'	Batcl	n ID: <b>714</b>	38	RunNo: <b>92569</b>							
Prep Date: 11/11/2022	Analysis D	)ate: 11	/14/2022	022 SeqNo: 3328764 Units				nits: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	1.0	0.024	0.9588	0	105	68.8	120	0.466	20		
Toluene	1.0	0.048	0.9588	0	104	73.6	124	0.724	20		
Ethylbenzene	1.0	0.048	0.9588	0	106	72.7	129	0.641	20		
Xylenes, Total	3.0	0.096	2.876	0	105	75.7	126	0.772	20		
Surr: 4-Bromofluorobenzene	1.0		0.9588		108	70	130	0	0		

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 17 of 18

#### Hall Environmental Analysis Laboratory, Inc.

2211577

WO#:

17-Nov-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: Ics-71448 SampType: LCS TestCode: EPA Method 8021B: Volatiles

Client ID: LCSS Batch ID: 71448 RunNo: 92569

Prep Date: 11/11/2022 Analysis Date: 11/14/2022 SeqNo: 3328782 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Surr: 4-Bromofluorobenzene
 1.1
 1.000
 107
 70
 130

Sample ID: mb-71448 SampType: MBLK TestCode: EPA Method 8021B: Volatiles

Client ID: PBS Batch ID: 71448 RunNo: 92569

Prep Date: 11/11/2022 Analysis Date: 11/14/2022 SeqNo: 3328783 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Surr: 4-Bromofluorobenzene 1.1 1.000 109 70 130

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 18 of 18

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

### Sample Log-In Check List

Released to Imaging: 4/4/2024 9:35:21 AM

	Vertex Rese Services, Ir		Work	Order Num	ber: <b>2211577</b>	,	RcptNo	: 1
Received By:	Juan Roja	s	11/10/2	022 7:15:00	) AM	Grandy	3	
Completed By:	Desiree D	ominguez	11/10/2	022 8:18:24	AM	17		
Reviewed By: \		11-10						
Chain of Cust	od <u>v</u>							
1. Is Chain of Cu	stody compl	ete?			Yes 🗸	No 🗆	Not Present	
2. How was the s	ample deliv	ered?			Courier			
Log In								
<ol><li>Was an attempt</li></ol>	ot made to c	ool the sampl	es?		Yes 🗹	No 🗌	NA 🗆	
4. Were all sampl	es received	at a temperat	cure of >0° C	to 6.0°C	Yes 🗹	No 🗆	NA 🗆	
5. Sample(s) in p	roper contai	ner(s)?			Yes 🗹	No 🗀		
6. Sufficient samp	ole volume fo	or indicated te	st(s)?		Yes 🗹	No 🗌		
7. Are samples (e	xcept VOA	and ONG) pro	perly preserve	ed?	Yes 🗸	No 🗌		
8. Was preservati	ve added to	bottles?			Yes 🗌	No 🗹	NA 🗌	
9. Received at lea	ıst 1 vial witl	n headspace •	<1/4" for AQ V	OA?	Yes 🗌	No 🗌	NA 🗹	
10. Were any sam	ple containe	rs received br	oken?		Yes □	No 🗹	# of preserved	
11. Does paperwor (Note discrepar					Yes 🗹	No 🗌	bottles checked for pH: (<2 o	r >12 unless note
2. Are matrices co	orrectly ident	ified on Chair	of Custody?		Yes 🗹	No 🗌	Adjusted?	
3. Is it clear what	analyses we	re requested	?		Yes 🗹	No 🗌		1.1
4. Were all holding (If no, notify cus	_				Yes 🗹	No 🗌	Checked by:	W 1/101
Special Handlii								
15.Was client noti	ified of all di	screpancies w	vith this order?		Yes 🗌	No 🗌	NA <b>✓</b>	
Person N	Notified:			Date			-	
By Whor	n:			Via:	eMail [	Phone Fa	x In Person	
Regardin	ng:							
Client Ins	structions:			***				
16. Additional rem	narks:							
17. <u>Cooler Inform</u>	A.C.							
Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By		
11	0.4	Good	Not Present				April 1995	

eceived	36Pr. 3	84.3024	eceived Halfi 381-284 stott Mecord	Turn-Around Time:	me:				_	4	ш	2	712	N	Page 229 of 420	f 420
Client:		Vertex		💢 Standard	K Rush	KRUSH 5 Day			. 4	Z	ANALYSIS	SIS	1	ABO	LABORATORY	
		(direct bi	(direct bill to Devon)	Project Name:						www	hallen	viron	nent	www.hallenvironmental.com		
Mailing Address	dress:			SDE 31 Federa	600# Is			4901	4901 Hawkins NE	IN SI	1	nbnq	erque	Albuquerque, NM 87109	109	
				Project #:				Tel.	505-345-3975	15-39	75	Е В	505-3	Fax 505-345-4107	7	1
Phone #:				22E-02816-36							Ana	Analysis Request	Requ	rest		
email or Fax#:	ax#:			Project Manager:	::		(1	(0)			POS			(jua		
QA/QC Package:	:kage:			Kent Stallings			Z08			SW	S '₽C			урге		
☐ Standard	5		☐ Level 4 (Full Validation)	kstallings@vertex.ca	ex.ca		) s,e			S0,	) 9			//tu		
Accreditation:		□ Az Co	Az Compliance	Sampler:			TME			728	4O		(	 9sə.		
□ NELAC		□ Other		On Ice:	1-Yes	ON 🗆	. / :			10 (			(AO	1日)		
	ype)			# of Coolers:	1		38.			018			) <b>√</b> -i	w.i	_	
	-			Cooler Temp(including CF):	luding CF):	1.051:05	TM			8 yo			məç	olilo		
Date Tir	Time	Matrix	Sample Name	Container P	Preservative Type	HEAL No.	BTEX /	08:H9T 9 1808	EDB (V	sHA9	RCRA.	/) 0928	s) 07 <u>2</u> 8	O lstoT		
11/07/22	8:30 Soil	Soil	BH22-13 4'	1, 4oz jar	)	301	×	×			×					
11/07/22	8:45 Soil	Soil	BH22-136'	1, 4oz jar		7,00	X	×			×					
11/07/22	9:00 Soil	Soil	BH22-13 8'	1, 4oz jar		800	×	×			×					
11/07/22	11:15 Soil	Soil	BH22-25 0'	1, 4oz jar		ha	×	×			×					
11/07/22	11:20 Soil	Soil	BH22-25 2'	1, 4oz jar		000	×	×			×					
11/07/22	13:00 Soil	Soil	BH22-26 0'	1, 4oz jar		200	×	×			×					
11/07/22	13:05 Soil	Soil	BH22-26 2'	1, 4oz jar		27	×	×			×			-		
11/07/22	14:15 Soil	Soil	BH22-27 0'	1, 4oz jar		86	×	×			×					
11/07/22 1	14:20 Soil	Soil	BH22-27 2'	1, 4oz jar		000	×	×			×					
11/07/22	15:00 Soil	Soil	BH22-28 0'	1, 4oz jar		010	×	×			×					
11/07/22	15:15 Soil	Soil	BH22-28 2'	1, 4oz jar		011	×	×			×					$\Box$
																_
		Relinquished by	W Mg par	Received by:	Via:	Date Time	Ren	Remarks:	1				:			
10 EC-1011	05:10	- alt	2 Tublingin	Culmun	w	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Direct bill to Devon, Dale Woodall	to De	von, i vertex	Jale V	Vood:	all 21 Re	pour		
Date: Time:		Relinquished by	ed by:	Received by:	Via:	Date Time	<u>;</u>		) 2	2	? }		3	5		
4 AR 1900	30	are	alumas	M	CO CONTR	7110/22 7115										
4		dire columna	Addition and tracked between the property of t	saturated to his or near	anditod laboratoria	This contact of police of this	lionon a	Alien Ann	a character	Loctory	High otol	real of	ly notat	e and no ba	nalutical report	

If necessary, samples submitted to Hall Environmental may be subcontracted to the analytical report.

Page 230 of 420 ANALYSIS LABORATORY HALL ENVIRONMENTAL 4901 Hawkins NE - Albuquerque, NM 87109 Fax 505-345-4107 www.hallenvironmental.com cc. kstallings@vertex.ca for Final Report Analysis Request Total Coliform (Present/Absent) (AOV-ima2) 07S8 Direct bill to Devon, Dale Woodall (AOV) 09S8 CI' E'  $B^{L^{1}}$   $NO^{3}$ '  $NO^{5}$ '  $EO^{4}$ '  $2O^{4}$ × × Tel. 505-345-3975 RCRA 8 Metals PAHs by 8310 or 8270SIMS EDB (Method 504.1) 8081 Pesticides/8082 PCB's Remarks: (OAM \ OAO \ DRO \ MRO) × × BTEX / MTBE / TMB's (8021) × 700 1/4 50/01/1 /2/20101 Time HEAL NO. 2211577 てるしるから K Rush 5 Day 19/22 200 012 013 Preservative Cooler Temp(including CF): SDE 31 Federal #009 **☆Yes** kstallings@vertex.ca Type Turn-Around Time: <u>|</u> Project Manager: 22E-02816-36 Project Name: Kent Stallings Standard Standard # of Coolers: Type and # 1, 4oz jar 1, 4oz jar Container Received by: Received by: Project #: Sampler: On Ice: □ Level 4 (Full Validation) Received The 1842 Challed Mecord Sample Name BH22-35 2' BH22-35 0' alum (direct bill to Devon) Az Compliance Relinquished by: A JAN CHARLE Relinquished by: □ Other Matrix Vertex 13:50 Soil 13:45 Soil Mailing Address: Time QA/QC Package: 1900 ☐ EDD (Type) email or Fax#: Accreditation: 35 Time: Time: □ Standard □ NELAC Phone #: **₹** 11/07/22 11/07/22 Date Date:

If necessary, samples submitted to Hall Environmental may be subcontracted to when accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

December 15, 2022

Kent Stallings Vertex Resources Services, Inc. 3101 Boyd Drive Carlsbad, NM 88220 TEL: (505) 506-0040

FAX:

RE: SDE 31 Federal 009 OrderNo.: 2212211

#### Dear Kent Stallings:

Hall Environmental Analysis Laboratory received 143 sample(s) on 12/6/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

Indes

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-01 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:05:00 AM

 Lab ID:
 2212211-001
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 12:04:36 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 12:04:36 PM
Surr: DNOP	101	21-129	%Rec	1	12/7/2022 12:04:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 1:54:40 PM
Surr: BFB	90.9	37.7-212	%Rec	1	12/7/2022 1:54:40 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 1:54:40 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 1:54:40 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 1:54:40 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 1:54:40 PM
Surr: 4-Bromofluorobenzene	92.4	70-130	%Rec	1	12/7/2022 1:54:40 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 10:13:59 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-02 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:05:00 AM

 Lab ID:
 2212211-002
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 1:15:47 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 1:15:47 PM
Surr: DNOP	104	21-129	%Rec	1	12/7/2022 1:15:47 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 2:18:19 PM
Surr: BFB	92.3	37.7-212	%Rec	1	12/7/2022 2:18:19 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/7/2022 2:18:19 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 2:18:19 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 2:18:19 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/7/2022 2:18:19 PM
Surr: 4-Bromofluorobenzene	93.5	70-130	%Rec	1	12/7/2022 2:18:19 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	61	mg/Kg	20	12/7/2022 10:26:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-03 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:10:00 AM

 Lab ID:
 2212211-003
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 1:39:28 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 1:39:28 PM
Surr: DNOP	99.5	21-129	%Rec	1	12/7/2022 1:39:28 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 2:41:49 PM
Surr: BFB	92.6	37.7-212	%Rec	1	12/7/2022 2:41:49 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 2:41:49 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 2:41:49 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 2:41:49 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/7/2022 2:41:49 PM
Surr: 4-Bromofluorobenzene	92.6	70-130	%Rec	1	12/7/2022 2:41:49 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 10:38:47 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-04 -04'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:10:00 AM

 Lab ID:
 2212211-004
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 2:03:09 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 2:03:09 PM
Surr: DNOP	99.3	21-129	%Rec	1	12/7/2022 2:03:09 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 3:05:14 PM
Surr: BFB	94.2	37.7-212	%Rec	1	12/7/2022 3:05:14 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 3:05:14 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 3:05:14 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 3:05:14 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/7/2022 3:05:14 PM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	12/7/2022 3:05:14 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 10:51:11 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-05 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:15:00 AM

 Lab ID:
 2212211-005
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 2:50:35 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/7/2022 2:50:35 PM
Surr: DNOP	105	21-129	%Rec	1	12/7/2022 2:50:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 4:15:32 PM
Surr: BFB	93.5	37.7-212	%Rec	1	12/7/2022 4:15:32 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 4:15:32 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 4:15:32 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 4:15:32 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 4:15:32 PM
Surr: 4-Bromofluorobenzene	93.9	70-130	%Rec	1	12/7/2022 4:15:32 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 11:03:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-06 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:15:00 AM

 Lab ID:
 2212211-006
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 3:14:14 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 3:14:14 PM
Surr: DNOP	104	21-129	%Rec	1	12/7/2022 3:14:14 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 4:39:08 PM
Surr: BFB	89.5	37.7-212	%Rec	1	12/7/2022 4:39:08 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 4:39:08 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 4:39:08 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 4:39:08 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/7/2022 4:39:08 PM
Surr: 4-Bromofluorobenzene	92.0	70-130	%Rec	1	12/7/2022 4:39:08 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 11:40:48 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-07 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:20:00 AM

 Lab ID:
 2212211-007
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OI	RGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 3:37:57 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 3:37:57 PM
Surr: DNOP	101	21-129	%Rec	1	12/7/2022 3:37:57 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 5:02:44 PM
Surr: BFB	90.2	37.7-212	%Rec	1	12/7/2022 5:02:44 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 5:02:44 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 5:02:44 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 5:02:44 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 5:02:44 PM
Surr: 4-Bromofluorobenzene	91.9	70-130	%Rec	1	12/7/2022 5:02:44 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 11:53:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

ple pH Not In Range Page 7 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-08 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:20:00 AM

 Lab ID:
 2212211-008
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 4:01:38 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 4:01:38 PM
Surr: DNOP	102	21-129	%Rec	1	12/7/2022 4:01:38 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 5:26:22 PM
Surr: BFB	91.4	37.7-212	%Rec	1	12/7/2022 5:26:22 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 5:26:22 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 5:26:22 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 5:26:22 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 5:26:22 PM
Surr: 4-Bromofluorobenzene	92.5	70-130	%Rec	1	12/7/2022 5:26:22 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	83	60	mg/Kg	20	12/7/2022 4:23:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-09 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:25:00 AM

 Lab ID:
 2212211-009
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 4:25:20 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 4:25:20 PM
Surr: DNOP	105	21-129	%Rec	1	12/7/2022 4:25:20 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 5:50:07 PM
Surr: BFB	93.6	37.7-212	%Rec	1	12/7/2022 5:50:07 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 5:50:07 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 5:50:07 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 5:50:07 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/7/2022 5:50:07 PM
Surr: 4-Bromofluorobenzene	95.0	70-130	%Rec	1	12/7/2022 5:50:07 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	110	60	mg/Kg	20	12/7/2022 5:00:43 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 9 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-10 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:25:00 AM

 Lab ID:
 2212211-010
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 4:49:00 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/7/2022 4:49:00 PM
Surr: DNOP	103	21-129	%Rec	1	12/7/2022 4:49:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 6:13:45 PM
Surr: BFB	91.3	37.7-212	%Rec	1	12/7/2022 6:13:45 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 6:13:45 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 6:13:45 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 6:13:45 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/7/2022 6:13:45 PM
Surr: 4-Bromofluorobenzene	92.4	70-130	%Rec	1	12/7/2022 6:13:45 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 5:37:43 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-11 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:30:00 AM

 Lab ID:
 2212211-011
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 5:12:44 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 5:12:44 PM
Surr: DNOP	99.0	21-129	%Rec	1	12/7/2022 5:12:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 6:37:18 PM
Surr: BFB	91.9	37.7-212	%Rec	1	12/7/2022 6:37:18 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 6:37:18 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 6:37:18 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 6:37:18 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 6:37:18 PM
Surr: 4-Bromofluorobenzene	92.9	70-130	%Rec	1	12/7/2022 6:37:18 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 5:50:04 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-12 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:30:00 AM

 Lab ID:
 2212211-012
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 5:36:23 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/7/2022 5:36:23 PM
Surr: DNOP	104	21-129	%Rec	1	12/7/2022 5:36:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 7:00:54 PM
Surr: BFB	91.4	37.7-212	%Rec	1	12/7/2022 7:00:54 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 7:00:54 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 7:00:54 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 7:00:54 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 7:00:54 PM
Surr: 4-Bromofluorobenzene	92.5	70-130	%Rec	1	12/7/2022 7:00:54 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 6:27:05 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-13 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:35:00 AM

 Lab ID:
 2212211-013
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 6:00:02 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 6:00:02 PM
Surr: DNOP	99.9	21-129	%Rec	1	12/7/2022 6:00:02 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 7:24:23 PM
Surr: BFB	89.6	37.7-212	%Rec	1	12/7/2022 7:24:23 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 7:24:23 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 7:24:23 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 7:24:23 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/7/2022 7:24:23 PM
Surr: 4-Bromofluorobenzene	91.5	70-130	%Rec	1	12/7/2022 7:24:23 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 6:39:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-14 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:35:00 AM

 Lab ID:
 2212211-014
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>JME</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 6:23:37 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 6:23:37 PM
Surr: DNOP	98.5	21-129	%Rec	1	12/7/2022 6:23:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 7:47:56 PM
Surr: BFB	91.0	37.7-212	%Rec	1	12/7/2022 7:47:56 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 7:47:56 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 7:47:56 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 7:47:56 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/7/2022 7:47:56 PM
Surr: 4-Bromofluorobenzene	92.0	70-130	%Rec	1	12/7/2022 7:47:56 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 6:51:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-15 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:40:00 AM

 Lab ID:
 2212211-015
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 9:18:56 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 9:18:56 PM
Surr: DNOP	97.8	21-129	%Rec	1	12/7/2022 9:18:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 12:19:00 PM
Surr: BFB	104	37.7-212	%Rec	1	12/7/2022 12:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 12:19:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 12:19:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 12:19:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	12/7/2022 12:19:00 PM
Surr: 4-Bromofluorobenzene	106	70-130	%Rec	1	12/7/2022 12:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 7:04:07 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: WS22-16 0-4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:40:00 AM

 Lab ID:
 2212211-016
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 10:00:16 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 10:00:16 PM
Surr: DNOP	98.4	21-129	%Rec	1	12/7/2022 10:00:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 1:19:00 PM
Surr: BFB	107	37.7-212	%Rec	1	12/7/2022 1:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 1:19:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 1:19:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 1:19:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/7/2022 1:19:00 PM
Surr: 4-Bromofluorobenzene	109	70-130	%Rec	1	12/7/2022 1:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/7/2022 7:16:27 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-01 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:50:00 AM

 Lab ID:
 2212211-017
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed		
EPA METHOD 8015M/D: DIESEL RANGE C	EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 10:13:46 PM		
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/7/2022 10:13:46 PM		
Surr: DNOP	102	21-129	%Rec	1	12/7/2022 10:13:46 PM		
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM		
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/7/2022 2:18:00 PM		
Surr: BFB	102	37.7-212	%Rec	1	12/7/2022 2:18:00 PM		
EPA METHOD 8021B: VOLATILES					Analyst: CCM		
Benzene	ND	0.024	mg/Kg	1	12/7/2022 2:18:00 PM		
Toluene	ND	0.048	mg/Kg	1	12/7/2022 2:18:00 PM		
Ethylbenzene	ND	0.048	mg/Kg	1	12/7/2022 2:18:00 PM		
Xylenes, Total	ND	0.097	mg/Kg	1	12/7/2022 2:18:00 PM		
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	12/7/2022 2:18:00 PM		
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>		
Chloride	ND	61	mg/Kg	20	12/7/2022 7:28:48 PM		

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-02 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:50:00 AM

 Lab ID:
 2212211-018
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 10:27:23 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 10:27:23 PM
Surr: DNOP	104	21-129	%Rec	1	12/7/2022 10:27:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/7/2022 2:37:00 PM
Surr: BFB	103	37.7-212	%Rec	1	12/7/2022 2:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 2:37:00 PM
Toluene	ND	0.048	mg/Kg	1	12/7/2022 2:37:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	12/7/2022 2:37:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	12/7/2022 2:37:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/7/2022 2:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 7:41:09 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-03 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:55:00 AM

 Lab ID:
 2212211-019
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 10:41:02 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 10:41:02 PM
Surr: DNOP	102	21-129	%Rec	1	12/7/2022 10:41:02 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/7/2022 2:57:00 PM
Surr: BFB	106	37.7-212	%Rec	1	12/7/2022 2:57:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 2:57:00 PM
Toluene	ND	0.048	mg/Kg	1	12/7/2022 2:57:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	12/7/2022 2:57:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	12/7/2022 2:57:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/7/2022 2:57:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 7:53:29 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-04 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 7:55:00 AM

 Lab ID:
 2212211-020
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 10:54:43 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 10:54:43 PM
Surr: DNOP	105	21-129	%Rec	1	12/7/2022 10:54:43 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/7/2022 3:16:00 PM
Surr: BFB	102	37.7-212	%Rec	1	12/7/2022 3:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 3:16:00 PM
Toluene	ND	0.048	mg/Kg	1	12/7/2022 3:16:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	12/7/2022 3:16:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	12/7/2022 3:16:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/7/2022 3:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/7/2022 8:05:50 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-05 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:00:00 AM

 Lab ID:
 2212211-021
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 11:08:30 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 11:08:30 PM
Surr: DNOP	100	21-129	%Rec	1	12/7/2022 11:08:30 PM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	12/7/2022 3:36:00 PM
Surr: BFB	103	37.7-212	%Rec	1	12/7/2022 3:36:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 3:36:00 PM
Toluene	ND	0.047	mg/Kg	1	12/7/2022 3:36:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	12/7/2022 3:36:00 PM
Xylenes, Total	ND	0.094	mg/Kg	1	12/7/2022 3:36:00 PM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	12/7/2022 3:36:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 8:18:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-06 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:00:00 AM

 Lab ID:
 2212211-022
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 11:22:06 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 11:22:06 PM
Surr: DNOP	106	21-129	%Rec	1	12/7/2022 11:22:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	12/7/2022 3:56:00 PM
Surr: BFB	99.9	37.7-212	%Rec	1	12/7/2022 3:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.023	mg/Kg	1	12/7/2022 3:56:00 PM
Toluene	ND	0.047	mg/Kg	1	12/7/2022 3:56:00 PM
Ethylbenzene	ND	0.047	mg/Kg	1	12/7/2022 3:56:00 PM
Xylenes, Total	ND	0.093	mg/Kg	1	12/7/2022 3:56:00 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/7/2022 3:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 8:55:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-07 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:05:00 AM

 Lab ID:
 2212211-023
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 11:49:13 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 11:49:13 PM
Surr: DNOP	106	21-129	%Rec	1	12/7/2022 11:49:13 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 4:16:00 PM
Surr: BFB	105	37.7-212	%Rec	1	12/7/2022 4:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 4:16:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 4:16:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 4:16:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/7/2022 4:16:00 PM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	12/7/2022 4:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	67	60	mg/Kg	20	12/7/2022 9:07:33 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-08 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:05:00 AM

 Lab ID:
 2212211-024
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 12:02:50 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 12:02:50 AM
Surr: DNOP	115	21-129	%Rec	1	12/8/2022 12:02:50 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	12/7/2022 4:35:00 PM
Surr: BFB	110	37.7-212	%Rec	1	12/7/2022 4:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.023	mg/Kg	1	12/7/2022 4:35:00 PM
Toluene	ND	0.046	mg/Kg	1	12/7/2022 4:35:00 PM
Ethylbenzene	ND	0.046	mg/Kg	1	12/7/2022 4:35:00 PM
Xylenes, Total	ND	0.092	mg/Kg	1	12/7/2022 4:35:00 PM
Surr: 4-Bromofluorobenzene	108	70-130	%Rec	1	12/7/2022 4:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 9:19:54 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 24 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-09 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:10:00 AM

 Lab ID:
 2212211-025
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 12:16:38 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 12:16:38 AM
Surr: DNOP	104	21-129	%Rec	1	12/8/2022 12:16:38 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/7/2022 5:15:00 PM
Surr: BFB	105	37.7-212	%Rec	1	12/7/2022 5:15:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 5:15:00 PM
Toluene	ND	0.048	mg/Kg	1	12/7/2022 5:15:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	12/7/2022 5:15:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	12/7/2022 5:15:00 PM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	12/7/2022 5:15:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 9:32:15 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 25 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-10 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:10:00 AM

 Lab ID:
 2212211-026
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 12:30:15 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 12:30:15 AM
Surr: DNOP	105	21-129	%Rec	1	12/8/2022 12:30:15 AM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 5:34:00 PM
Surr: BFB	102	37.7-212	%Rec	1	12/7/2022 5:34:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/7/2022 5:34:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 5:34:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 5:34:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/7/2022 5:34:00 PM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	12/7/2022 5:34:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 9:44:35 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 26 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-11 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:15:00 AM

 Lab ID:
 2212211-027
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 12:43:45 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 12:43:45 AM
Surr: DNOP	96.1	21-129	%Rec	1	12/8/2022 12:43:45 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 5:54:00 PM
Surr: BFB	104	37.7-212	%Rec	1	12/7/2022 5:54:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 5:54:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 5:54:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 5:54:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	12/7/2022 5:54:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/7/2022 5:54:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/7/2022 9:56:56 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Not in Range Page 27 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-12 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:15:00 AM

 Lab ID:
 2212211-028
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 12:57:08 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 12:57:08 AM
Surr: DNOP	99.4	21-129	%Rec	1	12/8/2022 12:57:08 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 6:14:00 PM
Surr: BFB	95.5	37.7-212	%Rec	1	12/7/2022 6:14:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/7/2022 6:14:00 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 6:14:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 6:14:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 6:14:00 PM
Surr: 4-Bromofluorobenzene	99.6	70-130	%Rec	1	12/7/2022 6:14:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 11:28:33 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 28 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-13 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:20:00 AM

 Lab ID:
 2212211-029
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 1:10:25 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 1:10:25 AM
Surr: DNOP	107	21-129	%Rec	1	12/8/2022 1:10:25 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 6:33:00 PM
Surr: BFB	97.2	37.7-212	%Rec	1	12/7/2022 6:33:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 6:33:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 6:33:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 6:33:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/7/2022 6:33:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/7/2022 6:33:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 12:05:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 29 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-14 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:20:00 AM

 Lab ID:
 2212211-030
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 1:23:35 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 1:23:35 AM
Surr: DNOP	103	21-129	%Rec	1	12/8/2022 1:23:35 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/7/2022 6:53:00 PM
Surr: BFB	108	37.7-212	%Rec	1	12/7/2022 6:53:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 6:53:00 PM
Toluene	ND	0.048	mg/Kg	1	12/7/2022 6:53:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	12/7/2022 6:53:00 PM
Xylenes, Total	ND	0.096	mg/Kg	1	12/7/2022 6:53:00 PM
Surr: 4-Bromofluorobenzene	106	70-130	%Rec	1	12/7/2022 6:53:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 12:43:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 30 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-15 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:25:00 AM

 Lab ID:
 2212211-031
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 1:36:48 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 1:36:48 AM
Surr: DNOP	100	21-129	%Rec	1	12/8/2022 1:36:48 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 7:13:00 PM
Surr: BFB	104	37.7-212	%Rec	1	12/7/2022 7:13:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 7:13:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 7:13:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 7:13:00 PM
Xylenes, Total	ND	0.097	mg/Kg	1	12/7/2022 7:13:00 PM
Surr: 4-Bromofluorobenzene	106	70-130	%Rec	1	12/7/2022 7:13:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 12:55:24 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 31 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-16 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:25:00 AM

 Lab ID:
 2212211-032
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 1:49:51 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 1:49:51 AM
Surr: DNOP	100	21-129	%Rec	1	12/8/2022 1:49:51 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 7:32:00 PM
Surr: BFB	101	37.7-212	%Rec	1	12/7/2022 7:32:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/7/2022 7:32:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 7:32:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 7:32:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 7:32:00 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/7/2022 7:32:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 1:32:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$ 

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 32 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-17 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:30:00 AM

 Lab ID:
 2212211-033
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	12/8/2022 2:02:54 AM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/8/2022 2:02:54 AM
Surr: DNOP	98.4	21-129	%Rec	1	12/8/2022 2:02:54 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/7/2022 7:52:00 PM
Surr: BFB	98.6	37.7-212	%Rec	1	12/7/2022 7:52:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 7:52:00 PM
Toluene	ND	0.048	mg/Kg	1	12/7/2022 7:52:00 PM
Ethylbenzene	ND	0.048	mg/Kg	1	12/7/2022 7:52:00 PM
Xylenes, Total	ND	0.095	mg/Kg	1	12/7/2022 7:52:00 PM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/7/2022 7:52:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 1:45:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Not in Range Page 33 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-18 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:30:00 AM

 Lab ID:
 2212211-034
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 2:15:52 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 2:15:52 AM
Surr: DNOP	107	21-129	%Rec	1	12/8/2022 2:15:52 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/7/2022 8:12:00 PM
Surr: BFB	104	37.7-212	%Rec	1	12/7/2022 8:12:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/7/2022 8:12:00 PM
Toluene	ND	0.049	mg/Kg	1	12/7/2022 8:12:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/7/2022 8:12:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/7/2022 8:12:00 PM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	12/7/2022 8:12:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 1:57:25 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 34 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-19 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:35:00 AM

 Lab ID:
 2212211-035
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (	ORGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 8:38:03 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 8:38:03 AM
Surr: DNOP	80.4	21-129	%Rec	1	12/7/2022 8:38:03 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 10:09:00 PM
Surr: BFB	101	37.7-212	%Rec	1	12/7/2022 10:09:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/7/2022 10:09:00 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 10:09:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 10:09:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/7/2022 10:09:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/7/2022 10:09:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	59	mg/Kg	20	12/8/2022 2:09:50 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 35 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-20 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:35:00 AM

 Lab ID:
 2212211-036
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 9:18:39 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/7/2022 9:18:39 AM
Surr: DNOP	94.7	21-129	%Rec	1	12/7/2022 9:18:39 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 11:09:00 PM
Surr: BFB	109	37.7-212	%Rec	1	12/7/2022 11:09:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/7/2022 11:09:00 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 11:09:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 11:09:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 11:09:00 PM
Surr: 4-Bromofluorobenzene	106	70-130	%Rec	1	12/7/2022 11:09:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 2:22:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 36 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-21 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:40:00 AM

 Lab ID:
 2212211-037
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 9:32:21 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/7/2022 9:32:21 AM
Surr: DNOP	92.5	21-129	%Rec	1	12/7/2022 9:32:21 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 12:07:00 AM
Surr: BFB	100	37.7-212	%Rec	1	12/8/2022 12:07:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 12:07:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 12:07:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 12:07:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 12:07:00 AM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	12/8/2022 12:07:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 2:34:38 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 37 of 167

Date Reported: 12/15/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-22 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:40:00 AM

 Lab ID:
 2212211-038
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 9:46:00 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/7/2022 9:46:00 AM
Surr: DNOP	84.6	21-129	%Rec	1	12/7/2022 9:46:00 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 12:27:00 AM
Surr: BFB	98.9	37.7-212	%Rec	1	12/8/2022 12:27:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 12:27:00 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 12:27:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 12:27:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 12:27:00 AM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	12/8/2022 12:27:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	61	mg/Kg	20	12/8/2022 3:11:51 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 38 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-23 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:55:00 AM

 Lab ID:
 2212211-039
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 9:59:34 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 9:59:34 AM
Surr: DNOP	95.5	21-129	%Rec	1	12/7/2022 9:59:34 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 12:47:00 AM
Surr: BFB	99.8	37.7-212	%Rec	1	12/8/2022 12:47:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 12:47:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 12:47:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 12:47:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 12:47:00 AM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/8/2022 12:47:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 3:24:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 39 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-24 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 8:55:00 AM

 Lab ID:
 2212211-040
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 10:12:59 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 10:12:59 AM
Surr: DNOP	94.6	21-129	%Rec	1	12/7/2022 10:12:59 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 1:06:00 AM
Surr: BFB	104	37.7-212	%Rec	1	12/8/2022 1:06:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 1:06:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 1:06:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 1:06:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 1:06:00 AM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	12/8/2022 1:06:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 3:36:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 40 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-25 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:00:00 AM

 Lab ID:
 2212211-041
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 10:27:03 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/7/2022 10:27:03 AM
Surr: DNOP	112	21-129	%Rec	1	12/7/2022 10:27:03 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 1:26:00 AM
Surr: BFB	102	37.7-212	%Rec	1	12/8/2022 1:26:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 1:26:00 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 1:26:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 1:26:00 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 1:26:00 AM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/8/2022 1:26:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 3:49:04 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 41 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-26 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:00:00 AM

 Lab ID:
 2212211-042
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 10:54:34 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 10:54:34 AM
Surr: DNOP	92.0	21-129	%Rec	1	12/7/2022 10:54:34 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 1:46:00 AM
Surr: BFB	107	37.7-212	%Rec	1	12/8/2022 1:46:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 1:46:00 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 1:46:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 1:46:00 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 1:46:00 AM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/8/2022 1:46:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 4:01:28 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 42 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-27 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:05:00 AM

 Lab ID:
 2212211-043
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 11:08:03 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 11:08:03 AM
Surr: DNOP	122	21-129	%Rec	1	12/7/2022 11:08:03 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 2:06:00 AM
Surr: BFB	101	37.7-212	%Rec	1	12/8/2022 2:06:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 2:06:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 2:06:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 2:06:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 2:06:00 AM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	12/8/2022 2:06:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 4:13:53 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 43 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-28 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:05:00 AM

 Lab ID:
 2212211-044
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 11:21:34 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 11:21:34 AM
Surr: DNOP	95.1	21-129	%Rec	1	12/7/2022 11:21:34 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 2:25:00 AM
Surr: BFB	105	37.7-212	%Rec	1	12/8/2022 2:25:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 2:25:00 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 2:25:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 2:25:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 2:25:00 AM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	12/8/2022 2:25:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 4:26:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 44 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-29 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:10:00 AM

 Lab ID:
 2212211-045
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 11:35:17 AM
Motor Oil Range Organics (MRO)	ND	51	mg/Kg	1	12/7/2022 11:35:17 AM
Surr: DNOP	96.9	21-129	%Rec	1	12/7/2022 11:35:17 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 3:05:00 AM
Surr: BFB	107	37.7-212	%Rec	1	12/8/2022 3:05:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 3:05:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 3:05:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 3:05:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 3:05:00 AM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	12/8/2022 3:05:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 5:03:30 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 45 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-30 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:10:00 AM

 Lab ID:
 2212211-046
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 11:49:16 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 11:49:16 AM
Surr: DNOP	90.9	21-129	%Rec	1	12/7/2022 11:49:16 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 3:24:00 AM
Surr: BFB	98.6	37.7-212	%Rec	1	12/8/2022 3:24:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 3:24:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 3:24:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 3:24:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 3:24:00 AM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	12/8/2022 3:24:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 6:05:32 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 46 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-31 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:15:00 AM

 Lab ID:
 2212211-047
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL (	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR					Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	14		mg/Kg	1	12/7/2022 12:02:46 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	12/7/2022 12:02:46 PM
Surr: DNOP	93.8	21-129		%Rec	1	12/7/2022 12:02:46 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	12/8/2022 3:44:00 AM
Surr: BFB	207	37.7-212		%Rec	1	12/8/2022 3:44:00 AM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.025		mg/Kg	1	12/8/2022 3:44:00 AM
Toluene	ND	0.050		mg/Kg	1	12/8/2022 3:44:00 AM
Ethylbenzene	ND	0.050		mg/Kg	1	12/8/2022 3:44:00 AM
Xylenes, Total	ND	0.10		mg/Kg	1	12/8/2022 3:44:00 AM
Surr: 4-Bromofluorobenzene	217	70-130	S	%Rec	1	12/8/2022 3:44:00 AM
EPA METHOD 300.0: ANIONS						Analyst: CAS
Chloride	510	60		mg/Kg	20	12/8/2022 6:42:45 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 47 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-32 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:15:00 AM

 Lab ID:
 2212211-048
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (	ORGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 12:16:37 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 12:16:37 PM
Surr: DNOP	100	21-129	%Rec	1	12/7/2022 12:16:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 4:04:00 AM
Surr: BFB	99.6	37.7-212	%Rec	1	12/8/2022 4:04:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 4:04:00 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 4:04:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 4:04:00 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 4:04:00 AM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/8/2022 4:04:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	61	mg/Kg	20	12/8/2022 6:55:10 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 48 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-33 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:20:00 AM

 Lab ID:
 2212211-049
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 12:30:44 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 12:30:44 PM
Surr: DNOP	95.3	21-129	%Rec	1	12/7/2022 12:30:44 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 4:23:00 AM
Surr: BFB	104	37.7-212	%Rec	1	12/8/2022 4:23:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 4:23:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 4:23:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 4:23:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 4:23:00 AM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/8/2022 4:23:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 7:07:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 49 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-34 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:20:00 AM

 Lab ID:
 2212211-050
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 12:44:30 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 12:44:30 PM
Surr: DNOP	92.2	21-129	%Rec	1	12/7/2022 12:44:30 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 4:43:00 AM
Surr: BFB	101	37.7-212	%Rec	1	12/8/2022 4:43:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 4:43:00 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 4:43:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 4:43:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 4:43:00 AM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	12/8/2022 4:43:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 7:19:59 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 50 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-35 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:25:00 AM

 Lab ID:
 2212211-051
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 12:58:16 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 12:58:16 PM
Surr: DNOP	93.2	21-129	%Rec	1	12/7/2022 12:58:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 5:03:00 AM
Surr: BFB	101	37.7-212	%Rec	1	12/8/2022 5:03:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 5:03:00 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 5:03:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 5:03:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 5:03:00 AM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/8/2022 5:03:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 7:32:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 51 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-36 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:25:00 AM

 Lab ID:
 2212211-052
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O				Analyst: <b>DGH</b>	
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 1:11:55 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 1:11:55 PM
Surr: DNOP	95.1	21-129	%Rec	1	12/7/2022 1:11:55 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 5:22:00 AM
Surr: BFB	99.9	37.7-212	%Rec	1	12/8/2022 5:22:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 5:22:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 5:22:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 5:22:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 5:22:00 AM
Surr: 4-Bromofluorobenzene	105	70-130	%Rec	1	12/8/2022 5:22:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 8:09:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 52 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-37 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:30:00 AM

 Lab ID:
 2212211-053
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 1:25:32 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 1:25:32 PM
Surr: DNOP	93.1	21-129	%Rec	1	12/7/2022 1:25:32 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 5:42:00 AM
Surr: BFB	104	37.7-212	%Rec	1	12/8/2022 5:42:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 5:42:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 5:42:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 5:42:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 5:42:00 AM
Surr: 4-Bromofluorobenzene	107	70-130	%Rec	1	12/8/2022 5:42:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	100	60	mg/Kg	20	12/8/2022 8:22:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 53 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-38 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:30:00 AM

 Lab ID:
 2212211-054
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 1:39:18 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 1:39:18 PM
Surr: DNOP	94.2	21-129	%Rec	1	12/7/2022 1:39:18 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 6:02:00 AM
Surr: BFB	100	37.7-212	%Rec	1	12/8/2022 6:02:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 6:02:00 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 6:02:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 6:02:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 6:02:00 AM
Surr: 4-Bromofluorobenzene	106	70-130	%Rec	1	12/8/2022 6:02:00 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 8:34:25 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 54 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-39 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:35:00 AM

 Lab ID:
 2212211-055
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 2:34:11 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 2:34:11 PM
Surr: DNOP	101	21-129	%Rec	1	12/7/2022 2:34:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 10:09:00 PM
Surr: BFB	91.3	37.7-212	%Rec	1	12/7/2022 10:09:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 10:09:00 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 10:09:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 10:09:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/7/2022 10:09:00 PM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	12/7/2022 10:09:00 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	89	60	mg/Kg	20	12/8/2022 8:46:49 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 55 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-40 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:35:00 AM

 Lab ID:
 2212211-056
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OI		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 3:15:03 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 3:15:03 PM
Surr: DNOP	109	21-129	%Rec	1	12/7/2022 3:15:03 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/7/2022 11:19:29 PM
Surr: BFB	93.6	37.7-212	%Rec	1	12/7/2022 11:19:29 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/7/2022 11:19:29 PM
Toluene	ND	0.050	mg/Kg	1	12/7/2022 11:19:29 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/7/2022 11:19:29 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/7/2022 11:19:29 PM
Surr: 4-Bromofluorobenzene	95.0	70-130	%Rec	1	12/7/2022 11:19:29 PM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	180	60	mg/Kg	20	12/8/2022 8:59:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 56 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-41 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:40:00 AM

 Lab ID:
 2212211-057
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 3:28:40 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/7/2022 3:28:40 PM
Surr: DNOP	118	21-129	%Rec	1	12/7/2022 3:28:40 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 12:30:07 AM
Surr: BFB	92.6	37.7-212	%Rec	1	12/8/2022 12:30:07 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 12:30:07 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 12:30:07 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 12:30:07 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 12:30:07 AM
Surr: 4-Bromofluorobenzene	95.0	70-130	%Rec	1	12/8/2022 12:30:07 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	280	60	mg/Kg	20	12/8/2022 9:11:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

porting Limit Page 57 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-42 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:40:00 AM

 Lab ID:
 2212211-058
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 3:42:16 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 3:42:16 PM
Surr: DNOP	119	21-129	%Rec	1	12/7/2022 3:42:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 12:53:36 AM
Surr: BFB	92.7	37.7-212	%Rec	1	12/8/2022 12:53:36 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 12:53:36 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 12:53:36 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 12:53:36 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 12:53:36 AM
Surr: 4-Bromofluorobenzene	93.3	70-130	%Rec	1	12/8/2022 12:53:36 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	280	60	mg/Kg	20	12/8/2022 9:24:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 58 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-43 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:45:00 AM

 Lab ID:
 2212211-059
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qua	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 3:55:47 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/7/2022 3:55:47 PM
Surr: DNOP	101	21-129	%Rec	1	12/7/2022 3:55:47 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 1:16:55 AM
Surr: BFB	95.3	37.7-212	%Rec	1	12/8/2022 1:16:55 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 1:16:55 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 1:16:55 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 1:16:55 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 1:16:55 AM
Surr: 4-Bromofluorobenzene	97.7	70-130	%Rec	1	12/8/2022 1:16:55 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	430	60	mg/Kg	20	12/8/2022 9:36:25 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

rting Limit Page 59 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-44 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 9:45:00 AM

 Lab ID:
 2212211-060
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 4:09:23 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/7/2022 4:09:23 PM
Surr: DNOP	96.5	21-129	%Rec	1	12/7/2022 4:09:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	12/8/2022 1:40:27 AM
Surr: BFB	90.6	37.7-212	%Rec	1	12/8/2022 1:40:27 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 1:40:27 AM
Toluene	ND	0.047	mg/Kg	1	12/8/2022 1:40:27 AM
Ethylbenzene	ND	0.047	mg/Kg	1	12/8/2022 1:40:27 AM
Xylenes, Total	ND	0.094	mg/Kg	1	12/8/2022 1:40:27 AM
Surr: 4-Bromofluorobenzene	92.6	70-130	%Rec	1	12/8/2022 1:40:27 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	330	60	mg/Kg	20	12/8/2022 9:48:50 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 60 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-45 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:00:00 AM

 Lab ID:
 2212211-061
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	51	15	mg/Kg	1	12/7/2022 4:23:17 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 4:23:17 PM
Surr: DNOP	106	21-129	%Rec	1	12/7/2022 4:23:17 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 2:03:58 AM
Surr: BFB	89.9	37.7-212	%Rec	1	12/8/2022 2:03:58 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 2:03:58 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 2:03:58 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 2:03:58 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 2:03:58 AM
Surr: 4-Bromofluorobenzene	90.6	70-130	%Rec	1	12/8/2022 2:03:58 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 10:01:14 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 61 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-46 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:00:00 AM

 Lab ID:
 2212211-062
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 4:36:48 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/7/2022 4:36:48 PM
Surr: DNOP	106	21-129	%Rec	1	12/7/2022 4:36:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 2:27:28 AM
Surr: BFB	92.3	37.7-212	%Rec	1	12/8/2022 2:27:28 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 2:27:28 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 2:27:28 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 2:27:28 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 2:27:28 AM
Surr: 4-Bromofluorobenzene	94.0	70-130	%Rec	1	12/8/2022 2:27:28 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 10:38:27 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 62 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-47 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:05:00 AM

 Lab ID:
 2212211-063
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 5:58:25 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/7/2022 5:58:25 PM
Surr: DNOP	113	21-129	%Rec	1	12/7/2022 5:58:25 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/8/2022 2:51:01 AM
Surr: BFB	90.9	37.7-212	%Rec	1	12/8/2022 2:51:01 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 2:51:01 AM
Toluene	ND	0.048	mg/Kg	1	12/8/2022 2:51:01 AM
Ethylbenzene	ND	0.048	mg/Kg	1	12/8/2022 2:51:01 AM
Xylenes, Total	ND	0.096	mg/Kg	1	12/8/2022 2:51:01 AM
Surr: 4-Bromofluorobenzene	93.4	70-130	%Rec	1	12/8/2022 2:51:01 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 10:50:52 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 63 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-48 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:05:00 AM

 Lab ID:
 2212211-064
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 6:11:48 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 6:11:48 PM
Surr: DNOP	98.2	21-129	%Rec	1	12/7/2022 6:11:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/8/2022 3:14:24 AM
Surr: BFB	90.8	37.7-212	%Rec	1	12/8/2022 3:14:24 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 3:14:24 AM
Toluene	ND	0.048	mg/Kg	1	12/8/2022 3:14:24 AM
Ethylbenzene	ND	0.048	mg/Kg	1	12/8/2022 3:14:24 AM
Xylenes, Total	ND	0.096	mg/Kg	1	12/8/2022 3:14:24 AM
Surr: 4-Bromofluorobenzene	93.3	70-130	%Rec	1	12/8/2022 3:14:24 AM
EPA METHOD 300.0: ANIONS					Analyst: CAS
Chloride	ND	60	mg/Kg	20	12/8/2022 11:03:16 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 64 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-49 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:10:00 AM

 Lab ID:
 2212211-065
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 6:25:09 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 6:25:09 PM
Surr: DNOP	97.3	21-129	%Rec	1	12/7/2022 6:25:09 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 4:01:20 AM
Surr: BFB	90.8	37.7-212	%Rec	1	12/8/2022 4:01:20 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 4:01:20 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 4:01:20 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 4:01:20 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 4:01:20 AM
Surr: 4-Bromofluorobenzene	93.2	70-130	%Rec	1	12/8/2022 4:01:20 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/8/2022 9:44:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 65 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-50 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:10:00 AM

 Lab ID:
 2212211-066
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 6:38:29 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 6:38:29 PM
Surr: DNOP	109	21-129	%Rec	1	12/7/2022 6:38:29 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 4:24:45 AM
Surr: BFB	91.5	37.7-212	%Rec	1	12/8/2022 4:24:45 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 4:24:45 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 4:24:45 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 4:24:45 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 4:24:45 AM
Surr: 4-Bromofluorobenzene	92.9	70-130	%Rec	1	12/8/2022 4:24:45 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/8/2022 10:21:18 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 66 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-51 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:15:00 AM

 Lab ID:
 2212211-067
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 6:51:47 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 6:51:47 PM
Surr: DNOP	106	21-129	%Rec	1	12/7/2022 6:51:47 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	12/8/2022 4:48:12 AM
Surr: BFB	90.8	37.7-212	%Rec	1	12/8/2022 4:48:12 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 4:48:12 AM
Toluene	ND	0.047	mg/Kg	1	12/8/2022 4:48:12 AM
Ethylbenzene	ND	0.047	mg/Kg	1	12/8/2022 4:48:12 AM
Xylenes, Total	ND	0.095	mg/Kg	1	12/8/2022 4:48:12 AM
Surr: 4-Bromofluorobenzene	92.5	70-130	%Rec	1	12/8/2022 4:48:12 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/8/2022 11:23:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 67 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-52 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:15:00 AM

 Lab ID:
 2212211-068
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 7:05:06 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 7:05:06 PM
Surr: DNOP	106	21-129	%Rec	1	12/7/2022 7:05:06 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 5:11:45 AM
Surr: BFB	90.2	37.7-212	%Rec	1	12/8/2022 5:11:45 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 5:11:45 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 5:11:45 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 5:11:45 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 5:11:45 AM
Surr: 4-Bromofluorobenzene	92.7	70-130	%Rec	1	12/8/2022 5:11:45 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	59	mg/Kg	20	12/8/2022 11:35:22 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 68 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-53 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:20:00 AM

 Lab ID:
 2212211-069
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 7:18:22 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/7/2022 7:18:22 PM
Surr: DNOP	102	21-129	%Rec	1	12/7/2022 7:18:22 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/8/2022 9:34:42 AM
Surr: BFB	90.8	37.7-212	%Rec	1	12/8/2022 9:34:42 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 9:34:42 AM
Toluene	ND	0.048	mg/Kg	1	12/8/2022 9:34:42 AM
Ethylbenzene	ND	0.048	mg/Kg	1	12/8/2022 9:34:42 AM
Xylenes, Total	ND	0.096	mg/Kg	1	12/8/2022 9:34:42 AM
Surr: 4-Bromofluorobenzene	92.8	70-130	%Rec	1	12/8/2022 9:34:42 AM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/8/2022 11:47:42 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 69 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-54 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:20:00 AM

 Lab ID:
 2212211-070
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 7:31:39 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 7:31:39 PM
Surr: DNOP	107	21-129	%Rec	1	12/7/2022 7:31:39 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 9:58:13 AM
Surr: BFB	94.3	37.7-212	%Rec	1	12/8/2022 9:58:13 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 9:58:13 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 9:58:13 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 9:58:13 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 9:58:13 AM
Surr: 4-Bromofluorobenzene	96.9	70-130	%Rec	1	12/8/2022 9:58:13 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/9/2022 12:00:04 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 70 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-55 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:25:00 AM

 Lab ID:
 2212211-071
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 7:44:49 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/7/2022 7:44:49 PM
Surr: DNOP	103	21-129	%Rec	1	12/7/2022 7:44:49 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 10:21:45 AM
Surr: BFB	91.1	37.7-212	%Rec	1	12/8/2022 10:21:45 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 10:21:45 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 10:21:45 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 10:21:45 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 10:21:45 AM
Surr: 4-Bromofluorobenzene	94.2	70-130	%Rec	1	12/8/2022 10:21:45 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/9/2022 12:12:24 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$ 

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 71 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-56 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:25:00 AM

 Lab ID:
 2212211-072
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 7:57:56 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 7:57:56 PM
Surr: DNOP	119	21-129	%Rec	1	12/7/2022 7:57:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 10:45:21 AM
Surr: BFB	90.4	37.7-212	%Rec	1	12/8/2022 10:45:21 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 10:45:21 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 10:45:21 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 10:45:21 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 10:45:21 AM
Surr: 4-Bromofluorobenzene	93.3	70-130	%Rec	1	12/8/2022 10:45:21 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	59	mg/Kg	20	12/9/2022 12:24:46 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 72 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-57 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:30:00 AM

 Lab ID:
 2212211-073
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/7/2022 8:11:08 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/7/2022 8:11:08 PM
Surr: DNOP	107	21-129	%Rec	1	12/7/2022 8:11:08 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 11:08:48 AM
Surr: BFB	90.6	37.7-212	%Rec	1	12/8/2022 11:08:48 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 11:08:48 AM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 11:08:48 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 11:08:48 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 11:08:48 AM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	12/8/2022 11:08:48 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/9/2022 12:37:06 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 73 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-58 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:30:00 AM

 Lab ID:
 2212211-074
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/7/2022 8:24:10 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/7/2022 8:24:10 PM
Surr: DNOP	108	21-129	%Rec	1	12/7/2022 8:24:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 11:32:09 AM
Surr: BFB	95.5	37.7-212	%Rec	1	12/8/2022 11:32:09 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 11:32:09 AM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 11:32:09 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 11:32:09 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 11:32:09 AM
Surr: 4-Bromofluorobenzene	96.5	70-130	%Rec	1	12/8/2022 11:32:09 AM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/9/2022 12:49:27 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 74 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BS22-59 4'

Project: SDE 31 Federal 009 **Collection Date:** 12/2/2022 10:35:00 AM 2212211-075 Lab ID: Matrix: SOIL **Received Date:** 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>SB</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 9:42:45 AM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 9:42:45 AM
Surr: DNOP	99.3	21-129	%Rec	1	12/8/2022 9:42:45 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 5:42:00 PM
Surr: BFB	102	37.7-212	%Rec	1	12/8/2022 5:42:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 5:42:00 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 5:42:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 5:42:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 5:42:00 PM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/8/2022 5:42:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/9/2022 1:01:47 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 75 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-60 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:35:00 AM

 Lab ID:
 2212211-076
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 10:23:55 AM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 10:23:55 AM
Surr: DNOP	112	21-129	%Rec	1	12/8/2022 10:23:55 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 6:41:00 PM
Surr: BFB	99.1	37.7-212	%Rec	1	12/8/2022 6:41:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 6:41:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 6:41:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 6:41:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 6:41:00 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	12/8/2022 6:41:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	120	59	mg/Kg	20	12/9/2022 1:14:08 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 76 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BS22-61 4'

Project: SDE 31 Federal 009 **Collection Date:** 12/2/2022 10:40:00 AM 2212211-077 Lab ID: Matrix: SOIL **Received Date:** 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	<b>Date Analyzed</b>
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: SB				
Diesel Range Organics (DRO)	47	15	mg/Kg	1	12/8/2022 10:37:53 AM
Motor Oil Range Organics (MRO)	76	49	mg/Kg	1	12/8/2022 10:37:53 AM
Surr: DNOP	108	21-129	%Rec	1	12/8/2022 10:37:53 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 7:40:00 PM
Surr: BFB	100	37.7-212	%Rec	1	12/8/2022 7:40:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 7:40:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 7:40:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 7:40:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 7:40:00 PM
Surr: 4-Bromofluorobenzene	99.8	70-130	%Rec	1	12/8/2022 7:40:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/9/2022 1:51:09 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value Ε
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 77 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-62 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:40:00 AM

 Lab ID:
 2212211-078
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>SB</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 10:51:42 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 10:51:42 AM
Surr: DNOP	116	21-129	%Rec	1	12/8/2022 10:51:42 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 7:59:00 PM
Surr: BFB	99.3	37.7-212	%Rec	1	12/8/2022 7:59:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 7:59:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 7:59:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 7:59:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 7:59:00 PM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	12/8/2022 7:59:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/9/2022 2:03:31 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 78 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-63 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:45:00 AM

 Lab ID:
 2212211-079
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: SB				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 11:05:52 AM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 11:05:52 AM
Surr: DNOP	106	21-129	%Rec	1	12/8/2022 11:05:52 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 8:19:00 PM
Surr: BFB	99.0	37.7-212	%Rec	1	12/8/2022 8:19:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 8:19:00 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 8:19:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 8:19:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 8:19:00 PM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	12/8/2022 8:19:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	230	60	mg/Kg	20	12/9/2022 2:15:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 79 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-64 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:45:00 AM

 Lab ID:
 2212211-080
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 11:19:51 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 11:19:51 AM
Surr: DNOP	101	21-129	%Rec	1	12/8/2022 11:19:51 AM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 8:39:00 PM
Surr: BFB	98.4	37.7-212	%Rec	1	12/8/2022 8:39:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 8:39:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 8:39:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 8:39:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 8:39:00 PM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	12/8/2022 8:39:00 PM
EPA METHOD 300.0: ANIONS					Analyst: <b>JTT</b>
Chloride	ND	60	mg/Kg	20	12/9/2022 2:28:13 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 80 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-65 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:50:00 AM

 Lab ID:
 2212211-081
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 11:33:37 AM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/8/2022 11:33:37 AM
Surr: DNOP	98.0	21-129	%Rec	1	12/8/2022 11:33:37 AM
EPA METHOD 8015D: GASOLINE RANGE	1				Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 8:58:00 PM
Surr: BFB	102	37.7-212	%Rec	1	12/8/2022 8:58:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 8:58:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 8:58:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 8:58:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 8:58:00 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	12/8/2022 8:58:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/9/2022 2:40:33 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 81 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-66 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 10:50:00 AM

 Lab ID:
 2212211-082
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 12:01:46 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 12:01:46 PM
Surr: DNOP	99.0	21-129	%Rec	1	12/8/2022 12:01:46 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 9:18:00 PM
Surr: BFB	96.7	37.7-212	%Rec	1	12/8/2022 9:18:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 9:18:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 9:18:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 9:18:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 9:18:00 PM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	12/8/2022 9:18:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	180	60	mg/Kg	20	12/9/2022 2:52:53 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

porting Limit Page 82 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-67 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:00:00 AM

 Lab ID:
 2212211-083
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: SB				
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	12/8/2022 2:05:27 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/8/2022 2:05:27 PM
Surr: DNOP	99.3	21-129	%Rec	1	12/8/2022 2:05:27 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 9:38:00 PM
Surr: BFB	98.3	37.7-212	%Rec	1	12/8/2022 9:38:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 9:38:00 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 9:38:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 9:38:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 9:38:00 PM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	12/8/2022 9:38:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/9/2022 3:05:14 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 83 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-68 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:00:00 AM

 Lab ID:
 2212211-084
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 2:19:23 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 2:19:23 PM
Surr: DNOP	99.7	21-129	%Rec	1	12/8/2022 2:19:23 PM
EPA METHOD 8015D: GASOLINE RANGE	<u> </u>				Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 9:58:00 PM
Surr: BFB	99.2	37.7-212	%Rec	1	12/8/2022 9:58:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 9:58:00 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 9:58:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 9:58:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 9:58:00 PM
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	12/8/2022 9:58:00 PM
EPA METHOD 300.0: ANIONS					Analyst: JTT
Chloride	ND	60	mg/Kg	20	12/9/2022 3:17:35 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 84 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-69 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:05:00 AM

 Lab ID:
 2212211-085
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>SB</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 2:33:01 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 2:33:01 PM
Surr: DNOP	102	21-129	%Rec	1	12/8/2022 2:33:01 PM
EPA METHOD 8015D: GASOLINE RANGE	<u> </u>				Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 10:37:00 PM
Surr: BFB	95.4	37.7-212	%Rec	1	12/8/2022 10:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 10:37:00 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 10:37:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 10:37:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 10:37:00 PM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	12/8/2022 10:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	170	60	mg/Kg	20	12/9/2022 8:46:26 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 85 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-70 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:05:00 AM

 Lab ID:
 2212211-086
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 2:47:01 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 2:47:01 PM
Surr: DNOP	98.4	21-129	%Rec	1	12/8/2022 2:47:01 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 10:56:00 PM
Surr: BFB	98.8	37.7-212	%Rec	1	12/8/2022 10:56:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 10:56:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 10:56:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 10:56:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 10:56:00 PM
Surr: 4-Bromofluorobenzene	98.9	70-130	%Rec	1	12/8/2022 10:56:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 9:23:27 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 86 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-71 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:10:00 AM

 Lab ID:
 2212211-087
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 3:01:10 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 3:01:10 PM
Surr: DNOP	102	21-129	%Rec	1	12/8/2022 3:01:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 11:16:00 PM
Surr: BFB	93.1	37.7-212	%Rec	1	12/8/2022 11:16:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 11:16:00 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 11:16:00 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 11:16:00 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 11:16:00 PM
Surr: 4-Bromofluorobenzene	98.4	70-130	%Rec	1	12/8/2022 11:16:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	66	60	mg/Kg	20	12/9/2022 10:00:29 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 87 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-72 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:10:00 AM

 Lab ID:
 2212211-088
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/12/2022 12:55:53 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/12/2022 12:55:53 PM
Surr: DNOP	115	21-129	%Rec	1	12/12/2022 12:55:53 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 11:35:00 PM
Surr: BFB	96.9	37.7-212	%Rec	1	12/8/2022 11:35:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 11:35:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 11:35:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 11:35:00 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 11:35:00 PM
Surr: 4-Bromofluorobenzene	97.3	70-130	%Rec	1	12/8/2022 11:35:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 10:12:51 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 88 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-73 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:15:00 AM

 Lab ID:
 2212211-089
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	12/8/2022 3:28:45 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/8/2022 3:28:45 PM
Surr: DNOP	96.0	21-129	%Rec	1	12/8/2022 3:28:45 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 11:55:00 PM
Surr: BFB	93.8	37.7-212	%Rec	1	12/8/2022 11:55:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/8/2022 11:55:00 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 11:55:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 11:55:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 11:55:00 PM
Surr: 4-Bromofluorobenzene	97.1	70-130	%Rec	1	12/8/2022 11:55:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	490	59	mg/Kg	20	12/9/2022 10:49:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 89 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-74 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:15:00 AM

 Lab ID:
 2212211-090
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: SB				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 3:42:35 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 3:42:35 PM
Surr: DNOP	119	21-129	%Rec	1	12/8/2022 3:42:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 12:15:00 AM
Surr: BFB	95.2	37.7-212	%Rec	1	12/9/2022 12:15:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 12:15:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 12:15:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 12:15:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 12:15:00 AM
Surr: 4-Bromofluorobenzene	98.9	70-130	%Rec	1	12/9/2022 12:15:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 11:02:12 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 90 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-75 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:20:00 AM

 Lab ID:
 2212211-091
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 3:56:23 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 3:56:23 PM
Surr: DNOP	111	21-129	%Rec	1	12/8/2022 3:56:23 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 12:34:00 AM
Surr: BFB	90.9	37.7-212	%Rec	1	12/9/2022 12:34:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 12:34:00 AM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 12:34:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 12:34:00 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/9/2022 12:34:00 AM
Surr: 4-Bromofluorobenzene	95.9	70-130	%Rec	1	12/9/2022 12:34:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 11:14:33 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 91 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-76 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 11:20:00 AM

 Lab ID:
 2212211-092
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 4:10:16 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 4:10:16 PM
Surr: DNOP	106	21-129	%Rec	1	12/8/2022 4:10:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 12:54:00 AM
Surr: BFB	98.1	37.7-212	%Rec	1	12/9/2022 12:54:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 12:54:00 AM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 12:54:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 12:54:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 12:54:00 AM
Surr: 4-Bromofluorobenzene	98.6	70-130	%Rec	1	12/9/2022 12:54:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	200	60	mg/Kg	20	12/9/2022 11:26:53 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 92 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-77 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:30:00 PM

 Lab ID:
 2212211-093
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	12/8/2022 4:23:54 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/8/2022 4:23:54 PM
Surr: DNOP	121	21-129	%Rec	1	12/8/2022 4:23:54 PM
EPA METHOD 8015D: GASOLINE RANGE	Ī				Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 1:13:00 AM
Surr: BFB	95.2	37.7-212	%Rec	1	12/9/2022 1:13:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 1:13:00 AM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 1:13:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 1:13:00 AM
Xylenes, Total	ND	0.10	mg/Kg	1	12/9/2022 1:13:00 AM
Surr: 4-Bromofluorobenzene	98.6	70-130	%Rec	1	12/9/2022 1:13:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	540	60	mg/Kg	20	12/9/2022 11:39:14 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 93 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-78 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:30:00 PM

 Lab ID:
 2212211-094
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 4:37:34 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/8/2022 4:37:34 PM
Surr: DNOP	107	21-129	%Rec	1	12/8/2022 4:37:34 PM
EPA METHOD 8015D: GASOLINE RANGE	<u> </u>				Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 1:33:00 AM
Surr: BFB	92.4	37.7-212	%Rec	1	12/9/2022 1:33:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 1:33:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 1:33:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 1:33:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 1:33:00 AM
Surr: 4-Bromofluorobenzene	95.3	70-130	%Rec	1	12/9/2022 1:33:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 11:51:35 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 94 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-79 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:35:00 PM

 Lab ID:
 2212211-095
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	12/9/2022 3:30:36 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	12/9/2022 3:30:36 PM
Surr: DNOP	113	21-129	%Rec	1	12/9/2022 3:30:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/8/2022 3:50:19 PM
Surr: BFB	95.4	37.7-212	%Rec	1	12/8/2022 3:50:19 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 3:50:19 PM
Toluene	ND	0.048	mg/Kg	1	12/8/2022 3:50:19 PM
Ethylbenzene	ND	0.048	mg/Kg	1	12/8/2022 3:50:19 PM
Xylenes, Total	ND	0.096	mg/Kg	1	12/8/2022 3:50:19 PM
Surr: 4-Bromofluorobenzene	98.0	70-130	%Rec	1	12/8/2022 3:50:19 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	59	mg/Kg	20	12/9/2022 12:03:56 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 95 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-80 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:35:00 PM

 Lab ID:
 2212211-096
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>SB</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 11:43:35 AM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 11:43:35 AM
Surr: DNOP	102	21-129	%Rec	1	12/8/2022 11:43:35 AM
EPA METHOD 8015D: GASOLINE RANGE	1				Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 5:47:44 PM
Surr: BFB	92.4	37.7-212	%Rec	1	12/8/2022 5:47:44 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 5:47:44 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 5:47:44 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 5:47:44 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 5:47:44 PM
Surr: 4-Bromofluorobenzene	94.4	70-130	%Rec	1	12/8/2022 5:47:44 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 12:16:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 96 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-81 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:40:00 PM

 Lab ID:
 2212211-097
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>SB</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 12:07:32 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 12:07:32 PM
Surr: DNOP	102	21-129	%Rec	1	12/8/2022 12:07:32 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 6:58:21 PM
Surr: BFB	92.2	37.7-212	%Rec	1	12/8/2022 6:58:21 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 6:58:21 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 6:58:21 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 6:58:21 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 6:58:21 PM
Surr: 4-Bromofluorobenzene	94.6	70-130	%Rec	1	12/8/2022 6:58:21 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 12:28:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 97 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-82 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:40:00 PM

 Lab ID:
 2212211-098
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: <b>SB</b>				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 12:31:28 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/8/2022 12:31:28 PM
Surr: DNOP	102	21-129	%Rec	1	12/8/2022 12:31:28 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 7:21:51 PM
Surr: BFB	91.0	37.7-212	%Rec	1	12/8/2022 7:21:51 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 7:21:51 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 7:21:51 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 7:21:51 PM
Xylenes, Total	ND	0.097	mg/Kg	1	12/8/2022 7:21:51 PM
Surr: 4-Bromofluorobenzene	93.7	70-130	%Rec	1	12/8/2022 7:21:51 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 12:40:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 98 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-83 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:45:00 PM

 Lab ID:
 2212211-099
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: <b>SB</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 12:55:39 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 12:55:39 PM
Surr: DNOP	101	21-129	%Rec	1	12/8/2022 12:55:39 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 7:45:23 PM
Surr: BFB	92.9	37.7-212	%Rec	1	12/8/2022 7:45:23 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 7:45:23 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 7:45:23 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 7:45:23 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/8/2022 7:45:23 PM
Surr: 4-Bromofluorobenzene	94.9	70-130	%Rec	1	12/8/2022 7:45:23 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 1:18:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 99 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-84 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:45:00 PM

 Lab ID:
 2212211-100
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: SB				
Diesel Range Organics (DRO)	17	15	mg/Kg	1	12/8/2022 1:19:48 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 1:19:48 PM
Surr: DNOP	96.4	21-129	%Rec	1	12/8/2022 1:19:48 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 8:08:49 PM
Surr: BFB	93.4	37.7-212	%Rec	1	12/8/2022 8:08:49 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 8:08:49 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 8:08:49 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 8:08:49 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 8:08:49 PM
Surr: 4-Bromofluorobenzene	96.2	70-130	%Rec	1	12/8/2022 8:08:49 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 1:30:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 100 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-85 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:50:00 PM

 Lab ID:
 2212211-101
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 1:44:00 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 1:44:00 PM
Surr: DNOP	110	21-129	%Rec	1	12/8/2022 1:44:00 PM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>	1				Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 8:32:18 PM
Surr: BFB	90.9	37.7-212	%Rec	1	12/8/2022 8:32:18 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 8:32:18 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 8:32:18 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 8:32:18 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 8:32:18 PM
Surr: 4-Bromofluorobenzene	93.8	70-130	%Rec	1	12/8/2022 8:32:18 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 1:42:41 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 101 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-86 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:50:00 PM

 Lab ID:
 2212211-102
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	Analyst: SB				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 2:08:05 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 2:08:05 PM
Surr: DNOP	90.2	21-129	%Rec	1	12/8/2022 2:08:05 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 8:55:49 PM
Surr: BFB	93.0	37.7-212	%Rec	1	12/8/2022 8:55:49 PM
<b>EPA METHOD 8021B: VOLATILES</b>					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 8:55:49 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 8:55:49 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 8:55:49 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 8:55:49 PM
Surr: 4-Bromofluorobenzene	95.6	70-130	%Rec	1	12/8/2022 8:55:49 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	360	60	mg/Kg	20	12/9/2022 1:55:02 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 102 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-87 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:55:00 PM

 Lab ID:
 2212211-103
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: SB				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 2:32:22 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 2:32:22 PM
Surr: DNOP	100	21-129	%Rec	1	12/8/2022 2:32:22 PM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>	1				Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/8/2022 9:19:17 PM
Surr: BFB	90.7	37.7-212	%Rec	1	12/8/2022 9:19:17 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 9:19:17 PM
Toluene	ND	0.048	mg/Kg	1	12/8/2022 9:19:17 PM
Ethylbenzene	ND	0.048	mg/Kg	1	12/8/2022 9:19:17 PM
Xylenes, Total	ND	0.096	mg/Kg	1	12/8/2022 9:19:17 PM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	12/8/2022 9:19:17 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	59	mg/Kg	20	12/9/2022 2:07:23 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 103 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-88 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 12:55:00 PM

 Lab ID:
 2212211-104
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 2:56:30 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 2:56:30 PM
Surr: DNOP	115	21-129	%Rec	1	12/8/2022 2:56:30 PM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>	<u> </u>				Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 9:42:49 PM
Surr: BFB	90.7	37.7-212	%Rec	1	12/8/2022 9:42:49 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 9:42:49 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 9:42:49 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 9:42:49 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 9:42:49 PM
Surr: 4-Bromofluorobenzene	93.4	70-130	%Rec	1	12/8/2022 9:42:49 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	320	60	mg/Kg	20	12/9/2022 2:19:44 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 104 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-89 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:00:00 PM

 Lab ID:
 2212211-105
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: <b>SB</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 3:20:47 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 3:20:47 PM
Surr: DNOP	101	21-129	%Rec	1	12/8/2022 3:20:47 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 10:06:15 PM
Surr: BFB	89.6	37.7-212	%Rec	1	12/8/2022 10:06:15 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 10:06:15 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 10:06:15 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 10:06:15 PM
Xylenes, Total	ND	0.098	mg/Kg	1	12/8/2022 10:06:15 PM
Surr: 4-Bromofluorobenzene	91.6	70-130	%Rec	1	12/8/2022 10:06:15 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1100	60	mg/Kg	20	12/9/2022 3:27:56 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 105 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-90 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:00:00 PM

 Lab ID:
 2212211-106
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 3:44:58 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 3:44:58 PM
Surr: DNOP	99.8	21-129	%Rec	1	12/8/2022 3:44:58 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/8/2022 11:16:31 PM
Surr: BFB	91.2	37.7-212	%Rec	1	12/8/2022 11:16:31 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/8/2022 11:16:31 PM
Toluene	ND	0.049	mg/Kg	1	12/8/2022 11:16:31 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/8/2022 11:16:31 PM
Xylenes, Total	ND	0.097	mg/Kg	1	12/8/2022 11:16:31 PM
Surr: 4-Bromofluorobenzene	93.9	70-130	%Rec	1	12/8/2022 11:16:31 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 4:05:09 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 106 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-91 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:05:00 PM

 Lab ID:
 2212211-107
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 4:09:16 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/8/2022 4:09:16 PM
Surr: DNOP	104	21-129	%Rec	1	12/8/2022 4:09:16 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/8/2022 11:39:55 PM
Surr: BFB	92.0	37.7-212	%Rec	1	12/8/2022 11:39:55 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/8/2022 11:39:55 PM
Toluene	ND	0.050	mg/Kg	1	12/8/2022 11:39:55 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/8/2022 11:39:55 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/8/2022 11:39:55 PM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	12/8/2022 11:39:55 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	700	60	mg/Kg	20	12/9/2022 4:17:33 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 107 of 167

Date Reported: 12/15/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-92 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:05:00 PM

 Lab ID:
 2212211-108
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: <b>SB</b>			
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 4:33:21 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 4:33:21 PM
Surr: DNOP	106	21-129	%Rec	1	12/8/2022 4:33:21 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 12:03:17 AM
Surr: BFB	91.0	37.7-212	%Rec	1	12/9/2022 12:03:17 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 12:03:17 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 12:03:17 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 12:03:17 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 12:03:17 AM
Surr: 4-Bromofluorobenzene	94.5	70-130	%Rec	1	12/9/2022 12:03:17 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1600	61	mg/Kg	20	12/9/2022 5:19:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 108 of 167

Date Reported: 12/15/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-93 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:10:00 PM

 Lab ID:
 2212211-109
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: <b>SB</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 4:57:37 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 4:57:37 PM
Surr: DNOP	104	21-129	%Rec	1	12/8/2022 4:57:37 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 12:26:34 AM
Surr: BFB	90.5	37.7-212	%Rec	1	12/9/2022 12:26:34 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 12:26:34 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 12:26:34 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 12:26:34 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 12:26:34 AM
Surr: 4-Bromofluorobenzene	93.5	70-130	%Rec	1	12/9/2022 12:26:34 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	850	60	mg/Kg	20	12/9/2022 5:31:58 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 109 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-94 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:10:00 PM

 Lab ID:
 2212211-110
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG		Analyst: <b>SB</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 5:21:45 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 5:21:45 PM
Surr: DNOP	101	21-129	%Rec	1	12/8/2022 5:21:45 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 12:49:54 AM
Surr: BFB	86.7	37.7-212	%Rec	1	12/9/2022 12:49:54 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 12:49:54 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 12:49:54 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 12:49:54 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 12:49:54 AM
Surr: 4-Bromofluorobenzene	89.8	70-130	%Rec	1	12/9/2022 12:49:54 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	3900	150	mg/Kg	50	12/10/2022 5:01:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 110 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-95 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:15:00 PM

 Lab ID:
 2212211-111
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 5:46:04 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/8/2022 5:46:04 PM
Surr: DNOP	98.6	21-129	%Rec	1	12/8/2022 5:46:04 PM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 1:13:15 AM
Surr: BFB	91.3	37.7-212	%Rec	1	12/9/2022 1:13:15 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/9/2022 1:13:15 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 1:13:15 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 1:13:15 AM
Xylenes, Total	ND	0.097	mg/Kg	1	12/9/2022 1:13:15 AM
Surr: 4-Bromofluorobenzene	93.9	70-130	%Rec	1	12/9/2022 1:13:15 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	310	60	mg/Kg	20	12/9/2022 5:56:47 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 111 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-96 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:15:00 AM

 Lab ID:
 2212211-112
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE (	Analyst: SB				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 6:10:11 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 6:10:11 PM
Surr: DNOP	98.9	21-129	%Rec	1	12/8/2022 6:10:11 PM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/9/2022 1:36:31 AM
Surr: BFB	90.2	37.7-212	%Rec	1	12/9/2022 1:36:31 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/9/2022 1:36:31 AM
Toluene	ND	0.048	mg/Kg	1	12/9/2022 1:36:31 AM
Ethylbenzene	ND	0.048	mg/Kg	1	12/9/2022 1:36:31 AM
Xylenes, Total	ND	0.096	mg/Kg	1	12/9/2022 1:36:31 AM
Surr: 4-Bromofluorobenzene	92.9	70-130	%Rec	1	12/9/2022 1:36:31 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	230	60	mg/Kg	20	12/9/2022 4:36:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 112 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-97 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:20:00 PM

 Lab ID:
 2212211-113
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: SB				
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	12/8/2022 6:34:36 PM
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	12/8/2022 6:34:36 PM
Surr: DNOP	96.5	21-129	%Rec	1	12/8/2022 6:34:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	12/9/2022 1:59:48 AM
Surr: BFB	90.7	37.7-212	%Rec	1	12/9/2022 1:59:48 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/9/2022 1:59:48 AM
Toluene	ND	0.048	mg/Kg	1	12/9/2022 1:59:48 AM
Ethylbenzene	ND	0.048	mg/Kg	1	12/9/2022 1:59:48 AM
Xylenes, Total	ND	0.096	mg/Kg	1	12/9/2022 1:59:48 AM
Surr: 4-Bromofluorobenzene	93.1	70-130	%Rec	1	12/9/2022 1:59:48 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	88	60	mg/Kg	20	12/9/2022 4:48:59 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 113 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-98 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:20:00 PM

 Lab ID:
 2212211-114
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: <b>SB</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 6:58:46 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 6:58:46 PM
Surr: DNOP	98.0	21-129	%Rec	1	12/8/2022 6:58:46 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 2:23:04 AM
Surr: BFB	88.1	37.7-212	%Rec	1	12/9/2022 2:23:04 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 2:23:04 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 2:23:04 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 2:23:04 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 2:23:04 AM
Surr: 4-Bromofluorobenzene	90.5	70-130	%Rec	1	12/9/2022 2:23:04 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 5:26:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 114 of 167

Date Reported: 12/15/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-99 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:25:00 PM

 Lab ID:
 2212211-115
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 3:34:35 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 3:34:35 PM
Surr: DNOP	118	21-129	%Rec	1	12/8/2022 3:34:35 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 3:30:00 AM
Surr: BFB	93.7	37.7-212	%Rec	1	12/9/2022 3:30:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/9/2022 3:30:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 3:30:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 3:30:00 AM
Xylenes, Total	ND	0.097	mg/Kg	1	12/9/2022 3:30:00 AM
Surr: 4-Bromofluorobenzene	96.7	70-130	%Rec	1	12/9/2022 3:30:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1900	60	mg/Kg	20	12/9/2022 5:38:21 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 115 of 167

Date Reported: 12/15/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-100 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:25:00 PM

 Lab ID:
 2212211-116
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 3:45:05 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 3:45:05 PM
Surr: DNOP	120	21-129	%Rec	1	12/8/2022 3:45:05 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 4:28:00 AM
Surr: BFB	103	37.7-212	%Rec	1	12/9/2022 4:28:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 4:28:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 4:28:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 4:28:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 4:28:00 AM
Surr: 4-Bromofluorobenzene	98.4	70-130	%Rec	1	12/9/2022 4:28:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	5000	300	mg/Kg	100	12/10/2022 5:13:39 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 116 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-101 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:30:00 PM

 Lab ID:
 2212211-117
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O			Analyst: <b>DGH</b>		
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 4:16:47 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 4:16:47 PM
Surr: DNOP	117	21-129	%Rec	1	12/8/2022 4:16:47 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 5:27:00 AM
Surr: BFB	96.4	37.7-212	%Rec	1	12/9/2022 5:27:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 5:27:00 AM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 5:27:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 5:27:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 5:27:00 AM
Surr: 4-Bromofluorobenzene	99.5	70-130	%Rec	1	12/9/2022 5:27:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	6300	300	mg/Kg	100	12/10/2022 5:26:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 117 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-102 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:30:00 PM

 Lab ID:
 2212211-118
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 4:27:24 PM
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	12/8/2022 4:27:24 PM
Surr: DNOP	122	21-129	%Rec	1	12/8/2022 4:27:24 PM
EPA METHOD 8015D: GASOLINE RANGE	1				Analyst: CCM
Gasoline Range Organics (GRO)	ND	49	mg/Kg	1	12/9/2022 5:46:00 AM
Surr: BFB	97.3	37.7-212	%Rec	1	12/9/2022 5:46:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.25	mg/Kg	1	12/9/2022 5:46:00 AM
Toluene	ND	0.49	mg/Kg	1	12/9/2022 5:46:00 AM
Ethylbenzene	ND	0.49	mg/Kg	1	12/9/2022 5:46:00 AM
Xylenes, Total	ND	0.98	mg/Kg	1	12/9/2022 5:46:00 AM
Surr: 4-Bromofluorobenzene	98.1	70-130	%Rec	1	12/9/2022 5:46:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	700	60	mg/Kg	20	12/9/2022 6:15:24 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 118 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-103 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:35:00 PM

 Lab ID:
 2212211-119
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: <b>DGH</b>			
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 4:38:01 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 4:38:01 PM
Surr: DNOP	125	21-129	%Rec	1	12/8/2022 4:38:01 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 6:06:00 AM
Surr: BFB	96.6	37.7-212	%Rec	1	12/9/2022 6:06:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 6:06:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 6:06:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 6:06:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 6:06:00 AM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	12/9/2022 6:06:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	1300	59	mg/Kg	20	12/9/2022 6:27:45 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 119 of 167

Date Reported: 12/15/2022

#### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-104 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 1:35:00 PM

 Lab ID:
 2212211-120
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 4:48:36 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 4:48:36 PM
Surr: DNOP	123	21-129	%Rec	1	12/8/2022 4:48:36 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 6:25:00 AM
Surr: BFB	92.1	37.7-212	%Rec	1	12/9/2022 6:25:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/9/2022 6:25:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 6:25:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 6:25:00 AM
Xylenes, Total	ND	0.097	mg/Kg	1	12/9/2022 6:25:00 AM
Surr: 4-Bromofluorobenzene	98.6	70-130	%Rec	1	12/9/2022 6:25:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	930	60	mg/Kg	20	12/9/2022 6:40:06 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 120 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-105 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:00:00 PM

 Lab ID:
 2212211-121
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 4:59:13 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 4:59:13 PM
Surr: DNOP	126	21-129	%Rec	1	12/8/2022 4:59:13 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 6:45:00 AM
Surr: BFB	98.5	37.7-212	%Rec	1	12/9/2022 6:45:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/9/2022 6:45:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 6:45:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 6:45:00 AM
Xylenes, Total	ND	0.097	mg/Kg	1	12/9/2022 6:45:00 AM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	12/9/2022 6:45:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	600	60	mg/Kg	20	12/9/2022 6:52:27 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 121 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-106 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:00:00 PM

 Lab ID:
 2212211-122
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL (	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15		mg/Kg	1	12/8/2022 5:09:51 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	12/8/2022 5:09:51 PM
Surr: DNOP	143	21-129	S	%Rec	1	12/8/2022 5:09:51 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	12/9/2022 7:04:00 AM
Surr: BFB	95.3	37.7-212		%Rec	1	12/9/2022 7:04:00 AM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.025		mg/Kg	1	12/9/2022 7:04:00 AM
Toluene	ND	0.050		mg/Kg	1	12/9/2022 7:04:00 AM
Ethylbenzene	ND	0.050		mg/Kg	1	12/9/2022 7:04:00 AM
Xylenes, Total	ND	0.10		mg/Kg	1	12/9/2022 7:04:00 AM
Surr: 4-Bromofluorobenzene	100	70-130		%Rec	1	12/9/2022 7:04:00 AM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	4200	150		mg/Kg	50	12/10/2022 5:38:20 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 122 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-107 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:05:00 PM

 Lab ID:
 2212211-123
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 5:20:31 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 5:20:31 PM
Surr: DNOP	114	21-129	%Rec	1	12/8/2022 5:20:31 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 7:24:00 AM
Surr: BFB	95.9	37.7-212	%Rec	1	12/9/2022 7:24:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 7:24:00 AM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 7:24:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 7:24:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 7:24:00 AM
Surr: 4-Bromofluorobenzene	99.4	70-130	%Rec	1	12/9/2022 7:24:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	930	60	mg/Kg	20	12/9/2022 7:17:09 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

 $ND \qquad Not \ Detected \ at \ the \ Reporting \ Limit$ 

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 123 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-108 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:05:00 PM

 Lab ID:
 2212211-124
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 5:31:08 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 5:31:08 PM
Surr: DNOP	125	21-129	%Rec	1	12/8/2022 5:31:08 PM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 7:44:00 AM
Surr: BFB	102	37.7-212	%Rec	1	12/9/2022 7:44:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 7:44:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 7:44:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 7:44:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 7:44:00 AM
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	12/9/2022 7:44:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	120	60	mg/Kg	20	12/9/2022 7:54:12 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 124 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-109 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:10:00 PM

 Lab ID:
 2212211-125
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL (	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15		mg/Kg	1	12/8/2022 5:41:48 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	12/8/2022 5:41:48 PM
Surr: DNOP	129	21-129	S	%Rec	1	12/8/2022 5:41:48 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	12/9/2022 8:23:00 AM
Surr: BFB	95.8	37.7-212		%Rec	1	12/9/2022 8:23:00 AM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.024		mg/Kg	1	12/9/2022 8:23:00 AM
Toluene	ND	0.049		mg/Kg	1	12/9/2022 8:23:00 AM
Ethylbenzene	ND	0.049		mg/Kg	1	12/9/2022 8:23:00 AM
Xylenes, Total	ND	0.098		mg/Kg	1	12/9/2022 8:23:00 AM
Surr: 4-Bromofluorobenzene	99.7	70-130		%Rec	1	12/9/2022 8:23:00 AM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	ND	60		mg/Kg	20	12/9/2022 8:43:34 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 125 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-110 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:10:00 PM

 Lab ID:
 2212211-126
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OI	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 5:52:25 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 5:52:25 PM
Surr: DNOP	119	21-129	%Rec	1	12/8/2022 5:52:25 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 8:42:00 AM
Surr: BFB	97.8	37.7-212	%Rec	1	12/9/2022 8:42:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 8:42:00 AM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 8:42:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 8:42:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 8:42:00 AM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	12/9/2022 8:42:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	160	60	mg/Kg	20	12/9/2022 8:06:32 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 126 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-111 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:15:00 PM

 Lab ID:
 2212211-127
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 6:03:00 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 6:03:00 PM
Surr: DNOP	115	21-129	%Rec	1	12/8/2022 6:03:00 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 9:02:00 AM
Surr: BFB	96.5	37.7-212	%Rec	1	12/9/2022 9:02:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 9:02:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 9:02:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 9:02:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 9:02:00 AM
Surr: 4-Bromofluorobenzene	98.1	70-130	%Rec	1	12/9/2022 9:02:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/9/2022 9:20:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 127 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-112 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:15:00 PM

 Lab ID:
 2212211-128
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL (	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14		mg/Kg	1	12/8/2022 6:13:34 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	12/8/2022 6:13:34 PM
Surr: DNOP	134	21-129	S	%Rec	1	12/8/2022 6:13:34 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	12/9/2022 9:21:00 AM
Surr: BFB	96.1	37.7-212		%Rec	1	12/9/2022 9:21:00 AM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.025		mg/Kg	1	12/9/2022 9:21:00 AM
Toluene	ND	0.049		mg/Kg	1	12/9/2022 9:21:00 AM
Ethylbenzene	ND	0.049		mg/Kg	1	12/9/2022 9:21:00 AM
Xylenes, Total	ND	0.099		mg/Kg	1	12/9/2022 9:21:00 AM
Surr: 4-Bromofluorobenzene	98.2	70-130		%Rec	1	12/9/2022 9:21:00 AM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	ND	60		mg/Kg	20	12/9/2022 9:32:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 128 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-113 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:20:00 PM

 Lab ID:
 2212211-129
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL (	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	14		mg/Kg	1	12/8/2022 6:24:09 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	12/8/2022 6:24:09 PM
Surr: DNOP	144	21-129	S	%Rec	1	12/8/2022 6:24:09 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	12/9/2022 9:41:00 AM
Surr: BFB	102	37.7-212		%Rec	1	12/9/2022 9:41:00 AM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.024		mg/Kg	1	12/9/2022 9:41:00 AM
Toluene	ND	0.049		mg/Kg	1	12/9/2022 9:41:00 AM
Ethylbenzene	ND	0.049		mg/Kg	1	12/9/2022 9:41:00 AM
Xylenes, Total	ND	0.097		mg/Kg	1	12/9/2022 9:41:00 AM
Surr: 4-Bromofluorobenzene	102	70-130		%Rec	1	12/9/2022 9:41:00 AM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	ND	60		mg/Kg	20	12/9/2022 9:45:17 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 129 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-114 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:20:00 PM

 Lab ID:
 2212211-130
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE C	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	19	15	mg/Kg	1	12/8/2022 6:34:50 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 6:34:50 PM
Surr: DNOP	119	21-129	%Rec	1	12/8/2022 6:34:50 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 10:01:00 AM
Surr: BFB	97.3	37.7-212	%Rec	1	12/9/2022 10:01:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.024	mg/Kg	1	12/9/2022 10:01:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 10:01:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 10:01:00 AM
Xylenes, Total	ND	0.097	mg/Kg	1	12/9/2022 10:01:00 AM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/9/2022 10:01:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	61	mg/Kg	20	12/9/2022 10:22:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 130 of 167

Date Reported: 12/15/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-115 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:25:00 PM

 Lab ID:
 2212211-131
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	30	15	mg/Kg	1	12/8/2022 6:45:31 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 6:45:31 PM
Surr: DNOP	124	21-129	%Rec	1	12/8/2022 6:45:31 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 10:20:00 AM
Surr: BFB	103	37.7-212	%Rec	1	12/9/2022 10:20:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 10:20:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 10:20:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 10:20:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 10:20:00 AM
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	12/9/2022 10:20:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	150	60	mg/Kg	20	12/9/2022 10:34:40 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 131 of 167

Date Reported: 12/15/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-116 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:25:00 PM

 Lab ID:
 2212211-132
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qua	l Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: <b>DGH</b>				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 6:56:10 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 6:56:10 PM
Surr: DNOP	115	21-129	%Rec	1	12/8/2022 6:56:10 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 10:40:00 AM
Surr: BFB	98.6	37.7-212	%Rec	1	12/9/2022 10:40:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 10:40:00 AM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 10:40:00 AM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 10:40:00 AM
Xylenes, Total	ND	0.098	mg/Kg	1	12/9/2022 10:40:00 AM
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	12/9/2022 10:40:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/10/2022 12:50:28 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 132 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-117 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:30:00 PM

 Lab ID:
 2212211-133
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE O	RGANICS					Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15		mg/Kg	1	12/8/2022 7:06:48 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	12/8/2022 7:06:48 PM
Surr: DNOP	133	21-129	S	%Rec	1	12/8/2022 7:06:48 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: CCM
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	12/9/2022 11:00:00 AM
Surr: BFB	98.3	37.7-212		%Rec	1	12/9/2022 11:00:00 AM
EPA METHOD 8021B: VOLATILES						Analyst: CCM
Benzene	ND	0.024		mg/Kg	1	12/9/2022 11:00:00 AM
Toluene	ND	0.048		mg/Kg	1	12/9/2022 11:00:00 AM
Ethylbenzene	ND	0.048		mg/Kg	1	12/9/2022 11:00:00 AM
Xylenes, Total	ND	0.097		mg/Kg	1	12/9/2022 11:00:00 AM
Surr: 4-Bromofluorobenzene	104	70-130		%Rec	1	12/9/2022 11:00:00 AM
EPA METHOD 300.0: ANIONS						Analyst: NAI
Chloride	77	60		mg/Kg	20	12/10/2022 1:02:48 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 133 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-118 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:30:00 PM

 Lab ID:
 2212211-134
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: <b>DGH</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 7:17:24 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 7:17:24 PM
Surr: DNOP	120	21-129	%Rec	1	12/8/2022 7:17:24 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: CCM
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 11:19:00 AM
Surr: BFB	102	37.7-212	%Rec	1	12/9/2022 11:19:00 AM
EPA METHOD 8021B: VOLATILES					Analyst: CCM
Benzene	ND	0.025	mg/Kg	1	12/9/2022 11:19:00 AM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 11:19:00 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 11:19:00 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 11:19:00 AM
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	12/9/2022 11:19:00 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/10/2022 1:15:09 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 134 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-119 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:35:00 PM

 Lab ID:
 2212211-135
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 5:32:01 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	12/8/2022 5:32:01 PM
Surr: DNOP	108	21-129	%Rec	1	12/8/2022 5:32:01 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 3:55:58 AM
Surr: BFB	90.0	37.7-212	%Rec	1	12/9/2022 3:55:58 AM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 3:55:58 AM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 3:55:58 AM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 3:55:58 AM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 3:55:58 AM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	12/9/2022 3:55:58 AM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/10/2022 1:27:29 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 135 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-120 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:35:00 PM

 Lab ID:
 2212211-136
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR		Analyst: <b>SB</b>			
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 6:12:04 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 6:12:04 PM
Surr: DNOP	99.7	21-129	%Rec	1	12/8/2022 6:12:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 4:49:50 PM
Surr: BFB	91.9	37.7-212	%Rec	1	12/9/2022 4:49:50 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 4:49:50 PM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 4:49:50 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 4:49:50 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 4:49:50 PM
Surr: 4-Bromofluorobenzene	92.2	70-130	%Rec	1	12/9/2022 4:49:50 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/10/2022 1:39:51 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 136 of 167

Date Reported: 12/15/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-121 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:40:00 PM

 Lab ID:
 2212211-137
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	Analyst: SB				
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 6:25:09 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 6:25:09 PM
Surr: DNOP	108	21-129	%Rec	1	12/8/2022 6:25:09 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 5:13:23 PM
Surr: BFB	94.6	37.7-212	%Rec	1	12/9/2022 5:13:23 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 5:13:23 PM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 5:13:23 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 5:13:23 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 5:13:23 PM
Surr: 4-Bromofluorobenzene	95.5	70-130	%Rec	1	12/9/2022 5:13:23 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	ND	60	mg/Kg	20	12/10/2022 1:52:11 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 137 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-122 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:40:00 PM

 Lab ID:
 2212211-138
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF		Analyst: <b>SB</b>			
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 6:38:17 PM
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/8/2022 6:38:17 PM
Surr: DNOP	99.7	21-129	%Rec	1	12/8/2022 6:38:17 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 5:37:00 PM
Surr: BFB	94.2	37.7-212	%Rec	1	12/9/2022 5:37:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 5:37:00 PM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 5:37:00 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 5:37:00 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 5:37:00 PM
Surr: 4-Bromofluorobenzene	95.6	70-130	%Rec	1	12/9/2022 5:37:00 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	340	61	mg/Kg	20	12/10/2022 2:04:31 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 138 of 167

Date Reported: 12/15/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-123 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:45:00 PM

 Lab ID:
 2212211-139
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE	Analyst: SB				
Diesel Range Organics (DRO)	ND	15	mg/Kg	1	12/8/2022 6:51:16 PM
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	12/8/2022 6:51:16 PM
Surr: DNOP	100	21-129	%Rec	1	12/8/2022 6:51:16 PM
<b>EPA METHOD 8015D: GASOLINE RANGE</b>	1				Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 6:00:35 PM
Surr: BFB	95.7	37.7-212	%Rec	1	12/9/2022 6:00:35 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 6:00:35 PM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 6:00:35 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 6:00:35 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 6:00:35 PM
Surr: 4-Bromofluorobenzene	96.6	70-130	%Rec	1	12/9/2022 6:00:35 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	110	60	mg/Kg	20	12/10/2022 2:16:52 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 139 of 167

Date Reported: 12/15/2022

# Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Vertex Resources Services, Inc. Client Sample ID: BS22-124 4'

Project: SDE 31 Federal 009 **Collection Date:** 12/2/2022 2:45:00 PM Lab ID: 2212211-140 Matrix: SOIL Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF	RGANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 7:04:11 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/8/2022 7:04:11 PM
Surr: DNOP	117	21-129	%Rec	1	12/8/2022 7:04:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 6:24:06 PM
Surr: BFB	92.4	37.7-212	%Rec	1	12/9/2022 6:24:06 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 6:24:06 PM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 6:24:06 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 6:24:06 PM
Xylenes, Total	ND	0.099	mg/Kg	1	12/9/2022 6:24:06 PM
Surr: 4-Bromofluorobenzene	92.5	70-130	%Rec	1	12/9/2022 6:24:06 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	94	60	mg/Kg	20	12/10/2022 2:29:12 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

Analyte detected in the associated Method Blank

Above Quantitation Range/Estimated Value Ε

J Analyte detected below quantitation limits

Sample pH Not In Range RL

Reporting Limit

Page 140 of 167

Date Reported: 12/15/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-125 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:50:00 PM

 Lab ID:
 2212211-141
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OF		Analyst: <b>SB</b>			
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 7:17:11 PM
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	12/8/2022 7:17:11 PM
Surr: DNOP	104	21-129	%Rec	1	12/8/2022 7:17:11 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/9/2022 8:21:33 PM
Surr: BFB	96.1	37.7-212	%Rec	1	12/9/2022 8:21:33 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.025	mg/Kg	1	12/9/2022 8:21:33 PM
Toluene	ND	0.050	mg/Kg	1	12/9/2022 8:21:33 PM
Ethylbenzene	ND	0.050	mg/Kg	1	12/9/2022 8:21:33 PM
Xylenes, Total	ND	0.10	mg/Kg	1	12/9/2022 8:21:33 PM
Surr: 4-Bromofluorobenzene	97.4	70-130	%Rec	1	12/9/2022 8:21:33 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	140	60	mg/Kg	20	12/10/2022 2:41:33 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 141 of 167

Date Reported: 12/15/2022

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-126 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:50:00 PM

 Lab ID:
 2212211-142
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analyst: <b>SB</b>
Diesel Range Organics (DRO)	ND	13	mg/Kg	1	12/8/2022 7:30:04 PM
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	12/8/2022 7:30:04 PM
Surr: DNOP	99.8	21-129	%Rec	1	12/8/2022 7:30:04 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 8:45:07 PM
Surr: BFB	92.2	37.7-212	%Rec	1	12/9/2022 8:45:07 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/9/2022 8:45:07 PM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 8:45:07 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 8:45:07 PM
Xylenes, Total	ND	0.097	mg/Kg	1	12/9/2022 8:45:07 PM
Surr: 4-Bromofluorobenzene	93.2	70-130	%Rec	1	12/9/2022 8:45:07 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	160	60	mg/Kg	20	12/10/2022 3:18:35 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 142 of 167

Date Reported: 12/15/2022

### Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BS22-127 4'

 Project:
 SDE 31 Federal 009
 Collection Date: 12/2/2022 2:55:00 PM

 Lab ID:
 2212211-143
 Matrix: SOIL
 Received Date: 12/6/2022 7:30:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: SB
Diesel Range Organics (DRO)	ND	14	mg/Kg	1	12/8/2022 7:42:56 PM
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	12/8/2022 7:42:56 PM
Surr: DNOP	100	21-129	%Rec	1	12/8/2022 7:42:56 PM
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	12/9/2022 9:08:42 PM
Surr: BFB	96.2	37.7-212	%Rec	1	12/9/2022 9:08:42 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.024	mg/Kg	1	12/9/2022 9:08:42 PM
Toluene	ND	0.049	mg/Kg	1	12/9/2022 9:08:42 PM
Ethylbenzene	ND	0.049	mg/Kg	1	12/9/2022 9:08:42 PM
Xylenes, Total	ND	0.097	mg/Kg	1	12/9/2022 9:08:42 PM
Surr: 4-Bromofluorobenzene	97.2	70-130	%Rec	1	12/9/2022 9:08:42 PM
EPA METHOD 300.0: ANIONS					Analyst: NAI
Chloride	210	60	mg/Kg	20	12/10/2022 3:30:54 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 143 of 167

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: MB-71904 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 71904 RunNo: 93106

Prep Date: 12/7/2022 Analysis Date: 12/7/2022 SeqNo: 3353799 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-71904 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 71904 RunNo: 93106

Prep Date: 12/7/2022 Analysis Date: 12/7/2022 SeqNo: 3353800 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.0 90 110

Sample ID: MB-71919 SampType: MBLK TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 71919 RunNo: 93118

Prep Date: 12/7/2022 Analysis Date: 12/7/2022 SeqNo: 3354258 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-71919 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 71919 RunNo: 93118

Prep Date: 12/7/2022 Analysis Date: 12/7/2022 SeqNo: 3354259 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.8 90 110

Sample ID: MB-71936 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 71936 RunNo: 93147

Prep Date: 12/8/2022 Analysis Date: 12/8/2022 SeqNo: 3355705 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-71936 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 71936 RunNo: 93147

Prep Date: 12/8/2022 Analysis Date: 12/8/2022 SeqNo: 3355706 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 93.5 90 110

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit PQL Practical Quanitative Limit

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 144 of 167

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** *15-Dec-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: MB-71941 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 71941 RunNo: 93147

Prep Date: 12/8/2022 Analysis Date: 12/8/2022 SeqNo: 3355735 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-71941 SampType: Ics TestCode: EPA Method 300.0: Anions
Client ID: LCSS Batch ID: 71941 RunNo: 93147

Prep Date: 12/8/2022 Analysis Date: 12/8/2022 SeqNo: 3355736 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Chloride
 14
 1.5
 15.00
 0
 93.9
 90
 110

 Sample ID: MB-71943
 SampType: MBLK
 TestCode: EPA Method 300.0: Anions

Sample ID: MB-71943 SampType: MBLK TestCode: EPA Method 300.0: Anions
Client ID: PBS Batch ID: 71943 RunNo: 93152

Prep Date: 12/8/2022 Analysis Date: 12/8/2022 SegNo: 3356079 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-71943 SampType: LCS TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 71943 RunNo: 93152

Prep Date: 12/8/2022 Analysis Date: 12/8/2022 SeqNo: 3356080 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.6 90 110

Sample ID: MB-71987 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 71987 RunNo: 93172

Prep Date: 12/9/2022 Analysis Date: 12/9/2022 SeqNo: 3357597 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-71987 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 71987 RunNo: 93172

Prep Date: 12/9/2022 Analysis Date: 12/9/2022 SeqNo: 3357598 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 92.9 90 110

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 145 of 167

### Hall Environmental Analysis Laboratory, Inc.

WO#: 2212211 15-Dec-22

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: MB-71946 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 71946 RunNo: 93190

Prep Date: 12/8/2022 Analysis Date: 12/9/2022 SeqNo: 3357887 Units: mq/Kq

SPK value SPK Ref Val %RPD **RPDLimit** Analyte Result **PQL** %REC LowLimit HighLimit Qual

Chloride ND 1.5

Sample ID: LCS-71946 TestCode: EPA Method 300.0: Anions SampType: Ics Client ID: LCSS Batch ID: 71946 RunNo: 93190

Prep Date: 12/8/2022 Analysis Date: 12/9/2022 SeqNo: 3357889 Units: mg/Kg

**RPDLimit** Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual

Chloride 14 1.5 15.00 90.3 110

Sample ID: MB-72001 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 72001 RunNo: 93190

Analysis Date: 12/9/2022 Prep Date: 12/9/2022 SeqNo: 3357945 Units: mg/Kg

Result POI SPK value SPK Ref Val %REC %RPD **RPDLimit** Qual Analyte I owl imit HighLimit

Chloride ND

Sample ID: LCS-72001 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72001 RunNo: 93190

Analysis Date: 12/9/2022 Prep Date: SeqNo: 3357947 12/9/2022 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Qual LowLimit

Chloride 14 1.5 15.00 95.3 90

SampType: mblk Client ID: Batch ID: 72002 RunNo: 93190 PRS

Prep Date: 12/9/2022 Analysis Date: 12/9/2022 SeqNo: 3357982 Units: mg/Kg

SPK value SPK Ref Val **RPDLimit** Analyte Result **PQL** %REC LowLimit HighLimit %RPD Qual Chloride ND 1.5

Sample ID: LCS-72002 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 72002 RunNo: 93190

Prep Date: 12/9/2022 Analysis Date: 12/9/2022 SeqNo: 3357983 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Chloride 14 1.5

#### Qualifiers:

Value exceeds Maximum Contaminant Level

D Sample Diluted Due to Matrix

Sample ID: MB-72002

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

POL Practical Quanitative Limit

% Recovery outside of standard limits. If undiluted results may be estimated.

Analyte detected in the associated Method Blank

TestCode: EPA Method 300.0: Anions

Above Quantitation Range/Estimated Value

Analyte detected below quantitation limits

Sample pH Not In Range

RL Reporting Limit Page 146 of 167

# Hall Environmental Analysis Laboratory, Inc.

2212211 15-Dec-22

WO#:

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Project: SDE 31 F	ederar oo									
Sample ID: MB-71884	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch	n ID: <b>71</b> 8	884	F	RunNo: 93	3058				
Prep Date: 12/6/2022	Analysis D	Date: 12	2/7/2022	5	SeqNo: 33	352751	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	15								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.5		10.00		94.7	21	129			
Sample ID: LCS-71884	SampT	ype: <b>LC</b>	s	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batch	n ID: <b>71</b> 8	884	F	RunNo: 93	3058				
Prep Date: 12/6/2022	Analysis D	Date: 12	2/7/2022	5	SeqNo: 33	352752	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	48	15	50.00	0	95.3	64.4	127			
Surr: DNOP	4.7		5.000		94.0	21	129			
Sample ID: 2212211-001AMS	SampT	уре: М	3	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: WS22-01 0-4'	Batch	n ID: <b>71</b> 8	884	F	RunNo: 93	3058				
Prep Date: 12/6/2022	Analysis D	Date: 12	2/7/2022	9	SeqNo: 33	352763	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	46	14	47.39	0	97.3	36.1	154			
Surr: DNOP	4.8		4.739		102	21	129			
Sample ID: 2212211-001AMSE	) SampT	уре: М.	SD	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: WS22-01 0-4'	Batch	n ID: <b>71</b> 8	884	F	RunNo: 93	3058				
Prep Date: 12/6/2022	Analysis D	Date: 12	2/7/2022	5	SeqNo: 33	352764	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	45	14	46.17	0	97.0	36.1	154	2.95	33.9	
Surr: DNOP	4.6		4.617		100	21	129	0	0	
Commission agreement	SampT	уре: <b>м</b> \$	<u> </u>	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Sample ID: <b>2212211-095AMS</b>								_		
Client ID: <b>BS22-79 4'</b>	Batch	n ID: <b>71</b> 9	908	F	RunNo: 93	3135				
,	Batch Analysis D				RunNo: <b>9:</b> SeqNo: <b>3:</b>		Units: mg/K	g		
Client ID: <b>BS22-79 4'</b>			2/8/2022		SeqNo: 33		Units: <b>mg/K</b> HighLimit	<b>'g</b> %RPD	RPDLimit	Qual

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit

Diesel Range Organics (DRO)

Surr: DNOP

S % Recovery outside of standard limits. If undiluted results may be estimated.

47

4.8

15

49.90

4.990

B Analyte detected in the associated Method Blank

93.6

96.7

36.1

21

154

129

- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

0

Page 147 of 167

# Hall Environmental Analysis Laboratory, Inc.

2212211 15-Dec-22

WO#:

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Project: SDE 31	Federal 009								
Sample ID: <b>2212211-095AMS</b>	SampType: M	SD	Tes	stCode: <b>EP</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: <b>BS22-79 4'</b>	Batch ID: 7	1908	F	RunNo: 93	135				
Prep Date: 12/7/2022	Analysis Date: 1	2/8/2022	:	SeqNo: 33	55065	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	43 14		0	88.7	36.1	154	9.32	33.9	
Surr: DNOP	4.5	4.798		93.1	21	129	0	0	
Sample ID: LCS-71908	SampType: Lo	cs	Tes	stCode: <b>EP</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batch ID: 7	1908	F	RunNo: 93	135				
Prep Date: 12/7/2022	Analysis Date: 1	2/8/2022	;	SeqNo: 33	55085	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	52 15		0	104	64.4	127			
Surr: DNOP	5.2	5.000		103	21	129			
Sample ID: <b>MB-71908</b>	SampType: M	BLK	Tes	stCode: <b>EP</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch ID: 7	1908	F	RunNo: 93	135				
Prep Date: 12/7/2022	Analysis Date: 1	2/8/2022	;	SeqNo: 33	55086	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND 15								
Motor Oil Range Organics (MRO)	ND 50			405	04	400			
Surr: DNOP	10	10.00		105	21	129			
Sample ID: <b>MB-71894</b>	SampType: M	BLK	Tes	stCode: <b>EP</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch ID: 7	1894	F	RunNo: 93	121				
Prep Date: 12/6/2022	Analysis Date: 1	2/7/2022	;	SeqNo: 33	55795	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND 15								
Motor Oil Range Organics (MRO)	ND 50			105	24	100			
Surr: DNOP	11	10.00		105	21	129			
Sample ID: LCS-71894	SampType: Lo	cs	Tes	stCode: <b>EP</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batch ID: 7	1894	F	RunNo: 93	121				
Prep Date: 12/6/2022	Analysis Date: 1	2/7/2022	;	SeqNo: 33	55796	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47 15		0	94.1	64.4	127			
Surr: DNOP	4.8	5.000		95.6	21	129			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 148 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** *15-Dec-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Project: SDE 31 F	ederal 009									
Sample ID: 2212211-035AMS	SampTy	/pe: <b>MS</b>	3	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS22-19 4'	Batch	ID: <b>718</b>	394	F	RunNo: 93	3121				
Prep Date: 12/6/2022	Analysis Da	ate: 12	/7/2022	;	SeqNo: 33	355798	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	57	14	46.55	0	123	36.1	154			
Surr: DNOP	4.9		4.655		106	21	129			
Sample ID: 2212211-035AMSE	SampTy	/pe: <b>MS</b>	SD .	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS22-19 4'	Batch	ID: <b>718</b>	394	F	RunNo: 93	3121				
Prep Date: 12/6/2022	Analysis Da	ate: 12	/7/2022		SeqNo: 33	355799	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	49	14	47.13	0	104	36.1	154	14.8	33.9	
Surr: DNOP	4.6		4.713		97.4	21	129	0	0	
Sample ID: <b>MB-71900</b>	SampTy	/pe: <b>ME</b>	BLK	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch	ID: <b>71</b> 9	900	F	RunNo: 93	3121				
Prep Date: 12/6/2022	Analysis Da	ate: <b>12</b>	/7/2022	;	SeqNo: 33	355821	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	15								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	11		10.00		109	21	129			
Sample ID: LCS-71900	SampTy	/pe: <b>LC</b>	S	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batch	ID: <b>71</b> 9	900	F	RunNo: 93	3121				
Prep Date: 12/6/2022	Analysis Da	ate: 12	/7/2022		SeqNo: 33	355822	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	64	15	50.00	0	129	64.4	127			S
Surr: DNOP	5.3		5.000		106	21	129			
Sample ID: <b>2212211-055AMS</b>	SampTy	/pe: <b>MS</b>	<b>3</b>	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS22-39 4'	Batch	ID: <b>71</b> 9	900	F	RunNo: 93	3121				
Prep Date: 12/6/2022	Analysis Da	ate: <b>12</b>	/7/2022	;	SeqNo: 33	355824	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	15	49.02	0	96.5	36.1	154			
Surr: DNOP	4.6		4.902		94.7	21	129			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 149 of 167

# Hall Environmental Analysis Laboratory, Inc.

2212211

WO#:

oratory, Inc. 15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

	SDE 31 rederation	09								
Sample ID: 2212211	-055AMSD Samp	оТуре: м	SD	Tes	tCode: <b>EF</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: BS22-39	<b>4'</b> Bat	ch ID: 71	900	F	RunNo: 93	3121				
Prep Date: 12/6/20	22 Analysis	Date: 12	2/7/2022	5	SeqNo: 33	355825	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (D	RO) 45	14	47.39	0	95.3	36.1	154	4.61	33.9	
Surr: DNOP	4.5		4.739		95.7	21	129	0	0	
Sample ID: MB-718	35 Samp	рТуре: М	BLK	Tes	tCode: <b>EF</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Bat	ch ID: 71	885	F	RunNo: 93	3121				
Prep Date: 12/6/20	Analysis	Date: 12	2/7/2022	5	SeqNo: 33	355851	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (D	RO) ND	15								
Motor Oil Range Organics		50								
Surr: DNOP	9.7		10.00		96.9	21	129			
Sample ID: LCS-718	885 Samp	оТуре: <b>LC</b>	s	Tes	tCode: <b>EF</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Bat	ch ID: 71	885	F	RunNo: 93	3121				
Prep Date: 12/6/20	22 Analysis	Date: 12	2/7/2022	5	SeqNo: 33	355852	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (D	RO) 53	15	50.00	0	106	64.4	127			
Surr: DNOP	5.1		5.000		103	21	129			
Sample ID: <b>2212211</b>	-015AMS Samp	рТуре: М	5	Tes	tCode: <b>EF</b>	A Method	8015M/D: Die	sel Range	Organics	
Client ID: WS22-1	<b>5 0-4'</b> Bat	ch ID: 71	885	F	RunNo: 93	3121				
Prep Date: 12/6/20	Analysis	Date: 12	2/7/2022	5	SeqNo: 33	355854	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (D	RO) 48	13	44.21	0	109	36.1	154			
Surr: DNOP	4.6		4.421		105	21	129			
Sample ID: <b>2212211</b>	-015AMSD Samp	рТуре: М	SD	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	<u> </u>
Client ID: WS22-1	5 <b>0-4'</b> Bat	ch ID: <b>71</b>	885	F	RunNo: 93	3121				
Prep Date: 12/6/20	22 Analysis	Date: 12	2/7/2022	5	SeqNo: 33	355855	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
D: 1D 0 : /D	DO) 44	- 44	45.00					•		
Diesel Range Organics (D	RO) 41	14	45.29	0	90.4	36.1	154	16.0	33.9	

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 150 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

	rederal 009									
Sample ID: 2212211-116AMS	SampTy	ре: <b>М</b> .S	3	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS22-100 4'	Batch	ID: <b>71</b> 9	924	F	RunNo: 93	3157				
Prep Date: 12/7/2022	Analysis Da	ate: 12	2/8/2022	;	SeqNo: 33	356241	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	45	15	48.73	0	93.3	36.1	154			
Surr: DNOP	5.7		4.873		117	21	129			
Sample ID: 2212211-116AMSI	<b>S</b> ampTy	pe: MS	SD	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: BS22-100 4'	Batch	ID: <b>71</b> 9	924	F	RunNo: 93	3157				
Prep Date: 12/7/2022	Analysis Da	ate: 12	2/8/2022	;	SeqNo: 33	356242	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	15	49.16	0	94.7	36.1	154	2.41	33.9	
Surr: DNOP	6.0		4.916		123	21	129	0	0	
Sample ID: LCS-71924	SampTy	pe: <b>LC</b>	s	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: LCSS	Batch	ID: <b>71</b> 9	924	F	RunNo: 93	3157				
Prep Date: 12/7/2022	Analysis Da	ate: 12	2/8/2022	;	SeqNo: 33	356261	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	59	15	50.00	0	117	64.4	127			
Surr: DNOP	7.3		5.000		146	21	129			S
Sample ID: MB-71924	SampTy	ре: <b>МЕ</b>	BLK	Tes	stCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch	ID: <b>71</b> 9	924	F	RunNo: 93	3157				
Prep Date: 12/7/2022	Analysis Da	ate: 12	2/8/2022	;	SeqNo: 33	356262	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	15								
Motor Oil Range Organics (MRO) Surr: DNOP	ND	50	10.00		144	21	129			c
Surr: Dinop	14		10.00		144	21	129			S
Sample ID: MB-71902	SampTy	pe: ME	BLK	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch	ID: <b>71</b> 9	902	F	RunNo: 93	3122				
Prep Date: 12/7/2022	Analysis Da	ate: 12	2/8/2022		SeqNo: 33	356874	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	15								
Motor Oil Range Organics (MRO)	ND 0.0	50	40.00		00.0	04	400			
Surr: DNOP	9.9		10.00		99.0	21	129			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 151 of 167

### Hall Environmental Analysis Laboratory, Inc.

2212211

WO#:

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

0 1 10				_		.o. l. ==					
Sample ID:		SampTy						8015M/D: Die	sel Range	Organics	
Client ID:	LCSS	Batch	ID: <b>71</b> 9	902	F	RunNo: 93	3122				
Prep Date:	12/7/2022	Analysis Da	ate: 12	2/8/2022	5	SeqNo: 33	356875	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range O	rganics (DRO)	52	15	50.00	0	104	64.4	127			
Surr: DNOP		4.9		5.000		97.2	21	129			
Sample ID:	2212211-075AMS	SampTy	/pe: <b>MS</b>	5	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	BS22-59 4'	Batch	ID: <b>71</b> 9	902	F	RunNo: 93	3122				
Prep Date:	12/7/2022	Analysis Da	ate: 12	2/8/2022	9	SeqNo: 33	356877	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range O	rganics (DRO)	57	15	49.07	0	117	36.1	154			
Surr: DNOP		5.1		4.907		103	21	129			
Sample ID:	2212211-075AMSD	SampTy	/pe: <b>MS</b>	SD	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	BS22-59 4'	Batch ID: 71902			F	RunNo: 93	3122				
Prep Date:	12/7/2022	Analysis Da	ate: 12	2/8/2022	SeqNo: 3356878 Units: mg/Kg						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range O	rganics (DRO)	49	14	46.38	0	106	36.1	154	15.5	33.9	
Surr: DNOP		4.9		4.638		105	21	129	0	0	
Sample ID:	MB-71920	SampTy	/pe: <b>ME</b>	BLK	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	PBS	Batch	ID: <b>71</b> 9	920	F	RunNo: 93	3122				
Prep Date:	12/7/2022	Analysis Da	ate: 12	2/8/2022	9	SeqNo: 33	356908	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range O	rganics (DRO)	ND	15								
Motor Oil Range	Organics (MRO)	ND	50								
Surr: DNOP		11		10.00		108	21	129			
Sample ID:	LCS-71920	SampTy	/pe: <b>LC</b>	s	Tes	tCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	LCSS	Batch	ID: <b>71</b> 9	920	F	RunNo: 93	3122				

#### Qualifiers:

Prep Date:

Surr: DNOP

Diesel Range Organics (DRO)

Analyte

Value exceeds Maximum Contaminant Level.

12/7/2022

- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

Analysis Date: 12/8/2022

PQL

15

Result

57

5.4

B Analyte detected in the associated Method Blank

SeqNo: 3356909

LowLimit

64.4

21

%REC

113

107

Units: mg/Kg

127

129

HighLimit

%RPD

- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

SPK value SPK Ref Val

50.00

5.000

Page 152 of 167

**RPDLimit** 

Qual

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Project:	SDE 31 I	ederai 009									
Sample ID: 2	2212211-135AMS	SampT	уре: М.	3	Tes	stCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	BS22-119 4'	Batch	ID: <b>71</b> 9	920	F	RunNo: 93	3122				
Prep Date:	12/7/2022	Analysis D	ate: 12	2/8/2022		SeqNo: 33	356911	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Or	rganics (DRO)	51	14	48.08	0	105	36.1	154			
Surr: DNOP		4.9		4.808		102	21	129			
Sample ID: 2	2212211-135AMSD	SampT	уре: М.	SD	Tes	stCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: I	BS22-119 4'	Batch	ID: <b>71</b> 9	920	F	RunNo: 93	3122				
Prep Date:	12/7/2022	Analysis D	ate: 12	2/8/2022	;	SeqNo: 33	356912	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Or	rganics (DRO)	55	14	46.21	0	120	36.1	154	9.15	33.9	
Surr: DNOP		5.6		4.621		120	21	129	0	0	
Sample ID: I	MB-71951	SampT	уре: МЕ	BLK	Tes	stCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	PBS	Batch	ID: <b>71</b> 9	951	F	RunNo: 93	3161				
Prep Date:	12/8/2022	Analysis D	ate: 12	2/9/2022	;	SeqNo: 33	358851	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Or	rganics (DRO)	ND	15								
•	Organics (MRO)	ND	50								
Surr: DNOP		11		10.00		110	21	129			
Sample ID: I	LCS-71951	SampT	ype: <b>LC</b>	s	Tes	stCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID: I	LCSS	Batch	ID: <b>71</b> 9	951	F	RunNo: 93	3161				
Prep Date:	12/8/2022	Analysis D	ate: 12	2/9/2022		SeqNo: 33	358853	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Or	rganics (DRO)	57	15	50.00	0	113	64.4	127			
Surr: DNOP		5.5		5.000		109	21	129			
Sample ID: I	LCS-71900	SampT	ype: <b>LC</b>	s	Tes	stCode: <b>EF</b>	PA Method	8015M/D: Die	sel Range	Organics	
Client ID:	LCSS	Batch	ID: <b>71</b> 9	900	F	RunNo: 93	3242				
Prep Date:	12/6/2022	Analysis D	ate: 12	2/9/2022	;	SeqNo: 33	360557	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Or	rganics (DRO)	54	15	50.00	0	108	64.4	127			
Surr: DNOP		4.8		5.000		96.0	21	129			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 153 of 167

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: ml	b-71865	SampType: MBLK TestCode: EPA Metho						8015D: Gasol	ine Range		
Client ID: PE	3S	Batch	ID: <b>71</b> 8	365	F	RunNo: 93	3088				
Prep Date: 1	2/6/2022	Analysis D	ate: 12	2/7/2022	5	SeqNo: 33	352646	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range O	rganics (GRO)	ND	5.0								
Surr: BFB		910		1000		91.3	37.7	212			
Sample ID: Ics	s-71865	SampT	ype: <b>LC</b>	S	Tes	tCode: <b>EF</b>	PA Method	8015D: Gasol	ine Range		
Client ID: LC	css	Batch	ID: <b>71</b> 8	365	F	RunNo: 93	3088				
Prep Date: 1	2/6/2022	Analysis D	ate: 12	2/7/2022	5	SeqNo: 33	352647	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range O	rganics (GRO)	25	5.0	25.00	0	99.8	72.3	137			
Surr: BFB		1900		1000		186	37.7	212			
Sample ID: ml	b-71893	SampType: MBLK			Tes	tCode: EF	PA Method	8015D: Gasol	ine Range		
Client ID: PE	38	Batch ID: 71893			F	RunNo: 93	3088				
Prep Date: 1	2/6/2022	Analysis D	ate: 12	2/7/2022	SeqNo: 3352670 Units: mg/Kg						
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range O	rganics (GRO)	ND	5.0								
Surr: BFB		930		1000		92.7	37.7	212			
Sample ID: Ics	s-71893	SampT	ype: <b>LC</b>	s	Tes	tCode: EF	PA Method	8015D: Gasol	ine Range		
Client ID: LC	css	Batch	ID: <b>71</b> 8	393	F	RunNo: 93	3088				
Prep Date: 1	2/6/2022	Analysis D	ate: 12	2/7/2022	S	SeqNo: 33	352671	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range O	rganics (GRO)	26	5.0	25.00	0	103	72.3	137			
Surr: BFB		1900		1000		193	37.7	212			
Sample ID: 22	12211-055ams	SampT	уре: М.	<del></del>	TestCode: EPA Method 8015D: Gasoline Range					1	
Client ID: BS	S22-39 4'	Batch ID: <b>71893</b>			RunNo: 93088						

Client ID: BS22-39 4'	Batch	n ID: <b>718</b>	393	F	RunNo: 93	3088				
Prep Date: 12/6/2022	Analysis D	Date: 12	/7/2022	5	SeqNo: 33	352673	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	25	4.9	24.58	0	102	70	130			
Surr: BFB	1900		983.3		195	37.7	212			

Sample ID: 2212211-055amsd SampType: MSD TestCode: EPA Method 8015D: Gasoline Range

Client ID: **BS22-39 4'** Batch ID: **71893** RunNo: **93088** 

Prep Date: 12/6/2022 Analysis Date: 12/7/2022 SeqNo: 3352674 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 154 of 167

### Hall Environmental Analysis Laboratory, Inc.

Analysis Date: 12/7/2022

**PQL** 

4.7

Result

26

2300

WO#: 2212211

15-Dec-22

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: 2212211-055amsd	SampT	уре: <b>м</b>	SD	Tes	!					
Client ID: <b>BS22-39 4'</b>	Batch	n ID: <b>71</b>	893	F	RunNo: 9:	3088				
Prep Date: 12/6/2022	Analysis D	Date: 12	2/7/2022	5	SeqNo: 3	352674	Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	29	4.9	24.73	0	119	70	130	15.7	20	
Surr: BFB	2100		989.1		208	37.7	212	0	0	
Sample ID: Ics-71882	SampT	ype: LC	s	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: LCSS	Batch	n ID: <b>71</b>	882	F	RunNo: 9:	3125				
Prep Date: 12/6/2022	Analysis D	Date: 12	2/7/2022	5	SeqNo: 3	354577	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	103	72.3	137			
Surr: BFB	2300		1000		232	37.7	212			S
Sample ID: mb-71882	SampT	уре: М	BLK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: PBS	Batch	n ID: <b>71</b>	882	F	RunNo: 9:	3125				
Prep Date: 12/6/2022	Analysis D	Date: 12	2/7/2022	9	SeqNo: 3	354578	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		103	37.7	212			
		SampType: <b>MS</b>			TestCode: EPA Method 8015D: Gasoline Range					
Sample ID: <b>2212211-015AMS</b>	SampT	уре: М	8	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	!	

Sample ID: 2212211-015AMSD	Samp1	ype: MS	SD.	Tes	tCode: <b>EF</b>	PA Method	8015D: Gaso	line Range		
Client ID: WS22-15 0-4'	Batcl	n ID: <b>718</b>	382	F	RunNo: 93125					
Prep Date: 12/6/2022	Analysis D	)ate: 12	/7/2022	8	SeqNo: 33	354581	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	28	4.8	24.15	0	116	70	130	6.32	20	
Surr: BFB	2400		966.2		246	37.7	212	0	0	S

SPK value SPK Ref Val

23.74

949.7

Sample ID: Ics-71887	SampType: <b>LCS</b>	TestCode: EPA Method 8015D: Gasoline Range
Client ID: LCSS	Batch ID: 71887	RunNo: 93125
Prep Date: 12/6/2022	Analysis Date: 12/7/2022	SeqNo: 3354601 Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

#### Qualifiers:

Prep Date:

Surr: BFB

12/6/2022

Gasoline Range Organics (GRO)

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank

SeqNo: 3354580

LowLimit

70

37.7

%REC

111

239

Units: mg/Kg

130

212

HighLimit

%RPD

**RPDLimit** 

Qual

S

- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RLReporting Limit

Page 155 of 167

### Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID:	Ics-71887	SampT	ype: <b>LC</b>	s	Tes	stCode: El	PA Method	8015D: Gaso	line Range			
Client ID:	LCSS	Batch	1D: <b>71</b> 8	387	F	RunNo: 9:	3125					
Prep Date:	12/6/2022	Analysis D	ate: 12	2/7/2022	;	SeqNo: 3	354601	Units: mg/K	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
_	e Organics (GRO)	25	5.0	25.00	0	100	72.3	137				
Surr: BFB		2200		1000		223	37.7	212			S	
Sample ID:	mb-71887	SampT	уре: МЕ	BLK	Tes	stCode: El	PA Method	8015D: Gaso	line Range			
Client ID:	PBS	Batch	1D: <b>71</b> 8	387	ſ	RunNo: 9	3125					
Prep Date:	12/6/2022	Analysis D	ate: 12	2/7/2022	;	SeqNo: 3	354602	Units: mg/K	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
_	e Organics (GRO)	ND	5.0									
Surr: BFB		1000		1000		102	37.7	212				
Sample ID:	2212211-035AMS	SampT	SampType: MS TestCode: EPA Method 8015D: Gasoline Range									
Client ID:	BS22-19 4'	Batch	1D: <b>71</b> 8	387	F	RunNo: 9:	3125					
Prep Date:	12/6/2022	Analysis D	ate: 12	2/7/2022	;	SeqNo: 3	354604	Units: mg/Kg				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
_	e Organics (GRO)	26	5.0	24.98	0	104	70	130				
Surr: BFB		2300		999.0		229	37.7	212			S	
Sample ID:	2212211-035AMSD	SampT	ype: MS	SD	Tes	stCode: El	PA Method	8015D: Gaso	line Range	!		
Client ID:	BS22-19 4'	Batch	n ID: <b>71</b> 8	387	F	RunNo: 9	3125					
Prep Date:	12/6/2022	Analysis D	ate: 12	2/7/2022	;	SeqNo: 3	354605	Units: mg/K	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range	e Organics (GRO)	25	5.0	24.95	0	100	70	130	3.78	20		
Surr: BFB		2200		998.0		217	37.7	212	0	0	S	
Sample ID:	mb-71901	SampT	ype: <b>ME</b>	BLK	Tes	stCode: El	PA Method	8015D: Gaso	line Range			
Client ID:	PBS	Batch	1D: <b>71</b> 9	901	F	RunNo: 9;	3131					
Prep Date:	12/7/2022	Analysis D	ate: 12	2/8/2022	;	SeqNo: 3	354750	Units: mg/K	(g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range	e Organics (GRO)	ND	5.0					-				

#### Qualifiers:

Analyte

Surr: BFB

Client ID:

Prep Date:

Sample ID: Ics-71901

LCSS

Value exceeds Maximum Contaminant Level.

12/7/2022

- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.

930

Result

SampType: LCS

Batch ID: 71901

Analysis Date: 12/8/2022

PQL

B Analyte detected in the associated Method Blank

93.0

RunNo: 93131

SeqNo: 3354751

37.7

LowLimit

TestCode: EPA Method 8015D: Gasoline Range

212

Units: mg/Kg

HighLimit

E Above Quantitation Range/Estimated Value

%REC

- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

1000

SPK value SPK Ref Val

Page 156 of 167

**RPDLimit** 

Qual

%RPD

# Hall Environmental Analysis Laboratory, Inc.

2212211

WO#:

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: Ics-71901	SampT	ype: <b>LC</b>	S	Tes	tCode: <b>EF</b>	PA Method	8015D: Gaso	line Range	!	
Client ID: LCSS	Batch	n ID: <b>71</b> 9	901	F	RunNo: 93	3131				
Prep Date: 12/7/2022	Analysis D	Date: 12	2/8/2022	5	SeqNo: 33	354751	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	103	72.3	137			
Surr: BFB	1900		1000		192	37.7	212			
Sample ID: <b>2212211-095ams</b>	SampT	уре: МS	3	Tes	tCode: EF	PA Method	8015D: Gaso	line Range		
Client ID: BS22-79 4'	Batch	n ID: <b>71</b> 9	901	F	RunNo: 93	3131				
Prep Date: 12/7/2022	Analysis D	Date: 12	2/8/2022	5	SeqNo: 33	354753	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	29	4.8	24.13	0	120	70	130			
Surr: BFB	2100		965.3		214	37.7	212			S
Commis ID: 0040044 005	I CompT	ype: <b>MS</b>	SD.	Tes	tCode: EF	A Method	8015D: Gaso	line Range	1	
Sample ID: <b>2212211-095ams</b> d	ı Sampı	JPO. INC						_		
Client ID: <b>BS22-79 4'</b>		n ID: <b>71</b> 9			RunNo: 93			J		
·		n ID: <b>71</b> 9	901	F		3131	Units: mg/K	_		
Client ID: <b>BS22-79 4'</b>	Batch	n ID: <b>71</b> 9	901 2/8/2022	F	RunNo: 93 SeqNo: 33	3131		_	RPDLimit	Qual
Client ID: <b>BS22-79 4'</b> Prep Date: <b>12/7/2022</b> Analyte	Batch Analysis D	n ID: <b>71</b> 9 Date: <b>12</b>	901 2/8/2022	F	RunNo: 93 SeqNo: 33	3131 354754	Units: mg/K	(g		Qual
Client ID: <b>BS22-79 4'</b> Prep Date: <b>12/7/2022</b> Analyte	Batch Analysis D Result	n ID: <b>71</b> 9 Pate: <b>12</b>	901 2/8/2022 SPK value	F SPK Ref Val	RunNo: 93 SeqNo: 33 %REC	3131 354754 LowLimit	Units: mg/K	( <b>g</b> %RPD	RPDLimit	Qual
Client ID: BS22-79 4' Prep Date: 12/7/2022 Analyte Gasoline Range Organics (GRO)	Batch Analysis D Result 27 2000	n ID: <b>71</b> 9 Pate: <b>12</b>	901 2/8/2022 SPK value 24.11 964.3	SPK Ref Val	RunNo: 93 SeqNo: 33 %REC 111 205	8131 854754 LowLimit 70 37.7	Units: mg/K HighLimit	%RPD 8.01 0	RPDLimit 20	Qual
Client ID: BS22-79 4' Prep Date: 12/7/2022  Analyte Gasoline Range Organics (GR0) Surr: BFB	Batch Analysis D Result 27 2000 SampT	PQL 4.8	901 2/8/2022 SPK value 24.11 964.3	SPK Ref Val 0	RunNo: 93 SeqNo: 33 %REC 111 205	8131 854754 LowLimit 70 37.7 PA Method	Units: mg/K HighLimit 130 212	%RPD 8.01 0	RPDLimit 20	Qual
Client ID: BS22-79 4' Prep Date: 12/7/2022  Analyte Gasoline Range Organics (GRO) Surr: BFB  Sample ID: mb-71909	Batch Analysis D Result 27 2000 SampT	PQL 4.8  Type: ME	901 2/8/2022 SPK value 24.11 964.3 BLK	SPK Ref Val 0	RunNo: 93 SeqNo: 33  **REC 111 205  tCode: EF	20131 254754 LowLimit 70 37.7 PA Method 3131	Units: mg/K HighLimit 130 212	%RPD 8.01 0	RPDLimit 20	Qual
Client ID: BS22-79 4' Prep Date: 12/7/2022  Analyte Gasoline Range Organics (GRO) Surr: BFB  Sample ID: mb-71909  Client ID: PBS	Batch Analysis D Result 27 2000 SampT Batch	PQL 4.8  Type: ME	901 2/8/2022 SPK value 24.11 964.3 BLK 909 2/9/2022	SPK Ref Val 0	RunNo: 9: SeqNo: 3:  %REC  111  205  tCode: EF RunNo: 9: SeqNo: 3:	20131 254754 LowLimit 70 37.7 PA Method 3131	Units: mg/K HighLimit 130 212 8015D: Gaso	%RPD 8.01 0	RPDLimit 20	Qual
Client ID: BS22-79 4' Prep Date: 12/7/2022  Analyte Gasoline Range Organics (GRO) Surr: BFB  Sample ID: mb-71909 Client ID: PBS Prep Date: 12/7/2022	Batch Analysis D Result 27 2000 SampT Batch Analysis D	PQL 4.8  Type: ME  Type: ME  Date: 12	901 2/8/2022 SPK value 24.11 964.3 BLK 909 2/9/2022	SPK Ref Val 0	RunNo: 9: SeqNo: 3:  %REC  111  205  tCode: EF RunNo: 9: SeqNo: 3:	24 Method 3131 854774	Units: mg/K HighLimit 130 212  8015D: Gaso  Units: mg/K	%RPD 8.01 0	RPDLimit 20 0	

Sample ID: Ics-71909	SampT	ype: LC	S	Tes	tCode: <b>EF</b>	PA Method	8015D: Gaso	line Range		
Client ID: LCSS	Batch	n ID: <b>719</b>	009	F	RunNo: 9;	3131				
Prep Date: 12/7/2022	Analysis D	Date: 12	/9/2022	5	SeqNo: 3	354775	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	25.00	0	96.9	72.3	137			
Surr: BFB	1800		1000		185	37.7	212			

Sample ID: <b>2212211-135ams</b>	SampType: MS	TestCode: EPA Method	8015D: Gasoline Range
Client ID: <b>BS22-119 4'</b>	Batch ID: 71909	RunNo: 93131	
Prep Date: 12/7/2022	Analysis Date: 12/9/2022	SeqNo: <b>3354777</b>	Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 157 of 167

### Hall Environmental Analysis Laboratory, Inc.

WO#: 2212211

15-Dec-22

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: 2212211-135ams	SampType: MS TestCode: EPA Method 8015D: Gasoline Range									
Client ID: <b>BS22-119 4'</b>	Batch II	D: <b>71</b> 9	909	F	RunNo: 93	3131				
Prep Date: 12/7/2022	Analysis Dat	te: 12	/9/2022	9	SeqNo: 33	354777	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	4.9	24.73	0	105	70	130			
Surr: BFB	1900		989.1		194	37.7	212			
Sample ID: 2212211-135ams	sd SampTyp	oe: MS	SD .	Tes	tCode: <b>EF</b>	PA Method	8015D: Gaso	line Range		
Client ID: BS22-119 4'	Batch II	D: <b>71</b> 9	1909 RunNo: 93131							
Prep Date: 12/7/2022	Analysis Dat	te: 12	/9/2022	9	SeqNo: 33	354778	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	28	4.9	24.73	0	113	70	130	7.69	20	
Surr: BFB	2000		989.1		201	37.7	212	0	0	
Sample ID: Ics-71895	SampTyp	oe: LC	S	Tes	tCode: <b>EF</b>	PA Method	8015D: Gaso	line Range		
Client ID: LCSS	Batch II	D: <b>71</b> 8	395	F	RunNo: 93	3141				
Prep Date: 12/6/2022	Analysis Dat	te: 12	/8/2022	5	SeqNo: 33	355290	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	25.00	0	103	72.3	137			
Surr: BFB	2300		1000		226	37.7	212			S
Commis ID: 74005	O	.o. ME	RI K	TestCode: EPA Method 8015D: Gasoline Range						
Sample ID: mb-71895	SampTyp	Je. IVI E	LIX	100	RunNo: 93141					
Client ID: PBS	Samp i yp Batch II							J		
'		D: <b>71</b> 8	395	F		3141	Units: mg/K	(g		
Client ID: PBS Prep Date: 12/6/2022 Analyte	Batch II Analysis Dat	D: <b>71</b> 8	395 2/8/2022	F	RunNo: <b>93</b> SeqNo: <b>33</b>	3141		(g %RPD	RPDLimit	Qual
Client ID: <b>PBS</b> Prep Date: <b>12/6/2022</b>	Batch II Analysis Dat	D: <b>718</b> te: <b>12</b>	395 2/8/2022	F	RunNo: <b>93</b> SeqNo: <b>33</b>	3141 355291	Units: mg/K	-	RPDLimit	Qual

Sample ID: 2212211-075AMS	SampT	ype: MS	;	Tes	tCode: <b>EF</b>	PA Method	8015D: Gaso	ine Range	•	
Client ID: <b>BS22-59 4'</b>	Batch	n ID: <b>71</b> 8	395	F	RunNo: 93	3141				
Prep Date: 12/6/2022	Analysis D	oate: 12	/8/2022	5	SeqNo: 33	355293	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	24.98	0	96.9	70	130			
Surr: BFB	2200		999.0		217	37.7	212			S

Sample ID: 2212211-075AMSD SampType: MSD TestCode: EPA Method 8015D: Gasoline Range Client ID: BS22-59 4' Batch ID: 71895 RunNo: 93141

Prep Date: 12/6/2022 Analysis Date: 12/8/2022 SeqNo: 3355294 Units: mg/Kg

**RPDLimit** Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD Qual Result

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of standard limits. If undiluted results may be estimated.
- Analyte detected in the associated Method Blank
- Above Quantitation Range/Estimated Value
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 158 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Project: SDE 31	Federal 00	9								
Sample ID: 2212211-075AMS	Samp1	Гуре: М	SD	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	•	
Client ID: <b>BS22-59 4'</b>	Batcl	h ID: <b>71</b>	895	F	RunNo: 93	3141				
Prep Date: 12/6/2022	Analysis [	Date: 12	2/8/2022	;	SeqNo: 33	355294	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	26	5.0	24.90	0	103	70	130	5.40	20	
Surr: BFB	2200		996.0		221	37.7	212	0	0	S
Sample ID: Ics-71906	Samp	Гуре: <b>LC</b>	s	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	,	
Client ID: LCSS	Batcl	h ID: <b>71</b>	906	F	RunNo: 93	3141				
Prep Date: 12/7/2022	Analysis [	Date: 12	2/9/2022	;	SeqNo: 33	355314	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	25.00	0	97.6	72.3	137			
Surr: BFB	2000		1000		205	37.7	212			
Sample ID: mb-71906	Samp	Гуре: М	BLK	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	,	
Client ID: PBS	Batcl	h ID: <b>71</b>	906	F	RunNo: 93	3141				
Prep Date: 12/7/2022	Analysis [	Date: 12	2/9/2022		SeqNo: 33	355315	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	940		1000		94.2	37.7	212			
Sample ID: 2212211-115ams	Samp	Гуре: М	S	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	,	
Client ID: BS22-99 4'	Batcl	h ID: <b>71</b>	906	F	RunNo: 93	3141				
Prep Date: 12/7/2022	Analysis [	Date: 12	2/9/2022		SeqNo: 33	355317	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	4.9	24.37	0	94.1	70	130			
Surr: BFB	1900		974.7		197	37.7	212			
Sample ID: 2212211-115ams	d Samp1	Гуре: М	SD	Tes	tCode: EF	PA Method	8015D: Gaso	line Range	•	
Client ID: BS22-99 4'	Batcl	h ID: <b>71</b>	906	F	RunNo: 93	3141				
Prep Date: 12/7/2022	Analysis [	Date: 12	2/9/2022	;	SeqNo: 33	355318	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	4.9	24.32	0	95.6	70	130	1.37	20	
Surr: BFB	2100		972.8		215	37.7	212	0	0	S

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 159 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** *15-Dec-22* 

**Client:** Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: <b>mb-71865</b>	Samp <sup>-</sup>	Гуре: МЕ	BLK	Tes	stCode: El	PA Method	8021B: Volat	iles		
Client ID: PBS	Batc	h ID: <b>718</b>	365	F	RunNo: 9					
Prep Date: 12/6/2022	Analysis [	Date: <b>12</b>	/7/2022		SeqNo: 3	352693	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.93		1.000		93.3	70	130			
Sample ID: LCS-71865	Samp	Гуре: <b>LC</b>	s	Tes	stCode: El	PA Method	8021B: Volat	iles		
Client ID: LCSS	Batc	h ID: <b>718</b>	365	F	RunNo: 9	3088				
Pren Date: 12/6/2022	Analysis I	)ate: 12	17/2022	9	SeaNo: 3	352694	Units: ma/k	(a		

Sample ID. <b>LCS-7 1803</b>	Sampi	ype. LC	3	168	Code. Er	A Wethou	ouzīb: voiati	ies		
Client ID: LCSS	Batcl	n ID: <b>718</b>	865	F	RunNo: 93	8088				
Prep Date: 12/6/2022	Analysis D	Date: <b>12</b>	/7/2022	9	SeqNo: 33	352694	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.025	1.000	0	88.7	80	120			
Toluene	0.93	0.050	1.000	0	92.5	80	120			
Ethylbenzene	0.92	0.050	1.000	0	91.7	80	120			
Xylenes, Total	2.8	0.10	3.000	0	92.3	80	120			
Surr: 4-Bromofluorobenzene	0.94		1.000		94.1	70	130			

Sample ID: <b>mb-71893</b>	SampT	уре: МЕ	BLK	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch	n ID: <b>718</b>	393	F	RunNo: 9	3088				
Prep Date: 12/6/2022	/7/2022	SeqNo: 3352717 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.94		1.000		93.8	70	130			

Sample ID: LCS-71893	Samp	Гуре: <b>LC</b>	S	Tes	tCode: <b>EF</b>	les				
Client ID: LCSS	Batcl	h ID: <b>718</b>	193	F	RunNo: 93	3088				
Prep Date: 12/6/2022	Analysis [	Date: <b>12</b>	/7/2022	5	SeqNo: 33	352718	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.92	0.025	1.000	0	92.0	80	120			
Toluene	0.93	0.050	1.000	0	93.1	80	120			
Ethylbenzene	0.92	0.050	1.000	0	92.5	80	120			
Xylenes, Total	2.8	0.10	3.000	0	92.8	80	120			
Surr: 4-Bromofluorobenzene	0.93		1.000		92.8	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 160 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** *15-Dec-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: 2212211-056ams	Samp	Гуре: МЅ	i	Tes	tCode: EF	PA Method	8021B: Volati	iles		
Client ID: BS22-40 4'	Batcl	h ID: <b>718</b>	93	F	RunNo: 9	3088				
Prep Date: 12/6/2022	Analysis [	Date: <b>12</b>	/7/2022	9	SeqNo: 3	352721	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.92	0.025	0.9872	0	93.6	68.8	120			
Toluene	0.95	0.049	0.9872	0	95.8	73.6	124			
Ethylbenzene	0.94	0.049	0.9872	0	95.4	72.7	129			
Xylenes, Total	2.8	0.099	2.962	0.01876	94.9	75.7	126			
Surr: 4-Bromofluorobenzene	0.94		0.9872		95.5	70	130			

Sample ID: Ics-71882	Samp1	ype: <b>LC</b>	S	Tes	tCode: <b>EF</b>	les				
Client ID: LCSS	Batcl	n ID: <b>718</b>	882	F	RunNo: 93	3125				
Prep Date: 12/6/2022	Analysis D	Date: <b>12</b>	/7/2022	5	SeqNo: 33	354679	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.025	1.000	0	97.0	80	120			
Toluene	1.0	0.050	1.000	0	100	80	120			
Ethylbenzene	1.0	0.050	1.000	0	101	80	120			
Xylenes, Total	3.0	0.10	3.000	0	101	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		107	70	130			

Sample ID: mb-71882	SampT	уре: МЕ	BLK	Tes	tCode: <b>EF</b>	les				
Client ID: PBS	Batcl	n ID: <b>718</b>	382	F	RunNo: 93	3125				
Prep Date: 12/6/2022	Analysis D	Date: 12	/7/2022	9	SeqNo: 33	354680	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		107	70	130			

Sample ID: <b>2212211-016AMS</b>	SampT	SampType: MS TestCode: EPA Method 8021B: Volatiles								
Client ID: WS22-16 0-4'	Batch	n ID: <b>718</b>	882	F	RunNo: 93	3125				
Prep Date: 12/6/2022	Analysis D	Date: 12	/7/2022	5	SeqNo: 33	354685	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.024	0.9681	0	101	68.8	120			
Toluene	1.0	0.048	0.9681	0	106	73.6	124			
Ethylbenzene	1.0	0.048	0.9681	0	108	72.7	129			
Xylenes, Total	3.2	0.097	2.904	0	109	75.7	126			
Surr: 4-Bromofluorobenzene	1.0		0.9681		107	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 161 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** *15-Dec-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: 2212211-016AMSD	SampT	уре: <b>м</b> S	D	Tes	tCode: EF	les				
Client ID: WS22-16 0-4'	Batcl	n ID: <b>718</b>	882	F	RunNo: 93	3125				
Prep Date: 12/6/2022	Analysis D	Date: <b>12</b>	/7/2022	9	SeqNo: 33	354686	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.024	0.9662	0	100	68.8	120	1.40	20	
Toluene	1.0	0.048	0.9662	0	104	73.6	124	2.13	20	
Ethylbenzene	1.0	0.048	0.9662	0	106	72.7	129	2.45	20	
Xylenes, Total	3.1	0.097	2.899	0	106	75.7	126	2.14	20	
Surr: 4-Bromofluorobenzene	0.99		0.9662		103	70	130	0	0	

Sample ID: Ics-71887	SampT	SampType: LCS TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batcl	n ID: <b>718</b>	887	F	RunNo: 93	3125				
Prep Date: 12/6/2022	Analysis D	Date: <b>12</b>	/7/2022	SeqNo: <b>3354705</b> Units: <b>mg/Kg</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	99.7	80	120			
Toluene	1.0	0.050	1.000	0	100	80	120			
Ethylbenzene	1.0	0.050	1.000	0	99.7	80	120			
Xylenes, Total	3.0	0.10	3.000	0	99.8	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		103	70	130			

Sample ID: mb-71887	SampT	уре: МЕ	BLK	Tes	tCode: EF	PA Method	thod 8021B: Volatiles						
Client ID: PBS	Batch	n ID: <b>71</b> 8	387	F	RunNo: 9:	3125							
Prep Date: 12/6/2022	Analysis D	Date: 12	2/7/2022	5	SeqNo: 3	354706	Units: mg/K	g					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Benzene	ND	0.025											
Toluene	ND	0.050											
Ethylbenzene	ND	0.050											
Xylenes, Total	ND	0.10											
Surr: 4-Bromofluorobenzene	1.1		1.000		105	70	130						

Sample ID: 2212211-036AMS	SampT	SampType: MS TestCode: EPA Method 8021B: Volatiles								
Client ID: <b>BS22-20 4'</b>	Batcl	n ID: <b>718</b>	887	F	RunNo: 93	3125				
Prep Date: 12/6/2022	Analysis D	Date: 12	12/7/2022 SeqNo: 3354709 Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.025	0.9911	0	99.9	68.8	120			
Toluene	1.0	0.050	0.9911	0	101	73.6	124			
Ethylbenzene	1.0	0.050	0.9911	0	101	72.7	129			
Xylenes, Total	3.0	0.099	2.973	0	101	75.7	126			
Surr: 4-Bromofluorobenzene	1.1		0.9911		107	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 162 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** *15-Dec-22* 

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: 2212211-036AMSD	Samp <sup>-</sup>	Гуре: МЅ	SD.	Tes	tCode: EF	PA Method	8021B: Volati	iles		
Client ID: BS22-20 4'	Batc	h ID: <b>718</b>	387	F	RunNo: 93	3125				
Prep Date: 12/6/2022	Analysis [	Date: <b>12</b>	/7/2022	9	SeqNo: 33	354710	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.025	0.9911	0	96.2	68.8	120	3.73	20	
Toluene	0.96	0.050	0.9911	0	97.3	73.6	124	3.64	20	
Ethylbenzene	0.96	0.050	0.9911	0	97.2	72.7	129	3.71	20	
Xylenes, Total	2.9	0.099	2.973	0	97.4	75.7	126	3.73	20	
Surr: 4-Bromofluorobenzene	1.1		0.9911		108	70	130	0	0	

Sample ID: 2212211-056amsd	SampT	SampType: MSD TestCode: EPA Method 8021B: Volatiles								
Client ID: BS22-40 4'	Batcl	n ID: <b>718</b>	93	F	RunNo: 93	3131				
Prep Date: 12/6/2022	Analysis D									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.84	0.025	0.9891	0	85.4	68.8	120	9.01	20	
Toluene	0.86	0.049	0.9891	0	87.1	73.6	124	9.35	20	
Ethylbenzene	0.86	0.049	0.9891	0	87.0	72.7	129	9.05	20	
Xylenes, Total	2.6	0.099	2.967	0.01876	86.2	75.7	126	9.36	20	
Surr: 4-Bromofluorobenzene	0.97		0.9891		98.3	70	130	0	0	

Sample ID: <b>mb-71901</b>	SampT	Гуре: МЕ	BLK	Tes	tCode: EF	les				
Client ID: PBS	Batcl	h ID: <b>71</b> 9	901	F	RunNo: 9:	3131				
Prep Date: 12/7/2022	Analysis D	Date: <b>12</b>	/8/2022	5	SeqNo: 3	354798	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.95		1.000		95.4	70	130			

Sample ID: LCS-71901	SampType: LCS TestCode: EPA Method						8021B: Volati	les		
Client ID: LCSS	Batcl	h ID: <b>719</b>	001	F	RunNo: 9:	3131				
Prep Date: 12/7/2022	Analysis D	Date: <b>12</b>	/8/2022	SeqNo: <b>3354799</b> Units: <b>mg/Kg</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.92	0.025	1.000	0	91.9	80	120			
Toluene	0.93	0.050	1.000	0	92.9	80	120			
Ethylbenzene	0.92	0.050	1.000	0	91.7	80	120			
Xylenes, Total	2.8	0.10	3.000	0	92.5	80	120			
Surr: 4-Bromofluorobenzene	0.93		1.000		93.4	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 163 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: 2212211-096ams	SampT	уре: МЅ	}	TestCode: EPA Method 8021B: Volatiles						
Client ID: BS22-80 4'	Batcl	Batch ID: <b>71901</b> RunNo: <b>93131</b>								
Prep Date: 12/7/2022	Analysis D	Date: <b>12</b>	/8/2022	9						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.87	0.025	0.9950	0	87.1	68.8	120			
Toluene	0.91	0.050	0.9950	0	91.4	73.6	124			
Ethylbenzene	0.92	0.050	0.9950	0	92.1	72.7	129			
Xylenes, Total	2.8	0.10	2.985	0.02036	91.5	75.7	126			
Surr: 4-Bromofluorobenzene	0.96		0.9950		96.6	70	130			

Sample ID: 2212211-096amsd	Samp	Гуре: <b>М</b> S	SD .	Tes	TestCode: EPA Method 8021B: Volatiles						
Client ID: BS22-80 4'	Batc	h ID: <b>719</b>	901	F							
Prep Date: 12/7/2022	rep Date: 12/7/2022 Analysis Date: 12/8/2022					354803	Units: mg/K	g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.95	0.025	0.9950	0	95.2	68.8	120	8.82	20		
Toluene	1.0	0.050	0.9950	0	100	73.6	124	9.37	20		
Ethylbenzene	1.0	0.050	0.9950	0	102	72.7	129	10.2	20		
Xylenes, Total	3.1	0.10	2.985	0.02036	102	75.7	126	10.4	20		
Surr: 4-Bromofluorobenzene	0.97		0.9950		97.5	70	130	0	0		

Sample ID: <b>mb-71909</b>	SampT	уре: МЕ	BLK	Tes						
Client ID: PBS	Batch	n ID: <b>71</b> 9	909	F	RunNo: 93					
Prep Date: 12/7/2022	Analysis D	Date: 12	2/9/2022	9	SeqNo: 3354822 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.89		1.000		89.4	70	130			

Sample ID: LCS-71909	SampT	ype: <b>LC</b>	s	TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batcl	n ID: <b>719</b>	009	F	RunNo: 93	3131				
Prep Date: 12/7/2022	Analysis D	Date: <b>12</b>	/9/2022	5						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.025	1.000	0	96.7	80	120			
Toluene	0.97	0.050	1.000	0	97.2	80	120			
Ethylbenzene	0.96	0.050	1.000	0	95.7	80	120			
Xylenes, Total	2.9	0.10	3.000	0	95.3	80	120			
Surr: 4-Bromofluorobenzene	0.93		1.000		93.0	70	130			

### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 164 of 167

# Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: Ics-71895	SampT	ype: <b>LC</b>	S	Tes	TestCode: EPA Method 8021B: Volatiles					
Client ID: LCSS	Batcl	n ID: <b>718</b>	395	F	RunNo: 93141					
Prep Date: 12/6/2022	Analysis D	Date: <b>12</b>	/8/2022	5	SeqNo: 33	355469	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	101	80	120			
Toluene	1.0	0.050	1.000	0	101	80	120			
Ethylbenzene	1.0	0.050	1.000	0	100	80	120			
Xylenes, Total	3.0	0.10	3.000	0	100	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		106	70	130			

Sample ID: <b>mb-71895</b>	SampT	SampType: MBLK TestCode: EPA Method 8021B: Volatiles										
Client ID: PBS	Batch	n ID: <b>71</b> 8	395	F	RunNo: 93141							
Prep Date: 12/6/2022	Analysis D	Date: 12	/8/2022	5	SeqNo: 3	355470	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.025										
Toluene	ND	0.050										
Ethylbenzene	ND	0.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	1.0		1.000		104	70	130					

Sample ID: 2212211-076AMS	Samp <sup>1</sup>	SampType: MS TestCode: EPA Method 8021B: Volatiles								
Client ID: <b>BS22-60 4'</b>	Batc	h ID: <b>718</b>	395	F	RunNo: 9:					
Prep Date: 12/6/2022	Analysis [	Date: <b>12</b>	/8/2022	5	SeqNo: 3	355473	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	0.9833	0	100	68.8	120			
Toluene	1.0	0.049	0.9833	0	101	73.6	124			
Ethylbenzene	1.0	0.049	0.9833	0	102	72.7	129			
Xylenes, Total	3.0	0.098	2.950	0	102	75.7	126			
Surr: 4-Bromofluorobenzene	1.0		0.9833		104	70	130			

Sample ID: 2212211-076AMSD	SampT	SampType: MSD TestCode: EPA Method 8021B: Volatiles								
Client ID: <b>BS22-60 4'</b>	Batcl	Batch ID: <b>71895</b> RunNo: <b>93141</b>								
Prep Date: 12/6/2022	Analysis D	Date: 12	/8/2022	5	SeqNo: 33	355474	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	0.9823	0	99.4	68.8	120	0.820	20	
Toluene	0.99	0.049	0.9823	0	101	73.6	124	0.879	20	
Ethylbenzene	0.99	0.049	0.9823	0	100	72.7	129	1.26	20	
Xylenes, Total	3.0	0.098	2.947	0	100	75.7	126	1.47	20	
Surr: 4-Bromofluorobenzene	0.97		0.9823		98.3	70	130	0	0	

### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 165 of 167

# **QC SUMMARY REPORT**

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: Ics-71906	Samp <sup>1</sup>	Гуре: <b>LC</b> :	S	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: LCSS	Batc	h ID: <b>719</b>	006	F	RunNo: 93	3141				
Prep Date: 12/7/2022	Analysis [	Date: <b>12</b>	/9/2022	5	SeqNo: 33	355493	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	1.000	0	98.2	80	120			
Toluene	0.98	0.050	1.000	0	98.4	80	120			
Ethylbenzene	0.97	0.050	1.000	0	96.7	80	120			
Xylenes, Total	2.9	0.10	3.000	0	96.1	80	120			
Surr: 4-Bromofluorobenzene	0.98		1.000		97.5	70	130			

Sample ID: <b>mb-71906</b>	Samp1	Гуре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: PBS	Batcl	h ID: <b>71</b> 9	906	F	RunNo: 9:	3141				
Prep Date: 12/7/2022	Analysis D	Date: 12	/9/2022	5	SeqNo: 3	355494	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.96		1.000		96.3	70	130			

Sample ID: 2212211-116ams	Samp <sup>-</sup>	Туре: <b>М</b> S	3	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: <b>BS22-100 4'</b>	Batc	h ID: <b>71</b> 9	906	F	RunNo: 9	3141				
Prep Date: 12/7/2022	Analysis [	Date: <b>12</b>	/9/2022	5	SeqNo: 3	355497	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.91	0.025	0.9843	0	92.6	68.8	120			
Toluene	0.94	0.049	0.9843	0	95.9	73.6	124			
Ethylbenzene	0.94	0.049	0.9843	0	96.0	72.7	129			
Xylenes, Total	2.8	0.098	2.953	0	95.5	75.7	126			
Surr: 4-Bromofluorobenzene	0.97		0.9843		98.7	70	130			

Sample ID: 2212211-116amsd	SampT	Гуре: <b>МЅ</b>	D	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: BS22-100 4'	Batcl	h ID: <b>719</b>	06	F	RunNo: 93	3141				
Prep Date: 12/7/2022	Analysis D	Date: <b>12</b>	/9/2022	5	SeqNo: 33	355498	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.025	0.9833	0	89.4	68.8	120	3.71	20	
Toluene	0.91	0.049	0.9833	0	92.3	73.6	124	3.94	20	
Ethylbenzene	0.91	0.049	0.9833	0	92.4	72.7	129	3.92	20	
Xylenes, Total	2.7	0.098	2.950	0	91.8	75.7	126	4.01	20	
Surr: 4-Bromofluorobenzene	0.97		0.9833		98.8	70	130	0	0	

## Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 166 of 167

# **QC SUMMARY REPORT**

## Hall Environmental Analysis Laboratory, Inc.

WO#: **2212211** 

15-Dec-22

Client: Vertex Resources Services, Inc.

**Project:** SDE 31 Federal 009

Sample ID: 2212211-136ams	Samp <sup>-</sup>	Туре: МЅ	3	Tes	tCode: EF	PA Method	8021B: Volati	iles		
Client ID: <b>BS22-120 4'</b>	Batc	h ID: <b>71</b> 9	909	F	RunNo: 9	3146				
Prep Date: 12/7/2022	Analysis [	Date: <b>12</b>	/9/2022	9	SeqNo: 3	357312	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.025	0.9940	0	95.0	68.8	120			
Toluene	0.99	0.050	0.9940	0	100	73.6	124			
Ethylbenzene	1.0	0.050	0.9940	0	102	72.7	129			
Xylenes, Total	3.0	0.099	2.982	0.01925	101	75.7	126			
Surr: 4-Bromofluorobenzene	0.95		0.9940		95.7	70	130			

Sample ID: 2212211-136amsd	I Samp	Туре: МЅ	SD.	Tes	tCode: EF	PA Method	8021B: Volati	les		
Client ID: <b>BS22-120 4'</b>	Batc	h ID: <b>71</b> 9	909	F	RunNo: 9:	3146				
Prep Date: 12/7/2022	Analysis I	Date: <b>12</b>	/9/2022	5	SeqNo: 3	357313	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	0.9901	0	98.5	68.8	120	3.23	20	
Toluene	1.0	0.050	0.9901	0	104	73.6	124	3.33	20	
Ethylbenzene	1.0	0.050	0.9901	0	105	72.7	129	2.89	20	
Xylenes, Total	3.1	0.099	2.970	0.01925	105	75.7	126	3.51	20	
Surr: 4-Bromofluorobenzene	0.96		0.9901		97.2	70	130	0	0	

## Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 167 of 167



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

# Sample Log-In Check List

Released to Imaging: 4/4/2024 9:35:21 AM

	_		,	reosue. www.r	ianenvi	ronme	гнан.сот		
Client Name:	Vertex Res Services, I		Work	Order Numbe	r: 221	2211		RcptN	o: 1
Received By:	Sean Livi	ngston	12/6/202	22 7:30:00 AN	И		5-6	not	
Completed By:	Sean Livi	naston	12/6/202	22 8:03:32 AM	Λ		< /	not	
Reviewed By:	11	-6-22					)L	ng str	
Chain of Cus	stody								
1. Is Chain of C	Custody comp	lete?			Yes	<b>V</b>	No 🗌	Not Present	
2. How was the	e sample deliv	vered?			Cou	<u>rier</u>			
<u>Log In</u>									
3. Was an atter	mpt made to	cool the samp	les?		Yes	V	No 🗌	na 🗌	
4. Were all sam	nples received	l at a tempera	ture of >0°C t	o 6.0°C	Yes	<b>V</b>	No 🗌	na 🗆	
5. Sample(s) in	proper conta	iner(s)?			Yes	V	No 🗌		
6. Sufficient sar	mple volume f	for indicated te	est(s)?		Yes	<b>V</b>	No 🗌		
7. Are samples	(except VOA	and ONG) pro	perly preserve	d?	Yes	V	No 🗌		
8. Was preserva	ative added to	bottles?			Yes		No 🗹	NA 🗆	
9. Received at l	east 1 vial wit	h headspace	<1/4" for AQ V	OA?	Yes		No 🗌	NA 🗹	
10. Were any sa	mple contain	ers received b	roken?		Yes		No 🗹	# of preserved	
11. Does paperw		ttle labels? ain of custody	<b>,</b>		Yes	<b>V</b>	No 🗆	bottles checked for pH:	or >12 unless noted)
12. Are matrices		-			Yes	<b>V</b>	No 🗌	Adjusted?	
13. Is it clear wha					Yes	V	No 🗌		e 1
14. Were all hold	ing times able				Yes	<b>V</b>	No 🗌	Checked by:	yn 12/6/22
Special Hand		_							
15. Was client n			vith this order?		Yes		No 🗆	NA 🗹	
Person	Notified:			Date:	-	or and the second			
By Wh	om:			Via:	eM	ail [	] Phone [] Fax	☐ In Person	
Regard	ding:				a minumento de			-	
Client I	Instructions:							THE PARTY OF THE P	
16. Additional re	emarks:								_
17. Cooler Info	rmation								
Cooler No	o Temp ºC	Condition	Seal Intact	Seal No	Seal D	ate	Signed By		
1	5.2	Good		The second					
2	0.9	Good		-					
3 4	1.7 0.3	Good Good						- Communication of the Communi	
7	0.5	300u							



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

# Sample Log-In Check List

RcptNo: 1

Released to Imaging: 4/4/2024 9:35:21 AM

Client Name: Vertex Resources Work Order Number: 2212211
Services, Inc.

Cooler No	Temp ℃	Condition	Seal Intact	Seal No	Seal Date	Signed By
5	0.1	Good				

eceived Of PS	Pr38f20	eceived of ASTACTUS PORT BY RECORD	Turn-Around Time:				3	=	Z	-	2	Page 401 of 420
Client:	Vertex	×	Standard KRush	1 5 Open		F	4	Į Į	ANALYSIS	S	AB	LABORATORY
		(direct bill to Devon)	Project Name:	0		U	S	w.hal	www.hallenvironmental.com		tal.com	
Mailing Address	ress:		SDE 31 Federal #009		7	1901 F	4901 Hawkins NE	Ä.		nerdn	Albuquerque, NM 87109	87109
			Project #:			Tel. 5(	505-345-3975	3975	Fax	505	Fax 505-345-4107	107
Phone #:			22E-02816-36					∢	Analysis Request	s Req	nest	
email or Fax#:	<b>#</b> :		Project Manager:						<sup>⊅</sup> OS		(ju	
	age:		Kent Stallings				SMI	OIAU	S '⁵O		əsqY	
□ Standard		☐ Level 4 (Full Validation)	kstallings@vertex.ca				502		d "		'nц	
Accreditation:		mpliance	Sampler: L. Pullman					170.1	ZON	(A	ose1 <sup>C</sup>	
☐ EDD (Tvpe)	1_		# of Coolers: 5	2							լ) ա	
			Cooler Temp(including CF): 5-	よくしたににいる十							ıolilo	
Date Time	ne Matrix	× Sample Name	Container Preservative Type and # Type		BTEX /	108:H9T 99 1808	EDB (M	PAHs by	85e0 (∧ Cl' E' B	8) 0728	Total Co	
12/02/22 7:0	7:05 Soil	WS22-01 0-4'	1, 4oz jar	100	×	×			×			
12/02/22 7:0	7:05 Soil	WS22-02 0-4'	1, 40z jar	200	×	×			×			
12/02/22 7:	7:10 Soil	WS22-03 0-4'	1, 4oz jar	500	×	×			×			
12/02/22 7:	7:10 Soil	WS22-04 0-4'	1, 4oz jar	F00	×	×			×			
12/02/22 7:	7:15 Soil	WS22-05 0-4'	1, 4oz jar	5 0℃	×	×			×			
12/02/22 7:	7:15 Soil	WS22-06 0-4'	1, 4oz jar	بحد	×	×			×			
12/02/22 7::	7:20 Soil	WS22-07 0-4'	1, 4oz jar	400	×	×			×	•		
12/02/22 7::	7:20 Soil	WS22-08 0-4'	1, 4oz jar	500	×	×			×			
12/02/22 7::	7:25 Soil	WS22-09 0-4'	1, 4oz jar	204	×	×			×			
12/02/22 7:3	7:25 Soil	WS22-10 0-4'	1, 4oz jar	0)0	×	×			×			
12/02/22 7:3	7:30 Soil	WS22-11 0-4'	1, 4oz jar	010	×	~			×			
12/02/22 7:3		Soil WS22-12 0-4'		210	×	×			×			
Date: Time:		ished by:	Received by: Via:	Date Time	Remarks: Direct bill	rks: bill to	Remarks: Direct bill to Devon, Dale Woodall	n, Dal	e Woo	dall		
Date: Time:	Т	Relinquished by:	Received by: Via:	Date Time	cc. ks	talling	cc. kstallings@vertex.ca for Final Report	tex.ca	ı for Fi	nal R	eport	
8	1900		21 cours	12/st 7:70								

Received O.	CEP .	3817024	Receive Orth 1812 Charlety Mecord	Turn-Around Time:	Time:					Y	=	2	5	C	HALL ENVIRONMENT & of 420
Client:		Vertex		Standard	₩ Rush	5 Day				Z	ANALYSIS	SI	S	S	LABORATORY
		(direct bil	(direct bill to Devon)	Project Name:						*	v.halle	enviro		www.hallenvironmental.com	E
Mailing Address:	ddress			SDE 31 Federal	ral #009			4901	4901 Hawkins NE	kins l	1	Albuq	nerd	lue, N	Albuquerque, NM 87109
				Project #:				e He	505-345-3975	345-3		Fax	200	505-345-4107	4107
Phone #:				22E-02816-36	10						A	alysi	s Re	Analysis Request	The same of the same
email or Fax#:	-ax#:			Project Manager:	ger:		(1	(0)				<sup>⊅</sup> O9		(ju	
QA/QC Package:	ckage:			Kent Stallings			208		801	SW		S '*C		əsq	
☐ Standard	ard		☐ Level 4 (Full Validation)	kstallings@vertex.ca	rtex.ca		) s,ę		. r.	ISO.		) d '		//Ju	
Accreditation:	ition:	☐ Az Cor☐ Other	npliance	Sampler: LAM	Mww.	No	MT \					NO <sub>2</sub>	(A(		
□ EDD (Type)	Type)_			# of Coolers:			38								
				Cooler Temp(including cF):	including CF):		TM								
Date T	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	BTEX /	·08:H9T	90 1808 M) 803	d sHA9	RCRA 8	Cl' E' E	V) 0328 S) 0728	O) 0120 D) IstoT	
12/02/22	7:35	Soil	WS22-13 0-4'	1, 4oz jar		613	×	×				×			
12/02/22	7:35	Soil	WS22-14 0-4'	1, 4oz jar		919	×	×				×			
12/02/22	7:40	Soil	WS22-15 0-4'	1, 4oz jar		S 10	×	×				×			
12/02/22	7:40	Soil	WS22-16 0-4'	1, 4oz jar		SIC	×	×				×			
12/02/22	7:50	Soil	BS22-01 4'	1, 4oz jar		410	×	×				×			
12/02/22	7:50	Soil	BS22-02 4'	1, 4oz jar		COCY	×	×	_			×			
12/02/22	7:55	Soil	BS22-03 4'	1, 4oz jar		019	×	×				×			
12/02/22	7:55	Soil	BS22-04 4'	1, 4oz jar		020	×	×				×			
12/02/22	8:00	Soil	BS22-05 4'	1, 4oz jar		120	×	×				×			
12/02/22	8:00	Soil	BS22-06 4'	1, 4oz jar		2250	×	×				×	_		
12/02/22	8:05	Soil	BS22-07 4'	1, 4oz jar		520	×	×				×			
12/02/22	8:05	Soil	BS22-08 4'	1, 4oz jar		3	×	×				×			
Date: Time:		Relinquished	pe C	Received by:	Via:	Date Time 12/5/12 700	Rem Dire	Remarks: Direct bill	5 D	evon	Remarks: Direct bill to Devon, Dale Woodall	Woo	dall		
Date:		Relinquished by	ed by:	Received by:	Via:	Date Time		stalli	) SGu	vert	ex.ca	for F	na	cc. kstallings@vertex.ca for Final Report	
· A	9	ari			Comme										
- 1	2						1	ŀ	-				1		

Receive Chall	1-3614036	Receive Orldin-181201318611 Mecord	Turn-Around Time:	Time:					<	=	Z	-	0	Page 403 of 420
Client:	Vertex		Standard Standard	Rush	5000			7 [	Z	4	ANALYSIS	S	A	ABORATORY
		(direct bill to Devon)	Project Name:						W	.halle	nviror	лтег	www.hallenvironmental.com	E
Mailing Address	.ss:		SDE 31 Federal #009	ral #009			4901	4901 Hawkins NE	kins N	- 1	Albuqı	nerdr	Je, N	Albuquerque, NM 87109
			Project #:				Tel.	505-345-3975	345-39	375	Fax	505	505-345-4107	107
Phone #:			22E-02816-36							A	Analysis Request	s Rec	lnest	
email or Fax#;			Project Manager:	ger:		(1					‡O¢		(ju	
QA/QC Package:	ä		Kent Stallings			Z08)		s.gr	SWI		S 'ÞC		-sq\	
□ Standard		☐ Level 4 (Full Validation)	kstallings@vertex.ca	rtex.ca		) s,e			ISO.		)-l '		//tu	
Accreditation:		☐ Az Compliance	Sampler:	Man		TME					ZON	(A		
FDD (Tyne)	- 1		# of Coolers.	3		3E \					. <sub>E</sub> O	OΛ		
			Cooler Temp(including CF):	including CF).		ЭTМ								
Date Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	STEX /	108:Hq	1808  EDB (Me	d sHΑς	8 AAD?	3, F, B 20 (V	8) 0728	otal Co	
1 ~	1	BS22-09 4'			520	×			<del> </del>	-	<del>                                     </del>		-	
		BS22-10 4'	1, 4oz jar		026	×	×	-			×			
12/02/22 8:15	Soil	BS22-11 4'	1, 4oz jar		470	×	×	ļ 			×			
12/02/22 8:15	Soil	BS22-12 4'	1, 4oz jar		820	×	×				×			
12/02/22 8:20	Soil	BS22-13 4'	1, 4oz jar		520	×	×				×			
12/02/22 8:20	Soil	BS22-14 4'	1, 4oz jar		UCO	×	×				×			
12/02/22 8:25	Soil	BS22-15 4'	1, 4oz jar		03(	×	×				×			
12/02/22 8:25	Soil	BS22-16 4'	1, 4oz jar		550	×	×				×			
12/02/22 8:30	Soil	BS22-17 4'	1, 4oz jar		೧ತನ	×	×				×			
12/02/22 8:30	Soil	BS22-18 4'	1, 4oz jar		734	×	×				×			
12/02/22 8:35	Soil	BS22-19 4'	1, 4oz jar		256	×	×				×			
12/02/22 8:35		BS22-20 4'	1, 4oz jar		33	×	×				×			
Date: Time:		hed by	Received by:	Via:	Date Time	Rem	Remarks:				V.			
विकारिक विकार	Jahren	The Warm	_	M	S	Dire.	t bill	Direct bill to Devon, Dale Woodall	evon,	Dale	Wood	dall nal R	Direct bill to Devon, Dale Woodall	
Date: Time:	Relinquished by	ned by:	Received by:	Via:		; ;	210	3) 2) 3)		3	5	5		
200b) Reb		alleman	X Can		2/0/11 7:20									
	, and	sdie od wom letaemacajus II of bettimd	or rotto of botocrator	attornation (aboretorie	this serves as This	diooca,	lity An	7 4 10 X	of contract	1000	ا ما ما	arly not	ot pate	to analytical renort

eceive Or CA	P1-361402	Receive OHAM - 18 14 18 18 18 18 18 18 18 18 18 18 18 18 18	Turn-Around Time:	Time:				I	~	ū	3	0	2	Page 404 of 420	420
Client:	Vertex		💢 Standard	ሺ Rush_	5 Day			. ∢	Z	ANALYSIS	SIS		BO	LABORATORY	
	(direct b	(direct bill to Devon)	Project Name:						ww.	www.hallenvironmental.com	ironn	enta	.com		
Mailing Address:	:SS:		SDE 31 Fede	aral #009			4901	4901 Hawkins NE	s NE	•	anbn	rque,	Albuquerque, NM 87109	601	
			Project #:				⊣el.	505-345-3975	5-397		ax	05-3	Fax 505-345-4107		
Phone #:			22E-02816-36	9						Analysis Request	sis F	Sedu	est		
email or Fax#:			Project Manager:	ger:		(1	(0		_	<sup>†</sup> O <sup>ç</sup>			(ıu		
QA/QC Package:	je:		Kent Stallings	10		805			SW	S '*C			esq,		
□ Standard		☐ Level 4 (Full Validation)	kstallings@ve	ertex.ca		) s,8			IS0.	) A			-/nu		
Accreditation:		mpliance	Sampler: L Pullman	Pullman		TME			728 -	NOs			rese		
□ NELAC	Other		On Ice:	□ Yes	ON [	13							<del>а</del> )		
☐ EDD (Type)	(6)		# of Coolers:			38.					(		wx		
			Cooler Temp	(including CF):		LW					AO'		Olilo		
Date Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	NETEX /	08:H9T  99 1808	EDB (W	d sHA9	RCRA E	v) 0928	8) 0728	Total Co		
12/02/22 8:40	Soil	BS22-21 4'	1, 4oz jar		TE0	×	×			×					
12/02/22 8:40	Soil	BS22-22 4'	1, 4oz jar		320	×	×			×					
12/02/22 8:55	Soil	BS22-23 4'	1, 4oz jar		034	×	×			×					
12/02/22 8:55	Soil	BS22-24 4'	1, 4oz jar		240	×	×			×					
12/02/22 9:00	Soil	BS22-25 4'	1, 4oz jar		04	×	×			×					
12/02/22 9:00	Soil	BS22-26 4'	1, 4oz jar		347	×	×			×					
12/02/22 9:05	Soil	BS22-27 4'	1, 4oz jar		540	×	×			×					
12/02/22 9:05	Soil	BS22-28 4'	1, 4oz jar		りより	×	×			×					
12/02/22 9:10	Soil	BS22-29 4'	1, 4oz jar		045	×	×			×					
12/02/22 9:10	Soil	BS22-30 4'	1, 4oz jar		SUC	×	×			×					
12/02/22 9:15	Soil	BS22-31 4'	1, 4oz jar		545	×	×			×					
/22		BS22-32 4'	1, 4oz jar		246	×	×			×					
Date: Time:	Relinquished	Used by	Received by:	Via:	-	Remarks:	arks:	200	2	Remarks:	200	_			
Date: Time:	1	Land by:	Received by:	Via:	Oste Time	CC. &	stallin	gs@v	ertex	cc. kstallings@vertex.ca for Final Report	Fina	I Reg	ort		
OOL Ress		"Munn	Sec.	اللامان)	ر										

Receive O. H.G.	SHIP. 3	Graph	Receive Of Helph-1614 Cold July Record	Turn-Around Time:	Time:				~	Ĭ.	5	00	Page 405 of 420
Client:	>	Vertex		Standard Standard	K.Rush	5 Day			Z	ANALYSIS	SI	3	LABORATORY
	)	direct bill	(direct bill to Devon)	Project Name:					www.	www.hallenvironmental.com	ronme		mo
Mailing Address:	dress:			SDE 31 Federal #009	ral #009		49	4901 Hawkins NE	ins NE	- 1	rdner	que, N	Albuquerque, NM 87109
				Project #:			Tel.	il. 505-345-3975	45-397		Fax 5(	505-345-4107	-4107
Phone #:				22E-02816-36	9					Analy	sis R	Analysis Request	
email or Fax#:	ax#:			Project Manager:	ger:					<sup>‡</sup> O <sup>\$</sup>	-	(tu	
QA/QC Package:	kage:			Kent Stallings				s,g(	SW	S 'ÞC		əsq	
□ Standard	ā		☐ Level 4 (Full Validation)	kstallings@verte	ertex.ca			Dd a	ISO.	Эд '		∤/ţu:	
Accreditation:		☐ Az Con☐ Other☐	Az Compliance Other	Sampler: L Pul On Ice: □	Whan Yes	□ No							
□ EDD (Type)	1 1			# of Coolers:									
				Cooler Temp(including CF):	including CF):								
Date Tir	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	\ X∃T8 `08:H9T	8081 Pe	d sHA9	RCRA 8	V) 0928	S) 07S8 CO IstoT	
12/02/22	9:20	Soil	BS22-33 4'	1, 4oz jar		049	×			×			
12/02/22	9:20	Soil	BS22-34 4'	1, 4oz jar		<b>c</b> ₹0	×			×			
12/02/22	9:25	Soil	BS22-35 4'	1, 4oz jar		150	×			×			
12/02/22	9:25	Soil	BS22-36 4'	1, 4oz jar		250	×			×			
12/02/22	9:30	Soil	BS22-37 4'	1, 4oz jar		550	×	H		×			
12/02/22	9:30	Soil	BS22-38 4'	1, 4oz jar		PSO	×			×			
12/02/22	9:35	Soil	BS22-39 4'	1, 4oz jar		055	×			×			
12/02/22	9:35	Soil	BS22-40 4'	1, 4oz jar		250	×	-		×			
12/02/22	9:40	Soil	BS22-41 4'	1, 4oz jar		057	×			×		_	
12/02/22	9:40	Soil	BS22-42 4'	1, 4oz jar		05%	×			×			
12/02/22	9:45	Soil	BS22-43 4'	1, 4oz jar		556	×			×			
/22	5	Soil	BS22-44 4'	1, 4oz jar			×			×			
Date: Time:		Relinquished by:	d by:	Received by:	Via:	Date Time	Remarks:	: S:	•				
98%0 FS-0	3	See.	Modern	en		2	Direct bill to Devon, Dale Woodall cc. kstallings@vertex.ca for Final Report	ill to De Ilings@	vertex	ale Wo	Final	I Repo	
Date: Time:		Relinquished by	d by:	Received by:	Via:	Date Time		) ) )		3			
12/22 1900	300	33		5cc c	-۳۸۰۰ده)	12/0/22 7:TO							

Receive	Ared Pr	3617036	Receive Other 1892 1024 Stocky Mecord	Turn-Around Time:	Time:			-	-	N		N	Page 406 of 420
Client:		Vertex		X Standard	K Rush	50an		• <b>•</b>	NAL	ANALYSIS	SL	ABO	LABORATORY
		(direct bi	(direct bill to Devon)	Project Name:					ww.ha	www.hallenvironmental.com	nment	al.com	
Mailing	Mailing Address:			SDE 31 Federal	eral #009		490	4901 Hawkins NE		- Albuqı	uerqu	Albuquerque, NM 87109	60
				Project #:			Tel.	. 505-345-3975	5-3975	Fax	505-	Fax 505-345-4107	
Phone #:	#:			22E-02816-36	91				4	Analysis Request	s Req	uest	
email or Fax#:	r Fax#:			Project Manager:	ager:					<sup>⊅</sup> OS		(Jue	
QA/QC F	QA/QC Package:			Kent Stallings	Ø			CB.2	SWIS	5 '⁵Oc		əsdA\	
□ Standard	Idard		☐ Level 4 (Full Validation)	kstallings@vertex.ca	eriex.ca				302	3' ا		ĵue	
Accreditation:	itation: AC	☐ Az Co☐ Other	mpliance	Sampler: Chillian	Pullman Yes	cN [				ZON '	(A	Prese	
□ EDD (Type)	(Type)			# of Coolers:								) w.	
				Cooler Temp(including CF):	(including CF):							oìile	
Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	N=TEX /	8081 Pe	PAHs by	Cl' E' B	8) 0728	Total Co	
12/02/22	10:00	Soil	BS22-45 4'	1, 4oz jar		OCe 1	×			×			
12/02/22	10:00	Soil	BS22-46 4'	1, 4oz jar		270	×			×			
12/02/22	10:05	Soil	BS22-47 4'	1, 4oz jar		290	×			×			
12/02/22	10:05	Soil	BS22-48 4'	1, 4oz jar		787	×			×			
12/02/22	10:10	Soil	BS22-49 4'	1, 4oz jar		500	×			×			
12/02/22	10:10	Soil	BS22-50 4'	1, 4oz jar		200	×			×			
12/02/22	10:15	Soil	BS22-51 4'	1, 4oz jar		430	×			×			
12/02/22	10:15	Soil	BS22-52 4'	1, 4oz jar		೧ಅಕ್	×			×			
12/02/22	10:20	Soil	BS22-53 4'	1, 4oz jar		000	×			×			
12/02/22	10:20	Soil	BS22-54 4'	1, 4oz jar		O#0	×			×			
12/02/22	10:25	Soil	BS22-55 4'	1, 4oz jar		KO.	×			×			
12/02/22	10:25	Soil	BS22-56 4'	1, 4oz jar		275	×			×			
Date:		Relinquished y:	ledwy:	Received by:	Via:	(i)	Remarks			147	= 1		
7		Jacky	MAMON	3		2	Direct bill to Devon, Dale Woodall cc. kstallings@vertex.ca for Final Report	II to Dev Iings@v	on, Dal ertex.c	e wood a for Fi	gall nal R	eport	
Date:	-ime:	Relinquished by:	led by:	Received by:	Via:			)					
Spr	1900	3		2 22	ا كمسىي	126 m 7.30						;	

Single   S
SDE 31 Federal #009   Project Name:
SDE 31 Federal #009   Project #:   22E-02816-36   Project #:     22E-02816-36   Project #:     22E-02816-36   Project #:     22E-02816-36   Project #:
Project #:   22E-02816-36
Project Manager:   Rent Stallings   Sempler:   AMMM   Received by:   Container   Soil   BS22-63 4'   1,4oz jar   Soil   BS22-65 4'   1,4oz jar   Soil   BS22-67 4'   1,4oz jar   Soil   So
Notice to Manager:   Kent Stallings   Rent Stallings
Natrix   Sample   Natri   Sample   Cooler Tempinauang ch;   Average   Cooler Tempinauang ch;   Average   No
Level 4 (Full Validation)   <u>kstallings@vertex.ca</u>   Sampler: LAMMan   Contest   Contest   Coolers:   Coolers:   Cooler Templinationg CF:   Cooler Templi
Az Compliance
# of Coolers:   Cooler Temptindusing CP;
Soil BS22-63 4' 1, 4oz jar Soil BS22-64 4' 1, 4oz jar Soil BS22-64 4' 1, 4oz jar Soil BS22-66 4' 1, 4oz jar Soil BS22-67 4' 1, 4oz jar Soil BS22-68 4' 1
Matrix   Sample Name   Type and # Type   Preservative   HEAL No.   Type and # Type
Soil         BS22-57 4*         1, 40z jar         0743           Soil         BS22-58 4*         1, 40z jar         074           Soil         BS22-60 4*         1, 40z jar         074           Soil         BS22-61 4*         1, 40z jar         074           Soil         BS22-62 4*         1, 40z jar         074           Soil         BS22-63 4*         1, 40z jar         074           Soil         BS22-64 4*         1, 40z jar         074           Soil         BS22-65 4*         1, 40z jar         076           Soil         BS22-66 4*         1, 40z jar         076           Soil         BS22-66 4*         1, 40z jar         077           Soil         BS22-66 4*         1, 40z jar         077           Soil         BS22-67 4*         1, 40z jar         077           Soil         BS22-68 4*         1, 40z jar         077           Soil         BS22-68 4*         1, 40z jar         074           Soil         BS22-67 4*         1, 40z jar         074           Soil         BS22-67 4*         1, 40z jar         074           Soil         BS22-67 4*         1, 40z jar         074
Soil BS22-584' 1, 40z jar 0745 Soil BS22-604' 1, 40z jar 0745 Soil BS22-614' 1, 40z jar 0745 Soil BS22-634' 1, 40z jar 0745 Soil BS22-644' 1, 40z jar 0745 Soil BS22-664' 1, 40z jar 0760 Soil BS22-684' 1, 40z jar 0760
Soil         BS22-59 4'         1, 4oz jar         ○7€           Soil         BS22-60 4'         1, 4oz jar         ○74           Soil         BS22-62 4'         1, 4oz jar         ○74           Soil         BS22-63 4'         1, 4oz jar         ○7€           Soil         BS22-64 4'         1, 4oz jar         ○4           Soil         BS22-66 4'         1, 4oz jar         ○4           Soil         BS22-67 4'         1, 4oz jar         ○4           Soil         BS22-68 4'         1, 4oz jar         ○4
Soil BS22-60 4' 1, 40z jar 074c  Soil BS22-61 4' 1, 40z jar 074c  Soil BS22-63 4' 1, 40z jar 074c  Soil BS22-64 4' 1, 40z jar 074c  Soil BS22-65 4' 1, 40z jar 074c  Soil BS22-66 4' 1, 40z jar 074c  Soil BS22-67 4' 1, 40z jar 074c  Soil BS22-67 4' 1, 40z jar 074c  Soil BS22-67 4' 1, 40z jar 074c  Soil BS22-68 4' 1, 40z jar 074c
Soil         BS22-61 4'         1, 4oz jar         C374           Soil         BS22-62 4'         1, 4oz jar         O34%           Soil         BS22-64 4'         1, 4oz jar         O34%           Soil         BS22-65 4'         1, 4oz jar         O36%           Soil         BS22-66 4'         1, 4oz jar         O36%           Soil         BS22-66 4'         1, 4oz jar         O36%           Soil         BS22-66 4'         1, 4oz jar         O36%           Soil         BS22-68 4'         1, 4oz jar         O36%           Relinquished by:         Received by:         Via:         Date Time           And Antimed by:         Base and Antimed by:         Base and Antimed by:         Base and Antimed by:
Soil         BS22-62 4'         1, 4oz jar         OFF           Soil         BS22-63 4'         1, 4oz jar         OFF           Soil         BS22-64 4'         1, 4oz jar         OFF           Soil         BS22-65 4'         1, 4oz jar         OFF           Soil         BS22-66 4'         1, 4oz jar         OFF           Soil         BS22-67 4'         1, 4oz jar         OFF           Soil         BS22-68 4'         1, 4oz jar         OFF           Relinquished by:         Received by:         Nia:         Date           Time         Time         Time           And Anticle a
Soil BS22-63 4' 1, 40z jar 0745 Soil BS22-64 4' 1, 40z jar 0560 Soil BS22-66 4' 1, 40z jar 0560 Soil BS22-67 4' 1, 40z jar 0560 Soil BS22-67 4' 1, 40z jar 0560 Soil BS22-68 4' 1, 40z jar 0560
Soil BS22-644' 1, 40z jar 0%0 Soil BS22-664' 1, 40z jar 0%1 Soil BS22-674' 1, 40z jar 0%2 Soil BS22-674' 1, 40z jar 0%2 Soil BS22-684' 1, 40z jar 0%2 Soil B
Soil BS22-66 4' 1, 40z jar 0%/ Soil BS22-66 4' 1, 40z jar 0%/ Soil BS22-68 4' 1, 40z jar 0%/ Soil BS22-68 4' 1, 40z jar 0%/ Relinquished by:  Relinquished by:  Relinquished by:  Received by:  Receiv
Soil BS22-66 4' 1, 4oz jar Soil BS22-67 4' 1, 4oz jar Soil BS22-68 4' 1, 4oz jar Soil BS22-68 4' 1, 4oz jar Received by: Via: Date Time
Soil BS22-67 4' 1, 40z jar のおっとのようには、
Soil BS22-68 4' 1, 40z jar Oyy Relinquished by: Via: Date Time
Received by: Via: Date Time
Date Time
Necely de la
19/5/22/ Jaso alle

eceived 196	P1-361-00	Leceived Math 3612011 Stott MRecord	Turn-Around Time:	Time:				4	i	5	00	Page 408 of 420	0
Client:	Vertex		Standard Standard	K Rush	5 pay			Z	ANALYSIS	SI	3	ABORATORY	
		(direct bill to Devon)	Project Name:					www.	www.hallenvironmental.com	ronme	T,	om	
Mailing Address	:sse		SDE 31 Fede	ral #009		49	4901 Hawkins NE	ins NE		ndner	que, №	Albuquerque, NM 87109	
			Project #:			Tel.	d. 505-345-3975	15-397		ax 5(	Fax 505-345-4107	-4107	- 1
Phone #:			22E-02816-36	10					Analy	sis R	Analysis Request	1	
email or Fax#:	ψ.		Project Manager:	ger:					<sup>⊅</sup> OS		(ţu		
QA/QC Package:	ge:		Kent Stallings				CB,2	SMIS	S '⁵O		əsdA		
□ Standard		☐ Level 4 (Full Validation)	kstallings@vertex.ca	ertex.ca				S02	d ''		дu:		
Accreditation:		mpliance	Sampler: LAMMAN	W Man									
□ EDD (Tvpe)			# of Coolers:	3	2								
			Cooler Temp(including CF):	including CF).									
Date Time	e Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	NETEX / 108:H9T	8081 Pe	(d εHA¶	CI, F, B	V) 0928	S) (S) 20 30 (S) Total Co		
12/02/22 11:05	J5 Soil	BS22-69 4'	1, 4oz jar		085	×			×				
12/02/22 11:05	Soil Soil	BS22-70 4'	1, 4oz jar		SX C	×			×				
12/02/22 11:10	10 Soil	BS22-71 4'	1, 4oz jar		780	×			×				
12/02/22 11:10	10 Soil	BS22-72 4'	1, 4oz jar		08%	×			×				
12/02/22 11:15	Soil	BS22-73 4'	1, 4oz jar		085	×			×				_
12/02/22 11:15	Soil Soil	BS22-74 4'	1, 4oz jar		040	×			×				
12/02/22 11:20	20 Soil	BS22-75 4'	1, 4oz jar		091	×			×				
12/02/22 11:20	20 Soil	BS22-76 4'	1, 4oz jar		092	×			×				
12/02/22 12:30	30 Soil	BS22-77 4'	1, 4oz jar		०५९	×			×				
12/02/22 12:30	30 Soil	BS22-78 4'	1, 4oz jar		094	×			×				
12/02/22 12:35	35 Soil	BS22-79 4'	1, 4oz jar		095	×			×				
/22		BS22-80 4'	1, 4oz jar	:	090	X			×				
Date: Time:	Relinquished by	ned by:	Received by:	ζiä: V	Date Time	Remarks: Direct bill	Remarks: Direct bill to Devon, Dale Woodall	von, [	ale Wo	odall			
Date: Time:		ned by:	Received by:	Via:	Date Time	cc. Ksta	cc. Kstallings@vertex.ca for Final Keport	/епех	ca ror	E L	керо	E	
75/22 (900	3		3 7%	) Vm-3	21/14 770								

Receive	broch.	3/31/1024	Receive Chogh - 198 LO24 & PANIN ACOIN	Turn-Around Time:	le:										Page	409 of	420
Client:		Vertex		Standard	Rush	5 Jan				HALL ENVI	3	N V	VIR.	NON	MENTAL PATODY	AL Voc	
		(direct bi	(direct bill to Devon)	Project Name:		il .				WW	halle	enviro	nmer	al.com			
Mailing	Mailing Address:			SDE 31 Federal	ral #009			4901	§ Ha§	4901 Hawkins NE	Щ.	Albuc	nerd	Albuquerque, NM 87109	<sub>ග</sub>		
				Project #:				<u>–</u>	505	505-345-3975	375	Fa 9	506	Fax 505-345-4107			
Phone #:	#:			22E-02816-36							A	Analysis Request	s Re	quest			
email or Fax#:	r Fax#:			Project Manager:			(1	(0				<sup>⊅</sup> O!		(ĵu			
QAVQC	QA/QC Package:			Kent Stallings			208		S.Q	SM		S Ԡ(		əsq			
□ Stan	Standard		☐ Level 4 (Full Validation)	kstallings@vertex.ca	x.ca		) s <sub>.</sub> 8		<u></u>	IS0		 		A∖Ìn			
Accreditation:	itation: AC	☐ Az Col	mpliance			SN C	BMT \					ZON	(A				
	EDD (Type)			# of Coolers:			BE '										
					including CF).		TM										
Date	Time	Matrix	Sample Name	Container Prese Type and # Type	Preservative Type	HEAL No.	ВТЕХ /	08:H9T	8081 Pe M) 803	d sHA9	RCRA 8	83e0 (/\ Cl' E' B	V) 0328 S) 0728	oO letoT			
12/02/22	12:40	Soil	BS22-81 4'	1, 4oz jar		450	×	×				×					
12/02/22	12:40	Soil	BS22-82 4'	1, 4oz jar		250	×	×				×					
12/02/22	12:45	Soil	BS22-83 4'	1, 4oz jar		069	×	×				×					
12/02/22	12:45	Soil	BS22-84 4'	1, 4oz jar		Qo1	×	×				×					
12/02/22	12:50	Soil	BS22-85 4'	1, 4oz jar		101	×	×				×					
12/02/22	12:50	Soil	BS22-86 4'	1, 4oz jar		102	×	×				×					
12/02/22	12:55	Soil	BS22-87 4'	1, 4oz jar		103	×	×				×					
12/02/22	12:55	Soil	BS22-88 4'	1, 4oz jar		701	×	×				×					
12/02/22	13:00	Soil	BS22-89 4'	1, 4oz jar		105	×	×				×					
12/02/22	13:00	Soil	BS22-90 4'	1, 4oz jar		<b>S</b> C)	×	×				×					
12/02/22	13:05	Soil	BS22-91 4'	1, 40z jar		<del>(</del> 0)	×	×				×					
12/02/22	13:05	Soil	BS22-92 4'	1, 4oz jar		relete of 106	×	×				×					
Date:	Time:		yd by	Received by: V	Via:	<b>-</b>	Remarks	arks				;	:				
THE T	0020 ms-ti	Jahr	William			22	Direc	t bill	to D	Direct bill to Devon, Dale Woodall cc. kstallings@vertex.ca for Final	Dale x.ca	Woo for Fi	dall	Direct bill to Devon, Dale Woodall cc. kstallings@vertex.ca for Final Rebort			
Date:	<u> </u>	Relinquished by:	led by:	Received by: V	Via:	Date Time	;		0			<u>.</u>		,			
182	1900	00		the court	(4	zleln 7:30											
_	14	1			1 - 1 - 1 - 1				'				-				





eceived	HOGIP!	361700	eceive Chain -61-2013 tod MRecord	Turn-Around Time:	Time:				1	;	2	-	2	Page 411 of 420	f 420
Client:		Vertex		Standard Standard	Rush	50an		T	<b>*</b>	ANALYSIS	YSI	SL	AB	LABORATORY	
		(direct bi	(direct bill to Devon)	Project Name:				1	8	w.hall	enviro	(1)	www.hallenvironmental.com		
Mailing Address:	Address			SDE 31 Fede	ral #009		7	4901 Hawkins NE	awkins	N H	Albuq	nerdn	Albuquerque, NM 87109	37109	
				Project #:				Tel. 505-345-3975	5-345	3975	Fax	505	505-345-4107	07	
Phone #:				22E-02816-36						₹	Analysis Request	s Req	nest		
email or Fax#:	Fax#:			Project Manager:	ger:			(0			<sup>†</sup> O <sup>‡</sup>		(ţu		
QA/QC Package:	ackage:			Kent Stallings					21/1	0141	S 'ÞC		psq		
☐ Standard	lard		☐ Level 4 (Full Validation)	kstallings@vertex.ca	rtex.ca				150	100	 Dd '		√/ĵu		
Accreditation:	ation:	□ Az Co	mpliance	Sampler: LPullyon	MARIN					170	ZON	(	əsə	-	
□ NELAC	ပ္	□ Other		On Ice:	□ Yes	□ No					1 'E	AC	1심)		
☐ EDD (Type)	(Type)_			# of Coolers:									шJ		
				Cooler Temp(including CF):	Including CF).								oìilo		
Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	BTEX /	08:H9T 99 1808	EDB (M	RCRA 8	85e0 (⁄/ Cl' L' E	e) 0728	O IstoT		
12/02/22	14:00	Soil	BS22-105 4'	1, 4oz jar		121	×	-				<u> </u>			
12/02/22	14:00	Soil	BS22-106 4'	1, 4oz jar		721	×	-			×				
12/02/22	14:05	Soil	BS22-107 4'	1, 4oz jar	:	\$2)	×				×				
	14:05	Soil	BS22-108 4'	1, 4oz jar		h21	×	-			×				
12/02/22	14:10	Soil	BS22-109 4'	1, 4oz jar		(25	×				×				
12/02/22	14:10	Soil	BS22-110 4'	1, 4oz jar		120	×	J			×				
12/02/22	14:15	Soil	BS22-111 4'	1, 4oz jar		<del>4</del> 2)	×				×				
12/02/22	14:15	Soil	BS22-112 4'	1, 4oz jar		12 (25)	×	J			×				
12/02/22	14:20	Soil	BS22-113 4'	1, 4oz jar		(74	×	J			×				
12/02/22	14:20	Soil	BS22-114 4'	1, 4oz jar		(2)	×	J			×				
12/02/22	14:25	Soil	BS22-115 4'	1, 4oz jar		(3)	×	J			×				
/22	14:25	Soil	BS22-116 4'	1, 4oz jar		22)	×				×				
Date:		Relinquished by:	ed by:	Received by:	Via:	1	Remarks	rks:			;				
₹		Jakem	- Managar	alun	1	2	Direct	Direct bill to Devon, Dale Woodall cc. kstallings@vertex.ca for Final Report	Devo S@vel	n, Dale tex.ca	for Fi	dall nal R	eport		
Daje:	Time:	Relinquished by:	ed by:	Received by:	Via:	Date Time		D	)				_		
15/22 (gos	3	3		Sac u	) سیسرنی	12/2/21 7/20									

eceivedor	- CARM	381200	eceived Math 36 F20 US 1864 MRecord	Turn-Around Time:	Time:					5	:	2	5		Page 412 of 420	420
Client:		Vertex		Standard Standard	Rush S	Soan			, ,	A	ANALYSIS	S	S	2	LABORATORY	
		(direct bi	(direct bill to Devon)	Project Name:						*	w.hall	enviro		www.hallenvironmental.com	E	
Mailing Address:	vddress			SDE 31 Federal	eral #009			4901	Hay	4901 Hawkins NE	· ツ	Albuc	gnerc	lue, N	Albuquerque, NM 87109	
				Project #:				<u> </u>	505	505-345-3975	975	Б	× 50	Fax 505-345-4107	4107	
Phone #:				22E-02816-36	9						₹	alys	s Re	Analysis Request		H
email or Fax#:	Fax#:			Project Manager:	ger:		(1	(0				<sup>₽</sup> O <sup>‡</sup>		(ju		
QA/QC Package:	ackage:			Kent Stallings			805		S.A.	SW		S '*C		əsqv		
□ Standard	ard		☐ Level 4 (Full Validation)	kstallings@vertex.ca	ertex.ca		) s,		)d :	ISO		 Dd '				
Accreditation:	ation: C	☐ Az Col☐ Other	mpliance	Sampler: └─} On Ice:	L. P. Whan	0N	MT \				,	ZON '	( \( \tau \)			
☐ EDD (Type)	Type)_			0			BE				stals					
				Cooler Temp(including CF):	(including CF):		TM				∍M 8					
Date T	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	\ X3T8	·08:H9T	99 1808 M 903	M) BD3	3 АЯЭЯ	Cl' E' B	V) 0828 S) 0728	Coloral Co		
12/02/22	14:30	Soil	BS22-117 4'	1, 4oz jar		(33	×	×				×				
12/02/22	14:30	Soil	BS22-118 4'	1, 4oz jar		134	×	×				×				
12/02/22	14:35	Soil	BS22-119 4'	1, 4oz jar		135	×	×				×				
12/02/22	14:35	Soil	BS22-120 4'	1, 4oz jar		95)	×	×				×				
12/02/22	14:40	Soil	BS22-121 4'	1, 4oz jar		七足)	×	×				×				
12/02/22	14:40	Soil	BS22-122 4'	1, 4oz jar		(38	×	×				×				
12/02/22	14:45	Soil	BS22-123 4'	1, 4oz jar		139	×	×				×				
12/02/22	14:45	Soil	BS22-124 4'	1, 4oz jar		07)	×	×				×				
12/02/22	14:50	Soil	BS22-125 4'	1, 4oz jar		) <u>``</u> )	×	×				×				
12/02/22	14:50	Soil	BS22-126 4'	1, 4oz jar		241	×	×				×				
12/02/22	14:55	Soil	BS22-127 4'	1, 4oz jar		(4.7)	×	×				×				
								-								
		Relinquished by	Md pe	Received by:	Via:	-	Ren	Remarks:	1			-	- 3			
A	0	7000	MURAN	Cal		27		Direct bill to Devon, Dale Woodall	to D	evon	, Dale	Woo F	dall	Seno		
Date:	Time:	Relinquished by:	ed by:	Received by:	Via:	Date Time	3		)   		5	5	3	2		
19/2 1900	900	3	\	SK O	) میں در معل	12/6(22 7:30										
									-				-	-	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ĺ

रा/रा

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

QUESTIONS

Action 325668

## **QUESTIONS**

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	325668
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

## QUESTIONS

Prerequisites	
Incident ID (n#)	nPAC0534054473
Incident Name	NPAC0534054473 SDE 31 FEDERAL #009 @ 30-025-32868
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Well	[30-025-32868] SDE 31 FEDERAL #009

Location of Release Source	
Please answer all the questions in this group.	
Site Name	SDE 31 FEDERAL #009
Date Release Discovered	10/18/2005
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Corrosion   Flow Line - Injection   Produced Water   Released: 20 BBL   Recovered: 0 BBL   Lost: 20 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe. NM 87505

QUESTIONS, Page 2

Action 325668

1220 S. St Francis Dr., Santa Fe, NM 8/505 Phone: (505) 476-3470 Fax: (505) 476-3462		
QUESTIONS (continued)		
Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137 Action Number: 325668 Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)	
QUESTIONS		
Nature and Volume of Release (continued)		
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.	
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No	
Reasons why this would be considered a submission for a notification of a major release	Unavailable.	
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the C-129 form.	
Initial Response The responsible party must undertake the following actions immediately unless they could create a s	safety hazard that would result in injury.	
The source of the release has been stopped	True	
The impacted area has been secured to protect human health and the environment	True	
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True	
All free liquids and recoverable materials have been removed and managed appropriately	True	
If all the actions described above have not been undertaken, explain why	Not answered.	
	Idion immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of ted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of valuation in the follow-up C-141 submission.	
to report and/or file certain release notifications and perform corrective actions for releate the OCD does not relieve the operator of liability should their operations have failed to a	knowledge and understand that pursuant to OCD rules and regulations all operators are required asses which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or	
I hereby agree and sign off to the above statement	Name: Dale Woodall Title: EHS Professional	

Email: Dale.Woodall@dvn.com

Date: 03/21/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

QUESTIONS, Page 3

Action 325668

## **QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	325668
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Site Characterization		
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.		
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)	
What method was used to determine the depth to ground water	NM OSE iWaters Database Search	
Did this release impact groundwater or surface water	No	
What is the minimum distance, between the closest lateral extents of the release ar	nd the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)	
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)	
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)	
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)	
Any other fresh water well or spring	Between 1 and 5 (mi.)	
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)	
A wetland	Between ½ and 1 (mi.)	
A subsurface mine	Between ½ and 1 (mi.)	
An (non-karst) unstable area	Greater than 5 (mi.)	
Categorize the risk of this well / site being in a karst geology	Low	
A 100-year floodplain	Between 1 and 5 (mi.)	
Did the release impact areas not on an exploration, development, production, or storage site	No	

ded to the appropriate district office no later than 90 days after the release discovery date.
Yes
ination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.
Yes
No
in milligrams per kilograms.)
17000
8335
5435
0
0
npleted efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC
11/10/2022
11/29/2022
11/22/2022
24676
3656
24676
3656
n at the time of submission and may (be) change(d) over time as more remediation efforts are completed.
i

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 325668

## **QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	325668
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	R360 Artesia LLC LANDFARM [fEEM0112340644]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation

hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement

Name: Dale Woodall Title: EHS Professional Email: Dale.Woodall@dvn.com

Date: 03/21/2024

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

QUESTIONS, Page 5

Action 325668

## **QUESTIONS** (continued)

Operator:	·	OGRID:
	DUCTION COMPANY, LP	6137
333 West Sheridan Ave		Action Number:
Oklahoma City, OK 731	02	325668
		Action Type:
		[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II** 

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III** 

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 325668

## **QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	325668
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	325666
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	12/02/2022
What was the (estimated) number of samples that were to be gathered	143
What was the sampling surface area in square feet	25000

Remediation Closure Request	
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	24676
What was the total volume (cubic yards) remediated	3656
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	0
What was the total volume (in cubic yards) reclaimed	0
Summarize any additional remediation activities not included by answers (above)	see report

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Name: Dale Woodall
Title: EHS Professional
Email: Dale.Woodall@dvn.com
Date: 03/21/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

QUESTIONS, Page 7

Action 325668

**QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	325668
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

## QUESTIONS

Reclamation Report		
Only answer the questions in this group if all reclamation steps have been completed.		
Requesting a reclamation approval with this submission	No	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 325668

## **CONDITIONS**

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	325668
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

## CONDITIONS

Created By		Condition Date
crystal.walker	The reclamation report will need to include: Executive Summary of the reclamation activities; Scaled Site Map including sampling locations; Analytical results including, but not limited to, results showing that any remaining impacts meet the reclamation standards and results to prove the backfill is non-waste containing; At least one (1) representative 5-point composite sample will need to be collected from the backfill material that will be used for the reclamation of the top four feet of the excavation. OCD reserves the right to request additional sampling if needed; pictures of the backfilled areas showing that the area is back, as nearly as practical, to the original condition or the final land use and maintain those areas to control dust and minimize erosion to the extent practical; pictures of the top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater; and a revegetation plan.	4/4/2024
crystal.walker	Remediation Closure Report Approved.	4/4/2024