

FESCO, Ltd. 1100 Fesco Ave. - Alice, Texas 78332

For: Ameredev Operating, LLC 2901 Via Fortuna Austin, Texas 78746

Sample: Amen Corner CTB

Sales Meter Run

Spot Gas Sample @ 48 psig & 55°F

Date Sampled: 03/04/2023 Job Number: 231592.031

CHROMATOGRAPH EXTENDED ANALYSIS - GPA 2286

	Un-Normalized		
COMPONENT	Mol%	MOL%	GPM
Hydrogen Sulfide*		1.000	
Nitrogen	1.054	1.047	
Carbon Dioxide	2.616	2.601	
Methane	79.480	79.008	
Ethane	7.489	7.444	2.038
Propane	4.238	4.212	1.188
Isobutane	1.087	1.081	0.362
n-Butane	1.691	1.681	0.542
2-2 Dimethylpropane	0.017	0.017	0.007
Isopentane	0.701	0.697	0.261
n-Pentane	0.463	0.460	0.171
Hexanes	0.387	0.379	0.160
Heptanes Plus	<u>0.373</u>	0.373	<u>0.156</u>
	99.596	100.000	4.885
Computed Real Charac	cteristics Of Hept	anes Plus	:
Specific Gravity		3.370	(Air=1)
Molecular Weight		97.25	
Gross Heating Value -		5245	BTU/CF
Computed Real Charac	cteristics Of Tota	l Sample:	
Specific Gravity		0.752	(Air=1)
Compressibility (Z)		0.9963	
Molecular Weight		21.69	
Gross Heating Value			
Dry Basis		1248	BTU/CF
Saturated Basis		1227	BTU/CF

Stain Tube Method (GPA 2377) *Hydrogen Sulfide tested on location by: 628.9 Gr/100 CF, 10000 PPMV or 1.000 Mol %

Base Conditions: 15.025 PSI & 60 Deg F

Sampled By: (24) D. Field

Analyst: LG Processor: HB Cylinder ID: T-3890 Certified: FESCO, Ltd. - Alice, Texas

Conan Pierce 361-661-7015

Job Number: 231592.031

CHROMATOGRAPH EXTENDED ANALYSIS - GPA 2286 TOTAL REPORT

COMPONENT	MOL 0/	GPM	\\/ T 0/
	MOL % 1.000	GPIVI	WT % 1.571
Hydrogen Sulfide*	1.000		1.352
Nitrogen	_		
Carbon Dioxide	2.601		5.277
Methane	79.008	2.020	58.432
Ethane	7.444	2.038	10.319
Propane	4.212	1.188	8.563
Isobutane	1.081	0.362	2.897
n-Butane	1.681	0.542	4.504
2,2 Dimethylpropane	0.017	0.007	0.057
Isopentane	0.697	0.261	2.318
n-Pentane	0.460	0.171	1.530
2,2 Dimethylbutane	0.016	0.007	0.064
Cyclopentane	0.000	0.000	0.000
2,3 Dimethylbutane	0.039	0.016	0.155
2 Methylpentane	0.120	0.051	0.477
3 Methylpentane	0.078	0.033	0.310
n-Hexane	0.126	0.053	0.501
Methylcyclopentane	0.055	0.020	0.213
Benzene	0.010	0.003	0.036
Cyclohexane	0.047	0.016	0.182
2-Methylhexane	0.022	0.010	0.102
3-Methylhexane	0.019	0.009	0.088
2,2,4 Trimethylpentane	0.010	0.005	0.053
Other C7's	0.036	0.016	0.165
n-Heptane	0.030	0.014	0.139
Methylcyclohexane	0.048	0.020	0.217
Toluene	0.024	0.008	0.102
Other C8's	0.040	0.019	0.203
n-Octane	0.007	0.004	0.037
Ethylbenzene	0.001	0.000	0.005
M & P Xylenes	0.009	0.004	0.044
O-Xylene	0.002	0.001	0.010
Other C9's	0.010	0.005	0.058
n-Nonane	0.001	0.001	0.006
Other C10's	0.002	0.001	0.013
n-Decane	0.000	0.000	0.000
Undecanes (11)	0.000	0.000	0.000
Totals	100.000	4.885	100.000

Computed Real Characteristics Of Total Sample:

Specific Gravity	0.752	(Air=1)
Compressibility (Z)	0.9963	
Molecular Weight	21.69	
Gross Heating Value		
Dry Basis	1248	BTU/CF
Saturated Basis	1227	BTU/CF


Sample Date: 03/04/2023 Ambient Air Temp: 50 °F
Sample Time: 08:45 Heating Method Utilized: Yes

Analysis Date: 03/13/2023 Sampling Method: Fill & Empty
Analysis Time: 06:47 Device: (GC) S10

Sample Pressure: 48 psig Make & Model: Shimadzu GC 2014

Sample Temp: 55 °F Last Verification Date: 03/09/2023 Sampling Flow Rate: 2750 MCF/D

-,,	Red Bud	LP Flare Estimation Sheet - Tank Pressure, Valve Status	160.75	157.59	Flared	3:06 AM	10:35 PM	6.73	Malfunction	Manually changed west LP vent
5/Received by C	KGD: 16/27/2024 1	0:35:03 AM HP Graph Tags - TankLogix	566.53	555.43	Flared	12:01 AM	4:01 AM	3.37	Repair/Maintenance	Facility was sent to शिक्षक अभिनेशिक।
6/1/2024	Nandina	LP Flare Estimation Sheet - Tank Pressure, Valve Status	51.74	50.73	Flared	8:36 AM	11:56 PM	5.50	Oxygen	Sales blowers were switched of
6/2/2024	Nandina	HP Flare - VRU Discharge	114.90	112.65	Flared	1:54 AM	8:31 AM	4.52	Oxygen	Facility was getting O2 spikes fr
6/2/2024	Nandina	LP Flare Estimation Sheet - Tank Pressure, Valve Status	66.57	65.27	Flared	12:00 AM	11:50 PM	5.52	Oxygen	Sales blowers were switched of
6/3/2024	Amen Corner	LP Flare Estimation Sheet - Tank Pressure, Valve Status	80.28	78.71	Flared	1:10 PM	11:59 PM	6.38	Insufficient Availability	Sales blowers were faulting thr
* *	Nandina	LP Flare Estimation Sheet - Tank Pressure, Valve Status	89.38	87.62	Flared	12:02 AM	11:54 PM	10.80	Flared more than 8 HRs	Sales blowers were switched of
6/4/2024	Amen Corner	LP Flare Estimation Sheet - Tank Pressure, Valve Status	111.06	108.88	Flared	12:00 AM	5:28 PM	8.40	Flared more than 8 HRs	Sales blowers were faulting thr
6/4/2024	Nandina	HP Graph Tags - TankLogix	136.00	133.33	Flared	12:58 PM	11:28 PM	1.90	Repair/Maintenance	Note: Manually moved the 5 M
	Nandina	HP Graph Tags - TankLogix	50.81	49.82	Flared	12:17 AM	11:04 AM	0.63	Repair/Maintenance	It seems like the flare scrubber
6/7/2024	Red Bud	HP Graph Tags - TankLogix	107.85	105.74	Flared	3:25 AM	7:30 PM	1.00	Repair/Maintenance	The regulator on the BPV for the
6/8/2024	Nandina	HP Graph Tags - TankLogix	82.56	80.94	Flared	6:16 PM	7:02 PM	0.58	Insufficient Availability	Line pressure has been getting
6/9/2024	Amen Corner	Blowdown Meter	62.05	60.83	Flared	10:38 AM	11:59 PM	12.42	Flared more than 8 HRs	Heater was being purged to tes
6/10/2024	Amen Corner	Blowdown Meter	70.33	68.95	Flared	12:00 AM	10:59 PM	13.92	Flared more than 8 HRs	Heater was being purged to tes
6/10/2024	Red Bud	HP Flare - VRU Discharge	50.63	49.63	Flared	4:16 AM	5:30 AM	1.25	Repair/Maintenance	Sample probe had a leak on it s
6/11/2024	Firethorn	LP Flare Estimation Sheet - Contact Tower	122.80	120.39	Flared	12:34 PM	6:15 PM	1.62		
6/11/2024	Firethorn	LP Flare Estimation Sheet - Clean VRT	82.65	81.03	Flared	5:54 AM	8:33 PM	3.85		
6/11/2024	Nan 1.5N	HP Graph Tags - TankLogix	984.55	965.25	Flared	1:25 PM	6:12 PM	1.70	Emergency	Line pressure was staying high l
6/11/2024	Nandina	HP Graph Tags - TankLogix	105.25	103.19	Flared	1:10 PM	9:10 PM	2.68	Insufficient Availability	Pinion was shut in for most of t
6/12/2024	Nan 1.5N	HP Graph Tags - TankLogix	190.96	187.22	Flared	7:12 AM	8:31 AM	0.25	Insufficient Availability	Line pressure was staying high l
6/12/2024	Nandina	HP Graph Tags - TankLogix	292.19	286.46	Flared	7:11 AM	11:57 PM	2.25	Insufficient Availability	Scrubber pressures got above 9.
6/12/2024	Nandina	HP Flare - VRU Discharge	91.58	89.79	Flared	10:12 AM	9:14 PM	3.28	Oxygen	One of the tank pressures drop
6/13/2024	Red Bud	HP Flare - VRU Discharge	218.13	213.85	Flared	11:15 AM	3:54 PM	4.67		
6/18/2024	Amen Corner	HP Flare - VRU Discharge	127.70	125.20	Flared	12:00 AM	11:43 PM	17.65	Flared more than 8 HRs	Tanks/VRTs are being purged th
6/18/2024	Amen Corner	LP Flare Estimation Sheet - Tank Pressure, Valve Status	80.69	79.11	Flared	10:14 AM	4:47 PM	6.47	Oxygen	Sales blowers were kept off to
6/19/2024	Amen Corner	HP Flare - VRU Discharge	129.35	126.81	Flared	12:00 AM	11:36 PM	21.41	Flared more than 8 HRs	Tanks/VRTs are being purged th
6/ Released to In	naging: 6/27/202	4 12:21:41 PM HP Flare - VRU Discharge	289.13	283.46	Flared	1:55 AM	8:39 AM	6.75	Oxygen	Sample probe on the station ry
	Nan 1.5N	HP Graph Tags - TankLogix	638.94	626.41	Flared	8:33 AM	11:35 AM	1.13	Emergency	Line pressure was high across th



811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 359173

DEFINITIONS

Operator:	OGRID:
AMEREDEV OPERATING, LLC	372224
2901 Via Fortuna	Action Number:
Austin, TX 78746	359173
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 359173

Phone: (505) 476-3470 Fax: (505) 476-3462		
C	QUESTIONS	
Operator:		OGRID:
AMEREDEV OPERATING, LLC		372224
2901 Via Fortuna Austin, TX 78746		Action Number: 359173
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing v	with the rest of the questions.
Incident Well	Unavailable.	
Incident Facility	[fAPP2203846035] AMEN	CORNER
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	and may provide addional guidand	ce.
Was this vent or flare caused by an emergency or malfunction	No	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a vent or flare event	Yes, minor venting and/o	or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during		
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	•
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Not answered.	
Additional details for Equipment Involved. Please specify	Not answered.	
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.		
Methane (CH4) percentage	79	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	1	
Carbon Dioxide (C02) percentage, if greater than one percent	3	
Oxygen (02) percentage, if greater than one percent	0	
Oxygen (02) percentage, it greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spe	cifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	
Oxygen (02) percentage quality requirement	Not answered.	

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 359173

Phone: (505) 476-3470 Fax: (505) 476-3462	,
QUESTI	ONS (continued)
Operator:	OGRID:
AMEREDEV OPERATING, LLC 2901 Via Fortuna	372224 Action Number:
Austin, TX 78746	359173
	Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS	
Date(s) and Time(s)	
Date vent or flare was discovered or commenced	06/19/2024
Time vent or flare was discovered or commenced	12:00 AM
Time vent or flare was terminated	11:36 PM
Cumulative hours during this event	21
Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Commissioning to Purge Flow Line - Production Natural Gas Flared Released:
	127 Mcf Recovered: 0 Mcf Lost: 127 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.
Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event	True
and it was beyond this operator's control.	
Please explain reason for why this event was beyond this operator's control	Tanks/VRTs are being purged through the facility's O2 mitigation system.
Steps taken to limit the duration and magnitude of vent or flare	We shaled heal the wells to limit medication
otops taken to limit the duration and magnitude of vent of hare	We choked back the wells to limit production.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	We establish EHS Control Room to tackle flaring issues as soon as possible.

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 359173

ACKNOWLEDGMENTS

Operator:		OGRID:
AMERED	DEV OPERATING, LLC	372224
2901 Via	a Fortuna	Action Number:
Austin, T	TX 78746	359173
		Action Type:
		[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 359173

CONDITIONS

Operator:	OGRID:
AMEREDEV OPERATING, LLC	372224
2901 Via Fortuna	Action Number:
Austin, TX 78746	359173
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
cescayu	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	6/27/2024