



Chris Brand
Environmental Remediation/ Facility Decom Advisor

VIA ELECTRONIC MAIL

June 10, 2024

New Mexico Oil Conservation Division
District I
1625 N. French Drive
Hobbs, New Mexico 88240

**Re: Chevron West Lovington Unit
Soil Remediation Work Plan**
Incident No. nPAC0614230052
Case No. 1RP-889

Dear Whom it May Concern:

Please find enclosed for your files, copies of the following:
Chevron West Lovington Unit Soil Remediation Work Plan

The Work Plan was prepared by Arcadis U.S., Inc. (Arcadis) on behalf of Chevron Environmental Management Company (CEMC) for Chevron USA Inc.

Please do not hesitate to call Scott Foord with Arcadis at 713.953.4853, or myself at 661.401.0359, should you have any questions.

Sincerely,

Chris Brand

Encl. 2024 Work Plan
Chevron West Lovington Unit

cc. Scott Foord – Arcadis
Morgan Jordan – Arcadis

Chris Brand
Environmental Remediation/ Facility Decom Advisor
6301 Deauville Blvd, Midland, TX 79706
Mobile 661 401 0359
chrisbrand@chevron.com



Chevron Environmental Management Company

2024 Work Plan

Chevron West Lovington Unit

Lea County, New Mexico

Incident # nPAC0614230052

June 2024

2024 Work Plan
Chevron West Lovington Unit

2024 Work Plan

Chevron West Lovington Unit
Incident # nPAC0614230052
Lea County, New Mexico

June 2024

Prepared By:

Arcadis U.S., Inc.
10205 Westheimer Road, Suite 800
Houston
Texas 77042
Phone: 713 953 4800
Fax: 713 977 4620

Prepared For:

Chris Brand
Project Manager
CEMC
6301 Deauville Blvd.
Midland, TX 79706



Scott Foord, PG
Program Manager

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

www.arcadis.com

2024 Work Plan
Chevron West Lovington Unit

Contents

1 Introduction..... 1

2 Project Summary 1

2.1 Incident # nPAC0614230052 1

3 Site Characterization 1

4 NMAC Regulatory Criteria 2

5 Site Assessment Activities..... 3

6 Proposed Work Plan..... 3

7 Work Plan Approval Request 4

Tables

Table 1. Soil Analytical Results

Figures

- Figure 1. Site Location Map
- Figure 2. Topographic Map
- Figure 3. Proposed Excavation and Soil Sample Location Map

Appendices

- Appendix A. Initial C-141 Form Incident # nPAC0614230052
- Appendix B. Photo Log
- Appendix C. Site Characterization Data
- Appendix D. Laboratory Analytical Reports
- Appendix E. NMOCD Correspondence

2024 Work Plan
Chevron West Lovington Unit

1 Introduction

Arcadis U.S., Inc. (Arcadis) has prepared this Work Plan, for Chevron Environmental Management Company (CEMC) on behalf of Chevron U.S.A. Inc., through its division Chevron North America Exploration and Production Company, for the release site known as the Chevron West Lovington Unit (Site) located at coordinates: 32.860240, -103.372657. Details of the release are summarized in the New Mexico Oil Conservation Division (NMOCD) Initial C-141 Form included as **Appendix A**.

2 Project Summary

The Site is located on state land approximately 5.85 miles south of the City of Lovington in Unit I, Section 5, Township 17 South, Range 36 East, Lea County, New Mexico. The site is located within a low karst area. A Site Location Map is included as **Figure 1** and a Topographic Map as **Figure 2**.

2.1 Incident # nPAC0614230052

According to the Initial C-141 Form, on May 11, 2006, a packing pump leaked and released approximately 100 barrels (bbls) of produced water at the Site. The water was retained inside building and berm areas around the injection station. According to the Initial C-141 Form, the amount recovered by vacuum truck was approximately 90 bbls of standing fluid. The Initial C-141 Form was approved on May 16, 2006 and assigned remediation permit number 1RP-889 and incident number nPAC0614230052. The Initial C-141 Form is included as **Appendix A**.

3 Site Characterization

After a review of the New Mexico Office of State Engineers (NMOSE) and United States Geological Survey (USGS) databases, USGS well 325131103223101 located approximately 0.36 miles west of the Site was identified and gauged with a water level meter by Arcadis on May 20, 2024. USGS well 325131103223101 was verified as dry at 54.67 feet below ground surface (bgs). Additionally, USGS well 325144103214701 located approximately 0.47 miles north-east of the Site was identified and gauged with a water level meter by Arcadis on May 2, 2024. Depth to water was verified at 66.80 feet below ground surface (bgs). Photographic documentation of gauging activities by Arcadis are included in **Appendix B**.

The following site characteristics were determined in accordance with 19.15.29 New Mexico Administrative Code (NMAC):

- Shallowest depth to groundwater beneath the area affected by the release in ft bgs: Between 51 and 75 feet;
- Method used to determine the depth to groundwater: direct measurement;
- Distance to continuously flowing watercourse or any other significant watercourse: >5 miles;
- Distance to lakebed, sinkhole, or playa lake: Between 0.50 and 1 mile;
- Distance to occupied permanent residence, school, hospital, institution, or church: Between 1 and 5 miles,
- Distance to spring or private domestic fresh water well used by less than five households for domestic or stock watering purposes: Between 1 and 5 miles;
- Distance to any other fresh water well or spring: Between 1,000 feet and 0.50 mile;

2024 Work Plan
Chevron West Lovington Unit

- Distance to incorporated municipal boundaries or a defined municipal fresh water well field: Between 1 and 5 miles;
- Distance to wetland: Between 1,000 feet and 0.50 mile;
- Distance to subsurface mine: >5 miles;
- Distance to (non-karst) unstable area: >5 miles;
- Categorize the risk of this well/site being in a karst geology: Low;
- Distance to a 100-year floodplain: Between 1 and 5 miles; and
- Did the release impact areas not on an exploration, development, production, or storage site? No

The site characterization data is presented in **Appendix C**.

4 NMAC Regulatory Criteria

Per Table I of NMAC part 19.15.29.12, the following closure criteria apply to the Site for reclamation activities within the first 4 feet of soil:

Constituent	Limit (mg/kg)
Benzene	10 mg/kg
Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX)	50 mg/kg
Total Petroleum Hydrocarbons (TPH) – Gasoline Range Organics (GRO), Diesel Range Organics (DRO), and Oil Range Organics (ORO)	100 mg/kg
Chloride	600 mg/kg

Per Table I of NMAC part 19.15.29.12, the following closure criteria apply to the Site for remediation activities for soils at depths greater than 4 feet bgs due to depth to groundwater measured by Arcadis as dry at 54.67 feet bgs. within USGS well 325131103223101 located approximately 0.36 miles west of the Site, and additionally depth to water was verified at 66.80 feet bgs. within USGS well 325144103214701 located approximately 0.47 miles north-east of the Site.

Constituent	Limit (mg/kg)
Benzene	10 mg/kg
BTEX	50 mg/kg
TPH –GRO, DRO, and ORO	2,500 mg/kg
Chloride	10,000 mg/kg

2024 Work Plan
Chevron West Lovington Unit

5 Site Assessment Activities

In March 2023, and subsequently in January and April 2024, Arcadis performed site assessment activities to evaluate soil impacts stemming from the release. A total of twenty-nine (29) sample points (SB-1 through SB-29) were advanced to depths ranging from the surface to 11 feet bgs inside and surrounding the release area to evaluate the horizontal and vertical extents of the release. Soil sample locations are shown on **Figure 3**. Soil samples were collected for chemical analyses, placed directly into laboratory-provided sample containers, stored on ice, and transported under the proper chain-of-custody protocol to Eurofins Laboratories in Midland, Texas.

The soil samples were analyzed for BTEX by United States Environmental Protection Agency (EPA) Method 8021B, TPH by EPA Method 8015, and chloride by EPA method 300.0. Soil samples analyzed for BTEX were reported with concentrations ranging from 0.000493 J mg/kg (SB-2) to 0.419 mg/kg (SB-18). Soil samples analyzed for TPH were reported with concentrations ranging from 21.0 J mg/kg (SB-20) to 5,750 mg/kg (SB-18). Soil samples analyzed for chloride were reported with concentrations ranging from 1.32 J mg/kg (SB-24) to 10,800 mg/kg (SB-10).

Horizontal and vertical delineation of the area of concern was completed during assessment activities. Analytical data collected to date and field screening during proposed remediation activities will be utilized to guide remediation activities. Soil sample analytical results from assessment activities are summarized in **Table 1**. Laboratory reports for soil samples collected during the initial site assessment, including analytical methods, results, and chain-of-custody documents, are attached in **Appendix D**. NMOCD correspondence is shown in **Appendix E**.

6 Proposed Work Plan

Based on the analytical data and the detected TPH and chloride concentrations in soil samples collected during site assessment activities, CEMC proposes to remediate the areas of concern via excavation illustrated in orange as shown in **Figure 3** and bolded in **Table 1**.

The proposed excavation area encompasses a surface area of approximately 149,000 square feet. An estimated 22,500 cubic yards of soil will be removed and transported to the R360 CRI Facility, which is listed as an NMOCD approved disposal facility.

In accordance with NMAC 19.15.29.12(D)(1)(b) CEMC proposes the following confirmation sampling plan to adhere with NMOCD requirements. Five-point composite confirmation soil samples will be collected from the excavation floor and sidewalls at 200 square foot intervals for analysis of BTEX by EPA Method 8260, TPH for GRO, DRO, and ORO by EPA Method 8015, and chloride by EPA Method 300.0. Lateral and vertical limits of the excavation will halt once confirmation sample analytical results are in accordance with NMAC 19.15.29.12(D)(1)(c).

Backfill material will be verified to be non-waste containing prior to backfilling the remediated area by obtaining analytical data from the backfill material supplier (R360) if available, or by collecting a five-point composite sample and analyzing for BTEX by EPA Method 8260, TPH for GRO, DRO, and ORO by EPA Method 8015, and chloride by EPA Method 300.0. Following completion of excavation activities and confirmation that the backfill material is non-waste containing, the areas will be backfilled with the clean material and graded to match the original surface conditions and drainage. Approximately 149,000 square feet of the area of concern located within the pad area will be reclaimed to original condition and re-seeded following remediation activities.

2024 Work Plan
Chevron West Lovington Unit

The proposed remediation activities will be implemented within 90 days following approval of this work plan by the NMOCD. The anticipated schedule includes 30 days to setup field work and confirm sub-contractors, 30 days to complete on-site remediation activities, and 30 days to prepare a soil remediation summary and closure request report.

7 Work Plan Approval Request

Upon completion of the above proposed soil remediation activities, a final closure request report describing the remediation activities and a separate reclamation report will be submitted to the NMOCD for review. If you have any questions regarding this work plan or need additional information, please do not hesitate to contact Scott Foord at 281-725-7447 or Morgan Jordan at 281-644-9437.

Tables

Table 1
Soil Analytical Results
Chevron Environmental Management Company
Chevron West Lovington Unit/ WLU Water Injection Station



Sample I.D.	Sample Depth (feet bgs)	Date	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH GRO + DRO	TPH MRO	Total TPH	Chloride
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
NMAC Standards			10	--	--	--	50	--	--	1,000	--	2,500	10,000
Restoration Requirements			10	--	--	--	50	--	--	--	--	100	600
SB-1	0-0.5'	03/22/23	<0.000383	<0.000454	<0.000563	<0.000343	<0.000343	18.4 J	82.9	101.3 J	<15.0	101	2,240
	2'	03/22/23	<0.00765	0.0146 J	<0.0112	0.00711	0.0217	17.2 J	39.1 J	56.3 J	<15.0	56.3	2,540
SB-2	0-0.5'	03/22/23	<0.000384	<0.000455	<0.000564	<0.000343	<0.000343	21.2 J	82.9	104.1 J	<15.0	104	2,210
	2'	03/22/23	<0.000387	0.000493 J	<0.000568	<0.000346	0.000493 J	23.3 J	34.9 J	58.2 J	<15.0	58.2	2,610
SB-3	0-0.5'	03/22/23	<0.000389	<0.000461	<0.000571	<0.000347	<0.000347	19.5 J	47.4 J	66.9 J	<15.0	66.9	137
	2'	03/22/23	<0.000383	0.000608 J	<0.000562	<0.000342	0.00608 J	21.8 J	55.3	77.1 J	<15.0	77.1	121
SB-4	0-0.5'	03/22/23	<0.000384	<0.000455	<0.000564	<0.000343	<0.000343	21.0 J	24.2 J	45.2 J	<15.0	45.2 J	160
	2'	03/22/23	<0.000386	<0.000457	<0.000566	<0.000345	<0.000345	22.8 J	22.0 J	44.8 J	<15.0	44.8 J	354
SB-5	1'	01/18/24	<0.000384	<0.000455	<0.000564	<0.00101	<0.00101	33.4 J *1	104 B	137.4 J B *1	<15.2	137	485 F1
	2'	01/18/24	<0.000389	<0.000461	<0.000571	<0.00102	<0.00102	32.4 J *1	44.9 J B	77.3 J B *1	<15.1	77.3	1,660
	4'	01/18/24	--	--	--	--	--	--	--	--	--	--	2,090
SB-6	1'	01/19/24	--	--	--	--	--	--	--	--	--	--	1,250
	2'	01/19/24	<0.000383	0.000524 J	<0.000563	<0.00101	<0.00101	35.8 J *1	30.3 J B	66.1 J B *1	<14.9	66.1	3,140
	4'	01/19/24	--	--	--	--	--	--	--	--	--	--	2,980
SB-7	1'	01/19/24	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	36.7 J *1	102 B	138.7 J B *1	<15.0	139	496
	2'	01/19/24	<0.000384	<0.000455	<0.000564	<0.00101	<0.00101	30.3 J *1	143 B	173.3 J B *1	<14.9	173	166
	4'	01/19/24	--	--	--	--	--	--	--	--	--	--	119
SB-8	1'	01/19/24	--	--	--	--	--	--	--	--	--	--	2,070
	2'	01/19/24	<0.000386	<0.000457	<0.000566	<0.00101	<0.00101	41.8 J *1	74.2 B	116 J B *1	<15.0	116	2,620
	4'	01/19/24	--	--	--	--	--	--	--	--	--	--	2,130
SB-9	1'	01/19/24	--	--	--	--	--	--	--	--	--	--	3,150
	2'	01/19/24	<0.000383	0.000550 J	<0.000563	<0.00101	<0.00101	45.3 J *1	55.6 B	100.9 J B *1	<15.0	101	2,290
	3'	01/19/24	--	--	--	--	--	--	--	--	--	--	1,080
SB-10	1'	01/19/24	--	--	--	--	--	--	--	--	--	--	10,800
	2'	01/19/24	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	44.3 J *1	31.3 J B	75.6 J B *1	<15.2	75.6	3,660
	4'	01/19/24	--	--	--	--	--	--	--	--	--	--	2,410
SB-11	1'	01/19/24	<0.000384	0.000479 J	<0.000564	<0.00101	<0.00101	40.3 J *1	51.4 B	91.7 J B *1	<15.0	91.7	2,130
	2'	01/19/24	<0.000387	<0.000459	<0.000568	<0.00102	<0.00102	38.9 J *1	29.8 J B	68.7 J B *1	<15.0	68.7	2,970
	4.5'	01/19/24	--	--	--	--	--	--	--	--	--	--	2,600
SB-12	0-1'	04/05/24	<0.000386	<0.000457	<0.000566	<0.00101	<0.00101	41.6 J	57.2 *1	98.8 J	<15.0	98.8	1,120
	2-3'	04/05/24	<0.000383	<0.000454	<0.000563	<0.00101	<0.00101	38.7 J	30.7 J *1	69.4 J	<14.9	69.4	2,300
SB-13	0-1'	04/05/24	<0.000384	<0.000455	0.000669 J	<0.00101	<0.00101	30.3 J	673 *1	839 J *1	136	839	58.4
	2-3'	04/05/24	0.00112 J	<0.000453	0.0709	0.0245	0.0965	59.4	1,030 *1	1,170 *1	80.4	1,170	403
SB-14	3'	04/05/24	<0.000382	<0.000452	<0.000561	0.00771	0.00771	32.2 J	78.1 *1	110.3 J *1	<15.0	110	10.8
	4-5'	04/05/24	<0.000384	<0.000455	<0.000564	<0.00101	<0.00101	48.1 J	65.9 *1	114 J *1	<15.0	114	24.6
SB-15	0-1'	04/05/24	<0.000387	<0.000459	<0.000568	<0.00102	<0.00102	31.0 J	260 *1	345 J *1	54.1	345	1,060
	2-3'	04/05/24	<0.000386	<0.000457	<0.000566	<0.00101	<0.00101	47.5 J	51.2 *1	98.7 J *1	<14.9	98.7	957
SB-16	0-1'	04/05/24	<0.000383	<0.000454	<0.000563	<0.00101	<0.00101	39.8 J	61.0 *1	101.8 J *1	<14.9	101	323
	2-3'	04/05/24	<0.000381	<0.000451	<0.000559	<0.00100	<0.00100	40.7 J	43.5 J *1	84.2 J *1	<15.0	84.2	775
SB-17	0-1'	04/05/24	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	42.1 J	44.8 J *1	86.9 J *1	<15.0	86.9	3.95 J
	2-3'	04/05/24	<0.000387	<0.000458	<0.000567	<0.00101	<0.00101	24.6 J	24.3 J	48.9 J	<15.0	48.9 J	1.60 J
SB-18	0-1'	04/05/24	0.000710 J	0.00129 J	0.00366	0.00345 J	0.00911	<15.0	554	554	<15.0	554	782
	2-3'	04/05/24	0.00169 J	0.0768	0.205	0.135	0.419	174 J	5,580	5,750 J	<74.7	5,750	1,540

Table 1
Soil Analytical Results
Chevron Environmental Management Company
Chevron West Lovington Unit/ WLU Water Injection Station



Sample I.D.	Sample Depth (feet bgs)	Date	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH GRO + DRO	TPH MRO	Total TPH	Chloride
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
NMAC Standards			10	--	--	--	50	--	--	1,000	--	2,500	10,000
Restoration Requirements			10	--	--	--	50	--	--	--	--	100	600
SB-19	4-5'	04/08/24	<0.000383	<0.000454	<0.000563	<0.00101	<0.00101	<15.0	<15.0	<15.0	<15.0	<15.0	858
	6-7'	04/08/24	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	23.0 J	18.6 J	41.6 J	<15.0	41.6 J	1,040
	8-9'	04/08/24	<0.000384	<0.000455	<0.000564	<0.00101	<0.00101	33.6 J	15.1 J	48.7 J	<15.0	48.7 J	939
SB-20	4-5'	04/08/24	<0.000387	<0.000459	<0.000568	<0.00102	<0.00102	21.0 J	<15.0	21.0 J	<15.0	21.0 J	2580
	8-9'	04/08/24	<0.000387	<0.000458	<0.000567	<0.00101	<0.00101	32.4 J	<14.9	32.4 J	<14.9	32.4 J	313
	10-11'	04/08/24	<0.000383	<0.000454	<0.000563	<0.00101	<0.00101	21.2 J	<15.0	21.2 J	<15.0	21.2 J	162
SB-21	0-1'	04/08/24	<0.000381	<0.000451	<0.000559	<0.00100	<0.00100	15.0 J	25.8 J	40.8 J	<15.0	40.8 J	10.4
	2-3'	04/08/24	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	23.8 J	17.0 J	40.8 J	<14.9	40.8 J	3.74 J
SB-22	0-1'	04/08/24	<0.000384	<0.000455	<0.000564	<0.00101	<0.00101	19.6 J	17.0 J	36.6 J	<15.0	36.6 J	4.21 J
	2-3'	04/08/24	<0.000387	0.000459	<0.000568	<0.00102	<0.00102	<15.0	<15.0	<15.0	<15.0	<15.0	268
SB-23	0-1'	04/08/24	0.000499 J	0.00322	<0.000559	0.00150 J	0.00522	16.8 J	16.9 J	33.7 J	<15.0	33.7 J	4.23 J
	2-3'	04/08/24	<0.000389	0.00258	<0.000571	<0.00102	0.00258 J	35.0 J	29.2 J F1 *1	64.3 J	<15.0	64.3	26.6
SB-24	0-1'	04/08/24	<0.000387	0.00244	<0.000567	<0.00101	<0.00101	36.6 J	28.4 J *1	65.0 J *1	<15.0	65.0	2.43 J
	2-3'	04/08/24	<0.000387	0.00228	<0.000568	<0.00102	0.00228 J	22.9 J	24.6 J *1	47.5 J *1	<15.0	47.5 J	1.32 J
SB-25	0-1'	04/08/24	<0.000386	0.00256	<0.000566	<0.00101	0.00256 J	28.1 J	23.6 J *1	51.7 J *1	<15.1	51.7	128
	2-3'	04/08/24	0.00146 J	0.00355	<0.000565	<0.00101	0.00501	26.6 J	39.9 J *1	66.5 J *1	<15.0	66.5	13.8
SB-26	0-1'	04/08/24	<0.000386	<0.000457	<0.000566	<0.00101	<0.00101	23.6 J	52.7 *1	76.3 J *1	<14.9	76.3	7.03
	2-3'	04/08/24	<0.000387	<0.000458	<0.000567	<0.00101	<0.00101	37.0 J	29.3 J *1	66.3 J *1	<14.9	66.3	1.57 J
SB-27	0-1'	04/08/24	<0.000388	<0.000460	<0.000570	<0.00102	<0.00102	28.2 J	390 *1	418.2 J *1	88.8	507	89.6
	2-3'	04/08/24	<0.000384	<0.000455	<0.000564	<0.00101	<0.00101	35.5 J	52.5 *1	88.0 J *1	<15.0	88.0	4.53 J
SB-28	2-3'	04/10/24	<0.000381	<0.000451	<0.000559	<0.00100	<0.00100	34.7 J B *1	432 *+ *1	466.7 J B	67.5	534	1,240
	4-5'	04/10/24	<0.000388	<0.000460	<0.000570	<0.00102	<0.00102	47.6 J B *1	24.3 J *+ *1	71.9 J B	<14.9	71.9	1,620
	6-7'	04/10/24	<0.000386	<0.000457	<0.000566	<0.00101	<0.00101	35.8 J B *1	24.9 J *+ *1	60.7 J B	<14.9	60.7	931
SB-29	2-3'	04/10/24	0.000849 J	<0.000452	<0.000561	<0.00100	<0.00100	48.0 J B *1	1,190 *+ *1	1,238 J B	175	1,410	907
	6-7'	04/10/24	<0.000385	<0.000465	<0.000565	<0.00101	<0.00101	46.5 J B *1	28.3 J *+ *1	74.8 J B	<14.9	74.8	146
	8-9'	04/10/24	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	36.1 J B *1	25.5 J *+ *1	61.6 J B	<15.0	61.6	206

Legend:

BOLD = Analytes exceeding Restoration Requirement

J: Result is less than the Reporting Limit but greater than or equal to the MDL and the concentration is an approximate value

B: Compound was found in the blank and sample.

*1: LCS/LCSD RPD exceeds control limits.

'<' indicates the analyte was not detected at or above the Method Detection Limit (MDL)

mg/kg: Milligram per Kilogram

BTEX : Benzene, Toluene, Ethylbenzene, and Total Xylenes

NMAC : New Mexico Administration Code. Criteria based off of depth to groundwater of 51-100 feet.

TPH GRO: Total Petroleum Hydrocarbons Gasoline Range Organics

TPH MRO: Total Petroleum Hydrocarbons Motor Oil Range Organics

TPH DRO: Total Petroleum Hydrocarbon Diesel Range Organics

Total TPH: GRO + DRO + MRO

*Revised screening limit and restoration criteria within the first 4 feet below ground surface per Rule 19.15.29 effective August 14, 2018

Notes:

1. Chloride analyzed by United States Environmental Protection Agency Method 300


2. TPH analyzed by TPH by SW8015 Mod DRO/ORO Method

3. BTEX analyzed by USEPA Method 8021B

4. Closure Criteria New Mexico Administrative Code 19.15.29.12.E(2)

Figures

City: Houston Div/Group: Remediation West -Air Group Created By: W Berry Last Saved By: av00976 ; Client (Project #)
T:\ENVUpstream\West Lovington Unit WL.U Water\ Pro\West Lovington Unit WL.U Water.aprx 5/31/2024 2:13 PM




Site Location: 32.86059, -103.372655
Datum: D_WGS_1984



Legend

 Site Location

Credits: ESRI Online, Google Earth




CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
WEST LOVINGTON UNIT WATER INJ STATION
LEA COUNTY, NEW MEXICO


SITE LOCATION MAP



FIGURE
1



City: Houston Div/Group: Remediation West - Air Group Created By: W Berry Last Saved By: av00976 ; Client (Project #)
T:\ENV\Upstream\West Lovington Unit WL.U Water.aprx 6/6/2024 10:10 AM



Appendix A

Initial C-141 Form Incident # nPAC0614230052

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company Chevron USA Inc.	Contact Wayne Minchew
Address HCR 60 Box 423 Lovington, NM 88260	Telephone No. 505-396-4414
Facility Name West Lovington Unit	Facility Type Injection Station

Surface Owner State of NM	Mineral Owner State of NM	Lease No. B4286-1
---------------------------	---------------------------	-------------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
I	5	17S	36E					Lea

Latitude 36° Longitude

NATURE OF RELEASE

Type of Release Produced Water	Volume of Release 100bbls	Volume Recovered 90bbls
Source of Release Packing leak on pump	Date and Hour of Occurrence 7:00pm 05-11-06	Date and Hour of Discovery 8:30pm 05-11-06
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? Pat (MOCD)	
By Whom? Wayne Minchew	Date and Hour 9:30 am 05-12-06	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

Packing pump leaked, water stayed inside building and berm around injection station, pump turned off.

Describe Area Affected and Cleanup Action Taken.*

Vacuum truck picked up water inside facility yard

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <u>P.W. Minchew</u>	<u>OIL CONSERVATION DIVISION</u>	
Printed Name: P. W. Minchew	Approved by District Supervisor:	
Title: Operations Supervisor	Approval Date:	Expiration Date:
E-mail Address: pminchew@chevron.com	Conditions of Approval:	
Date: _____ Phone: 505-396-4414	Attached ☐	

* Attach Additional Sheets If Necessary

Facility - PPAC 0614229930
Incident - PPAC 0614230052
Application - PPAC 0614230325
Released to Imaging: 7/25/2024 2:27:38 PM

Appendix B

Photo Log

		PHOTOGRAPHIC LOG	
Property Name: Chevron West Lovington Unit		Location: Lea County, TX	
Incident No. nPAC0614230052			
Photo No. 1	Date: 5/02/2024		
Direction Photo Taken: Facing West			
Description: USGS well 325131103223101 being gauged by Arcadis on May 20, 2024, and was verified as dry at 54.67 feet below ground surface (bgs).			

		PHOTOGRAPHIC LOG	
Property Name: Chevron West Lovington Unit		Location: Lea County, TX	
		Incident No. nPAC0614230052	
Photo No. 2	Date: 5/02/2024		
Direction Photo Taken: Facing West			
Description: USGS well 325131103223101 being gauged by Arcadis on May 20, 2024, and was verified as dry at 54.67 feet below ground surface (bgs).			



PHOTOGRAPHIC LOG

Property Name: Chevron West Lovington Unit		Location: Lea County, TX	Incident No. nPAC0614230052
Photo No. 3	Date: 5/02/2024	A close-up photograph of a wellhead assembly. A yellow measuring tape is held vertically against the central pipe, showing a reading of approximately 66.80 feet. The wellhead is made of dark metal with several bolts. The surrounding area is dry and rocky.	
Direction Photo Taken: Facing West			
Description: USGS well 325144103214701 being gauged by Arcadis on May 2, 2024, and depth to water was verified at 66.80 ft below ground surface (bgs).			




PHOTOGRAPHIC LOG

Property Name: Chevron West Lovington Unit		Location: Lea County, TX	Incident No. nPAC0614230052
Photo No. 4	Date: 5/02/2024		
Direction Photo Taken: Facing West			
Description: USGS well 325144103214701 being gauged by Arcadis on May 2, 2024. Meter lighting up for water detection at 66.80 ft below ground surface (bgs).			


Appendix C

Site Characterization Data


Distance to lakebed, sinkhole, or playa lake.




Distance to occupied permanent residence, school, hospital, institution, or church.




Distance to spring or private domestic fresh water well used by less than five households for domestic or stock watering purposes (L-00095-POD2).



Distance to any other fresh water well or spring (L-01723-S).



Distance to a wetland.



Appendix D

Laboratory Analytical Reports



Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Douglas Jordan
ARCADIS U.S. Inc
10205 Westheimer Rd
Suite 800
Houston, Texas 77042
Generated 4/5/2023 12:02:46 PM

JOB DESCRIPTION

Lovington Field Assessment
SDG NUMBER WLU Water Inj Station

JOB NUMBER

880-26268-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
4/5/2023 12:02:46 PM

Authorized for release by
John Builes, Project Manager
John.Builes@et.eurofinsus.com
(561)558-4549

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Laboratory Job ID: 880-26268-1
SDG: WLU Water Inj Station

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	18
Certification Summary	21
Method Summary	22
Sample Summary	23
Chain of Custody	24
Receipt Checklists	25

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Qualifiers

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
SQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Job ID: 880-26268-1

Laboratory: Eurofins Midland

Narrative	
	Job Narrative 880-26268-1

Receipt

The samples were received on 3/23/2023 8:20 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.3°C

Receipt Exceptions

The following samples analyzed for method <TPH 8015> were received and analyzed from an unpreserved bulk soil jar

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: The surrogate recovery for the blank associated with preparation batch 880-49771 and analytical batch 880-49783 was outside the upper control limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-50160 and analytical batch 880-50338 were outside control limits for one or more analytes, see QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits. SB-1-S-0.5'-20230322 (880-26268-1), SB-1-S-2'-20230322 (880-26268-2), SB-2-S-0.5'-20230322 (880-26268-3), SB-2-S-2'-20230322 (880-26268-4) and SB-3-S-0.5'-20230322 (880-26268-5)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-1-S-0.5'-20230322

Lab Sample ID: 880-26268-1

Date Collected: 03/22/23 12:00

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		03/30/23 12:57	04/01/23 05:41	1
Toluene	<0.000454	U	0.00199	0.000454	mg/Kg		03/30/23 12:57	04/01/23 05:41	1
Ethylbenzene	<0.000563	U	0.00199	0.000563	mg/Kg		03/30/23 12:57	04/01/23 05:41	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		03/30/23 12:57	04/01/23 05:41	1
o-Xylene	<0.000343	U	0.00199	0.000343	mg/Kg		03/30/23 12:57	04/01/23 05:41	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		03/30/23 12:57	04/01/23 05:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130	03/30/23 12:57	04/01/23 05:41	1
1,4-Difluorobenzene (Surr)	105		70 - 130	03/30/23 12:57	04/01/23 05:41	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	101		50.0	15.0	mg/Kg			03/30/23 12:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	18.4	J	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:03	1
Diesel Range Organics (Over C10-C28)	82.9		50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:03	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130	03/28/23 17:17	03/29/23 13:03	1
o-Terphenyl	95		70 - 130	03/28/23 17:17	03/29/23 13:03	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2240		25.1	1.98	mg/Kg			04/04/23 21:38	5

Client Sample ID: SB-1-S-2'-20230322

Lab Sample ID: 880-26268-2

Date Collected: 03/22/23 12:10

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00765	U	0.0398	0.00765	mg/Kg		03/30/23 12:57	04/01/23 08:45	20
Toluene	0.0146	J	0.0398	0.00907	mg/Kg		03/30/23 12:57	04/01/23 08:45	20
Ethylbenzene	<0.0112	U	0.0398	0.0112	mg/Kg		03/30/23 12:57	04/01/23 08:45	20
m-Xylene & p-Xylene	<0.0201	U	0.0795	0.0201	mg/Kg		03/30/23 12:57	04/01/23 08:45	20
o-Xylene	0.00711	J	0.0398	0.00684	mg/Kg		03/30/23 12:57	04/01/23 08:45	20
Xylenes, Total	<0.0201	U	0.0795	0.0201	mg/Kg		03/30/23 12:57	04/01/23 08:45	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		70 - 130	03/30/23 12:57	04/01/23 08:45	20
1,4-Difluorobenzene (Surr)	99		70 - 130	03/30/23 12:57	04/01/23 08:45	20

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	56.3		50.0	15.0	mg/Kg			03/30/23 12:56	1

Eurofins Midland

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-1-S-2'-20230322

Lab Sample ID: 880-26268-2

Date Collected: 03/22/23 12:10

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	17.2	J	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:28	1
Diesel Range Organics (Over C10-C28)	39.1	J	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:28	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				03/28/23 17:17	03/29/23 14:28	1
o-Terphenyl	98		70 - 130				03/28/23 17:17	03/29/23 14:28	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2540		25.2	1.99	mg/Kg			04/04/23 21:43	5

Client Sample ID: SB-2-S-0.5'-20230322

Lab Sample ID: 880-26268-3

Date Collected: 03/22/23 10:25

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		03/30/23 12:57	04/01/23 06:01	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		03/30/23 12:57	04/01/23 06:01	1
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		03/30/23 12:57	04/01/23 06:01	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		03/30/23 12:57	04/01/23 06:01	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		03/30/23 12:57	04/01/23 06:01	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		03/30/23 12:57	04/01/23 06:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130				03/30/23 12:57	04/01/23 06:01	1
1,4-Difluorobenzene (Surr)	105		70 - 130				03/30/23 12:57	04/01/23 06:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	104		49.9	15.0	mg/Kg			03/30/23 12:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	21.2	J	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:24	1
Diesel Range Organics (Over C10-C28)	82.9		49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:24	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				03/28/23 17:17	03/29/23 13:24	1
o-Terphenyl	96		70 - 130				03/28/23 17:17	03/29/23 13:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2210		25.2	1.99	mg/Kg			04/04/23 21:47	5

Eurofins Midland

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-2-S-2'-20230322

Lab Sample ID: 880-26268-4

Date Collected: 03/22/23 10:50

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		03/30/23 12:57	04/01/23 06:22	1
Toluene	0.000493	J	0.00201	0.000459	mg/Kg		03/30/23 12:57	04/01/23 06:22	1
Ethylbenzene	<0.000568	U	0.00201	0.000568	mg/Kg		03/30/23 12:57	04/01/23 06:22	1
m-Xylene & p-Xylene	<0.00102	U	0.00402	0.00102	mg/Kg		03/30/23 12:57	04/01/23 06:22	1
o-Xylene	<0.000346	U	0.00201	0.000346	mg/Kg		03/30/23 12:57	04/01/23 06:22	1
Xylenes, Total	<0.00102	U	0.00402	0.00102	mg/Kg		03/30/23 12:57	04/01/23 06:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130				03/30/23 12:57	04/01/23 06:22	1
1,4-Difluorobenzene (Surr)	105		70 - 130				03/30/23 12:57	04/01/23 06:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	58.2		49.9	15.0	mg/Kg			03/30/23 12:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	23.3	J	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:45	1
Diesel Range Organics (Over C10-C28)	34.9	J	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:45	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 13:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				03/28/23 17:17	03/29/23 13:45	1
o-Terphenyl	96		70 - 130				03/28/23 17:17	03/29/23 13:45	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2610		25.0	1.97	mg/Kg			04/04/23 21:52	5

Client Sample ID: SB-3-S-0.5'-20230322

Lab Sample ID: 880-26268-5

Date Collected: 03/22/23 11:33

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000389	U	0.00202	0.000389	mg/Kg		03/30/23 12:57	04/01/23 06:42	1
Toluene	<0.000461	U	0.00202	0.000461	mg/Kg		03/30/23 12:57	04/01/23 06:42	1
Ethylbenzene	<0.000571	U	0.00202	0.000571	mg/Kg		03/30/23 12:57	04/01/23 06:42	1
m-Xylene & p-Xylene	<0.00102	U	0.00404	0.00102	mg/Kg		03/30/23 12:57	04/01/23 06:42	1
o-Xylene	<0.000347	U	0.00202	0.000347	mg/Kg		03/30/23 12:57	04/01/23 06:42	1
Xylenes, Total	<0.00102	U	0.00404	0.00102	mg/Kg		03/30/23 12:57	04/01/23 06:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130				03/30/23 12:57	04/01/23 06:42	1
1,4-Difluorobenzene (Surr)	105		70 - 130				03/30/23 12:57	04/01/23 06:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	66.9		50.0	15.0	mg/Kg			03/30/23 12:56	1

Eurofins Midland

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-3-S-0.5'-20230322

Lab Sample ID: 880-26268-5

Date Collected: 03/22/23 11:33

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	19.5	J	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:07	1
Diesel Range Organics (Over C10-C28)	47.4	J	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:07	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130	03/28/23 17:17	03/29/23 14:07	1
o-Terphenyl	97		70 - 130	03/28/23 17:17	03/29/23 14:07	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	137		4.98	0.393	mg/Kg			04/04/23 21:57	1

Client Sample ID: SB-3-S-2'-20230322

Lab Sample ID: 880-26268-6

Date Collected: 03/22/23 11:50

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		03/30/23 12:57	04/01/23 07:03	1
Toluene	0.000608	J	0.00199	0.000453	mg/Kg		03/30/23 12:57	04/01/23 07:03	1
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		03/30/23 12:57	04/01/23 07:03	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		03/30/23 12:57	04/01/23 07:03	1
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		03/30/23 12:57	04/01/23 07:03	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		03/30/23 12:57	04/01/23 07:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	03/30/23 12:57	04/01/23 07:03	1
1,4-Difluorobenzene (Surr)	107		70 - 130	03/30/23 12:57	04/01/23 07:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	77.1		49.9	15.0	mg/Kg			03/30/23 12:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	21.8	J	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 12:41	1
Diesel Range Organics (Over C10-C28)	55.3		49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 12:41	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 12:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130	03/28/23 17:17	03/29/23 12:41	1
o-Terphenyl	80		70 - 130	03/28/23 17:17	03/29/23 12:41	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	121		5.02	0.397	mg/Kg			04/04/23 22:02	1

Eurofins Midland

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-4-S-0.5'-20230322

Lab Sample ID: 880-26268-7

Date Collected: 03/22/23 09:55

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		03/30/23 12:57	04/01/23 07:23	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		03/30/23 12:57	04/01/23 07:23	1
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		03/30/23 12:57	04/01/23 07:23	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		03/30/23 12:57	04/01/23 07:23	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		03/30/23 12:57	04/01/23 07:23	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		03/30/23 12:57	04/01/23 07:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	03/30/23 12:57	04/01/23 07:23	1
1,4-Difluorobenzene (Surr)	104		70 - 130	03/30/23 12:57	04/01/23 07:23	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	45.2	J	49.9	15.0	mg/Kg			03/30/23 12:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	21.0	J	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:49	1
Diesel Range Organics (Over C10-C28)	24.2	J	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:49	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		03/28/23 17:17	03/29/23 14:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130	03/28/23 17:17	03/29/23 14:49	1
o-Terphenyl	103		70 - 130	03/28/23 17:17	03/29/23 14:49	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	160		5.00	0.395	mg/Kg			04/04/23 22:16	1

Client Sample ID: SB-4-S-2'-20230322

Lab Sample ID: 880-26268-8

Date Collected: 03/22/23 10:10

Matrix: Solid

Date Received: 03/23/23 08:20

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000386	U	0.00200	0.000386	mg/Kg		03/30/23 12:57	04/01/23 07:44	1
Toluene	<0.000457	U	0.00200	0.000457	mg/Kg		03/30/23 12:57	04/01/23 07:44	1
Ethylbenzene	<0.000566	U	0.00200	0.000566	mg/Kg		03/30/23 12:57	04/01/23 07:44	1
m-Xylene & p-Xylene	<0.00101	U	0.00401	0.00101	mg/Kg		03/30/23 12:57	04/01/23 07:44	1
o-Xylene	<0.000345	U	0.00200	0.000345	mg/Kg		03/30/23 12:57	04/01/23 07:44	1
Xylenes, Total	<0.00101	U	0.00401	0.00101	mg/Kg		03/30/23 12:57	04/01/23 07:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130	03/30/23 12:57	04/01/23 07:44	1
1,4-Difluorobenzene (Surr)	104		70 - 130	03/30/23 12:57	04/01/23 07:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	44.8	J	50.0	15.0	mg/Kg			03/30/23 12:56	1

Eurofins Midland

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-4-S-2'-20230322
Date Collected: 03/22/23 10:10
Date Received: 03/23/23 08:20

Lab Sample ID: 880-26268-8
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	22.8	J	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 15:10	1	
Diesel Range Organics (Over C10-C28)	22.0	J	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 15:10	1	
OII Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 15:10	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	109		70 - 130				03/28/23 17:17	03/29/23 15:10	1	
o-Terphenyl	105		70 - 130				03/28/23 17:17	03/29/23 15:10	1	

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	354		4.97	0.393	mg/Kg			04/04/23 22:21	1	

Surrogate Summary

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-26268-1	SB-1-S-0.5'-20230322	95	105
880-26268-2	SB-1-S-2'-20230322	90	99
880-26268-3	SB-2-S-0.5'-20230322	104	105
880-26268-4	SB-2-S-2'-20230322	106	105
880-26268-5	SB-3-S-0.5'-20230322	104	105
880-26268-6	SB-3-S-2'-20230322	101	107
880-26268-7	SB-4-S-0.5'-20230322	101	104
880-26268-8	SB-4-S-2'-20230322	97	104
LCS 880-49940/1-A	Lab Control Sample	99	109
LCSD 880-49940/2-A	Lab Control Sample Dup	98	107
MB 880-49940/5-A	Method Blank	94	101
MB 880-50015/8	Method Blank	89	104
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-26268-1	SB-1-S-0.5'-20230322	99	95
880-26268-2	SB-1-S-2'-20230322	99	98
880-26268-3	SB-2-S-0.5'-20230322	99	96
880-26268-4	SB-2-S-2'-20230322	99	96
880-26268-5	SB-3-S-0.5'-20230322	99	97
880-26268-6	SB-3-S-2'-20230322	92	80
880-26268-7	SB-4-S-0.5'-20230322	104	103
880-26268-8	SB-4-S-2'-20230322	109	105
LCS 880-49771/2-A	Lab Control Sample	123	115
LCSD 880-49771/3-A	Lab Control Sample Dup	118	113
MB 880-49771/1-A	Method Blank	132 S1+	119
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

Eurofins Midland

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-49940/5-A

Matrix: Solid

Analysis Batch: 50015

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 49940

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		03/30/23 12:57	04/01/23 00:19	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		03/30/23 12:57	04/01/23 00:19	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		03/30/23 12:57	04/01/23 00:19	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		03/30/23 12:57	04/01/23 00:19	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		03/30/23 12:57	04/01/23 00:19	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		03/30/23 12:57	04/01/23 00:19	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	03/30/23 12:57	04/01/23 00:19	1
1,4-Difluorobenzene (Surr)	101		70 - 130	03/30/23 12:57	04/01/23 00:19	1

Lab Sample ID: LCS 880-49940/1-A

Matrix: Solid

Analysis Batch: 50015

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 49940

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09687		mg/Kg		96	70 - 130
Toluene	0.101	0.09476		mg/Kg		94	70 - 130
Ethylbenzene	0.100	0.08711		mg/Kg		87	70 - 130
m-Xylene & p-Xylene	0.201	0.1728		mg/Kg		86	70 - 130
o-Xylene	0.101	0.08770		mg/Kg		87	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	109		70 - 130

Lab Sample ID: LCSD 880-49940/2-A

Matrix: Solid

Analysis Batch: 50015

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 49940

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1056		mg/Kg		105	70 - 130	9	35
Toluene	0.101	0.1031		mg/Kg		103	70 - 130	8	35
Ethylbenzene	0.100	0.09544		mg/Kg		95	70 - 130	9	35
m-Xylene & p-Xylene	0.201	0.1882		mg/Kg		94	70 - 130	9	35
o-Xylene	0.101	0.09492		mg/Kg		94	70 - 130	8	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	107		70 - 130

Lab Sample ID: MB 880-50015/8

Matrix: Solid

Analysis Batch: 50015

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg			03/31/23 12:43	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg			03/31/23 12:43	1

Eurofins Midland

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-50015/8

Matrix: Solid

Analysis Batch: 50015

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg			03/31/23 12:43	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg			03/31/23 12:43	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg			03/31/23 12:43	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg			03/31/23 12:43	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		70 - 130		03/31/23 12:43	1
1,4-Difluorobenzene (Surr)	104		70 - 130		03/31/23 12:43	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-49771/1-A

Matrix: Solid

Analysis Batch: 49783

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 49771

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 08:47	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 08:47	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		03/28/23 17:17	03/29/23 08:47	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	132	S1+	70 - 130	03/28/23 17:17	03/29/23 08:47	1
o-Terphenyl	119		70 - 130	03/28/23 17:17	03/29/23 08:47	1

Lab Sample ID: LCS 880-49771/2-A

Matrix: Solid

Analysis Batch: 49783

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 49771

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	846.1		mg/Kg		85	70 - 130
Diesel Range Organics (Over C10-C28)	1000	801.6		mg/Kg		80	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1-Chlorooctane	123		70 - 130
o-Terphenyl	115		70 - 130

Lab Sample ID: LCSD 880-49771/3-A

Matrix: Solid

Analysis Batch: 49783

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 49771

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	820.0		mg/Kg		82	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	1000	833.0		mg/Kg		83	70 - 130	4	20

Eurofins Midland

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-49771/3-A

Matrix: Solid

Analysis Batch: 49783

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 49771

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	118		70 - 130
o-Terphenyl	113		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-50160/1-A

Matrix: Solid

Analysis Batch: 50338

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.395	U	5.00	0.395	mg/Kg			04/04/23 20:40	1

Lab Sample ID: LCS 880-50160/2-A

Matrix: Solid

Analysis Batch: 50338

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	258.5		mg/Kg		103	90 - 110

Lab Sample ID: LCSD 880-50160/3-A

Matrix: Solid

Analysis Batch: 50338

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	259.3		mg/Kg		104	90 - 110	0	20

Lab Sample ID: 880-26268-6 MS

Matrix: Solid

Analysis Batch: 50338

Client Sample ID: SB-3-S-2'-20230322

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	121		251	380.5		mg/Kg		103	90 - 110

Lab Sample ID: 880-26268-6 MSD

Matrix: Solid

Analysis Batch: 50338

Client Sample ID: SB-3-S-2'-20230322

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	121		251	380.9		mg/Kg		103	90 - 110	0	20

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

GC VOA

Prep Batch: 49940

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-26268-1	SB-1-S-0.5'-20230322	Total/NA	Solid	5030B	
880-26268-2	SB-1-S-2'-20230322	Total/NA	Solid	5030B	
880-26268-3	SB-2-S-0.5'-20230322	Total/NA	Solid	5030B	
880-26268-4	SB-2-S-2'-20230322	Total/NA	Solid	5030B	
880-26268-5	SB-3-S-0.5'-20230322	Total/NA	Solid	5030B	
880-26268-6	SB-3-S-2'-20230322	Total/NA	Solid	5030B	
880-26268-7	SB-4-S-0.5'-20230322	Total/NA	Solid	5030B	
880-26268-8	SB-4-S-2'-20230322	Total/NA	Solid	5030B	
MB 880-49940/5-A	Method Blank	Total/NA	Solid	5030B	
LCS 880-49940/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-49940/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	

Analysis Batch: 50015

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-26268-1	SB-1-S-0.5'-20230322	Total/NA	Solid	8021B	49940
880-26268-2	SB-1-S-2'-20230322	Total/NA	Solid	8021B	49940
880-26268-3	SB-2-S-0.5'-20230322	Total/NA	Solid	8021B	49940
880-26268-4	SB-2-S-2'-20230322	Total/NA	Solid	8021B	49940
880-26268-5	SB-3-S-0.5'-20230322	Total/NA	Solid	8021B	49940
880-26268-6	SB-3-S-2'-20230322	Total/NA	Solid	8021B	49940
880-26268-7	SB-4-S-0.5'-20230322	Total/NA	Solid	8021B	49940
880-26268-8	SB-4-S-2'-20230322	Total/NA	Solid	8021B	49940
MB 880-49940/5-A	Method Blank	Total/NA	Solid	8021B	49940
MB 880-50015/8	Method Blank	Total/NA	Solid	8021B	
LCS 880-49940/1-A	Lab Control Sample	Total/NA	Solid	8021B	49940
LCSD 880-49940/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	49940

GC Semi VOA

Prep Batch: 49771

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-26268-1	SB-1-S-0.5'-20230322	Total/NA	Solid	8015NM Prep	
880-26268-2	SB-1-S-2'-20230322	Total/NA	Solid	8015NM Prep	
880-26268-3	SB-2-S-0.5'-20230322	Total/NA	Solid	8015NM Prep	
880-26268-4	SB-2-S-2'-20230322	Total/NA	Solid	8015NM Prep	
880-26268-5	SB-3-S-0.5'-20230322	Total/NA	Solid	8015NM Prep	
880-26268-6	SB-3-S-2'-20230322	Total/NA	Solid	8015NM Prep	
880-26268-7	SB-4-S-0.5'-20230322	Total/NA	Solid	8015NM Prep	
880-26268-8	SB-4-S-2'-20230322	Total/NA	Solid	8015NM Prep	
MB 880-49771/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-49771/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-49771/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 49783

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-26268-1	SB-1-S-0.5'-20230322	Total/NA	Solid	8015B NM	49771
880-26268-2	SB-1-S-2'-20230322	Total/NA	Solid	8015B NM	49771
880-26268-3	SB-2-S-0.5'-20230322	Total/NA	Solid	8015B NM	49771
880-26268-4	SB-2-S-2'-20230322	Total/NA	Solid	8015B NM	49771
880-26268-5	SB-3-S-0.5'-20230322	Total/NA	Solid	8015B NM	49771
880-26268-6	SB-3-S-2'-20230322	Total/NA	Solid	8015B NM	49771

Eurofins Midland

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

GC Semi VOA (Continued)

Analysis Batch: 49783 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-26268-7	SB-4-S-0.5'-20230322	Total/NA	Solid	8015B NM	49771
880-26268-8	SB-4-S-2'-20230322	Total/NA	Solid	8015B NM	49771
MB 880-49771/1-A	Method Blank	Total/NA	Solid	8015B NM	49771
LCS 880-49771/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	49771
LCSD 880-49771/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	49771

Analysis Batch: 49936

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-26268-1	SB-1-S-0.5'-20230322	Total/NA	Solid	8015 NM	
880-26268-2	SB-1-S-2'-20230322	Total/NA	Solid	8015 NM	
880-26268-3	SB-2-S-0.5'-20230322	Total/NA	Solid	8015 NM	
880-26268-4	SB-2-S-2'-20230322	Total/NA	Solid	8015 NM	
880-26268-5	SB-3-S-0.5'-20230322	Total/NA	Solid	8015 NM	
880-26268-6	SB-3-S-2'-20230322	Total/NA	Solid	8015 NM	
880-26268-7	SB-4-S-0.5'-20230322	Total/NA	Solid	8015 NM	
880-26268-8	SB-4-S-2'-20230322	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 50160

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-26268-1	SB-1-S-0.5'-20230322	Soluble	Solid	DI Leach	
880-26268-2	SB-1-S-2'-20230322	Soluble	Solid	DI Leach	
880-26268-3	SB-2-S-0.5'-20230322	Soluble	Solid	DI Leach	
880-26268-4	SB-2-S-2'-20230322	Soluble	Solid	DI Leach	
880-26268-5	SB-3-S-0.5'-20230322	Soluble	Solid	DI Leach	
880-26268-6	SB-3-S-2'-20230322	Soluble	Solid	DI Leach	
880-26268-7	SB-4-S-0.5'-20230322	Soluble	Solid	DI Leach	
880-26268-8	SB-4-S-2'-20230322	Soluble	Solid	DI Leach	
MB 880-50160/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-50160/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-50160/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-26268-6 MS	SB-3-S-2'-20230322	Soluble	Solid	DI Leach	
880-26268-6 MSD	SB-3-S-2'-20230322	Soluble	Solid	DI Leach	

Analysis Batch: 50338

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-26268-1	SB-1-S-0.5'-20230322	Soluble	Solid	300.0	50160
880-26268-2	SB-1-S-2'-20230322	Soluble	Solid	300.0	50160
880-26268-3	SB-2-S-0.5'-20230322	Soluble	Solid	300.0	50160
880-26268-4	SB-2-S-2'-20230322	Soluble	Solid	300.0	50160
880-26268-5	SB-3-S-0.5'-20230322	Soluble	Solid	300.0	50160
880-26268-6	SB-3-S-2'-20230322	Soluble	Solid	300.0	50160
880-26268-7	SB-4-S-0.5'-20230322	Soluble	Solid	300.0	50160
880-26268-8	SB-4-S-2'-20230322	Soluble	Solid	300.0	50160
MB 880-50160/1-A	Method Blank	Soluble	Solid	300.0	50160
LCS 880-50160/2-A	Lab Control Sample	Soluble	Solid	300.0	50160
LCSD 880-50160/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	50160
880-26268-6 MS	SB-3-S-2'-20230322	Soluble	Solid	300.0	50160
880-26268-6 MSD	SB-3-S-2'-20230322	Soluble	Solid	300.0	50160

Eurofins Midland

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-1-S-0.5'-20230322

Lab Sample ID: 880-26268-1

Date Collected: 03/22/23 12:00

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	49940	03/30/23 12:57	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	50015	04/01/23 05:41	MNR	EET MID
Total/NA	Analysis	8015 NM		1			49936	03/30/23 12:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	49771	03/28/23 17:17	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	49783	03/29/23 13:03	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	50160	04/03/23 10:58	KS	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	50338	04/04/23 21:38	SMC	EET MID

Client Sample ID: SB-1-S-2'-20230322

Lab Sample ID: 880-26268-2

Date Collected: 03/22/23 12:10

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	49940	03/30/23 12:57	MNR	EET MID
Total/NA	Analysis	8021B		20	5 mL	5 mL	50015	04/01/23 08:45	MNR	EET MID
Total/NA	Analysis	8015 NM		1			49936	03/30/23 12:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	49771	03/28/23 17:17	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	49783	03/29/23 14:28	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	50160	04/03/23 10:58	KS	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	50338	04/04/23 21:43	SMC	EET MID

Client Sample ID: SB-2-S-0.5'-20230322

Lab Sample ID: 880-26268-3

Date Collected: 03/22/23 10:25

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	49940	03/30/23 12:57	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	50015	04/01/23 06:01	MNR	EET MID
Total/NA	Analysis	8015 NM		1			49936	03/30/23 12:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	49771	03/28/23 17:17	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	49783	03/29/23 13:24	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	50160	04/03/23 10:58	KS	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	50338	04/04/23 21:47	SMC	EET MID

Client Sample ID: SB-2-S-2'-20230322

Lab Sample ID: 880-26268-4

Date Collected: 03/22/23 10:50

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.97 g	5 mL	49940	03/30/23 12:57	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	50015	04/01/23 06:22	MNR	EET MID
Total/NA	Analysis	8015 NM		1			49936	03/30/23 12:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	49771	03/28/23 17:17	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	49783	03/29/23 13:45	SM	EET MID

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-2-S-2'-20230322

Lab Sample ID: 880-26268-4

Date Collected: 03/22/23 10:50

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	50160	04/03/23 10:58	KS	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	50338	04/04/23 21:52	SMC	EET MID

Client Sample ID: SB-3-S-0.5'-20230322

Lab Sample ID: 880-26268-5

Date Collected: 03/22/23 11:33

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.95 g	5 mL	49940	03/30/23 12:57	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	50015	04/01/23 06:42	MNR	EET MID
Total/NA	Analysis	8015 NM		1			49936	03/30/23 12:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	49771	03/28/23 17:17	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	49783	03/29/23 14:07	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	50160	04/03/23 10:58	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	50338	04/04/23 21:57	SMC	EET MID

Client Sample ID: SB-3-S-2'-20230322

Lab Sample ID: 880-26268-6

Date Collected: 03/22/23 11:50

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	49940	03/30/23 12:57	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	50015	04/01/23 07:03	MNR	EET MID
Total/NA	Analysis	8015 NM		1			49936	03/30/23 12:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	49771	03/28/23 17:17	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	49783	03/29/23 12:41	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	50160	04/03/23 10:58	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	50338	04/04/23 22:02	SMC	EET MID

Client Sample ID: SB-4-S-0.5'-20230322

Lab Sample ID: 880-26268-7

Date Collected: 03/22/23 09:55

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	49940	03/30/23 12:57	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	50015	04/01/23 07:23	MNR	EET MID
Total/NA	Analysis	8015 NM		1			49936	03/30/23 12:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	49771	03/28/23 17:17	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	49783	03/29/23 14:49	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	50160	04/03/23 10:58	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	50338	04/04/23 22:16	SMC	EET MID

Eurofins Midland

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Client Sample ID: SB-4-S-2'-20230322

Lab Sample ID: 880-26268-8

Date Collected: 03/22/23 10:10

Matrix: Solid

Date Received: 03/23/23 08:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.99 g	5 mL	49940	03/30/23 12:57	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	50015	04/01/23 07:44	MNR	EET MID
Total/NA	Analysis	8015 NM		1			49936	03/30/23 12:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	49771	03/28/23 17:17	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	49783	03/29/23 15:10	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	50160	04/03/23 10:58	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	50338	04/04/23 22:21	SMC	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-22-25	06-30-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5030B	Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:
ASTM = ASTM International
EPA = US Environmental Protection Agency
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: ARCADIS U.S. Inc
Project/Site: Lovington Field Assessment

Job ID: 880-26268-1
SDG: WLU Water Inj Station

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-26268-1	SB-1-S-0.5'-20230322	Solid	03/22/23 12:00	03/23/23 08:20
880-26268-2	SB-1-S-2'-20230322	Solid	03/22/23 12:10	03/23/23 08:20
880-26268-3	SB-2-S-0.5'-20230322	Solid	03/22/23 10:25	03/23/23 08:20
880-26268-4	SB-2-S-2'-20230322	Solid	03/22/23 10:50	03/23/23 08:20
880-26268-5	SB-3-S-0.5'-20230322	Solid	03/22/23 11:33	03/23/23 08:20
880-26268-6	SB-3-S-2'-20230322	Solid	03/22/23 11:50	03/23/23 08:20
880-26268-7	SB-4-S-0.5'-20230322	Solid	03/22/23 09:55	03/23/23 08:20
880-26268-8	SB-4-S-2'-20230322	Solid	03/22/23 10:10	03/23/23 08:20

Eurofins Midland

1211 W Florida Ave
Midland, TX 79701
Phone (432) 704-5440

Chain of Custody Record

Barthel



Environment Testing

[illegible]

Login Sample Receipt Checklist

Client: ARCADIS U.S. Inc

Job Number: 880-26268-1
SDG Number: WLU Water Inj Station

Login Number: 26268
List Number: 1
Creator: Teel, Brianna

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Morgan Jordan
ARCADIS US Inc
1004 North Big Spring
Suite 300
Midland, Texas 79701

Generated 2/14/2024 10:43:34 AM Revision 1

JOB DESCRIPTION

WLU Water Injection Station
Lovington, NM

JOB NUMBER

880-38324-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Authorized for release by
John Builes, Project Manager
John.Builes@et.eurofinsus.com
(561)558-4549

Generated
2/14/2024 10:43:34 AM
Revision 1

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Laboratory Job ID: 880-38324-1
SDG: Lovington, NM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Surrogate Summary	17
QC Sample Results	18
QC Association Summary	22
Lab Chronicle	26
Certification Summary	31
Method Summary	32
Sample Summary	33
Chain of Custody	34
Receipt Checklists	36

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS US Inc
Project: WLU Water Injection Station

Job ID: 880-38324-1

Job ID: 880-38324-1

Eurofins Midland

Job Narrative
880-38324-1

REVISION

The report being provided is a revision of the original report sent on 2/5/2024. The report (revision 1) is being revised due to Revised report to add additional analysis.

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 1/23/2024 1:05 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.5°C

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: SB-5-S-1'-240118 (880-38324-1), SB-5-S-2'-240118 (880-38324-2), SB-5-S-4'-240118 (880-38324-3), SB-6-S-1'-240118 (880-38324-4), SB-6-S-2'-240118 (880-38324-5), SB-6-S-4'-240118 (880-38324-6), SB-7-S-1'-240118 (880-38324-7), SB-7-S-2'-240118 (880-38324-8), SB-7-S-4'-240118 (880-38324-9), SB-8-S-1'-240118 (880-38324-10), SB-8-S-2'-240118 (880-38324-11), SB-8-S-4'-240118 (880-38324-12), SB-9-S-1'-240118 (880-38324-13), SB-9-S-2'-240118 (880-38324-14), SB-9-S-3'-240118 (880-38324-15), SB-10-S-1'-240118 (880-38324-16), SB-10-S-2'-240118 (880-38324-17), SB-10-S-4'-240118 (880-38324-18), SB-11-S-1'-240118 (880-38324-19), SB-11-S-2'-240118 (880-38324-20) and SB-11-S-4.5'-240118 (880-38324-21).

GC VOA

Method 8021B: Surrogate recovery for the following sample was outside control limits: SB-10-S-2'-240118 (880-38324-17). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: The surrogate recovery for the blank associated with preparation batch 880-71570 and analytical batch 880-71727 was outside the upper control limits.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: SB-5-S-1'-240118 (880-38324-1), SB-5-S-2'-240118 (880-38324-2), SB-6-S-2'-240118 (880-38324-5), SB-7-S-1'-240118 (880-38324-7), SB-7-S-2'-240118 (880-38324-8), SB-8-S-2'-240118 (880-38324-11), SB-9-S-2'-240118 (880-38324-14) and (880-38323-A-2-B). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: SB-10-S-2'-240118 (880-38324-17), SB-11-S-1'-240118 (880-38324-19) and SB-11-S-2'-240118 (880-38324-20). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD_NM: The method blank for preparation batch 880-71570 and analytical batch 880-71727 contained Diesel Range Organics (Over C10-C28) above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD_NM: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 880-71570 and analytical batch 880-71727 recovered outside control limits for the following analytes: Gasoline Range Organics (GRO)-C6-C10.

Eurofins Midland

Case Narrative

Client: ARCADIS US Inc
Project: WLU Water Injection Station

Job ID: 880-38324-1

Job ID: 880-38324-1 (Continued) Eurofins Midland

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-73009 and analytical batch 880-73035 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-5-S-1'-240118

Lab Sample ID: 880-38324-1

Date Collected: 01/18/24 10:00

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		01/26/24 11:33	01/31/24 14:42	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		01/26/24 11:33	01/31/24 14:42	1
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		01/26/24 11:33	01/31/24 14:42	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		01/26/24 11:33	01/31/24 14:42	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		01/26/24 11:33	01/31/24 14:42	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		01/26/24 11:33	01/31/24 14:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	77		70 - 130	01/26/24 11:33	01/31/24 14:42	1
1,4-Difluorobenzene (Surr)	83		70 - 130	01/26/24 11:33	01/31/24 14:42	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			01/31/24 14:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	137		50.5	15.2	mg/Kg			01/27/24 12:51	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	33.4	J *1	50.5	15.2	mg/Kg		01/25/24 09:22	01/27/24 12:51	1
Diesel Range Organics (Over C10-C28)	104	B	50.5	15.2	mg/Kg		01/25/24 09:22	01/27/24 12:51	1
Oil Range Organics (Over C28-C36)	<15.2	U	50.5	15.2	mg/Kg		01/25/24 09:22	01/27/24 12:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	148	S1+	70 - 130	01/25/24 09:22	01/27/24 12:51	1
o-Terphenyl	116		70 - 130	01/25/24 09:22	01/27/24 12:51	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	485	F1	5.03	0.397	mg/Kg			02/13/24 11:30	1

Client Sample ID: SB-5-S-2'-240118

Lab Sample ID: 880-38324-2

Date Collected: 01/18/24 10:10

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000389	U	0.00202	0.000389	mg/Kg		01/26/24 11:33	01/31/24 15:03	1
Toluene	<0.000461	U	0.00202	0.000461	mg/Kg		01/26/24 11:33	01/31/24 15:03	1
Ethylbenzene	<0.000571	U	0.00202	0.000571	mg/Kg		01/26/24 11:33	01/31/24 15:03	1
m-Xylene & p-Xylene	<0.00102	U	0.00404	0.00102	mg/Kg		01/26/24 11:33	01/31/24 15:03	1
o-Xylene	<0.000347	U	0.00202	0.000347	mg/Kg		01/26/24 11:33	01/31/24 15:03	1
Xylenes, Total	<0.00102	U	0.00404	0.00102	mg/Kg		01/26/24 11:33	01/31/24 15:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	86		70 - 130	01/26/24 11:33	01/31/24 15:03	1
1,4-Difluorobenzene (Surr)	82		70 - 130	01/26/24 11:33	01/31/24 15:03	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-5-S-2'-240118

Lab Sample ID: 880-38324-2

Date Collected: 01/18/24 10:10

Matrix: Solid

Date Received: 01/23/24 13:05

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00404	0.00102	mg/Kg			01/31/24 15:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	77.3		50.5	15.1	mg/Kg			01/27/24 13:13	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	32.4	J *1	50.5	15.1	mg/Kg		01/25/24 09:22	01/27/24 13:13	1
Diesel Range Organics (Over C10-C28)	44.9	J B	50.5	15.1	mg/Kg		01/25/24 09:22	01/27/24 13:13	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.5	15.1	mg/Kg		01/25/24 09:22	01/27/24 13:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	148	S1+	70 - 130				01/25/24 09:22	01/27/24 13:13	1
o-Terphenyl	117		70 - 130				01/25/24 09:22	01/27/24 13:13	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1660		25.3	1.99	mg/Kg			02/13/24 11:50	5

Client Sample ID: SB-5-S-4'-240118

Lab Sample ID: 880-38324-3

Date Collected: 01/18/24 10:20

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2090		25.2	1.99	mg/Kg			02/02/24 13:53	5

Client Sample ID: SB-6-S-1'-240118

Lab Sample ID: 880-38324-4

Date Collected: 01/19/24 09:00

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1250		25.3	1.99	mg/Kg			02/02/24 14:08	5

Client Sample ID: SB-6-S-2'-240118

Lab Sample ID: 880-38324-5

Date Collected: 01/19/24 09:05

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		01/26/24 11:33	01/31/24 16:27	1
Toluene	0.000524	J	0.00199	0.000454	mg/Kg		01/26/24 11:33	01/31/24 16:27	1
Ethylbenzene	<0.000563	U	0.00199	0.000563	mg/Kg		01/26/24 11:33	01/31/24 16:27	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		01/26/24 11:33	01/31/24 16:27	1
o-Xylene	<0.000343	U	0.00199	0.000343	mg/Kg		01/26/24 11:33	01/31/24 16:27	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		01/26/24 11:33	01/31/24 16:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	79		70 - 130				01/26/24 11:33	01/31/24 16:27	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-6-S-2'-240118

Lab Sample ID: 880-38324-5

Date Collected: 01/19/24 09:05

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	82		70 - 130	01/26/24 11:33	01/31/24 16:27	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00398	0.00101	mg/Kg			01/31/24 16:27	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	66.1		49.7	14.9	mg/Kg			01/27/24 13:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	35.8	J *1	49.7	14.9	mg/Kg		01/25/24 09:22	01/27/24 13:35	1
Diesel Range Organics (Over C10-C28)	30.3	J B	49.7	14.9	mg/Kg		01/25/24 09:22	01/27/24 13:35	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.7	14.9	mg/Kg		01/25/24 09:22	01/27/24 13:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	138	S1+	70 - 130	01/25/24 09:22	01/27/24 13:35	1
o-Terphenyl	110		70 - 130	01/25/24 09:22	01/27/24 13:35	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3140		24.9	1.97	mg/Kg			02/13/24 11:57	5

Client Sample ID: SB-6-S-4'-240118

Lab Sample ID: 880-38324-6

Date Collected: 01/19/24 09:10

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2980		25.3	1.99	mg/Kg			02/02/24 14:13	5

Client Sample ID: SB-7-S-1'-240118

Lab Sample ID: 880-38324-7

Date Collected: 01/19/24 09:20

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		01/26/24 11:33	01/31/24 16:47	1
Toluene	<0.000453	U	0.00199	0.000453	mg/Kg		01/26/24 11:33	01/31/24 16:47	1
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		01/26/24 11:33	01/31/24 16:47	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		01/26/24 11:33	01/31/24 16:47	1
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		01/26/24 11:33	01/31/24 16:47	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		01/26/24 11:33	01/31/24 16:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	78		70 - 130	01/26/24 11:33	01/31/24 16:47	1
1,4-Difluorobenzene (Surr)	82		70 - 130	01/26/24 11:33	01/31/24 16:47	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-7-S-1'-240118

Lab Sample ID: 880-38324-7

Date Collected: 01/19/24 09:20

Matrix: Solid

Date Received: 01/23/24 13:05

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00398	0.00100	mg/Kg			01/31/24 16:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	139		49.9	15.0	mg/Kg			01/27/24 13:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	36.7	J *1	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 13:56	1
Diesel Range Organics (Over C10-C28)	102	B	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 13:56	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 13:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	143	S1+	70 - 130				01/25/24 09:22	01/27/24 13:56	1
o-Terphenyl	119		70 - 130				01/25/24 09:22	01/27/24 13:56	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	496		25.0	1.97	mg/Kg			02/13/24 12:04	5

Client Sample ID: SB-7-S-2'-240118

Lab Sample ID: 880-38324-8

Date Collected: 01/19/24 09:25

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		01/26/24 11:33	01/31/24 17:08	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		01/26/24 11:33	01/31/24 17:08	1
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		01/26/24 11:33	01/31/24 17:08	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		01/26/24 11:33	01/31/24 17:08	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		01/26/24 11:33	01/31/24 17:08	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		01/26/24 11:33	01/31/24 17:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	81		70 - 130				01/26/24 11:33	01/31/24 17:08	1
1,4-Difluorobenzene (Surr)	77		70 - 130				01/26/24 11:33	01/31/24 17:08	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			01/31/24 17:08	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	173		49.8	14.9	mg/Kg			01/27/24 14:18	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	30.3	J *1	49.8	14.9	mg/Kg		01/25/24 09:22	01/27/24 14:18	1
Diesel Range Organics (Over C10-C28)	143	B	49.8	14.9	mg/Kg		01/25/24 09:22	01/27/24 14:18	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-7-S-2'-240118

Lab Sample ID: 880-38324-8

Date Collected: 01/19/24 09:25

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<14.9	U	49.8	14.9	mg/Kg	-	01/25/24 09:22	01/27/24 14:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	147	S1+	70 - 130				01/25/24 09:22	01/27/24 14:18	1
o-Terphenyl	113		70 - 130				01/25/24 09:22	01/27/24 14:18	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	166		4.97	0.393	mg/Kg	-		02/13/24 12:11	1

Client Sample ID: SB-7-S-4'-240118

Lab Sample ID: 880-38324-9

Date Collected: 01/19/24 09:30

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	119		5.03	0.397	mg/Kg	-		02/02/24 14:18	1

Client Sample ID: SB-8-S-1'-240118

Lab Sample ID: 880-38324-10

Date Collected: 01/19/24 09:50

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2070		25.0	1.97	mg/Kg	-		02/02/24 14:23	5

Client Sample ID: SB-8-S-2'-240118

Lab Sample ID: 880-38324-11

Date Collected: 01/19/24 09:55

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000386	U	0.00200	0.000386	mg/Kg	-	01/26/24 11:33	01/31/24 17:28	1
Toluene	<0.000457	U	0.00200	0.000457	mg/Kg	-	01/26/24 11:33	01/31/24 17:28	1
Ethylbenzene	<0.000566	U	0.00200	0.000566	mg/Kg	-	01/26/24 11:33	01/31/24 17:28	1
m-Xylene & p-Xylene	<0.00101	U	0.00401	0.00101	mg/Kg	-	01/26/24 11:33	01/31/24 17:28	1
o-Xylene	<0.000345	U	0.00200	0.000345	mg/Kg	-	01/26/24 11:33	01/31/24 17:28	1
Xylenes, Total	<0.00101	U	0.00401	0.00101	mg/Kg	-	01/26/24 11:33	01/31/24 17:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		70 - 130				01/26/24 11:33	01/31/24 17:28	1
1,4-Difluorobenzene (Surr)	85		70 - 130				01/26/24 11:33	01/31/24 17:28	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00401	0.00101	mg/Kg	-		01/31/24 17:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	116		50.2	15.0	mg/Kg	-		01/27/24 14:40	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-8-S-2'-240118

Lab Sample ID: 880-38324-11

Date Collected: 01/19/24 09:55

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	41.8	J *1	50.2	15.0	mg/Kg		01/25/24 09:22	01/27/24 14:40	1
Diesel Range Organics (Over C10-C28)	74.2	B	50.2	15.0	mg/Kg		01/25/24 09:22	01/27/24 14:40	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.2	15.0	mg/Kg		01/25/24 09:22	01/27/24 14:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	137	S1+	70 - 130	01/25/24 09:22	01/27/24 14:40	1
o-Terphenyl	109		70 - 130	01/25/24 09:22	01/27/24 14:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2620		25.1	1.98	mg/Kg			02/13/24 12:31	5

Client Sample ID: SB-8-S-4'-240118

Lab Sample ID: 880-38324-12

Date Collected: 01/19/24 10:00

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2130		24.9	1.96	mg/Kg			02/02/24 14:28	5

Client Sample ID: SB-9-S-1'-240118

Lab Sample ID: 880-38324-13

Date Collected: 01/19/24 10:10

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3150		24.8	1.96	mg/Kg			02/02/24 14:33	5

Client Sample ID: SB-9-S-2'-240118

Lab Sample ID: 880-38324-14

Date Collected: 01/19/24 10:15

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		01/26/24 11:33	01/31/24 17:49	1
Toluene	0.000550	J	0.00199	0.000454	mg/Kg		01/26/24 11:33	01/31/24 17:49	1
Ethylbenzene	<0.000563	U	0.00199	0.000563	mg/Kg		01/26/24 11:33	01/31/24 17:49	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		01/26/24 11:33	01/31/24 17:49	1
o-Xylene	<0.000343	U	0.00199	0.000343	mg/Kg		01/26/24 11:33	01/31/24 17:49	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		01/26/24 11:33	01/31/24 17:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	79		70 - 130	01/26/24 11:33	01/31/24 17:49	1
1,4-Difluorobenzene (Surr)	82		70 - 130	01/26/24 11:33	01/31/24 17:49	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00398	0.00101	mg/Kg			01/31/24 17:49	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-9-S-2'-240118

Lab Sample ID: 880-38324-14

Date Collected: 01/19/24 10:15

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	101		50.2	15.0	mg/Kg			01/27/24 15:02	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	45.3	J *1	50.2	15.0	mg/Kg		01/25/24 09:22	01/27/24 15:02	1
Diesel Range Organics (Over C10-C28)	55.6	B	50.2	15.0	mg/Kg		01/25/24 09:22	01/27/24 15:02	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.2	15.0	mg/Kg		01/25/24 09:22	01/27/24 15:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	135	S1+	70 - 130				01/25/24 09:22	01/27/24 15:02	1
o-Terphenyl	108		70 - 130				01/25/24 09:22	01/27/24 15:02	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2290		25.1	1.98	mg/Kg			02/13/24 12:38	5

Client Sample ID: SB-9-S-3'-240118

Lab Sample ID: 880-38324-15

Date Collected: 01/19/24 10:20

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1080		5.02	0.397	mg/Kg			02/02/24 14:47	1

Client Sample ID: SB-10-S-1'-240118

Lab Sample ID: 880-38324-16

Date Collected: 01/19/24 10:40

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10800		100	7.92	mg/Kg			02/02/24 14:52	20

Client Sample ID: SB-10-S-2'-240118

Lab Sample ID: 880-38324-17

Date Collected: 01/19/24 10:45

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		01/26/24 11:33	01/31/24 18:09	1
Toluene	<0.000453	U	0.00199	0.000453	mg/Kg		01/26/24 11:33	01/31/24 18:09	1
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		01/26/24 11:33	01/31/24 18:09	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		01/26/24 11:33	01/31/24 18:09	1
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		01/26/24 11:33	01/31/24 18:09	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		01/26/24 11:33	01/31/24 18:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		70 - 130				01/26/24 11:33	01/31/24 18:09	1
1,4-Difluorobenzene (Surr)	64	S1-	70 - 130				01/26/24 11:33	01/31/24 18:09	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-10-S-2'-240118

Lab Sample ID: 880-38324-17

Date Collected: 01/19/24 10:45

Matrix: Solid

Date Received: 01/23/24 13:05

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00398	0.00100	mg/Kg			01/31/24 18:09	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	75.6		50.5	15.2	mg/Kg			01/27/24 15:46	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	44.3	J *1	50.5	15.2	mg/Kg		01/25/24 09:22	01/27/24 15:46	1
Diesel Range Organics (Over C10-C28)	31.3	J B	50.5	15.2	mg/Kg		01/25/24 09:22	01/27/24 15:46	1
Oil Range Organics (Over C28-C36)	<15.2	U	50.5	15.2	mg/Kg		01/25/24 09:22	01/27/24 15:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	132	S1+	70 - 130				01/25/24 09:22	01/27/24 15:46	1
o-Terphenyl	105		70 - 130				01/25/24 09:22	01/27/24 15:46	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3660		25.0	1.98	mg/Kg			02/13/24 12:45	5

Client Sample ID: SB-10-S-4'-240118

Lab Sample ID: 880-38324-18

Date Collected: 01/19/24 10:50

Matrix: Solid

Date Received: 01/23/24 13:05

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2410		24.9	1.97	mg/Kg			02/02/24 15:07	5

Client Sample ID: SB-11-S-1'-240118

Lab Sample ID: 880-38324-19

Date Collected: 01/19/24 11:10

Matrix: Solid

Date Received: 01/23/24 13:05

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		01/26/24 11:33	01/31/24 18:30	1
Toluene	0.000479	J	0.00200	0.000455	mg/Kg		01/26/24 11:33	01/31/24 18:30	1
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		01/26/24 11:33	01/31/24 18:30	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		01/26/24 11:33	01/31/24 18:30	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		01/26/24 11:33	01/31/24 18:30	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		01/26/24 11:33	01/31/24 18:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	81		70 - 130				01/26/24 11:33	01/31/24 18:30	1
1,4-Difluorobenzene (Surr)	78		70 - 130				01/26/24 11:33	01/31/24 18:30	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			01/31/24 18:30	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-11-S-1'-240118
Date Collected: 01/19/24 11:10
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-19
Matrix: Solid

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	91.7		49.9	15.0	mg/Kg			01/27/24 16:08	1
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	40.3	J *1	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 16:08	1
Diesel Range Organics (Over C10-C28)	51.4	B	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 16:08	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 16:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	136	S1+	70 - 130				01/25/24 09:22	01/27/24 16:08	1
o-Terphenyl	108		70 - 130				01/25/24 09:22	01/27/24 16:08	1
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2130		24.8	1.96	mg/Kg			02/13/24 12:51	5

Client Sample ID: SB-11-S-2'-240118
Date Collected: 01/19/24 11:15
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-20
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		01/26/24 11:33	01/31/24 18:50	1
Toluene	<0.000459	U	0.00201	0.000459	mg/Kg		01/26/24 11:33	01/31/24 18:50	1
Ethylbenzene	<0.000568	U	0.00201	0.000568	mg/Kg		01/26/24 11:33	01/31/24 18:50	1
m-Xylene & p-Xylene	<0.00102	U	0.00402	0.00102	mg/Kg		01/26/24 11:33	01/31/24 18:50	1
o-Xylene	<0.000346	U	0.00201	0.000346	mg/Kg		01/26/24 11:33	01/31/24 18:50	1
Xylenes, Total	<0.00102	U	0.00402	0.00102	mg/Kg		01/26/24 11:33	01/31/24 18:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		70 - 130				01/26/24 11:33	01/31/24 18:50	1
1,4-Difluorobenzene (Surr)	78		70 - 130				01/26/24 11:33	01/31/24 18:50	1
Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00402	0.00102	mg/Kg			01/31/24 18:50	1
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	68.7		49.9	15.0	mg/Kg			01/27/24 16:30	1
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	38.9	J *1	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 16:30	1
Diesel Range Organics (Over C10-C28)	29.8	J B	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 16:30	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		01/25/24 09:22	01/27/24 16:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	133	S1+	70 - 130				01/25/24 09:22	01/27/24 16:30	1

Eurofins Midland

Client Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-11-S-2'-240118
Date Collected: 01/19/24 11:15
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-20
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	107		70 - 130				01/25/24 09:22	01/27/24 16:30	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2970		25.1	1.98	mg/Kg			02/13/24 12:58	5

Client Sample ID: SB-11-S-4.5'-240118
Date Collected: 01/19/24 11:20
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-21
Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2600		25.0	1.98	mg/Kg			02/02/24 15:12	5

Surrogate Summary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1	DFBZ1
		(70-130)	(70-130)
880-38324-1	SB-5-S-1'-240118	77	83
880-38324-2	SB-5-S-2'-240118	86	82
880-38324-5	SB-6-S-2'-240118	79	82
880-38324-7	SB-7-S-1'-240118	78	82
880-38324-8	SB-7-S-2'-240118	81	77
880-38324-11	SB-8-S-2'-240118	82	85
880-38324-14	SB-9-S-2'-240118	79	82
880-38324-17	SB-10-S-2'-240118	82	64 S1-
880-38324-19	SB-11-S-1'-240118	81	78
880-38324-20	SB-11-S-2'-240118	82	78
LCS 880-71692/1-A	Lab Control Sample	112	102
LCSD 880-71692/2-A	Lab Control Sample Dup	104	94
MB 880-71692/5-A	Method Blank	79	79

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	1CO1	OTPH1
		(70-130)	(70-130)
880-38324-1	SB-5-S-1'-240118	148 S1+	116
880-38324-2	SB-5-S-2'-240118	148 S1+	117
880-38324-5	SB-6-S-2'-240118	138 S1+	110
880-38324-7	SB-7-S-1'-240118	143 S1+	119
880-38324-8	SB-7-S-2'-240118	147 S1+	113
880-38324-11	SB-8-S-2'-240118	137 S1+	109
880-38324-14	SB-9-S-2'-240118	135 S1+	108
880-38324-17	SB-10-S-2'-240118	132 S1+	105
880-38324-19	SB-11-S-1'-240118	136 S1+	108
880-38324-20	SB-11-S-2'-240118	133 S1+	107
LCS 880-71570/2-A	Lab Control Sample	86	76
LCSD 880-71570/3-A	Lab Control Sample Dup	95	90
MB 880-71570/1-A	Method Blank	167 S1+	139 S1+

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Eurofins Midland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-71692/5-A

Matrix: Solid

Analysis Batch: 72000

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 71692

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		01/26/24 11:33	01/31/24 11:14	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		01/26/24 11:33	01/31/24 11:14	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		01/26/24 11:33	01/31/24 11:14	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		01/26/24 11:33	01/31/24 11:14	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		01/26/24 11:33	01/31/24 11:14	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		01/26/24 11:33	01/31/24 11:14	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	79		70 - 130	01/26/24 11:33	01/31/24 11:14	1
1,4-Difluorobenzene (Surr)	79		70 - 130	01/26/24 11:33	01/31/24 11:14	1

Lab Sample ID: LCS 880-71692/1-A

Matrix: Solid

Analysis Batch: 72000

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 71692

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1010		mg/Kg		101	70 - 130
Toluene	0.100	0.09485		mg/Kg		95	70 - 130
Ethylbenzene	0.100	0.09005		mg/Kg		90	70 - 130
m-Xylene & p-Xylene	0.200	0.1985		mg/Kg		99	70 - 130
o-Xylene	0.100	0.1164		mg/Kg		116	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	112		70 - 130
1,4-Difluorobenzene (Surr)	102		70 - 130

Lab Sample ID: LCSD 880-71692/2-A

Matrix: Solid

Analysis Batch: 72000

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 71692

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09042		mg/Kg		90	70 - 130	11	35
Toluene	0.100	0.09201		mg/Kg		92	70 - 130	3	35
Ethylbenzene	0.100	0.09967		mg/Kg		100	70 - 130	10	35
m-Xylene & p-Xylene	0.200	0.2074		mg/Kg		104	70 - 130	4	35
o-Xylene	0.100	0.09905		mg/Kg		99	70 - 130	16	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Eurofins Midland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-71570/1-A

Matrix: Solid

Analysis Batch: 71727

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 71570

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		01/25/24 09:22	01/27/24 08:06	1
Diesel Range Organics (Over C10-C28)	21.62	J	50.0	15.0	mg/Kg		01/25/24 09:22	01/27/24 08:06	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		01/25/24 09:22	01/27/24 08:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	167	S1+	70 - 130	01/25/24 09:22	01/27/24 08:06	1
o-Terphenyl	139	S1+	70 - 130	01/25/24 09:22	01/27/24 08:06	1

Lab Sample ID: LCS 880-71570/2-A

Matrix: Solid

Analysis Batch: 71727

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 71570

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	921.3		mg/Kg		92	70 - 130
Diesel Range Organics (Over C10-C28)	1000	916.2		mg/Kg		92	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1-Chlorooctane	86		70 - 130
o-Terphenyl	76		70 - 130

Lab Sample ID: LCSD 880-71570/3-A

Matrix: Solid

Analysis Batch: 71727

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 71570

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1162	*1	mg/Kg		116	70 - 130	23	20
Diesel Range Organics (Over C10-C28)	1000	920.9		mg/Kg		92	70 - 130	1	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1-Chlorooctane	95		70 - 130
o-Terphenyl	90		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-72189/1-A

Matrix: Solid

Analysis Batch: 72228

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	5.00	0.395	mg/Kg			02/02/24 13:09	1

Eurofins Midland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-72189/2-A

Matrix: Solid

Analysis Batch: 72228

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	248.5		mg/Kg		99	90 - 110

Lab Sample ID: LCSD 880-72189/3-A

Matrix: Solid

Analysis Batch: 72228

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	249.2		mg/Kg		100	90 - 110	0	20

Lab Sample ID: 880-38324-13 MS

Matrix: Solid

Analysis Batch: 72228

Client Sample ID: SB-9-S-1'-240118

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	3150		1240	4438		mg/Kg		104	90 - 110

Lab Sample ID: 880-38324-13 MSD

Matrix: Solid

Analysis Batch: 72228

Client Sample ID: SB-9-S-1'-240118

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	3150		1240	4434		mg/Kg		104	90 - 110	0	20

Lab Sample ID: MB 880-73009/1-A

Matrix: Solid

Analysis Batch: 73035

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	5.00	0.395	mg/Kg			02/13/24 11:10	1

Lab Sample ID: LCS 880-73009/2-A

Matrix: Solid

Analysis Batch: 73035

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	249.0		mg/Kg		100	90 - 110

Lab Sample ID: LCSD 880-73009/3-A

Matrix: Solid

Analysis Batch: 73035

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	248.4		mg/Kg		99	90 - 110	0	20

Lab Sample ID: 880-38324-1 MS

Matrix: Solid

Analysis Batch: 73035

Client Sample ID: SB-5-S-1'-240118

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	485	F1	252	673.3	F1	mg/Kg		75	90 - 110

Eurofins Midland

QC Sample Results

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-38324-1 MSD					Client Sample ID: SB-5-S-1'-240118							
Matrix: Solid					Prep Type: Soluble							
Analysis Batch: 73035												
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit	
Chloride	485	F1	252	673.8	F1	mg/Kg		75	90 - 110	0	20	

QC Association Summary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

GC VOA

Prep Batch: 71692

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-1	SB-5-S-1'-240118	Total/NA	Solid	5030B	
880-38324-2	SB-5-S-2'-240118	Total/NA	Solid	5030B	
880-38324-5	SB-6-S-2'-240118	Total/NA	Solid	5030B	
880-38324-7	SB-7-S-1'-240118	Total/NA	Solid	5030B	
880-38324-8	SB-7-S-2'-240118	Total/NA	Solid	5030B	
880-38324-11	SB-8-S-2'-240118	Total/NA	Solid	5030B	
880-38324-14	SB-9-S-2'-240118	Total/NA	Solid	5030B	
880-38324-17	SB-10-S-2'-240118	Total/NA	Solid	5030B	
880-38324-19	SB-11-S-1'-240118	Total/NA	Solid	5030B	
880-38324-20	SB-11-S-2'-240118	Total/NA	Solid	5030B	
MB 880-71692/5-A	Method Blank	Total/NA	Solid	5030B	
LCS 880-71692/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-71692/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	

Analysis Batch: 72000

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-1	SB-5-S-1'-240118	Total/NA	Solid	8021B	71692
880-38324-2	SB-5-S-2'-240118	Total/NA	Solid	8021B	71692
880-38324-5	SB-6-S-2'-240118	Total/NA	Solid	8021B	71692
880-38324-7	SB-7-S-1'-240118	Total/NA	Solid	8021B	71692
880-38324-8	SB-7-S-2'-240118	Total/NA	Solid	8021B	71692
880-38324-11	SB-8-S-2'-240118	Total/NA	Solid	8021B	71692
880-38324-14	SB-9-S-2'-240118	Total/NA	Solid	8021B	71692
880-38324-17	SB-10-S-2'-240118	Total/NA	Solid	8021B	71692
880-38324-19	SB-11-S-1'-240118	Total/NA	Solid	8021B	71692
880-38324-20	SB-11-S-2'-240118	Total/NA	Solid	8021B	71692
MB 880-71692/5-A	Method Blank	Total/NA	Solid	8021B	71692
LCS 880-71692/1-A	Lab Control Sample	Total/NA	Solid	8021B	71692
LCSD 880-71692/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	71692

Analysis Batch: 72110

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-1	SB-5-S-1'-240118	Total/NA	Solid	Total BTEX	
880-38324-2	SB-5-S-2'-240118	Total/NA	Solid	Total BTEX	
880-38324-5	SB-6-S-2'-240118	Total/NA	Solid	Total BTEX	
880-38324-7	SB-7-S-1'-240118	Total/NA	Solid	Total BTEX	
880-38324-8	SB-7-S-2'-240118	Total/NA	Solid	Total BTEX	
880-38324-11	SB-8-S-2'-240118	Total/NA	Solid	Total BTEX	
880-38324-14	SB-9-S-2'-240118	Total/NA	Solid	Total BTEX	
880-38324-17	SB-10-S-2'-240118	Total/NA	Solid	Total BTEX	
880-38324-19	SB-11-S-1'-240118	Total/NA	Solid	Total BTEX	
880-38324-20	SB-11-S-2'-240118	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 71570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-1	SB-5-S-1'-240118	Total/NA	Solid	8015NM Prep	
880-38324-2	SB-5-S-2'-240118	Total/NA	Solid	8015NM Prep	
880-38324-5	SB-6-S-2'-240118	Total/NA	Solid	8015NM Prep	
880-38324-7	SB-7-S-1'-240118	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

GC Semi VOA (Continued)

Prep Batch: 71570 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-8	SB-7-S-2'-240118	Total/NA	Solid	8015NM Prep	
880-38324-11	SB-8-S-2'-240118	Total/NA	Solid	8015NM Prep	
880-38324-14	SB-9-S-2'-240118	Total/NA	Solid	8015NM Prep	
880-38324-17	SB-10-S-2'-240118	Total/NA	Solid	8015NM Prep	
880-38324-19	SB-11-S-1'-240118	Total/NA	Solid	8015NM Prep	
880-38324-20	SB-11-S-2'-240118	Total/NA	Solid	8015NM Prep	
MB 880-71570/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-71570/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-71570/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 71727

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-1	SB-5-S-1'-240118	Total/NA	Solid	8015B NM	71570
880-38324-2	SB-5-S-2'-240118	Total/NA	Solid	8015B NM	71570
880-38324-5	SB-6-S-2'-240118	Total/NA	Solid	8015B NM	71570
880-38324-7	SB-7-S-1'-240118	Total/NA	Solid	8015B NM	71570
880-38324-8	SB-7-S-2'-240118	Total/NA	Solid	8015B NM	71570
880-38324-11	SB-8-S-2'-240118	Total/NA	Solid	8015B NM	71570
880-38324-14	SB-9-S-2'-240118	Total/NA	Solid	8015B NM	71570
880-38324-17	SB-10-S-2'-240118	Total/NA	Solid	8015B NM	71570
880-38324-19	SB-11-S-1'-240118	Total/NA	Solid	8015B NM	71570
880-38324-20	SB-11-S-2'-240118	Total/NA	Solid	8015B NM	71570
MB 880-71570/1-A	Method Blank	Total/NA	Solid	8015B NM	71570
LCS 880-71570/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	71570
LCSD 880-71570/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	71570

Analysis Batch: 71919

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-1	SB-5-S-1'-240118	Total/NA	Solid	8015 NM	
880-38324-2	SB-5-S-2'-240118	Total/NA	Solid	8015 NM	
880-38324-5	SB-6-S-2'-240118	Total/NA	Solid	8015 NM	
880-38324-7	SB-7-S-1'-240118	Total/NA	Solid	8015 NM	
880-38324-8	SB-7-S-2'-240118	Total/NA	Solid	8015 NM	
880-38324-11	SB-8-S-2'-240118	Total/NA	Solid	8015 NM	
880-38324-14	SB-9-S-2'-240118	Total/NA	Solid	8015 NM	
880-38324-17	SB-10-S-2'-240118	Total/NA	Solid	8015 NM	
880-38324-19	SB-11-S-1'-240118	Total/NA	Solid	8015 NM	
880-38324-20	SB-11-S-2'-240118	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 72189

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-3	SB-5-S-4'-240118	Soluble	Solid	DI Leach	
880-38324-4	SB-6-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-6	SB-6-S-4'-240118	Soluble	Solid	DI Leach	
880-38324-9	SB-7-S-4'-240118	Soluble	Solid	DI Leach	
880-38324-10	SB-8-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-12	SB-8-S-4'-240118	Soluble	Solid	DI Leach	
880-38324-13	SB-9-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-15	SB-9-S-3'-240118	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

HPLC/IC (Continued)

Leach Batch: 72189 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-16	SB-10-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-18	SB-10-S-4'-240118	Soluble	Solid	DI Leach	
880-38324-21	SB-11-S-4.5'-240118	Soluble	Solid	DI Leach	
MB 880-72189/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-72189/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-72189/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-38324-13 MS	SB-9-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-13 MSD	SB-9-S-1'-240118	Soluble	Solid	DI Leach	

Analysis Batch: 72228

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-3	SB-5-S-4'-240118	Soluble	Solid	300.0	72189
880-38324-4	SB-6-S-1'-240118	Soluble	Solid	300.0	72189
880-38324-6	SB-6-S-4'-240118	Soluble	Solid	300.0	72189
880-38324-9	SB-7-S-4'-240118	Soluble	Solid	300.0	72189
880-38324-10	SB-8-S-1'-240118	Soluble	Solid	300.0	72189
880-38324-12	SB-8-S-4'-240118	Soluble	Solid	300.0	72189
880-38324-13	SB-9-S-1'-240118	Soluble	Solid	300.0	72189
880-38324-15	SB-9-S-3'-240118	Soluble	Solid	300.0	72189
880-38324-16	SB-10-S-1'-240118	Soluble	Solid	300.0	72189
880-38324-18	SB-10-S-4'-240118	Soluble	Solid	300.0	72189
880-38324-21	SB-11-S-4.5'-240118	Soluble	Solid	300.0	72189
MB 880-72189/1-A	Method Blank	Soluble	Solid	300.0	72189
LCS 880-72189/2-A	Lab Control Sample	Soluble	Solid	300.0	72189
LCSD 880-72189/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	72189
880-38324-13 MS	SB-9-S-1'-240118	Soluble	Solid	300.0	72189
880-38324-13 MSD	SB-9-S-1'-240118	Soluble	Solid	300.0	72189

Leach Batch: 73009

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-1	SB-5-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-2	SB-5-S-2'-240118	Soluble	Solid	DI Leach	
880-38324-5	SB-6-S-2'-240118	Soluble	Solid	DI Leach	
880-38324-7	SB-7-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-8	SB-7-S-2'-240118	Soluble	Solid	DI Leach	
880-38324-11	SB-8-S-2'-240118	Soluble	Solid	DI Leach	
880-38324-14	SB-9-S-2'-240118	Soluble	Solid	DI Leach	
880-38324-17	SB-10-S-2'-240118	Soluble	Solid	DI Leach	
880-38324-19	SB-11-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-20	SB-11-S-2'-240118	Soluble	Solid	DI Leach	
MB 880-73009/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-73009/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-73009/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-38324-1 MS	SB-5-S-1'-240118	Soluble	Solid	DI Leach	
880-38324-1 MSD	SB-5-S-1'-240118	Soluble	Solid	DI Leach	

Analysis Batch: 73035

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-1	SB-5-S-1'-240118	Soluble	Solid	300.0	73009
880-38324-2	SB-5-S-2'-240118	Soluble	Solid	300.0	73009
880-38324-5	SB-6-S-2'-240118	Soluble	Solid	300.0	73009

Eurofins Midland

QC Association Summary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

HPLC/IC (Continued)

Analysis Batch: 73035 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-38324-7	SB-7-S-1'-240118	Soluble	Solid	300.0	73009
880-38324-8	SB-7-S-2'-240118	Soluble	Solid	300.0	73009
880-38324-11	SB-8-S-2'-240118	Soluble	Solid	300.0	73009
880-38324-14	SB-9-S-2'-240118	Soluble	Solid	300.0	73009
880-38324-17	SB-10-S-2'-240118	Soluble	Solid	300.0	73009
880-38324-19	SB-11-S-1'-240118	Soluble	Solid	300.0	73009
880-38324-20	SB-11-S-2'-240118	Soluble	Solid	300.0	73009
MB 880-73009/1-A	Method Blank	Soluble	Solid	300.0	73009
LCS 880-73009/2-A	Lab Control Sample	Soluble	Solid	300.0	73009
LCSD 880-73009/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	73009
880-38324-1 MS	SB-5-S-1'-240118	Soluble	Solid	300.0	73009
880-38324-1 MSD	SB-5-S-1'-240118	Soluble	Solid	300.0	73009

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-5-S-1'-240118
Date Collected: 01/18/24 10:00
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 14:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 14:42	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 12:51	SM	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 12:51	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		1			73035	02/13/24 11:30	CH	EET MID

Client Sample ID: SB-5-S-2'-240118
Date Collected: 01/18/24 10:10
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.95 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 15:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 15:03	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 13:13	SM	EET MID
Total/NA	Prep	8015NM Prep			9.91 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 13:13	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		5			73035	02/13/24 11:50	CH	EET MID

Client Sample ID: SB-5-S-4'-240118
Date Collected: 01/18/24 10:20
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	72228	02/02/24 13:53	CH	EET MID

Client Sample ID: SB-6-S-1'-240118
Date Collected: 01/19/24 09:00
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	72228	02/02/24 14:08	CH	EET MID

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-6-S-2'-240118
Date Collected: 01/19/24 09:05
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 16:27	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 16:27	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 13:35	SM	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 13:35	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		5			73035	02/13/24 11:57	CH	EET MID

Client Sample ID: SB-6-S-4'-240118
Date Collected: 01/19/24 09:10
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-6
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	72228	02/02/24 14:13	CH	EET MID

Client Sample ID: SB-7-S-1'-240118
Date Collected: 01/19/24 09:20
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 16:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 16:47	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 13:56	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 13:56	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		5			73035	02/13/24 12:04	CH	EET MID

Client Sample ID: SB-7-S-2'-240118
Date Collected: 01/19/24 09:25
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-8
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 17:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 17:08	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 14:18	SM	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 14:18	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		1			73035	02/13/24 12:11	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-7-S-4'-240118
Date Collected: 01/19/24 09:30
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-9
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.97 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	72228	02/02/24 14:18	CH	EET MID

Client Sample ID: SB-8-S-1'-240118
Date Collected: 01/19/24 09:50
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-10
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	72228	02/02/24 14:23	CH	EET MID

Client Sample ID: SB-8-S-2'-240118
Date Collected: 01/19/24 09:55
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-11
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.99 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 17:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 17:28	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 14:40	SM	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 14:40	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		5			73035	02/13/24 12:31	CH	EET MID

Client Sample ID: SB-8-S-4'-240118
Date Collected: 01/19/24 10:00
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-12
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	72228	02/02/24 14:28	CH	EET MID

Client Sample ID: SB-9-S-1'-240118
Date Collected: 01/19/24 10:10
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-13
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.05 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	72228	02/02/24 14:33	CH	EET MID

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-9-S-2'-240118
Date Collected: 01/19/24 10:15
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 17:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 17:49	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 15:02	SM	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 15:02	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		5			73035	02/13/24 12:38	CH	EET MID

Client Sample ID: SB-9-S-3'-240118
Date Collected: 01/19/24 10:20
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-15
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	72228	02/02/24 14:47	CH	EET MID

Client Sample ID: SB-10-S-1'-240118
Date Collected: 01/19/24 10:40
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-16
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.99 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		20	50 mL	50 mL	72228	02/02/24 14:52	CH	EET MID

Client Sample ID: SB-10-S-2'-240118
Date Collected: 01/19/24 10:45
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-17
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 18:09	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 18:09	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 15:46	SM	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 15:46	SM	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		5			73035	02/13/24 12:45	CH	EET MID

Lab Chronicle

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Client Sample ID: SB-10-S-4'-240118
Date Collected: 01/19/24 10:50
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-18
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	72228	02/02/24 15:07	CH	EET MID

Client Sample ID: SB-11-S-1'-240118
Date Collected: 01/19/24 11:10
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-19
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 18:30	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 18:30	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 16:08	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 16:08	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		5			73035	02/13/24 12:51	CH	EET MID

Client Sample ID: SB-11-S-2'-240118
Date Collected: 01/19/24 11:15
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-20
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.97 g	5 mL	71692	01/26/24 11:33	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	72000	01/31/24 18:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			72110	01/31/24 18:50	SM	EET MID
Total/NA	Analysis	8015 NM		1			71919	01/27/24 16:30	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	71570	01/25/24 09:22	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	71727	01/27/24 16:30	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	73009	02/13/24 09:35	SA	EET MID
Soluble	Analysis	300.0		5			73035	02/13/24 12:58	CH	EET MID

Client Sample ID: SB-11-S-4.5'-240118
Date Collected: 01/19/24 11:20
Date Received: 01/23/24 13:05

Lab Sample ID: 880-38324-21
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.00 g	50 mL	72189	02/02/24 09:16	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	72228	02/02/24 15:12	CH	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-23-26	06-30-24
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5030B	Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: ARCADIS US Inc
Project/Site: WLU Water Injection Station

Job ID: 880-38324-1
SDG: Lovington, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-38324-1	SB-5-S-1'-240118	Solid	01/18/24 10:00	01/23/24 13:05
880-38324-2	SB-5-S-2'-240118	Solid	01/18/24 10:10	01/23/24 13:05
880-38324-3	SB-5-S-4'-240118	Solid	01/18/24 10:20	01/23/24 13:05
880-38324-4	SB-6-S-1'-240118	Solid	01/19/24 09:00	01/23/24 13:05
880-38324-5	SB-6-S-2'-240118	Solid	01/19/24 09:05	01/23/24 13:05
880-38324-6	SB-6-S-4'-240118	Solid	01/19/24 09:10	01/23/24 13:05
880-38324-7	SB-7-S-1'-240118	Solid	01/19/24 09:20	01/23/24 13:05
880-38324-8	SB-7-S-2'-240118	Solid	01/19/24 09:25	01/23/24 13:05
880-38324-9	SB-7-S-4'-240118	Solid	01/19/24 09:30	01/23/24 13:05
880-38324-10	SB-8-S-1'-240118	Solid	01/19/24 09:50	01/23/24 13:05
880-38324-11	SB-8-S-2'-240118	Solid	01/19/24 09:55	01/23/24 13:05
880-38324-12	SB-8-S-4'-240118	Solid	01/19/24 10:00	01/23/24 13:05
880-38324-13	SB-9-S-1'-240118	Solid	01/19/24 10:10	01/23/24 13:05
880-38324-14	SB-9-S-2'-240118	Solid	01/19/24 10:15	01/23/24 13:05
880-38324-15	SB-9-S-3'-240118	Solid	01/19/24 10:20	01/23/24 13:05
880-38324-16	SB-10-S-1'-240118	Solid	01/19/24 10:40	01/23/24 13:05
880-38324-17	SB-10-S-2'-240118	Solid	01/19/24 10:45	01/23/24 13:05
880-38324-18	SB-10-S-4'-240118	Solid	01/19/24 10:50	01/23/24 13:05
880-38324-19	SB-11-S-1'-240118	Solid	01/19/24 11:10	01/23/24 13:05
880-38324-20	SB-11-S-2'-240118	Solid	01/19/24 11:15	01/23/24 13:05
880-38324-21	SB-11-S-4.5'-240118	Solid	01/19/24 11:20	01/23/24 13:05

Eurofins Midland

1211 W Florida Ave
Midland TX 79701
Phone (432) 704-5440

Chain of Custody Record



880-38324 Chain of Custody

Client Information	Sampler	Lab PM	Carrier Tracking No.
Mr Morgan Jordan	Heath Boyd	Builes John	
Company	Phone	E-Mail	State of Origin
ARCADIS US Inc	575-942-0292	John Builes@et.eurofins.com	NM
Address	PWSID		
1004 North Big Spring Suite 300			
City			
Midland			
State, Zip:			
TX 79701			
Phone			
281-644-9437 (Tel)			
Email			
douglas.jordan@arcadis.com			
Project Name			
WLN Water Injection Station			
Site			
Levington, NM			

Analysis Requested				Job #:		Preservation Codes		Special Instructions/Note:	
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wasteoil, BT=Tissue, Adv)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	300-OR6FM-2B0	300-OR6FM-2B0	Total Number of containers
SB-5-5-1'-240118	1/18/24	1000	G	Solid	X	X	X	X	
SB-5-5-2'-240118	1	1010		Solid		X	X	X	
SB-5-5-4'-240118	X	1020		Solid		X	X	X	
SB-6-5-1'-240119	1/19/24	900		Solid		X	X	X	
SB-6-5-2'-240119		905		Solid		X	X	X	
SB-6-5-4'-240119		910		Solid		X	X	X	
SB-7-5-1'-240119		920		Solid		X	X	X	
SB-7-5-2'-240119		925		Solid		X	X	X	
SB-7-5-4'-240119		930		Solid		X	X	X	
SB-8-5-1'-240119		950		Solid		X	X	X	
SB-8-5-2'-240119	X	955	X	Solid		X	X	X	

Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
☐ Non-Hazard	☐ Flammable	☐ Return To Client	☐ Disposal By Lab
☐ Skin Irritant	☐ Poison B	☐ Unknown	☐ Radiological
Deliverable Requested I II III IV Other (specify)		Special Instructions/QC Requirements	
Empty Kit Relinquished by		Method of Shipment:	
Relinquished by	Date	Received by	Date/Time
Relinquished by	1/22/24 1555	Morgan Jordan	1-22-24 3:55
Relinquished by		Relinquished by	Date/Time
Relinquished by		Morgan Jordan	1/23/24 1305
Custody Seals Intact.	Custody Seal No	Cooler Temperature(s) °C and Other Remarks.	
Δ Yes Δ No			1-3/1.5

Ver 01/16/2019

Eurofins Midland

1211 W Florida Ave
Midland TX 79701
Phone (432) 704-5440

Chain of Custody Record

Loc: 880

S

Environment Testing

38324

Client Information		Sampler	Lab PM	Carrier Tracking No(s)
Client Contact: Mr Morgan Jordan		Heath Boyd	Builes, John	
Company: ARCADIS US Inc		Phone 575-390-4618	E-Mail: John Builes@et.eurofins.com	State of Origin NM
Address 1004 North Big Spring Suite 300		PWSID		
City Midland	TAT Requested (days)	Analysis Requested		
State Zip TX, 79701	Compliance Project: ☐ Yes ☒ No			
Phone 281-644-9437(Tel)	PO #			
Email douglas.jordan@arcadis.com	Purchase Order Requested			
Project Name WLA water Injection Station	WO #			
Site Lovington, NM	Project # 38324 30209634			
SSOW#				

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=wastefoil, B=tissue, Acid)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	300-ORGF-M-28D	300-ORGF-M-28D	Total Number of Containers	Special Instructions/Note:
SB-8-5-4'-240119	1/19/24	1000	G	Solid	X	X				
SB-9-5-1'-240119		1010		Solid						
SB-9-5-2'-240119		1015		Solid						
SB-9-5-3'-240119		1020		Solid						
SB-10-5-1'-240119		1040		Solid						
SB-10-5-2'-240119		1045		Solid						
SB-10-5-4'-240119		1050		Solid						
SB-11-5-1'-240119		1110		Solid						
SB-11-5-2'-240119		1115		Solid						
SB-11-5-4.5'-240119	X	1120	X	Solid						

Possible Hazard Identification		Deliverable Requested		Empty Kit Relinquished by	
☐ Non-Hazard	☐ Flammable	☐ Skin Irritant	☐ Poison B	☐ Unknown	☐ Radiological
Special Instructions/Requirements		Return To Client ☐ Disposal By Lab ☐ Archive For ☐ Months		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Relinquished by		Date/Time		Date/Time	
Relinquished by		Date/Time		Date/Time	
Relinquished by		Date/Time		Date/Time	
Custody Seals Intact. ☐ Yes ☐ No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks	

Login Sample Receipt Checklist

Client: ARCADIS US Inc

Job Number: 880-38324-1
SDG Number: Lovington, NM

Login Number: 38324
List Number: 1
Creator: Rodriguez, Leticia

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Morgan Jordan
Arcadis U.S., Inc.
1004 North Big Spring
Suite 300
Midland, Texas 79701

Generated 4/18/2024 1:04:19 PM

JOB DESCRIPTION

WATER INJECCION ST.
Lovington, NM

JOB NUMBER

880-42091-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
4/18/2024 1:04:19 PM

Authorized for release by
John Builes, Project Manager
John.Builes@et.eurofinsus.com
(561)558-4549

Client: Arcadis U.S., Inc.
Project/Site: WATER INYECTION ST.

Laboratory Job ID: 880-42091-1
SDG: Lovington, NM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Surrogate Summary	22
QC Sample Results	24
QC Association Summary	32
Lab Chronicle	38
Certification Summary	45
Method Summary	46
Sample Summary	47
Chain of Custody	48
Receipt Checklists	50

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECON ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis U.S., Inc.
Project: WATER INJECTION ST.

Job ID: 880-42091-1

Job ID: 880-42091-1

Eurofins Midland

Job Narrative
880-42091-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 4/10/2024 1:41 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.3°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: SB-19-4'-5' (880-42091-1), SB-19-6'-7' (880-42091-2), SB-19-8'-9' (880-42091-3), SB-20-4'-5' (880-42091-4), SB-20-8'-9' (880-42091-5), SB-20-10'-11' (880-42091-6), SB-21-0'-1' (880-42091-7), SB-21-2'-3' (880-42091-8), SB-22-0'-1' (880-42091-9), SB-22-2'-3' (880-42091-10), SB-23-0'-1' (880-42091-11), SB-23-2'-3' (880-42091-12), SB-24-0'-1' (880-42091-13), SB-24-2'-3' (880-42091-14), SB-25-0'-1' (880-42091-15), SB-25-2'-3' (880-42091-16), SB-26-0'-1' (880-42091-17), SB-26-2'-3' (880-42091-18), SB-27-0'-1' (880-42091-19) and SB-27-2'-3' (880-42091-20).

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: SB-19-8'-9' (880-42091-3), SB-20-4'-5' (880-42091-4) and (880-42065-A-1-C MSD). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: SB-26-2'-3' (880-42091-18), (880-42091-A-12-B MS) and (880-42091-A-12-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD_NM: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 880-77844 and analytical batch 880-77779 recovered outside control limits for the following analytes: Diesel Range Organics (Over C10-C28).

Method 8015MOD_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-77844 and analytical batch 880-77779 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D - Soluble: The Chloride matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-77960 and analytical batch 880-78208 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

SB-25-2'-3' (880-42091-16), SB-26-0'-1' (880-42091-17), SB-26-2'-3' (880-42091-18), SB-27-0'-1' (880-42091-19) and SB-27-2'-3' (880-42091-20)

Method 300_ORGFM_28D - Soluble: The Chloride matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-77959 and analytical batch 880-78031 were outside control limits for one or more analytes. See QC Sample Results for detail.

Eurofins Midland

Case Narrative

Client: Arcadis U.S., Inc.
Project: WATER INJECTION ST.

Job ID: 880-42091-1

Job ID: 880-42091-1 (Continued) **Eurofins Midland**

Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

SB-19-4'-5' (880-42091-1), SB-19-6'-7' (880-42091-2), SB-19-8'-9' (880-42091-3), SB-20-4'-5' (880-42091-4) and SB-20-8'-9' (880-42091-5)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-19-4'-5'

Lab Sample ID: 880-42091-1

Date Collected: 04/08/24 08:55

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		04/10/24 15:04	04/11/24 14:57	1
Toluene	<0.000454	U	0.00199	0.000454	mg/Kg		04/10/24 15:04	04/11/24 14:57	1
Ethylbenzene	<0.000563	U	0.00199	0.000563	mg/Kg		04/10/24 15:04	04/11/24 14:57	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		04/10/24 15:04	04/11/24 14:57	1
o-Xylene	<0.000343	U	0.00199	0.000343	mg/Kg		04/10/24 15:04	04/11/24 14:57	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		04/10/24 15:04	04/11/24 14:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	04/10/24 15:04	04/11/24 14:57	1
1,4-Difluorobenzene (Surr)	101		70 - 130	04/10/24 15:04	04/11/24 14:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00398	0.00101	mg/Kg			04/11/24 14:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.0	U	50.0	15.0	mg/Kg			04/10/24 20:29	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 20:29	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 20:29	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 20:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130	04/10/24 10:28	04/10/24 20:29	1
o-Terphenyl	107		70 - 130	04/10/24 10:28	04/10/24 20:29	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	858		5.04	0.398	mg/Kg			04/12/24 12:53	1

Client Sample ID: SB-19-6'-7'

Lab Sample ID: 880-42091-2

Date Collected: 04/08/24 09:10

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		04/10/24 15:04	04/11/24 15:17	1
Toluene	<0.000453	U	0.00199	0.000453	mg/Kg		04/10/24 15:04	04/11/24 15:17	1
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		04/10/24 15:04	04/11/24 15:17	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		04/10/24 15:04	04/11/24 15:17	1
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		04/10/24 15:04	04/11/24 15:17	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		04/10/24 15:04	04/11/24 15:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130	04/10/24 15:04	04/11/24 15:17	1
1,4-Difluorobenzene (Surr)	102		70 - 130	04/10/24 15:04	04/11/24 15:17	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-19-6'-7'
Date Collected: 04/08/24 09:10
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-2
Matrix: Solid

Method: TAL SOP Total BTEX - Total BTEX Calculation										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total BTEX	<0.00100	U	0.00398	0.00100	mg/Kg			04/11/24 15:17	1	
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total TPH	41.6	J	49.9	15.0	mg/Kg			04/10/24 21:10	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	23.0	J	49.9	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:10	1	
Diesel Range Organics (Over C10-C28)	18.6	J	49.9	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:10	1	
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:10	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	127		70 - 130				04/10/24 10:28	04/10/24 21:10	1	
o-Terphenyl	108		70 - 130				04/10/24 10:28	04/10/24 21:10	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	1040		4.99	0.394	mg/Kg			04/12/24 12:59	1	

Client Sample ID: SB-19-8'-9'
Date Collected: 04/08/24 09:25
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-3
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		04/10/24 15:04	04/11/24 15:53	1	
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		04/10/24 15:04	04/11/24 15:53	1	
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		04/10/24 15:04	04/11/24 15:53	1	
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		04/10/24 15:04	04/11/24 15:53	1	
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		04/10/24 15:04	04/11/24 15:53	1	
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		04/10/24 15:04	04/11/24 15:53	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	113		70 - 130				04/10/24 15:04	04/11/24 15:53	1	
1,4-Difluorobenzene (Surr)	101		70 - 130				04/10/24 15:04	04/11/24 15:53	1	
Method: TAL SOP Total BTEX - Total BTEX Calculation										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			04/11/24 15:53	1	
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total TPH	48.7	J	49.9	15.0	mg/Kg			04/10/24 21:31	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	33.6	J	49.9	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:31	1	
Diesel Range Organics (Over C10-C28)	15.1	J	49.9	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:31	1	

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-19-8'-9'

Lab Sample ID: 880-42091-3

Date Collected: 04/08/24 09:25

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	152	S1+	70 - 130				04/10/24 10:28	04/10/24 21:31	1
o-Terphenyl	125		70 - 130				04/10/24 10:28	04/10/24 21:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	939		5.03	0.397	mg/Kg			04/12/24 13:05	1

Client Sample ID: SB-20-4'-5'

Lab Sample ID: 880-42091-4

Date Collected: 04/08/24 10:10

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		04/10/24 15:04	04/11/24 16:13	1
Toluene	<0.000459	U	0.00201	0.000459	mg/Kg		04/10/24 15:04	04/11/24 16:13	1
Ethylbenzene	<0.000568	U	0.00201	0.000568	mg/Kg		04/10/24 15:04	04/11/24 16:13	1
m-Xylene & p-Xylene	<0.00102	U	0.00402	0.00102	mg/Kg		04/10/24 15:04	04/11/24 16:13	1
o-Xylene	<0.000346	U	0.00201	0.000346	mg/Kg		04/10/24 15:04	04/11/24 16:13	1
Xylenes, Total	<0.00102	U	0.00402	0.00102	mg/Kg		04/10/24 15:04	04/11/24 16:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				04/10/24 15:04	04/11/24 16:13	1
1,4-Difluorobenzene (Surr)	102		70 - 130				04/10/24 15:04	04/11/24 16:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00402	0.00102	mg/Kg			04/11/24 16:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	21.0	J	50.0	15.0	mg/Kg			04/10/24 21:52	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	21.0	J	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:52	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:52	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 21:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	132	S1+	70 - 130				04/10/24 10:28	04/10/24 21:52	1
o-Terphenyl	108		70 - 130				04/10/24 10:28	04/10/24 21:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2580		24.9	1.97	mg/Kg			04/12/24 13:12	5

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-20-8'-9'

Lab Sample ID: 880-42091-5

Date Collected: 04/08/24 10:50

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		04/10/24 15:04	04/11/24 16:56	1
Toluene	<0.000458	U	0.00201	0.000458	mg/Kg		04/10/24 15:04	04/11/24 16:56	1
Ethylbenzene	<0.000567	U	0.00201	0.000567	mg/Kg		04/10/24 15:04	04/11/24 16:56	1
m-Xylene & p-Xylene	<0.00101	U	0.00402	0.00101	mg/Kg		04/10/24 15:04	04/11/24 16:56	1
o-Xylene	<0.000345	U	0.00201	0.000345	mg/Kg		04/10/24 15:04	04/11/24 16:56	1
Xylenes, Total	<0.00101	U	0.00402	0.00101	mg/Kg		04/10/24 15:04	04/11/24 16:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				04/10/24 15:04	04/11/24 16:56	1
1,4-Difluorobenzene (Surr)	101		70 - 130				04/10/24 15:04	04/11/24 16:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00402	0.00101	mg/Kg			04/11/24 16:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	32.4	J	49.8	14.9	mg/Kg			04/10/24 22:13	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	32.4	J	49.8	14.9	mg/Kg		04/10/24 10:28	04/10/24 22:13	1
Diesel Range Organics (Over C10-C28)	<14.9	U	49.8	14.9	mg/Kg		04/10/24 10:28	04/10/24 22:13	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.8	14.9	mg/Kg		04/10/24 10:28	04/10/24 22:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130				04/10/24 10:28	04/10/24 22:13	1
o-Terphenyl	103		70 - 130				04/10/24 10:28	04/10/24 22:13	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	313		4.99	0.394	mg/Kg			04/12/24 13:18	1

Client Sample ID: SB-20-10'-11'

Lab Sample ID: 880-42091-6

Date Collected: 04/08/24 11:15

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		04/10/24 15:04	04/11/24 17:16	1
Toluene	<0.000454	U	0.00199	0.000454	mg/Kg		04/10/24 15:04	04/11/24 17:16	1
Ethylbenzene	<0.000563	U	0.00199	0.000563	mg/Kg		04/10/24 15:04	04/11/24 17:16	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		04/10/24 15:04	04/11/24 17:16	1
o-Xylene	<0.000343	U	0.00199	0.000343	mg/Kg		04/10/24 15:04	04/11/24 17:16	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		04/10/24 15:04	04/11/24 17:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130				04/10/24 15:04	04/11/24 17:16	1
1,4-Difluorobenzene (Surr)	98		70 - 130				04/10/24 15:04	04/11/24 17:16	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-20-10'-11'
Date Collected: 04/08/24 11:15
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-6
Matrix: Solid

Method: TAL SOP Total BTEX - Total BTEX Calculation										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total BTEX	<0.00101	U	0.00398	0.00101	mg/Kg			04/11/24 17:16	1	
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total TPH	21.2	J	50.1	15.0	mg/Kg			04/10/24 22:34	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	21.2	J	50.1	15.0	mg/Kg		04/10/24 10:28	04/10/24 22:34	1	
Diesel Range Organics (Over C10-C28)	<15.0	U	50.1	15.0	mg/Kg		04/10/24 10:28	04/10/24 22:34	1	
Oil Range Organics (Over C28-C36)	<15.0	U	50.1	15.0	mg/Kg		04/10/24 10:28	04/10/24 22:34	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	117		70 - 130				04/10/24 10:28	04/10/24 22:34	1	
o-Terphenyl	103		70 - 130				04/10/24 10:28	04/10/24 22:34	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	162		5.04	0.398	mg/Kg			04/12/24 13:25	1	

Client Sample ID: SB-21-0'-1'
Date Collected: 04/08/24 11:50
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-7
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000381	U	0.00198	0.000381	mg/Kg		04/10/24 15:04	04/11/24 17:37	1
Toluene	<0.000451	U	0.00198	0.000451	mg/Kg		04/10/24 15:04	04/11/24 17:37	1
Ethylbenzene	<0.000559	U	0.00198	0.000559	mg/Kg		04/10/24 15:04	04/11/24 17:37	1
m-Xylene & p-Xylene	<0.00100	U	0.00396	0.00100	mg/Kg		04/10/24 15:04	04/11/24 17:37	1
o-Xylene	<0.000341	U	0.00198	0.000341	mg/Kg		04/10/24 15:04	04/11/24 17:37	1
Xylenes, Total	<0.00100	U	0.00396	0.00100	mg/Kg		04/10/24 15:04	04/11/24 17:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130				04/10/24 15:04	04/11/24 17:37	1
1,4-Difluorobenzene (Surr)	102		70 - 130				04/10/24 15:04	04/11/24 17:37	1
Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00396	0.00100	mg/Kg			04/11/24 17:37	1
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	40.8	J	50.0	15.0	mg/Kg			04/10/24 22:55	1
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	15.0	J	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 22:55	1
Diesel Range Organics (Over C10-C28)	25.8	J	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 22:55	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-21-0'-1'

Lab Sample ID: 880-42091-7

Date Collected: 04/08/24 11:50

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 22:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				04/10/24 10:28	04/10/24 22:55	1
o-Terphenyl	98		70 - 130				04/10/24 10:28	04/10/24 22:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.4		5.02	0.397	mg/Kg			04/12/24 13:44	1

Client Sample ID: SB-21-2'-3'

Lab Sample ID: 880-42091-8

Date Collected: 04/08/24 11:55

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		04/10/24 15:04	04/11/24 17:57	1
Toluene	<0.000453	U	0.00199	0.000453	mg/Kg		04/10/24 15:04	04/11/24 17:57	1
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		04/10/24 15:04	04/11/24 17:57	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		04/10/24 15:04	04/11/24 17:57	1
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		04/10/24 15:04	04/11/24 17:57	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		04/10/24 15:04	04/11/24 17:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				04/10/24 15:04	04/11/24 17:57	1
1,4-Difluorobenzene (Surr)	102		70 - 130				04/10/24 15:04	04/11/24 17:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00398	0.00100	mg/Kg			04/11/24 17:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	40.8	J	49.8	14.9	mg/Kg			04/10/24 23:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	23.8	J	49.8	14.9	mg/Kg		04/10/24 10:28	04/10/24 23:16	1
Diesel Range Organics (Over C10-C28)	17.0	J	49.8	14.9	mg/Kg		04/10/24 10:28	04/10/24 23:16	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.8	14.9	mg/Kg		04/10/24 10:28	04/10/24 23:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				04/10/24 10:28	04/10/24 23:16	1
o-Terphenyl	111		70 - 130				04/10/24 10:28	04/10/24 23:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.74	J	4.98	0.393	mg/Kg			04/12/24 13:50	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-22-0'-1'
Date Collected: 04/08/24 12:15
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-9
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		04/10/24 15:04	04/11/24 18:18	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		04/10/24 15:04	04/11/24 18:18	1
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		04/10/24 15:04	04/11/24 18:18	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		04/10/24 15:04	04/11/24 18:18	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		04/10/24 15:04	04/11/24 18:18	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		04/10/24 15:04	04/11/24 18:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130				04/10/24 15:04	04/11/24 18:18	1
1,4-Difluorobenzene (Surr)	102		70 - 130				04/10/24 15:04	04/11/24 18:18	1

Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			04/11/24 18:18	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	36.6	J	50.0	15.0	mg/Kg			04/10/24 23:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	19.6	J	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 23:38	1
Diesel Range Organics (Over C10-C28)	17.0	J	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 23:38	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 23:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				04/10/24 10:28	04/10/24 23:38	1
o-Terphenyl	103		70 - 130				04/10/24 10:28	04/10/24 23:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.21	J	5.00	0.395	mg/Kg			04/12/24 14:09	1

Client Sample ID: SB-22-2'-3'
Date Collected: 04/08/24 12:20
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-10
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		04/10/24 15:04	04/11/24 18:38	1
Toluene	<0.000459	U	0.00201	0.000459	mg/Kg		04/10/24 15:04	04/11/24 18:38	1
Ethylbenzene	<0.000568	U	0.00201	0.000568	mg/Kg		04/10/24 15:04	04/11/24 18:38	1
m-Xylene & p-Xylene	<0.00102	U	0.00402	0.00102	mg/Kg		04/10/24 15:04	04/11/24 18:38	1
o-Xylene	<0.000346	U	0.00201	0.000346	mg/Kg		04/10/24 15:04	04/11/24 18:38	1
Xylenes, Total	<0.00102	U	0.00402	0.00102	mg/Kg		04/10/24 15:04	04/11/24 18:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				04/10/24 15:04	04/11/24 18:38	1
1,4-Difluorobenzene (Surr)	102		70 - 130				04/10/24 15:04	04/11/24 18:38	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-22-2'-3'

Lab Sample ID: 880-42091-10

Date Collected: 04/08/24 12:20

Matrix: Solid

Date Received: 04/10/24 13:41

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00402	0.00102	mg/Kg			04/11/24 18:38	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.0	U	50.1	15.0	mg/Kg			04/10/24 23:59	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.1	15.0	mg/Kg		04/10/24 10:28	04/10/24 23:59	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.1	15.0	mg/Kg		04/10/24 10:28	04/10/24 23:59	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.1	15.0	mg/Kg		04/10/24 10:28	04/10/24 23:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	123		70 - 130				04/10/24 10:28	04/10/24 23:59	1
o-Terphenyl	97		70 - 130				04/10/24 10:28	04/10/24 23:59	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	268		5.02	0.397	mg/Kg			04/12/24 14:15	1

Client Sample ID: SB-23-0'-1'

Lab Sample ID: 880-42091-11

Date Collected: 04/08/24 12:45

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000499	J	0.00198	0.000381	mg/Kg		04/12/24 08:26	04/12/24 13:33	1
Toluene	0.00322		0.00198	0.000451	mg/Kg		04/12/24 08:26	04/12/24 13:33	1
Ethylbenzene	<0.000559	U	0.00198	0.000559	mg/Kg		04/12/24 08:26	04/12/24 13:33	1
m-Xylene & p-Xylene	0.00105	J	0.00396	0.00100	mg/Kg		04/12/24 08:26	04/12/24 13:33	1
o-Xylene	0.000449	J	0.00198	0.000341	mg/Kg		04/12/24 08:26	04/12/24 13:33	1
Xylenes, Total	0.00150	J	0.00396	0.00100	mg/Kg		04/12/24 08:26	04/12/24 13:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	80		70 - 130				04/12/24 08:26	04/12/24 13:33	1
1,4-Difluorobenzene (Surr)	94		70 - 130				04/12/24 08:26	04/12/24 13:33	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00522		0.00396	0.00100	mg/Kg			04/12/24 13:33	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	33.7	J	49.9	15.0	mg/Kg			04/11/24 00:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	16.8	J	49.9	15.0	mg/Kg		04/10/24 10:28	04/11/24 00:20	1
Diesel Range Organics (Over C10-C28)	16.9	J	49.9	15.0	mg/Kg		04/10/24 10:28	04/11/24 00:20	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-23-0'-1'
Date Collected: 04/08/24 12:45
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-11
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		04/10/24 10:28	04/11/24 00:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				04/10/24 10:28	04/11/24 00:20	1
o-Terphenyl	102		70 - 130				04/10/24 10:28	04/11/24 00:20	1
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.23	J	4.98	0.393	mg/Kg			04/12/24 14:22	1

Client Sample ID: SB-23-2'-3'
Date Collected: 04/08/24 12:50
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-12
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000389	U	0.00202	0.000389	mg/Kg		04/12/24 08:26	04/12/24 13:54	1
Toluene	0.00258		0.00202	0.000461	mg/Kg		04/12/24 08:26	04/12/24 13:54	1
Ethylbenzene	<0.000571	U	0.00202	0.000571	mg/Kg		04/12/24 08:26	04/12/24 13:54	1
m-Xylene & p-Xylene	<0.00102	U	0.00404	0.00102	mg/Kg		04/12/24 08:26	04/12/24 13:54	1
o-Xylene	<0.000347	U	0.00202	0.000347	mg/Kg		04/12/24 08:26	04/12/24 13:54	1
Xylenes, Total	<0.00102	U	0.00404	0.00102	mg/Kg		04/12/24 08:26	04/12/24 13:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130				04/12/24 08:26	04/12/24 13:54	1
1,4-Difluorobenzene (Surr)	94		70 - 130				04/12/24 08:26	04/12/24 13:54	1
Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00258	J	0.00404	0.00102	mg/Kg			04/12/24 13:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	64.3		50.0	15.0	mg/Kg			04/10/24 16:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	35.0	J	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 16:38	1
Diesel Range Organics (Over C10-C28)	29.3	J F1 *1	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 16:38	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 16:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				04/10/24 14:23	04/10/24 16:38	1
o-Terphenyl	118		70 - 130				04/10/24 14:23	04/10/24 16:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.6		5.03	0.397	mg/Kg			04/12/24 14:28	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-24-0'-1'

Lab Sample ID: 880-42091-13

Date Collected: 04/08/24 13:10

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		04/12/24 08:26	04/12/24 14:14	1
Toluene	0.00244		0.00201	0.000458	mg/Kg		04/12/24 08:26	04/12/24 14:14	1
Ethylbenzene	<0.000567	U	0.00201	0.000567	mg/Kg		04/12/24 08:26	04/12/24 14:14	1
m-Xylene & p-Xylene	<0.00101	U	0.00402	0.00101	mg/Kg		04/12/24 08:26	04/12/24 14:14	1
o-Xylene	<0.000345	U	0.00201	0.000345	mg/Kg		04/12/24 08:26	04/12/24 14:14	1
Xylenes, Total	<0.00101	U	0.00402	0.00101	mg/Kg		04/12/24 08:26	04/12/24 14:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		70 - 130				04/12/24 08:26	04/12/24 14:14	1
1,4-Difluorobenzene (Surr)	91		70 - 130				04/12/24 08:26	04/12/24 14:14	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00244	J	0.00402	0.00101	mg/Kg			04/12/24 14:14	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	65.0		50.1	15.0	mg/Kg			04/10/24 17:42	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	36.6	J	50.1	15.0	mg/Kg		04/10/24 14:23	04/10/24 17:42	1
Diesel Range Organics (Over C10-C28)	28.4	J *1	50.1	15.0	mg/Kg		04/10/24 14:23	04/10/24 17:42	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.1	15.0	mg/Kg		04/10/24 14:23	04/10/24 17:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				04/10/24 14:23	04/10/24 17:42	1
o-Terphenyl	127		70 - 130				04/10/24 14:23	04/10/24 17:42	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.43	J	4.98	0.393	mg/Kg			04/12/24 14:34	1

Client Sample ID: SB-24-2'-3'

Lab Sample ID: 880-42091-14

Date Collected: 04/08/24 13:15

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		04/12/24 08:26	04/12/24 14:35	1
Toluene	0.00228		0.00201	0.000459	mg/Kg		04/12/24 08:26	04/12/24 14:35	1
Ethylbenzene	<0.000568	U	0.00201	0.000568	mg/Kg		04/12/24 08:26	04/12/24 14:35	1
m-Xylene & p-Xylene	<0.00102	U	0.00402	0.00102	mg/Kg		04/12/24 08:26	04/12/24 14:35	1
o-Xylene	<0.000346	U	0.00201	0.000346	mg/Kg		04/12/24 08:26	04/12/24 14:35	1
Xylenes, Total	<0.00102	U	0.00402	0.00102	mg/Kg		04/12/24 08:26	04/12/24 14:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130				04/12/24 08:26	04/12/24 14:35	1
1,4-Difluorobenzene (Surr)	95		70 - 130				04/12/24 08:26	04/12/24 14:35	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-24-2'-3'

Lab Sample ID: 880-42091-14

Date Collected: 04/08/24 13:15

Matrix: Solid

Date Received: 04/10/24 13:41

Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00228	J	0.00402	0.00102	mg/Kg			04/12/24 14:35	1
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	47.5	J	50.0	15.0	mg/Kg			04/10/24 18:03	1
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	22.9	J	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 18:03	1
Diesel Range Organics (Over C10-C28)	24.6	J *1	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 18:03	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 18:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130				04/10/24 14:23	04/10/24 18:03	1
o-Terphenyl	124		70 - 130				04/10/24 14:23	04/10/24 18:03	1
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.32	J	5.00	0.395	mg/Kg			04/12/24 14:41	1

Client Sample ID: SB-25-0'-1'

Lab Sample ID: 880-42091-15

Date Collected: 04/08/24 13:40

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000386	U	0.00200	0.000386	mg/Kg		04/12/24 08:26	04/12/24 14:55	1
Toluene	0.00256		0.00200	0.000457	mg/Kg		04/12/24 08:26	04/12/24 14:55	1
Ethylbenzene	<0.000566	U	0.00200	0.000566	mg/Kg		04/12/24 08:26	04/12/24 14:55	1
m-Xylene & p-Xylene	<0.00101	U	0.00401	0.00101	mg/Kg		04/12/24 08:26	04/12/24 14:55	1
o-Xylene	<0.000345	U	0.00200	0.000345	mg/Kg		04/12/24 08:26	04/12/24 14:55	1
Xylenes, Total	<0.00101	U	0.00401	0.00101	mg/Kg		04/12/24 08:26	04/12/24 14:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		70 - 130				04/12/24 08:26	04/12/24 14:55	1
1,4-Difluorobenzene (Surr)	90		70 - 130				04/12/24 08:26	04/12/24 14:55	1
Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00256	J	0.00401	0.00101	mg/Kg			04/12/24 14:55	1
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	51.7		50.2	15.1	mg/Kg			04/10/24 18:24	1
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	28.1	J	50.2	15.1	mg/Kg		04/10/24 14:23	04/10/24 18:24	1
Diesel Range Organics (Over C10-C28)	23.6	J *1	50.2	15.1	mg/Kg		04/10/24 14:23	04/10/24 18:24	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-25-0'-1'
Date Collected: 04/08/24 13:40
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-15
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<15.1	U	50.2	15.1	mg/Kg		04/10/24 14:23	04/10/24 18:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130				04/10/24 14:23	04/10/24 18:24	1
o-Terphenyl	122		70 - 130				04/10/24 14:23	04/10/24 18:24	1
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	128		5.02	0.397	mg/Kg			04/12/24 14:47	1

Client Sample ID: SB-25-2'-3'
Date Collected: 04/08/24 13:45
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-16
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00146	J	0.00200	0.000385	mg/Kg		04/12/24 08:26	04/12/24 15:16	1
Toluene	0.00355		0.00200	0.000456	mg/Kg		04/12/24 08:26	04/12/24 15:16	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		04/12/24 08:26	04/12/24 15:16	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		04/12/24 08:26	04/12/24 15:16	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		04/12/24 08:26	04/12/24 15:16	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		04/12/24 08:26	04/12/24 15:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130				04/12/24 08:26	04/12/24 15:16	1
1,4-Difluorobenzene (Surr)	99		70 - 130				04/12/24 08:26	04/12/24 15:16	1
Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00501		0.00400	0.00101	mg/Kg			04/12/24 15:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	66.5		49.9	15.0	mg/Kg			04/10/24 18:44	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	26.6	J	49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 18:44	1
Diesel Range Organics (Over C10-C28)	39.9	J *1	49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 18:44	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 18:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				04/10/24 14:23	04/10/24 18:44	1
o-Terphenyl	129		70 - 130				04/10/24 14:23	04/10/24 18:44	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13.8		5.04	0.398	mg/Kg			04/15/24 09:40	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-26-0'-1'

Lab Sample ID: 880-42091-17

Date Collected: 04/08/24 14:05

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000386	U	0.00200	0.000386	mg/Kg		04/14/24 08:13	04/15/24 16:15	1
Toluene	<0.000457	U	0.00200	0.000457	mg/Kg		04/14/24 08:13	04/15/24 16:15	1
Ethylbenzene	<0.000566	U	0.00200	0.000566	mg/Kg		04/14/24 08:13	04/15/24 16:15	1
m-Xylene & p-Xylene	<0.00101	U	0.00401	0.00101	mg/Kg		04/14/24 08:13	04/15/24 16:15	1
o-Xylene	<0.000345	U	0.00200	0.000345	mg/Kg		04/14/24 08:13	04/15/24 16:15	1
Xylenes, Total	<0.00101	U	0.00401	0.00101	mg/Kg		04/14/24 08:13	04/15/24 16:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	04/14/24 08:13	04/15/24 16:15	1
1,4-Difluorobenzene (Surr)	101		70 - 130	04/14/24 08:13	04/15/24 16:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00401	0.00101	mg/Kg			04/15/24 16:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	76.3		49.8	14.9	mg/Kg			04/10/24 19:05	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	23.6	J	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 19:05	1
Diesel Range Organics (Over C10-C28)	52.7	*1	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 19:05	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 19:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130	04/10/24 14:23	04/10/24 19:05	1
o-Terphenyl	120		70 - 130	04/10/24 14:23	04/10/24 19:05	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.03		5.03	0.397	mg/Kg			04/15/24 09:46	1

Client Sample ID: SB-26-2'-3'

Lab Sample ID: 880-42091-18

Date Collected: 04/08/24 14:10

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		04/14/24 08:13	04/15/24 16:36	1
Toluene	<0.000458	U	0.00201	0.000458	mg/Kg		04/14/24 08:13	04/15/24 16:36	1
Ethylbenzene	<0.000567	U	0.00201	0.000567	mg/Kg		04/14/24 08:13	04/15/24 16:36	1
m-Xylene & p-Xylene	<0.00101	U	0.00402	0.00101	mg/Kg		04/14/24 08:13	04/15/24 16:36	1
o-Xylene	<0.000345	U	0.00201	0.000345	mg/Kg		04/14/24 08:13	04/15/24 16:36	1
Xylenes, Total	<0.00101	U	0.00402	0.00101	mg/Kg		04/14/24 08:13	04/15/24 16:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	04/14/24 08:13	04/15/24 16:36	1
1,4-Difluorobenzene (Surr)	100		70 - 130	04/14/24 08:13	04/15/24 16:36	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-26-2'-3'

Lab Sample ID: 880-42091-18

Date Collected: 04/08/24 14:10

Matrix: Solid

Date Received: 04/10/24 13:41

Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00402	0.00101	mg/Kg			04/15/24 16:36	1
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	66.3		49.7	14.9	mg/Kg			04/10/24 19:26	1
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	37.0	J	49.7	14.9	mg/Kg		04/10/24 14:23	04/10/24 19:26	1
Diesel Range Organics (Over C10-C28)	29.3	J *1	49.7	14.9	mg/Kg		04/10/24 14:23	04/10/24 19:26	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.7	14.9	mg/Kg		04/10/24 14:23	04/10/24 19:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	139	S1+	70 - 130				04/10/24 14:23	04/10/24 19:26	1
o-Terphenyl	150	S1+	70 - 130				04/10/24 14:23	04/10/24 19:26	1
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.57	J	4.98	0.393	mg/Kg			04/15/24 09:53	1

Client Sample ID: SB-27-0'-1'

Lab Sample ID: 880-42091-19

Date Collected: 04/08/24 14:35

Matrix: Solid

Date Received: 04/10/24 13:41

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000388	U	0.00202	0.000388	mg/Kg		04/14/24 08:13	04/15/24 16:56	1
Toluene	<0.000460	U	0.00202	0.000460	mg/Kg		04/14/24 08:13	04/15/24 16:56	1
Ethylbenzene	<0.000570	U	0.00202	0.000570	mg/Kg		04/14/24 08:13	04/15/24 16:56	1
m-Xylene & p-Xylene	<0.00102	U	0.00403	0.00102	mg/Kg		04/14/24 08:13	04/15/24 16:56	1
o-Xylene	<0.000347	U	0.00202	0.000347	mg/Kg		04/14/24 08:13	04/15/24 16:56	1
Xylenes, Total	<0.00102	U	0.00403	0.00102	mg/Kg		04/14/24 08:13	04/15/24 16:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130				04/14/24 08:13	04/15/24 16:56	1
1,4-Difluorobenzene (Surr)	102		70 - 130				04/14/24 08:13	04/15/24 16:56	1
Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00403	0.00102	mg/Kg			04/15/24 16:56	1
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	507		50.0	15.0	mg/Kg			04/10/24 21:31	1
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	28.2	J	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 21:31	1
Diesel Range Organics (Over C10-C28)	390	*1	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 21:31	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-27-0'-1'
Date Collected: 04/08/24 14:35
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-19
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Oil Range Organics (Over C28-C36)	88.8		50.0	15.0	mg/Kg	-	04/10/24 14:23	04/10/24 21:31	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	117		70 - 130				04/10/24 14:23	04/10/24 21:31	1	
o-Terphenyl	122		70 - 130				04/10/24 14:23	04/10/24 21:31	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	89.6		5.03	0.397	mg/Kg	-		04/15/24 09:59	1	

Client Sample ID: SB-27-2'-3'
Date Collected: 04/08/24 14:40
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-20
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg	-	04/14/24 08:13	04/15/24 17:16	1	
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg	-	04/14/24 08:13	04/15/24 17:16	1	
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg	-	04/14/24 08:13	04/15/24 17:16	1	
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg	-	04/14/24 08:13	04/15/24 17:16	1	
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg	-	04/14/24 08:13	04/15/24 17:16	1	
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg	-	04/14/24 08:13	04/15/24 17:16	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	119		70 - 130				04/14/24 08:13	04/15/24 17:16	1	
1,4-Difluorobenzene (Surr)	101		70 - 130				04/14/24 08:13	04/15/24 17:16	1	

Method: TAL SOP Total BTEX - Total BTEX Calculation										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg	-		04/15/24 17:16	1	

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total TPH	88.0		50.0	15.0	mg/Kg	-		04/10/24 19:47	1	

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	35.5	J	50.0	15.0	mg/Kg	-	04/10/24 14:23	04/10/24 19:47	1	
Diesel Range Organics (Over C10-C28)	52.5	*1	50.0	15.0	mg/Kg	-	04/10/24 14:23	04/10/24 19:47	1	
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg	-	04/10/24 14:23	04/10/24 19:47	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	101		70 - 130				04/10/24 14:23	04/10/24 19:47	1	
o-Terphenyl	106		70 - 130				04/10/24 14:23	04/10/24 19:47	1	

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	4.53	J	4.98	0.393	mg/Kg	-		04/15/24 10:18	1	

Eurofins Midland

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC)
Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	BFB1	DFBZ1				
		(70-130)	(70-130)				
880-42091-1	SB-19-4'-5'	122	101				
880-42091-1 MS	SB-19-4'-5'	112	101				
880-42091-1 MSD	SB-19-4'-5'	115	102				
880-42091-2	SB-19-6'-7'	117	102				
880-42091-3	SB-19-8'-9'	113	101				
880-42091-4	SB-20-4'-5'	116	102				
880-42091-5	SB-20-8'-9'	116	101				
880-42091-6	SB-20-10'-11'	120	98				
880-42091-7	SB-21-0'-1'	117	102				
880-42091-8	SB-21-2'-3'	116	102				
880-42091-9	SB-22-0'-1'	115	102				
880-42091-10	SB-22-2'-3'	116	102				
880-42091-11	SB-23-0'-1'	80	94				
880-42091-11 MS	SB-23-0'-1'	110	92				
880-42091-11 MSD	SB-23-0'-1'	104	95				
880-42091-12	SB-23-2'-3'	94	94				
880-42091-13	SB-24-0'-1'	89	91				
880-42091-14	SB-24-2'-3'	92	95				
880-42091-15	SB-25-0'-1'	87	90				
880-42091-16	SB-25-2'-3'	91	99				
880-42091-17	SB-26-0'-1'	120	101				
880-42091-18	SB-26-2'-3'	120	100				
880-42091-19	SB-27-0'-1'	119	102				
880-42091-20	SB-27-2'-3'	119	101				
LCS 880-77856/1-A	Lab Control Sample	105	99				
LCS 880-77985/1-A	Lab Control Sample	98	93				
LCS 880-78159/1-A	Lab Control Sample	113	99				
LCSD 880-77856/2-A	Lab Control Sample Dup	105	99				
LCSD 880-77985/2-A	Lab Control Sample Dup	110	93				
LCSD 880-78159/2-A	Lab Control Sample Dup	112	99				
MB 880-77856/5-A	Method Blank	116	101				
MB 880-77985/5-A	Method Blank	71	95				
MB 880-78159/5-A	Method Blank	120	100				
Surrogate Legend							
BFB = 4-Bromofluorobenzene (Surr)							
DFBZ = 1,4-Difluorobenzene (Surr)							

Method: 8015B NM - Diesel Range Organics (DRO) (GC)
Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
Lab Sample ID	Client Sample ID	1CO1	OTPH1				
		(70-130)	(70-130)				
880-42091-1	SB-19-4'-5'	122	107				
880-42091-2	SB-19-6'-7'	127	108				
880-42091-3	SB-19-8'-9'	152 S1+	125				
880-42091-4	SB-20-4'-5'	132 S1+	108				
880-42091-5	SB-20-8'-9'	122	103				
880-42091-6	SB-20-10'-11'	117	103				

Eurofins Midland

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-42091-7	SB-21-0'-1'	114	98
880-42091-8	SB-21-2'-3'	125	111
880-42091-9	SB-22-0'-1'	120	103
880-42091-10	SB-22-2'-3'	123	97
880-42091-11	SB-23-0'-1'	125	102
880-42091-12	SB-23-2'-3'	113	118
880-42091-12 MS	SB-23-2'-3'	144 S1+	135 S1+
880-42091-12 MSD	SB-23-2'-3'	150 S1+	141 S1+
880-42091-13	SB-24-0'-1'	118	127
880-42091-14	SB-24-2'-3'	117	124
880-42091-15	SB-25-0'-1'	110	122
880-42091-16	SB-25-2'-3'	120	129
880-42091-17	SB-26-0'-1'	111	120
880-42091-18	SB-26-2'-3'	139 S1+	150 S1+
880-42091-19	SB-27-0'-1'	117	122
880-42091-20	SB-27-2'-3'	101	106
LCS 880-77808/2-A	Lab Control Sample	102	107
LCS 880-77844/2-A	Lab Control Sample	80	88
LCSD 880-77808/3-A	Lab Control Sample Dup	83	83
LCSD 880-77844/3-A	Lab Control Sample Dup	95	106
MB 880-77808/1-A	Method Blank	107	92
MB 880-77844/1-A	Method Blank	105	110
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-77856/5-A

Matrix: Solid

Analysis Batch: 77928

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 77856

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		04/10/24 15:04	04/11/24 14:35	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		04/10/24 15:04	04/11/24 14:35	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		04/10/24 15:04	04/11/24 14:35	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		04/10/24 15:04	04/11/24 14:35	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		04/10/24 15:04	04/11/24 14:35	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		04/10/24 15:04	04/11/24 14:35	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	04/10/24 15:04	04/11/24 14:35	1
1,4-Difluorobenzene (Surr)	101		70 - 130	04/10/24 15:04	04/11/24 14:35	1

Lab Sample ID: LCS 880-77856/1-A

Matrix: Solid

Analysis Batch: 77928

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 77856

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1073		mg/Kg		107	70 - 130
Toluene	0.100	0.1080		mg/Kg		108	70 - 130
Ethylbenzene	0.100	0.1038		mg/Kg		104	70 - 130
m-Xylene & p-Xylene	0.200	0.2114		mg/Kg		106	70 - 130
o-Xylene	0.100	0.1031		mg/Kg		103	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-77856/2-A

Matrix: Solid

Analysis Batch: 77928

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 77856

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1101		mg/Kg		110	70 - 130	3	35
Toluene	0.100	0.1114		mg/Kg		111	70 - 130	3	35
Ethylbenzene	0.100	0.1074		mg/Kg		107	70 - 130	3	35
m-Xylene & p-Xylene	0.200	0.2186		mg/Kg		109	70 - 130	3	35
o-Xylene	0.100	0.1064		mg/Kg		106	70 - 130	3	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 880-42091-1 MS

Matrix: Solid

Analysis Batch: 77928

Client Sample ID: SB-19-4'-5'

Prep Type: Total/NA

Prep Batch: 77856

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.000383	U	0.0998	0.1112		mg/Kg		111	70 - 130
Toluene	<0.000454	U	0.0998	0.1099		mg/Kg		110	70 - 130

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-42091-1 MS
Matrix: Solid
Analysis Batch: 77928

Client Sample ID: SB-19-4'-5'
Prep Type: Total/NA
Prep Batch: 77856

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.000563	U	0.0998	0.1026		mg/Kg		103	70 - 130
m-Xylene & p-Xylene	<0.00101	U	0.200	0.2085		mg/Kg		104	70 - 130
o-Xylene	<0.000343	U	0.0998	0.1030		mg/Kg		103	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	112		70 - 130						
1,4-Difluorobenzene (Surr)	101		70 - 130						

Lab Sample ID: 880-42091-1 MSD
Matrix: Solid
Analysis Batch: 77928

Client Sample ID: SB-19-4'-5'
Prep Type: Total/NA
Prep Batch: 77856

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.000383	U	0.100	0.1176		mg/Kg		117	70 - 130	6	35
Toluene	<0.000454	U	0.100	0.1177		mg/Kg		117	70 - 130	7	35
Ethylbenzene	<0.000563	U	0.100	0.1118		mg/Kg		112	70 - 130	9	35
m-Xylene & p-Xylene	<0.00101	U	0.200	0.2284		mg/Kg		114	70 - 130	9	35
o-Xylene	<0.000343	U	0.100	0.1131		mg/Kg		113	70 - 130	9	35
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	115		70 - 130								
1,4-Difluorobenzene (Surr)	102		70 - 130								

Lab Sample ID: MB 880-77985/5-A
Matrix: Solid
Analysis Batch: 77789

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 77985

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		04/12/24 08:26	04/12/24 13:11	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		04/12/24 08:26	04/12/24 13:11	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		04/12/24 08:26	04/12/24 13:11	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		04/12/24 08:26	04/12/24 13:11	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		04/12/24 08:26	04/12/24 13:11	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		04/12/24 08:26	04/12/24 13:11	1
Surrogate	MB %Recovery	MB Qualifier	Limits						
4-Bromofluorobenzene (Surr)	71		70 - 130						
1,4-Difluorobenzene (Surr)	95		70 - 130						

Lab Sample ID: LCS 880-77985/1-A
Matrix: Solid
Analysis Batch: 77789

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 77985

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09035		mg/Kg		90	70 - 130
Toluene	0.100	0.09539		mg/Kg		95	70 - 130
Ethylbenzene	0.100	0.1016		mg/Kg		102	70 - 130
m-Xylene & p-Xylene	0.200	0.2036		mg/Kg		102	70 - 130

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-77985/1-A

Matrix: Solid

Analysis Batch: 77789

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 77985

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	0.100	0.09955		mg/Kg		100	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	93		70 - 130

Lab Sample ID: LCSD 880-77985/2-A

Matrix: Solid

Analysis Batch: 77789

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 77985

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.08969		mg/Kg		90	70 - 130	1	35
Toluene	0.100	0.1019		mg/Kg		102	70 - 130	7	35
Ethylbenzene	0.100	0.1111		mg/Kg		111	70 - 130	9	35
m-Xylene & p-Xylene	0.200	0.2259		mg/Kg		113	70 - 130	10	35
o-Xylene	0.100	0.1113		mg/Kg		111	70 - 130	11	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	93		70 - 130

Lab Sample ID: 880-42091-11 MS

Matrix: Solid

Analysis Batch: 77789

Client Sample ID: SB-23-0'-1'

Prep Type: Total/NA

Prep Batch: 77985

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.000499	J	0.0996	0.08270		mg/Kg		83	70 - 130
Toluene	0.00322		0.0996	0.09733		mg/Kg		94	70 - 130
Ethylbenzene	<0.000559	U	0.0996	0.1085		mg/Kg		109	70 - 130
m-Xylene & p-Xylene	0.00105	J	0.199	0.2230		mg/Kg		111	70 - 130
o-Xylene	0.000449	J	0.0996	0.1098		mg/Kg		110	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	92		70 - 130

Lab Sample ID: 880-42091-11 MSD

Matrix: Solid

Analysis Batch: 77789

Client Sample ID: SB-23-0'-1'

Prep Type: Total/NA

Prep Batch: 77985

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.000499	J	0.101	0.08985		mg/Kg		89	70 - 130	8	35
Toluene	0.00322		0.101	0.09574		mg/Kg		92	70 - 130	2	35
Ethylbenzene	<0.000559	U	0.101	0.1034		mg/Kg		103	70 - 130	5	35
m-Xylene & p-Xylene	0.00105	J	0.202	0.2081		mg/Kg		103	70 - 130	7	35
o-Xylene	0.000449	J	0.101	0.1028		mg/Kg		102	70 - 130	7	35

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-42091-11 MSD

Matrix: Solid

Analysis Batch: 77789

Client Sample ID: SB-23-0'-1'

Prep Type: Total/NA

Prep Batch: 77985

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: MB 880-78159/5-A

Matrix: Solid

Analysis Batch: 78124

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 78159

Analyte	MB	MB								
	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		04/14/24 08:13	04/15/24 11:25	1	
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		04/14/24 08:13	04/15/24 11:25	1	
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		04/14/24 08:13	04/15/24 11:25	1	
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		04/14/24 08:13	04/15/24 11:25	1	
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		04/14/24 08:13	04/15/24 11:25	1	
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		04/14/24 08:13	04/15/24 11:25	1	

	MB	MB								
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil	Fac			
4-Bromofluorobenzene (Surr)	120		70 - 130	04/14/24 08:13	04/15/24 11:25	1				
1,4-Difluorobenzene (Surr)	100		70 - 130	04/14/24 08:13	04/15/24 11:25	1				

Lab Sample ID: LCS 880-78159/1-A

Matrix: Solid

Analysis Batch: 78124

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 78159

Analyte	Spike	LCS	LCS							
	Added	Result	Qualifier	Unit	D	%Rec	Limits			
Benzene	0.100	0.1055		mg/Kg		105	70 - 130			
Toluene	0.100	0.1062		mg/Kg		106	70 - 130			
Ethylbenzene	0.100	0.1026		mg/Kg		103	70 - 130			
m-Xylene & p-Xylene	0.200	0.2092		mg/Kg		105	70 - 130			
o-Xylene	0.100	0.1035		mg/Kg		104	70 - 130			

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	113		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-78159/2-A

Matrix: Solid

Analysis Batch: 78124

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 78159

Analyte	Spike	LCSD	LCSD							
	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	0.100	0.1101		mg/Kg		110	70 - 130	4	35	
Toluene	0.100	0.1112		mg/Kg		111	70 - 130	5	35	
Ethylbenzene	0.100	0.1070		mg/Kg		107	70 - 130	4	35	
m-Xylene & p-Xylene	0.200	0.2177		mg/Kg		109	70 - 130	4	35	
o-Xylene	0.100	0.1073		mg/Kg		107	70 - 130	4	35	

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	112		70 - 130

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-78159/2-A
Matrix: Solid
Analysis Batch: 78124

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 78159

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1,4-Difluorobenzene (Surr)	99		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-77808/1-A
Matrix: Solid
Analysis Batch: 77780

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 77808

Analyte	MB	MB								
	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 09:36	1	
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 09:36	1	
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 10:28	04/10/24 09:36	1	
Surrogate	MB	MB					Prepared	Analyzed	Dil	Fac
	%Recovery	Qualifier	Limits							
1-Chlorooctane	107		70 - 130				04/10/24 10:28	04/10/24 09:36	1	
o-Terphenyl	92		70 - 130				04/10/24 10:28	04/10/24 09:36	1	

Lab Sample ID: LCS 880-77808/2-A
Matrix: Solid
Analysis Batch: 77780

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 77808

Analyte			Spike	LCS	LCS				%Rec	
			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10			1000	1003		mg/Kg		100	70 - 130	
Diesel Range Organics (Over C10-C28)			1000	984.7		mg/Kg		98	70 - 130	
Surrogate	LCS	LCS								
	%Recovery	Qualifier	Limits							
1-Chlorooctane	102		70 - 130							
o-Terphenyl	107		70 - 130							

Lab Sample ID: LCSD 880-77808/3-A
Matrix: Solid
Analysis Batch: 77780

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 77808

Analyte			Spike	LCSD	LCSD				%Rec		RPD	
			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10			1000	973.1		mg/Kg		97	70 - 130	3	20	
Diesel Range Organics (Over C10-C28)			1000	941.9		mg/Kg		94	70 - 130	4	20	
Surrogate	LCSD	LCSD										
	%Recovery	Qualifier	Limits									
1-Chlorooctane	83		70 - 130									
o-Terphenyl	83		70 - 130									

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-77844/1-A							Client Sample ID: Method Blank			
Matrix: Solid							Prep Type: Total/NA			
Analysis Batch: 77779							Prep Batch: 77844			
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		04/10/24 08:23	04/10/24 09:36	1	
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 08:23	04/10/24 09:36	1	
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 08:23	04/10/24 09:36	1	
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	105		70 - 130				04/10/24 08:23	04/10/24 09:36	1	
o-Terphenyl	110		70 - 130				04/10/24 08:23	04/10/24 09:36	1	

Lab Sample ID: LCS 880-77844/2-A							Client Sample ID: Lab Control Sample			
Matrix: Solid							Prep Type: Total/NA			
Analysis Batch: 77779							Prep Batch: 77844			
Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (GRO)-C6-C10		1000	939.9		mg/Kg		94	70 - 130		
Diesel Range Organics (Over C10-C28)		1000	798.6		mg/Kg		80	70 - 130		
Surrogate	LCS %Recovery	LCS Qualifier	Limits							
1-Chlorooctane	80		70 - 130							
o-Terphenyl	88		70 - 130							

Lab Sample ID: LCSD 880-77844/3-A							Client Sample ID: Lab Control Sample Dup			
Matrix: Solid							Prep Type: Total/NA			
Analysis Batch: 77779							Prep Batch: 77844			
Analyte		Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10		1000	952.2		mg/Kg		95	70 - 130	1	20
Diesel Range Organics (Over C10-C28)		1000	983.0	*1	mg/Kg		98	70 - 130	21	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits							
1-Chlorooctane	95		70 - 130							
o-Terphenyl	106		70 - 130							

Lab Sample ID: 880-42091-12 MS							Client Sample ID: SB-23-2'-3'			
Matrix: Solid							Prep Type: Total/NA			
Analysis Batch: 77779							Prep Batch: 77844			
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Gasoline Range Organics (GRO)-C6-C10	35.0	J	1000	1157		mg/Kg		112	70 - 130	
Diesel Range Organics (Over C10-C28)	29.3	J F1 *1	1000	1353	F1	mg/Kg		132	70 - 130	

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-42091-12 MS
Matrix: Solid
Analysis Batch: 77779

Client Sample ID: SB-23-2'-3'
Prep Type: Total/NA
Prep Batch: 77844

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	144	S1+	70 - 130
o-Terphenyl	135	S1+	70 - 130

Lab Sample ID: 880-42091-12 MSD
Matrix: Solid
Analysis Batch: 77779

Client Sample ID: SB-23-2'-3'
Prep Type: Total/NA
Prep Batch: 77844

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	35.0	J	1000	1134		mg/Kg		110	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	29.3	J F1 *1	1000	1423	F1	mg/Kg		139	70 - 130	5	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	150	S1+	70 - 130
o-Terphenyl	141	S1+	70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-77959/1-A
Matrix: Solid
Analysis Batch: 78031

Client Sample ID: Method Blank
Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	5.00	0.395	mg/Kg			04/12/24 11:37	1

Lab Sample ID: LCS 880-77959/2-A
Matrix: Solid
Analysis Batch: 78031

Client Sample ID: Lab Control Sample
Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	239.0		mg/Kg		96	90 - 110

Lab Sample ID: LCSD 880-77959/3-A
Matrix: Solid
Analysis Batch: 78031

Client Sample ID: Lab Control Sample Dup
Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	239.9		mg/Kg		96	90 - 110	0	20

Lab Sample ID: 880-42091-6 MS
Matrix: Solid
Analysis Batch: 78031

Client Sample ID: SB-20-10'-11'
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	162		252	393.1		mg/Kg		92	90 - 110

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

GC VOA

Analysis Batch: 77789

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-11	SB-23-0'-1'	Total/NA	Solid	8021B	77985
880-42091-12	SB-23-2'-3'	Total/NA	Solid	8021B	77985
880-42091-13	SB-24-0'-1'	Total/NA	Solid	8021B	77985
880-42091-14	SB-24-2'-3'	Total/NA	Solid	8021B	77985
880-42091-15	SB-25-0'-1'	Total/NA	Solid	8021B	77985
880-42091-16	SB-25-2'-3'	Total/NA	Solid	8021B	77985
MB 880-77985/5-A	Method Blank	Total/NA	Solid	8021B	77985
LCS 880-77985/1-A	Lab Control Sample	Total/NA	Solid	8021B	77985
LCSD 880-77985/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	77985
880-42091-11 MS	SB-23-0'-1'	Total/NA	Solid	8021B	77985
880-42091-11 MSD	SB-23-0'-1'	Total/NA	Solid	8021B	77985

Prep Batch: 77856

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-1	SB-19-4'-5'	Total/NA	Solid	5030B	
880-42091-2	SB-19-6'-7'	Total/NA	Solid	5030B	
880-42091-3	SB-19-8'-9'	Total/NA	Solid	5030B	
880-42091-4	SB-20-4'-5'	Total/NA	Solid	5030B	
880-42091-5	SB-20-8'-9'	Total/NA	Solid	5030B	
880-42091-6	SB-20-10'-11'	Total/NA	Solid	5030B	
880-42091-7	SB-21-0'-1'	Total/NA	Solid	5030B	
880-42091-8	SB-21-2'-3'	Total/NA	Solid	5030B	
880-42091-9	SB-22-0'-1'	Total/NA	Solid	5030B	
880-42091-10	SB-22-2'-3'	Total/NA	Solid	5030B	
MB 880-77856/5-A	Method Blank	Total/NA	Solid	5030B	
LCS 880-77856/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-77856/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	
880-42091-1 MS	SB-19-4'-5'	Total/NA	Solid	5030B	
880-42091-1 MSD	SB-19-4'-5'	Total/NA	Solid	5030B	

Analysis Batch: 77928

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-1	SB-19-4'-5'	Total/NA	Solid	8021B	77856
880-42091-2	SB-19-6'-7'	Total/NA	Solid	8021B	77856
880-42091-3	SB-19-8'-9'	Total/NA	Solid	8021B	77856
880-42091-4	SB-20-4'-5'	Total/NA	Solid	8021B	77856
880-42091-5	SB-20-8'-9'	Total/NA	Solid	8021B	77856
880-42091-6	SB-20-10'-11'	Total/NA	Solid	8021B	77856
880-42091-7	SB-21-0'-1'	Total/NA	Solid	8021B	77856
880-42091-8	SB-21-2'-3'	Total/NA	Solid	8021B	77856
880-42091-9	SB-22-0'-1'	Total/NA	Solid	8021B	77856
880-42091-10	SB-22-2'-3'	Total/NA	Solid	8021B	77856
MB 880-77856/5-A	Method Blank	Total/NA	Solid	8021B	77856
LCS 880-77856/1-A	Lab Control Sample	Total/NA	Solid	8021B	77856
LCSD 880-77856/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	77856
880-42091-1 MS	SB-19-4'-5'	Total/NA	Solid	8021B	77856
880-42091-1 MSD	SB-19-4'-5'	Total/NA	Solid	8021B	77856

Prep Batch: 77985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-11	SB-23-0'-1'	Total/NA	Solid	5030B	

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

GC VOA (Continued)

Prep Batch: 77985 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-12	SB-23-2'-3'	Total/NA	Solid	5030B	
880-42091-13	SB-24-0'-1'	Total/NA	Solid	5030B	
880-42091-14	SB-24-2'-3'	Total/NA	Solid	5030B	
880-42091-15	SB-25-0'-1'	Total/NA	Solid	5030B	
880-42091-16	SB-25-2'-3'	Total/NA	Solid	5030B	
MB 880-77985/5-A	Method Blank	Total/NA	Solid	5030B	
LCS 880-77985/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-77985/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	
880-42091-11 MS	SB-23-0'-1'	Total/NA	Solid	5030B	
880-42091-11 MSD	SB-23-0'-1'	Total/NA	Solid	5030B	

Analysis Batch: 78074

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-1	SB-19-4'-5'	Total/NA	Solid	Total BTEX	
880-42091-2	SB-19-6'-7'	Total/NA	Solid	Total BTEX	
880-42091-3	SB-19-8'-9'	Total/NA	Solid	Total BTEX	
880-42091-4	SB-20-4'-5'	Total/NA	Solid	Total BTEX	
880-42091-5	SB-20-8'-9'	Total/NA	Solid	Total BTEX	
880-42091-6	SB-20-10'-11'	Total/NA	Solid	Total BTEX	
880-42091-7	SB-21-0'-1'	Total/NA	Solid	Total BTEX	
880-42091-8	SB-21-2'-3'	Total/NA	Solid	Total BTEX	
880-42091-9	SB-22-0'-1'	Total/NA	Solid	Total BTEX	
880-42091-10	SB-22-2'-3'	Total/NA	Solid	Total BTEX	
880-42091-11	SB-23-0'-1'	Total/NA	Solid	Total BTEX	
880-42091-12	SB-23-2'-3'	Total/NA	Solid	Total BTEX	
880-42091-13	SB-24-0'-1'	Total/NA	Solid	Total BTEX	
880-42091-14	SB-24-2'-3'	Total/NA	Solid	Total BTEX	
880-42091-15	SB-25-0'-1'	Total/NA	Solid	Total BTEX	
880-42091-16	SB-25-2'-3'	Total/NA	Solid	Total BTEX	
880-42091-17	SB-26-0'-1'	Total/NA	Solid	Total BTEX	
880-42091-18	SB-26-2'-3'	Total/NA	Solid	Total BTEX	
880-42091-19	SB-27-0'-1'	Total/NA	Solid	Total BTEX	
880-42091-20	SB-27-2'-3'	Total/NA	Solid	Total BTEX	

Analysis Batch: 78124

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-17	SB-26-0'-1'	Total/NA	Solid	8021B	78159
880-42091-18	SB-26-2'-3'	Total/NA	Solid	8021B	78159
880-42091-19	SB-27-0'-1'	Total/NA	Solid	8021B	78159
880-42091-20	SB-27-2'-3'	Total/NA	Solid	8021B	78159
MB 880-78159/5-A	Method Blank	Total/NA	Solid	8021B	78159
LCS 880-78159/1-A	Lab Control Sample	Total/NA	Solid	8021B	78159
LCSD 880-78159/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	78159

Prep Batch: 78159

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-17	SB-26-0'-1'	Total/NA	Solid	5030B	
880-42091-18	SB-26-2'-3'	Total/NA	Solid	5030B	
880-42091-19	SB-27-0'-1'	Total/NA	Solid	5030B	
880-42091-20	SB-27-2'-3'	Total/NA	Solid	5030B	
MB 880-78159/5-A	Method Blank	Total/NA	Solid	5030B	

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

GC VOA (Continued)

Prep Batch: 78159 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-78159/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-78159/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	

GC Semi VOA

Analysis Batch: 77779

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-12	SB-23-2'-3'	Total/NA	Solid	8015B NM	77844
880-42091-13	SB-24-0'-1'	Total/NA	Solid	8015B NM	77844
880-42091-14	SB-24-2'-3'	Total/NA	Solid	8015B NM	77844
880-42091-15	SB-25-0'-1'	Total/NA	Solid	8015B NM	77844
880-42091-16	SB-25-2'-3'	Total/NA	Solid	8015B NM	77844
880-42091-17	SB-26-0'-1'	Total/NA	Solid	8015B NM	77844
880-42091-18	SB-26-2'-3'	Total/NA	Solid	8015B NM	77844
880-42091-19	SB-27-0'-1'	Total/NA	Solid	8015B NM	77844
880-42091-20	SB-27-2'-3'	Total/NA	Solid	8015B NM	77844
MB 880-77844/1-A	Method Blank	Total/NA	Solid	8015B NM	77844
LCS 880-77844/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	77844
LCSD 880-77844/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	77844
880-42091-12 MS	SB-23-2'-3'	Total/NA	Solid	8015B NM	77844
880-42091-12 MSD	SB-23-2'-3'	Total/NA	Solid	8015B NM	77844

Analysis Batch: 77780

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-1	SB-19-4'-5'	Total/NA	Solid	8015B NM	77808
880-42091-2	SB-19-6'-7'	Total/NA	Solid	8015B NM	77808
880-42091-3	SB-19-8'-9'	Total/NA	Solid	8015B NM	77808
880-42091-4	SB-20-4'-5'	Total/NA	Solid	8015B NM	77808
880-42091-5	SB-20-8'-9'	Total/NA	Solid	8015B NM	77808
880-42091-6	SB-20-10'-11'	Total/NA	Solid	8015B NM	77808
880-42091-7	SB-21-0'-1'	Total/NA	Solid	8015B NM	77808
880-42091-8	SB-21-2'-3'	Total/NA	Solid	8015B NM	77808
880-42091-9	SB-22-0'-1'	Total/NA	Solid	8015B NM	77808
880-42091-10	SB-22-2'-3'	Total/NA	Solid	8015B NM	77808
880-42091-11	SB-23-0'-1'	Total/NA	Solid	8015B NM	77808
MB 880-77808/1-A	Method Blank	Total/NA	Solid	8015B NM	77808
LCS 880-77808/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	77808
LCSD 880-77808/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	77808

Prep Batch: 77808

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-1	SB-19-4'-5'	Total/NA	Solid	8015NM Prep	
880-42091-2	SB-19-6'-7'	Total/NA	Solid	8015NM Prep	
880-42091-3	SB-19-8'-9'	Total/NA	Solid	8015NM Prep	
880-42091-4	SB-20-4'-5'	Total/NA	Solid	8015NM Prep	
880-42091-5	SB-20-8'-9'	Total/NA	Solid	8015NM Prep	
880-42091-6	SB-20-10'-11'	Total/NA	Solid	8015NM Prep	
880-42091-7	SB-21-0'-1'	Total/NA	Solid	8015NM Prep	
880-42091-8	SB-21-2'-3'	Total/NA	Solid	8015NM Prep	
880-42091-9	SB-22-0'-1'	Total/NA	Solid	8015NM Prep	
880-42091-10	SB-22-2'-3'	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

GC Semi VOA (Continued)

Prep Batch: 77808 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-11	SB-23-0'-1'	Total/NA	Solid	8015NM Prep	
MB 880-77808/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-77808/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-77808/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Prep Batch: 77844

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-12	SB-23-2'-3'	Total/NA	Solid	8015NM Prep	
880-42091-13	SB-24-0'-1'	Total/NA	Solid	8015NM Prep	
880-42091-14	SB-24-2'-3'	Total/NA	Solid	8015NM Prep	
880-42091-15	SB-25-0'-1'	Total/NA	Solid	8015NM Prep	
880-42091-16	SB-25-2'-3'	Total/NA	Solid	8015NM Prep	
880-42091-17	SB-26-0'-1'	Total/NA	Solid	8015NM Prep	
880-42091-18	SB-26-2'-3'	Total/NA	Solid	8015NM Prep	
880-42091-19	SB-27-0'-1'	Total/NA	Solid	8015NM Prep	
880-42091-20	SB-27-2'-3'	Total/NA	Solid	8015NM Prep	
MB 880-77844/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-77844/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-77844/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-42091-12 MS	SB-23-2'-3'	Total/NA	Solid	8015NM Prep	
880-42091-12 MSD	SB-23-2'-3'	Total/NA	Solid	8015NM Prep	

Analysis Batch: 77911

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-1	SB-19-4'-5'	Total/NA	Solid	8015 NM	
880-42091-2	SB-19-6'-7'	Total/NA	Solid	8015 NM	
880-42091-3	SB-19-8'-9'	Total/NA	Solid	8015 NM	
880-42091-4	SB-20-4'-5'	Total/NA	Solid	8015 NM	
880-42091-5	SB-20-8'-9'	Total/NA	Solid	8015 NM	
880-42091-6	SB-20-10'-11'	Total/NA	Solid	8015 NM	
880-42091-7	SB-21-0'-1'	Total/NA	Solid	8015 NM	
880-42091-8	SB-21-2'-3'	Total/NA	Solid	8015 NM	
880-42091-9	SB-22-0'-1'	Total/NA	Solid	8015 NM	
880-42091-10	SB-22-2'-3'	Total/NA	Solid	8015 NM	
880-42091-11	SB-23-0'-1'	Total/NA	Solid	8015 NM	
880-42091-12	SB-23-2'-3'	Total/NA	Solid	8015 NM	
880-42091-13	SB-24-0'-1'	Total/NA	Solid	8015 NM	
880-42091-14	SB-24-2'-3'	Total/NA	Solid	8015 NM	
880-42091-15	SB-25-0'-1'	Total/NA	Solid	8015 NM	
880-42091-16	SB-25-2'-3'	Total/NA	Solid	8015 NM	
880-42091-17	SB-26-0'-1'	Total/NA	Solid	8015 NM	
880-42091-18	SB-26-2'-3'	Total/NA	Solid	8015 NM	
880-42091-19	SB-27-0'-1'	Total/NA	Solid	8015 NM	
880-42091-20	SB-27-2'-3'	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 77959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-1	SB-19-4'-5'	Soluble	Solid	DI Leach	
880-42091-2	SB-19-6'-7'	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

HPLC/IC (Continued)

Leach Batch: 77959 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-3	SB-19-8'-9'	Soluble	Solid	DI Leach	
880-42091-4	SB-20-4'-5'	Soluble	Solid	DI Leach	
880-42091-5	SB-20-8'-9'	Soluble	Solid	DI Leach	
880-42091-6	SB-20-10'-11'	Soluble	Solid	DI Leach	
880-42091-7	SB-21-0'-1'	Soluble	Solid	DI Leach	
880-42091-8	SB-21-2'-3'	Soluble	Solid	DI Leach	
880-42091-9	SB-22-0'-1'	Soluble	Solid	DI Leach	
880-42091-10	SB-22-2'-3'	Soluble	Solid	DI Leach	
880-42091-11	SB-23-0'-1'	Soluble	Solid	DI Leach	
880-42091-12	SB-23-2'-3'	Soluble	Solid	DI Leach	
880-42091-13	SB-24-0'-1'	Soluble	Solid	DI Leach	
880-42091-14	SB-24-2'-3'	Soluble	Solid	DI Leach	
880-42091-15	SB-25-0'-1'	Soluble	Solid	DI Leach	
MB 880-77959/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-77959/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-77959/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-42091-6 MS	SB-20-10'-11'	Soluble	Solid	DI Leach	
880-42091-6 MSD	SB-20-10'-11'	Soluble	Solid	DI Leach	

Leach Batch: 77960

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-16	SB-25-2'-3'	Soluble	Solid	DI Leach	
880-42091-17	SB-26-0'-1'	Soluble	Solid	DI Leach	
880-42091-18	SB-26-2'-3'	Soluble	Solid	DI Leach	
880-42091-19	SB-27-0'-1'	Soluble	Solid	DI Leach	
880-42091-20	SB-27-2'-3'	Soluble	Solid	DI Leach	
MB 880-77960/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-77960/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-77960/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Analysis Batch: 78031

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-1	SB-19-4'-5'	Soluble	Solid	300.0	77959
880-42091-2	SB-19-6'-7'	Soluble	Solid	300.0	77959
880-42091-3	SB-19-8'-9'	Soluble	Solid	300.0	77959
880-42091-4	SB-20-4'-5'	Soluble	Solid	300.0	77959
880-42091-5	SB-20-8'-9'	Soluble	Solid	300.0	77959
880-42091-6	SB-20-10'-11'	Soluble	Solid	300.0	77959
880-42091-7	SB-21-0'-1'	Soluble	Solid	300.0	77959
880-42091-8	SB-21-2'-3'	Soluble	Solid	300.0	77959
880-42091-9	SB-22-0'-1'	Soluble	Solid	300.0	77959
880-42091-10	SB-22-2'-3'	Soluble	Solid	300.0	77959
880-42091-11	SB-23-0'-1'	Soluble	Solid	300.0	77959
880-42091-12	SB-23-2'-3'	Soluble	Solid	300.0	77959
880-42091-13	SB-24-0'-1'	Soluble	Solid	300.0	77959
880-42091-14	SB-24-2'-3'	Soluble	Solid	300.0	77959
880-42091-15	SB-25-0'-1'	Soluble	Solid	300.0	77959
MB 880-77959/1-A	Method Blank	Soluble	Solid	300.0	77959
LCS 880-77959/2-A	Lab Control Sample	Soluble	Solid	300.0	77959
LCSD 880-77959/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	77959
880-42091-6 MS	SB-20-10'-11'	Soluble	Solid	300.0	77959

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

HPLC/IC (Continued)

Analysis Batch: 78031 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-6 MSD	SB-20-10'-11'	Soluble	Solid	300.0	77959

Analysis Batch: 78208

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42091-16	SB-25-2'-3'	Soluble	Solid	300.0	77960
880-42091-17	SB-26-0'-1'	Soluble	Solid	300.0	77960
880-42091-18	SB-26-2'-3'	Soluble	Solid	300.0	77960
880-42091-19	SB-27-0'-1'	Soluble	Solid	300.0	77960
880-42091-20	SB-27-2'-3'	Soluble	Solid	300.0	77960
MB 880-77960/1-A	Method Blank	Soluble	Solid	300.0	77960
LCS 880-77960/2-A	Lab Control Sample	Soluble	Solid	300.0	77960
LCSD 880-77960/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	77960

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-19-4'-5'
Date Collected: 04/08/24 08:55
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 14:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 14:57	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 20:29	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 20:29	AJ	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 12:53	SMC	EET MID

Client Sample ID: SB-19-6'-7'
Date Collected: 04/08/24 09:10
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 15:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 15:17	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 21:10	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 21:10	AJ	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 12:59	SMC	EET MID

Client Sample ID: SB-19-8'-9'
Date Collected: 04/08/24 09:25
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 15:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 15:53	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 21:31	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 21:31	AJ	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 13:05	SMC	EET MID

Client Sample ID: SB-20-4'-5'
Date Collected: 04/08/24 10:10
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.97 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 16:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 16:13	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-20-4'-5'

Lab Sample ID: 880-42091-4

Date Collected: 04/08/24 10:10

Matrix: Solid

Date Received: 04/10/24 13:41

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			77911	04/10/24 21:52	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 21:52	AJ	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	78031	04/12/24 13:12	SMC	EET MID

Client Sample ID: SB-20-8'-9'

Lab Sample ID: 880-42091-5

Date Collected: 04/08/24 10:50

Matrix: Solid

Date Received: 04/10/24 13:41

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.98 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 16:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 16:56	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 22:13	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 22:13	AJ	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 13:18	SMC	EET MID

Client Sample ID: SB-20-10'-11'

Lab Sample ID: 880-42091-6

Date Collected: 04/08/24 11:15

Matrix: Solid

Date Received: 04/10/24 13:41

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 17:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 17:16	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 22:34	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 22:34	AJ	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 13:25	SMC	EET MID

Client Sample ID: SB-21-0'-1'

Lab Sample ID: 880-42091-7

Date Collected: 04/08/24 11:50

Matrix: Solid

Date Received: 04/10/24 13:41

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 17:37	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 17:37	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 22:55	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 22:55	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-21-0'-1'
Date Collected: 04/08/24 11:50
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 13:44	SMC	EET MID

Client Sample ID: SB-21-2'-3'
Date Collected: 04/08/24 11:55
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-8
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 17:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 17:57	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 23:16	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 23:16	AJ	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 13:50	SMC	EET MID

Client Sample ID: SB-22-0'-1'
Date Collected: 04/08/24 12:15
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-9
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 18:18	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 18:18	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 23:38	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 23:38	AJ	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 14:09	SMC	EET MID

Client Sample ID: SB-22-2'-3'
Date Collected: 04/08/24 12:20
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-10
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.97 g	5 mL	77856	04/10/24 15:04	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77928	04/11/24 18:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/11/24 18:38	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 23:59	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/10/24 23:59	AJ	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 14:15	SMC	EET MID

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-23-0'-1'
Date Collected: 04/08/24 12:45
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-11
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	77985	04/12/24 08:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77789	04/12/24 13:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/12/24 13:33	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/11/24 00:20	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	77808	04/10/24 10:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77780	04/11/24 00:20	AJ	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 14:22	SMC	EET MID

Client Sample ID: SB-23-2'-3'
Date Collected: 04/08/24 12:50
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-12
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.95 g	5 mL	77985	04/12/24 08:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77789	04/12/24 13:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/12/24 13:54	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 16:38	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 16:38	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 14:28	SMC	EET MID

Client Sample ID: SB-24-0'-1'
Date Collected: 04/08/24 13:10
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-13
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.98 g	5 mL	77985	04/12/24 08:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77789	04/12/24 14:14	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/12/24 14:14	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 17:42	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 17:42	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 14:34	SMC	EET MID

Client Sample ID: SB-24-2'-3'
Date Collected: 04/08/24 13:15
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.97 g	5 mL	77985	04/12/24 08:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77789	04/12/24 14:35	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/12/24 14:35	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECCION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-24-2'-3'
Date Collected: 04/08/24 13:15
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			77911	04/10/24 18:03	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 18:03	SM	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 14:41	SMC	EET MID

Client Sample ID: SB-25-0'-1'
Date Collected: 04/08/24 13:40
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-15
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.99 g	5 mL	77985	04/12/24 08:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77789	04/12/24 14:55	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/12/24 14:55	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 18:24	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.96 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 18:24	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	77959	04/11/24 14:46	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78031	04/12/24 14:47	SMC	EET MID

Client Sample ID: SB-25-2'-3'
Date Collected: 04/08/24 13:45
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-16
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.00 g	5 mL	77985	04/12/24 08:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77789	04/12/24 15:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/12/24 15:16	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 18:44	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 18:44	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 09:40	SMC	EET MID

Client Sample ID: SB-26-0'-1'
Date Collected: 04/08/24 14:05
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-17
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.99 g	5 mL	78159	04/14/24 08:13	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78124	04/15/24 16:15	SM	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/15/24 16:15	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 19:05	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 19:05	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Client Sample ID: SB-26-0'-1'
Date Collected: 04/08/24 14:05
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-17
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.97 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 09:46	SMC	EET MID

Client Sample ID: SB-26-2'-3'
Date Collected: 04/08/24 14:10
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-18
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.98 g	5 mL	78159	04/14/24 08:13	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78124	04/15/24 16:36	SM	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/15/24 16:36	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 19:26	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.07 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 19:26	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 09:53	SMC	EET MID

Client Sample ID: SB-27-0'-1'
Date Collected: 04/08/24 14:35
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-19
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.96 g	5 mL	78159	04/14/24 08:13	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78124	04/15/24 16:56	SM	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/15/24 16:56	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 21:31	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 21:31	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 09:59	SMC	EET MID

Client Sample ID: SB-27-2'-3'
Date Collected: 04/08/24 14:40
Date Received: 04/10/24 13:41

Lab Sample ID: 880-42091-20
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	78159	04/14/24 08:13	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78124	04/15/24 17:16	SM	EET MID
Total/NA	Analysis	Total BTEX		1			78074	04/15/24 17:16	SM	EET MID
Total/NA	Analysis	8015 NM		1			77911	04/10/24 19:47	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 19:47	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 10:18	SMC	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-23-26	06-30-24
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECON ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5030B	Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42091-1
SDG: Lovington, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-42091-1	SB-19-4'-5'	Solid	04/08/24 08:55	04/10/24 13:41
880-42091-2	SB-19-6'-7'	Solid	04/08/24 09:10	04/10/24 13:41
880-42091-3	SB-19-8'-9'	Solid	04/08/24 09:25	04/10/24 13:41
880-42091-4	SB-20-4'-5'	Solid	04/08/24 10:10	04/10/24 13:41
880-42091-5	SB-20-8'-9'	Solid	04/08/24 10:50	04/10/24 13:41
880-42091-6	SB-20-10'-11'	Solid	04/08/24 11:15	04/10/24 13:41
880-42091-7	SB-21-0'-1'	Solid	04/08/24 11:50	04/10/24 13:41
880-42091-8	SB-21-2'-3'	Solid	04/08/24 11:55	04/10/24 13:41
880-42091-9	SB-22-0'-1'	Solid	04/08/24 12:15	04/10/24 13:41
880-42091-10	SB-22-2'-3'	Solid	04/08/24 12:20	04/10/24 13:41
880-42091-11	SB-23-0'-1'	Solid	04/08/24 12:45	04/10/24 13:41
880-42091-12	SB-23-2'-3'	Solid	04/08/24 12:50	04/10/24 13:41
880-42091-13	SB-24-0'-1'	Solid	04/08/24 13:10	04/10/24 13:41
880-42091-14	SB-24-2'-3'	Solid	04/08/24 13:15	04/10/24 13:41
880-42091-15	SB-25-0'-1'	Solid	04/08/24 13:40	04/10/24 13:41
880-42091-16	SB-25-2'-3'	Solid	04/08/24 13:45	04/10/24 13:41
880-42091-17	SB-26-0'-1'	Solid	04/08/24 14:05	04/10/24 13:41
880-42091-18	SB-26-2'-3'	Solid	04/08/24 14:10	04/10/24 13:41
880-42091-19	SB-27-0'-1'	Solid	04/08/24 14:35	04/10/24 13:41
880-42091-20	SB-27-2'-3'	Solid	04/08/24 14:40	04/10/24 13:41

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing

Xenco



V

880-42091 Chain of Custody

Project Manager: Morgan Jordan	Bill to: (if different)	Work Order Comments:
Company Name: Arcadis	Company Name:	Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
Address: 1004 NB Big Springs Suite 300	Address:	State of Project:
City, State Zip: Midland, TX 79701	City, State Zip:	Reporting Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Phone: 281-644-9437	Email: Danley.Gonzales@Arcadis.com	Deliverables: ☐ EDD ☐ ADaPT ☐ Other

Project Name: Water Injection St.		Turn Around		Pres. Code		ANALYSIS REQUEST												Preservative Codes	
Project Number: 30209634	Project Location: Covington, NM	☒ Routine	☐ Rush	Due Date:	TAT starts the day received by the lab, if received by 4:30pm	Parameters												Sample Comments	
SAMPLE RECEIPT	Temp Blank: Yes ☒ No ☐	Yes ☒ No ☐	Thermometer ID: 778	Correction Factor: -1.1	Temperature Reading: 1.4	Corrected Temperature: 1.5													
Samples Received Intact:	Yes ☒ No ☐ <td>Yes ☒ No ☐ <td>Thermometer ID:</td> <td>Correction Factor:</td> <td>Temperature Reading:</td> <td>Corrected Temperature:</td> <td colspan="12"></td> <td></td> </td>	Yes ☒ No ☐ <td>Thermometer ID:</td> <td>Correction Factor:</td> <td>Temperature Reading:</td> <td>Corrected Temperature:</td> <td colspan="12"></td> <td></td>	Thermometer ID:	Correction Factor:	Temperature Reading:	Corrected Temperature:													
Cooler Custody Seals:	Yes ☒ No ☐ <td>Yes ☒ No ☐ <td>Thermometer ID:</td> <td>Correction Factor:</td> <td>Temperature Reading:</td> <td>Corrected Temperature:</td> <td colspan="12"></td> <td></td> </td>	Yes ☒ No ☐ <td>Thermometer ID:</td> <td>Correction Factor:</td> <td>Temperature Reading:</td> <td>Corrected Temperature:</td> <td colspan="12"></td> <td></td>	Thermometer ID:	Correction Factor:	Temperature Reading:	Corrected Temperature:													
Sample Custody Seals:	Yes ☒ No ☐ <td>Yes ☒ No ☐ <td>Thermometer ID:</td> <td>Correction Factor:</td> <td>Temperature Reading:</td> <td>Corrected Temperature:</td> <td colspan="12"></td> <td></td> </td>	Yes ☒ No ☐ <td>Thermometer ID:</td> <td>Correction Factor:</td> <td>Temperature Reading:</td> <td>Corrected Temperature:</td> <td colspan="12"></td> <td></td>	Thermometer ID:	Correction Factor:	Temperature Reading:	Corrected Temperature:													
Total Containers:	Yes ☒ No ☐ <td>Yes ☒ No ☐ <td>Thermometer ID:</td> <td>Correction Factor:</td> <td>Temperature Reading:</td> <td>Corrected Temperature:</td> <td colspan="12"></td> <td></td> </td>	Yes ☒ No ☐ <td>Thermometer ID:</td> <td>Correction Factor:</td> <td>Temperature Reading:</td> <td>Corrected Temperature:</td> <td colspan="12"></td> <td></td>	Thermometer ID:	Correction Factor:	Temperature Reading:	Corrected Temperature:													
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont													
SB-19-4'-5"	S	4/8/24	855		G	1													
SB-19-6'-7"	S	4/8/24	910		G	1													
SB-19-8'-9"	S	4/8/24	925		G	1													
SB-20-4'-5"	S	4/8/24	1010		G	1													
SB-20-8'-9"	S	4/8/24	1050		G	1													
SB-20-10'-11"	S	4/8/24	1115		G	1													
SB-21-0'-1"	S	4/8/24	1150		G	1													
SB-21-2'-3"	S	4/8/24	1155		G	1													
SB-22-0'-1"	S	4/8/24	1215		G	1													
SB-22-2'-3"	S	4/8/24	1220		G	1													

Total 2007 / 6010	2008 / 6020:	8RCRA	13PPM	Texas 11	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Mo	Ni	K	Se	Ag	SiO ₂	Na	Sr	Ti	Sn	U	V	Zn													
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010		8RCRA		Sb		As		Ba		Be		B		Cd		Ca		Cr		Co		Cu		Fe		Mn		Mo		Ni		Se		Ag		Ti		U		V		Zn	

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco. Its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Danley Gonzales	Danley Gonzales	4/9/24	Danley Gonzales	Danley Gonzales	4/9/24

Revised Date: 08/25/2020 Rev 2002.2

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550 Carlsbad, NM (575) 988-3199

Environment Testing
Xenco

Work Order No: **42091**
Loc: **880**

www.xenco.com Pac

Project Manager: **Morgan Jordan** Bill to: (if different)
Company Name: **Arcoadis** Company Name:
Address: **1004 N Big Springs Suite 200** Address:
City, State ZIP: **Midland, TX 79701** City, State ZIP:
Phone: **281-644-9437** Email: **DMorgan@Arcoadis.com**

Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project: ☐ Level II ☐ Level III ☐ Level IV ☐
Reporting: ☐ Level II ☐ Level III ☐ Level IV ☐
Deliverables: ☐ EDD ☐ ADAPT ☐ Other:

Project Name: **Water Injection St.**
Project Number: **30209634**
Project Location: **Longston, NM**
Sampler's Name: **Heath B. J.**
PO #: **30209634**

SAMPLE RECEIPT
Samples Received Intact: Yes No
Cooler Custody Seals: Yes No N/A
Sample Custody Seals: Yes No N/A
Total Containers: **1**

ANALYSIS REQUEST				Preservative Codes	
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp
SB-23-01-1	6	4/8/24	1245		G
SB-23-01-2	1		1250		1
SB-24-01-1	1		1310		1
SB-24-01-2	1		1315		1
SB-25-01-1	1		1340		1
SB-25-01-2	1		1345		1
SB-26-01-1	1		1405		1
SB-26-01-2	1		1410		1
SB-27-01-1	1		1435		1
SB-27-01-2	1		1440		1

Parameters: Pres. Code: **80213**
None NO DI Water H₂O
Cool Cool MeOH Me
HCL HC HNO₃ HN
H₂SO₄ H₂ NaOH Na
H₃PO₄ HP
NaHSO₄ NABIS
Na₂S₂O₃ NaSO₃
Zn Acetate+NaOH Zn
NaOH+Ascorbic Acid SACP

Sample Comments

Total: 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg 1631 / 2451 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
DALE	DALLEY	04/19/24			

Revised Date: 08/25/2020 Rev. 2020.2

Login Sample Receipt Checklist

Client: Arcadis U.S., Inc.

Job Number: 880-42091-1

SDG Number: Lovington, NM

Login Number: 42091

List Number: 1

Creator: Vasquez, Julisa

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	N/A	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

14

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Morgan Jordan
Arcadis U.S., Inc.
1004 North Big Spring
Suite 300
Midland, Texas 79701

Generated 4/16/2024 5:21:53 PM

JOB DESCRIPTION

WATER INJECTION ST.
Lovington, NM

JOB NUMBER

880-42093-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
4/16/2024 5:21:53 PM

Authorized for release by
John Builes, Project Manager
John.Builes@et.eurofinsus.com
(561)558-4549

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Laboratory Job ID: 880-42093-1
SDG: Lovington, NM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	17
QC Sample Results	19
QC Association Summary	25
Lab Chronicle	29
Certification Summary	34
Method Summary	35
Sample Summary	36
Chain of Custody	37
Receipt Checklists	39

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis U.S., Inc.
Project: WATER INJECTION ST.

Job ID: 880-42093-1

Job ID: 880-42093-1

Eurofins Midland

Job Narrative
880-42093-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 4/10/2024 2:01 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.3°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: SB-12-0'-1' (880-42093-1), SB-12-2'-3' (880-42093-2), SB-13-0'-1' (880-42093-3), SB-13-2'-3' (880-42093-4), SB-14-3' (880-42093-5), SB-14-4'-5' (880-42093-6), SB-15-0'-1' (880-42093-7), SB-15-2'-3' (880-42093-8), SB-16-0'-1' (880-42093-9), SB-16-2'-3' (880-42093-10), SB-17-0'-1' (880-42093-11), SB-17-2'-3' (880-42093-12), SB-18-0'-1' (880-42093-13) and SB-18-2'-3' (880-42093-14).

GC VOA

Method 8021B: Surrogate recovery for the following samples were outside control limits: SB-18-0'-1' (880-42093-13) and SB-18-2'-3' (880-42093-14). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: SB-12-2'-3' (880-42093-2), SB-14-3' (880-42093-5), SB-14-4'-5' (880-42093-6), SB-15-2'-3' (880-42093-8), SB-16-0'-1' (880-42093-9), SB-16-2'-3' (880-42093-10), SB-17-0'-1' (880-42093-11), (880-42091-A-12-B MS) and (880-42091-A-12-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD_NM: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 880-77844 and analytical batch 880-77779 recovered outside control limits for the following analytes: Diesel Range Organics (Over C10-C28).

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: SB-18-2'-3' (880-42093-14). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D - Soluble: The Chloride matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-77960 and analytical batch 880-78208 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

SB-12-0'-1' (880-42093-1), SB-12-2'-3' (880-42093-2), SB-13-0'-1' (880-42093-3) and SB-13-2'-3' (880-42093-4)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-12-0'-1'

Lab Sample ID: 880-42093-1

Date Collected: 04/05/24 09:30

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000386	U	0.00200	0.000386	mg/Kg		04/10/24 15:00	04/10/24 16:56	1
Toluene	<0.000457	U	0.00200	0.000457	mg/Kg		04/10/24 15:00	04/10/24 16:56	1
Ethylbenzene	<0.000566	U	0.00200	0.000566	mg/Kg		04/10/24 15:00	04/10/24 16:56	1
m-Xylene & p-Xylene	<0.00101	U	0.00401	0.00101	mg/Kg		04/10/24 15:00	04/10/24 16:56	1
o-Xylene	<0.000345	U	0.00200	0.000345	mg/Kg		04/10/24 15:00	04/10/24 16:56	1
Xylenes, Total	<0.00101	U	0.00401	0.00101	mg/Kg		04/10/24 15:00	04/10/24 16:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		70 - 130	04/10/24 15:00	04/10/24 16:56	1
1,4-Difluorobenzene (Surr)	100		70 - 130	04/10/24 15:00	04/10/24 16:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00401	0.00101	mg/Kg			04/10/24 16:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	98.8		50.0	15.0	mg/Kg			04/10/24 20:08	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	41.6	J	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 20:08	1
Diesel Range Organics (Over C10-C28)	57.2	*1	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 20:08	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 20:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130	04/10/24 14:23	04/10/24 20:08	1
o-Terphenyl	116		70 - 130	04/10/24 14:23	04/10/24 20:08	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1120		25.1	1.98	mg/Kg			04/15/24 10:24	5

Client Sample ID: SB-12-2'-3'

Lab Sample ID: 880-42093-2

Date Collected: 04/05/24 09:35

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		04/10/24 15:00	04/10/24 18:17	1
Toluene	<0.000454	U	0.00199	0.000454	mg/Kg		04/10/24 15:00	04/10/24 18:17	1
Ethylbenzene	<0.000563	U	0.00199	0.000563	mg/Kg		04/10/24 15:00	04/10/24 18:17	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		04/10/24 15:00	04/10/24 18:17	1
o-Xylene	<0.000343	U	0.00199	0.000343	mg/Kg		04/10/24 15:00	04/10/24 18:17	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		04/10/24 15:00	04/10/24 18:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	75		70 - 130	04/10/24 15:00	04/10/24 18:17	1
1,4-Difluorobenzene (Surr)	98		70 - 130	04/10/24 15:00	04/10/24 18:17	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-12-2'-3'

Lab Sample ID: 880-42093-2

Date Collected: 04/05/24 09:35

Matrix: Solid

Date Received: 04/10/24 14:01

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00398	0.00101	mg/Kg			04/10/24 18:17	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	69.4		49.8	14.9	mg/Kg			04/10/24 20:29	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	38.7	J	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 20:29	1
Diesel Range Organics (Over C10-C28)	30.7	J *1	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 20:29	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 20:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	133	S1+	70 - 130				04/10/24 14:23	04/10/24 20:29	1
o-Terphenyl	141	S1+	70 - 130				04/10/24 14:23	04/10/24 20:29	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2300		25.0	1.97	mg/Kg			04/15/24 10:30	5

Client Sample ID: SB-13-0'-1'

Lab Sample ID: 880-42093-3

Date Collected: 04/05/24 10:00

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		04/10/24 15:00	04/10/24 18:38	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		04/10/24 15:00	04/10/24 18:38	1
Ethylbenzene	0.000669	J	0.00200	0.000564	mg/Kg		04/10/24 15:00	04/10/24 18:38	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		04/10/24 15:00	04/10/24 18:38	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		04/10/24 15:00	04/10/24 18:38	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		04/10/24 15:00	04/10/24 18:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	73		70 - 130				04/10/24 15:00	04/10/24 18:38	1
1,4-Difluorobenzene (Surr)	93		70 - 130				04/10/24 15:00	04/10/24 18:38	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			04/10/24 18:38	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	839		50.0	15.0	mg/Kg			04/10/24 21:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	30.3	J	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 21:10	1
Diesel Range Organics (Over C10-C28)	673	*1	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 21:10	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-13-0'-1'

Lab Sample ID: 880-42093-3

Date Collected: 04/05/24 10:00

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	136		50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 21:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	124		70 - 130				04/10/24 14:23	04/10/24 21:10	1
o-Terphenyl	125		70 - 130				04/10/24 14:23	04/10/24 21:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	58.4		4.98	0.393	mg/Kg			04/15/24 10:37	1

Client Sample ID: SB-13-2'-3'

Lab Sample ID: 880-42093-4

Date Collected: 04/05/24 10:05

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00112	J	0.00199	0.000383	mg/Kg		04/10/24 15:00	04/10/24 18:59	1
Toluene	<0.000453	U	0.00199	0.000453	mg/Kg		04/10/24 15:00	04/10/24 18:59	1
Ethylbenzene	0.0709		0.00199	0.000562	mg/Kg		04/10/24 15:00	04/10/24 18:59	1
m-Xylene & p-Xylene	0.0210		0.00398	0.00100	mg/Kg		04/10/24 15:00	04/10/24 18:59	1
o-Xylene	0.00346		0.00199	0.000342	mg/Kg		04/10/24 15:00	04/10/24 18:59	1
Xylenes, Total	0.0245		0.00398	0.00100	mg/Kg		04/10/24 15:00	04/10/24 18:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	127		70 - 130				04/10/24 15:00	04/10/24 18:59	1
1,4-Difluorobenzene (Surr)	109		70 - 130				04/10/24 15:00	04/10/24 18:59	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0965		0.00398	0.00100	mg/Kg			04/10/24 18:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	1170		49.9	15.0	mg/Kg			04/10/24 21:52	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	59.4		49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 21:52	1
Diesel Range Organics (Over C10-C28)	1030	*1	49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 21:52	1
Oil Range Organics (Over C28-C36)	80.4		49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 21:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130				04/10/24 14:23	04/10/24 21:52	1
o-Terphenyl	128		70 - 130				04/10/24 14:23	04/10/24 21:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	403		5.03	0.397	mg/Kg			04/15/24 10:43	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-14-3'

Lab Sample ID: 880-42093-5

Date Collected: 04/05/24 10:30

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000382	U	0.00198	0.000382	mg/Kg		04/10/24 15:00	04/10/24 19:19	1
Toluene	<0.000452	U	0.00198	0.000452	mg/Kg		04/10/24 15:00	04/10/24 19:19	1
Ethylbenzene	<0.000561	U	0.00198	0.000561	mg/Kg		04/10/24 15:00	04/10/24 19:19	1
m-Xylene & p-Xylene	<0.00100	U	0.00397	0.00100	mg/Kg		04/10/24 15:00	04/10/24 19:19	1
o-Xylene	0.00771		0.00198	0.000341	mg/Kg		04/10/24 15:00	04/10/24 19:19	1
Xylenes, Total	0.00771		0.00397	0.00100	mg/Kg		04/10/24 15:00	04/10/24 19:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	77		70 - 130	04/10/24 15:00	04/10/24 19:19	1
1,4-Difluorobenzene (Surr)	89		70 - 130	04/10/24 15:00	04/10/24 19:19	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00771		0.00397	0.00100	mg/Kg			04/10/24 19:19	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	110		50.0	15.0	mg/Kg			04/10/24 22:34	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	32.2	J	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 22:34	1
Diesel Range Organics (Over C10-C28)	78.1	*1	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 22:34	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 22:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	131	S1+	70 - 130	04/10/24 14:23	04/10/24 22:34	1
o-Terphenyl	143	S1+	70 - 130	04/10/24 14:23	04/10/24 22:34	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.8		5.00	0.395	mg/Kg			04/15/24 10:49	1

Client Sample ID: SB-14-4'-5'

Lab Sample ID: 880-42093-6

Date Collected: 04/05/24 10:35

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		04/10/24 15:00	04/10/24 19:39	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		04/10/24 15:00	04/10/24 19:39	1
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		04/10/24 15:00	04/10/24 19:39	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		04/10/24 15:00	04/10/24 19:39	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		04/10/24 15:00	04/10/24 19:39	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		04/10/24 15:00	04/10/24 19:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130	04/10/24 15:00	04/10/24 19:39	1
1,4-Difluorobenzene (Surr)	88		70 - 130	04/10/24 15:00	04/10/24 19:39	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-14-4'-5'

Lab Sample ID: 880-42093-6

Date Collected: 04/05/24 10:35

Matrix: Solid

Date Received: 04/10/24 14:01

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			04/10/24 19:39	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	114		49.9	15.0	mg/Kg			04/10/24 22:55	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	48.1	J	49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 22:55	1
Diesel Range Organics (Over C10-C28)	65.9	*1	49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 22:55	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		04/10/24 14:23	04/10/24 22:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	139	S1+	70 - 130				04/10/24 14:23	04/10/24 22:55	1
o-Terphenyl	153	S1+	70 - 130				04/10/24 14:23	04/10/24 22:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.6		5.04	0.398	mg/Kg			04/15/24 11:08	1

Client Sample ID: SB-15-0'-1'

Lab Sample ID: 880-42093-7

Date Collected: 04/05/24 11:00

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		04/10/24 15:00	04/10/24 20:00	1
Toluene	<0.000459	U	0.00201	0.000459	mg/Kg		04/10/24 15:00	04/10/24 20:00	1
Ethylbenzene	<0.000568	U	0.00201	0.000568	mg/Kg		04/10/24 15:00	04/10/24 20:00	1
m-Xylene & p-Xylene	<0.00102	U	0.00402	0.00102	mg/Kg		04/10/24 15:00	04/10/24 20:00	1
o-Xylene	0.000353	J	0.00201	0.000346	mg/Kg		04/10/24 15:00	04/10/24 20:00	1
Xylenes, Total	<0.00102	U	0.00402	0.00102	mg/Kg		04/10/24 15:00	04/10/24 20:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130				04/10/24 15:00	04/10/24 20:00	1
1,4-Difluorobenzene (Surr)	92		70 - 130				04/10/24 15:00	04/10/24 20:00	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00402	0.00102	mg/Kg			04/10/24 20:00	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	345		49.8	14.9	mg/Kg			04/10/24 22:13	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	31.0	J	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 22:13	1
Diesel Range Organics (Over C10-C28)	260	*1	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 22:13	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-15-0'-1'
Date Collected: 04/05/24 11:00
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-7
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Oil Range Organics (Over C28-C36)	54.1		49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 22:13	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	117		70 - 130				04/10/24 14:23	04/10/24 22:13	1	
o-Terphenyl	120		70 - 130				04/10/24 14:23	04/10/24 22:13	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	1060		25.0	1.97	mg/Kg			04/15/24 11:15	5	

Client Sample ID: SB-15-2'-3'
Date Collected: 04/05/24 11:05
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-8
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	<0.000386	U	0.00200	0.000386	mg/Kg		04/10/24 15:00	04/10/24 20:20	1	
Toluene	<0.000457	U	0.00200	0.000457	mg/Kg		04/10/24 15:00	04/10/24 20:20	1	
Ethylbenzene	<0.000566	U	0.00200	0.000566	mg/Kg		04/10/24 15:00	04/10/24 20:20	1	
m-Xylene & p-Xylene	<0.00101	U	0.00401	0.00101	mg/Kg		04/10/24 15:00	04/10/24 20:20	1	
o-Xylene	<0.000345	U	0.00200	0.000345	mg/Kg		04/10/24 15:00	04/10/24 20:20	1	
Xylenes, Total	<0.00101	U	0.00401	0.00101	mg/Kg		04/10/24 15:00	04/10/24 20:20	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	98		70 - 130				04/10/24 15:00	04/10/24 20:20	1	
1,4-Difluorobenzene (Surr)	92		70 - 130				04/10/24 15:00	04/10/24 20:20	1	

Method: TAL SOP Total BTEX - Total BTEX Calculation										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total BTEX	<0.00101	U	0.00401	0.00101	mg/Kg			04/10/24 20:20	1	

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total TPH	98.7		49.8	14.9	mg/Kg			04/10/24 23:16	1	

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	47.5	J	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 23:16	1	
Diesel Range Organics (Over C10-C28)	51.2	*1	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 23:16	1	
Oil Range Organics (Over C28-C36)	<14.9	U	49.8	14.9	mg/Kg		04/10/24 14:23	04/10/24 23:16	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	135	S1+	70 - 130				04/10/24 14:23	04/10/24 23:16	1	
o-Terphenyl	149	S1+	70 - 130				04/10/24 14:23	04/10/24 23:16	1	

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	957		5.04	0.398	mg/Kg			04/15/24 11:34	1	

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-16-0'-1'

Lab Sample ID: 880-42093-9

Date Collected: 04/05/24 11:30

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		04/10/24 15:00	04/10/24 20:41	1
Toluene	<0.000454	U	0.00199	0.000454	mg/Kg		04/10/24 15:00	04/10/24 20:41	1
Ethylbenzene	<0.000563	U	0.00199	0.000563	mg/Kg		04/10/24 15:00	04/10/24 20:41	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		04/10/24 15:00	04/10/24 20:41	1
o-Xylene	<0.000343	U	0.00199	0.000343	mg/Kg		04/10/24 15:00	04/10/24 20:41	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		04/10/24 15:00	04/10/24 20:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	79		70 - 130	04/10/24 15:00	04/10/24 20:41	1
1,4-Difluorobenzene (Surr)	93		70 - 130	04/10/24 15:00	04/10/24 20:41	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00398	0.00101	mg/Kg			04/10/24 20:41	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	101		49.7	14.9	mg/Kg			04/10/24 23:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	39.8	J	49.7	14.9	mg/Kg		04/10/24 14:23	04/10/24 23:38	1
Diesel Range Organics (Over C10-C28)	61.0	*1	49.7	14.9	mg/Kg		04/10/24 14:23	04/10/24 23:38	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.7	14.9	mg/Kg		04/10/24 14:23	04/10/24 23:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	135	S1+	70 - 130	04/10/24 14:23	04/10/24 23:38	1
o-Terphenyl	146	S1+	70 - 130	04/10/24 14:23	04/10/24 23:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	323		4.99	0.394	mg/Kg			04/15/24 11:40	1

Client Sample ID: SB-16-2'-3'

Lab Sample ID: 880-42093-10

Date Collected: 04/05/24 11:35

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000381	U	0.00198	0.000381	mg/Kg		04/10/24 15:00	04/10/24 21:01	1
Toluene	<0.000451	U	0.00198	0.000451	mg/Kg		04/10/24 15:00	04/10/24 21:01	1
Ethylbenzene	<0.000559	U	0.00198	0.000559	mg/Kg		04/10/24 15:00	04/10/24 21:01	1
m-Xylene & p-Xylene	<0.00100	U	0.00396	0.00100	mg/Kg		04/10/24 15:00	04/10/24 21:01	1
o-Xylene	<0.000341	U	0.00198	0.000341	mg/Kg		04/10/24 15:00	04/10/24 21:01	1
Xylenes, Total	<0.00100	U	0.00396	0.00100	mg/Kg		04/10/24 15:00	04/10/24 21:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130	04/10/24 15:00	04/10/24 21:01	1
1,4-Difluorobenzene (Surr)	90		70 - 130	04/10/24 15:00	04/10/24 21:01	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-16-2'-3'

Lab Sample ID: 880-42093-10

Date Collected: 04/05/24 11:35

Matrix: Solid

Date Received: 04/10/24 14:01

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00396	0.00100	mg/Kg			04/10/24 21:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	84.2		50.0	15.0	mg/Kg			04/10/24 23:59	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	40.7	J	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 23:59	1
Diesel Range Organics (Over C10-C28)	43.5	J *1	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 23:59	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 14:23	04/10/24 23:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130				04/10/24 14:23	04/10/24 23:59	1
o-Terphenyl	135	S1+	70 - 130				04/10/24 14:23	04/10/24 23:59	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	775		5.03	0.397	mg/Kg			04/15/24 11:46	1

Client Sample ID: SB-17-0'-1'

Lab Sample ID: 880-42093-11

Date Collected: 04/05/24 12:00

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		04/10/24 15:00	04/10/24 21:22	1
Toluene	<0.000453	U	0.00199	0.000453	mg/Kg		04/10/24 15:00	04/10/24 21:22	1
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		04/10/24 15:00	04/10/24 21:22	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		04/10/24 15:00	04/10/24 21:22	1
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		04/10/24 15:00	04/10/24 21:22	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		04/10/24 15:00	04/10/24 21:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	80		70 - 130				04/10/24 15:00	04/10/24 21:22	1
1,4-Difluorobenzene (Surr)	95		70 - 130				04/10/24 15:00	04/10/24 21:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00398	0.00100	mg/Kg			04/10/24 21:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	86.9		50.0	15.0	mg/Kg			04/11/24 00:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	42.1	J	50.0	15.0	mg/Kg		04/10/24 14:23	04/11/24 00:20	1
Diesel Range Organics (Over C10-C28)	44.8	J *1	50.0	15.0	mg/Kg		04/10/24 14:23	04/11/24 00:20	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-17-0'-1'
Date Collected: 04/05/24 12:00
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-11
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 14:23	04/11/24 00:20	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	125		70 - 130				04/10/24 14:23	04/11/24 00:20	1	
o-Terphenyl	131	S1+	70 - 130				04/10/24 14:23	04/11/24 00:20	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	3.95	J	4.98	0.393	mg/Kg			04/15/24 11:53	1	

Client Sample ID: SB-17-2'-3'
Date Collected: 04/05/24 12:05
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-12
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		04/10/24 15:21	04/10/24 17:18	1	
Toluene	<0.000458	U	0.00201	0.000458	mg/Kg		04/10/24 15:21	04/10/24 17:18	1	
Ethylbenzene	<0.000567	U	0.00201	0.000567	mg/Kg		04/10/24 15:21	04/10/24 17:18	1	
m-Xylene & p-Xylene	<0.00101	U	0.00402	0.00101	mg/Kg		04/10/24 15:21	04/10/24 17:18	1	
o-Xylene	<0.000345	U	0.00201	0.000345	mg/Kg		04/10/24 15:21	04/10/24 17:18	1	
Xylenes, Total	<0.00101	U	0.00402	0.00101	mg/Kg		04/10/24 15:21	04/10/24 17:18	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	111		70 - 130				04/10/24 15:21	04/10/24 17:18	1	
1,4-Difluorobenzene (Surr)	88		70 - 130				04/10/24 15:21	04/10/24 17:18	1	

Method: TAL SOP Total BTEX - Total BTEX Calculation										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total BTEX	<0.00101	U	0.00402	0.00101	mg/Kg			04/10/24 17:18	1	

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Total TPH	48.9	J	50.0	15.0	mg/Kg			04/12/24 12:12	1	

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	24.6	J	50.0	15.0	mg/Kg		04/12/24 11:39	04/12/24 12:12	1	
Diesel Range Organics (Over C10-C28)	24.3	J	50.0	15.0	mg/Kg		04/12/24 11:39	04/12/24 12:12	1	
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/12/24 11:39	04/12/24 12:12	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	85		70 - 130				04/12/24 11:39	04/12/24 12:12	1	
o-Terphenyl	100		70 - 130				04/12/24 11:39	04/12/24 12:12	1	

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	1.60	J	4.99	0.394	mg/Kg			04/15/24 11:59	1	

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-18-0'-1'

Lab Sample ID: 880-42093-13

Date Collected: 04/05/24 12:30

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000710	J	0.00199	0.000383	mg/Kg		04/10/24 15:21	04/10/24 17:38	1
Toluene	0.00129	J	0.00199	0.000454	mg/Kg		04/10/24 15:21	04/10/24 17:38	1
Ethylbenzene	0.00366		0.00199	0.000563	mg/Kg		04/10/24 15:21	04/10/24 17:38	1
m-Xylene & p-Xylene	0.00278	J	0.00398	0.00101	mg/Kg		04/10/24 15:21	04/10/24 17:38	1
o-Xylene	0.000668	J	0.00199	0.000343	mg/Kg		04/10/24 15:21	04/10/24 17:38	1
Xylenes, Total	0.00345	J	0.00398	0.00101	mg/Kg		04/10/24 15:21	04/10/24 17:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130	04/10/24 15:21	04/10/24 17:38	1
1,4-Difluorobenzene (Surr)	77		70 - 130	04/10/24 15:21	04/10/24 17:38	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00911		0.00398	0.00101	mg/Kg			04/10/24 17:38	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	554		49.9	15.0	mg/Kg			04/12/24 18:25	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	49.9	15.0	mg/Kg		04/12/24 11:39	04/12/24 18:25	1
Diesel Range Organics (Over C10-C28)	554		49.9	15.0	mg/Kg		04/12/24 11:39	04/12/24 18:25	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		04/12/24 11:39	04/12/24 18:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	04/12/24 11:39	04/12/24 18:25	1
o-Terphenyl	121		70 - 130	04/12/24 11:39	04/12/24 18:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	782		5.02	0.397	mg/Kg			04/15/24 12:05	1

Client Sample ID: SB-18-2'-3'

Lab Sample ID: 880-42093-14

Date Collected: 04/05/24 12:35

Matrix: Solid

Date Received: 04/10/24 14:01

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00169	J	0.00198	0.000381	mg/Kg		04/10/24 15:21	04/10/24 17:59	1
Toluene	0.0768		0.00198	0.000451	mg/Kg		04/10/24 15:21	04/10/24 17:59	1
Ethylbenzene	0.205		0.00198	0.000559	mg/Kg		04/10/24 15:21	04/10/24 17:59	1
m-Xylene & p-Xylene	0.0517		0.00396	0.00100	mg/Kg		04/10/24 15:21	04/10/24 17:59	1
o-Xylene	0.0835		0.00198	0.000341	mg/Kg		04/10/24 15:21	04/10/24 17:59	1
Xylenes, Total	0.135		0.00396	0.00100	mg/Kg		04/10/24 15:21	04/10/24 17:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	207	S1+	70 - 130	04/10/24 15:21	04/10/24 17:59	1
1,4-Difluorobenzene (Surr)	105		70 - 130	04/10/24 15:21	04/10/24 17:59	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-18-2'-3'
Date Collected: 04/05/24 12:35
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-14
Matrix: Solid

Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.419		0.00396	0.00100	mg/Kg			04/10/24 17:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	5750		249	74.7	mg/Kg			04/12/24 18:46	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	174	J	249	74.7	mg/Kg		04/12/24 11:39	04/12/24 18:46	5
Diesel Range Organics (Over C10-C28)	5580		249	74.7	mg/Kg		04/12/24 11:39	04/12/24 18:46	5
Oil Range Organics (Over C28-C36)	<74.7	U	249	74.7	mg/Kg		04/12/24 11:39	04/12/24 18:46	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				04/12/24 11:39	04/12/24 18:46	5
o-Terphenyl	133	S1+	70 - 130				04/12/24 11:39	04/12/24 18:46	5

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1540		24.9	1.97	mg/Kg			04/15/24 12:12	5

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC)
Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-42093-1	SB-12-0'-1'	90	100
880-42093-2	SB-12-2'-3'	75	98
880-42093-3	SB-13-0'-1'	73	93
880-42093-4	SB-13-2'-3'	127	109
880-42093-5	SB-14-3'	77	89
880-42093-6	SB-14-4'-5'	91	88
880-42093-7	SB-15-0'-1'	93	92
880-42093-8	SB-15-2'-3'	98	92
880-42093-9	SB-16-0'-1'	79	93
880-42093-10	SB-16-2'-3'	99	90
880-42093-11	SB-17-0'-1'	80	95
880-42093-12	SB-17-2'-3'	111	88
880-42093-12 MS	SB-17-2'-3'	107	97
880-42093-12 MSD	SB-17-2'-3'	113	95
880-42093-13	SB-18-0'-1'	141 S1+	77
880-42093-14	SB-18-2'-3'	207 S1+	105
LCS 880-77815/1-A	Lab Control Sample	108	124
LCS 880-77862/1-A	Lab Control Sample	101	96
LCSD 880-77815/2-A	Lab Control Sample Dup	100	120
LCSD 880-77862/2-A	Lab Control Sample Dup	100	96
MB 880-77815/5-A	Method Blank	72	102
MB 880-77862/5-A	Method Blank	109	87
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)
Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-42093-1	SB-12-0'-1'	114	116
880-42093-2	SB-12-2'-3'	133 S1+	141 S1+
880-42093-3	SB-13-0'-1'	124	125
880-42093-4	SB-13-2'-3'	127	128
880-42093-5	SB-14-3'	131 S1+	143 S1+
880-42093-6	SB-14-4'-5'	139 S1+	153 S1+
880-42093-7	SB-15-0'-1'	117	120
880-42093-8	SB-15-2'-3'	135 S1+	149 S1+
880-42093-9	SB-16-0'-1'	135 S1+	146 S1+
880-42093-10	SB-16-2'-3'	130	135 S1+
880-42093-11	SB-17-0'-1'	125	131 S1+
880-42093-12	SB-17-2'-3'	85	100
880-42093-12 MS	SB-17-2'-3'	90	96
880-42093-12 MSD	SB-17-2'-3'	91	94
880-42093-13	SB-18-0'-1'	106	121
880-42093-14	SB-18-2'-3'	115	133 S1+
LCS 880-77844/2-A	Lab Control Sample	80	88

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
LCS 880-78036/2-A	Lab Control Sample	71	89
LCSD 880-77844/3-A	Lab Control Sample Dup	95	106
LCSD 880-78036/3-A	Lab Control Sample Dup	76	97
MB 880-77844/1-A	Method Blank	105	110
MB 880-78036/1-A	Method Blank	91	104
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-77815/5-A
Matrix: Solid
Analysis Batch: 77788

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 77815

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000388	U	0.00202	0.000388	mg/Kg		04/10/24 10:58	04/10/24 13:29	1
Toluene	<0.000460	U	0.00202	0.000460	mg/Kg		04/10/24 10:58	04/10/24 13:29	1
Ethylbenzene	<0.000570	U	0.00202	0.000570	mg/Kg		04/10/24 10:58	04/10/24 13:29	1
m-Xylene & p-Xylene	<0.00102	U	0.00403	0.00102	mg/Kg		04/10/24 10:58	04/10/24 13:29	1
o-Xylene	<0.000347	U	0.00202	0.000347	mg/Kg		04/10/24 10:58	04/10/24 13:29	1
Xylenes, Total	<0.00102	U	0.00403	0.00102	mg/Kg		04/10/24 10:58	04/10/24 13:29	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	72		70 - 130	04/10/24 10:58	04/10/24 13:29	1
1,4-Difluorobenzene (Surr)	102		70 - 130	04/10/24 10:58	04/10/24 13:29	1

Lab Sample ID: LCS 880-77815/1-A
Matrix: Solid
Analysis Batch: 77788

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 77815

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08851		mg/Kg		89	70 - 130
Toluene	0.100	0.08671		mg/Kg		87	70 - 130
Ethylbenzene	0.100	0.1010		mg/Kg		101	70 - 130
m-Xylene & p-Xylene	0.200	0.2019		mg/Kg		101	70 - 130
o-Xylene	0.100	0.1003		mg/Kg		100	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	108		70 - 130
1,4-Difluorobenzene (Surr)	124		70 - 130

Lab Sample ID: LCSD 880-77815/2-A
Matrix: Solid
Analysis Batch: 77788

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 77815

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.08436		mg/Kg		84	70 - 130	5	35
Toluene	0.100	0.08886		mg/Kg		89	70 - 130	2	35
Ethylbenzene	0.100	0.09249		mg/Kg		92	70 - 130	9	35
m-Xylene & p-Xylene	0.200	0.1837		mg/Kg		92	70 - 130	9	35
o-Xylene	0.100	0.09151		mg/Kg		92	70 - 130	9	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	120		70 - 130

Lab Sample ID: MB 880-77862/5-A
Matrix: Solid
Analysis Batch: 77790

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 77862

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		04/10/24 08:00	04/10/24 10:56	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		04/10/24 08:00	04/10/24 10:56	1

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-77862/5-A

Matrix: Solid

Analysis Batch: 77790

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 77862

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		04/10/24 08:00	04/10/24 10:56	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		04/10/24 08:00	04/10/24 10:56	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		04/10/24 08:00	04/10/24 10:56	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		04/10/24 08:00	04/10/24 10:56	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	04/10/24 08:00	04/10/24 10:56	1
1,4-Difluorobenzene (Surr)	87		70 - 130	04/10/24 08:00	04/10/24 10:56	1

Lab Sample ID: LCS 880-77862/1-A

Matrix: Solid

Analysis Batch: 77790

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 77862

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09316		mg/Kg		93	70 - 130
Toluene	0.100	0.08679		mg/Kg		87	70 - 130
Ethylbenzene	0.100	0.08967		mg/Kg		90	70 - 130
m-Xylene & p-Xylene	0.200	0.1796		mg/Kg		90	70 - 130
o-Xylene	0.100	0.08946		mg/Kg		89	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: LCSD 880-77862/2-A

Matrix: Solid

Analysis Batch: 77790

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 77862

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09045		mg/Kg		90	70 - 130	3	35
Toluene	0.100	0.08379		mg/Kg		84	70 - 130	4	35
Ethylbenzene	0.100	0.08600		mg/Kg		86	70 - 130	4	35
m-Xylene & p-Xylene	0.200	0.1731		mg/Kg		87	70 - 130	4	35
o-Xylene	0.100	0.08679		mg/Kg		87	70 - 130	3	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: 880-42093-12 MS

Matrix: Solid

Analysis Batch: 77790

Client Sample ID: SB-17-2-'3'

Prep Type: Total/NA

Prep Batch: 77862

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.000387	U	0.0998	0.09629		mg/Kg		96	70 - 130
Toluene	<0.000458	U	0.0998	0.08582		mg/Kg		86	70 - 130
Ethylbenzene	<0.000567	U	0.0998	0.08365		mg/Kg		84	70 - 130
m-Xylene & p-Xylene	<0.00101	U	0.200	0.1670		mg/Kg		84	70 - 130

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-42093-12 MS

Matrix: Solid

Analysis Batch: 77790

Client Sample ID: SB-17-2'-3'

Prep Type: Total/NA

Prep Batch: 77862

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	<0.000345	U	0.0998	0.08191		mg/Kg		82	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	107		70 - 130						
1,4-Difluorobenzene (Surr)	97		70 - 130						

Lab Sample ID: 880-42093-12 MSD

Matrix: Solid

Analysis Batch: 77790

Client Sample ID: SB-17-2'-3'

Prep Type: Total/NA

Prep Batch: 77862

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.000387	U	0.100	0.09919		mg/Kg		99	70 - 130	3	35
Toluene	<0.000458	U	0.100	0.08773		mg/Kg		88	70 - 130	2	35
Ethylbenzene	<0.000567	U	0.100	0.08543		mg/Kg		85	70 - 130	2	35
m-Xylene & p-Xylene	<0.00101	U	0.200	0.1742		mg/Kg		87	70 - 130	4	35
o-Xylene	<0.000345	U	0.100	0.08695		mg/Kg		87	70 - 130	6	35
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	113		70 - 130								
1,4-Difluorobenzene (Surr)	95		70 - 130								

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-77844/1-A

Matrix: Solid

Analysis Batch: 77779

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 77844

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		04/10/24 08:23	04/10/24 09:36	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 08:23	04/10/24 09:36	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/10/24 08:23	04/10/24 09:36	1
Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1-Chlorooctane	105		70 - 130	04/10/24 08:23	04/10/24 09:36	1			
o-Terphenyl	110		70 - 130	04/10/24 08:23	04/10/24 09:36	1			

Lab Sample ID: LCS 880-77844/2-A

Matrix: Solid

Analysis Batch: 77779

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 77844

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	939.9		mg/Kg		94	70 - 130
Diesel Range Organics (Over C10-C28)	1000	798.6		mg/Kg		80	70 - 130

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-77844/2-A
Matrix: Solid
Analysis Batch: 77779

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 77844

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	80		70 - 130
o-Terphenyl	88		70 - 130

Lab Sample ID: LCSD 880-77844/3-A
Matrix: Solid
Analysis Batch: 77779

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 77844

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	952.2		mg/Kg		95	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	983.0	*1	mg/Kg		98	70 - 130	21	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	95		70 - 130
o-Terphenyl	106		70 - 130

Lab Sample ID: MB 880-78036/1-A
Matrix: Solid
Analysis Batch: 77980

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 78036

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		04/12/24 08:39	04/12/24 09:31	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		04/12/24 08:39	04/12/24 09:31	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/12/24 08:39	04/12/24 09:31	1

	MB	MB					Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits						
1-Chlorooctane	91		70 - 130				04/12/24 08:39	04/12/24 09:31	1
o-Terphenyl	104		70 - 130				04/12/24 08:39	04/12/24 09:31	1

Lab Sample ID: LCS 880-78036/2-A
Matrix: Solid
Analysis Batch: 77980

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 78036

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	778.0		mg/Kg		78	70 - 130
Diesel Range Organics (Over C10-C28)	1000	874.8		mg/Kg		87	70 - 130

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	71		70 - 130
o-Terphenyl	89		70 - 130

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-78036/3-A				Client Sample ID: Lab Control Sample Dup							
Matrix: Solid				Prep Type: Total/NA							
Analysis Batch: 77980				Prep Batch: 78036							
Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10			1000	815.3		mg/Kg		82	70 - 130	5	20
Diesel Range Organics (Over C10-C28)			1000	940.2		mg/Kg		94	70 - 130	7	20
LCSD LCSD											
Surrogate	%Recovery	Qualifier	Limits								
1-Chlorooctane	76		70 - 130								
o-Terphenyl	97		70 - 130								

Lab Sample ID: 880-42093-12 MS				Client Sample ID: SB-17-2'-3'							
Matrix: Solid				Prep Type: Total/NA							
Analysis Batch: 77980				Prep Batch: 78036							
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (GRO)-C6-C10	24.6	J	1000	966.3		mg/Kg		94	70 - 130		
Diesel Range Organics (Over C10-C28)	24.3	J	1000	978.9		mg/Kg		95	70 - 130		
MS MS											
Surrogate	%Recovery	Qualifier	Limits								
1-Chlorooctane	90		70 - 130								
o-Terphenyl	96		70 - 130								

Lab Sample ID: 880-42093-12 MSD				Client Sample ID: SB-17-2'-3'							
Matrix: Solid				Prep Type: Total/NA							
Analysis Batch: 77980				Prep Batch: 78036							
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	24.6	J	1000	977.9		mg/Kg		95	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	24.3	J	1000	962.2		mg/Kg		94	70 - 130	2	20
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
1-Chlorooctane	91		70 - 130								
o-Terphenyl	94		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-77960/1-A				Client Sample ID: Method Blank							
Matrix: Solid				Prep Type: Soluble							
Analysis Batch: 78208											
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	<0.395	U	5.00	0.395	mg/Kg			04/15/24 09:02	1		

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-77960/2-A				Client Sample ID: Lab Control Sample							
Matrix: Solid				Prep Type: Soluble							
Analysis Batch: 78208											
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride			250	237.8		mg/Kg		95	90 - 110		

Lab Sample ID: LCSD 880-77960/3-A				Client Sample ID: Lab Control Sample Dup							
Matrix: Solid				Prep Type: Soluble							
Analysis Batch: 78208											
Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride			250	239.0		mg/Kg		96	90 - 110	1	20

Lab Sample ID: 880-42093-5 MS				Client Sample ID: SB-14-3'							
Matrix: Solid				Prep Type: Soluble							
Analysis Batch: 78208											
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	10.8		250	252.7		mg/Kg		97	90 - 110		

Lab Sample ID: 880-42093-5 MSD				Client Sample ID: SB-14-3'							
Matrix: Solid				Prep Type: Soluble							
Analysis Batch: 78208											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.8		250	252.2		mg/Kg		97	90 - 110	0	20

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

GC VOA

Analysis Batch: 77788

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-1	SB-12-0'-1'	Total/NA	Solid	8021B	77815
880-42093-2	SB-12-2'-3'	Total/NA	Solid	8021B	77815
880-42093-3	SB-13-0'-1'	Total/NA	Solid	8021B	77815
880-42093-4	SB-13-2'-3'	Total/NA	Solid	8021B	77815
880-42093-5	SB-14-3'	Total/NA	Solid	8021B	77815
880-42093-6	SB-14-4'-5'	Total/NA	Solid	8021B	77815
880-42093-7	SB-15-0'-1'	Total/NA	Solid	8021B	77815
880-42093-8	SB-15-2'-3'	Total/NA	Solid	8021B	77815
880-42093-9	SB-16-0'-1'	Total/NA	Solid	8021B	77815
880-42093-10	SB-16-2'-3'	Total/NA	Solid	8021B	77815
880-42093-11	SB-17-0'-1'	Total/NA	Solid	8021B	77815
MB 880-77815/5-A	Method Blank	Total/NA	Solid	8021B	77815
LCS 880-77815/1-A	Lab Control Sample	Total/NA	Solid	8021B	77815
LCSD 880-77815/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	77815

Analysis Batch: 77790

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-12	SB-17-2'-3'	Total/NA	Solid	8021B	77862
880-42093-13	SB-18-0'-1'	Total/NA	Solid	8021B	77862
880-42093-14	SB-18-2'-3'	Total/NA	Solid	8021B	77862
MB 880-77862/5-A	Method Blank	Total/NA	Solid	8021B	77862
LCS 880-77862/1-A	Lab Control Sample	Total/NA	Solid	8021B	77862
LCSD 880-77862/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	77862
880-42093-12 MS	SB-17-2'-3'	Total/NA	Solid	8021B	77862
880-42093-12 MSD	SB-17-2'-3'	Total/NA	Solid	8021B	77862

Prep Batch: 77815

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-1	SB-12-0'-1'	Total/NA	Solid	5030B	
880-42093-2	SB-12-2'-3'	Total/NA	Solid	5030B	
880-42093-3	SB-13-0'-1'	Total/NA	Solid	5030B	
880-42093-4	SB-13-2'-3'	Total/NA	Solid	5030B	
880-42093-5	SB-14-3'	Total/NA	Solid	5030B	
880-42093-6	SB-14-4'-5'	Total/NA	Solid	5030B	
880-42093-7	SB-15-0'-1'	Total/NA	Solid	5030B	
880-42093-8	SB-15-2'-3'	Total/NA	Solid	5030B	
880-42093-9	SB-16-0'-1'	Total/NA	Solid	5030B	
880-42093-10	SB-16-2'-3'	Total/NA	Solid	5030B	
880-42093-11	SB-17-0'-1'	Total/NA	Solid	5030B	
MB 880-77815/5-A	Method Blank	Total/NA	Solid	5030B	
LCS 880-77815/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-77815/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	

Prep Batch: 77862

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-12	SB-17-2'-3'	Total/NA	Solid	5030B	
880-42093-13	SB-18-0'-1'	Total/NA	Solid	5030B	
880-42093-14	SB-18-2'-3'	Total/NA	Solid	5030B	
MB 880-77862/5-A	Method Blank	Total/NA	Solid	5030B	
LCS 880-77862/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-77862/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

GC VOA (Continued)

Prep Batch: 77862 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-12 MS	SB-17-2'-3'	Total/NA	Solid	5030B	
880-42093-12 MSD	SB-17-2'-3'	Total/NA	Solid	5030B	

Analysis Batch: 77917

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-1	SB-12-0'-1'	Total/NA	Solid	Total BTEX	
880-42093-2	SB-12-2'-3'	Total/NA	Solid	Total BTEX	
880-42093-3	SB-13-0'-1'	Total/NA	Solid	Total BTEX	
880-42093-4	SB-13-2'-3'	Total/NA	Solid	Total BTEX	
880-42093-5	SB-14-3'	Total/NA	Solid	Total BTEX	
880-42093-6	SB-14-4'-5'	Total/NA	Solid	Total BTEX	
880-42093-7	SB-15-0'-1'	Total/NA	Solid	Total BTEX	
880-42093-8	SB-15-2'-3'	Total/NA	Solid	Total BTEX	
880-42093-9	SB-16-0'-1'	Total/NA	Solid	Total BTEX	
880-42093-10	SB-16-2'-3'	Total/NA	Solid	Total BTEX	
880-42093-11	SB-17-0'-1'	Total/NA	Solid	Total BTEX	
880-42093-12	SB-17-2'-3'	Total/NA	Solid	Total BTEX	
880-42093-13	SB-18-0'-1'	Total/NA	Solid	Total BTEX	
880-42093-14	SB-18-2'-3'	Total/NA	Solid	Total BTEX	

GC Semi VOA

Analysis Batch: 77779

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-1	SB-12-0'-1'	Total/NA	Solid	8015B NM	77844
880-42093-2	SB-12-2'-3'	Total/NA	Solid	8015B NM	77844
880-42093-3	SB-13-0'-1'	Total/NA	Solid	8015B NM	77844
880-42093-4	SB-13-2'-3'	Total/NA	Solid	8015B NM	77844
880-42093-5	SB-14-3'	Total/NA	Solid	8015B NM	77844
880-42093-6	SB-14-4'-5'	Total/NA	Solid	8015B NM	77844
880-42093-7	SB-15-0'-1'	Total/NA	Solid	8015B NM	77844
880-42093-8	SB-15-2'-3'	Total/NA	Solid	8015B NM	77844
880-42093-9	SB-16-0'-1'	Total/NA	Solid	8015B NM	77844
880-42093-10	SB-16-2'-3'	Total/NA	Solid	8015B NM	77844
880-42093-11	SB-17-0'-1'	Total/NA	Solid	8015B NM	77844
MB 880-77844/1-A	Method Blank	Total/NA	Solid	8015B NM	77844
LCS 880-77844/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	77844
LCSD 880-77844/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	77844

Prep Batch: 77844

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-1	SB-12-0'-1'	Total/NA	Solid	8015NM Prep	
880-42093-2	SB-12-2'-3'	Total/NA	Solid	8015NM Prep	
880-42093-3	SB-13-0'-1'	Total/NA	Solid	8015NM Prep	
880-42093-4	SB-13-2'-3'	Total/NA	Solid	8015NM Prep	
880-42093-5	SB-14-3'	Total/NA	Solid	8015NM Prep	
880-42093-6	SB-14-4'-5'	Total/NA	Solid	8015NM Prep	
880-42093-7	SB-15-0'-1'	Total/NA	Solid	8015NM Prep	
880-42093-8	SB-15-2'-3'	Total/NA	Solid	8015NM Prep	
880-42093-9	SB-16-0'-1'	Total/NA	Solid	8015NM Prep	
880-42093-10	SB-16-2'-3'	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

GC Semi VOA (Continued)

Prep Batch: 77844 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-11	SB-17-0'-1'	Total/NA	Solid	8015NM Prep	
MB 880-77844/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-77844/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-77844/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 77980

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-12	SB-17-2'-3'	Total/NA	Solid	8015B NM	78036
880-42093-13	SB-18-0'-1'	Total/NA	Solid	8015B NM	78036
880-42093-14	SB-18-2'-3'	Total/NA	Solid	8015B NM	78036
MB 880-78036/1-A	Method Blank	Total/NA	Solid	8015B NM	78036
LCS 880-78036/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	78036
LCSD 880-78036/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	78036
880-42093-12 MS	SB-17-2'-3'	Total/NA	Solid	8015B NM	78036
880-42093-12 MSD	SB-17-2'-3'	Total/NA	Solid	8015B NM	78036

Analysis Batch: 78005

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-1	SB-12-0'-1'	Total/NA	Solid	8015 NM	
880-42093-2	SB-12-2'-3'	Total/NA	Solid	8015 NM	
880-42093-3	SB-13-0'-1'	Total/NA	Solid	8015 NM	
880-42093-4	SB-13-2'-3'	Total/NA	Solid	8015 NM	
880-42093-5	SB-14-3'	Total/NA	Solid	8015 NM	
880-42093-6	SB-14-4'-5'	Total/NA	Solid	8015 NM	
880-42093-7	SB-15-0'-1'	Total/NA	Solid	8015 NM	
880-42093-8	SB-15-2'-3'	Total/NA	Solid	8015 NM	
880-42093-9	SB-16-0'-1'	Total/NA	Solid	8015 NM	
880-42093-10	SB-16-2'-3'	Total/NA	Solid	8015 NM	
880-42093-11	SB-17-0'-1'	Total/NA	Solid	8015 NM	
880-42093-12	SB-17-2'-3'	Total/NA	Solid	8015 NM	
880-42093-13	SB-18-0'-1'	Total/NA	Solid	8015 NM	
880-42093-14	SB-18-2'-3'	Total/NA	Solid	8015 NM	

Prep Batch: 78036

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-12	SB-17-2'-3'	Total/NA	Solid	8015NM Prep	
880-42093-13	SB-18-0'-1'	Total/NA	Solid	8015NM Prep	
880-42093-14	SB-18-2'-3'	Total/NA	Solid	8015NM Prep	
MB 880-78036/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-78036/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-78036/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-42093-12 MS	SB-17-2'-3'	Total/NA	Solid	8015NM Prep	
880-42093-12 MSD	SB-17-2'-3'	Total/NA	Solid	8015NM Prep	

HPLC/IC

Leach Batch: 77960

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-1	SB-12-0'-1'	Soluble	Solid	DI Leach	
880-42093-2	SB-12-2'-3'	Soluble	Solid	DI Leach	
880-42093-3	SB-13-0'-1'	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

HPLC/IC (Continued)

Leach Batch: 77960 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-4	SB-13-2'-3'	Soluble	Solid	DI Leach	
880-42093-5	SB-14-3'	Soluble	Solid	DI Leach	
880-42093-6	SB-14-4'-5'	Soluble	Solid	DI Leach	
880-42093-7	SB-15-0'-1'	Soluble	Solid	DI Leach	
880-42093-8	SB-15-2'-3'	Soluble	Solid	DI Leach	
880-42093-9	SB-16-0'-1'	Soluble	Solid	DI Leach	
880-42093-10	SB-16-2'-3'	Soluble	Solid	DI Leach	
880-42093-11	SB-17-0'-1'	Soluble	Solid	DI Leach	
880-42093-12	SB-17-2'-3'	Soluble	Solid	DI Leach	
880-42093-13	SB-18-0'-1'	Soluble	Solid	DI Leach	
880-42093-14	SB-18-2'-3'	Soluble	Solid	DI Leach	
MB 880-77960/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-77960/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-77960/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-42093-5 MS	SB-14-3'	Soluble	Solid	DI Leach	
880-42093-5 MSD	SB-14-3'	Soluble	Solid	DI Leach	

Analysis Batch: 78208

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42093-1	SB-12-0'-1'	Soluble	Solid	300.0	77960
880-42093-2	SB-12-2'-3'	Soluble	Solid	300.0	77960
880-42093-3	SB-13-0'-1'	Soluble	Solid	300.0	77960
880-42093-4	SB-13-2'-3'	Soluble	Solid	300.0	77960
880-42093-5	SB-14-3'	Soluble	Solid	300.0	77960
880-42093-6	SB-14-4'-5'	Soluble	Solid	300.0	77960
880-42093-7	SB-15-0'-1'	Soluble	Solid	300.0	77960
880-42093-8	SB-15-2'-3'	Soluble	Solid	300.0	77960
880-42093-9	SB-16-0'-1'	Soluble	Solid	300.0	77960
880-42093-10	SB-16-2'-3'	Soluble	Solid	300.0	77960
880-42093-11	SB-17-0'-1'	Soluble	Solid	300.0	77960
880-42093-12	SB-17-2'-3'	Soluble	Solid	300.0	77960
880-42093-13	SB-18-0'-1'	Soluble	Solid	300.0	77960
880-42093-14	SB-18-2'-3'	Soluble	Solid	300.0	77960
MB 880-77960/1-A	Method Blank	Soluble	Solid	300.0	77960
LCS 880-77960/2-A	Lab Control Sample	Soluble	Solid	300.0	77960
LCSD 880-77960/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	77960
880-42093-5 MS	SB-14-3'	Soluble	Solid	300.0	77960
880-42093-5 MSD	SB-14-3'	Soluble	Solid	300.0	77960

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-12-0'-1'
Date Collected: 04/05/24 09:30
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.99 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 16:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 16:56	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 20:08	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 20:08	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	78208	04/15/24 10:24	SMC	EET MID

Client Sample ID: SB-12-2'-3'
Date Collected: 04/05/24 09:35
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 18:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 18:17	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 20:29	SM	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 20:29	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	78208	04/15/24 10:30	SMC	EET MID

Client Sample ID: SB-13-0'-1'
Date Collected: 04/05/24 10:00
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 18:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 18:38	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 21:10	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 21:10	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 10:37	SMC	EET MID

Client Sample ID: SB-13-2'-3'
Date Collected: 04/05/24 10:05
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 18:59	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 18:59	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-13-2'-3'
Date Collected: 04/05/24 10:05
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			78005	04/10/24 21:52	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 21:52	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 10:43	SMC	EET MID

Client Sample ID: SB-14-3'
Date Collected: 04/05/24 10:30
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.04 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 19:19	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 19:19	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 22:34	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 22:34	SM	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 10:49	SMC	EET MID

Client Sample ID: SB-14-4'-5'
Date Collected: 04/05/24 10:35
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-6
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 19:39	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 19:39	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 22:55	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 22:55	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 11:08	SMC	EET MID

Client Sample ID: SB-15-0'-1'
Date Collected: 04/05/24 11:00
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.97 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 20:00	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 20:00	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 22:13	SM	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 22:13	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-15-0'-1'
Date Collected: 04/05/24 11:00
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	78208	04/15/24 11:15	SMC	EET MID

Client Sample ID: SB-15-2'-3'
Date Collected: 04/05/24 11:05
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-8
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.99 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 20:20	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 20:20	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 23:16	SM	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 23:16	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 11:34	SMC	EET MID

Client Sample ID: SB-16-0'-1'
Date Collected: 04/05/24 11:30
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-9
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 20:41	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 20:41	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 23:38	SM	EET MID
Total/NA	Prep	8015NM Prep			10.07 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 23:38	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 11:40	SMC	EET MID

Client Sample ID: SB-16-2'-3'
Date Collected: 04/05/24 11:35
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-10
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 21:01	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 21:01	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/10/24 23:59	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/10/24 23:59	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 11:46	SMC	EET MID

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-17-0'-1'
Date Collected: 04/05/24 12:00
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-11
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	77815	04/10/24 15:00	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77788	04/10/24 21:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 21:22	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/11/24 00:20	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	77844	04/10/24 14:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77779	04/11/24 00:20	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 11:53	SMC	EET MID

Client Sample ID: SB-17-2'-3'
Date Collected: 04/05/24 12:05
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-12
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.98 g	5 mL	77862	04/10/24 15:21	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77790	04/10/24 17:18	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 17:18	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/12/24 12:12	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	78036	04/12/24 11:39	AM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77980	04/12/24 12:12	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 11:59	SMC	EET MID

Client Sample ID: SB-18-0'-1'
Date Collected: 04/05/24 12:30
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-13
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	77862	04/10/24 15:21	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77790	04/10/24 17:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 17:38	AJ	EET MID
Total/NA	Analysis	8015 NM		1			78005	04/12/24 18:25	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	78036	04/12/24 11:39	AM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	77980	04/12/24 18:25	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78208	04/15/24 12:05	SMC	EET MID

Client Sample ID: SB-18-2'-3'
Date Collected: 04/05/24 12:35
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	77862	04/10/24 15:21	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	77790	04/10/24 17:59	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			77917	04/10/24 17:59	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Client Sample ID: SB-18-2'-3'
Date Collected: 04/05/24 12:35
Date Received: 04/10/24 14:01

Lab Sample ID: 880-42093-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			78005	04/12/24 18:46	SM	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	78036	04/12/24 11:39	AM	EET MID
Total/NA	Analysis	8015B NM		5	1 uL	1 uL	77980	04/12/24 18:46	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	77960	04/11/24 14:49	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	78208	04/15/24 12:12	SMC	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-23-26	06-30-24
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5030B	Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Arcadis U.S., Inc.
Project/Site: WATER INJECTION ST.

Job ID: 880-42093-1
SDG: Lovington, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-42093-1	SB-12-0'-1'	Solid	04/05/24 09:30	04/10/24 14:01
880-42093-2	SB-12-2'-3'	Solid	04/05/24 09:35	04/10/24 14:01
880-42093-3	SB-13-0'-1'	Solid	04/05/24 10:00	04/10/24 14:01
880-42093-4	SB-13-2'-3'	Solid	04/05/24 10:05	04/10/24 14:01
880-42093-5	SB-14-3'	Solid	04/05/24 10:30	04/10/24 14:01
880-42093-6	SB-14-4'-5'	Solid	04/05/24 10:35	04/10/24 14:01
880-42093-7	SB-15-0'-1'	Solid	04/05/24 11:00	04/10/24 14:01
880-42093-8	SB-15-2'-3'	Solid	04/05/24 11:05	04/10/24 14:01
880-42093-9	SB-16-0'-1'	Solid	04/05/24 11:30	04/10/24 14:01
880-42093-10	SB-16-2'-3'	Solid	04/05/24 11:35	04/10/24 14:01
880-42093-11	SB-17-0'-1'	Solid	04/05/24 12:00	04/10/24 14:01
880-42093-12	SB-17-2'-3'	Solid	04/05/24 12:05	04/10/24 14:01
880-42093-13	SB-18-0'-1'	Solid	04/05/24 12:30	04/10/24 14:01
880-42093-14	SB-18-2'-3'	Solid	04/05/24 12:35	04/10/24 14:01

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
El Paso, TX (915) 885-3443, Lubbock, TX (806) 794-1286
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199
Little Rock, AR (501) 224-5080

Work

880-42093 Chain of Custody

Page 1 of 2

Project Manager	Morgan Jordan	Bill to, (if different)	
Company Name	Arcaadis	Company Name	
Address	1004 N Big Springs Suite 300	Address	
City, State ZIP	Midland, TX 79701	City, State ZIP:	Douglas Jordan @ Arcaadis
Phone	281-644-4437	Email	

Project Name	Water Injection St.	Turn Around	☒ Routine ☐ Rush
Project Number	302 09634	Due Date	
Project Location	Conington, NUN	TAT starts the day received by the lab, if received by 4:30pm	
Sample's Name	Heater Box		
PO #			

SAMPLE RECEIPT	Temp Blank	Yes	No	Wet Ice	Yes	No
Samples Received Intact:	Yes	No	Thermometer ID	Yes	No	
Cooler Custody Seals:	Yes	No	Correction Factor	Yes	No	
Sample Custody Seals	Yes	No	Temperature Reading	1.4		
Total Containers	Yes	No	Corrected Temperature	1.5		

Parameters
80213
8005 MOD-NUN
300-09634 FM 280

ANALYSIS REQUEST

Program: UST/PST	☐ PRP	☐ Brownfields	☐ RRC	☐ Superfund
State of Project:				
Reporting: Level II	☐ Level III	☐ PST/UST	☐ TRRP	☐ Level IV
Deliverables EDD	☐ ADAPT	☐ Other		

Preservative Codes	None	NO	DI Water	H ₂ O
	Cool	Cool	MeOH	Me
	HCL	HC	HNO ₃	
	H ₂ SO ₄	H ₂	NaOH	Na
	H ₃ PO ₄	HP		
	NaHSO ₄	NABIS		
	Na ₂ S ₂ O ₃	NaSO ₃		
	Zn Acetate	+NaOH, Zn		
	NaOH+Ascorbic Acid	SAPC		

Sample Comments

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grav/Comp	# of Cont	ANALYSIS REQUEST	Preservative Codes
SB-12-0-1'	S	4/5/24	930	67	1	1		
SB-12-2-3'			935		1	1		
SB-13-0-1'			1000		1	1		
SB-13-2-3'			1005		1	1		
SB-14-0-1'			1030		1	1		
SB-14-2-3'			1035		1	1		
SB-15-0-1'			1100		1	1		
SB-15-2-3'			1105		1	1		
SB-16-0-1'			1130		1	1		
SB-16-2-3'			1135		1	1		

Total 200.7 / 6010 200.8 / 6020:

Circle Method(s) and Metal(s) to be analyzed: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
	Dalveiy Gonzales	4/9/24			4/10/24 1419

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199
Little Rock, AR (501) 224-5060

Loc: 880
42093

Work Order No: _____

Page 2 of 2

Project Manager:	Morgan Jordan	Bill to (if different):	
Company Name:	Accord's	Company Name:	
Address:	1004 W Bay Springs Suite 300	Address:	
City, State ZIP:	Midland, TX 79701	City, State ZIP:	
Phone:	281-644-9437	Email:	Douglas.Jordan@Accord's.com

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐	
State of Project:	
Reporting Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐	Deliverables EDD ☐ ADAPT ☐ Other

Project Name:	Water Injection	Turn Around	
Project Number:	30209634	☐ Routine ☐ Rush	
Project Location:	Levinton, NM	Due Date:	
Sampler's Name:	Heckler	TAT starts the day received by the lab, if received by 4:30pm	
PO #:			
SAMPLE RECEIPT	Temp Blank:	Yes No	Wet Ice
Samples Received Intact:	Yes No	Thermometer ID	
Cooler Custody Seals:	Yes No	N/A	Correction Factor
Sample Custody Seals:	Yes No	N/A	Temperature Reading
Total Containers		Corrected Temperature	

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
SB-17-0-1'	S	4/5/24	1200		G	1	80213		None NO	DI Water- H ₂ O
SB-17-2-3'			1205			1	8015 MOD - N/A		Cool Cool	MeOH Me
SB-18-0-1'			1230			1	800 ORG FM-28D		HCL HC	HNO ₃
SB-18-2-3'			1235			1			H ₂ SO ₄ H ₂	NaOH Na
									H ₃ PO ₄ HP	
									NaHSO ₄ NABIS	
									Na ₂ S ₂ O ₃ NaSO ₃	
									Zn Acetate+NaOH Zn	
									NaOH+Ascorbic Acid SAPC	

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM	Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010- 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 2451 / 7470 / 7471		

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xeno, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xeno will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xeno. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xeno, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
	Dairiy Gonzales	04/9/24			

Login Sample Receipt Checklist

Client: Arcadis U.S., Inc.

Job Number: 880-42093-1

SDG Number: Lovington, NM

Login Number: 42093

List Source: Eurofins Midland

List Number: 1

Creator: Vasquez, Julisa

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Morgan Jordan
Arcadis U.S., Inc.
1004 North Big Spring
Suite 300
Midland, Texas 79701

Generated 4/18/2024 10:53:46 PM

JOB DESCRIPTION

Water Injection Station
Lovington, NM

JOB NUMBER

880-42178-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
4/18/2024 10:53:46 PM

Authorized for release by
John Builes, Project Manager
John.Builes@et.eurofinsus.com
(561)558-4549

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Laboratory Job ID: 880-42178-1
SDG: Lovington, NM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	17
Certification Summary	19
Method Summary	20
Sample Summary	21
Chain of Custody	22
Receipt Checklists	23

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis U.S., Inc.
Project: Water Injection Station

Job ID: 880-42178-1

Job ID: 880-42178-1

Eurofins Midland

Job Narrative 880-42178-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 4/12/2024 11:08 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.7°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: SB-28-2'-3' (880-42178-1), SB-28-4'-5' (880-42178-2), SB-28-6'-7' (880-42178-3), SB-29-2'-3' (880-42178-4), SB-29-6'-7' (880-42178-5) and SB-29-8'-9' (880-42178-6).

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-78110/3-A). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: The method blank for preparation batch 880-78110 and analytical batch 880-78118 contained Gasoline Range Organics (GRO)-C6-C10 above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD_NM: The laboratory control sample (LCS) associated with preparation batch 880-78110 and analytical batch 880-78118 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Client Sample ID: SB-28-2'-3'

Lab Sample ID: 880-42178-1

Date Collected: 04/10/24 09:40

Matrix: Solid

Date Received: 04/12/24 11:08

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000381	U	0.00198	0.000381	mg/Kg		04/12/24 13:26	04/15/24 03:11	1
Toluene	<0.000451	U	0.00198	0.000451	mg/Kg		04/12/24 13:26	04/15/24 03:11	1
Ethylbenzene	<0.000559	U	0.00198	0.000559	mg/Kg		04/12/24 13:26	04/15/24 03:11	1
m-Xylene & p-Xylene	<0.00100	U	0.00396	0.00100	mg/Kg		04/12/24 13:26	04/15/24 03:11	1
o-Xylene	<0.000341	U	0.00198	0.000341	mg/Kg		04/12/24 13:26	04/15/24 03:11	1
Xylenes, Total	<0.00100	U	0.00396	0.00100	mg/Kg		04/12/24 13:26	04/15/24 03:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	04/12/24 13:26	04/15/24 03:11	1
1,4-Difluorobenzene (Surr)	91		70 - 130	04/12/24 13:26	04/15/24 03:11	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00396	0.00100	mg/Kg			04/15/24 03:11	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	534		49.9	15.0	mg/Kg			04/14/24 18:48	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	34.7	J B *1	49.9	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:48	1
Diesel Range Organics (Over C10-C28)	432	*+ *1	49.9	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:48	1
Oil Range Organics (Over C28-C36)	67.5		49.9	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	87		70 - 130	04/13/24 10:43	04/14/24 18:48	1
o-Terphenyl	91		70 - 130	04/13/24 10:43	04/14/24 18:48	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1240		25.0	1.97	mg/Kg			04/17/24 05:30	5

Client Sample ID: SB-28-4'-5'

Lab Sample ID: 880-42178-2

Date Collected: 04/10/24 09:50

Matrix: Solid

Date Received: 04/12/24 11:08

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000388	U	0.00202	0.000388	mg/Kg		04/12/24 13:26	04/15/24 04:44	1
Toluene	<0.000460	U	0.00202	0.000460	mg/Kg		04/12/24 13:26	04/15/24 04:44	1
Ethylbenzene	<0.000570	U	0.00202	0.000570	mg/Kg		04/12/24 13:26	04/15/24 04:44	1
m-Xylene & p-Xylene	<0.00102	U	0.00403	0.00102	mg/Kg		04/12/24 13:26	04/15/24 04:44	1
o-Xylene	<0.000347	U	0.00202	0.000347	mg/Kg		04/12/24 13:26	04/15/24 04:44	1
Xylenes, Total	<0.00102	U	0.00403	0.00102	mg/Kg		04/12/24 13:26	04/15/24 04:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	04/12/24 13:26	04/15/24 04:44	1
1,4-Difluorobenzene (Surr)	90		70 - 130	04/12/24 13:26	04/15/24 04:44	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Client Sample ID: SB-28-4'-5'

Lab Sample ID: 880-42178-2

Date Collected: 04/10/24 09:50

Matrix: Solid

Date Received: 04/12/24 11:08

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00403	0.00102	mg/Kg			04/15/24 04:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	71.9		49.8	14.9	mg/Kg			04/14/24 16:59	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	47.6	J B *1	49.8	14.9	mg/Kg		04/13/24 10:43	04/14/24 16:59	1
Diesel Range Organics (Over C10-C28)	24.3	J *+ *1	49.8	14.9	mg/Kg		04/13/24 10:43	04/14/24 16:59	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.8	14.9	mg/Kg		04/13/24 10:43	04/14/24 16:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				04/13/24 10:43	04/14/24 16:59	1
o-Terphenyl	86		70 - 130				04/13/24 10:43	04/14/24 16:59	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1620		25.1	1.98	mg/Kg			04/17/24 05:49	5

Client Sample ID: SB-28-6'-7'

Lab Sample ID: 880-42178-3

Date Collected: 04/10/24 10:00

Matrix: Solid

Date Received: 04/12/24 11:08

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000386	U	0.00200	0.000386	mg/Kg		04/12/24 13:26	04/15/24 05:05	1
Toluene	<0.000457	U	0.00200	0.000457	mg/Kg		04/12/24 13:26	04/15/24 05:05	1
Ethylbenzene	<0.000566	U	0.00200	0.000566	mg/Kg		04/12/24 13:26	04/15/24 05:05	1
m-Xylene & p-Xylene	<0.00101	U	0.00401	0.00101	mg/Kg		04/12/24 13:26	04/15/24 05:05	1
o-Xylene	<0.000345	U	0.00200	0.000345	mg/Kg		04/12/24 13:26	04/15/24 05:05	1
Xylenes, Total	<0.00101	U	0.00401	0.00101	mg/Kg		04/12/24 13:26	04/15/24 05:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				04/12/24 13:26	04/15/24 05:05	1
1,4-Difluorobenzene (Surr)	90		70 - 130				04/12/24 13:26	04/15/24 05:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00401	0.00101	mg/Kg			04/15/24 05:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	60.7		49.7	14.9	mg/Kg			04/14/24 17:21	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	35.8	J B *1	49.7	14.9	mg/Kg		04/13/24 10:43	04/14/24 17:21	1
Diesel Range Organics (Over C10-C28)	24.9	J *+ *1	49.7	14.9	mg/Kg		04/13/24 10:43	04/14/24 17:21	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Client Sample ID: SB-28-6'-7'

Lab Sample ID: 880-42178-3

Date Collected: 04/10/24 10:00

Matrix: Solid

Date Received: 04/12/24 11:08

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<14.9	U	49.7	14.9	mg/Kg		04/13/24 10:43	04/14/24 17:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				04/13/24 10:43	04/14/24 17:21	1
o-Terphenyl	86		70 - 130				04/13/24 10:43	04/14/24 17:21	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	931		5.02	0.397	mg/Kg			04/17/24 05:55	1

Client Sample ID: SB-29-2'-3'

Lab Sample ID: 880-42178-4

Date Collected: 04/10/24 10:40

Matrix: Solid

Date Received: 04/12/24 11:08

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000849	J	0.00198	0.000382	mg/Kg		04/12/24 13:26	04/15/24 05:25	1
Toluene	<0.000452	U	0.00198	0.000452	mg/Kg		04/12/24 13:26	04/15/24 05:25	1
Ethylbenzene	<0.000561	U	0.00198	0.000561	mg/Kg		04/12/24 13:26	04/15/24 05:25	1
m-Xylene & p-Xylene	<0.00100	U	0.00397	0.00100	mg/Kg		04/12/24 13:26	04/15/24 05:25	1
o-Xylene	<0.000341	U	0.00198	0.000341	mg/Kg		04/12/24 13:26	04/15/24 05:25	1
Xylenes, Total	<0.00100	U	0.00397	0.00100	mg/Kg		04/12/24 13:26	04/15/24 05:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130				04/12/24 13:26	04/15/24 05:25	1
1,4-Difluorobenzene (Surr)	97		70 - 130				04/12/24 13:26	04/15/24 05:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00397	0.00100	mg/Kg			04/15/24 05:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	1410		50.0	15.0	mg/Kg			04/14/24 18:27	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	48.0	J B *1	50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:27	1
Diesel Range Organics (Over C10-C28)	1190	*+ *1	50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:27	1
Oil Range Organics (Over C28-C36)	175		50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	88		70 - 130				04/13/24 10:43	04/14/24 18:27	1
o-Terphenyl	91		70 - 130				04/13/24 10:43	04/14/24 18:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	907		5.05	0.399	mg/Kg			04/17/24 06:02	1

Eurofins Midland

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Client Sample ID: SB-29-6'-7'

Lab Sample ID: 880-42178-5

Date Collected: 04/10/24 11:05

Matrix: Solid

Date Received: 04/12/24 11:08

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		04/12/24 13:26	04/15/24 05:45	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		04/12/24 13:26	04/15/24 05:45	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		04/12/24 13:26	04/15/24 05:45	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		04/12/24 13:26	04/15/24 05:45	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		04/12/24 13:26	04/15/24 05:45	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		04/12/24 13:26	04/15/24 05:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130				04/12/24 13:26	04/15/24 05:45	1
1,4-Difluorobenzene (Surr)	90		70 - 130				04/12/24 13:26	04/15/24 05:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00400	0.00101	mg/Kg			04/15/24 05:45	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	74.8		49.6	14.9	mg/Kg			04/14/24 17:43	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	46.5	J B *1	49.6	14.9	mg/Kg		04/13/24 10:43	04/14/24 17:43	1
Diesel Range Organics (Over C10-C28)	28.3	J *+ *1	49.6	14.9	mg/Kg		04/13/24 10:43	04/14/24 17:43	1
Oil Range Organics (Over C28-C36)	<14.9	U	49.6	14.9	mg/Kg		04/13/24 10:43	04/14/24 17:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				04/13/24 10:43	04/14/24 17:43	1
o-Terphenyl	106		70 - 130				04/13/24 10:43	04/14/24 17:43	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	146		5.05	0.399	mg/Kg			04/17/24 06:08	1

Client Sample ID: SB-29-8'-9'

Lab Sample ID: 880-42178-6

Date Collected: 04/10/24 11:20

Matrix: Solid

Date Received: 04/12/24 11:08

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		04/12/24 13:26	04/15/24 06:06	1
Toluene	<0.000453	U	0.00199	0.000453	mg/Kg		04/12/24 13:26	04/15/24 06:06	1
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		04/12/24 13:26	04/15/24 06:06	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		04/12/24 13:26	04/15/24 06:06	1
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		04/12/24 13:26	04/15/24 06:06	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		04/12/24 13:26	04/15/24 06:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130				04/12/24 13:26	04/15/24 06:06	1
1,4-Difluorobenzene (Surr)	90		70 - 130				04/12/24 13:26	04/15/24 06:06	1

Client Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Client Sample ID: SB-29-8'-9'

Lab Sample ID: 880-42178-6

Date Collected: 04/10/24 11:20

Matrix: Solid

Date Received: 04/12/24 11:08

Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00398	0.00100	mg/Kg			04/15/24 06:06	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	61.6		50.0	15.0	mg/Kg			04/14/24 18:05	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	36.1	J B *1	50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:05	1
Diesel Range Organics (Over C10-C28)	25.5	J *+ *1	50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:05	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 18:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130				04/13/24 10:43	04/14/24 18:05	1
o-Terphenyl	92		70 - 130				04/13/24 10:43	04/14/24 18:05	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	206		4.98	0.393	mg/Kg			04/17/24 06:27	1

Surrogate Summary

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-42178-1	SB-28-2'-3'	115	91
880-42178-2	SB-28-4'-5'	112	90
880-42178-3	SB-28-6'-7'	112	90
880-42178-4	SB-29-2'-3'	122	97
880-42178-5	SB-29-6'-7'	114	90
880-42178-6	SB-29-8'-9'	114	90
LCS 880-78046/1-A	Lab Control Sample	113	105
LCSD 880-78046/2-A	Lab Control Sample Dup	113	106
MB 880-78046/5-A	Method Blank	110	86
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-42178-1	SB-28-2'-3'	87	91
880-42178-2	SB-28-4'-5'	82	86
880-42178-3	SB-28-6'-7'	80	86
880-42178-4	SB-29-2'-3'	88	91
880-42178-5	SB-29-6'-7'	97	106
880-42178-6	SB-29-8'-9'	85	92
LCS 880-78110/2-A	Lab Control Sample	87	94
LCSD 880-78110/3-A	Lab Control Sample Dup	130	139 S1+
MB 880-78110/1-A	Method Blank	111	113
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-78046/5-A						Client Sample ID: Method Blank				
Matrix: Solid						Prep Type: Total/NA				
Analysis Batch: 78123						Prep Batch: 78046				
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		04/12/24 13:26	04/14/24 23:26	1	
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		04/12/24 13:26	04/14/24 23:26	1	
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		04/12/24 13:26	04/14/24 23:26	1	
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		04/12/24 13:26	04/14/24 23:26	1	
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		04/12/24 13:26	04/14/24 23:26	1	
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		04/12/24 13:26	04/14/24 23:26	1	
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	110		70 - 130				04/12/24 13:26	04/14/24 23:26	1	
1,4-Difluorobenzene (Surr)	86		70 - 130				04/12/24 13:26	04/14/24 23:26	1	

Lab Sample ID: LCS 880-78046/1-A					Client Sample ID: Lab Control Sample						
Matrix: Solid					Prep Type: Total/NA						
Analysis Batch: 78123					Prep Batch: 78046						
				Spike	LCS	LCS			%Rec		
Analyte				Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene				0.100	0.1159		mg/Kg		116	70 - 130	
Toluene				0.100	0.1108		mg/Kg		111	70 - 130	
Ethylbenzene				0.100	0.1121		mg/Kg		112	70 - 130	
m-Xylene & p-Xylene				0.200	0.2231		mg/Kg		112	70 - 130	
o-Xylene				0.100	0.1104		mg/Kg		110	70 - 130	
	</										

Lab Sample ID: LCSD 880-78046/2-A						Client Sample ID: Lab Control Sample Dup								
Matrix: Solid						Prep Type: Total/NA								
Analysis Batch: 78123						Prep Batch: 78046								
Analyte	Spike			LCSD	LCSD	Unit	D	%Rec	%Rec		RPD			
	Added			Result	Qualifier				Limits	RPD	Limit			
	Benzene			0.100	0.1201					mg/Kg	120	70 - 130	4	35
	Toluene			0.100	0.1148					mg/Kg	115	70 - 130	4	35
	Ethylbenzene			0.100	0.1166					mg/Kg	117	70 - 130	4	35
	m-Xylene & p-Xylene			0.200	0.2308					mg/Kg	115	70 - 130	3	35
	o-Xylene			0.100	0.1143					mg/Kg	114	70 - 130	3	35
LCSD			LCSD											
Surrogate	%Recovery	Qualifier	Limits											
4-Bromofluorobenzene (Surr)	113		70 - 130											
1,4-Difluorobenzene (Surr)	106		70 - 130											

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-78110/1-A

Matrix: Solid

Analysis Batch: 78118

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 78110

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	22.07	J	50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 08:22	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 08:22	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		04/13/24 10:43	04/14/24 08:22	1
Surrogate	MB	MB	Limits				Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier							
1-Chlorooctane	111		70 - 130				04/13/24 10:43	04/14/24 08:22	1
o-Terphenyl	113		70 - 130				04/13/24 10:43	04/14/24 08:22	1

Lab Sample ID: LCS 880-78110/2-A

Matrix: Solid

Analysis Batch: 78118

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 78110

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	825.8		mg/Kg		83	70 - 130
Diesel Range Organics (Over C10-C28)	1000	885.4		mg/Kg		89	70 - 130
Surrogate	LCS	LCS	Limits				
	%Recovery	Qualifier					
1-Chlorooctane	87		70 - 130				
o-Terphenyl	94		70 - 130				

Lab Sample ID: LCSD 880-78110/3-A

Matrix: Solid

Analysis Batch: 78118

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 78110

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1268	*1	mg/Kg		127	70 - 130	42	20
Diesel Range Organics (Over C10-C28)	1000	1496	*+ *1	mg/Kg		150	70 - 130	51	20
Surrogate	LCSD	LCSD	Limits						
	%Recovery	Qualifier							
1-Chlorooctane	130		70 - 130						
o-Terphenyl	139	S1+	70 - 130						

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-78295/1-A

Matrix: Solid

Analysis Batch: 78405

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.395	U	5.00	0.395	mg/Kg			04/17/24 05:11	1

Eurofins Midland

QC Sample Results

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-78295/2-A

Matrix: Solid

Analysis Batch: 78405

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride			250	247.5		mg/Kg		99	90 - 110		

Lab Sample ID: LCSD 880-78295/3-A

Matrix: Solid

Analysis Batch: 78405

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride			250	248.8		mg/Kg		100	90 - 110	1	20

Lab Sample ID: 880-42178-1 MS

Matrix: Solid

Analysis Batch: 78405

Client Sample ID: SB-28-2'-3'

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	1240		1250	2499		mg/Kg		101	90 - 110		

Lab Sample ID: 880-42178-1 MSD

Matrix: Solid

Analysis Batch: 78405

Client Sample ID: SB-28-2'-3'

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	1240		1250	2469		mg/Kg		98	90 - 110	1	20

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

GC VOA

Prep Batch: 78046

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-1	SB-28-2'-3'	Total/NA	Solid	5030B	
880-42178-2	SB-28-4'-5'	Total/NA	Solid	5030B	
880-42178-3	SB-28-6'-7'	Total/NA	Solid	5030B	
880-42178-4	SB-29-2'-3'	Total/NA	Solid	5030B	
880-42178-5	SB-29-6'-7'	Total/NA	Solid	5030B	
880-42178-6	SB-29-8'-9'	Total/NA	Solid	5030B	
MB 880-78046/5-A	Method Blank	Total/NA	Solid	5030B	
LCS 880-78046/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-78046/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	

Analysis Batch: 78123

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-1	SB-28-2'-3'	Total/NA	Solid	8021B	78046
880-42178-2	SB-28-4'-5'	Total/NA	Solid	8021B	78046
880-42178-3	SB-28-6'-7'	Total/NA	Solid	8021B	78046
880-42178-4	SB-29-2'-3'	Total/NA	Solid	8021B	78046
880-42178-5	SB-29-6'-7'	Total/NA	Solid	8021B	78046
880-42178-6	SB-29-8'-9'	Total/NA	Solid	8021B	78046
MB 880-78046/5-A	Method Blank	Total/NA	Solid	8021B	78046
LCS 880-78046/1-A	Lab Control Sample	Total/NA	Solid	8021B	78046
LCSD 880-78046/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	78046

Analysis Batch: 78269

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-1	SB-28-2'-3'	Total/NA	Solid	Total BTEX	
880-42178-2	SB-28-4'-5'	Total/NA	Solid	Total BTEX	
880-42178-3	SB-28-6'-7'	Total/NA	Solid	Total BTEX	
880-42178-4	SB-29-2'-3'	Total/NA	Solid	Total BTEX	
880-42178-5	SB-29-6'-7'	Total/NA	Solid	Total BTEX	
880-42178-6	SB-29-8'-9'	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 78110

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-1	SB-28-2'-3'	Total/NA	Solid	8015NM Prep	
880-42178-2	SB-28-4'-5'	Total/NA	Solid	8015NM Prep	
880-42178-3	SB-28-6'-7'	Total/NA	Solid	8015NM Prep	
880-42178-4	SB-29-2'-3'	Total/NA	Solid	8015NM Prep	
880-42178-5	SB-29-6'-7'	Total/NA	Solid	8015NM Prep	
880-42178-6	SB-29-8'-9'	Total/NA	Solid	8015NM Prep	
MB 880-78110/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-78110/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-78110/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 78118

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-1	SB-28-2'-3'	Total/NA	Solid	8015B NM	78110
880-42178-2	SB-28-4'-5'	Total/NA	Solid	8015B NM	78110
880-42178-3	SB-28-6'-7'	Total/NA	Solid	8015B NM	78110
880-42178-4	SB-29-2'-3'	Total/NA	Solid	8015B NM	78110

Eurofins Midland

QC Association Summary

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

GC Semi VOA (Continued)

Analysis Batch: 78118 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-5	SB-29-6'-7'	Total/NA	Solid	8015B NM	78110
880-42178-6	SB-29-8'-9'	Total/NA	Solid	8015B NM	78110
MB 880-78110/1-A	Method Blank	Total/NA	Solid	8015B NM	78110
LCS 880-78110/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	78110
LCSD 880-78110/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	78110

Analysis Batch: 78329

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-1	SB-28-2'-3'	Total/NA	Solid	8015 NM	
880-42178-2	SB-28-4'-5'	Total/NA	Solid	8015 NM	
880-42178-3	SB-28-6'-7'	Total/NA	Solid	8015 NM	
880-42178-4	SB-29-2'-3'	Total/NA	Solid	8015 NM	
880-42178-5	SB-29-6'-7'	Total/NA	Solid	8015 NM	
880-42178-6	SB-29-8'-9'	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 78295

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-1	SB-28-2'-3'	Soluble	Solid	DI Leach	
880-42178-2	SB-28-4'-5'	Soluble	Solid	DI Leach	
880-42178-3	SB-28-6'-7'	Soluble	Solid	DI Leach	
880-42178-4	SB-29-2'-3'	Soluble	Solid	DI Leach	
880-42178-5	SB-29-6'-7'	Soluble	Solid	DI Leach	
880-42178-6	SB-29-8'-9'	Soluble	Solid	DI Leach	
MB 880-78295/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-78295/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-78295/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-42178-1 MS	SB-28-2'-3'	Soluble	Solid	DI Leach	
880-42178-1 MSD	SB-28-2'-3'	Soluble	Solid	DI Leach	

Analysis Batch: 78405

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-42178-1	SB-28-2'-3'	Soluble	Solid	300.0	78295
880-42178-2	SB-28-4'-5'	Soluble	Solid	300.0	78295
880-42178-3	SB-28-6'-7'	Soluble	Solid	300.0	78295
880-42178-4	SB-29-2'-3'	Soluble	Solid	300.0	78295
880-42178-5	SB-29-6'-7'	Soluble	Solid	300.0	78295
880-42178-6	SB-29-8'-9'	Soluble	Solid	300.0	78295
MB 880-78295/1-A	Method Blank	Soluble	Solid	300.0	78295
LCS 880-78295/2-A	Lab Control Sample	Soluble	Solid	300.0	78295
LCSD 880-78295/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	78295
880-42178-1 MS	SB-28-2'-3'	Soluble	Solid	300.0	78295
880-42178-1 MSD	SB-28-2'-3'	Soluble	Solid	300.0	78295

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Client Sample ID: SB-28-2'-3'
Date Collected: 04/10/24 09:40
Date Received: 04/12/24 11:08

Lab Sample ID: 880-42178-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	78046	04/12/24 13:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78123	04/15/24 03:11	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78269	04/15/24 03:11	SM	EET MID
Total/NA	Analysis	8015 NM		1			78329	04/14/24 18:48	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	78110	04/13/24 10:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	78118	04/14/24 18:48	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	78295	04/15/24 17:11	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	78405	04/17/24 05:30	SMC	EET MID

Client Sample ID: SB-28-4'-5'
Date Collected: 04/10/24 09:50
Date Received: 04/12/24 11:08

Lab Sample ID: 880-42178-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.96 g	5 mL	78046	04/12/24 13:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78123	04/15/24 04:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78269	04/15/24 04:44	SM	EET MID
Total/NA	Analysis	8015 NM		1			78329	04/14/24 16:59	SM	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	78110	04/13/24 10:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	78118	04/14/24 16:59	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	78295	04/15/24 17:11	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	78405	04/17/24 05:49	SMC	EET MID

Client Sample ID: SB-28-6'-7'
Date Collected: 04/10/24 10:00
Date Received: 04/12/24 11:08

Lab Sample ID: 880-42178-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.99 g	5 mL	78046	04/12/24 13:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78123	04/15/24 05:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78269	04/15/24 05:05	SM	EET MID
Total/NA	Analysis	8015 NM		1			78329	04/14/24 17:21	SM	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	78110	04/13/24 10:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	78118	04/14/24 17:21	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	78295	04/15/24 17:11	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78405	04/17/24 05:55	SMC	EET MID

Client Sample ID: SB-29-2'-3'
Date Collected: 04/10/24 10:40
Date Received: 04/12/24 11:08

Lab Sample ID: 880-42178-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.04 g	5 mL	78046	04/12/24 13:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78123	04/15/24 05:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78269	04/15/24 05:25	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Client Sample ID: SB-29-2'-3'

Lab Sample ID: 880-42178-4

Date Collected: 04/10/24 10:40

Matrix: Solid

Date Received: 04/12/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			78329	04/14/24 18:27	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	78110	04/13/24 10:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	78118	04/14/24 18:27	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	78295	04/15/24 17:11	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78405	04/17/24 06:02	SMC	EET MID

Client Sample ID: SB-29-6'-7'

Lab Sample ID: 880-42178-5

Date Collected: 04/10/24 11:05

Matrix: Solid

Date Received: 04/12/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.00 g	5 mL	78046	04/12/24 13:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78123	04/15/24 05:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78269	04/15/24 05:45	SM	EET MID
Total/NA	Analysis	8015 NM		1			78329	04/14/24 17:43	SM	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10 mL	78110	04/13/24 10:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	78118	04/14/24 17:43	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	78295	04/15/24 17:11	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78405	04/17/24 06:08	SMC	EET MID

Client Sample ID: SB-29-8'-9'

Lab Sample ID: 880-42178-6

Date Collected: 04/10/24 11:20

Matrix: Solid

Date Received: 04/12/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	78046	04/12/24 13:26	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	78123	04/15/24 06:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			78269	04/15/24 06:06	SM	EET MID
Total/NA	Analysis	8015 NM		1			78329	04/14/24 18:05	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	78110	04/13/24 10:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	78118	04/14/24 18:05	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	78295	04/15/24 17:11	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	78405	04/17/24 06:27	SMC	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-23-26	06-30-24
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5030B	Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Arcadis U.S., Inc.
Project/Site: Water Injection Station

Job ID: 880-42178-1
SDG: Lovington, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-42178-1	SB-28-2'-3'	Solid	04/10/24 09:40	04/12/24 11:08
880-42178-2	SB-28-4'-5'	Solid	04/10/24 09:50	04/12/24 11:08
880-42178-3	SB-28-6'-7'	Solid	04/10/24 10:00	04/12/24 11:08
880-42178-4	SB-29-2'-3'	Solid	04/10/24 10:40	04/12/24 11:08
880-42178-5	SB-29-6'-7'	Solid	04/10/24 11:05	04/12/24 11:08
880-42178-6	SB-29-8'-9'	Solid	04/10/24 11:20	04/12/24 11:08

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Eurofins Midland
1211 W Florida Ave
Midland, TX 79701
Phone (432) 704-5440

Chain of Custody Record



Client Information Client Contact: Mr Morgan Jordan Company: ARCADIS US Inc Address: 1004 North Big Spring Suite 300 City: Midland State Zip: TX, 79701 Phone: 281-844-9437(Tel) Email: douglas.jordan@arcadis.com Project Name: Water Injection Station Site: Levintown NM		Sampler Heath Boyd Phone: 575-942-0292 Lab PM: Bulles, John E-Mail: John.Bulles@eurofins.com		Carrier Tracking 880-42178 Chain of Custody Page: 10019 Job #: 1061		Analysis Requested Due Date Requested: TAT Requested (days): Compliance Project: ☐ Yes ☐ No PO #: Purchase Order Requested WO #: Project #: 30209634 SSON#:	
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological Deliverable Requested: I, II, III, IV, Other (specify)		Sample Identification Sample Date Sample Time Sample Type (C-comp, G-grab) Matrix (W-water, S-solid, O-organic, A-Air) Preservation Code		Field Filtered Sample (Yes or No) 300_ORGM_28D, 8015MOD, NM, 80218		Total Number of Containers Special Instructions/Note:	
SB-28-2-3 SB-28-4-5 SB-28-6-7 SB-29-2-3 SB-29-6-7 SB-29-8-9		4/10/24 940 950 1000 1040 1105 1120		G Solid G G G G G		X X X X X X X	
Sample Date Sample Time Sample Type (C-comp, G-grab) Matrix (W-water, S-solid, O-organic, A-Air) Preservation Code		Field Filtered Sample (Yes or No) 300_ORGM_28D, 8015MOD, NM, 80218		Total Number of Containers Special Instructions/Note:		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - NCA W - pH 4-5 Y - Trizma Z - other (specify)	
Empty Kit Relinquished by:		Date:		Method of Shipment:		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For Months	
Relinquished by:		Date/Time: 4/11/24 1430		Received by: [Signature]		Date/Time: 4/11/24 2:10	
Relinquished by:		Date/Time: 4/11/24 2:10		Received by: [Signature]		Date/Time: 4/12/24	
Relinquished by:		Date/Time:		Received by:		Date/Time: 1108	
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.		Cooler Temperature(s) °C and Other Remarks: 2.8/3.7		Company	

Login Sample Receipt Checklist

Client: Arcadis U.S., Inc.

Job Number: 880-42178-1
SDG Number: Lovington, NM

Login Number: 42178
List Number: 1
Creator: Rodriguez, Leticia

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Appendix E

NMOCD Correspondence

From: Jordan, Morgan
Sent: Monday, May 6, 2024 10:52 AM
To: Krueger, Lauren
Subject: FW: [EXTERNAL] NMOCD Deadline Extension Requests - Chevron Sites

Thank You,

Morgan Jordan | Project Manager | douglas.jordan@arcadis.com
Arcadis | Arcadis U.S., Inc.
[98 San Jacinto Blvd, Suite 414](#) | [Austin, TX](#) | [78701](#) | USA
M. +1 281 644 9437

Connect with us! www.arcadis.com | [LinkedIn](#) | [Twitter](#) | [Facebook](#)



Be green, leave it on the screen.

From: Maxwell, Ashley, EMNRD <Ashley.Maxwell@emnrd.nm.gov>
Sent: Thursday, May 2, 2024 12:54 PM
To: Foord, Scott <William.Foord@arcadis.com>
Cc: Chrisbrand@chevron.com; Michelson, Jason C <jmichelson@chevron.com>; Jordan, Morgan <Douglas.Jordan@arcadis.com>; Hall, Brittany, EMNRD <Brittany.Hall@emnrd.nm.gov>; Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Subject: RE: [EXTERNAL] NMOCD Deadline Extension Requests - Chevron Sites

Arcadis Warning: Exercise caution with email messages from external sources such as this message. Always verify the sender and avoid clicking on links or scanning QR codes unless certain of their authenticity.

Good Afternoon Scott,

The incidents below have been granted a **final** 60 day extension of July 24, 2024. Please submit all reports via the OCD permitting portal by July 24, 2024.

1. Inc. No. nLWJ1016954547 – WLU East Test Sat (State Land) - Additional soil assessment activities completed in February and April 2024. The Site Characterization and Remediation Work Plan is currently under development and will be submitted to NMOCD.
2. Inc. No. nPAC0614230052 & nPAC0718639351 – WLU Water Inj Station (State Land) - Additional soil assessment activities completed in January and April 2024. The Site Characterization and Remediation Work Plan is currently under development and will be submitted to NMOCD.
3. Inc. No. nGRL1006731469 – WLU 41 (Private) - Additional soil assessment activities conducted in January and February 2024. Vertical delineation was not completed, additional assessment will be required and will be conducted within 30 days. A Site Characterization and Remediation Work Plan will be prepared and submitted to NMOCD following completion of assessment activities within the next 30 days.
4. Inc. No. nPAC0708526071 – WLU 47 (Private) - Additional soil assessment activities completed in January and February 2024. The Site Characterization and Remediation Work Plan is currently under development and will be submitted to NMOCD.

5. Inc. No. nPAC0617348887 – WLU 56 (Private) - The latest soil assessment was completed in March 2023 and a Site Characterization and Remediation Work Plan was submitted to NMOCD in December 2023. The 2023 Site Characterization and Remediation Work Plan was rejected and is currently being revised to address NMOCD comments for resubmittal to the Portal.
6. Inc. No. nTO1424533890 – Keel Fed Battery (BLM) - Closure request report was submitted in December of 2023 and denied by NMOCD on December 22, 2023. The Closure Request Report is currently being revised to address NMOCD comments and will be resubmitted to the Portal.
7. Inc. No. nKJ1515353221 – Moran 2-6 Tank Battery (State Land) – Closure request report was submitted in December of 2023 and denied by NMOCD on December 22, 2023. The Closure Request Report is currently being revised to address NMOCD comments and will be resubmitted to the Portal.

Ashley Maxwell • Environmental Specialist
Environmental Bureau Projects Group
EMNRD - Oil Conservation Division
1000 Rio Brazos Road | Aztec, NM 87110
505.635.5000 | Ashley.Maxwell@emnrd.nm.gov
<http://www.emnrd.state.nm.us/OCD/>

Please be advised that the new Digital C-141 is live as of December 1, 2023. Please review the new Digital C-141 submission Dec 1, 2023 Guidance document posted on the EMNRD Website prior to submitting any C-141s. The guidance documents can be found at <https://www.emnrd.nm.gov/ocd/ocd-announcements-and-notifications/or> <https://www.emnrd.nm.gov/ocd/ocd-forms/>.

From: Foord, Scott <William.Foord@arcadis.com>
Sent: Thursday, May 2, 2024 11:02 AM
To: Maxwell, Ashley, EMNRD <Ashley.Maxwell@emnrd.nm.gov>
Cc: Chrisbrand@chevron.com; Michelson, Jason C <jmichelson@chevron.com>; Jordan, Morgan <Douglas.Jordan@arcadis.com>; Hall, Brittany, EMNRD <Brittany.Hall@emnrd.nm.gov>; Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Subject: RE: [EXTERNAL] NMOCD Deadline Extension Requests - Chevron Sites

Ashley,

Just following up. Please let me know if you have any questions or need anything additional information.

Thanks,
Scott
Direct 713-953-4853
Cell 281-725-7477

From: Foord, Scott
Sent: Monday, April 29, 2024 9:13 AM
To: Maxwell, Ashley, EMNRD <Ashley.Maxwell@emnrd.nm.gov>
Cc: Chrisbrand@chevron.com; Michelson, Jason C <jmichelson@chevron.com>; Jordan, Morgan <Douglas.Jordan@arcadis.com>; Hall, Brittany, EMNRD <Brittany.Hall@emnrd.nm.gov>; Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Subject: RE: [EXTERNAL] NMOCD Deadline Extension Requests - Chevron Sites

Ashley,

Please see responses below and let me know if you need any additional information.

1. Inc. No. nLWJ1016954547 – WLU East Test Sat (State Land) - Additional soil assessment activities completed in February and April 2024. The Site Characterization and Remediation Work Plan is currently under development and will be submitted to NMOCD.
2. Inc. No. nPAC0614230052 & nPAC0718639351 – WLU Water Inj Station (State Land) - Additional soil assessment activities completed in January and April 2024. The Site Characterization and Remediation Work Plan is currently under development and will be submitted to NMOCD.
3. Inc. No. nGRL1006731469 – WLU 41 (Private) - Additional soil assessment activities conducted in January and February 2024. Vertical delineation was not completed, additional assessment will be required and will be conducted within 30 days. A Site Characterization and Remediation Work Plan will be prepared and submitted to NMOCD following completion of assessment activities within the next 30 days.
4. Inc. No. nPAC0708526071 – WLU 47 (Private) - Additional soil assessment activities completed in January and February 2024. The Site Characterization and Remediation Work Plan is currently under development and will be submitted to NMOCD.
5. Inc. No. nPAC0617348887 – WLU 56 (Private) - The latest soil assessment was completed in March 2023 and a Site Characterization and Remediation Work Plan was submitted to NMOCD in December 2023. The 2023 Site Characterization and Remediation Work Plan was rejected and is currently being revised to address NMOCD comments for resubmittal to the Portal.
6. Inc. No. nTO1424533890 – Keel Fed Battery (BLM) - Closure request report was submitted in December of 2023 and denied by NMOCD on December 22, 2023. The Closure Request Report is currently being revised to address NMOCD comments and will be resubmitted to the Portal.
7. Inc. No. nKJ1515353221 – Moran 2-6 Tank Battery (State Land) – Closure request report was submitted in December of 2023 and denied by NMOCD on December 22, 2023. The Closure Request Report is currently being revised to address NMOCD comments and will be resubmitted to the Portal.

Thanks,
 Scott
 Direct 713-953-4853
 Cell 281-725-7477

From: Maxwell, Ashley, EMNRD <Ashley.Maxwell@emnrd.nm.gov>

Sent: Wednesday, April 24, 2024 9:27 AM

To: Foord, Scott <William.Foord@arcadis.com>

Cc: Chrisbrand@chevron.com; Michelson, Jason C <jmichelson@chevron.com>; Jordan, Morgan <Douglas.Jordan@arcadis.com>; Hall, Brittany, EMNRD <Brittany.Hall@emnrd.nm.gov>; Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>

Subject: RE: [EXTERNAL] NMOCD Deadline Extension Requests - Chevron Sites

Arcadis Warning: Exercise caution with email messages from external sources such as this message. Always verify the sender and avoid clicking on links or scanning QR codes unless certain of their authenticity.

Good Morning,

Please see the notes below for the requested extensions:

1. Inc. No. nLWJ1016954547 – WLU East Test Sat (State Land)-Before an extension can be granted, describe what work has been completed and specify why work has not been completed within the initial time granted.
2. Inc. No. nPAC0614230052 & nPAC0718639351 – WLU Water Inj Station (State Land)- Before an extension can be granted, describe what work has been completed and specify why work has not been completed within the initial time granted.

3. Inc. No. nGRL1006731469 – WLU 41 (Private)- Before an extension can be granted, describe what work has been completed and specify why work has not been completed within the initial time granted.
4. Inc. No. nPAC0712954774 – WLU 47 (Private)-Incident nPAC0712954774 is a duplicate incident. Refer to incident NPAC0708526071 for current status.
5. Inc. No. nPAC0617348887 – WLU 56 (Private)- Before an extension can be granted, describe what work has been completed and specify why work has not been completed within the initial time granted.
6. Inc. No. nTO1424533890 – Keel Fed Battery (BLM)- Before an extension can be granted, describe what work has been completed and specify why work has not been completed within the initial time granted.
7. Inc. No. nKJ1515353221 – Moran 2-6 Tank Battery (State Land)- Before an extension can be granted, describe what work has been completed and specify why work has not been completed within the initial time granted.

Ashley Maxwell • Environmental Specialist
 Environmental Bureau Projects Group
 EMNRD - Oil Conservation Division
 1000 Rio Brazos Road | Aztec, NM 87110
 505.635.5000 | Ashley.Maxwell@emnrd.nm.gov
<http://www.emnrd.state.nm.us/OCD/>

Please be advised that the new Digital C-141 is live as of December 1, 2023. Please review the new Digital C-141 submission Dec 1, 2023 Guidance document posted on the EMNRD Website prior to submitting any C-141s. The guidance documents can be found at <https://www.emnrd.nm.gov/ocd/ocd-announcements-and-notifications/or> <https://www.emnrd.nm.gov/ocd/ocd-forms/>.

From: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Sent: Wednesday, April 24, 2024 8:04 AM
To: Maxwell, Ashley, EMNRD <Ashley.Maxwell@emnrd.nm.gov>
Subject: Fw: [EXTERNAL] NMOCD Deadline Extension Requests - Chevron Sites

FYI. All are under your review except for the second one.

Nelson V

From: Foord, Scott <William.Foord@arcadis.com>
Sent: Wednesday, April 3, 2024 3:43 PM
To: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Cc: Brand, Chris M <Chrisbrand@chevron.com>; Michelson, Jason C <jmichelson@chevron.com>; Jordan, Morgan <Douglas.Jordan@arcadis.com>
Subject: [EXTERNAL] NMOCD Deadline Extension Requests - Chevron Sites

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Nelson,

We would like to please request 90-day extensions on the 4/30/2024 deadlines for the following sites. Additional assessments are currently ongoing and remediation work plans or closure requests will be submitted within that timeline. We are also working with the other agencies if applicable.

1. Inc. No. nLWJ1016954547 – WLU East Test Sat (State Land)
2. Inc. No. nPAC0614230052 & nPAC0718639351 – WLU Water Inj Station (State Land)

3. Inc. No. nGRL1006731469 – WLU 41 (Private)
4. Inc. No. nPAC0712954774 – WLU 47 (Private)
5. Inc. No. nPAC0617348887 – WLU 56 (Private)
6. Inc. No. nTO1424533890 – Keel Fed Battery (BLM)
7. Inc. No. nKJ1515353221 – Moran 2-6 Tank Battery (State Land)

Thanks,
Scott

Scott Foord PG, RSO, CPM
AFS Group Service Leader
Arcadis U.S., Inc.
10205 Westheimer Road Suite 800 | Houston, Texas | 77042 | USA
T +1 713 953 4853
M +1 281 725 7477
www.arcadis.com



Reduce your footprint.
Please consider the environment before printing this email

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

Arcadis U.S., Inc.
10205 Westheimer Road, Suite 800
Houston
Texas 77042
Phone: 713 953 4800
Fax: 713 977 4620
www.arcadis.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 366374

QUESTIONS

Operator: CHEVRON MIDCONTINENT, L.P. 6301 Deauville Blvd Midland, TX 79706	OGRID:
	241333
	Action Number:
	366374
Action Type:	
[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)	

QUESTIONS

Prerequisites	
Incident ID (n#)	nPAC0614230052
Incident Name	NPAC0614230052 CHEVRON WEST LOVINGTON UNIT @ 0
Incident Type	Produced Water Release
Incident Status	Remediation Plan Received
Incident Facility	[fPAC0614229930] Chevron West Lovington Unit

Location of Release Source	
Please answer all the questions in this group.	
Site Name	CHEVRON WEST LOVINGTON UNIT
Date Release Discovered	05/11/2006
Surface Owner	State

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Fitting Produced Water Released: 100 BBL Recovered: 90 BBL Lost: 10 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 366374

QUESTIONS (continued)

Operator: CHEVRON MIDCONTINENT, L.P. 6301 Deauville Blvd Midland, TX 79706	OGRID:
	241333
	Action Number:
	366374
Action Type:	
[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)	

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Mark Torres Title: Well abandonment Engineer Email: marktorres@chevron.com Date: 07/23/2024
--	--

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 366374

QUESTIONS (continued)

Operator: CHEVRON MIDCONTINENT, L.P. 6301 Deauville Blvd Midland, TX 79706	OGRID:	241333
	Action Number:	366374
	Action Type:	[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	Direct Measurement
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride	(EPA 300.0 or SM4500 Cl B)	10800
TPH (GRO+DRO+MRO)	(EPA SW-846 Method 8015M)	5750
GRO+DRO	(EPA SW-846 Method 8015M)	5750
BTEX	(EPA SW-846 Method 8021B or 8260B)	0.4
Benzene	(EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	08/23/2024
On what date will (or did) the final sampling or liner inspection occur	08/24/2024
On what date will (or was) the remediation complete(d)	09/23/2024
What is the estimated surface area (in square feet) that will be reclaimed	149000
What is the estimated volume (in cubic yards) that will be reclaimed	22500
What is the estimated surface area (in square feet) that will be remediated	149000
What is the estimated volume (in cubic yards) that will be remediated	22500

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4
Action 366374

QUESTIONS (continued)

Operator: CHEVRON MIDCONTINENT, L.P. 6301 Deauville Blvd Midland, TX 79706	OGRID:	241333
	Action Number:	366374
	Action Type:	[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	R360 ARTESIA LLC LANDFARM [FEEM0112340644]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Mark Torres Title: Well abandonment Engineer Email: marktorres@chevron.com Date: 07/23/2024
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 366374

QUESTIONS (continued)

Operator: CHEVRON MIDCONTINENT, L.P. 6301 Deauville Blvd Midland, TX 79706	OGRID: 241333
	Action Number: 366374
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 366374

QUESTIONS (continued)

Operator: CHEVRON MIDCONTINENT, L.P. 6301 Deauville Blvd Midland, TX 79706	OGRID: 241333
	Action Number: 366374
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	{Unavailable.}

Remediation Closure Request	
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.	
Requesting a remediation closure approval with this submission	No

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 366374

CONDITIONS

Operator: CHEVRON MIDCONTINENT, L.P. 6301 Deauville Blvd Midland, TX 79706	OGRID:
	241333
	Action Number:
	366374
Action Type:	
[C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)	

CONDITIONS

Created By	Condition	Condition Date
bhall	Remediation plan approved. As the site is no longer reasonably needed for production or subsequent drilling activities, the site must be reclaimed at the time of remediation. A reclamation report can be submitted with the remediation closure report OR separately immediately following the approval of the remediation closure report.	7/25/2024
bhall	The reclamation report will need to include: Executive Summary of the reclamation activities; Scaled Site Map including sampling locations; Analytical results including, but not limited to, results showing that any remaining impacts meet the reclamation standards and results to prove the backfill is non-waste containing; At least one (1) representative 5-point composite sample will need to be collected from the backfill material that will be used for the reclamation of the top four feet of the excavation. OCD reserves the right to request additional sampling if needed; pictures of the backfilled areas showing that the area is back, as nearly as practical, to the original condition or the final land use and maintain those areas to control dust and minimize erosion to the extent practical; pictures of the top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater; and a revegetation plan.	7/25/2024
bhall	Submit a complete report through the OCD Permitting website by 10/25/2024.	7/25/2024