Volume calculator

There was no volume calculator prepared when the spill occurred.



August 5, 2024

Dale Woodall
Environmental Professional
Devon Energy Production Company
205 E Bender Road # 150
Hobbs, New Mexico 88240

Subject: Remediation Closure Report

Devon Energy Production Company Seawolf 1 12 Federal 81H Release Unit D, Section 1, T26S, R33E Lea County, New Mexico Date of Release: 1/7/2018 Incident: nOY1802255368 CEC Project 331-071

Dear Mr. Woodall:

Civil & Environmental Consultants, Inc. (CEC) is submitting this Remediation Closure Report in connection with the January 7, 2018, release at the Seawolf 1 12 Federal 81H well (Site). CEC was contracted by Devon Energy Production Company (Devon) to assess and characterize a release of diesel at the subject Site. This Remediation Closure Report is being submitted to document site characterization that was completed in accordance with 19.15.29.12 of the New Mexico Administrative Code (NMAC) and to support Devon's request for Remediation Closure Approval (C-141-v-Remediation).

It should be noted that on September 7, 2023, while conducting site characterization activities for incident nOY1802255368, Devon experienced a release of crude oil and produced water on the Seawolf 1 12 Federal 81H well pad. This more recent release was given incident number nAPP2325072650. Both incidents were being investigated simultaneously by CEC. Three of the test pits that were excavated to investigate the more recent September 2023 release (SW-91H-6 (335-562), SW-91H-8 (335-562), and SW-91H-19 (335-562) were also used to delineate the extent of contamination for incident nOY1802255368 (the old release which is the subject of this report). These three boring/test pits are identified on figures and tables in this report by the boring ID followed by "365-562". The numerical sequence "335-562 refers to CEC's project number that was assigned to Incident number nAPP2325072650.

#### 1.0 BACKGROUND

According to the Release Notification filed with the State of New Mexico Form C-141, a release of diesel fuel occurred on or around January 7, 2018, at the Seawolf 1 12 Federal 81H well pad located in Public Land Survey System (PLSS) Unit Letter D, Section 1, Township 26 South, Range 33 East, Lea County, New Mexico. The location of the well pad is shown on Figure 1.

The layout of the Site including the approximate location where the release occurred is shown on Figure 2. The approximate release point was at coordinates 32.079288, -103.533712. According to the initial Form C-141 Release Notification, the cause of the release was a rupture in a 2-inch fuel line for a mud system pump. As reported on the Release Notification, an estimated 10 barrels (bbls) of diesel fuel were released to the well pad surface. Approximately eight bbls were recovered using a vacuum pump and were added

Devon Energy CEC Project 331-071 Page 2 August 5, 2024

to the oil-based mud system. The remaining diesel fuel had infiltrated into the soil and was scraped up. The spill was reported on January 19, 2018, and assigned an incident number nOY1802255368.

The initial Form C-141 Release Notification that includes a description of initial response actions that were taken by Devon, and also OCD's directive in response to the notification, is included in Appendix A.

#### 2.0 DESKTOP REVIEW

A desktop review was performed by CEC to (a) determine the wellhead protection area and distance to the nearest water source as required under 19.15.29.11 NMAC, (b) determine the distance to the nearest water course as required under 19.15.29.11 NMAC, (c) preliminarily identify distances to sensitive receptors listed under 19.15.29.12 Section C of NMAC, and (d) determine (if possible based on published information) depth to groundwater in the area.

A map identifying "Sensitive Receptors" in the area is provided as Figure B-1 in Appendix B. The Site is not located within incorporated municipal boundaries or within a defined municipal freshwater well field covered under a municipal ordinance. Similarly, the Site is not located within a 100-year floodplain, nor does it overlie a subsurface mine. Further, the Site is not located within the prescribed distances of the various sensitive receptors listed under Subsection C of 19.15.29.12 NMAC. The Site is in an area of low karst potential.

According to the New Mexico Office of the State Engineer (NMOSE) water rights reporting system, a temporary well (Temporary Well C-4628) was installed approximately 0.44 miles east of the Site in June 2022. The location of Temporary Well C-4628 is shown on Figure B-1. Temporary Well C-4628 was drilled to a depth of approximately 55 feet below ground surface (bgs). The well was determined to be dry after 24 hours. Depth to groundwater in the vicinity of the Site is therefore determined to be greater than 51 feet bgs. The well log is included in Appendix C.

#### 3.0 REGULATORY LIMITS

Remediation Closure Criteria and Reclamation Closure Criteria for soil impacted by diesel fuel are established in Table 1, Subsection E of 19.15.29.12 NMAC. Based on the information obtained from the desktop survey and the groundwater depth of >50 feet, the Remediation Closure Criteria and Reclamation Closure Criteria for this location are as follows:

Constituent	Remediation	Reclamation
	Closure Criteria	Closure Criteria <sup>1</sup>
Chloride	10,000 mg/kg	600 mg/kg
TPH (GRO+DRO+MRO)	2,500 mg/kg	100 mg/kg
TPH (GRO+DRO)	1,000 mg/kg	NSE
Total BTEX	50 mg/kg	50 mg/kg
Benzene	10 mg/kg	10 mg/kg

<sup>&</sup>lt;sup>1</sup> Reclamation Closure Criteria apply to the top four feet of the soil column irrespective of the Remediation Closure Criteria. NSE - No criteria established

Devon Energy CEC Project 331-071 Page 3 August 5, 2024

Prior to mobilization, CEC confirmed that no additional constituents of concern were required to be analyzed with the New Mexico Energy, Minerals, and Natural Resources Department Oil Conservation Division (OCD). CEC also notified OCD via email of their intent to collect site characterization and confirmation soil samples prior to performing field work in accordance with Section D of 19.15.29.12 NMAC. Records documenting the required OCD notifications are included in Appendix D.

#### 4.0 FIELD SITE ASSESSMENT ACTIVITIES

#### 4.1 PHASE 1 SITE CHARACTERIZATION

CEC conducted initial site assessment activities on May 2, 2023, during which eight (8) hand-auger borings (SW 81H-1 through SW 81H-8) were installed. The locations of the hand-auger borings are shown on Figure 2. In general, all hand-auger borings encountered refusal on hard caliche at depths of 5 feet bgs. While advancing hand-auger borings, samples were collected at one-foot depth intervals for field screening. Each sample was screened for soil electrical conductivity (EC) using a FieldScout Soil Conductivity Probe with automatic temperature compensation, Total Petroleum Hydrocarbons (TPH) using a Dexsil PetroFLAG hydrocarbon analyzer, volatile organic compounds (VOC) using a RAE Photo-Ionization Detector (PID), and field chloride using Quantab® titration strips. CEC's standard operation procedures for conducting field screening is included in Appendix E. The results of the field screenings are summarized on Table 1.

A total of forty (40) samples were collected from the hand-auger borings and submitted for laboratory analytical analysis to Eurofins Environment Testing South Central laboratory (Eurofins) in Midland, Texas. One background soil sample (SW 81H BG-1 (0-1')) was also collected and submitted for laboratory analysis. The background soil sampling location is shown on Figure 2. The soil samples were analyzed for BTEX (by Method 8021B), TPH (by Method 8015B), and chloride (by EPA Method 300.0). Analytical results for the samples that were collected during the Phase 1 site characterization are summarized on Table 2. The corresponding laboratory analytical reports are included in Appendix F.

Referring to Table 2, none of the forty (40) soil samples collected from the Phase 1 hand-auger borings contained constituents of concern at concentrations in excess of the Remediation Closure Criteria. One or more soil samples from borings SW-81H-1, SW-81H-2, SW-81H-5, SW-81H-6, SW-81H-7, SW-81H-8 were found to contain COCs at concentrations in excess of Reclamation Closure Criteria.

Following review of the results of the initial site characterization sampling, it was determined that additional delineation was warranted to meet the delineation requirements of 19.15.29.13 NMAC relating to reclamation.

#### 4.2 PHASE 2 SITE CHARACTERIZATION

Phase 2 of the site characterization was conducted on September 18, 2023. During Phase 2, eight (8) exploratory test pits (SW 81H-9 through SW 81H-16) were installed to further delineate the extent of soil contamination. The test pits were installed using a backhoe. The locations of the test pits are shown on

Devon Energy CEC Project 331-071 Page 4 August 5, 2024

Figure 2. Excavator refusal was encountered at approximately five feet bgs at all test pits due to hard caliche. Field screening was conducted following the procedures outlined in Section 4.1. Results of filed screening are summarized on Table 1.

Based on the field screening results, twenty-five (25) soil samples were submitted to Eurofins for laboratory analysis. Analytical results for the soil samples that were collected during the Phase 2 site characterization are summarized on Table 2. Analytical reports are included in Appendix F.

As shown on Table 2, none of the twenty-five (25) soil samples collected from the Phase 2 test pits contained constituents of concern at concentrations in excess of the Remediation Closure Criteria. One or more soil samples form test pit locations SW-81H-10, SW-81H-11, SW-81H-12, SW-81H-14, SW-81H-15, and SW-81H-16 were found to contain COCs at concentrations in excess of Reclamation Closure Criteria.

Following review of the results of the Phase 2 site characterization sampling, it was determined that additional delineation was warranted to meet delineation requirements of 19.15.29.13 NMAC relating to reclamation.

#### 4.3 PHASE 3 SITE CHARACTERIZATION

Phase 3 of the site characterization was conducted on October 30, 2023. During Phase 3, three (3) exploratory test pits (SW 81H-17 through SW 81H-19) were installed to further delineate the extent of soil contamination. The locations of the test pits are shown on Figure 2. Excavator refusal was encountered upon reaching caliche at approximately three feet bgs at test pits SW 81H-18 and SW 81H-19 and at approximately four feet bgs at test pits SW 81H-17 and SW 91H-19 (335-562). Field screening was conducted following the procedures outlined in Section 4.1, and the results are summarized on Table 1.

Based on the field screening results, eight (8) soil samples were submitted to Eurofins for laboratory analysis. Analytical results for the soil samples that were collected during the Phase 3 site characterization are summarized on Table 2. Analytical reports are included in Appendix F.

As shown on Table 2, none of the eight (8) soil samples collected from the Phase 3 test pits contained constituents of concern at concentrations in excess of the Remediation Closure Criteria or Reclamation Closure Criteria.

Based on the results of the Phase 3 site characterization sampling, and taking into consideration the sampling results from the three borings that were installed to investigate Incident No. nAPP2325072650, it was determined that the horizontal and vertical extent of soil contamination had been fully delineated. The site characterization identified an approximately 4,299-square-foot area over which Reclamation Closure Criteria were exceeded in the soil. The area where Reclamation Closure Criteria were exceeded was limited to the active well pad surface. None of the soil samples that were collected as part of the site characterization were found to contain COCs at concentrations in excess of the Remediation Closure Criteria.

Devon Energy CEC Project 331-071 Page 5 August 5, 2024

CEC prepared a Remediation Closure Report which was dated April 1, 2024. On April 10, 2024, Devon submitted the Remediation Closure Report to OCD along with a remediation deferral request. The remediation deferral request was rejected citing that the deferral was not justified. OCD also indicated that the delineation to reclamation standards off the well pad in the northerly direction was not sufficient to rule out the possibility that the release area extended beyond the active well pad. Further, OCD indicated that they had instituted a new requirement that 5-point composite surficial confirmation soil samples need to be collected throughout the release area on a 200 square foot grid to demonstrate that Remediation Closure Criteria had been met.

On June 6, 2024, CEC submitted a plan to Devon to address OCD concerns. The plan included provisions to further investigate the off-pad area north of the well pad and provisions to collect surficial composite soil samples as requested by OCD. CEC submitted a variance request to collect the surficial samples on a 400 square foot grid on June 5, 2024, and the request was approved by OCD on the same day. The confirmation sampling notice was submitted to OCD on June 18, 2024, and was approved the same day. OCD correspondence including the sampling notifications is included in Appendix D. The investigations that were performed to address OCD's concerns relative to delineation are discussed in Section 4.4 of this Report. Results of surficial confirmation soil sampling are discussed in Section 4.5 of this report.

#### 4.4 PHASE 4 SITE CHARACTERIZATION

Phase 4 of the site characterization was conducted on June 25, 2024. During Phase 4, two hand-auger borings (SW-81H-20 and SW-81H-21) were advanced to further delineate the extent of soil contamination north of the active well pad. The locations of the hand-auger borings are shown on Figure 2. While advancing the borings, field screening was conducted following the procedures outlined in Section 4.1. Results of field screening are summarized on Table 1.

Based on the field screening results, four (4) soil samples were submitted to Eurofins for laboratory analysis. Analytical results for the soil samples that were collected during the Phase 4 site characterization are summarized on Table 2. Analytical reports are included in Appendix F.

As shown on Table 2, none of the samples were collected from off-pad soil borings SW-81H-20 and SW-81H-21 were found to contain COCs at concentrations in excess of Reclamation Closure Criteria or Remediation Closure Criteria.

#### 4.5 SURFICIAL CONFIRMATION SOIL SAMPLING

On June 25, 2024, CEC collected a total of ten (10) representative five-point composite surficial confirmation soil samples. The samples were collected on a 400 square foot grid in accordance with the variance. A grid showing the area represented by each confirmation sample is shown on Figure 4. Confirmation samples were submitted to Eurofins Environment Testing South Central laboratory (Eurofins) in Midland, Texas. Consistent with site characterization investigations, the soil samples were analyzed for BTEX (by Method 8021B), TPH (by Method 8015B), and chloride (by EPA Method 300.0). Photographs documenting the collection of the surficial confirmation samples are included in Appendix G.

Devon Energy CEC Project 331-071 Page 6 August 5, 2024

The results for the confirmation soil sampling are summarized on Table 3. Analytical reports are included in Appendix F. As shown on Table 3, none of the surficial confirmation samples were found to contain COCs at concentrations in excess of the Remediation Closure Criteria. All 10 samples were found to contain COCs at concentrations in excess of Reclamation Closure Criteria.

#### 5.0 DISCUSSION AND CONCLUSIONS

Site characterization investigations were successful in delineating the extent of soil contamination both vertically and horizontally. None of the samples collected during the site assessment activities or surficial confirmation sampling program were found to contain COCs at concentrations in excess of the Remediation Closure Criteria. Based on the work completed, it is CEC's opinion that Incident nOY1802255368 qualifies for remediation closure approval under 19.15.29.12.D.

The investigations did identify an area on the active pad that extends over a footprint of approximately 4,299 square feet where soil contamination exceeds Reclamation Closure Standards within in the top four feet of the soil column. This area is graded to prevent ponding of water and minimize dust and erosion. In accordance with 19.15.29.12 and 19.15.29.13 NMAC, final reclamation of this area will take place once the Site is no longer used for oil and gas operations.

#### 6.0 CLOSING

CEC appreciates the opportunity to assist Devon on this project. Please contact us if you have any questions or wish to discuss any aspects of this report.

Sincerely,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.

Laura D. Campbell

Luvier Complete

Project Manager

Robert J. Valli Principal

Ran Mani

**Enclosures:** 

#### **FIGURES**

Figure 1: Site Location Map

Figure 2: Release Characterization Sample Locations

Figure 3: Areas Where Closure Criteria were Exceeded

Figure 4: Surficial Soil Confirmation Sample Locations and Sampling Grid

#### **TABLES**

Table 1: Summary of Field Screening Results – Release Characterization

Table 2: Summary of Laboratory Analytical Results – Release Characterization

Table 3: Summary of Laboratory Analytical Results – Surficial Soil Confirmation Sampling

Devon Energy CEC Project 331-071 Page 7 August 5, 2024

#### **APPENDICES**


Appendix A: Initial Release Notification and OCD Response


Appendix B: Sensitive Receptors Map Appendix C: Temporary Well C-4628 Records

Appendix D: NMOCD Correspondence Appendix E: SOPs for Field Screening Appendix F: Laboratory Analytical Reports

Appendix G: Photographic Log

### **FIGURES**





700 Cherrington Parkway Moon Township, PA 15108 (412) 429-2324 · (800) 365-2324 · fax: (412) 429-2114 www.cecinc.com


SITE CHARACTERIZATION SAMPLE LOCATIONS

LDC DRAWN BY: JLR/CBL CHECKED BY: APPROVED BY: RJV\* FIGURE NO: 1"=50' DATE: 331-071 7/31/2024 | SCALE: PROJECT NO:

700 Cherrington Parkway Moon Township, PA 15108 (412) 429-2324 · (800) 365-2324 · fax: (412) 429-2114 www.cecinc.com

AREAS WHERE CLOSURE CRITERIA WERE EXCEEDED

DRAWN BY: JLR/CBL CHECKED BY: LDC APPROVED BY: RJV\* FIGURE NO: 1"=50' 331-071 DATE: 8/5/2024 | SCALE: PROJECT NO:



700 Cherrington Parkway Moon Township, PA 15108 (412) 429-2324 · (800) 365-2324 · fax: (412) 429-2114 www.cecinc.com

SURFICIAL SOIL CONFIRMATION SAMPLE LOCATIONS AND SAMPLING GRID

DRAWN BY: JLR/CBL CHECKED BY: LDC APPROVED BY: RJV\* FIGURE NO: 1"=50' 331-071 DATE: 8/5/2024 | SCALE: PROJECT NO:



Page 14 of 334

### **TABLES**

# TABLE 1 (Page 1) SUMMARY OF FIELD SCREENING RESULTS - RELEASE CHARACTERIZATION REMEDIATION CLOSURE REPORT SEAWOLF 1 12 FEDERAL 81H DEVON ENERGY CORPORATION CEC PROJECT NUMBER: 331-071

Boring/	Screening	Depth	Assessment	Soil EC1	Chloride <sup>2</sup>	VOCs <sup>3</sup>	TPH <sup>4</sup>
Test Pit ID	Date	(ft. bgs)	Phase	(mS/cm)	(mg/kg)	(ppm)	(ppm)
		0-1		1.1	358	0	936
		1-2		1	204	0	254
SW 81H-1	5/2/2023	2-3		0.8	184	0	291
		3-4		0.25	<62	0	87
		4-5		0.25	<62	0	53
		0-1		1.3	302	0	351
		1-2		1.5	330	0	270
SW 81H-2	5/2/2023	2-3		1.3	302	0	117
		3-4		0.55	<62	0	111
		4-5		0.5	62	0	113
		0-1		0.9	250	0	194
		1-2		2.2	390	0	315
SW 81H-3	5/2/2023	2-3		0.5	114	0	210
		3-4		0.25	<62	0	154
		4-5		0.25	<62	0	88
		0-1		0.35	<62	0	130
		1-2		0.87	184	0	148
SW 81H-4	5/2/2023	2-3		0.95	130	0	132
		3-4		0.42	<62	0	116
		4-5	] [	0.39	<62	0	122
		0-1	Phase 1	4.79	984	0	232
		1-2		2.91	858	0	147
SW 81H-5	5/2/2023	2-3		1.02	184	0	155
		3-4		0.38	<62	0	103
		4-5		0.47	<62	0	113
		0-1		2.8	802	0	251
		1-2		1.35	302	0	181
SW 81H-6	5/2/2023	2-3		0.85	146	0	152
		3-4		0.37	<62	0	128
		4-5		0.35	<62	0	121
		0-1		1.9	276	0	342
		1-2		1.5	258	0	431
SW 81H-7	5/2/2023	2-3		2	528	0	285
		3-4		1.5	184	0	212
		4-5		0.3	<62	0	124
		0-1		1.5	276	0	98
		1-2		1.8	592	0	103
SW 81H-8	5/2/2023	2-3		1.1	250	0	199
		3-4		0.75	86	0	121
		4-5		0.45	<62	0	87
SW 81H-BG1	5/2/2023	0-1		0.3	<62	0	83

#### Notes

- 1. Soil electrical conductivity collected using a FieldScout Soil Conductivity Probe with automatic temperature compensation.
- 2. Chloride readings collected using CEC's Standard Operating Procedure.
- 3. Volatile Organic Compounds (VOCs) were measured in the headspace using a photoionization detector.
- $4.\ Total\ Petroleum\ Hydrocarbons\ (TPH)\ were\ measured\ using\ a\ Dex sil\ PetroFLAG\ meter\ with\ a\ response\ setting\ of\ 10.$
- -- Denotes parameter not analyzed.

# TABLE 1 (Page 2) SUMMARY OF FIELD SCREENING RESULTS - RELEASE CHARACTERIZATION REMEDIATION CLOSURE REPORT SEAWOLF 1 12 FEDERAL 81H DEVON ENERGY CORPORATION CEC PROJECT NUMBER: 331-071

Boring/ Test Pit ID	Screening Date	Depth (ft. bgs)	Assessment Phase	Soil EC <sup>1</sup>	Chloride <sup>2</sup>	VOCs <sup>3</sup>	TPH⁴		
1 est 1 it 1D	Date	0-1	1 Hase	(mS/cm) 0.19	(mg/kg)	( <b>ppm</b> ) 0.2	(ppm) 		
		1-2	•	0.19		0.2			
SW 81H-9	9/18/2023	2-3	1	0.29	<31	0.2			
5 11 0111 7	9/10/2023	3-4		0.42	<31	0.2	32		
		4-5		0.44	<31	0.1	45		
		0-1	1	5.24	1202	0	128		
SW 81H-10	9/18/2023	2-3		1.57	250	0	66		
5 0111 10	9,10,2020	4-5		0.29		0.2			
		0-1	1	1.69		3.5			
		1-2		2.24		0.4			
SW 81H-11	9/18/2023	2-3	1	2.71	422	0.2			
		3-4		3.31	750	0.3			
		4-5		2.11		0			
		0-1	1	1.8	204	0.1	125		
		1-2	1	1.89	226	0.2	69		
SW 81H-12	9/18/2023	2-3		0.54		0.1			
		3-4	1	0.38		0			
		4-5	1	0.27		0			
		0-1		0.86	90	0	69		
		1-2	Phase 2	1.2	168	0.2	83		
SW 81H-13	9/18/2023	2-3		0.55		0.1			
		3-4		0.56		0			
		4-5		0.32		0.2			
	4 9/18/2023	4 9/18/2023	0-1		2.95	486	0	38	
			4 9/18/2023	1-2		1.32	186	0	95
SW 81H-14				I-14 9/18/2023	2-3		0.86	90	0
		3-4		0.48		0.2			
		4-5		1.75	300	0	58		
		0-1		1.35	104	0	37		
		1-2		0.9	104	0	50		
SW 81H-15	9/18/2023	2-3		0.74	56	0			
		3-4		0.43	<62	0.1			
		4-5	1	0.41	<62	0			
		0-1		0.58		0.1			
		1-2	1	0.72		0			
SW 81H-16	9/18/2023	2-3		2.15	102	0	275		
		3-4		2.15		0.3			
		4-5		2.53	192	27.4	425		
		0-1		0.35	<54	0	0		
CW 0111 17	10/20/2022	1-2		0.72	104	0.1			
SW 81H-17	10/30/2023	2-3	1	0.23		0			
		3-4	1	0.44	<54	0	0		
		0-1	Dha = - 2	0.16		0	4		
SW 81H-18	10/30/2023	1-2	Phase 3	0.10		0.1			
		2-3	1	0.14		0.1	2		
		0-1	1	0.10		0.1	0		
SW 81H-19	10/30/2023	1-2	1	0.16		0.1			
		2-3	1	0.11		0.1	0		

#### Notes

- 1. Soil electrical conductivity collected using a FieldScout Soil Conductivity Probe with automatic temperature compensation.
- $2.\ Chloride\ readings\ collected\ using\ CEC's\ Standard\ Operating\ Procedure.$
- $3.\ Volatile\ Organic\ Compounds\ (VOCs)\ were\ measured\ in\ the\ head space\ using\ a\ photoionization\ detector.$
- $4.\ Total\ Petroleum\ Hydrocarbons\ (TPH)\ were\ measured\ using\ a\ Dexsil\ PetroFLAG\ meter\ with\ a\ response\ setting\ of\ 10.$
- -- Denotes parameter not analyzed.

# TABLE 1 (Page 3) SUMMARY OF FIELD SCREENING RESULTS - RELEASE CHARACTERIZATION REMEDIATION CLOSURE REPORT SEAWOLF 1 12 FEDERAL 81H DEVON ENERGY CORPORATION CEC PROJECT NUMBER: 331-071

Boring/ Test Pit ID	Screening Date	Depth (ft. bgs)	Assessment Phase	Soil EC <sup>1</sup> (mS/cm)	Chloride <sup>2</sup> (mg/kg)	VOCs <sup>3</sup> (ppm)	TPH <sup>4</sup> (ppm)
SW 81H-20	6/25/2024	2-3		0.1304		0	26
SW 6111-20	0/23/2024	4	Phase 4	0.121		0	20
SW 81H-21	6/25/2024	2-3	r nase 4	0.0868		0	22
5W 6111-21	0/23/2024	4		0.1302		0	22
		0-1		3.69	452	0.0	
SW 91H-6		1-2		1.86	176	0.1	72
(335-562)	9/19/2023	2-3	Phase 2	1.75	186	0.1	48
(333-302)		3-4		0.31	<62	0.1	35
		4-5		0.26		0.1	
		0-1	Tilase 2	1.04		0.0	
SW 91H-8		1-2		1.18	86	0.2	43
(335-562)	9/19/2023	2-3		1.22	100	0.0	68
(333-302)		3-4		0.76		0.1	
		4-5		0.36		0.1	
SW 91H-19 (335-562)		0-1		0.66	104	0.1	34
	10/30/2023	1-2	Dhasa 3	0.3		0.1	
	10/30/2023	2-3	Phase 3	0.32		0.1	
		3-4		0.95	118	0.1	89

#### Notes:

- 1. Soil electrical conductivity collected using a FieldScout Soil Conductivity Probe with automatic temperature compensation.
- 2. Chloride readings collected using CEC's Standard Operating Procedure.
- 3. Volatile Organic Compounds (VOCs) were measured in the headspace using a photoionization detector.
- 4. Total Petroleum Hydrocarbons (TPH) were measured using a Dexsil PetroFLAG meter with a response setting of 10.
- -- Denotes parameter not analyzed.

Received by OCD: 8/20/2024 1:07:13 PM

#### TABLE 2 (Page 1)

#### SUMMARY OF LABORATORY ANALYTICAL RESULTS - RELEASE CHARACTERIZATION

#### REMEDIATION CLOSURE REPORT SEAWOLF 1 12 FEDERAL 81H DEVON ENERGY CORPORATION CEC PROJECT NUMBER: 331-071

				Volatile Organic Compounds		Total F	Petroleum	Hydrocarbo	ns	Anions	s
Sample ID	Sample Date	Depth (ft-bgs)	Field Assessment Phase	Benzene Total BTEX <sup>1</sup> (GRO + D $(m\sigma/k\sigma)$		TPH (GRO + DR (mg/kg)		TPH (G DRO+M (mg/k	RO) <sup>3</sup>	Chloride (mg/kg)	
	5/2/2023	0-1		< 0.00041 F1	< 0.00108	378.4	B,F1	378.4	J,B,F1	576	F1
	5/2/2023	1-2		< 0.000402	< 0.00106	27.8	J,B	27.8	J,B	263	
SW 81H-1	5/2/2023	2-3		< 0.000407	< 0.00107	74	J,B	74	J,B	304	
	5/2/2023	3-4		< 0.000406	< 0.00106	27.2	J,B	27.2	J,B	73.9	
	5/2/2023	4-5		< 0.000397	< 0.00104	24.3	J,B	24.3	J,B	57.5	
	5/2/2023	0-1		< 0.000411	< 0.00108	207.1	В	207.1	J,B	455	
	5/2/2023	1-2		< 0.000405	< 0.00106	132.4	В	132.4	J,B	598	
SW 81H-2	5/2/2023	2-3		< 0.000404	< 0.00106	26.8	J,B	26.8	J,B	446	
	5/2/2023	3-4		< 0.000494	< 0.00129	38.4	J,B	38.4	J,B	81.6	
	5/2/2023	4-5		< 0.000405	< 0.00106	26.4	J,B	26.4	J,B	45.3	
	5/2/2023	0-1		< 0.000411	< 0.00108	51.1	J,B	51.1	J,B	417	
	5/2/2023	1-2		< 0.000425	< 0.00112	62.3	J,B	62.3	J,B	347	
SW 81H-3	5/2/2023	2-3	1	< 0.000499	< 0.00131	72.9	J,B	72.9	J,B	244	
	5/2/2023	3-4		< 0.00041	< 0.00108	19.9	J,B	19.9	J,B	60.1	
	5/2/2023	4-5		< 0.000405	< 0.00106	27.7	J,B	27.7	J,B	56.3	
	5/2/2023	0-1	1	< 0.000409	< 0.00107	35.7	J,B	35.7	J,B	143	
	5/2/2023	1-2	D. 1	< 0.000397	< 0.00104	25.4	J,B	25.4	J,B	239	
SW 81H-4	5/2/2023	2-3	Phase 1	< 0.000404	< 0.00106	30.9	J,B	30.9	J,B	183	
	5/2/2023	3-4	1	< 0.000398	< 0.00104	26.5	J,B	26.5	J,B	105	
	5/2/2023	4-5	1	< 0.000401	< 0.00105	30.4	J,B	30.4	J,B	84.3	
	5/2/2023	0-1		< 0.00041	< 0.00108	41.6	J,B	41.6	J,B	1,900	F1
	5/2/2023	1-2		< 0.000413	< 0.00108	34.3	J,B	34.3	J,B	1,230	
SW 81H-5	5/2/2023	2-3	1	< 0.000418	< 0.0011	33	J,B	33	J,B	461	
	5/2/2023	3-4		< 0.0004	< 0.00105	32.6	J,B	32.6	J,B	77.7	
	5/2/2023	4-5		< 0.000404	< 0.00106	34.8	J,B	34.8	J,B	87.3	
	5/2/2023	0-1		< 0.000402	< 0.00106	31.5	J,B	31.5	J,B	1,460	
	5/2/2023	1-2	1	< 0.000405	< 0.00106	45.7	J,B	45.7	J,B	373	
SW 81H-6	5/2/2023	2-3		< 0.000408	< 0.00107	30.3	J,B	30.3	J,B	188	
	5/2/2023	3-4		< 0.000501	< 0.00131	59.9	J,B	59.9	J,B	115	
	5/2/2023	4-5		< 0.000395	< 0.00104	27.7	J,B	27.7	J,B	59.1	
	5/2/2023	0-1		< 0.000473	< 0.00124	43.6	J,B	43.6	J,B	278	
	5/2/2023	1-2		< 0.000416	< 0.00109	110.8	J,B	110.8	J,B	1,030	
SW 81H-7	5/2/2023	2-3		< 0.000401	< 0.00105	50.9	J,B	50.9	J,B	639	
	5/2/2023	3-4	1	< 0.0004	< 0.00105	26.8	J,B	26.8	J,B	267	
Remediation Closure C	mediation Closure Criteria <sup>4</sup>				NSE	1,000		2,500		10,000	
	clamation Closure Criteria 5				50	NSE		100	)	600	

#### Notes

- 1. Value is the sum of detected benzene, ethylbenzene, toluene, and total xylenes (BTEX). If no BTEX constituent was detected above the laboratory Method Detection Limit (MDL), the maximum MDL is reported.
- 2. Value is the sum of detected TPH (GRO) and TPH (DRO). If no TPH (GRO) and TPH (DRO) was detected above the laboratory Method Detection Limit (MDL), the maximum MDL is reported.
- 3. Value is the sum of detected TPH (GRO), TPH (DRO) and TPH (MRO). If no TPH (GRO), TPH (DRO) or TPH (MRO) was detected above the laboratory Method Detection Limit (MDL), the maximum MDL is reported.
- 4. Remediation Closure Criteria for soils impacted by a release from Table I of 19.15.29 NMAC. Criteria are based on minimum depth to groundwater between 51 and 100 ft-bgs.
- 5. Reclamation Closure Criteria from Table I of 19.15.29 NMAC. Reclamation Closure Criteria apply to the upper four feet of soil according to 19.15.29.13(D)(1) NMAC.

#### ft-bgs - Feet below ground surface.

mg/kg - Milligrams per kilogram.

Bolded values were detected above the laboratory Reporting Limit (RL).

Denotes analyte exceeded Reclamation Closure Criteria.

Denotes analyte exceeded Remediation and Reclamation Closure Criteria.

#### Qualifier Definitions

- < Analyte not detected above laboratory Method Detection Limit (MDL).
- F1 MS and/or MSD recovery is outside acceptance limits.
- B Compound was found in the blank and sample.
- J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
- \*+ LCS and/or LCSD is outside acceptance limits, high biased.
- \*- LCS and/or LCSD is outside acceptance limits, low biased.
- \*1 LCS/LCSD RPD exceeds control limits.

Received by OCD: 8/20/2024 1:07:13 PM

# TABLE 2 (Page 2) SUMMARY OF LABORATORY ANALYTICAL RESULTS - RELEASE CHARACTERIZATION REMEDIATION CLOSURE REPORT SEAWOLF 1 12 FEDERAL 81H DEVON ENERGY CORPORATION

CEC PROJECT NUMBER: 331-071

				Volatile Organ	Total P	Anic	ns				
Sample ID	Sample Date	Depth (ft-bgs)	Field Assessment Phase	Benzene (mg/kg)	Total BTEX <sup>1</sup> (mg/kg)	TPH (GRO + DR (mg/kg)	(O) <sup>2</sup>	TPH (GR DRO+MF (mg/kg	(O) <sup>3</sup>	Chlor (mg/	
	5/2/2023	0-1		< 0.000412	< 0.00108	29.4	J,B	29.4	J,B	630	
	5/2/2023	1-2		< 0.000414	< 0.00109	24.4	J,B	24.4	J,B	689	
SW 81H-8	5/2/2023	2-3	DI 1	< 0.000418	< 0.0011	29.2	J,B	29.2	J,B	546	
	5/2/2023	3-4	Phase 1	< 0.000414	< 0.00109	29.5	J,B	29.5	J,B	111	
	5/2/2023	4-5		< 0.00041	< 0.00108	32.8	J,B	32.8	J,B	60.4	
SW 81H BG-1	5/2/2023	0-1		< 0.000384	< 0.00101 *+	21.4	J,B	21.4	J,B	85.2	
	9/18/2023	3-4		< 0.00408	0.0495	66.1	J,B	66.1	J.B	126	
SW 81H-9	9/18/2023	4-5		< 0.000404	< 0.00106	66.6	J,B	66.6	J,B	136	
CTT: 04TT 40	9/18/2023	0-1		< 0.000415	< 0.00109	145.4	J,B	145.4	J,B	2,460	
SW 81H-10	9/18/2023	2-3		< 0.000491	< 0.00129	73.7	J,B	73.7	J,B	234	
SW 81H-11	9/18/2023	2-3		< 0.000431	< 0.00113	76.2	J,B	76.2	J,B	364	
SW 81H-11	9/18/2023	3-4		< 0.000425	< 0.00112	67.6	J,B	67.6	J,B	906	
SW 81H-12	9/18/2023	0-1		< 0.000408	< 0.00107	204	J,B	204	J,B	579	
5W 6HI-12	9/18/2023	1-2		< 0.000409	< 0.00107	181.5	J,B	181.5	J,B	627	
SW 81H-13	9/18/2023	0-1		0.00086 J	0.007258 J	91.2	J,B	91.2	J,B	242	
5 W 6111-13	9/18/2023	1-2		< 0.000414	< 0.00109	80.2	J,B	80.2	J,B	383	
	9/18/2023	0-1	Phase 2	< 0.000421	< 0.0011	72.1	J,B	72.1	J,B	914	
SW 81H-14	9/18/2023	1-2		< 0.000404	< 0.00106	70.6	J,B	70.6	J,B	454	
	9/18/2023	4-5		< 0.000432	< 0.00113	154.1	J,B	154.1	J,B	504	
SW 81H-15	9/18/2023	0-1		< 0.0004	< 0.00105	102.7	J,B	102.7	J,B	371	
	9/18/2023	1-2		< 0.00047	< 0.00123	98.8	J,B	98.8	J,B	204	
SW 81H-16	9/18/2023	2-3	_	< 0.000443 < 0.000448	< 0.00116	<b>404</b> 532		<b>404</b> 532	В	681 705	
	9/18/2023	4-5	_	< 0.000448	< 0.00117 < 0.00104	28	B J	28	В	607	
SW 91H-6	9/19/2023	1-2 2-3	_	< 0.000398 0.000546 J	< 0.00104	28 < 15.9	J	< 15.9		487	
(335-562)	9/19/2023 9/19/2023	3-4		0.000346 J	< 0.00107	44.9	J	44.9	J	131	
SW 91H-8	9/19/2023	2-3		< 0.000430	< 0.00105	28	J	28	J	453	
(335-562)	9/19/2023	3-4	-	< 0.000405	< 0.00100	33.6	J	33.6	J	236	
` ′	10/30/2023	0-1		< 0.000395	< 0.00104	77.4	J,B	77.4	J.B	134	
SW 81H-17	10/30/2023	3-4	1	< 0.000427	< 0.00112	88.9	J,B	88.9	J,B	62.7	
CTT: 04TT 40	10/30/2023	0-1	┪	< 0.00041	< 0.00108	57.4	J,B	57.4	J,B	64.1	
SW 81H-18	10/30/2023	2-3	T	< 0.000412	< 0.00108	81.6	J,B	81.6	J,B	70.2	
CAN DATE 10	10/30/2023	0-1	Phase 3	< 0.000393	< 0.00103	61.6	J,B	61.6	J,B	48.2	
SW 81H-19	10/30/2023	2-3		< 0.000398	< 0.00104	73.2	J,B	73.2	J,B	47	
SW 91H-19	10/30/2023	0-1		< 0.000399	0.00105	< 15.7		< 15.7		156	
(335-562)	10/30/2023	2-3		< 0.000404	0.00106	66.1	В	92.3	В	300	
81H-20	6/25/2024	2-3		< 0.00143	< 0.00234	22.3	J	22.3	J	2.44	J,*-
01 H-20	6/25/2024	4	Phase 4	< 0.00145	< 0.00238	67.1	J,B	67.1	J	92.4	*-,*
81H-21	6/25/2024	2-3	r nase 4	< 0.00152	< 0.00249	64.5	J,B	64.5	J,B	47.3	*-,*
	6/25/2024	4		< 0.00148	< 0.00243	71	J,B	71	J,B	38.8	*-,*
nediation Closure C	riteria <sup>4</sup>			10	NSE	1,000 2,500		10,0	00		
lamation Closure C	riteria 5			10	50	NSE		100		60	0

#### Notes

- 1. Value is the sum of detected benzene, ethylbenzene, toluene, and total xylenes (BTEX). If no BTEX constituent was detected above the laboratory Method Detection Limit (MDL), the maximum MDL is reported.
- 2. Value is the sum of detected TPH (GRO) and TPH (DRO). If no TPH (GRO) and TPH (DRO) was detected above the laboratory Method Detection Limit (MDL), the maximum MDL is reported.
- 3. Value is the sum of detected TPH (GRO), TPH (DRO) and TPH (MRO). If no TPH (GRO), TPH (DRO) or TPH (MRO) was detected above the laboratory Method Detection Limit (MDL), the maximum MDL is reported.
- 4. Remediation Closure Criteria for soils impacted by a release from Table I of 19.15.29 NMAC. Criteria are based on minimum depth to groundwater between 51 and 100 ft-bgs.
- 5. Reclamation Closure Criteria from Table I of 19.15.29 NMAC. Reclamation Closure Criteria apply to the upper four feet of soil according to 19.15.29.13(D)(1) NMAC.

#### ft-bgs - Feet below ground surface.

mg/kg - Milligrams per kilogram.

Bolded values were detected above the laboratory Reporting Limit (RL).

Denotes analyte exceeded Reclamation Closure Criteria.

Denotes analyte exceeded Remediation and Reclamation Closure Criteria.

#### Qualifier Definitions

- < Analyte not detected above laboratory Method Detection Limit (MDL).</p>
- F1 MS and/or MSD recovery is outside acceptance limits.
- B Compound was found in the blank and sample.
- J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
- \*+ LCS and/or LCSD is outside acceptance limits, high biased.
- \*- LCS and/or LCSD is outside acceptance limits, light biased.
- \*1 LCS/LCSD RPD exceeds control limits.

Received by OCD: 8/20/2024 1:07:13 PM

#### TABLE 3

# SUMMARY OF LABORATORY ANALYTICAL RESULTS - SURFICIAL SOIL CONFIRMATION SAMPLING REMEDIATION CLOSURE REPORT SEAWOLF 1 12 FEDERAL 81H DEVON ENERGY CORPORATION

**CEC PROJECT NUMBER: 331-071** 

				nic Compounds	Total P	etroleu	ım Hydrocarbo	ons	Anion	ıs
Sample ID	Sample Date	Depth (ft- bgs)	Benzene (mg/kg)	Total BTEX <sup>1</sup> (mg/kg)	TPH (GRO+DR (mg/kg	,	TPH(GRO+ DRO+MRO) <sup>3</sup> (mg/kg)		Chloride (mg/kg)	
81H CS-1	6/25/2024	0 - 0.5	< 0.00142	< 0.00233	284.4	J,B	284.4	J,B	534	*-,*1
81H CS-2	6/25/2024	0 - 0.5	< 0.00149	< 0.00244	115	J,B	115	J,B	666	*-,*1
81H CS-3	6/25/2024	0 - 0.5	< 0.00148	< 0.00244	955		955		4,730	*-,*1
81H CS-4	6/25/2024	0 - 0.5	< 0.00142	< 0.00233	177.6	J,B	177.6	J,B	925	*-,*1
81H CS-5	6/25/2024	0 - 0.5	< 0.00145	< 0.00238	206.1	J,B	206.1	J,B	5,210	*-,*1
81H CS-6	6/25/2024	0 - 0.5	< 0.00148	< 0.00242	216.3	J,B	216.3	J,B	1,650	*-,*1
81H CS-7	6/25/2024	0 - 0.5	< 0.00147	< 0.00242	273.8	J,B	273.8	J,B	1,570	*-,*1
81H CS-8	6/25/2024	0 - 0.5	< 0.00149	< 0.00244	327.4	J,B	327.4	J,B	381	*-,*1
81H CS-9	6/25/2024	0 - 0.5	< 0.00144	< 0.00236	177.6	J,B	177.6	J,B	1,010	F1
81H CS-10	6/25/2024	0 - 0.5	< 0.00171	< 0.00281	536.4	J,B	536.4	J,B	263	
Remediation Closure	temediation Closure Criteria <sup>4</sup>			50	1,000		2,500		10,000	
Reclamation Closure	Reclamation Closure Criteria <sup>5</sup>			50	NSE		100		600	

#### Notes:

- 1. Value is the sum of detected benzene, ethylbenzene, toluene, and total xylenes (BTEX). If no BTEX constituent was detected above the laboratory Method Detection Limit (MDL), the maximum MDL is reported
- 2. Value is the sum of detected TPH (GRO) and TPH (DRO). If no TPH (GRO) and TPH (DRO) was detected above the laboratory Method Detection Limit (MDL), the maximum MDL is reported.
- 3. Value is the sum of detected TPH (GRO), TPH (DRO) and TPH (MRO). If no TPH (GRO), TPH (DRO) or TPH (MRO) was detected above the laboratory Method Detection Limit (MDL), the maximum MDL
- 4. Remediation Closure Criteria for soils impacted by a release from Table I of 19.15.29 NMAC. Criteria are based on minimum depth to groundwater between 51 and 100 ft-bgs.
- 5. Reclamation Closure Criteria from Table I of 19.15.29 NMAC. Reclamation Closure Criteria apply to the upper four feet of soil according to 19.15.29.13(D)(1) NMAC.

#### mg/kg - Milligrams per kilogram.


Bolded values were detected above the laboratory Reporting Limit (RL).

Denotes analyte exceeded Reclamation Closure Criteria.

Denotes analyte exceeded Remediation and Reclamation Closure Criteria.

#### Qualifier Definitions

- < Analyte not detected above laboratory Method Detection Limit (MDL).
- $J\quad Result\ is\ less\ than\ the\ RL\ but\ greater\ than\ or\ equal\ to\ the\ MDL\ and\ the\ concentration\ is\ an\ approximate\ value.$
- B Compound was found in the blank and sample.
- \*- LCS and/or LCSD is outside acceptance limits, low biased.
- \*1 LCS/LCSD RPD exceeds control limits.
- F1 MS and/or MSD recovery exceeds control limits.



# APPENDIX A INITIAL RELEASE NOTIFICATION AND OCD RESPONSE

Form C-141

Revised April 3, 2017

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

	Sunta 1 e, 1111 07505											
	Release Notification and Corrective Action											
						<b>OPERA</b>	ΓOR			al Report		Final Report
Name of Co	mpany D	evon Energy	Product	ion Company	(	Contact Mic	chael Shoemake	r		•		•
		Rivers Hwy		NM 88210			No. 575-748-33	71				
Facility Nar	ne Seawol	f 1 12 Feder	al 81H		]	Facility Typ	e Oil					
Surface Ow	ner Federa	al		Mineral C	wner F	r Federal API No. 30-025-437					13762	
				LOCA	TION	OF RE	LEASE		•			
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the	East/V	West Line	County		
D D	01	26S	33E		TOTAL				West Ellie	Lea		
			La	titude_32.0792	88_ <b>Lo</b> i	ngitude10	03.533712_ NA	D83				
				NAT	URE	OF REL	EASE					
Type of Relea	ase					Volume of 10bbls	Release		Volume F 8bbls	Recovered		
Source of Rel	lease						Iour of Occurrence	e		Hour of Dis	covery	
2" fuel hose f	feeding mud	d system				January 7, MST	2018 @ 11:50 PN	Л	January 7	, 2018 @ 11	:50 PN	4 MST
Was Immediate Notice Given?						If YES, To	Whom?		1			
☐ Yes ☐ No ☒ Not Required						N/A						
By Whom? N/A						Date and H	Iour N/A					
Was a Water	course Read			_		If YES, Vo	olume Impacting t	he Wat	ercourse.			
			Yes 🗵	] No		N/A	DECEN	/FD				
If a Watercou	ırse was Im	pacted, Descr	ibe Fully.	*			RECEIN	/EU				
N/A							By Olivia	a Yu	at 3:24	4 pm, J	lan 2	22, 2018
Describe Cau	se of Probl	em and Reme	dial Actio	n Taken.*								
				stem ruptured ca					el to spill o	onto the gro	ound.	The diesel
pump was ii	mmediatel	y shut off to	prevent a	any further relea	se and 1	repairs were	e made to the ho	se.				
Describe Are	a Affected	and Cleanup A	Action Tal	ken.*								
	-			proximately 8bbls			red using a vacuu	m pum	p and was p	laced back i	nto the	OBM
system. The r	emaining f	luid soaked in	to the soil	and was immedia	itely scra	iped up.						
				e is true and comp								
				nd/or file certain r								
				ce of a C-141 report investigate and re								
or the environ	nment. In a	ddition, NMC	OCD accep	otance of a C-141								
federal, state,	or local lav	ws and/or regu	ılations.									
							OIL CON	<u>SERV</u>	ATION	DIVISIO	<u>)N</u>	
Signature: $\lambda$	1íchael S	Shoemake	r						71/l	_		
					1	Approved by	Environmental S	pecialis	st:			
Printed Name: Michael Shoemaker									0			
Title: Environmental Professional					Approval Date: 1/22/2018 Expiration Date:							
E mail A J 1		h.c.am.al@ 1				Conditions (	f A mmov-1.				7	
E-mail Addre	ess: mike.si	hoemaker@dv	/ii.com			Conditions of		/ <u>A</u>		Attached		
Date: 1/19/	18		Pho	ne: 575.748.3371	see attached directive							

\* Attach Additional Sheets If Necessary

1RP-4940

nOY1802255368

pOY1802255736

Operator/Responsible Party,

The OCD has received the form C-141 you provided on \_1/19/2018\_ regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number \_1RP-4940\_\_ has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District \_1\_ office in \_\_Hobbs\_\_\_\_ on or before \_2/22/2018\_. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- •Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.
- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.
- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

#### Jim Griswold

OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us



Page 26 of 334

# APPENDIX B SENSITIVE RECEPTORS MAP

Received by OCD: 8/20/2024 1:07:13 PM Page 27 of 334  $P:\ 330-000\ 331-071\ -GIS\ Maps\ EN01\_Site\_Characterization\ 331071\_EN01\_Site\_Characterization\ 331071\_EN01\_Site\_Characterization\ All\ Ccyprych)$ NORTH Approximate Point of Release **LEGEND** NHD STREAM NWI WETLAND SCALE IN FEET APPROXIMATE POINT OF RELEASE SEAWOLF 1 12 81H WELL PAD 7,000 **REFERENCES DEVON ENERGY CORPORATION** ESRI WORLD IMAGERY / ARCGIS MAP SERVICE: HTTP://GOTO.ARCGISONLINE.COM/MAPS/WORLD\_IMAGERY, REMEDIATION CLOSURE REPORT **SEAWOLF 1 12 81H** ACCESSED 4/1/2024. Civil & Environmental Consultants, Inc. LEA COUNTY, NEW MEXICO NHD FLOWLINES NEW MEXICO, U.S. GEOLOGICAL SERVICE, NATIONAL HYDROGRAPHY DATASET (NHD) FLOWLINES FOR NEW MEXICO, 2022. 700 Cherrington Parkway - Moon Township, PA 15108 SENSITIVE RECEPTOR MAP www.cecinc.com U.S. FISH & WILDLIFE SERVICE, NATIONAL WETLANDS INVENTORY (NWI) DATABASE FOR NEW MEXICO, 2021. DRAWN BY: JLR CHECKED BY: LDC APPROVED BY: B-1 SCALE: 1"=3,500' | PROJECT NO: 331-071 DATE: 4/1/2024 Released to Imaging: 8/27/2024 7:32:11 AM



Page 28 of 334

# APPENDIX C TEMPORARY WELL C-4628 RECORDS



2904 W 2nd St. Roswell, NM 88201 voice: 575.624.2420 fax: 575.624.2421 www.atkinseng.com

June 8, 2022

DII-NMOSE 1900 W 2<sup>nd</sup> Street Roswell, NM 88201

Hand Delivered to the DII Office of the State Engineer

Re: Well Record C-4628 Pod1at Seawolf 1-12 CTB 1

To whom it may concern:

Attached please find a well log & record and a plugging record, in duplicate, for a one (1) soil borings, C-4628 Pod1.

If you have any questions, please contact me at 575.499.9244 or lucas@atkinseng.com.

Sincerely,

Lucas Middleton

Enclosures: as noted above

Groon Middle



## WELL RECORD & LOG

### OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

NO	OSE POD NO. POD 1 (TW		0.)			WELL TAG ID NO N/A	<b>D</b> .		OSE FILE NO C-4628	(S).				
OCATI	WELL OWNE Devon Ener		S)						PHONE (OPT 575-748-18					
WELLL	WELL OWNE 6488 7 Riv								CITY Artesia			state NM	88210	ZIP
GENERAL AND WELL LOCATION	WELL	N L	ATITUDE	DF	GREES 32	MINUTES 4	SECO.		di .	Y REQUIRED:		H OF A S	SECOND	
NER	(FROM GP	S) L	ONGITUDE		103	31	34.	28 W	* DATUM RE	QUIRED: WG	S 84			
1. GE			ING WELL LOCA T26S R33S I		STREET ADDR	ESS AND COMMO	N LANDM	IARKS – PL	SS (SECTION, TO	OWNSHJIP, RA	NGE) WHE	RE AVA	ILABLE	
	LICENSE NO.		NAME OF L	ICENSED		ackie D. Atkins	s				WELL DRII tkins Engi		OMPANY Associates, I	nc.
	DRILLING ST 6/9/20		DRILLING E 6/9/20			MPLETED WELL (I nporary Well	FT)	BORE HO	LE DEPTH (FT) ±55	DEPTH W	ATER FIRS	T ENCOU	UNTERED (FT)	
Z	COMPLETED WELL IS: ARTESIAN ORY HOLE SHALLOW (UNCONFINED) IN COMI									WATER LEV IPLETED WEI		<b>A</b>	DATE STATIC 6/13/2	
ATIC	DRILLING FL	.UID:	AIR		☐ MUD	ADDITI	VES – SPE	CIFY:						
JRM	DRILLING M	ЕТНОD: ∫	ROTARY	HAMI	MER CABL	ETOOL [ OTI	HER – SPE	CIFY: ]	Hollow Stem	Auger	CHECK I INSTALI	ED	PITLESS ADAI	PTER IS
INF	DEPTH (		BORE	HOLE	CASING 1	MATERIAL AN GRADE	D/OR		ASING	CASI	NG		NG WALL	SLOT
2. DRILLING & CASING INFORMATION	FROM	TO	DIA (inch			ach casing string ections of screen			NECTION FYPE ding diameter)	INSIDE DIAM. (inches)		THICKNESS (inches)		SIZE (inches)
	0	55	±6	.5		Boring-HSA			-					
ING											17			
RILL					1					<u> </u>				
2. DJ										1				<u> </u>
										<u>.</u>				
		(0			1									I
4	DEPTH (	(feet bgl) TO	DIAM. (		1	ST ANNULAR S VEL PACK SIZE					OUNT oic feet)		METHO PLACEN	
ANNULAR MATERIAL	FROM	10			<b>+</b>					ļ — — —				
IAT										1				
IR N														
A N										ļ		_		
<b>લ</b>										1		-		
	OSE INTER	NAL US	Е			POD N	Ω.		WR-2		ECORD &	LOG (	Version 01/2	8/2022)
_	ATION					10010	<u>.</u>		WELL TAG				PAGE	1 OF 2
تت									"THE ING	The section of the	1 . 1 1111 1	270	AND THE PROPERTY OF	

	DEPTH (feet bgl) COLOR AND TYPE OF MATERIAL ENCOUNTERED - WATER YIELD FOR									
			THICKNESS		R-BEARING CAVITIES OF		s	BEARING?	WATER-	
	FROM	ТО	(feet)	(attach sup	plemental sheets to fully de	escribe all units)		(YES / NO)	BEARING ZONES (gpm)	
	0	4	4	Sand, Fine-grained	l, poorly graded, unconsolida	ated 7.5 YR 5/4, Brow	n	Y √N		
	4	14	10	Sand, Fine-grained,	poorly graded, semi-consoli-	dated 7.5 YR 5/4, Bro	wn	Y ✓N		
	14	19	5	Limesto	one, consolidated 10 YR 7/4.	Pale Brown		Y ✓N		
	19	55	36	Sand, Fine-grai	ned, poorly graded, 7.5 YR	5/8, Reddish Yellow		y ✓n		
								Y N		
3								Y N		
4. HYDROGEOLOGIC LOG OF WELL								Y N		
Q.								Y N		
8								Y N		
ည္က								Y N		
8								Y N		
98								Y N		
Š.								Y N		
								Y N		
4								Y N		
								Y N		
								Y N		
								Y N		
								Y N		
								Y N		
								Y N		
	METHOD U	SED TO ES	TIMATE YIELD	OF WATER-BEARING	G STRATA:		тот	AL ESTIMATED		
	PUMI	P A	IR LIFT	BAILER OT	HER - SPECIFY:		WEI	L YIELD (gpm):	0.00	
NO.	WELL TES	T TEST	RESULTS - ATT T TIME, END TI	ACH A COPY OF DAT ME, AND A TABLE SH	'A COLLECTED DURING ' HOWING DISCHARGE AN	WELL TESTING, IN D DRAWDOWN OV	CLUDI ER TH	NG DISCHARGE N E TESTING PERIO	ИЕТНОD, D.	
RVISION	MISCELLA	NEOUS IN	ORMATION: T	emporary well materia	al removed and soil boring	hackfilled using d	rill cut	tinos from total de	onth to ten feet	
PER			be	elow ground surface(b	gs), then hydrated benton	ite chips ten feet bg	s to su	rface.	par to ten noot	
TEST; RIG SUPE			27 Se	awolf 1-12 CTB 1						
X			-							
EST	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:									
S. T.										
	Ditale Editings, Californi I Late									
URE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:									
6. SIGNATURE	Jack A	Atkins		Jac	ckie D. Atkins			6/16/2022		
قَعَ		SIGNAT	URE OF DRILLI	ER / PRINT SIGNEE	NAME	-8 -8		DATE		
						117D 44 17		CORD A LOCA	01/00/0000	
	R OSE INTER .E NO.	NAL USE			POD NO.	TRN NO.	SLL KE	CORD & LOG (Ver	S10ft U1/28/2U22)	
-	CATION			<del></del>	1357.3.	WELL TAG ID NO.			PAGE 2 OF 2	
							~ Ott	ed to a comment		



## PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

State	Engineer Well Number: C-4628			
Well	owner: Devon Energy		Phone No.:	575-748-1838
Mailii	ng address: 6488 7 Rivers Hwy			
City:	Artesia	State:	New Mexico	Zip code:88210
II. W	VELL PLUGGING INFORMATION:			
1)	Name of well drilling company that plug	gged well: Jacki	e D. Atkins ( Atkins Enginee	ring Associates Inc.)
2)	New Mexico Well Driller License No.:		Ex	
3)	Well plugging activities were supervised Shane Eldridge, Cameron Pruitt	l by the following	g well driller(s)/rig supervise	or(s):
4)	Date well plugging began: 6/13/2022		Date well plugging conclud	ed: 6/13/2022
5)	GPS Well Location: Latitude: Longitude: _	32 deg	min, 46.6 min, 34.2	
6)	Depth of well confirmed at initiation of by the following manner: water level pr	plugging as: obe	ft below ground lev	el (bgl),
7)	Static water level measured at initiation	of plugging:	n/a ft bgl	
8)	Date well plugging plan of operations w	as approved by t	ne State Engineer:5/26/20	022
9)	Were all plugging activities consistent v differences between the approved plugg	vith an approved ing plan and the	plugging plan? Yes well as it was plugged (attac	If not, please describ h additional pages as needed):

Version: September 8, 2009 Page 1 of 2 Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

#### For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging <u>Material Used</u> (include any additives used)	Volume of <u>Material Placed</u> (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement  Method (tremie pipe, other)	Comments  ("casing perforated first", "open annular space also plugged", etc.)
-	0-10' Hydrated Bentonite	Approx. 15 gallons	15 gallons	Augers	
	10'-55' Drill Cuttings	Approx. 71 gallons	71 gallons	Boring	
n					
- - -					
-		MULTIPLY E	BY AND OBTAIN 805 = gallons	500	

#### III. SIGNATURE:

J Jackie D. Atkins	that I am familiar with the rules of the Office of the State	
ı,, süy	and all of the statements in this Plugging Record and attachments	
0 . 0 . 00 .	id an of the statements in this I rugging Record and attachments	
are true to the best of my knowledge and belief.	theire a	
July XIO		
V	6/16/2022	
	Signature of Well Driller Date	56

201.97

gallons

cubic yards

Version: September 8, 2009 Page 2 of 2

OSE DTI JUN 16 2022 M2:13

## WR-20 Well Record and Log\_2022-01-28-forsig

n

**Final Audit Report** 

2022-06-16

Created:

2022-06-16

Ву:

Lucas Middleton (lucas@atkinseng.com)

Status:

Signed

Transaction ID:

CBJCHBCAABAA5h\_Mq\_hHlnyQhNmN3hkX09Fm6A5MlLxW

### "WR-20 Well Record and Log\_2022-01-28-forsign" History

- Document created by Lucas Middleton (lucas@atkinseng.com) 2022-06-16 4:59:31 PM GMT- IP address: 24.49.110.136
- Document emailed to Jack Atkins (jack@atkinseng.com) for signature 2022-06-16 5:00:16 PM GMT
- Email viewed by Jack Atkins (jack@atkinseng.com) 2022-06-16 5:04:06 PM GMT- IP address: 64.90.153.232
- Document e-signed by Jack Atkins (jack@atkinseng.com)

  Signature Date: 2022-06-16 5:05:04 PM GMT Time Source: server- IP address: 64.90.153.232
- Agreement completed.
   2022-06-16 5:05:04 PM GMT

USE OIT JUN 16 2022 PM2:20



Page 35 of 334

### APPENDIX D NMOCD CORRESPONDENCE

From: Enviro, OCD, EMNRD

To: Campbell, Laura

Cc: Bratcher, Michael, EMNRD; Nobui, Jennifer, EMNRD

Subject: RE: [EXTERNAL] RE: Devon Energy Seawolf 1 12 Fed 81H/91H (nOY1802255736 / nOY1813437455) - 48 Hour

Notification

**Date:** Friday, April 28, 2023 3:36:02 PM

Attachments: <u>image002.jpg</u> <u>image003.png</u>

Laura,

Please be aware that notification requirements are **two business days**, per rule. You may proceed on your schedule. This, and all correspondence, should be included in the closure report to insure inclusion in the project file.

JH

#### Jocelyn Harimon • Environmental Specialist

Environmental Bureau
EMNRD - Oil Conservation Division
1220 South St. Francis Drive | Santa Fe, NM 87505
(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov

http://www.emnrd.nm.gov



From: Campbell, Laura < lcampbell@cecinc.com>

Sent: Friday, April 28, 2023 1:27 PM

To: Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Cc: Valli, Bo <bvalli@cecinc.com>

Subject: [EXTERNAL] RE: Devon Energy Seawolf 1 12 Fed 81H/91H (nOY1802255736 /

nOY1813437455) - 48 Hour Notification

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good afternoon,

On behalf of Devon Energy, CEC will be conducting sampling at the site referenced above (two releases on the same site) on Tuesday, May 2. The sampling is primarily intended for site assessment/characterization, but notification is being provided in the event that no remediation is required and the samples are submitted as part of the closure report.

Please let me know if you any questions.

Thank you,

Laura

Laura D. Campbell | Project Manager Civil & Environmental Consultants, Inc. 700 Cherrington Parkway, Moon Township, PA 15108 direct 412.249.1547 office 412.429.2324 mobile 412.584.7176 www.cecinc.com

2

This electronic communication and any attachments are intended solely for the use of the person or entity to which it is addressed, and may contain information that is confidential, privileged and exempt from disclosure under applicable law, including copyright law. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Please promptly notify the sender by reply electronic communication and immediately delete this message from your system.

From: Wells, Shelly, EMNRD

To: Brittain, Brad; Bratcher, Michael, EMNRD; Hall, Brittany, EMNRD

Subject: RE: [EXTERNAL] Devon Energy Seawolf 1 12 Fed 81H (nOY1802255736) - 48 Hr. Notification

**Date:** Friday, October 27, 2023 10:42:50 AM

Attachments: image001.png

Good morning Brad,

I believe the correct incident number for the Seawolf 1 12 Fed 81H is NOY1802255368. The OCD has received your notification. Notification requirements are **two full business days**, per rule. You may proceed on your schedule. This, and all correspondence, should be included in the closure report to ensure inclusion in the project file.

Thank you,

Shelly

Shelly Wells \* Environmental Specialist-Advanced Environmental Bureau EMNRD-Oil Conservation Division 1220 S. St. Francis Drive|Santa Fe, NM 87505 (505)469-7520|Shelly.Wells@emnrd.nm.gov http://www.emnrd.state.nm.us/OCD/

From: Brittain, Brad <bri>bbrittain@cecinc.com><br/>Sent: Thursday, October 26, 2023 4:50 PM<br/>

**To:** Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>; Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>

Subject: [EXTERNAL] Devon Energy Seawolf 1 12 Fed 81H (nOY1802255736) - 48 Hr. Notification

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hello:

CEC will be collecting additional site characterization/delineation samples at the Seawolf 1 12 Fed 81H. We plan to start work on Monday, October 30 around 12 pm. My apologies, I'd typed these emails up this morning and thought I'd sent them.

Bradley Neal Brittain | Senior Project Manager

Civil & Environmental Consultants, Inc.

(Please note new address)

4700 Gaillardia Parkway, Suite 101, Oklahoma City, OK 73142 **office** 405.246.9411 Ext 7617 **direct** 405.463.7617 **mobile** 405.815.7664

	<u> </u>	
hhrittain.	(a)cocine com	I www.cecinc.com
DUITHAIL	COCECING COM	I WWW CECILIC COIL

	?	
--	---	--

This electronic communication and any attachments are intended solely for the use of the person or entity to which it is addressed, and may contain information that is confidential, privileged and exempt from disclosure under applicable law, including copyright law. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Please promptly notify the sender by reply electronic communication and immediately delete this message from your system.

From: Wells, Shelly, EMNRD

To: <u>Brittain, Brad; Bratcher, Michael, EMNRD; Velez, Nelson, EMNRD</u>

Subject: RE: [EXTERNAL] Devon Energy Seawolf 1 12 Fed 91H (nAPP2325072650) - 48 Hr. Notification

**Date:** Friday, October 27, 2023 10:44:14 AM

Attachments: image001.png

Good morning Brad,

The OCD has received your notification. Notification requirements are **two full business days**, per rule. You may proceed on your schedule. This, and all correspondence, should be included in the closure report to ensure inclusion in the project file.

Thank you,

### Shelly

Shelly Wells \* Environmental Specialist-Advanced Environmental Bureau EMNRD-Oil Conservation Division 1220 S. St. Francis Drive|Santa Fe, NM 87505 (505)469-7520|Shelly.Wells@emnrd.nm.gov http://www.emnrd.state.nm.us/OCD/

**From:** Brittain, Brad <br/>
Sent: Thursday, October 26, 2023 4:50 PM

**To:** Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>; Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>

Subject: [EXTERNAL] Devon Energy Seawolf 1 12 Fed 91H (nAPP2325072650) - 48 Hr. Notification

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hello:

CEC will be collecting additional site characterization/delineation samples at the Seawolf 1 12 Fed 91H. We plan to start work on Monday, October 30 around 8am. My apologies, I'd typed these emails up this morning and thought I'd sent them.

#### **Bradley Neal Brittain** | Senior Project Manager

Civil & Environmental Consultants, Inc.

(Please note new address)

4700 Gaillardia Parkway, Suite 101, Oklahoma City, OK 73142 office 405.246.9411 Ext 7617 direct 405.463.7617 mobile 405.815.7664 bbrittain@cecinc.com | www.cecinc.com



This electronic communication and any attachments are intended solely for the use of the person or entity to which it is addressed, and may contain information that is confidential, privileged and exempt from disclosure under applicable law, including copyright law. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Please promptly notify the sender by reply electronic communication and immediately delete this message from your system.

#### **Montgomery, Travis**

From: Maxwell, Ashley, EMNRD <Ashley.Maxwell@emnrd.nm.gov>

Sent: Wednesday, June 5, 2024 9:40 AM

To: Campbell, Laura

Subject: RE: [EXTERNAL] Request for Sampling Variance - Incident ID NOY1802255368, Seawolf 1

12 81H (CEC 331-071)

#### Good Morning,

Your variance request to collect closure confirmation samples every 400 square feet has been approved. Please include this correspondence in all subsequent reports.

Thanks, Ashley

Ashley Maxwell ● Environmental Specialist Environmental Bureau Projects Group EMNRD - Oil Conservation Division 1000 Rio Brazos Road | Aztec, NM 87110 505.635.5000 | Ashley.Maxwell@emnrd.nm.govhttp://www.emnrd.state.nm.us/OCD/

Please be advised that the new Digital C-141 is live as of December 1, 2023. Please review the new Digital C-141 submission Dec 1, 2023 Guidance document posted on the EMRND Website prior to submitting any C-141s. The guidance documents can be found at <a href="https://www.emnrd.nm.gov/ocd/ocd-announcements-and-notifications/orhttps://www.emnrd.nm.gov/ocd/ocd-forms/">https://www.emnrd.nm.gov/ocd/ocd-forms/</a>.

From: Campbell, Laura < lcampbell@cecinc.com>

Sent: Wednesday, June 5, 2024 8:37 AM

To: Maxwell, Ashley, EMNRD < Ashley. Maxwell@emnrd.nm.gov>

Cc: Pike, Dan <dpike@cecinc.com>

Subject: [EXTERNAL] Request for Sampling Variance - Incident ID NOY1802255368, Seawolf 1 12 81H (CEC 331-071)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good morning,

CEC would like to request a sampling variance for the Seawolf 1 12 81H January 7, 2018 release (Incident ID NOY1802255368). Depth to groundwater at the Site was determined to be greater than 51 feet bgs (based upon temporary well C-4626). The site is in a low karst potential area and the distances to the nearest flowing water course, wetland, private water source, etc. are greater than the distances specified in in Subsection C of 19.15.29.12 NMAC.

The site characterization sampling did not identify any areas that exceeded the standards on Table I (10,000 mg/kg chloride, 2,500 mg/kg total TPH, 1,000 mg/kg GRO+DRO, 50 mg/kg BTEX, or 10 mg/kg benzene), and no remediation is required. However, we identified an area of approximately 4,370 square feet (320 cubic yards) that will require reclamation at a later date (i.e. exceeds the reclamation criteria of 600 mg/kg for chloride, 100 mg/kg for total TPH, etc. in the upper four feet of soil). CEC proposes to collect confirmation soil samples from the area that will require reclamation at a later date using 5-point composite samples representative of 400 square feet, for

a total of approximately 11 confirmation samples. Grab samples will be collected from wet or discolored areas, if identified during the confirmation sampling event.

If you need any additional information, please let me know. Thanks, Laura

Laura D. Campbell | Project Manager
Civil & Environmental Consultants, Inc.
700 Cherrington Parkway, Moon Township, PA 15108
direct 412.249.1547 office 412.429.2324 mobile 412.584.7176
www.cecinc.com



This electronic communication and any attachments are intended solely for the use of the person or entity to which it is addressed, and may contain information that is confidential, privileged and exempt from disclosure under applicable law, including copyright law. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Please promptly notify the sender by reply electronic communication and immediately delete this message from your system.

From: Woodall, Dale <Dale.Woodall@dvn.com>

**Sent:** Tuesday, June 18, 2024 12:05 PM **To:** Campbell, Laura; Valli, Bo; Pike, Dan

Subject: FW: [EXTERNAL] The Oil Conservation Division (OCD) has accepted the

application, Application ID: 355473

Dale Woodall

Environmental Professional
Hobbs, NM

Office: 575-748-1838 Mobile: 405-318-4697 Dale.Woodall@dvn.com

From: <a href="mailto:OCDOnline@state.nm.us">OCDOnline@state.nm.us</a>>

Sent: Tuesday, June 18, 2024 11:02 AM
To: Woodall, Dale < Dale. Woodall@dvn.com>

Subject: [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID:

355473

To whom it may concern (c/o Dale Woodall for DEVON ENERGY PRODUCTION COMPANY, LP),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nOY1802255368.

The sampling event is expected to take place:

When: 06/25/2024 @ 08:30

Where: D-01-26S-33E 200 FNL 360 FWL (32.0791863,-103.5334299)

Additional Information: Travis Montgomery - Field Team Lead, Cell (918) 281-9663

Laura Campbell - Project Manager, Cell (412) 584-7176

**Additional Instructions:** (32.079271, -103.533365) Jal, NM, W on NM-128 W for 13.8 mi to Battle Axe Road (Rt. 2); L on Battle Axe Rd (Rt. 2) for 11.5 mi; R on unnamed access road for 62 ft; L on unnamed access road for 0.4 mi; L on unnamed access road for 0.2 mi to Seawolf 1 12 Fed 81HWell Pad

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

• Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department 1220 South St. Francis Drive Santa Fe, NM 87505

Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.



Page 46 of 334

# APPENDIX E SOPS FOR FIELD SCREENING

#### 06-03-02 FIELD CHLORIDE CONCENTRATION SCREENING IN SOIL SAMPLES

I. SCOPE AND APPLICABILITY: This procedure is used for estimation of chloride concentrations in soil samples.

#### II. PROJECT-SPECIFIC REQUIREMENTS

- A. SAMPLES TO BE SCREENED: Screening locations are described in the SQAPP.
- **B. MONITORING INSTRUMENTS:** Screening will be conducted using Quantab® chloride titrators (or equivalent).
- C. OTHER REQUIREMENTS: None

#### III. METHODOLOGY

- A. Place split soil sample in a stainless steel mixing bowl, remove rock fragments and organic material and completely homogenize with a stainless steel spoon.
- B. Using a portable battery operated scale, weigh 50 grams of soil and place into a plastic or glass container. Using a graduated cylinder, add distilled water to the container and shake for one minute or longer. In order to simplify the math, it is customary to add distilled water in quantities of either 50 mL (equivalent to 1 to 1 weight ratio of water to soil), 100 mL (equivalent to 2 to 1 weight ratio of water to soil), or 150 mL (equivalent to 3 to 1 weight ratio of water to soil). In highly cohesive soil, shaking may not completely disaggregate the soil. In this case, a gloved hand can be used to break up the soil to release the chloride from the soil provided that none of the soil and distilled water mixture splashes out of the container or is removed by cohesion to the glove. Once the soil is disaggregated, allow the sample mixture to settle so that heavy particles drop out.
- C. Insert the lower end of a low-range chloride Quantab® titrator (or equivalent) in the aqueous solution that contains the disaggregated soil. The reaction is complete when the moisture sensitive yellow band across the top of the titrator turns dark. The length of the white chloride column on the strip represents the titrator unit value. If the white chloride column reaches the top of the strip, the chloride concentration in the solution exceeds the low-range titrator. If this exceedance occurs, use a high-range titrator strip.
- D. Convert the unit value read on the titrator to chloride concentration in water in milligrams/Liter (mg/L) using the table provided on the titrator bottle. Multiply the chloride concentration in mg/L obtained from the table by the appropriate factor of 1, 2 or 3 based on the weight ratio of water to soil used in Section B. to calculate the chloride concentration in soil in milligrams per kilogram (mg/kg). Note that the soil chloride concentration calculated using this method is based on wet weight whereas laboratories typically report chloride concentrations in dry weight. The wet weight result is typically satisfactory for field screening. The wet weight soil chloride concentration reported using this method can be converted to a dry weight if the percent moisture content of the original soil sample is known. Simply multiply the calculated wet weight chloride result arrived at using this method by 1 + moisture content of the original soil sample.
- E. Using the remaining aqueous solution, collect field parameter measurements including total dissolved solids (TDS) and specific conductance.

06-03-02 Page 1 3/13

#### IV. PRECAUTIONS AND COMMON PROBLEMS

- A. If laboratory analysis is to be performed, the material submitted for laboratory analysis should be similar to the sample selected for field chloride screening.
- B. Turbid solutions will clog the capillary pores of the titrator and cause very slow or incomplete reactions.
- C. Each Quantab® lot is calibrated independently. The chloride concentration table on the bottle from which the strip was removed must be used as values may differ from those of other bottles.
- D. Dropping the titrator strip to the bottom of the container when taking readings should be avoided because the sediment on the bottom of the container often clogs the strip. It is customary to suspend the titrator strip off of the bottom of the container using a clothes pin or similar clipping device.
- V. DOCUMENTATION: Record the readings on the Field Screening Log.
- VI. REFERENCES: None.

#### 06-03-01 ORGANIC VAPORS IN HEADSPACE OVER SOIL

I. SCOPE AND APPLICABILITY: This procedure is used to obtain field measurements of VOCs in the headspace above a soil sample.

#### II. PROJECT-SPECIFIC REQUIREMENTS

- A. SAMPLES TO BE SCREENED: Screening locations are described in the SI-QAPP.
- **B. MONITORING INSTRUMENTS:** Screening will be conducted using a photoionization detector (PID) with a 10.6 eV lamp.
- **C. OTHER REQUIREMENTS:** PID is to be calibrated daily in the field with proper documentation. calibration records will be maintained on the daily field activity log.

#### III. METHODOLOGY

- A. Use the non-viable split when performing field screening.
- B. Break up cohesive samples inside the ziplock bag to expose additional surface area.
- C. Allow to stand for at least 15 minutes. If temperatures are below 40 F, keep the samples in a warm place. Do not leave the samples in direct sunlight during hot weather.
- D. To take the headspace reading, open the seal just enough to insert a probe, slip the probe in, and record the initial reading.

#### IV. PRECAUTIONS AND COMMON PROBLEMS

- A. This screening does not replace any monitoring required by the Site Health and Safety Plan.
- B. Do not expose samples to extreme temperatures.
- V. **DOCUMENTATION:** Record the results of field screening along with ambient conditions on the Field Screening Log.
- VI. REFERENCES: None.

06-03-01 Page 1 11/95

#### 06-03-02 FIELD CHLORIDE CONCENTRATION SCREENING IN SOIL

 SCOPE AND APPLICABILITY: This procedure is used for estimation of chloride concentrations on aqueous extracts prepared from soil samples.

#### II. PROJECT-SPECIFIC REQUIREMENTS

- A. SAMPLES TO BE SCREENED: Screening locations are described in the SQAPP.
- **B.** MONITORING INSTRUMENTS: Screening will be conducted using Quantab® chloride titrators (or equivalent).
- C. OTHER REQUIREMENTS: None

#### III. METHODOLOGY FOR WATER

- A. Place the water sample into a container.
- B. Insert the lower end of a low-range chloride Quantab® titrator (or equivalent) in the aqueous solution. The reaction is complete when the moisture sensitive yellow band across the top of the titrator turns dark. The length of the white chloride column on the strip represents the titrator unit value. If the white chloride column reaches the top of the strip, the chloride concentration in the solution exceeds the low-range titrator. If this exceedance occurs, use a high-range titrator strip.
- C. Convert the unit value read on the titrator to chloride concentration in milligrams/Liter (mg/L) using the table provided on the titrator bottle.

#### IV. METHODOLOGY FOR SOIL

- A. Place split soil sample in a stainless steel mixing bowl, remove rock fragments and organic material and completely homogenize with a stainless steel spoon.
- B. Using a portable battery operated scale, weigh 50 grams of soil and place into a plastic or glass container. Using a graduated cylinder, add 100 milliliters (mL) of distilled water to the container and shake for one minute or longer. Allow the sample mixture to settle so that heavy particles drop out.
- C. Insert the lower end of a low-range chloride Quantab® titrator (or equivalent) in the aqueous solution. The reaction is complete when the moisture sensitive yellow band across the top of the titrator turns dark. The length of the white chloride column on the strip represents the titrator unit value. If the white chloride column reaches the top of the strip, the chloride concentration in the solution exceeds the low-range titrator. If this exceedance occurs, use a high-range titrator strip.
- D. Convert the unit value read on the titrator to chloride concentration in milligrams/Liter (mg/L) using the table provided on the titrator bottle. Multiply the chloride concentration in mg/L obtained from the table by two (2) to calculate the chloride concentration in soil in milligrams per kilogram (mg/kg).
- E. Using the remaining aqueous solution, collect field parameter measurements including total dissolved solids (TDS) and specific conductance.

06-03-02 Page 1 3/13

#### V. PRECAUTIONS AND COMMON PROBLEMS

- A. If laboratory analysis is to be performed, the material submitted for laboratory analysis should be similar to the sample selected for field chloride screening.
- B. Turbid solutions will clog the capillary pores of the titrator and cause very slow or incomplete reactions.
- C. Each Quantab® lot is calibrated independently. The chloride concentration table on the bottle from which the strip was removed must be used as values may differ from those of other bottles.
- VI. DOCUMENTATION: Record the readings on the Field Screening Log.
- VI. REFERENCES: None.

### Table of Contents

Introduction to the PetroFLAG Hydrocarbon Analysis System	3
Using the PetroFLAG System	5
Choosing the Correct Response Factor	5
Analyzing High Concentration Samples	6
Converting Response Factors for Data Already Collected	6
Temperature Effects on Measurements	6
Effects of Soil Water Content on PetroFLAG Result	7
Sample Preparation	8
Calibration	8
Preparing Blanks and Standards	8
QA/QC	8
The PetroFLAG Test Procedure	10
Analyzer Operation	11
Selecting a Calibration Curve	11
Reading the Blank and Standard	12
Taking a Reading	12
Power Requirement	12
Analyzer Operation Examples	13
Standard Operation	13
Standard Operation - Changing Response Factor Without Recalibrating	13
Standard Operation With Recalibration	14
Special Operating Conditions	15
Replacing Battery	15
Operation of the Meter After the Battery Has Been Disconnected	15
Meter Left to Turn Off in Other Mode	15
Helpful Suggestions and Safety Precautions	16
Appendix A: PetroFLAG Response Curves	18
Appendix B: Comparison with Laboratory Methods	19
Appendix C: Determining the Response Factor for Hydrocarbons Not Listed in Table 1	20
Appendix D: Error Conditions	21
Appendix E: Meter Specifications	22
Meter Warranty	23

PetroFLAG is a registered trademark of Dexsil Corporation, US Patents 5,756,357 & 5,928,950 and  $\,$  6,117,682  $\,$  Ver.1 Rev. 1  $\,$  04/09

### Introduction to the PetroFLAG® Hydrocarbon Analysis System

NOTE: PLEASE READ THE ENTIRE MANUAL BEFORE ATTEMPTING TO RUN THIS TEST

The PetroFLAG hydrocarbon analysis system is a broad spectrum field analytical tool suitable for any type of hydrocarbon contamination regardless of the source or state of degradation<sup>1</sup>. Unlike other field screening methods, the PetroFLAGsystem does not target specific compounds such as BTEX (Benzene, Toluene, Methylbenzene and Xylene) or PNAs (Poly-Nuclear Aromatics) that may be part of some hydrocarbon mixture. This makes the PetroFLAG system a very versatile analytical method that can be used on most hydrocarbon spills without prior knowledge of the BTEX or PNA content of the contaminant. The PetroFLAG system uses patented chemistry to respond to the broadest range of hydrocarbons possible. The PetroFLAG system is most sensitive to heavier hydrocarbons such as oils and greases and less sensitive to the lighter more volatile hydrocarbon fuels. The specially designed PetroFLAG analyzer allows the user to select, in the field, the response factor that is appropriate for the suspected contaminant at each site. The response factors for a number of contaminants are listed in Table 1. Using the selected response factor, the analyzer compensates for the relative response of each analyte and displays the correct concentration in ppm. The response curves for some typical hydrocarbon contaminants are plotted in Appendix A.

All chemical methods for hydrocarbon analysis in soil that are currently in use, whether they be field screening or laboratory methods, depend on solvent extraction to remove the hydrocarbons from the soil sample. The extraction efficiency for each method is a function of the solvent used and the extraction procedure. This efficiency is also dependent on

many other factors such as the soil type, water content, pH, etc. Many EPA SW-846 methods use chlorinated solvents or Freon as extraction solvents. These solvents were originally chosen for their extraction efficiency of polar organic compounds and may not be appropriate for hydrocarbons. Furthermore, special measures need to be taken with these lab methods when the soil is wet.<sup>2</sup> The extraction efficiencies may be as low as 1% in some cases.

The extraction solvent used in the PetroFLAG system has been carefully developed to give consistent extraction efficiencies over the range of soil types and conditions most commonly encountered in the field. The PetroFLAG solvent system contains no chlorofluorocarbons or chlorinated solvents. The extraction efficiency is unaffected by soil moisture and, in most cases, is up to 15% (w/w).

Because the PetroFLAG system has such a broad response spectrum, there are situations where it will indicate a higher hydrocarbon concentration than other methods. This can be due to the higher extraction efficiency of the PetroFLAG extraction solution or the broader response range of the detection system. SW-846 method 8015B, for example, targets only a very narrow range of

<sup>&</sup>lt;sup>1</sup>Brake fluid, phosphate ester based hydraulic oil, and other soluble fluids, will not be detected by the PetroFLAG system.

<sup>&</sup>lt;sup>2</sup>USEPA SW846 Method 3550A Ultrasonic Extraction Rev 1, November 1992

<sup>&</sup>lt;sup>3</sup>Lee, W.E. III, Houchin, C.A. and Albergo, N., "TRPH Discrimination of Petroleum and Nonpetroleum Organic Materials", *American Environmental Lab*, December 1993.

<sup>&</sup>lt;sup>4</sup>The presence of water will cause a dilution effect resulting in a lower response. This effect can be corrected for, if the water content is known. (For a more complete discussion see "Using the PetroFLAG System: Effects of Soil Water Content on PetroFLAG Result")

hydrocarbons typically in the "Diesel" or "Gasoline" range (DRO or GRO). This method does not detect oils or greases unless the analyst changes the method and specifically looks for the heavier compounds. Requesting 8015B for diesel range hydrocarbons may result in under reporting of the actual total hydrocarbon contamination when oils or greases are present. Method 418.1 is a more general method and detects any Freon extractable compounds that contain a C-H bond. This method has relatively poor extraction efficiencies with many soil types. For a more complete discussion of the comparability of hydrocarbon methods see Appendix B.

Since the PetroFLAG system responds to the full range of hydrocarbons it will also detect some naturally occurring hydrocarbon-like compounds. (Method 418.1 uses a silica column to remove some of these compounds, but will still detect naturally occurring terpenes and creosotes, etc.) Therefore, in situations where high organic content is suspected, background levels outside the spill site should be determined. This will help to identify any naturally occurring sources of hydrocarbons that may cause a positive interference with the test. In cases where there exists a high natural organic background, a "Background Correction" can, in limited circumstances, be used to correct readings for this positive interference. Note: Because of the broad spectrum screening nature of the test, naturally occurring waxes and oils can cause high readings; however, false negatives or under-reported levels are very unlikely.

The PetroFLAG system is a valuable field analytical tool when used as part of a systematic sampling plan. As part of any site work, always have the hydrocarbon contamination characterized at some point during the project by for example, sending confirmation samples for closure to a certified laboratory. Since each laboratory method for petroleum hydrocarbons has a different target analyte and different response characteristics, use only appropriate methods for comparison. Furthermore, since the proficiency of laboratory methods for petroleum hydrocarbons varies from one laboratory to another; it is important to verify that the lab you use is proficient with the method you request. Always ask for QA/QC data and verify that the blanks, duplicates and spikes are within

specification for the method. When using a lab that is new to you, send them proficiency samples of known concentrations and varying water content.

Lab results often contain one or more samples that are designated "ND" (none detected) without a qualifier. This type of reporting is misleading because information on the limit of quantification is not included. The designation "ND" never means zero ppm and should be followed by an indication of the detection limits of the method used to obtain the result, e.g., ND<40 ppm. In many cases the detection limits for a method will vary with sample size, dilution factors or extraction procedures and may not be the same for all samples in the sample batch. The detection limits for some of the common lab TPH methods are on the order of 40-50 ppm. Therefore, when comparing laboratory data it is important to know the realized detection limits implied in any "ND" results.

### Using the PetroFLAG System

The PetroFLAG analyzer has been specifically designed to be used with the unique patented chemistry of the PetroFLAG system. The meter is shipped fully calibrated, preset with response factor 5. This calibration is sufficient to begin screening

measurements; however, in order to achieve optimum performance we recommend that the analyzer be calibrated with each batch of samples, or at least daily. The PetroFLAG analyzeris easy to calibrate and a calibration standard is included with every refill pack.

The PetroFLAG analyzer stores two independent calibration equations in separate memory locations. Each calibration has a unique designation, "1C" or "2C". One way to effectively use this feature is to use one for a "low temp." calibration and one for a "high temp." calibration. This practice is very useful when working at field locations where the ambient temperature varies by more than 10°C over the course of the day. One calibration, run at the lower temperature in the morning, could be stored under "1C" and later as the temperature rises, triggering a temperature warning, a new calibration can be run and stored under "2C". (See below under "Temperature Effects")-

**Choosing the Correct Response Factor** 

The microprocessor in the PetroFLAG analyzer uses the calibration data to convert the optical reading into a preliminary concentration. The selected

response factor is then

used to calculate the correct concentration for the analyte of interest. Therefore, it is important to choose the response factor that is appropriate for the particular hydrocarbon or class of hydrocarbons present at the site. The response factor can be changed at any time without affecting the stored calibrations. (See "Analyzer Operation Examples: Standard Operation-Changing Response Factor Without Recalibrating")

> If the contaminant is known or suspected, choose the appropriate response factor from Table 1 and set that response factor on the analyzer. (See "Analyzer Operation" below.) there is a mixture of hydrocarbons, use the most conservative response factor (i.e. the lowest) for contaminants known to be present. If the

contaminants unknown, choose a conservative response factor based on those hydrocarbons that are likely to be on the site. Examination of Table 1, indicates that the majority of typical contaminants are in response category 5 or above.

Table 1: Response Factors and Method
<b>Detection Limits for Common</b>
Hydrocarbons

Hydrocarbon Type	Method Detectio n Limit (ppm)	Response Setting
Transformer Oil	15	10
Grease	15	9
Hydraulic Fluid	10	8
Transmission Fluid	19	8
Motor Oil	19	7
#2 Fuel Oil	25	7
#6 Fuel Oil	18	6
Diesel Fuel	13	5
Gear Oil	22	5
Low Aromatic Diesel	27	4
Pennsylvania Crude Oil	20	4
Kerosene	28	4
Jet A	27	4
Weathered Gasoline	200*+	2

<sup>\*</sup>See Appendix A

<sup>+</sup>Due to the non-linear response curve of Gasoline, quantification below 1000 ppm may underestimate the true contamination

#### **Analyzing High Concentration Samples**

The PetroFLAG Hydrocarbon Analyzer is preprogrammed to warn the user of an over-range condition. If the over-range reading is outside of the linear range ( $\pm 10$  precision), but still within the quantifiable range (±20% precision), the reading will be displayed blinking. This reading can be used as an indication that the concentration in the sample is not less than the displayed value. Since the response curve for most analytes is non-linear at high concentrations, the concentration in the sample may be higher than the displayed value. If the over-range condition is outside of the quantifiable range of the meter, the display will show a blinking "EEEE". Either error indication can be cleared by simply inserting the next vial and pressing the <READ/ON> key.

Accurate results can be difficult to obtain when 10 gram soil samples with high contaminant concentrations are used since they may cause a over-range condition on the PetroFLAG analyzer. To quantify these high contaminant samples, extract fresh soil samples of 1 gram size and reanalyze. Then multiply the result by 10 to obtain the concentration in the sample. Using this procedure, it is possible to measure oils containing up to 50,000 ppm of light hydrocarbon contamination or 10,000 ppm of a heavier hydrocarbon. For readings at higher concentrations, a "high range kit" is available.

<u>NOTE</u>: The use of either smaller samples or "high range kits" will affect the precision and accuracy of the method as well as raise the MDL (<u>M</u>inimum <u>D</u>etection <u>L</u>imit) in proportion to the dilution factor.

## **Converting Response Factors for Data Already Collected**

Collected data can be easily converted to the correct reading when it has been determined that the wrong response factor has been used. To make this conversion, multiply the measured value by the response factor initially used to make the measurement and divide by the new response factor

#### **Temperature Effects on Measurements**

The PetroFLAG analyzer is equipped with an onboard temperature sensor to measure the ambient temperature while measurements are being made. The software uses the temperature readings to correct the optical readings for drift caused by the temperature fluctuations. The corrections have been determined for their effects on the turbidity development and the temperature drift of the electronics.

The PetroFLAG analyzer can be used at temperatures from 4°C to 45°C. The temperature corrections are valid for temperatures within 10°C of the calibration temperature. If a calibration is run with each batch of samples, the temperature correction is not significant and measurements can be made at any temperature within the usable range of the instrument. However, if no calibration is run and the ambient temperature deviates from the calibration temperature by more than 10°C, an error condition will result. The analyzer will display "Err4" which can only be cleared by pressing the <NEXT> key. Pressing of the <NEXT> key will clear the error and display the current reading. This reading can be recorded but it should be noted that the ambient temperature was outside of the acceptable 10°C window. Any other samples remaining in the series can be read, however, the same error condition will most likely occur. The meter must be recalibrated to eliminate this error condition.

The ambient temperature should be checked before starting to avoid a temperature error when a calibration is not run with the samples.. This can be done by taking a reading without inserting a vial into the meter. If a reading is displayed, the temperature is within range and additional readings can proceed. If an error is displayed, the meter must be recalibrated before proceeding.

As previously mentioned, the storage of two calibrations, each at a different temperature, will reduce the number of recalibrations necessary as the temperature changes. If the two calibrations are stored under "1C" and "2C" and are run at temperatures levels 20°C apart, the effective temperature range for measurements now becomes 40°C.

## Effects of Soil Water Content on PetroFLAG Result

The presence of water in a soil sample will have a definite effect on the reporting value in the final PetroFLAG result. As with all field measurements, the PetroFLAG system result is calculated based on the sample weight "as received". If there is water present in the sample, this will produce a "wet weight" result causing an apparent under reporting by the PetroFLAG technique when compared to a laboratory reporting on a "dry weight" basis.

To correct for the difference between "wet weight" vs. "dry weight" results, simply divide the PetroFLAG value by the "fraction solids" (FS), where fraction solids is:

$$FS = Dry \ Weight/Wet \ Weight$$
 or: 
$$FS = (100 - \%water)/100$$

Furthermore, when reporting the wet weight vs. dry weight results, the presence of water in a soil sample will cause a "dilution effect". Since the PetroFLAG solvent system is miscible with water, the water in the soil will be extracted into the solvent phase. The aliquot filtered into the developer vial will, therefore, be diluted by the presence of the water. To a first approximation, the correction for this "dilution effect" is made by multiplying the PetroFLAG result by one plus the "fraction water" in the sample, R'=R(1+FW), where fraction water (FW) is:

FW=(Wet Weight - Dry Weight)/Wet Weight or:

FW = % water/100

The equation below can be used to achieve an overall correction that includes both the conversion of the PetroFLAG result to a "dry weight" value and the correction for the dilution effect:

$$R'=R((2/FS) - 1)$$

where:

R' = "Dry Weight" Corrected Result

R = Result displayed by PetroFLAG unit

FS = Fraction Solids

where:

FS = (100 - % water)/100

The above correction is applicable for typical soil types containing up to approximately 15% water by weight. For heavy clays or samples with higher water content, the effect of water content will vary with the analyte and should be determined specifically for each site.

In many cases, the effects of water content can be overcome by using a smaller sample size. This approach is the simplest and can be used effectively when a reduction in precision resulting from a smaller sample size still satisfies the overall data quality objective.

In some soils with high water content, the PetroFLAG response will be reduced both by the poor extraction efficiency of the analyte and a simple dilution. In these soils, the effect of water content on the extraction efficiency can sometimes be reduced by the addition of anhydrous sodium sulfate.

To treat such soils with sodium sulfate, weigh out the appropriate amount of soil sample (10 grams for a standard analysis) followed by the addition of up to 10 grams of anhydrous sodium sulfate. Mix the system thoroughly by stirring and/or shaking the sample until a free-flowing mixture is formed. Add the extraction solvent from a break-top ampule and then, follow the standard analysis procedure.

Treatment with sodium sulfate can improve the extraction efficiency, but will not correct for either the dilution effect or the wet weight/dry weight reporting error. The actual water content in the sample should be determined at some point so that the above corrections for wet weight and the dilution effect can be applied to the final result.

#### Sample Preparation

Each 10-pack of soil reagents contains reagents and supplies for 10 tests. In addition, one blank and one calibration standard are included. Samples can be run individually or by batch. For optimum performance and throughput, samples should be run in groups of 10 samples, once the meter has been calibrated with a blank and a standard. The meter does not need to be recalibrated, provided that the operating conditions and reaction times are maintained. Total time to analyze 10-15 samples is approximately 20-25 minutes.

#### Calibration

To insure accurate quantification and repeatable results, it is recommended that the PetroFLAG meter be recalibrated with each batch of 10 samples or, at least, daily. The meter is easily calibrated using an extraction solvent ampule as a blank and the calibration standard (supplied with each ten-pack of reagents).

After exiting the calibration mode, all additional readings made by the PetroFLAG analyzer will automatically incorporate the selected response factor. Therefore, rereading of the calibration standard will result in an incorrect reading unless the response factor being used is 10 and within the correct development time of the sample.

<u>NOTE</u>: Once the *blank* and *calibration standard* have been read, discard them. They will fade with time and cannot be reused; DO NOT USE THEM TO RECALIBRATE THE METER OR TO CHECK THE EXISTING CALIBRATION.

#### **Preparing Blanks and Standards**

The following description summarizes the procedure for preparing the blank and calibration standard.

Read the step-by-step instructions below completely before beginning the calibration process.

To prepare a blank and a calibration standard, first label two soil tubes, one as the "blank" and the other as the "standard". Add to the blank tube the contents of a break-top ampule labeled "Extraction Solvent". Add the contents of the break-top ampule labeled "Calibration Standard" to the standard soil tube. Process the blank and standard exactly as soil samples as described below. (See "The PetroFLAG Test Procedure")

#### QA/QC

Performing periodic calibrations of the PetroFLAG meter is one of the most important quality control checks that can be made. In addition to calibrating the PetroFLAG meter, performance of periodic calibration also serves as a quality control check of the entire analysis system. Each time a calibration is performed the individual operator needs to prepare a fresh set of standards following the entire analysis procedure. To complete a valid calibration, the resulting test standards must meet the QC acceptance criteria stored in the meter. Each time a calibration is carried out, the meter verifies if the operator is performing the test correctly, e.g., following the correct order of steps in sample preparation, holding to the timing requirements, operating the meter correctly, etc. while the meter checks its basic operation. As each calibration is made, the intensity of the test solution is compared to the stored values for acceptance. If the optics have degraded or the electronics are out of specification the calibration will be flagged as an

The most important factor affecting the accuracy of PetroFLAGmeasurements is operator error followed by the ambient temperature determination. If the temperature varies by more than 10°C from the calibration temperature, the accuracy of the resulting measurement will be affected. Therefore, during each measurement made by the meter, the current ambient temperature is compared to the temperature determined at calibration. If the difference is more than 10°C, a warning is flashed alerting the operator of the temperature drift. This QC check is transparent to the user unless an error condition exists.

The internal check of the optical system is also transparent to the user. The PetroFLAG meter is designed with two independent optical channels. If, during a measurement, both channels do not agree, an error condition will be generated.


Along with these QC checks, which are performed automatically by the PetroFLAG meter, additional QA/QC procedures should be developed to provide assurances that the data quality objectives for each project are met. The most important part of any SOP (Standard Operating Procedure) should include provisions for ensuring that confirmatory samples are sent to a qualified lab for verification as to the type of hydrocarbon contamination present. This will also serve as a check of the response factor being used. When PetroFLAG meter results are determined to be either high or low when correlated to laboratory data, then a new response factor should be calculated and used. If the PetroFLAG results are not well correlated with the lab, then the field techniques should be examined to determine possible sources of error. A lack of correlation may be the result of inhomogeneous samples or may be due to splitting technique, etc.

A program of field QA/QC should be developed that is compatible with the competing requirements of each user. It should include, a minimum of periodic soil blanks, equipment blanks, soil spikes, and dupes. Other procedures should be implemented depending on the specific requirements of each site.

#### The PetroFLAG Test Procedure

- Label the soil extraction tubes (plastic tubes with colored caps) and developer vials (small glass vials with black caps) with the appropriate sample ID. Use the self-adhesive labels to label the screw cap of the developer vial. Do not write in the center 1/3 of the developer vial as this may obscure the optical path when the readings are made
- 2) Weigh 10 grams (± 0.1 gram) samples of all unknown soils into each of the labeled color-capped polypropylene tubes.
- 3) Set timer for 5 minutes. Add one break-top ampule of extraction solvent (blue polypropylene top) to the first tube. Start 5 minute timer and shake for 15 seconds. A separate ampule of extraction solvent is added to each of the remaining sample tubes when additional samples are being analyzed. Shake each tube for 15 seconds ensuring that the soil samples are fully wet. Shake each tube intermittently for a total of 4 minutes, then allow each tube to stand for the remaining 1 minute.
- 4) Verify that the filter disk is firmly attached to the syringe barrel. Remove the cap from the first labeled developer vial. Carefully decant the liquid from the polypropylene soil tube into the syringe barrel minimizing the transfer of soil particles, as this may plug the filter. Insert the plunger into the syringe barrel. Discard the first few drops from the filter into a waste container by pressing the plunger. Next, add the soil extract drop-wise to the developer solution until the meniscus just enters the neck of the vial (see figure). Shake the vial for 10 seconds, start the 10 minute timer and proceed to the next sample. Read the samples as close to the 10 minute time period as possible. Record this reading. Do NOT attempt to reread the sample as sample variation will occur due to fading of the solution over time. Do not let the developer vials stand longer than 20 minutes before reading, as this may result in lower than actual values.

- If meter is off, turn on the meter by pressing <READ/ON> key and calibrate (optional, see Analyzer Operation).
- 6) To read, wipe the vial, place into the meter and press the <READ/ON> key. Be sure that the outside of the vial is clean before reading. Record result on work sheet. Read vials in the same order as they were prepared.



6 mL Developer Vial

### Analyzer Operation

The PetroFLAG analyzer is controlled by a low-power consumption micro-computer with a pre-loaded operating program which is stored in EEPROM memory. The program cannot be lost regardless of battery condition. The meter stores two calibration curves in separate memory locations. These calibration curves can be independently updated and the response factors can be changed without losing the calibrations.

The PetroFLAG meter is configured to allow easy access to the program modes. The currently active mode is indicated on the LCD display while a reading is in progress. The response factor and the active calibration can be changed from the MAIN MENU using the fourkeys on the keypad. The four keys are:

SCROLL

Scrolls through menu choices.



Exits the read mode or skips a menu option without changing or executing. (Also used to clear error conditions.)



Turns the meter on and starts a reading.



Selects a menu choice. Manually turns meter off (only in the *read* mode).

When the PetroFLAG analyzer is turned on, the unit will return to the last mode it was in prior to being shut down. Under normal operating conditions, the analyzer will power up in the *read* mode. When the analyzer powers up in the *read* mode, the screen will display the last measured value for two seconds, and then, display the currently selected calibration curve ("1C" or "2C") and response factor (1-15). The meter is now ready to resume measurement. Simply insert a new sample vial into the meter and

push the <READ/ON> key. The display will initially indicate the calibration curve (either "1C" or "2C") and the response factor (1-15) that is currently selected. Next, the term "CALC" will flash on the screen and after 5 seconds, the measured concentration in ppm will be displayed.

<u>NOTE</u>: If the battery is disconnected and then reconnected, the meter will automatically return to the MAIN MENU. If the calibration curve and response factor displayed are the desired parameters, the MAIN MENU can be exited while retaining the calibration data by pushing the <NEXT> key. To return to the read mode, continue pressing the <NEXT> key until the display shows the calibration curve and the response factor continuously without blinking.

If you wish to exit the *read* mode, push the <NEXT> key and the operation is returned to the MAIN MENU. The <NEXT> key is also used to skip a step where a menu selection is required. To change a flashing menu option, push the <SCROLL> key while the option is flashing. To store the currently flashing menu choice, push the <SELECT> key. This stores the current choice and moves the flashing cursor to the next program mode.

#### **Selecting a Calibration Curve**

Either of the two calibration curves, identified as "1C" and "2C", can be selected from the MAIN MENU. From either calibration curve any response factor can be selected. To change the response factor or to recalibrate the unit, use the <NEXT> key to enter the MAIN MENU screen. Immediately upon entering this menu three decimal points and the response factor are displayed. Next, the first two characters on the screen indicates the calibration curve that is currently selected ("1C" or "2C") is displayed. They will blink, indicating that a new curve may be selected. Use the <SCROLL> key to scroll to the next calibration curve. Push the <SELECT/OFF> key to select the curve.

The response factor will then blink. Use the <"SCROLL> key to scroll to the desired response factor for the target analyte and press the <SELECT/OFF> key.

#### Reading the Blank and Standard

After the response factor has been selected, the screen will read "CALC" for five seconds and then display the calibration temperature. temperature will remain on the screen until either the <NEXT> key or the <READ/ON> key is pressed. The screen will then prompt you for the "blank" vial by displaying "-bL-". Insert the blank vial in the meter and press the <READ/ON> key (See "Preparing Blanks and Standards" under "Using the PetroFLAGHydrocarbon Analysis System). After 5 seconds the screen display should read "0" for 2 seconds. The screen will then prompt for the calibration standard, "-CSd". Insert the calibration standard in the meter, press the <READ/ON> key and after 5 seconds, the calibration is complete. The meter will then re-read the calibration standard to verify a valid calibration and display "1000". If the concentration of the calibration standard is not correct using the newly calculated equation, an error message will flash until the <NEXT> key is pushed. If an error condition exists, the previously stored calibration constants will be retained until a valid calibration is completed (See Appendix C, Table 1: Error Conditions).

#### Taking a Reading

After calibration, the meter will then display the calibration curve in use ("1C" or "2C") and the current response factor selected. The meter is ready to read the first sample by inserting the sample vial into the meter and pressing the <READ/ON> key. After reading the sample, the meter will display the concentration in parts per million (ppm) until either the <READ/ON> key or the <NEXT> key is pushed. If no key is pushed for a period of five minutes, the meter will turn off automatically. If the meter turns off automatically, the meter can be reactivated by pressing the <READ/ON> key and the unit will return to the operation mode last used. The meter can be turned off manually by using the <SELECT/OFF> key, while in the *read* mode only.

The optical system on the PetroFLAG analyzer is covered with a screw cap to keep out stray light. To remove this screw cap from the vial holder, simply unscrew it 1/4 of a turn counter-clockwise. To make a measurement, insert the developer vial into the

unit, place the screw cap over the vial, and while pressing down on the cap (depressing the spring in the bottom of the vial holder), rotate the cap clockwise. Turn the cap until it is snug, but do not over-tighten.

#### **Power Requirement**

The PetroFLAG analyzer is powered by one 9V alkaline battery (included). This battery should last for several thousand readings. If a low battery condition exists "LP" will appear on the display.

### **Analyzer Operation Examples**

Outlined below are step-by-step examples of how to use the PetroFLAG analyzer. Under normal operating conditions the meter will power up in the *read* mode. The examples given here categorized as "standard operation" assume that the meter was last operated in the *read* mode. If the meter was left in another mode for longer than five minutes or the batteries were removed, see below for special cases.

#### **Standard Operation:**

(Whenever the last operation mode was *read*, the calibration data is current and the last-used response factor is valid.)

1) Turn the meter on by pressing:



The last reading will be displayed for 2 seconds. The display will show the calibration curve and response factor currently selected. The meter is now in the *read* mode.

- 2) Remove the screw cap, insert developer vial to be read and retighten cap.
- 3) To begin reading press:



The display will show the calibration curve and response factor currently selected (blinking), the display will read "CALC" for 3 seconds, and the final result will be displayed.

4) The result will be displayed until the next reading is taken. To make the next reading: remove the vial and repeat steps 2 and 3 above.

## **Standard Operation/Changing Response Factor Without Recalibrating:**

(Whenever the last operation mode was *read* and a different response factor is desired.)

1) Turn the meter on by pressing:



The last reading will be displayed for 2 seconds. The display will show the calibration curve and response factor currently selected. The meter is now in the *read* mode.

2) Return the operation to the MAIN MENU by pressing:



Three decimal points will be displayed along with the current response factor. The calibration curve designation will begin blinking.

3) The response factor entry mode is activated by pressing:



The response factor will begin to blink indicating that it may be changed.

4) Scroll to the desired response factor by pressing:



The next response factor will be displayed. Continue pressing the <SCROLL> key until the desired response factor is displayed. (Response factors scroll in descending order, i.e., 15-1)

5) When the desired response factor is reached, select it by pressing:



The new response factor has been selected. The meter will calculate and display the current temperature.

6) Move to the next screen by pressing:



The meter will prompt for the blank to be entered and the calibration procedure to begin by displaying "-bL-".

7) Skip this calibration procedure and move directly to the *read* mode, saving the new response factor but not recalibrating, by pressing (This exits the calibration mode without affecting the current calibration data):



The meter will display the current calibration curve and the selected response factor and is ready to read a sample using the new response factor.

8) Proceed with the reading of a sample by following the above procedure for "Standard Operation" beginning at step 2.

#### **Standard Operation With Recalibration:**

(Where the last operational mode was the *read* mode and the meter is to be recalibrated.)

Prior to performing this calibration procedure, prepare the *blank* and *standard* as described in the manual under "Using the PetroFLAG Hydrocarbon Analysis System-Preparing Blanks and Standards". They may also be prepared along with the unknown samples in order to save time.

1) Turn the meter on by pressing:



The last reading will be displayed for 2 seconds. The display will show the calibration curve and response factor currently selected. The meter is now in the *read* mode.

2) Return the operation to the MAIN MENU by pressing:



Three decimal points will be displayed along with the current response factor. The calibration curve designation will begin blinking, indicating that it may be changed.

(If the displayed calibration curve is the one to be redetermined, skip directly to the response factor input by pressing the < NEXT> key.)

#### **OTHERWISE**

3) Scroll to the calibration curve that is to be redetermined by pressing:



The display will show the next calibration curve designation.

4) When the desired calibration curve is determined, select it by pressing:



The calibration curve is selected and the meter will prompt for the input of the response factor.

5) If the response factor displayed is not the desired one, use the <SCROLL> key as described the previous section above under "Standard Operation - Changing Response Factor Without Recalibrating". If the response factor is correct, skip this step by pressing:



The meter will calculate and display the current temperature.

6) Move to the next screen by pressing:



The meter will prompt for the blank to be entered and the calibration procedure to begin by displaying "-bL-".

7) Remove the screw cap and insert the prepared blank vial, replace the cap and begin calibration by pressing:



The display will blink showing the selected calibration curve and response factor. The meter will display "0" for three seconds and prompt for the calibration standard by displaying "-CSd".

8) Remove the screw cap and blank vial and insert the calibration standard vial. Read the calibration standard by pressing:



The display will blink showing the selected calibration curve and response factor. The display will read "1000" for three seconds and display the currently selected calibration curve and response factor continuously. The meter is now in the read mode.

9) Proceed with reading the unknown samples by following the procedure for "Standard Operation" above, beginning with step 2.

#### **Special Operating Conditions:**

#### Replacement of Battery:

<u>NOTE</u>: Use ONLY 9V Alkaline or 9V Lithium battery. Use of carbon/zinc battery will cause the PetroFLAG meter to malfunction.

Open the battery compartment by sliding the compartment door back (indicated by the arrow on the back of the unit). Lift out the old battery from the compartment and carefully unsnap the battery from the wire harness/connector. Replace with a fresh alkaline battery by snapping the wire harness/connector onto the new battery making sure the polarity is correct (The snaps will only go on one way). Reinsert the battery and connector into the compartment being careful not to twist/damage the connector wires. Replace compartment door by sliding the door forward until the latch clicks.

## Operation of the Meter After the Battery has been Disconnected:

When the battery has been disconnected the microprocessor will automatically return to the MAIN MENU once the battery has been reconnected. The meter, however, will not be in a *read* mode but is calibrated for use, unless other factors warrant recalibration. The operations to be performed will determine the exact steps to be followed. The steps to follow are described above in the various sections of "Analyzer Operation Examples."

#### **Meter Left to Turn Off in Other Mode:**

When the meter is left in any "screen" for five minutes the meter will shut off automatically. The meter will return to last active screen when the <READ/ON> key is pressed.

### Helpful Suggestions and Safety Precautions

When PetroFLAG test results indicate no hydrocarbons are present, the sample can be sent in for certified laboratory confirmatory analysis. All environmental soil sampling used for final closure should be performed using methods that are approved by the local regulating agency.

Personal protection should be worn during soil sampling and testing. A minimum of latex gloves and goggles should be worn.

Decontamination stations should be set up using appropriate cleaners and rinsing solutions. Soil sampling equipment not supplied with the reagent pack should be decontaminated between sampling locations to prevent the possibility of cross contamination.

All reagents and sampling scoops supplied with the kit are single-use disposable items. Therefore, <u>do</u> <u>not</u> reuse spoons, tubes, filters, or vials. The electronic balance is *NOT* disposable.

Checkambient temperature BEFORE extracting soils, when a calibration procedure is not planned for the current batch of test samples.

Make sure the filter disks are screwed on tightly before adding the soil extract to a filter syringe.

<u>Do not</u> leave the PetroFLAG analyzer in direct sunlight when not in use. Store the instrument in the protective carrying case with the lid closed.

Make sure that the contamination at the site is characterized at some time during the investigation.

Avoid sampling organic matter. Scrape away organic material (leaves, sticks, etc.) before sampling.

Avoid sampling directly under pine, cedar, and fir trees unless the sample is collected below the organic layer. Do not collect samples from areas where tree roots have been encountered.

Avoid sampling directly beneath creosote bushes, sage brush and other oil bearing plants.

#### **Commonly Asked Questions**

#### What are the response factors?

A response factor (RF) is the relationship between the analyte of interest and the calibration standard. The turbidity formed in the development solution by the sample is compared to the calibration standard followed by a calculation which determines the correct concentration for your contaminant. For Example: Equal concentrations of diesel and mineral oil do not produce the same level of turbidity. A RF value of 10 for mineral oil divided by the RF value of 5 for diesel produces a result of 2. This means that mineral oil forms twice the turbidity of diesel at the same concentration. Stated another way, 250ppm mineral oil forms the same turbidity as 500 ppm diesel. For more information please see Appendix A in the Manual.

## Why doesn't my calibration standard read 1000ppm when I re-read it after calibrating?

This is directly related to the first question. The calibration standard is 1000 ppm mineral oil, therefore, if you read it on any RF other than 10 you will get a different number.

## How long are my samples good for after they develop for 10 minutes?

The PetroFLAG development process is a temporary reaction, therefore, readings should be taken right at the end of the 10 minute development period. The turbidity will continue to develop for period of time, after which the solution will begin to fade. Do NOT attempt to reread the sample as results may vary due to these changes in the solution. No measurements should be taken after 20 minutes. This means you must record your data as it is generated because you cannot save your sample vials for future analysis.

## After I prepare a set of calibration solutions how long are they good for?

Since the PetroFLAG development chemistry fades over time they are only good for a single use and the 10 minute time window should be adhered to.

## The screen is displaying an error code, what does it mean?

See the reference table in Appendix D for a list of "Error Conditions".

#### What can I do if my reading is over-range?

Process a new sample using a 1 gram soil sample and multiply the end result by 10. This sample dilution will allow you to read up to 10,000-15,000 ppm on most samples (1-1.5%).

## The meter is "stuck" in the calibration program mode with the "1C" or "2C" characters flashing?

The meter will not allow normal calibration procedure or sample measurement when the <READ/ON> key is pressed, but returns to a flashing "1C" or "2C" screen. This is usually caused by use of a non-alkaline battery. Replacement with a fresh 9V Alkaline battery should eliminate the problem and the meter should return to normal operation.

#### Caution

When opening the break-top ampules *DO NOT* remove the plastic sleeve from the top. It is there for your protection. Removing it may result in personal injury.

The Extraction Solvent and Calibration Standards contain methanol and are Flammable and Poisonous.

Wear rubber gloves and safety glasses while performing tests.

Dispose of all used reagents and soil properly.

Read the Material Safety Data Sheet before performing test.

#### **Manufacturer's Warranty**

The reagents and supplies used in the PetroFLAG test are warranted to be free of defects in material and workmanship until the expiration date stamped on the box. Manufacturer's sole and exclusive liability under this warranty shall be limited to replacement of any materials that are proved to be defective. Manufacturer shall not be liable for any incidental or consequential damages.

Reliable test results are highly dependent upon the care with which the directions are followed and, consequently, cannot be guaranteed.

### **Appendix A: PetroFLAG Response Curves**

Most fuels, lubes and greases are complex mixtures of various hydrocarbons having a broad range of physical and chemical properties. The PetroFLAG system will detect a majority of the ecologically important hydrocarbon mixtures. The PetroFLAG responses to some typical hydrocarbon contaminants are plotted in figure 1<sup>5</sup>.




Figure 1: Relative Intensity Data for Common Analytes

<sup>&</sup>lt;sup>5</sup>The lower limit of quantification, using a 10 gram sample size, is 1000 ppm for gasoline (linear range from 1000 ppm to 5,000 ppm). Brake fluid, phosphate ester based hydraulic oil, or other water soluble compounds will not be detected by the PetroFLAG system.

### **Appendix B: Comparison with Laboratory Methods**

In field trials, the PetroFLAG system was used at sites contaminated with diesel fuel or with oil and grease. In both cases the PetroFLAG results correlated very well with EPA laboratory methods. Both EPA methods 8015B and 418.1 were used to analyze the samples from the diesel site. The resulting correlations were 89% and 92% respectively<sup>6</sup>. The samples from the oil and grease site were analyzed using EPA method 418.1 for soil. The lab results confirmed the PetroFLAG results with no false negatives and only 2 false positives (10%). When comparing the field results and the lab results for the field split samples, the correlation between the PetroFLAG data and EPA method 418.1 for the laboratory split samples was 90% <sup>7</sup>.

When comparing the PetroFLAG field results with laboratory results using EPA methods it is important to keep in mind that EPA laboratory methods for TPH are known to have variable extraction efficiency. The extraction efficiency achieved using EPA laboratory methods varies with soil type and moisture content. In addition, the degree to which moisture affects the extraction is dependent on how the individual laboratory is implementing the method. It is, therefore, important to verify that the lab used for comparison is performing the method properly and that the recovery is known.

Another important factor affecting laboratory confirmation analysis is the inhomogeneous nature

of soil samples. Whenever possible, homogenize samples using standard methods<sup>8</sup> before taking "splits" to send to the lab for confirmation.

<sup>&</sup>lt;sup>6</sup>Wright, Keith A., "Evaluation of a New Field Test Kit for Determining Total Petroleum Hydrocarbon Concentrations in Soil at a Site Contaminated by Diesel Fuel", Presented at the AEHS Conference on "Hydrocarbon Contaminated Soils", January 11-13, 1995, New Orleans, LA.

<sup>&</sup>lt;sup>7</sup>Wright, Keith A. and Jermstad, David B., "Evaluation of a Rapid Field Analytical Test Kit for Assessing Hydrocarbon Soil Contamination", Presented at the "Third International Conference On-Site Analysis", January 22-25, 1995 Houston, TX.

<sup>&</sup>lt;sup>8</sup>See for example: Pitard, Francis F., <u>Pierre Gy's Sampling Theory and Sampling Practice</u>, Volumes 1 and 2, CRC Press, Inc., Boca Raton, FL, 1992).

# **Appendix C: Determining the Response Factor for Hydrocarbons Not Listed in Table 1**

The response factors listed in Table 1 are calculated from response curves similar to those in Figure 1 in Appendix A. The response factor is equal to the slope of the response curve multiplied by 10. The slope of the response curve for the analyte is calculated from the response of the specific analyte relative to the response of the calibration standard. The calibration standard has a slope of one and a response factor of 10 on the PetroFLAG meter. Multiplying the slope of a specific analyte's response curve by 10 yields the appropriate response factor for that analyte.

When a suspected contaminant is not listed in Table 1, there are a few methods that may be used to determine the response factor. The method used is determined by the information and facilities available. The most accurate method would be to replicate the data in Figure 1 for the specific analyte, and then calculate the response factor from the slope of the response curve.

Initially, prepare soil standards from a single homogeneous batch of clean soil spiked at a minimum of 5 different concentrations between 100 and 1000 ppm. (For light hydrocarbons, a higher concentration range can be used.) Next, analyze the soil standards in triplicate using a calibrated PetroFLAG meter set to a response factor of 10. Plot the results with the true spiked concentrations on the "X" axis and the meter readings on the "Y" axis. The slope of the regression line (least squares line) through the data points multiplied by 10 is the response factor that should be used for this analyte. To avoid a low bias and false negatives, round the resulting number down to the nearest whole number when selecting the response factor for the meter. This method can be used if either the contaminant is known or a sample of the neat product is available.

<u>NOTE</u>: When the soil used to prepare the spiked soil standards is not actually clean but contains some hydrocarbons, the curve will have a positive intercept. This result should not affect the calculated response factor provided that the highest

spiked standard does not read higher than 1000 ppm on the PetroFLAG meter.

When the contaminant is unknown and a sample of the pure product is not available, then an alternative method can be used. The PetroFLAG results, with the meter set to response factor 10, can be compared with laboratory results from split samples analyzed in triplicate. This method requires extreme care in the homogenizing of the bulk material and also, the preparation of the split samples. Improper sample preparation can result in errors of 100 to 200% or greater. To minimize the effects of this sample variation, as many samples as possible should be analyzed (greater than 20) and the concentrations used should be evenly distributed over the range of 100 to 1000 ppm. Once the data has been collected, plot the data as described above using the laboratory reference method results as the known concentration. The slope of the regression line multiplied by 10 is then the response factor.

<u>NOTE</u>: This method is not as precise as the spike method and any bias in the laboratory method will result in an error in determining this response factor. It is important to check both the laboratory method and the lab performing the analysis thoroughly before using it as the reference method. (See Appendix B)

If the facilities are not available to perform these tests contact Dexsil for advice.

### **Appendix D: Error Conditions**

**Table 2: Error Conditions** 

Message	Cause	Solution
Flashing Concentration Reading [Applies to Unknown Measurements]	Over range condition.  Sample concentration outside of linear range.	Use smaller sample (1 gram recommended) and rerun.
Flashing "EEEE"  [Applies to Unknown Measurements]	Sensor over range condition.  Sample concentration too high.	Use smaller sample (1 gram recommended) and rerun.
"Err0"  [Applies to Calibration  Mode]	Blank and Calibration Standard vials mixed up.  Blank or Calibration Standard outside of QC window (bL too high or CSd too low).	Check calibration vials. Rerun and/or make up new ones.
"Err1" [Applies to All Modes]	Readings from the two optical channels do not agree.	Check vial and reread. If error remains, rerun using another vial.
"Err2" [Applies to Unknown Measurements]	Sample is reading lower than the blank, e.g., Calibration Blank soil unusually high background or not zero.	Recalibrate using true Blank soil.
"Err3" [Applies to Calibration Mode]	Blank or Calibration Standard outside of QC window (bL too low or CSd too high).	Recalibrate using fresh calibration solutions.
"Err4"  [Applies to Unknown Measurements]	Absolute temperature difference between calibration and reading exceeds 10°C.	Recalibrate at current temperature.
"Err5" [ Applies to All Modes]	Ambient temperature outside of operating range. (4°C - 45°C)	Remove meter and reagents to climate controlled environment to recalibrate/rerun.
"LP"	Low Power	Replace battery.

## **Appendix E: Meter Specifications**

A/D Resolution: 0.5 ppm

Display Resolution: 1 ppm

Precision: Analyte Dependent

From MDL to Max Linear Range (MLR) ±10% +5 ppm

From Max Linear Range to Max Quantifiable Range (MQR)  $\pm$  20%

Measurement Range: 10-10,000 ppm (linear range analyte dependent)

Operating Temperature: 4°C to 45°C

Quantification Limit: Analyte Dependent Approx. Approx.

 Response Factor
 MLR (ppm)\*
 MQR (ppm)\*

 15
 730
 1,460

 10
 1,000
 2,000

 5
 2,000
 4,000

 2
 5,000
 10,000

Program Storage: EEPROM

Calibration Storage: EEPROM

Display: 4 digit ½ inch seven segment LCD

Batteries: One 9V Alkaline (included) [Use only Alkaline or Lithium type]

Battery Life: Approx. 4000 measurements or 1 year (using a 550 mAh alkaline battery)

Dimensions: length=5.75" width=3.5" height=2"

Weight: 9.85 oz ( 280 g)

<sup>\*</sup>Actual limits realized in the field are temperature and device dependent. PetroFLAG meter automatically warns user when each limit has been reached.



Page 74 of 334

# APPENDIX F LABORATORY ANALYTICAL REPORTS

**Environment Testing** 

## **ANALYTICAL REPORT**

## PREPARED FOR

Attn: Ms. Laura Campbell Civil & Environmental Consultants Inc 700 Cherrington Parkway Moon Township, Pennsylvania 15108

Generated 5/9/2023 10:23:17 PM

## **JOB DESCRIPTION**

Seawolf 112 81H SDG NUMBER Jal NM

## **JOB NUMBER**

880-27934-1

Eurofins Midland 1211 W. Florida Ave Midland TX 79701

## **Eurofins Midland**

### **Job Notes**

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## **Authorization**

Generated 5/9/2023 10:23:17 PM

Authorized for release by Travis Richter, Project Manager <u>Travis.Richter@et.eurofinsus.com</u> (281)794-7216 1

Λ

6

e S

10

13

14

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 112 81H

Laboratory Job ID: 880-27934-1 SDG: Jal NM

## **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Client Sample Results	9
Surrogate Summary	34
QC Sample Results	37
QC Association Summary	48
Lab Chronicle	57
Certification Summary	74
Method Summary	75
Sample Summary	76
Chain of Custody	77
Receint Checklists	82

3

6

8

10

11

13

14

**Qualifier Description** 

MS and/or MSD recovery exceeds control limits.

## **Definitions/Glossary**

Client: Civil & Environmental Consultants Inc Job ID: 880-27934-1 Project/Site: Seawolf 112 81H

SDG: Jal NM

#### **Qualifiers**

<b>GC VOA</b>	
Qualifier	

*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

#### GC Semi VOA

F1

GC Sellii VOA	
Qualifier	Qualifier Description
В	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.
HPLC/IC	
Qualifier	Qualifier Description

U	Indicates the analyte was analyzed for but not detected.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
n	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points

**Eurofins Midland** 

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

TEF

TEQ

## **Definitions/Glossary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

### **Glossary (Continued)**

Abbreviation

These commonly used abbreviations may or may not be present in this report.

TNTC

Too Numerous To Count

#### Case Narrative

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Job ID: 880-27934-1

**Laboratory: Eurofins Midland** 

Narrative

Job Narrative 880-27934-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 5/3/2023 4:56 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.4° C.

#### GC VOA

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-52615 and analytical batch 880-525 was outside the upper control limits.

Method 8021B: The laboratory control sample (LCS) for preparation batch 880-52615 and analytical batch 880-52565 recovered outside control limits for the following analytes: o-Xylene. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 8021B: The continuing calibration verification (CCV) associated with batch 880-52565 recovered under the lower contro limit for m-Xylene & p-Xylene and o-Xylene. The samples associated with this CCV were ran within 12 hours of passing CCV; therefore, the data have been reported.>

(CCV 880-52565/51)

Method 8021B: The continuing calibration verification (CCV) associated with batch 880-52796 recovered above the upper control limit for Benzene, Toluene and m-Xylene & p-Xylene. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method 8021B: The matrix spike (MS) and/or matrix spike duplicate (MSD) recovery for preparation batch 880-52617 and analytical batch 880-52796 was outside control limits for the following analyte(s): Benzene. Results may be biased high becaus this analyte is a common laboratory solvent and contaminant.

Method 8021B: Surrogate recovery for the following samples were outside control limits: SW81H-1 (0-1) (880-27934-1), SW81H (1-2) (880-27934-2), SW81H-1 (2-3) (880-27934-3), SW81H-1 (3-4) (880-27934-4), SW81H-1 (4-5) (880-27934-5), SW81H-2 (0 (880-27934-6), SW81H-2 (1-2) (880-27934-7), SW81H-2 (2-3) (880-27934-8), SW81H-2 (3-4) (880-27934-9), SW81H-2 (4-5) (880-27934-10), SW81H-3 (0-1) (880-27934-11), SW81H-3 (1-2) (880-27934-12), SW81H-3 (2-3) (880-27934-13), SW81H-3 (3-(880-27934-14), SW81H-3 (4-5) (880-27934-15), SW81H-4 (0-1) (880-27934-16), SW81H-4 (1-2) (880-27934-17), SW81H-4 (2-(880-27934-18), SW81H-4 (3-4) (880-27934-19), SW81H-4 (4-5) (880-27934-20), SW81H-5 (0-1) (880-27934-21), SW81H-5 (1-(880-27934-22), SW81H-5 (2-3) (880-27934-23), SW81H-5 (3-4) (880-27934-24), SW81H-5 (4-5) (880-27934-25), SW81H-6 (0-(880-27934-26), SW81H-6 (1-2) (880-27934-27), SW81H-6 (2-3) (880-27934-28), SW81H-6 (3-4) (880-27934-29), SW81H-6 (4-(880-27934-30), SW81H-7 (0-1) (880-27934-31), SW81H-7 (1-2) (880-27934-32), SW81H-7 (2-3) (880-27934-33), SW81H-7 (3-(880-27934-34), SW81H-7 (4-5) (880-27934-35), SW81H-8 (0-1) (880-27934-36), SW81H-8 (1-2) (880-27934-37), SW81H-8 (2-(880-27934-38), SW81H-8 (3-4) (880-27934-39), SW81H-8 (4-5) (880-27934-40), (CCV 880-52796/20), (CCV 880-52796/51), (I 880-52617/1-A), (LCS 880-52618/1-A), (LCSD 880-52617/2-A), (LCSD 880-52618/2-A), (880-27934-A-1-A MS), (880-27934-A-MSD), (880-27934-A-21-A MS) and (880-27934-A-21-B MSD). Evidence of matrix interference is present; therefore, re-extractic and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### GC Semi VOA

Method 8015B NM: The surrogate recovery for the blank associated with preparation batch 880-52717 and analytical batch

#### **Case Narrative**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1 SDG: Jal NM

Job ID: 880-27934-1 (Continued)

**Laboratory: Eurofins Midland (Continued)** 

880-52759 was outside the upper control limits.

Method 8015B NM: The method blank for preparation batch 880-52717 and analytical batch 880-52759 contained Gasoline Rar Organics (GRO)-C6-C10 above the method detection limit. This target analyte concentration was less than the reporting limit (F therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015B NM: The surrogate recovery for the blank associated with preparation batch 880-52750 and analytical batch 880-52761 was outside the upper control limits.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (890-4610-A-21-E). Evidence of mat interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: The method blank for preparation batch 880-52750 and analytical batch 880-52761 contained Gasoline Rar Organics (GRO)-C6-C10, Diesel Range Organics (Over C10-C28) and Oll Range Organics (Over C28-C36) above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysi of samples was not performed.

Method 8015B NM: CCV biased low however an acceptable CCV was ran within the 12 hour window therefore the data has bee qualified and reported.

(CCV 880-52761/47)

Method 8015B NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-52717 and analytic batch 880-52759 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8015B NM: The method blank for preparation batch 880-52718 and analytical batch 880-52780 contained Gasoline Rar Organics (GRO)-C6-C10 and Diesel Range Organics (Over C10-C28) above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### **General Chemistry**

Method 300.0: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-52685 and analytical batch 880-52776 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

The associated samples are: SW81H-1 (0-1) (880-27934-1), SW81H-1 (1-2) (880-27934-2), SW81H-1 (2-3) (880-27934-3), SW81H-1 (3-4) (880-27934-4), SW81H-1 (4-5) (880-27934-5), SW81H-2 (0-1) (880-27934-6), SW81H-2 (1-2) (880-27934-7), SW81H-2 (2-3) (880-27934-8), SW81H-2 (3-4) (880-27934-9), SW81H-2 (4-5) (880-27934-10), (880-27934-A-1-E MS) and (880-27934-A-1-F MSD).

Method 300.0: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-52684 and 880-52684 a analytical batch 880-52779 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample mati interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

The associated samples are: SW81H-5 (0-1) (880-27934-21), SW81H-5 (1-2) (880-27934-22), SW81H-5 (2-3) (880-27934-23),

#### Case Narrative

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

#### Job ID: 880-27934-1 (Continued)

#### **Laboratory: Eurofins Midland (Continued)**

SW81H-5 (3-4) (880-27934-24), SW81H-5 (4-5) (880-27934-25), SW81H-6 (0-1) (880-27934-26), SW81H-6 (1-2) (880-27934-2 SW81H-6 (2-3) (880-27934-28), SW81H-6 (3-4) (880-27934-29), SW81H-6 (4-5) (880-27934-30), (880-27934-A-21-E MS) and (880-27934-A-21-F MSD).

Method 300.0: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-52551 and 880-52551 ε analytical batch 880-52877 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample mati interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

The associated samples are: SW81H BG-1 (880-27934-41), (890-4611-A-7-A), (890-4611-A-7-B MS) and (890-4611-A-7-C MS)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### **Organic Prep**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

#### **VOA Prep**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-1 (0-1)

Date Collected: 05/02/23 09:20 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-1

Lab Sample ID: 880-27934-2

**Matrix: Solid** 

Percent Solids: 95.1

Matrix: Solid

Percent Solids: 93.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000410	U F1	0.00213	0.000410	mg/Kg	<u></u>	05/04/23 13:25	05/08/23 12:05	-
Toluene	<0.000486	U	0.00213	0.000486	mg/Kg	₩	05/04/23 13:25	05/08/23 12:05	
Ethylbenzene	<0.000602	U	0.00213	0.000602	mg/Kg	₩	05/04/23 13:25	05/08/23 12:05	
m-Xylene & p-Xylene	<0.00108	U	0.00426	0.00108	mg/Kg		05/04/23 13:25	05/08/23 12:05	
o-Xylene	< 0.000367	U	0.00213	0.000367	mg/Kg	₽	05/04/23 13:25	05/08/23 12:05	
Xylenes, Total	<0.00108	U	0.00426	0.00108	mg/Kg	₽	05/04/23 13:25	05/08/23 12:05	•
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	140	S1+	70 - 130				05/04/23 13:25	05/08/23 12:05	
1 A Diffusionahanana (Curr)		S1-	70 400				05/04/23 13:25	05/08/23 12:05	
1,4-Difluorobenzene (Surr)	68	31-	70 - 130				05/04/23 13.25	05/06/23 12.05	
- '							05/04/23 13.25	05/06/23 12.05	
Method: SW846 8015B NM - Dies	sel Range Orga			MDL	Unit	D	Prepared	Analyzed	Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10	sel Range Orga	nics (DRO) Qualifier	(GC)		Unit mg/Kg	<u>D</u>			Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	sel Range Orga Result	nics (DRO) Qualifier J B	(GC)	16.0			Prepared	Analyzed	Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Sel Range Orga Result 21.4	nics (DRO) Qualifier J B	(GC) RL 53.4	16.0 16.0	mg/Kg	<del>-</del>	Prepared 05/05/23 14:28	Analyzed 05/06/23 21:00	Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	sel Range Orga Result 21.4 357	nics (DRO) Qualifier J B F1	(GC)  RL  53.4	16.0 16.0	mg/Kg	<del>*</del> *	Prepared 05/05/23 14:28 05/05/23 14:28	Analyzed 05/06/23 21:00 05/06/23 21:00	
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics	sel Range Orga Result 21.4 357 <16.0	nics (DRO) Qualifier J B F1	(GC)  RL  53.4  53.4	16.0 16.0	mg/Kg	<del>*</del> *	Prepared 05/05/23 14:28 05/05/23 14:28 05/05/23 14:28	Analyzed 05/06/23 21:00 05/06/23 21:00 05/06/23 21:00	Dil Fac

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	576	F1	26.5	2.09	mg/Kg	<b>*</b>		05/06/23 19:12	5

Client Sample ID: SW81H-1 (1-2)

Date Collected: 05/02/23 09:28 Date Received: 05/03/23 16:56

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000402	U	0.00209	0.000402	mg/Kg	<del>*</del>	05/04/23 13:25	05/08/23 12:31	1
Toluene	<0.000476	U	0.00209	0.000476	mg/Kg	₽	05/04/23 13:25	05/08/23 12:31	1
Ethylbenzene	<0.000590	U	0.00209	0.000590	mg/Kg	₽	05/04/23 13:25	05/08/23 12:31	1
m-Xylene & p-Xylene	<0.00106	U	0.00418	0.00106	mg/Kg	₩	05/04/23 13:25	05/08/23 12:31	1
o-Xylene	<0.000359	U	0.00209	0.000359	mg/Kg	₽	05/04/23 13:25	05/08/23 12:31	1
Xylenes, Total	<0.00106	U	0.00418	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 12:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	164	S1+	70 - 130				05/04/23 13:25	05/08/23 12:31	1
1,4-Difluorobenzene (Surr)	80		70 - 130				05/04/23 13:25	05/08/23 12:31	1
- Method: SW846 8015B NM - D	Diesel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
		LB	52.4	15.7	mg/Kg	— <u></u>	05/05/23 14:28	05/06/23 22:05	
Gasoline Range Organics (GRO)-C6-C10	27.8	JB	02.4		99		00,00,2020	00/00/20 22:00	

**Eurofins Midland** 

05/06/23 22:05

52.4

15.7 mg/Kg

05/05/23 14:28

<15.7 U

OII Range Organics (Over C28-C36)

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-1 (1-2)

Date Collected: 05/02/23 09:28 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-2

Matrix: Solid

Percent Solids: 95.1

Surrogate	%Recovery Qualified	r Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	109	70 - 130	05/05/23 14:28	05/06/23 22:05	1
o-Terphenyl	83	70 - 130	05/05/23 14:28	05/06/23 22:05	1
Method: EPA 300.0 - Anions	. Ion Chromatography - So	luble			

Analyte Result Qualifier RLMDL Unit Prepared Analyzed Dil Fac Chloride 263 5.24 0.414 mg/Kg 05/06/23 19:28

Client Sample ID: SW81H-1 (2-3) Lab Sample ID: 880-27934-3

Date Collected: 05/02/23 09:32 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 94.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000407	U	0.00211	0.000407	mg/Kg	₩	05/04/23 13:25	05/08/23 12:56	1
Toluene	<0.000482	U	0.00211	0.000482	mg/Kg	☼	05/04/23 13:25	05/08/23 12:56	1
Ethylbenzene	<0.000597	U	0.00211	0.000597	mg/Kg	₩	05/04/23 13:25	05/08/23 12:56	1
m-Xylene & p-Xylene	<0.00107	U	0.00423	0.00107	mg/Kg	₽	05/04/23 13:25	05/08/23 12:56	1
o-Xylene	< 0.000363	U	0.00211	0.000363	mg/Kg	₽	05/04/23 13:25	05/08/23 12:56	1
Xylenes, Total	<0.00107	U	0.00423	0.00107	mg/Kg	₽	05/04/23 13:25	05/08/23 12:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	167	S1+	70 - 130				05/04/23 13:25	05/08/23 12:56	1
1,4-Difluorobenzene (Surr)	80		70 - 130				05/04/23 13:25	05/08/23 12:56	1

Method: SW846 8015B NM - Dies	Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac			
Gasoline Range Organics (GRO)-C6-C10	22.6	J B	52.9	15.9	mg/Kg	<del>*</del>	05/05/23 14:28	05/06/23 22:26	1			
Diesel Range Organics (Over C10-C28)	51.4	J	52.9	15.9	mg/Kg	₽	05/05/23 14:28	05/06/23 22:26	1			
Oll Range Organics (Over C28-C36)	<15.9	U	52.9	15.9	mg/Kg	₽	05/05/23 14:28	05/06/23 22:26	1			
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac			
1-Chlorooctane	107		70 - 130				05/05/23 14:28	05/06/23 22:26	1			
o-Terphenyl	81		70 - 130				05/05/23 14:28	05/06/23 22:26	1			

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	304		5.29	0.418	mg/Kg			05/06/23 19:34	1

Client Sample ID: SW81H-1 (3-4) Lab Sample ID: 880-27934-4 Date Collected: 05/02/23 10:15 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 95.5

Method: SW846 8021B - Vo	latile Organic Comp	ounds (GC)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000406	U	0.00211	0.000406	mg/Kg	<b>‡</b>	05/04/23 13:25	05/08/23 13:22	1
Toluene	<0.000481	U	0.00211	0.000481	mg/Kg	₩	05/04/23 13:25	05/08/23 13:22	1
Ethylbenzene	<0.000595	U	0.00211	0.000595	mg/Kg	₩	05/04/23 13:25	05/08/23 13:22	1
m-Xylene & p-Xylene	<0.00106	U	0.00421	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 13:22	1
o-Xylene	< 0.000362	U	0.00211	0.000362	mg/Kg	₩	05/04/23 13:25	05/08/23 13:22	1
Xylenes, Total	<0.00106	U	0.00421	0.00106	mg/Kg	₩	05/04/23 13:25	05/08/23 13:22	1
t and the second se									

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-1 (3-4)

Date Collected: 05/02/23 10:15 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-4

Matrix: Solid

Percent Solids: 95.5

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	190	S1+	70 - 130				05/04/23 13:25	05/08/23 13:22	1
1,4-Difluorobenzene (Surr)	80		70 - 130				05/04/23 13:25	05/08/23 13:22	1
Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	27.2	JB	52.3	15.7	mg/Kg	<del>-</del>	05/05/23 14:28	05/06/23 22:48	
(GRO)-C6-C10									
Diesel Range Organics (Over	<15.7	U	52.3	15.7	mg/Kg	₩	05/05/23 14:28	05/06/23 22:48	,
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.7	U	52.3	15.7	mg/Kg	₩	05/05/23 14:28	05/06/23 22:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				05/05/23 14:28	05/06/23 22:48	
o-Terphenyl	80		70 - 130				05/05/23 14:28	05/06/23 22:48	

1	Method: EPA 300.0 - Anions, Ion Ch	romatograp	hy - Soluble							
1	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	73.9		5.21	0.411	mg/Kg	<b>‡</b>		05/06/23 19:39	1

Client Sample ID: SW81H-1 (4-5)

Date Collected: 05/02/23 10:20 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-5

Matrix: Solid

Percent Solids: 96.6

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000397	U	0.00206	0.000397	mg/Kg	<del>*</del>	05/04/23 13:25	05/08/23 13:48	1
Toluene	<0.000470	U	0.00206	0.000470	mg/Kg	₽	05/04/23 13:25	05/08/23 13:48	•
Ethylbenzene	<0.000583	U	0.00206	0.000583	mg/Kg	☼	05/04/23 13:25	05/08/23 13:48	•
m-Xylene & p-Xylene	<0.00104	U	0.00412	0.00104	mg/Kg	₩	05/04/23 13:25	05/08/23 13:48	
o-Xylene	< 0.000355	U	0.00206	0.000355	mg/Kg	₩	05/04/23 13:25	05/08/23 13:48	,
Xylenes, Total	<0.00104	U	0.00412	0.00104	mg/Kg	₽	05/04/23 13:25	05/08/23 13:48	•
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	166	S1+	70 - 130				05/04/23 13:25	05/08/23 13:48	
1,4-Difluorobenzene (Surr)	84		70 <sub>-</sub> 130				05/04/23 13:25	05/08/23 13:48	
Method: SW846 8015B NM - Dies	• •			MDL	Unit	D	Prepared	Analyzed	Dil Fa
Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	• •	Qualifier	(GC)  RL  51.8	MDL 15.5	Unit mg/Kg	D	Prepared 05/05/23 14:28	Analyzed 05/06/23 23:09	
Analyte Gasoline Range Organics	Result	Qualifier	RL				<u> </u>		
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over	Result	Qualifier J B	RL	15.5			<u> </u>		
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)	Result 24.3	Qualifier  J B	RL 51.8	15.5 15.5	mg/Kg	<u> </u>	05/05/23 14:28	05/06/23 23:09	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)	Result 24.3 <15.5	Qualifier JB U	RL 51.8	15.5 15.5	mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28	05/06/23 23:09 05/06/23 23:09	
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate	Result   24.3   <15.5   <15.5	Qualifier JB U	RL 51.8 51.8 51.8	15.5 15.5	mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28	05/06/23 23:09 05/06/23 23:09 05/06/23 23:09	Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   24.3   <15.5   <15.5   %Recovery	Qualifier JB U	RL 51.8 51.8 51.8 <i>Limits</i>	15.5 15.5	mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 <b>Prepared</b>	05/06/23 23:09 05/06/23 23:09 05/06/23 23:09 Analyzed	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   24.3	Qualifier  J B  U  Qualifier  Ohy - Solubl	RL 51.8 51.8 51.8 51.8  Limits 70 - 130 70 - 130	15.5 15.5 15.5	mg/Kg mg/Kg mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 Prepared 05/05/23 14:28	05/06/23 23:09 05/06/23 23:09 05/06/23 23:09 Analyzed 05/06/23 23:09	Dil Fac
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   24.3	Qualifier  J B  U  U  Qualifier	8L 51.8 51.8 51.8 51.8 51.8 51.8 70 - 130 70 - 130	15.5 15.5	mg/Kg mg/Kg mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 Prepared 05/05/23 14:28	05/06/23 23:09 05/06/23 23:09 05/06/23 23:09 Analyzed 05/06/23 23:09	Dil Fac

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

o-Terphenyl

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-2 (0-1) Lab Sample ID: 880-27934-6

Date Collected: 05/02/23 10:43 Matrix: Solid Date Received: 05/03/23 16:56

Percent Solids: 93.1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000411	U	0.00214	0.000411	mg/Kg	<del></del>	05/04/23 13:25	05/08/23 14:14	1
Toluene	<0.000487	U	0.00214	0.000487	mg/Kg	₽	05/04/23 13:25	05/08/23 14:14	1
Ethylbenzene	<0.000603	U	0.00214	0.000603	mg/Kg	₽	05/04/23 13:25	05/08/23 14:14	1
m-Xylene & p-Xylene	<0.00108	U	0.00427	0.00108	mg/Kg	₽	05/04/23 13:25	05/08/23 14:14	1
o-Xylene	< 0.000367	U	0.00214	0.000367	mg/Kg	₽	05/04/23 13:25	05/08/23 14:14	1
Xylenes, Total	<0.00108	U	0.00427	0.00108	mg/Kg	\$	05/04/23 13:25	05/08/23 14:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	182	S1+	70 - 130				05/04/23 13:25	05/08/23 14:14	1
1,4-Difluorobenzene (Surr)	85		70 - 130				05/04/23 13:25	05/08/23 14:14	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO	) (GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	40.1	JB	53.5	16.1	mg/Kg	<del>*</del>	05/05/23 14:28	05/06/23 23:31	1
Diesel Range Organics (Over C10-C28)	167		53.5	16.1	mg/Kg	\$	05/05/23 14:28	05/06/23 23:31	1
Oll Range Organics (Over C28-C36)	<16.1	U	53.5	16.1	mg/Kg	\$	05/05/23 14:28	05/06/23 23:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	123		70 - 130				05/05/23 14:28	05/06/23 23:31	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble							
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	455	5.42	0.428	mg/Kg	<del></del>		05/06/23 20:00	1

70 - 130

Client Sample ID: SW81H-2 (1-2) Lab Sample ID: 880-27934-7

Date Collected: 05/02/23 10:48 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 95.3

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000405	U	0.00210	0.000405	mg/Kg	₩	05/04/23 13:25	05/08/23 14:40	1
Toluene	< 0.000479	U	0.00210	0.000479	mg/Kg	₽	05/04/23 13:25	05/08/23 14:40	1
Ethylbenzene	<0.000594	U	0.00210	0.000594	mg/Kg	₽	05/04/23 13:25	05/08/23 14:40	1
m-Xylene & p-Xylene	<0.00106	U	0.00420	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 14:40	1
o-Xylene	< 0.000362	U	0.00210	0.000362	mg/Kg	₽	05/04/23 13:25	05/08/23 14:40	1
Xylenes, Total	<0.00106	U	0.00420	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 14:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	181	S1+	70 - 130				05/04/23 13:25	05/08/23 14:40	1
1,4-Difluorobenzene (Surr)	98		70 - 130				05/04/23 13:25	05/08/23 14:40	1

Method: SW846 8015B NM - Diesel	Range Orga	nics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	23.4	JB	52.4	15.7	mg/Kg	<del></del>	05/05/23 14:28	05/06/23 23:52	1
Diesel Range Organics (Over C10-C28)	109		52.4	15.7	mg/Kg	₩	05/05/23 14:28	05/06/23 23:52	1
Oll Range Organics (Over C28-C36)	<15.7	U	52.4	15.7	mg/Kg	₽	05/05/23 14:28	05/06/23 23:52	1

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-2 (1-2)

Date Collected: 05/02/23 10:48 Date Received: 05/03/23 16:56

Chloride

Lab Sample ID: 880-27934-7

05/06/23 20:06

Matrix: Solid Percent Solids: 95.3

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	05/05/23 14:28	05/06/23 23:52	1
o-Terphenyl	81		70 - 130	05/05/23 14:28	05/06/23 23:52	1

o-Terphenyl 81 70 - 130 05/05/23 14:28 05/06/23 23:52 1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble
Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac

Client Sample ID: SW81H-2 (2-3)

Lab Sample ID: 880-27934-8

5.25

0.414 mg/Kg

598

Date Collected: 05/02/23 10:58 Matrix: Solid
Date Received: 05/03/23 16:56 Percent Solids: 95.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000404	U	0.00210	0.000404	mg/Kg	₩	05/04/23 13:25	05/08/23 15:06	1
Toluene	<0.000478	U	0.00210	0.000478	mg/Kg	☼	05/04/23 13:25	05/08/23 15:06	1
Ethylbenzene	<0.000593	U	0.00210	0.000593	mg/Kg	₩	05/04/23 13:25	05/08/23 15:06	1
m-Xylene & p-Xylene	<0.00106	U	0.00420	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 15:06	1
o-Xylene	<0.000361	U	0.00210	0.000361	mg/Kg	₩	05/04/23 13:25	05/08/23 15:06	1
Xylenes, Total	<0.00106	U	0.00420	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 15:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	178	S1+	70 - 130				05/04/23 13:25	05/08/23 15:06	1
1,4-Difluorobenzene (Surr)	78		70 <sub>-</sub> 130				05/04/23 13:25	05/08/23 15:06	1

Amalusta	Desuit	Qualifier	RL	MDL	Unit		Duamanad	Amalumad	Dil Fac
Analyte	Result	Quaimer	KL	MIDL	Unit	D	Prepared	Analyzed	DII Fac
Gasoline Range Organics	26.8	JB	52.0	15.6	mg/Kg	≎	05/05/23 14:28	05/07/23 00:14	1
(GRO)-C6-C10									
Diesel Range Organics (Over	<15.6	U	52.0	15.6	mg/Kg	₽	05/05/23 14:28	05/07/23 00:14	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.6	U	52.0	15.6	mg/Kg	₽	05/05/23 14:28	05/07/23 00:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130				05/05/23 14:28	05/07/23 00:14	1
o-Terphenyl	83		70 - 130				05/05/23 14:28	05/07/23 00:14	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	446		5.20	0.411	mg/Kg	₩		05/06/23 20:11	1

 Client Sample ID: SW81H-2 (3-4)

 Date Collected: 05/02/23 11:00
 Matrix: Solid

 Date Received: 05/03/23 16:56
 Percent Solids: 77.8

Method: SW846 8021B - Volatile Organic Compounds (GC)											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Benzene	<0.000494	U	0.00256	0.000494	mg/Kg	₩	05/04/23 13:25	05/08/23 15:32	1		
Toluene	<0.000585	U	0.00256	0.000585	mg/Kg	₩	05/04/23 13:25	05/08/23 15:32	1		
Ethylbenzene	<0.000724	U	0.00256	0.000724	mg/Kg	₩	05/04/23 13:25	05/08/23 15:32	1		
m-Xylene & p-Xylene	<0.00129	U	0.00513	0.00129	mg/Kg	₽	05/04/23 13:25	05/08/23 15:32	1		
o-Xylene	<0.000441	U	0.00256	0.000441	mg/Kg	₩	05/04/23 13:25	05/08/23 15:32	1		
Xylenes, Total	<0.00129	U	0.00513	0.00129	mg/Kg	₽	05/04/23 13:25	05/08/23 15:32	1		

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-2 (3-4)

Date Collected: 05/02/23 11:00 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-9

Matrix: Solid

Percent Solids: 77.8

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	161	S1+	70 - 130				05/04/23 13:25	05/08/23 15:32	1
1,4-Difluorobenzene (Surr)	84		70 - 130				05/04/23 13:25	05/08/23 15:32	1
- Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	38.4	J B	64.0	19.2	mg/Kg	<u></u>	05/05/23 14:28	05/07/23 00:35	1
Diesel Range Organics (Over C10-C28)	<19.2	U	64.0	19.2	mg/Kg	₽	05/05/23 14:28	05/07/23 00:35	1
Oll Range Organics (Over C28-C36)	<19.2	U	64.0	19.2	mg/Kg	₽	05/05/23 14:28	05/07/23 00:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane			70 - 130				05/05/23 14:28	05/07/23 00:35	1
o-Terphenyl -	85		70 - 130				05/05/23 14:28	05/07/23 00:35	1
Method: EPA 300.0 - Anions, Ion	Chromatograp	hy - Solubl	e						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	81.6		6.38	0.504	mg/Kg	— <u></u>		05/06/23 20:16	1

Client Sample ID: SW81H-2 (4-5) Lab Sample ID: 880-27934-10

Date Collected: 05/02/23 11:03 Date Received: 05/03/23 16:56

**Matrix: Solid** 

Percent Solids: 94.6

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000405	U	0.00211	0.000405	mg/Kg	*	05/04/23 13:25	05/08/23 15:58	
Toluene	<0.000480	U	0.00211	0.000480	mg/Kg	₽	05/04/23 13:25	05/08/23 15:58	
Ethylbenzene	<0.000595	U	0.00211	0.000595	mg/Kg	₽	05/04/23 13:25	05/08/23 15:58	
m-Xylene & p-Xylene	<0.00106	U	0.00421	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 15:58	
o-Xylene	< 0.000362	U	0.00211	0.000362	mg/Kg	₽	05/04/23 13:25	05/08/23 15:58	
Xylenes, Total	<0.00106	U	0.00421	0.00106	mg/Kg	₩	05/04/23 13:25	05/08/23 15:58	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	188	S1+	70 - 130				05/04/23 13:25	05/08/23 15:58	
1,4-Difluorobenzene (Surr)	88		70 <sub>-</sub> 130				05/04/23 13:25	05/08/23 15:58	
Method: SW846 8015B NM - Dies				MDI	Unit	D	Propared	Analyzod	Dil Ea
Mathadi CWOAC COAFD NM Dia	nal Dames Owns	rice (DDO)	(00)						
Analyte	Result	Qualifier	RL	MDL		<u>D</u>	Prepared	Analyzed	
Analyte Gasoline Range Organics		Qualifier		MDL 15.9	Unit mg/Kg	<u>D</u>	Prepared 05/05/23 14:28	Analyzed 05/07/23 00:57	
Analyte Gasoline Range Organics (GRO)-C6-C10	Result 26.4	Qualifier J B		15.9	mg/Kg	<del>-</del> ‡	05/05/23 14:28	05/07/23 00:57	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over	Result	Qualifier J B	RL	15.9	mg/Kg				
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)	Result 26.4	Qualifier J B		15.9 15.9	mg/Kg	<del>-</del> ‡	05/05/23 14:28	05/07/23 00:57	
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	Result 26.4 <15.9	Qualifier JB U	RL 52.8	15.9 15.9	mg/Kg	— —	05/05/23 14:28 05/05/23 14:28	05/07/23 00:57 05/07/23 00:57	
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate	<b>Result</b> 26.4 <15.9 <15.9	Qualifier JB U	FL 52.8 52.8 52.8	15.9 15.9	mg/Kg	— —	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28	05/07/23 00:57 05/07/23 00:57 05/07/23 00:57	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10	Result   26.4   <15.9   <15.9   %Recovery	Qualifier JB U	52.8 52.8 52.8 <i>Limits</i>	15.9 15.9	mg/Kg	— —	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 <b>Prepared</b>	05/07/23 00:57 05/07/23 00:57 05/07/23 00:57 <b>Analyzed</b>	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   26.4	Qualifier  J B  U  U  Qualifier	52.8 52.8 52.8 52.8  Limits 70 - 130 70 - 130	15.9 15.9	mg/Kg	— —	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 Prepared 05/05/23 14:28	05/07/23 00:57 05/07/23 00:57 05/07/23 00:57 <b>Analyzed</b> 05/07/23 00:57	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   26.4	Qualifier  J B  U  U  Qualifier	52.8 52.8 52.8 52.8  Limits 70 - 130 70 - 130	15.9 15.9	mg/Kg mg/Kg mg/Kg	— —	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 Prepared 05/05/23 14:28	05/07/23 00:57 05/07/23 00:57 05/07/23 00:57 <b>Analyzed</b> 05/07/23 00:57	Dil Fac

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-3 (0-1)

Date Collected: 05/02/23 11:10 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-11

Matrix: Solid

Percent Solids: 94.1

Method: SW846 8021B - Volatile	Organic Comp	ourius (GC	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000411	U	0.00213	0.000411	mg/Kg	₽	05/04/23 13:25	05/08/23 17:46	1
Toluene	<0.000487	U	0.00213	0.000487	mg/Kg	₽	05/04/23 13:25	05/08/23 17:46	1
Ethylbenzene	<0.000603	U	0.00213	0.000603	mg/Kg	₽	05/04/23 13:25	05/08/23 17:46	1
m-Xylene & p-Xylene	<0.00108	U	0.00427	0.00108	mg/Kg	₽	05/04/23 13:25	05/08/23 17:46	1
o-Xylene	< 0.000367	U	0.00213	0.000367	mg/Kg	₽	05/04/23 13:25	05/08/23 17:46	1
Xylenes, Total	<0.00108	U	0.00427	0.00108	mg/Kg	₽	05/04/23 13:25	05/08/23 17:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	157	S1+	70 - 130				05/04/23 13:25	05/08/23 17:46	1
1,4-Difluorobenzene (Surr)	81		70 - 130				05/04/23 13:25	05/08/23 17:46	1
Method: SW846 8015B NM - Die	sel Range Orga	nics (DRO)	(GC)						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	26.4	J B	52.9	15.9	mg/Kg	<del>*</del>	05/05/23 14:28	05/07/23 01:40	1
	24.7	1	52.9	15.9	mg/Kg	₩	05/05/23 14:28	05/07/23 01:40	1
Diesel Range Organics (Over C10-C28)	24.7	J	02.0		5 5				

Method: EPA 300.0 - Anions, Ion C	hromatograp	hv - Soluble	<b>)</b>						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	417		5.29	0.418	mg/Kg	<del>*</del>		05/06/23 20:27	1

Limits

70 - 130

70 - 130

%Recovery Qualifier

106

82

Client Sample ID: SW81H-3 (1-2)

Date Collected: 05/02/23 11:20

Surrogate

o-Terphenyl

1-Chlorooctane

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-12

Analyzed

05/07/23 01:40

05/07/23 01:40

Prepared

05/05/23 14:28

05/05/23 14:28

Matrix: Solid Percent Solids: 90.2

Dil Fac

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000425	U	0.00221	0.000425	mg/Kg	*	05/04/23 13:25	05/08/23 18:12	1
Toluene	<0.000503	U	0.00221	0.000503	mg/Kg	₽	05/04/23 13:25	05/08/23 18:12	1
Ethylbenzene	<0.000624	U	0.00221	0.000624	mg/Kg	₽	05/04/23 13:25	05/08/23 18:12	1
m-Xylene & p-Xylene	<0.00112	U	0.00442	0.00112	mg/Kg	₽	05/04/23 13:25	05/08/23 18:12	1
o-Xylene	<0.000380	U	0.00221	0.000380	mg/Kg	₽	05/04/23 13:25	05/08/23 18:12	1
Xylenes, Total	<0.00112	U	0.00442	0.00112	mg/Kg	₩	05/04/23 13:25	05/08/23 18:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	192	S1+	70 - 130				05/04/23 13:25	05/08/23 18:12	1
1,4-Difluorobenzene (Surr)	84		70 - 130				05/04/23 13:25	05/08/23 18:12	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Gasoline Range Organics (GRO)-C6-C10	18.5	JB	55.4	16.6	mg/Kg	<u> </u>	05/05/23 14:28	05/07/23 02:01	1		
Diesel Range Organics (Over C10-C28)	43.8	J	55.4	16.6	mg/Kg	₽	05/05/23 14:28	05/07/23 02:01	1		
Oll Range Organics (Over C28-C36)	<16.6	U	55.4	16.6	mg/Kg	₽	05/05/23 14:28	05/07/23 02:01	1		

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-3 (1-2)

Client Sample ID: SW81H-3 (2-3)

Date Collected: 05/02/23 11:25

Date Received: 05/03/23 16:56

Date Collected: 05/02/23 11:20 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-12

Matrix: Solid

Percent Solids: 90.2

Surrogate 1-Chlorooctane o-Terphenyl	<b>%Recovery</b> 106 82	Qualifier	<b>Limits</b> 70 - 130 70 - 130				Prepared 05/05/23 14:28 05/05/23 14:28	Analyzed 05/07/23 02:01 05/07/23 02:01	<b>Dil Fac</b> 1 1
Method: EPA 300.0 - Anions, Ion Cl Analyte	• •	ohy - Soluble Qualifier	e RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

Analyte Result Qualifier RLMDL Unit Prepared Chloride 347 5.50 0.434 mg/Kg

05/06/23 20:43

Lab Sample ID: 880-27934-13 **Matrix: Solid** 

Percent Solids: 76.7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000499	U	0.00259	0.000499	mg/Kg	<del>*</del>	05/04/23 13:25	05/08/23 18:38	1
Toluene	<0.000591	U	0.00259	0.000591	mg/Kg	₩	05/04/23 13:25	05/08/23 18:38	1
Ethylbenzene	<0.000732	U	0.00259	0.000732	mg/Kg	₽	05/04/23 13:25	05/08/23 18:38	1
m-Xylene & p-Xylene	<0.00131	U	0.00518	0.00131	mg/Kg	₽	05/04/23 13:25	05/08/23 18:38	1
o-Xylene	<0.000446	U	0.00259	0.000446	mg/Kg	₽	05/04/23 13:25	05/08/23 18:38	1
Xylenes, Total	<0.00131	U	0.00518	0.00131	mg/Kg	₽	05/04/23 13:25	05/08/23 18:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	173	S1+	70 - 130				05/04/23 13:25	05/08/23 18:38	1
1.4-Difluorobenzene (Surr)	74		70 - 130				05/04/23 13:25	05/08/23 18:38	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	33.3	J B	65.1	19.5	mg/Kg	<del>*</del>	05/05/23 14:28	05/07/23 02:23	1
Diesel Range Organics (Over C10-C28)	39.6	J	65.1	19.5	mg/Kg	₽	05/05/23 14:28	05/07/23 02:23	1
Oll Range Organics (Over C28-C36)	<19.5	U	65.1	19.5	mg/Kg	₽	05/05/23 14:28	05/07/23 02:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				05/05/23 14:28	05/07/23 02:23	1
o-Terphenyl	79		70 - 130				05/05/23 14:28	05/07/23 02:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	244		6.54	0.517	mg/Kg			05/06/23 20:49	1

Client Sample ID: SW81H-3 (3-4) Lab Sample ID: 880-27934-14 Date Collected: 05/02/23 11:30 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 93.7

Method: SW846 8021B - Vola	atile Organic Comp	ounds (GC)	ı						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000410	U	0.00213	0.000410	mg/Kg	₩	05/04/23 13:25	05/08/23 19:04	1
Toluene	<0.000486	U	0.00213	0.000486	mg/Kg	₩	05/04/23 13:25	05/08/23 19:04	1
Ethylbenzene	<0.000602	U	0.00213	0.000602	mg/Kg	₩	05/04/23 13:25	05/08/23 19:04	1
m-Xylene & p-Xylene	<0.00108	U	0.00426	0.00108	mg/Kg	₽	05/04/23 13:25	05/08/23 19:04	1
o-Xylene	< 0.000367	U	0.00213	0.000367	mg/Kg	₩	05/04/23 13:25	05/08/23 19:04	1
Xylenes, Total	<0.00108	U	0.00426	0.00108	mg/Kg	₽	05/04/23 13:25	05/08/23 19:04	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-3 (3-4)

Date Collected: 05/02/23 11:30 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-14

Matrix: Solid

Percent Solids: 93.7

170	S1+	70 - 130						
70						05/04/23 13:25	05/08/23 19:04	1
76		70 - 130				05/04/23 13:25	05/08/23 19:04	1
ge Orga	nics (DRO)	(GC)						
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
19.9	JB	53.3	16.0	mg/Kg	<u></u>	05/05/23 14:28	05/07/23 02:44	1
<16.0	U	53.3	16.0	mg/Kg	₽	05/05/23 14:28	05/07/23 02:44	,
<16.0	U	53.3	16.0	mg/Kg	₩	05/05/23 14:28	05/07/23 02:44	
Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
105		70 - 130				05/05/23 14:28	05/07/23 02:44	
79		70 - 130				05/05/23 14:28	05/07/23 02:44	1
	Result   19.9   <16.0   <16.0   Recovery   105	Result   Qualifier	19.9 J B 53.3  <16.0 U 53.3  <16.0 U 53.3  Recovery Qualifier Limits 70 - 130	Result 19.9         Qualifier JB         RL 53.3         MDL 16.0           <16.0	Result 19.9         Qualifier JB         RL 53.3         MDL mg/Kg           <16.0	Result 19.9         Qualifier JB         RL State	Result 19.9         Qualifier JB         RL State	Result 19.9         Qualifier         RL 16.0         MDL 16.0         Unit mg/Kg         D 05/05/23 14:28         Prepared 05/07/23 02:44           <16.0

Client Sample ID: SW81H-3 (4-5) Lab Sample ID: 880-27934-15

Date Collected: 05/02/23 11:35

Date Received: 05/03/23 16:56

**Matrix: Solid** 

Percent Solids: 95.5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000405	U	0.00211	0.000405	mg/Kg	<del>*</del>	05/04/23 13:25	05/08/23 19:30	-
Toluene	<0.000480	U	0.00211	0.000480	mg/Kg	₽	05/04/23 13:25	05/08/23 19:30	
Ethylbenzene	<0.000595	U	0.00211	0.000595	mg/Kg	₽	05/04/23 13:25	05/08/23 19:30	
m-Xylene & p-Xylene	<0.00106	U	0.00421	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 19:30	
o-Xylene	<0.000362	U	0.00211	0.000362	mg/Kg	₽	05/04/23 13:25	05/08/23 19:30	
Xylenes, Total	<0.00106	U	0.00421	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 19:30	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	193	S1+	70 - 130				05/04/23 13:25	05/08/23 19:30	
1,4-Difluorobenzene (Surr)	85		70 - 130				05/04/23 13:25	05/08/23 19:30	
Method: SW846 8015B NM - Dies Analyte		,	. ,	MDI	Unit	n	Propared	Analyzod	Dil Fa
Marked CMO4C CO4FD NM Disc	! D 0	rice (DDO)	(00)						
Analyte	Result	Qualifier	RL	MDL		<u>D</u>	Prepared	Analyzed	Dil Fa
Analyte Gasoline Range Organics		Qualifier	. ,	MDL 15.6	Unit mg/Kg	<u>D</u>	Prepared 05/05/23 14:28	Analyzed 05/07/23 03:05	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over	Result	Qualifier J B	RL	15.6			<u>.</u>		
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)	Result 27.7	Qualifier  J B	RL 52.1	15.6 15.6	mg/Kg	<u> </u>	05/05/23 14:28	05/07/23 03:05	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)	Result 27.7 <15.6	Qualifier JB U	RL 52.1	15.6 15.6	mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28	05/07/23 03:05 05/07/23 03:05	
	Result   27.7   <15.6   <15.6	Qualifier JB U	RL 52.1 52.1	15.6 15.6	mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28	05/07/23 03:05 05/07/23 03:05 05/07/23 03:05	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)  Surrogate	Result   27.7   <15.6   <15.6   %Recovery	Qualifier JB U	RL 52.1 52.1 52.1 Limits	15.6 15.6	mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 <b>Prepared</b>	05/07/23 03:05 05/07/23 03:05 05/07/23 03:05 Analyzed	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result 27.7 <15.6 <15.6 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7 <17.7	Qualifier J B U U Qualifier	RL 52.1 52.1 52.1 52.1  Limits 70 - 130 70 - 130	15.6 15.6	mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 Prepared 05/05/23 14:28	05/07/23 03:05 05/07/23 03:05 05/07/23 03:05 <b>Analyzed</b> 05/07/23 03:05	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   27.7	Qualifier J B U U Qualifier	RL 52.1 52.1 52.1 52.1  Limits 70 - 130 70 - 130	15.6 15.6	mg/Kg mg/Kg mg/Kg	<u> </u>	05/05/23 14:28 05/05/23 14:28 05/05/23 14:28 Prepared 05/05/23 14:28	05/07/23 03:05 05/07/23 03:05 05/07/23 03:05 <b>Analyzed</b> 05/07/23 03:05	Dil Fa

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-4 (0-1)

Date Collected: 05/02/23 12:00 Date Received: 05/03/23 16:56

C10-C28)

Oll Range Organics (Over C28-C36)

Lab Sample ID: 880-27934-16

05/07/23 03:27

□ 05/05/23 14:28

Matrix: Solid

Percent Solids: 94.3

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000409	U	0.00213	0.000409	mg/Kg	— <u></u>	05/04/23 13:25	05/08/23 19:56	1
Toluene	<0.000485	U	0.00213	0.000485	mg/Kg	₽	05/04/23 13:25	05/08/23 19:56	1
Ethylbenzene	<0.000601	U	0.00213	0.000601	mg/Kg	₽	05/04/23 13:25	05/08/23 19:56	1
m-Xylene & p-Xylene	<0.00107	U	0.00425	0.00107	mg/Kg	₩	05/04/23 13:25	05/08/23 19:56	1
o-Xylene	< 0.000366	U	0.00213	0.000366	mg/Kg	₩	05/04/23 13:25	05/08/23 19:56	1
Xylenes, Total	<0.00107	U	0.00425	0.00107	mg/Kg	₽	05/04/23 13:25	05/08/23 19:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	186	S1+	70 - 130				05/04/23 13:25	05/08/23 19:56	1
1,4-Difluorobenzene (Surr)	82		70 - 130				05/04/23 13:25	05/08/23 19:56	1
=			(00)						
Method: SW846 8015B NM - Die	esel Range Orga	nics (DRO)	(GC)						
Method: SW846 8015B NM - Die Analyte	•	nics (DRO) Qualifier	(GC)	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	•	Qualifier		MDL 15.9		<u>D</u>	Prepared 05/05/23 14:28	Analyzed 05/07/23 03:27	Dil Fac

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	109	70 - 130	05/05/23 14:28	05/07/23 03:27	1
o-Terphenyl	84	70 - 130	05/05/23 14:28	05/07/23 03:27	1
Method: EPA 300.0 - Anions, Ion C	hromatography - Solubl	e			

52.9

15.9 mg/Kg

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble											
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
	Chloride	143		5.33	0.421	mg/Kg	<u></u>		05/06/23 21:16	1	

Lab Sample ID: 880-27934-17 Client Sample ID: SW81H-4 (1-2)

<15.9 U

Date Collected: 05/02/23 12:05 **Matrix: Solid** Percent Solids: 96.7 Date Received: 05/03/23 16:56

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000397	U	0.00206	0.000397	mg/Kg	<del></del>	05/04/23 13:25	05/08/23 20:22	1
Toluene	< 0.000470	U	0.00206	0.000470	mg/Kg	₽	05/04/23 13:25	05/08/23 20:22	1
Ethylbenzene	<0.000582	U	0.00206	0.000582	mg/Kg	₽	05/04/23 13:25	05/08/23 20:22	1
m-Xylene & p-Xylene	<0.00104	U	0.00412	0.00104	mg/Kg	₽	05/04/23 13:25	05/08/23 20:22	1
o-Xylene	< 0.000354	U	0.00206	0.000354	mg/Kg	₽	05/04/23 13:25	05/08/23 20:22	1
Xylenes, Total	<0.00104	U	0.00412	0.00104	mg/Kg	₽	05/04/23 13:25	05/08/23 20:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	168	S1+	70 - 130				05/04/23 13:25	05/08/23 20:22	1
1,4-Difluorobenzene (Surr)	76		70 - 130				05/04/23 13:25	05/08/23 20:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Gasoline Range Organics (GRO)-C6-C10	25.4	JB	51.6	15.5	mg/Kg	<u> </u>	05/05/23 14:28	05/07/23 03:48	1		
Diesel Range Organics (Over C10-C28)	<15.5	U	51.6	15.5	mg/Kg	₽	05/05/23 14:28	05/07/23 03:48	1		
Oll Range Organics (Over C28-C36)	<15.5	U	51.6	15.5	mg/Kg	₽	05/05/23 14:28	05/07/23 03:48	1		

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-4 (1-2) Lab Sample ID: 880-27934-17

Date Collected: 05/02/23 12:05 Date Received: 05/03/23 16:56

Matrix: Solid Percent Solids: 96.7

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	05/05/23 14:28	05/07/23 03:48	1
o-Terphenyl	80		70 - 130	05/05/23 14:28	05/07/23 03:48	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble Analyte Result Qualifier RLMDL Unit Prepared Analyzed Dil Fac Chloride 239 5.22 0.413 mg/Kg 05/06/23 21:21

Client Sample ID: SW81H-4 (2-3) Lab Sample ID: 880-27934-18

Date Collected: 05/02/23 13:05 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 94.8

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000404	U	0.00210	0.000404	mg/Kg	<del>*</del>	05/04/23 13:25	05/08/23 20:49	1
Toluene	<0.000478	U	0.00210	0.000478	mg/Kg	₽	05/04/23 13:25	05/08/23 20:49	1
Ethylbenzene	<0.000592	U	0.00210	0.000592	mg/Kg	₽	05/04/23 13:25	05/08/23 20:49	1
m-Xylene & p-Xylene	<0.00106	U	0.00419	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 20:49	1
o-Xylene	< 0.000361	U	0.00210	0.000361	mg/Kg	₩	05/04/23 13:25	05/08/23 20:49	1
Xylenes, Total	<0.00106	U	0.00419	0.00106	mg/Kg	₽	05/04/23 13:25	05/08/23 20:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	184	S1+	70 - 130				05/04/23 13:25	05/08/23 20:49	1
1 4-Difluorobenzene (Surr)	80		70 130				05/04/23 13:25	05/08/23 20:49	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	30.9	JB	52.7	15.8	mg/Kg	<del>*</del>	05/05/23 14:28	05/07/23 04:09	1
Diesel Range Organics (Over C10-C28)	<15.8	U	52.7	15.8	mg/Kg	₽	05/05/23 14:28	05/07/23 04:09	1
Oll Range Organics (Over C28-C36)	<15.8	U	52.7	15.8	mg/Kg	₽	05/05/23 14:28	05/07/23 04:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				05/05/23 14:28	05/07/23 04:09	1
o-Terphenyl	84		70 - 130				05/05/23 14:28	05/07/23 04:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte Result Qualifier				RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	183		5.23	0.413	mg/Kg	<u></u>		05/06/23 21:26	1

Client Sample ID: SW81H-4 (3-4) Lab Sample ID: 880-27934-19 Date Collected: 05/02/23 13:10 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 96.5

atile Organic Comp	ounds (GC)							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.000398	U	0.00207	0.000398	mg/Kg	₽	05/04/23 13:25	05/08/23 21:15	1
< 0.000471	U	0.00207	0.000471	mg/Kg	₩	05/04/23 13:25	05/08/23 21:15	1
<0.000584	U	0.00207	0.000584	mg/Kg	₩	05/04/23 13:25	05/08/23 21:15	1
<0.00104	U	0.00413	0.00104	mg/Kg	₽	05/04/23 13:25	05/08/23 21:15	1
< 0.000356	U	0.00207	0.000356	mg/Kg	₩	05/04/23 13:25	05/08/23 21:15	1
<0.00104	U	0.00413	0.00104	mg/Kg	₽	05/04/23 13:25	05/08/23 21:15	1
	Result <0.000398 <0.000471 <0.000584 <0.00104 <0.000356	Result   Qualifier   Co.000398   U   Co.000584   U   Co.000356   U   Co.00104   U   Co.00104	<0.000398 U 0.00207 <0.000471 U 0.00207 <0.000584 U 0.00207 <0.00104 U 0.00413 <0.000356 U 0.00207	Result         Qualifier         RL         MDL           <0.000398	Result         Qualifier         RL         MDL         Unit           <0.000398	Result         Qualifier         RL         MDL         Unit         D           <0.000398	Result         Qualifier         RL         MDL         Unit         D         Prepared           <0.000398	Result         Qualifier         RL         MDL         Unit         D         Prepared         Analyzed           <0.000398

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-4 (3-4)

Date Collected: 05/02/23 13:10 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-19

Matrix: Solid

Percent Solids: 96.5

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	180	S1+	70 - 130				05/04/23 13:25	05/08/23 21:15	1
1,4-Difluorobenzene (Surr)	76		70 - 130				05/04/23 13:25	05/08/23 21:15	1
Method: SW846 8015B NM - Die Analyte		nics (DRO) Qualifier	) (GC)	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Casalina Banga Organica		I.D.		15.5	malka		05/05/22 14:20	05/07/22 04:20	

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	26.5	J B	51.7	15.5	mg/Kg	<del>*</del>	05/05/23 14:28	05/07/23 04:30	1
Diesel Range Organics (Over C10-C28)	<15.5	U	51.7	15.5	mg/Kg	₩	05/05/23 14:28	05/07/23 04:30	1
Oll Range Organics (Over C28-C36)	<15.5	U	51.7	15.5	mg/Kg	₽	05/05/23 14:28	05/07/23 04:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	05/05/23 14:28	05/07/23 04:30	1
o-Terphenyl	84		70 - 130	05/05/23 14:28	05/07/23 04:30	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D F	repared	Analyzed	Dil Fac
Chloride	105		5.17	0.408	mg/Kg	*		05/06/23 21:32	1

Lab Sample ID: 880-27934-20 Client Sample ID: SW81H-4 (4-5)

Date Collected: 05/02/23 13:15 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 96.5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000401	U	0.00209	0.000401	mg/Kg	<del>*</del>	05/04/23 13:25	05/08/23 21:41	1
Toluene	<0.000475	U	0.00209	0.000475	mg/Kg	₽	05/04/23 13:25	05/08/23 21:41	1
Ethylbenzene	<0.000589	U	0.00209	0.000589	mg/Kg	₽	05/04/23 13:25	05/08/23 21:41	1
m-Xylene & p-Xylene	<0.00105	U	0.00417	0.00105	mg/Kg	₽	05/04/23 13:25	05/08/23 21:41	1
o-Xylene	< 0.000359	U	0.00209	0.000359	mg/Kg	₽	05/04/23 13:25	05/08/23 21:41	1
Xylenes, Total	<0.00105	U	0.00417	0.00105	mg/Kg	₩	05/04/23 13:25	05/08/23 21:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac

Surrogate	%Recovery	Qualifier	Limits	Prepared	Anaiyzea	DII Fac
4-Bromofluorobenzene (Surr)	168	S1+	70 - 130	05/04/23 13:25	05/08/23 21:41	1
1,4-Difluorobenzene (Surr)	69	S1-	70 - 130	05/04/23 13:25	05/08/23 21:41	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	30.4	J B	51.7	15.5	mg/Kg	<u></u>	05/05/23 14:28	05/07/23 04:51	1
(GRO)-C6-C10 Diesel Range Organics (Over	<15.5	U	51.7	15.5	mg/Kg	₩	05/05/23 14:28	05/07/23 04:51	1
C10-C28) Oll Range Organics (Over C28-C36)	<15.5	U	51.7	15.5	mg/Kg	₩	05/05/23 14:28	05/07/23 04:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130	05/05/23 14:28	05/07/23 04:51	1
o-Terphenyl	83		70 - 130	05/05/23 14:28	05/07/23 04:51	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble
--

Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	84.3	5.21	0.412 mg/Kg	₩		05/06/23 21:37	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-5 (0-1)

Date Collected: 05/02/23 13:30 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-21

**Matrix: Solid** 

Percent Solids: 92.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000410	U	0.00213	0.000410	mg/Kg	<u></u>	05/04/23 13:27	05/09/23 01:37	1
Toluene	<0.000486	U	0.00213	0.000486	mg/Kg	₽	05/04/23 13:27	05/09/23 01:37	1
Ethylbenzene	<0.000602	U	0.00213	0.000602	mg/Kg	₽	05/04/23 13:27	05/09/23 01:37	1
m-Xylene & p-Xylene	<0.00108	U	0.00426	0.00108	mg/Kg	₽	05/04/23 13:27	05/09/23 01:37	1
o-Xylene	< 0.000366	U	0.00213	0.000366	mg/Kg	₩	05/04/23 13:27	05/09/23 01:37	1
Xylenes, Total	<0.00108	U	0.00426	0.00108	mg/Kg	₽	05/04/23 13:27	05/09/23 01:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	154	S1+	70 - 130				05/04/23 13:27	05/09/23 01:37	1
1,4-Difluorobenzene (Surr)	67	S1-	70 - 130				05/04/23 13:27	05/09/23 01:37	1
	sel Range Orga	nics (DRO)	(GC)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Casalina Banga Organica	41.6	J B	53.6	16.1	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 12:09	1
Gasoline Range Organics (GRO)-C6-C10									
	<16.1	U	53.6	16.1	mg/Kg	₽	05/05/23 14:35	05/07/23 12:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	1900	F1	27.2	2.15	mg/Kg	<del></del>		05/06/23 16:13	5

Limits

70 - 130

70 - 130

%Recovery Qualifier

121

96

Client Sample ID: SW81H-5 (1-2)

Date Collected: 05/02/23 14:06

Surrogate

o-Terphenyl

1-Chlorooctane

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-22

Analyzed

05/07/23 12:09

05/07/23 12:09

Prepared

05/05/23 14:35

05/05/23 14:35

**Matrix: Solid** Percent Solids: 93.0

Dil Fac

Method: SW846 8021B - Volatile Organic Compounds (GC) Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac <u>~</u> Benzene <0.000413 U 0.00215 0.000413 mg/Kg 05/04/23 13:27 05/09/23 02:03 Toluene <0.000489 U 0.00215 0.000489 mg/Kg 05/04/23 13:27 05/09/23 02:03 <0.000606 U 0.00215 0.000606 05/04/23 13:27 05/09/23 02:03 Ethylbenzene mg/Kg ä m-Xylene & p-Xylene <0.00108 U 0.00429 0.00108 mg/Kg 05/04/23 13:27 05/09/23 02:03 o-Xylene <0.000369 U 0.00215 0.000369 mg/Kg ₩ 05/04/23 13:27 05/09/23 02:03 <0.00108 U 0.00429 0.00108 mg/Kg 05/04/23 13:27 05/09/23 02:03 Xylenes, Total %Recovery Qualifier Limits Dil Fac Surrogate Prepared Analyzed 4-Bromofluorobenzene (Surr) 181 S1+ 70 - 130 05/04/23 13:27 05/09/23 02:03 76 70 - 130 05/04/23 13:27 05/09/23 02:03 1,4-Difluorobenzene (Surr)

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Gasoline Range Organics (GRO)-C6-C10	34.3	JB	53.7	16.1	mg/Kg	<u> </u>	05/05/23 14:35	05/07/23 13:15	1		
Diesel Range Organics (Over C10-C28)	<16.1	U	53.7	16.1	mg/Kg	₽	05/05/23 14:35	05/07/23 13:15	1		
Oll Range Organics (Over C28-C36)	<16.1	U	53.7	16.1	mg/Kg	₽	05/05/23 14:35	05/07/23 13:15	1		

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-5 (1-2)

Date Collected: 05/02/23 14:06 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-22

Matrix: Solid Percent Solids: 93.0

	24-					
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130	05/05/23 14:35	05/07/23 13:15	1

1-Chlorooctane 113 70 - 130 05/05/23 14:35 05/07/23 13:15 o-Terphenyl 87 70 - 130 05/05/23 14:35 05/07/23 13:15

 Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

 Analyte
 Result Chloride
 Qualifier
 RL Result Chloride
 MDL Unit RL Result Result

Client Sample ID: SW81H-5 (2-3)

Lab Sample ID: 880-27934-23

 Date Collected: 05/02/23 14:13
 Matrix: Solid

 Date Received: 05/03/23 16:56
 Percent Solids: 92.7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000418	U	0.00217	0.000418	mg/Kg	<del>*</del>	05/04/23 13:27	05/09/23 02:29	1
Toluene	<0.000495	U	0.00217	0.000495	mg/Kg	₽	05/04/23 13:27	05/09/23 02:29	1
Ethylbenzene	<0.000613	U	0.00217	0.000613	mg/Kg	₽	05/04/23 13:27	05/09/23 02:29	1
m-Xylene & p-Xylene	<0.00110	U	0.00434	0.00110	mg/Kg	₽	05/04/23 13:27	05/09/23 02:29	1
o-Xylene	< 0.000373	U	0.00217	0.000373	mg/Kg	₽	05/04/23 13:27	05/09/23 02:29	1
Xylenes, Total	<0.00110	U	0.00434	0.00110	mg/Kg	₩	05/04/23 13:27	05/09/23 02:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	176	S1+	70 _ 130				05/04/23 13:27	05/09/23 02:29	1
1,4-Difluorobenzene (Surr)	79		70 <sub>-</sub> 130				05/04/23 13:27	05/09/23 02:29	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	33.0	JB	53.9	16.2	mg/Kg	<u></u>	05/05/23 14:35	05/07/23 13:37	1
Diesel Range Organics (Over C10-C28)	<16.2	U	53.9	16.2	mg/Kg	₽	05/05/23 14:35	05/07/23 13:37	1
Oll Range Organics (Over C28-C36)	<16.2	U	53.9	16.2	mg/Kg	\$	05/05/23 14:35	05/07/23 13:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				05/05/23 14:35	05/07/23 13:37	1
o-Terphenyl	89		70 - 130				05/05/23 14:35	05/07/23 13:37	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	461		5.37	0.424	mg/Kg	<u></u>		05/06/23 16:33	1

 Client Sample ID: SW81H-5 (3-4)

 Date Collected: 05/02/23 14:16
 Matrix: Solid

 Date Received: 05/03/23 16:56
 Percent Solids: 96.5

atile Organic Comp								
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.000400	U	0.00208	0.000400	mg/Kg	₩	05/04/23 13:27	05/09/23 02:56	1
< 0.000473	U	0.00208	0.000473	mg/Kg	₩	05/04/23 13:27	05/09/23 02:56	1
<0.000586	U	0.00208	0.000586	mg/Kg	₽	05/04/23 13:27	05/09/23 02:56	1
<0.00105	U	0.00415	0.00105	mg/Kg	₽	05/04/23 13:27	05/09/23 02:56	1
< 0.000357	U	0.00208	0.000357	mg/Kg	₩	05/04/23 13:27	05/09/23 02:56	1
<0.00105	U	0.00415	0.00105	mg/Kg	₩	05/04/23 13:27	05/09/23 02:56	1
	Result <0.000400 <0.000473 <0.000586 <0.00105 <0.000357	Result   Qualifier	<0.000400 U 0.00208 <0.000473 U 0.00208 <0.000586 U 0.00208 <0.00105 U 0.00415 <0.000357 U 0.00208	Result         Qualifier         RL         MDL           <0.000400	Result         Qualifier         RL         MDL         Unit           <0.000400	Result         Qualifier         RL         MDL         Unit         D           <0.000400	Result         Qualifier         RL         MDL         Unit         D         Prepared           <0.000400	Result         Qualifier         RL         MDL         Unit         D         Prepared         Analyzed           <0.000400

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-5 (3-4)

Date Collected: 05/02/23 14:16

Lab Sample ID: 880-27934-24

Analyzed

05/06/23 16:37

Matrix: Solid

Date Received: 05/03/23 16:56 Percent Solids: 96.5

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	167	S1+	70 - 130				05/04/23 13:27	05/09/23 02:56	1
1,4-Difluorobenzene (Surr)	73		70 - 130				05/04/23 13:27	05/09/23 02:56	1
Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	32.6	JB	51.6	15.5	mg/Kg	<u> </u>	05/05/23 14:35	05/07/23 13:59	1
Diesel Range Organics (Over C10-C28)	<15.5	U	51.6	15.5	mg/Kg	₩	05/05/23 14:35	05/07/23 13:59	1
OII Range Organics (Over C28-C36)	<15.5	U	51.6	15.5	mg/Kg	₩	05/05/23 14:35	05/07/23 13:59	•
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				05/05/23 14:35	05/07/23 13:59	1
o-Terphenyl	79		70 - 130				05/05/23 14:35	05/07/23 13:59	1

Client Sample ID: SW81H-5 (4-5)

Lab Sample ID: 880-27934-25

RL

5.16

Result Qualifier

77.7

Date Collected: 05/02/23 14:20 Date Received: 05/03/23 16:56

Analyte

Chloride

02/23 14:20 Matrix: Solid 03/23 16:56 Percent Solids: 94.9

MDL Unit

0.408 mg/Kg

D

₩

Prepared

Method: SW846 8021B - Volatile Organic Compounds (GC) Analyte Result Qualifier RL MDL Unit D Dil Fac Prepared Analyzed Benzene <0.000404 0.00210 0.000404 mg/Kg ₩ 05/04/23 13:27 05/09/23 03:22 Toluene <0.000479 U 0.00210 0.000479 mg/Kg 05/04/23 13:27 05/09/23 03:22 Ethylbenzene <0.000593 U 0.00210 0.000593 mg/Kg 05/04/23 13:27 05/09/23 03:22 m-Xylene & p-Xylene <0.00106 U 0.00420 0.00106 mg/Kg 05/04/23 13:27 05/09/23 03:22 o-Xylene <0.000361 U 0.00210 0.000361 mg/Kg 05/04/23 13:27 05/09/23 03:22 Xylenes, Total <0.00106 U 0.00420 0.00106 mg/Kg 05/04/23 13:27 05/09/23 03:22 Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac

4-Bromofluorobenzene (Surr)	177	S1+	70 - 130				05/04/23 13:27	05/09/23 03:22	1
1,4-Difluorobenzene (Surr)	83		70 - 130				05/04/23 13:27	05/09/23 03:22	1
- Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	34.8	J B	52.6	15.8	mg/Kg	<u></u>	05/05/23 14:35	05/07/23 14:21	1
Diesel Range Organics (Over C10-C28)	<15.8	U	52.6	15.8	mg/Kg	₩	05/05/23 14:35	05/07/23 14:21	1
Oll Range Organics (Over C28-C36)	<15.8	U	52.6	15.8	mg/Kg	₩	05/05/23 14:35	05/07/23 14:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130				05/05/23 14:35	05/07/23 14:21	1
o-Terphenyl	83		70 - 130				05/05/23 14:35	05/07/23 14:21	1
- Method: EPA 300.0 - Anions, Ion	Chromatograp	hy - Solubl	e						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	87.3		5.29	0.418	mg/Kg	— <u></u>		05/06/23 16:42	1

**Eurofins Midland** 

3

5

7

8

10

12

Dil Fac

13

14

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-6 (0-1)

Date Collected: 05/02/23 14:40 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-26

Matrix: Solid

Percent Solids: 95.1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000402	U	0.00209	0.000402	mg/Kg	<del></del>	05/04/23 13:27	05/09/23 03:48	1
Toluene	<0.000477	U	0.00209	0.000477	mg/Kg	₽	05/04/23 13:27	05/09/23 03:48	1
Ethylbenzene	<0.000591	U	0.00209	0.000591	mg/Kg	₽	05/04/23 13:27	05/09/23 03:48	1
m-Xylene & p-Xylene	<0.00106	U	0.00418	0.00106	mg/Kg	₽	05/04/23 13:27	05/09/23 03:48	1
o-Xylene	< 0.000360	U	0.00209	0.000360	mg/Kg	₽	05/04/23 13:27	05/09/23 03:48	1
Xylenes, Total	<0.00106	U	0.00418	0.00106	mg/Kg	₽	05/04/23 13:27	05/09/23 03:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	184	S1+	70 - 130				05/04/23 13:27	05/09/23 03:48	1
1,4-Difluorobenzene (Surr)	87		70 - 130				05/04/23 13:27	05/09/23 03:48	1
- Method: SW846 8015B NM - D	iesel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	31.5	JB	52.5	15.7	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 14:43	1

Allalyte	Result	Qualifier	NL.	MIDE	Ullit	U	riepaieu	Allalyzeu	DII Fac
Gasoline Range Organics	31.5	JB	52.5	15.7	mg/Kg	<del></del>	05/05/23 14:35	05/07/23 14:43	1
(GRO)-C6-C10									
Diesel Range Organics (Over	<15.7	U	52.5	15.7	mg/Kg	₩	05/05/23 14:35	05/07/23 14:43	1
C10-C28)									
OII Range Organics (Over C28-C36)	<15.7	U	52.5	15.7	mg/Kg	₩	05/05/23 14:35	05/07/23 14:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				05/05/23 14:35	05/07/23 14:43	1
o-Terphenyl	82		70 - 130				05/05/23 14:35	05/07/23 14:43	1

Method: EPA 300.0 - Anions, Ion (	Chromatography - S	Soluble						
Analyte	Result Quali	fier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1460	26.4	2.09	mg/Kg	≎		05/06/23 16:57	5

Client Sample ID: SW81H-6 (1-2) Lab Sample ID: 880-27934-27 Date Collected: 05/02/23 14:50 **Matrix: Solid** 

Date Received: 05/03/23 16:56 Percent Solids: 94.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000405	U	0.00210	0.000405	mg/Kg	₩	05/04/23 13:27	05/09/23 04:15	1
Toluene	<0.000480	U	0.00210	0.000480	mg/Kg	₽	05/04/23 13:27	05/09/23 04:15	1
Ethylbenzene	<0.000594	U	0.00210	0.000594	mg/Kg	₽	05/04/23 13:27	05/09/23 04:15	1
m-Xylene & p-Xylene	<0.00106	U	0.00421	0.00106	mg/Kg	₽	05/04/23 13:27	05/09/23 04:15	1
o-Xylene	<0.000362	U	0.00210	0.000362	mg/Kg	₽	05/04/23 13:27	05/09/23 04:15	1
Xylenes, Total	<0.00106	U	0.00421	0.00106	mg/Kg	₩	05/04/23 13:27	05/09/23 04:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	155	S1+	70 - 130				05/04/23 13:27	05/09/23 04:15	1
1,4-Difluorobenzene (Surr)	73		70 - 130				05/04/23 13:27	05/09/23 04:15	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	45.7	JB	52.7	15.8	mg/Kg	<u> </u>	05/05/23 14:35	05/07/23 15:06	1
Diesel Range Organics (Over C10-C28)	<15.8	U	52.7	15.8	mg/Kg	₩	05/05/23 14:35	05/07/23 15:06	1
Oll Range Organics (Over C28-C36)	<15.8	U	52.7	15.8	mg/Kg	₽	05/05/23 14:35	05/07/23 15:06	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-6 (1-2)

Date Collected: 05/02/23 14:50 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-27

Matrix: Solid

Percent Solids: 94.9

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	05/05/23 14:35	05/07/23 15:06	1
o-Terphenyl	81		70 - 130	05/05/23 14:35	05/07/23 15:06	1
_						

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	373		5.31	0.420	mg/Kg			05/06/23 17:02	1

Lab Sample ID: 880-27934-28 Client Sample ID: SW81H-6 (2-3)

Date Collected: 05/02/23 15:02 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 95.1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000408	U	0.00212	0.000408	mg/Kg	ф	05/04/23 13:27	05/09/23 04:41	1
Toluene	<0.000483	U	0.00212	0.000483	mg/Kg	₽	05/04/23 13:27	05/09/23 04:41	1
Ethylbenzene	<0.000599	U	0.00212	0.000599	mg/Kg	₽	05/04/23 13:27	05/09/23 04:41	1
m-Xylene & p-Xylene	<0.00107	U	0.00424	0.00107	mg/Kg	₽	05/04/23 13:27	05/09/23 04:41	1
o-Xylene	< 0.000364	U	0.00212	0.000364	mg/Kg	₽	05/04/23 13:27	05/09/23 04:41	1
Xylenes, Total	<0.00107	U	0.00424	0.00107	mg/Kg	₩	05/04/23 13:27	05/09/23 04:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	159	S1+	70 - 130				05/04/23 13:27	05/09/23 04:41	1
1,4-Difluorobenzene (Surr)	82		70 <sub>-</sub> 130				05/04/23 13:27	05/09/23 04:41	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	30.3	JB	52.3	15.7	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 15:28	1
Diesel Range Organics (Over C10-C28)	<15.7	U	52.3	15.7	mg/Kg	₽	05/05/23 14:35	05/07/23 15:28	1
OII Range Organics (Over C28-C36)	<15.7	U	52.3	15.7	mg/Kg	₽	05/05/23 14:35	05/07/23 15:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130				05/05/23 14:35	05/07/23 15:28	1
o-Terphenyl	93		70 - 130				05/05/23 14:35	05/07/23 15:28	1

Method: EPA 300.0 - Anions, Ion C	hromatography	r - Soluble						
Analyte	Result Qu	ualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	188	5.24	0.414	mg/Kg	<u></u>		05/06/23 17:06	1

Client Sample ID: SW81H-6 (3-4) Lab Sample ID: 880-27934-29 Date Collected: 05/02/23 15:05 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 77.3

atile Organic Comp	ounds (GC)							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.000501	U	0.00260	0.000501	mg/Kg	₽	05/04/23 13:27	05/09/23 05:08	1
< 0.000594	U	0.00260	0.000594	mg/Kg	₩	05/04/23 13:27	05/09/23 05:08	1
<0.000735	U	0.00260	0.000735	mg/Kg	₽	05/04/23 13:27	05/09/23 05:08	1
<0.00131	U	0.00521	0.00131	mg/Kg	₽	05/04/23 13:27	05/09/23 05:08	1
<0.000448	U	0.00260	0.000448	mg/Kg	₩	05/04/23 13:27	05/09/23 05:08	1
< 0.00131	U	0.00521	0.00131	mg/Kg	₩	05/04/23 13:27	05/09/23 05:08	1
	Result <0.000501 <0.000594 <0.000735 <0.00131 <0.000448	Result   Qualifier   Compounds (GC)   Result   Qualifier   Co.000501   U   Co.000735   U   Co.000131   U   Co.000448   U   Co.000131   C	<0.000501	Result         Qualifier         RL         MDL           <0.000501	Result         Qualifier         RL         MDL         Unit           <0.000501	Result         Qualifier         RL         MDL         Unit         D           <0.000501	Result         Qualifier         RL         MDL         Unit         D         Prepared           <0.000501	Result         Qualifier         RL         MDL         Unit         D         Prepared         Analyzed           <0.000501

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-6 (3-4)

Date Collected: 05/02/23 15:05 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-29

Matrix: Solid Percent Solids: 77.3

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	155	S1+	70 - 130	05/04/23 13:27	05/09/23 05:08	1
1,4-Difluorobenzene (Surr)	81		70 - 130	05/04/23 13:27	05/09/23 05:08	1

Surrogate	/₀Recovery	Qualifier	LIIIIII	Frepareu	Allalyzeu	DII Fac
4-Bromofluorobenzene (Surr)	155	S1+	70 - 130	05/04/23 13:27	05/09/23 05:08	1
1,4-Difluorobenzene (Surr)	81		70 - 130	05/04/23 13:27	05/09/23 05:08	1
_						

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	59.9	JB	64.6	19.4	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 15:50	1
Diesel Range Organics (Over C10-C28)	<19.4	U	64.6	19.4	mg/Kg	₽	05/05/23 14:35	05/07/23 15:50	1
Oll Range Organics (Over C28-C36)	<19.4	U	64.6	19.4	mg/Kg	₽	05/05/23 14:35	05/07/23 15:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				05/05/23 14:35	05/07/23 15:50	1
o-Terphenyl	92		70 - 130				05/05/23 14:35	05/07/23 15:50	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	115		6.42	0.507	mg/Kg	<u></u>		05/06/23 17:11	1

Client Sample ID: SW81H-6 (4-5) Lab Sample ID: 880-27934-30

Date Collected: 05/02/23 15:10 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 97.0

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000395	U	0.00205	0.000395	mg/Kg	<del></del>	05/04/23 13:27	05/09/23 05:34	1
Toluene	<0.000468	U	0.00205	0.000468	mg/Kg	₽	05/04/23 13:27	05/09/23 05:34	1
Ethylbenzene	<0.000580	U	0.00205	0.000580	mg/Kg	₽	05/04/23 13:27	05/09/23 05:34	1
m-Xylene & p-Xylene	<0.00104	U	0.00411	0.00104	mg/Kg	₩	05/04/23 13:27	05/09/23 05:34	1
o-Xylene	< 0.000353	U	0.00205	0.000353	mg/Kg	₩	05/04/23 13:27	05/09/23 05:34	1
Xylenes, Total	<0.00104	U	0.00411	0.00104	mg/Kg	₽	05/04/23 13:27	05/09/23 05:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	198	S1+	70 - 130				05/04/23 13:27	05/09/23 05:34	1
1,4-Difluorobenzene (Surr)	86		70 - 130				05/04/23 13:27	05/09/23 05:34	1
- Method: SW846 8015B NM - D	iesel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	27.7	JB	51.5	15.5	mg/Kg	<u></u>	05/05/23 14:35	05/07/23 16:12	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	27.7	JB	51.5	15.5	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 16:12	1
Diesel Range Organics (Over C10-C28)	<15.5	U	51.5	15.5	mg/Kg	₽	05/05/23 14:35	05/07/23 16:12	1
Oll Range Organics (Over C28-C36)	<15.5	U	51.5	15.5	mg/Kg	₽	05/05/23 14:35	05/07/23 16:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				05/05/23 14:35	05/07/23 16:12	1
o-Terphenyl	79		70 - 130				05/05/23 14:35	05/07/23 16:12	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	59.1	5.21	0.411 mg/Kg	₽		05/06/23 17:16	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-7 (0-1)

Date Collected: 05/02/23 15:30 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-31

Matrix: Solid

Percent Solids: 80.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000473	U	0.00246	0.000473	mg/Kg	— <u></u>	05/04/23 13:27	05/09/23 07:21	1
Toluene	< 0.000560	U	0.00246	0.000560	mg/Kg	₽	05/04/23 13:27	05/09/23 07:21	1
Ethylbenzene	< 0.000694	U	0.00246	0.000694	mg/Kg	₽	05/04/23 13:27	05/09/23 07:21	1
m-Xylene & p-Xylene	<0.00124	U	0.00491	0.00124	mg/Kg	₽	05/04/23 13:27	05/09/23 07:21	1
o-Xylene	<0.000422	U	0.00246	0.000422	mg/Kg	₩	05/04/23 13:27	05/09/23 07:21	1
Xylenes, Total	<0.00124	U	0.00491	0.00124	mg/Kg	₽	05/04/23 13:27	05/09/23 07:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	153	S1+	70 - 130				05/04/23 13:27	05/09/23 07:21	1
1,4-Difluorobenzene (Surr)	76		70 - 130				05/04/23 13:27	05/09/23 07:21	1
- Method: SW846 8015B NM - D	iesel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	43.6	JB	61.8	18.5	mg/Kg	<del>-</del>	05/05/23 14:35	05/07/23 16:56	1
Diesel Range Organics (Over	<18.5	11	61.8	10 5	ma/Ka	Ŭ	05/05/23 14:35	05/07/23 16:56	- 1

()							
Diesel Range Organics (Over	<18.5 U	61.8	18.5 mg/Kg	≎	05/05/23 14:35	05/07/23 16:56	1
C10-C28)							
Oll Range Organics (Over C28-C36)	<18.5 U	61.8	18.5 mg/Kg	₽	05/05/23 14:35	05/07/23 16:56	1
Surrogate	%Recovery Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	115	70 - 130			05/05/23 14:35	05/07/23 16:56	1
o-Terphenyl	89	70 - 130			05/05/23 14:35	05/07/23 16:56	1

Method: EPA 300.0 - Anions, Ion C	Chromatography - Soluble	9						
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	278	6.16	0.487	mg/Kg	<u></u>		05/06/23 17:21	1

Client Sample ID: SW81H-7 (1-2)

Date Collected: 05/02/23 15:35

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-32 Matrix: Solid

Percent Solids: 92.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000416	U	0.00216	0.000416	mg/Kg	<del></del>	05/04/23 13:27	05/09/23 07:48	1
Toluene	<0.000492	U	0.00216	0.000492	mg/Kg	₽	05/04/23 13:27	05/09/23 07:48	1
Ethylbenzene	<0.000610	U	0.00216	0.000610	mg/Kg	₽	05/04/23 13:27	05/09/23 07:48	1
m-Xylene & p-Xylene	<0.00109	U	0.00432	0.00109	mg/Kg	₽	05/04/23 13:27	05/09/23 07:48	1
o-Xylene	< 0.000371	U	0.00216	0.000371	mg/Kg	₽	05/04/23 13:27	05/09/23 07:48	1
Xylenes, Total	<0.00109	U	0.00432	0.00109	mg/Kg	₽	05/04/23 13:27	05/09/23 07:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)		S1+	70 - 130				05/04/23 13:27	05/09/23 07:48	1
1,4-Difluorobenzene (Surr)	77		70 - 130				05/04/23 13:27	05/09/23 07:48	1

L		• •						00/0 // 20 / 0/2/	00/00/20 01110	•
	– Method: SW846 8015B NM - Diese	l Range Orga	nics (DRO)	(GC)	<b>c</b> )					
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Gasoline Range Organics (GRO)-C6-C10	20.3	J B	53.8	16.1	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 17:19	1
	Diesel Range Organics (Over C10-C28)	90.5	В	53.8	16.1	mg/Kg	₩	05/05/23 14:35	05/07/23 17:19	1
	Oll Range Organics (Over C28-C36)	<16.1	U	53.8	16.1	mg/Kg	₽	05/05/23 14:35	05/07/23 17:19	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-7 (1-2)

Date Collected: 05/02/23 15:35 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-32

Matrix: Solid

Percent Solids: 92.4

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	114	70 - 130	05/05/23 14:35	05/07/23 17:19	1
o-Terphenyl	88	70 - 130	05/05/23 14:35	05/07/23 17:19	1
_					

 Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

 Analyte
 Result
 Qualifier
 RL
 MDL
 Unit
 D
 Prepared
 Analyzed
 Dil Fac

 Chloride
 1030
 5.39
 0.426
 mg/Kg
 Image: Mg/Kg
 05/06/23 17:35
 1

Client Sample ID: SW81H-7 (2-3)

Lab Sample ID: 880-27934-33

Date Collected: 05/02/23 15:50 Matrix: Solid
Date Received: 05/03/23 16:56 Percent Solids: 96.2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000401	U	0.00208	0.000401	mg/Kg	<del>*</del>	05/04/23 13:27	05/09/23 08:14	1
Toluene	< 0.000475	U	0.00208	0.000475	mg/Kg	₽	05/04/23 13:27	05/09/23 08:14	1
Ethylbenzene	<0.000589	U	0.00208	0.000589	mg/Kg	₩	05/04/23 13:27	05/09/23 08:14	1
m-Xylene & p-Xylene	<0.00105	U	0.00417	0.00105	mg/Kg	₽	05/04/23 13:27	05/09/23 08:14	1
o-Xylene	<0.000358	U	0.00208	0.000358	mg/Kg	₽	05/04/23 13:27	05/09/23 08:14	1
Xylenes, Total	<0.00105	U	0.00417	0.00105	mg/Kg	₽	05/04/23 13:27	05/09/23 08:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	177	S1+	70 - 130				05/04/23 13:27	05/09/23 08:14	1
1,4-Difluorobenzene (Surr)	87		70 <sub>-</sub> 130				05/04/23 13:27	05/09/23 08:14	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	33.8	J B	51.8	15.6	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 17:41	1
Diesel Range Organics (Over C10-C28)	17.1	JB	51.8	15.6	mg/Kg	₽	05/05/23 14:35	05/07/23 17:41	1
Oll Range Organics (Over C28-C36)	<15.6	U	51.8	15.6	mg/Kg	₽	05/05/23 14:35	05/07/23 17:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				05/05/23 14:35	05/07/23 17:41	1
o-Terphenyl	78		70 - 130				05/05/23 14:35	05/07/23 17:41	1

Method: EPA 300.0 - Anions, Ion Ch	romatography - S	Soluble						
Analyte	Result Qualit	fier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	639	5.17	0.408	mg/Kg	₩		05/06/23 17:40	1

 Client Sample ID: SW81H-7 (3-4)

 Date Collected: 05/02/23 15:55
 Matrix: Solid

 Date Received: 05/03/23 16:56
 Percent Solids: 95.9

atile Organic Comp	ounds (GC)							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.000400	U	0.00208	0.000400	mg/Kg	₽	05/04/23 13:27	05/09/23 08:41	1
< 0.000474	U	0.00208	0.000474	mg/Kg	₽	05/04/23 13:27	05/09/23 08:41	1
<0.000587	U	0.00208	0.000587	mg/Kg	₽	05/04/23 13:27	05/09/23 08:41	1
<0.00105	U	0.00415	0.00105	mg/Kg	₽	05/04/23 13:27	05/09/23 08:41	1
< 0.000357	U	0.00208	0.000357	mg/Kg	₩	05/04/23 13:27	05/09/23 08:41	1
<0.00105	U	0.00415	0.00105	mg/Kg	₩	05/04/23 13:27	05/09/23 08:41	1
	Result <0.000400 <0.000474 <0.000587 <0.00105 <0.000357	Result   Qualifier	<0.000400 U 0.00208 <0.000474 U 0.00208 <0.000587 U 0.00208 <0.00105 U 0.00415 <0.000357 U 0.00208	Result         Qualifier         RL         MDL           <0.000400	Result         Qualifier         RL         MDL         Unit           <0.000400	Result         Qualifier         RL         MDL         Unit         D           <0.000400	Result         Qualifier         RL         MDL         Unit         D         Prepared           <0.000400	Result         Qualifier         RL         MDL         Unit         D         Prepared         Analyzed           <0.000400

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-7 (3-4)

Date Collected: 05/02/23 15:55 Date Received: 05/03/23 16:56

o-Terphenyl

Lab Sample ID: 880-27934-34

05/07/23 18:03

05/05/23 14:35

Matrix: Solid

Percent Solids: 95.9

Surrogate 4-Bromofluorobenzene (Surr) 1,4-Difluorobenzene (Surr)	<b>%Recovery</b> 163 84	Qualifier S1+	70 - 130				Prepared 05/04/23 13:27 05/04/23 13:27	Analyzed 05/09/23 08:41 05/09/23 08:41	<b>Dil Fac</b> 1
Method: SW846 8015B NM - Diesel		nics (DRO) Qualifier	(GC)	MDL	Unit	D	Prepared	Analyzed	Dil Fac

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	) (GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	26.8	J B	52.0	15.6	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 18:03	1
Diesel Range Organics (Over C10-C28)	<15.6	U	52.0	15.6	mg/Kg	₽	05/05/23 14:35	05/07/23 18:03	1
Oll Range Organics (Over C28-C36)	<15.6	U	52.0	15.6	mg/Kg	₽	05/05/23 14:35	05/07/23 18:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130				05/05/23 14:35	05/07/23 18:03	1

Method: EPA 300.0 - Anions, Ion C	hromatography	y - Soluble						
Analyte	Result Q	ualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	267	5.22	0.413	mg/Kg	<u></u>		05/06/23 17:55	1

70 - 130

76

70.1

Client Sample ID: SW81H-7 (4-5)

Lab Sample ID: 880-27934-35

Date Collected: 05/02/23 16:00 Matrix: Solid
Date Received: 05/03/23 16:56 Percent Solids: 97.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000393	U	0.00204	0.000393	mg/Kg	<del></del>	05/04/23 13:27	05/09/23 09:07	1
Toluene	< 0.000465	U	0.00204	0.000465	mg/Kg	₽	05/04/23 13:27	05/09/23 09:07	1
Ethylbenzene	< 0.000576	U	0.00204	0.000576	mg/Kg	₽	05/04/23 13:27	05/09/23 09:07	1
m-Xylene & p-Xylene	<0.00103	U	0.00408	0.00103	mg/Kg	₽	05/04/23 13:27	05/09/23 09:07	1
o-Xylene	< 0.000351	U	0.00204	0.000351	mg/Kg	₽	05/04/23 13:27	05/09/23 09:07	1
Xylenes, Total	<0.00103	U	0.00408	0.00103	mg/Kg	₩	05/04/23 13:27	05/09/23 09:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	175	S1+	70 - 130				05/04/23 13:27	05/09/23 09:07	1
1,4-Difluorobenzene (Surr)	79		70 - 130				05/04/23 13:27	05/09/23 09:07	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	27.3	J B	51.2	15.4	mg/Kg	<del>-</del>	05/05/23 14:35	05/07/23 18:25	1
Diesel Range Organics (Over C10-C28)	<15.4	U	51.2	15.4	mg/Kg	₽	05/05/23 14:35	05/07/23 18:25	1
Oll Range Organics (Over C28-C36)	<15.4	U	51.2	15.4	mg/Kg	₽	05/05/23 14:35	05/07/23 18:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				05/05/23 14:35	05/07/23 18:25	1
o-Terphenyl	72		70 - 130				05/05/23 14:35	05/07/23 18:25	1
Method: EPA 300.0 - Anions, Ion	Chromatograp	hy - Solubl	e						
Analyte	Pocult	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

5.17

0.409 mg/Kg

**Eurofins Midland** 

05/06/23 17:59

Chloride

4

6

0

9

11

13

14

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1 SDG: Jal NM

Client Sample ID: SW81H-8 (0-1) Lab Sample ID: 880-27934-36

Date Collected: 05/02/23 16:28 Date Received: 05/03/23 16:56

Xylenes, Total

05/09/23 09:34

Matrix: Solid Percent Solids: 93.2

Method: SW846 8021B - Volatile Organic Compounds (GC)											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Benzene <	0.000412	U	0.00214	0.000412	mg/Kg	<del></del>	05/04/23 13:27	05/09/23 09:34	1		
Toluene <	0.000488	U	0.00214	0.000488	mg/Kg	₽	05/04/23 13:27	05/09/23 09:34	1		
Ethylbenzene <	0.000605	U	0.00214	0.000605	mg/Kg	₽	05/04/23 13:27	05/09/23 09:34	1		
m-Xylene & p-Xylene	<0.00108	U	0.00428	0.00108	mg/Kg	₽	05/04/23 13:27	05/09/23 09:34	1		
o-Xylene <	0.000368	U	0.00214	0.000368	mg/Kg	₽	05/04/23 13:27	05/09/23 09:34	1		

Surrogate	%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	174	S1+	70 - 130		05/04/23 13:27	05/09/23 09:34	1
1 4-Difluorobenzene (Surr)	71		70 - 130	(	05/04/23 13:27	05/09/23 09:34	1

0.00428

0.00108 mg/Kg

<0.00108 U

Wethou. 344040 0013B MW - Dies	sei Kaliye Orya	עסאט) פטוווו	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	29.4	JB	53.6	16.1	mg/Kg	<u></u>	05/05/23 14:35	05/07/23 18:48	1
Diesel Range Organics (Over C10-C28)	<16.1	U	53.6	16.1	mg/Kg	\$	05/05/23 14:35	05/07/23 18:48	1
OII Range Organics (Over C28-C36)	<16.1	U	53.6	16.1	mg/Kg	₽	05/05/23 14:35	05/07/23 18:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				05/05/23 14:35	05/07/23 18:48	1

Method: EPA 300.0 - Anions, Ion Chromat	ography - Soluble				
o-Terphenyl	79	70 - 130	05/05/23 14:35	05/07/23 18:48	1
1-Onioroociane	103	70 - 130	03/03/23 14.33	03/01/23 10.40	,

Chloride 630

Analyte Result Qualifier RLMDL Unit D Prepared Dil Fac Analyzed 5.36 0.424 mg/Kg 05/06/23 18:04

Client Sample ID: SW81H-8 (1-2)

Date Collected: 05/02/23 16:37 Date Received: 05/03/23 16:56

1,4-Difluorobenzene (Surr)

Lab Sample ID: 880-27934-37 **Matrix: Solid** 

05/09/23 10:00

05/04/23 13:27

Percent Solids: 93.5

Method: SW846 8021B -	Volatile Organ	nic Cor	npoui	nds (	GC)

Wethou. Stroto ouz ID - Volatile C	Ji gariic Comp								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000414	U	0.00215	0.000414	mg/Kg	<del></del>	05/04/23 13:27	05/09/23 10:00	1
Toluene	< 0.000491	U	0.00215	0.000491	mg/Kg	₽	05/04/23 13:27	05/09/23 10:00	1
Ethylbenzene	<0.000608	U	0.00215	0.000608	mg/Kg	₽	05/04/23 13:27	05/09/23 10:00	1
m-Xylene & p-Xylene	<0.00109	U	0.00430	0.00109	mg/Kg	₽	05/04/23 13:27	05/09/23 10:00	1
o-Xylene	< 0.000370	U	0.00215	0.000370	mg/Kg	₽	05/04/23 13:27	05/09/23 10:00	1
Xylenes, Total	<0.00109	U	0.00430	0.00109	mg/Kg	₽	05/04/23 13:27	05/09/23 10:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	175	S1+	70 - 130				05/04/23 13:27	05/09/23 10:00	1

81

Method: SW846 8015B NM - Diesel	Range Orga	nics (DRO) (C	3C)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	24.4	JB	53.3	16.0	mg/Kg	<u></u>	05/05/23 14:35	05/07/23 19:10	1
Diesel Range Organics (Over C10-C28)	<16.0	U	53.3	16.0	mg/Kg	₩	05/05/23 14:35	05/07/23 19:10	1
Oll Range Organics (Over C28-C36)	<16.0	U	53.3	16.0	mg/Kg	₽	05/05/23 14:35	05/07/23 19:10	1

70 - 130

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-8 (1-2)

Date Collected: 05/02/23 16:37

Lab Sample ID: 880-27934-37

Matrix: Solid

Date Received: 05/03/23 16:56 Percent Solids: 93.5

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	104	70 - 130	05/05/23 14:35	05/07/23 19:10	1
o-Terphenyl	80	70 - 130	05/05/23 14:35	05/07/23 19:10	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble	•						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	689		5.40	0.427	mg/Kg	<del></del>		05/06/23 18:09	1

Client Sample ID: SW81H-8 (2-3)

Lab Sample ID: 880-27934-38

Date Collected: 05/02/23 16:40

Date Received: 05/03/23 16:56

Matrix: Solid
Percent Solids: 91.7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000418	U	0.00217	0.000418	mg/Kg	₩	05/04/23 13:27	05/09/23 10:26	1
Toluene	<0.000495	U	0.00217	0.000495	mg/Kg	₽	05/04/23 13:27	05/09/23 10:26	1
Ethylbenzene	<0.000613	U	0.00217	0.000613	mg/Kg	₽	05/04/23 13:27	05/09/23 10:26	1
m-Xylene & p-Xylene	<0.00110	U	0.00434	0.00110	mg/Kg	₽	05/04/23 13:27	05/09/23 10:26	1
o-Xylene	< 0.000373	U	0.00217	0.000373	mg/Kg	₽	05/04/23 13:27	05/09/23 10:26	1
Xylenes, Total	<0.00110	U	0.00434	0.00110	mg/Kg	₽	05/04/23 13:27	05/09/23 10:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	184	S1+	70 - 130				05/04/23 13:27	05/09/23 10:26	1
1.4-Difluorobenzene (Surr)	76		70 - 130				05/04/23 13:27	05/09/23 10:26	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	29.2	J B	54.3	16.3	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 19:32	1
Diesel Range Organics (Over C10-C28)	<16.3	U	54.3	16.3	mg/Kg	₽	05/05/23 14:35	05/07/23 19:32	1
Oll Range Organics (Over C28-C36)	<16.3	U	54.3	16.3	mg/Kg	\$	05/05/23 14:35	05/07/23 19:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				05/05/23 14:35	05/07/23 19:32	1
o-Terphenyl	82		70 - 130				05/05/23 14:35	05/07/23 19:32	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	546		5.47	0.432	mg/Kg	<u></u>		05/06/23 18:14	1

 Client Sample ID: SW81H-8 (3-4)

 Date Collected: 05/02/23 16:45
 Matrix: Solid

 Date Received: 05/03/23 16:56
 Percent Solids: 92.3

Method: SW846 8021B - Vola	atile Organic Comp	ounds (GC)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000414	U	0.00215	0.000414	mg/Kg	₩	05/04/23 13:27	05/09/23 10:52	1
Toluene	<0.000491	U	0.00215	0.000491	mg/Kg	₩	05/04/23 13:27	05/09/23 10:52	1
Ethylbenzene	<0.000608	U	0.00215	0.000608	mg/Kg	₩	05/04/23 13:27	05/09/23 10:52	1
m-Xylene & p-Xylene	<0.00109	U	0.00431	0.00109	mg/Kg	₽	05/04/23 13:27	05/09/23 10:52	1
o-Xylene	< 0.000370	U	0.00215	0.000370	mg/Kg	₩	05/04/23 13:27	05/09/23 10:52	1
Xylenes, Total	<0.00109	U	0.00431	0.00109	mg/Kg	₽	05/04/23 13:27	05/09/23 10:52	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-8 (3-4)

Date Collected: 05/02/23 16:45 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-39

Matrix: Solid

Percent Solids: 92.3

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	169	S1+	70 - 130				05/04/23 13:27	05/09/23 10:52	1
1,4-Difluorobenzene (Surr)	76		70 - 130				05/04/23 13:27	05/09/23 10:52	1
Method: SW846 8015B NM - Diese	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	29.5	J B	54.1	16.2	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 19:55	1
Diesel Range Organics (Over C10-C28)	<16.2	U	54.1	16.2	mg/Kg	₽	05/05/23 14:35	05/07/23 19:55	1
Oll Range Organics (Over C28-C36)	<16.2	U	54.1	16.2	mg/Kg	₩	05/05/23 14:35	05/07/23 19:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				05/05/23 14:35	05/07/23 19:55	1
o-Terphenyl	77		70 - 130				05/05/23 14:35	05/07/23 19:55	1

Client Sample ID: SW81H-8 (4-5)

111

Date Collected: 05/02/23 16:47

Chloride

Lab Sample ID: 880-27934-40 **Matrix: Solid** 

05/06/23 18:19

0.426 mg/Kg

Percent Solids: 93.6

Date Received: 05/03/23 16:56

5.39

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000410	U	0.00213	0.000410	mg/Kg	<del>*</del>	05/04/23 13:27	05/09/23 11:18	
Toluene	<0.000486	U	0.00213	0.000486	mg/Kg	₩	05/04/23 13:27	05/09/23 11:18	
Ethylbenzene	<0.000602	U	0.00213	0.000602	mg/Kg	₩	05/04/23 13:27	05/09/23 11:18	
m-Xylene & p-Xylene	<0.00108	U	0.00426	0.00108	mg/Kg	₩	05/04/23 13:27	05/09/23 11:18	
o-Xylene	< 0.000367	U	0.00213	0.000367	mg/Kg	₩	05/04/23 13:27	05/09/23 11:18	
Xylenes, Total	<0.00108	U	0.00426	0.00108	mg/Kg	₽	05/04/23 13:27	05/09/23 11:18	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	179	S1+	70 - 130				05/04/23 13:27	05/09/23 11:18	
1,4-Difluorobenzene (Surr)	82		70 - 130				05/04/23 13:27	05/09/23 11:18	
: Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
· ·									
Analyte	Result	Qualifier	RL		Unit mg/Kg	D_	Prepared 05/05/23 14:35	Analyzed 05/07/23 20:17	Dil Fa
		Qualifier			Unit mg/Kg	<u>D</u>	Prepared 05/05/23 14:35	Analyzed 05/07/23 20:17	Dil Fa
Analyte Gasoline Range Organics	Result	Qualifier J B	RL	16.0			<u>.</u>		Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)	Result 32.8	Qualifier J B	RL 53.4	16.0 16.0	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 20:17	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over	Result 32.8	Qualifier  J B  U	RL 53.4	16.0 16.0	mg/Kg	<del>*</del>	05/05/23 14:35	05/07/23 20:17	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)	Result 32.8 <16.0	Qualifier JB U U	RL 53.4 53.4	16.0 16.0	mg/Kg	— — *	05/05/23 14:35 05/05/23 14:35	05/07/23 20:17 05/07/23 20:17	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)	Result 32.8 <16.0 <16.0	Qualifier JB U U	53.4 53.4 53.4	16.0 16.0	mg/Kg	— — *	05/05/23 14:35 05/05/23 14:35 05/05/23 14:35	05/07/23 20:17 05/07/23 20:17 05/07/23 20:17	
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate	Result   32.8   <16.0   <16.0   %Recovery	Qualifier JB U U	8L 53.4 53.4 53.4 <i>Limits</i>	16.0 16.0	mg/Kg	— — *	05/05/23 14:35 05/05/23 14:35 05/05/23 14:35 <b>Prepared</b>	05/07/23 20:17 05/07/23 20:17 05/07/23 20:17 05/07/23 20:17 Analyzed	
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   32.8     <16.0     <16.0	Qualifier  J B  U  U  Qualifier	8L 53.4 53.4 53.4 53.4 Limits 70 - 130 70 - 130	16.0 16.0	mg/Kg	— — *	05/05/23 14:35 05/05/23 14:35 05/05/23 14:35 <b>Prepared</b> 05/05/23 14:35	05/07/23 20:17 05/07/23 20:17 05/07/23 20:17 Analyzed 05/07/23 20:17	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   32.8   <16.0   <16.0     %Recovery   100   77   Chromatograp	Qualifier  J B  U  U  Qualifier	8L 53.4 53.4 53.4 53.4 Limits 70 - 130 70 - 130	16.0 16.0 16.0	mg/Kg	— — *	05/05/23 14:35 05/05/23 14:35 05/05/23 14:35 <b>Prepared</b> 05/05/23 14:35	05/07/23 20:17 05/07/23 20:17 05/07/23 20:17 Analyzed 05/07/23 20:17	Dil Fa

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H BG-1

Date Collected: 05/02/23 17:30

Lab Sample ID: 880-27934-41

Matrix: Solid

ate Received: 05/03/23 16:56									
Method: SW846 8021B - Volatile	Organic Comp	ounds (GC)	ı						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg	<u></u>	05/04/23 13:02	05/05/23 00:17	
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg	₩	05/04/23 13:02	05/05/23 00:17	
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg	₩	05/04/23 13:02	05/05/23 00:17	
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg	₽	05/04/23 13:02	05/05/23 00:17	
o-Xylene	< 0.000343	U *+	0.00200	0.000343	mg/Kg	₽	05/04/23 13:02	05/05/23 00:17	
Xylenes, Total	<0.00101	U *+	0.00399	0.00101	mg/Kg	₽	05/04/23 13:02	05/05/23 00:17	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	83		70 - 130				05/04/23 13:02	05/05/23 00:17	
1.4-Difluorobenzene (Surr)	89		70 - 130				05/04/23 13:02	05/05/23 00:17	
		nics (DRO)					03/04/23 13.02	00/00/20 00:17	
Method: SW846 8015B NM - Dies	sel Range Orga		(GC)	MDI	11				Dil F-
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics	sel Range Orga	Qualifier		MDL 15.0	Unit mg/Kg	<u>D</u>	Prepared 05/05/23 17:11	Analyzed 05/07/23 04:51	Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	sel Range Orga Result	Qualifier J B	(GC)	15.0			Prepared	Analyzed	Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Sel Range Orga Result 21.4	Qualifier J B	(GC) RL 50.0	15.0 15.0	mg/Kg	<u> </u>	Prepared 05/05/23 17:11	<b>Analyzed</b> 05/07/23 04:51	Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	sel Range Orga Result 21.4 <15.0	Qualifier JB U	(GC) RL 50.0	15.0 15.0	mg/Kg	<del>*</del>	Prepared 05/05/23 17:11 05/05/23 17:11	Analyzed 05/07/23 04:51 05/07/23 04:51	
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) Surrogate	Result   21.4   <15.0   <15.0	Qualifier JB U	(GC)  RL  50.0  50.0	15.0 15.0	mg/Kg	<del>*</del>	Prepared 05/05/23 17:11 05/05/23 17:11 05/05/23 17:11	Analyzed 05/07/23 04:51 05/07/23 04:51 05/07/23 04:51	
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   21.4   <15.0   <15.0     %Recovery	Qualifier JB U	(GC)  RL  50.0  50.0  Limits	15.0 15.0	mg/Kg	<del>*</del>	Prepared 05/05/23 17:11 05/05/23 17:11 05/05/23 17:11 Prepared	Analyzed 05/07/23 04:51 05/07/23 04:51 05/07/23 04:51 Analyzed	
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   21.4   <15.0   <15.0	Qualifier  J B  U  U  Qualifier	(GC)  RL  50.0  50.0  50.0  Limits  70 - 130  70 - 130	15.0 15.0	mg/Kg	<del>*</del>	Prepared 05/05/23 17:11 05/05/23 17:11 05/05/23 17:11  Prepared 05/05/23 17:11	Analyzed 05/07/23 04:51 05/07/23 04:51 05/07/23 04:51  Analyzed 05/07/23 04:51	
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl  Method: EPA 300.0 - Anions, Ion Analyte	Result   21.4   <15.0   <15.0	Qualifier  J B  U  U  Qualifier	(GC)  RL  50.0  50.0  50.0  Limits  70 - 130  70 - 130	15.0 15.0	mg/Kg mg/Kg mg/Kg	<del>*</del>	Prepared 05/05/23 17:11 05/05/23 17:11 05/05/23 17:11  Prepared 05/05/23 17:11	Analyzed 05/07/23 04:51 05/07/23 04:51 05/07/23 04:51  Analyzed 05/07/23 04:51	Dil Fa

## **Surrogate Summary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1 SDG: Jal NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid				Prep Type: Total/NA
				Percent Surrogate Recovery (Acceptance Limits)
		BFB1	DFBZ1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-27934-1	SW81H-1 (0-1)	140 S1+	68 S1-	
880-27934-1 MS	SW81H-1 (0-1)	145 S1+	96	
880-27934-1 MSD	SW81H-1 (0-1)	146 S1+	82	
880-27934-2	SW81H-1 (1-2)	164 S1+	80	
880-27934-3	SW81H-1 (2-3)	167 S1+	80	
880-27934-4	SW81H-1 (3-4)	190 S1+	80	
880-27934-5	SW81H-1 (4-5)	166 S1+	84	
380-27934-6	SW81H-2 (0-1)	182 S1+	85	
380-27934-7	SW81H-2 (1-2)	181 S1+	98	
380-27934-8	SW81H-2 (2-3)	178 S1+	78	
380-27934-9	SW81H-2 (3-4)	161 S1+	84	
380-27934-10	SW81H-2 (4-5)	188 S1+	88	
380-27934-11	SW81H-3 (0-1)	157 S1+	81	
380-27934-12	SW81H-3 (1-2)	192 S1+	84	
380-27934-13	SW81H-3 (2-3)	173 S1+	74	
380-27934-14	SW81H-3 (3-4)	170 S1+	76	
380-27934-15	SW81H-3 (4-5)	193 S1+	85	
380-27934-16	SW81H-4 (0-1)	186 S1+	82	
380-27934-17	SW81H-4 (1-2)	168 S1+	76	
880-27934-18	SW81H-4 (2-3)	184 S1+	80	
80-27934-19	SW81H-4 (3-4)	180 S1+	76	
380-27934-20	SW81H-4 (4-5)	168 S1+	69 S1-	
880-27934-21	SW81H-5 (0-1)	154 S1+	67 S1-	
880-27934-21 MS	SW81H-5 (0-1)	169 S1+	89	
880-27934-21 MSD	SW81H-5 (0-1)	151 S1+	84	
80-27934-22	SW81H-5 (1-2)	181 S1+	76	
380-27934-23	SW81H-5 (2-3)	176 S1+	79	
380-27934-24	SW81H-5 (3-4)	167 S1+	73	
880-27934-25	SW81H-5 (4-5)	177 S1+	83	
880-27934-26	SW81H-6 (0-1)	184 S1+	87	
380-27934-27	SW81H-6 (1-2)	155 S1+	73	
880-27934-28	SW81H-6 (2-3)	159 S1+	82	
880-27934-29	SW81H-6 (3-4)	155 S1+	81	
80-27934-30	SW81H-6 (4-5)	198 S1+	86	
80-27934-31	SW81H-7 (0-1)	153 S1+	76	
80-27934-32	SW81H-7 (0-1)	171 S1+	70 77	
880-27934-33	SW81H-7 (1-2)	177 S1+		
			87	
380-27934-34 380-27934-35	SW81H-7 (3-4)	163 S1+ 175 S1+	84	
	SW81H-7 (4-5)		79	
380-27934-36	SW81H-8 (0-1)	174 S1+	71	
380-27934-37	SW81H-8 (1-2)	175 S1+	81	
380-27934-38	SW81H-8 (2-3)	184 S1+	76	
380-27934-39	SW81H-8 (3-4)	169 S1+	76	
880-27934-40	SW81H-8 (4-5)	179 S1+	82	
880-27934-41	SW81H BG-1	83	89	
LCS 880-52615/1-A	Lab Control Sample	111	100	
CS 880-52617/1-A	Lab Control Sample	127	72	
_CS 880-52618/1-A	Lab Control Sample	149 S1+	89	
LCSD 880-52615/2-A	Lab Control Sample Dup	115	106	

**Eurofins Midland** 

Released to Imaging: 8/27/2024 7:32:11 AM

## **Surrogate Summary**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

**Matrix: Solid** Prep Type: Total/NA

		BFB1	DFBZ1
Lab Sample ID	Client Sample ID	(70-130)	(70-130)
LCSD 880-52617/2-A	Lab Control Sample Dup	141 S1+	93
LCSD 880-52618/2-A	Lab Control Sample Dup	133 S1+	68 S1-
MB 880-52509/5-A	Method Blank	68 S1-	93
MB 880-52615/5-A	Method Blank	67 S1-	94
MB 880-52617/5-A	Method Blank	90	71
MB 880-52618/5-A	Method Blank	93	76

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

				Percent Surrogate Recovery (Acceptance Limits)
		1001	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-27934-1	SW81H-1 (0-1)	112	88	
880-27934-1 MS	SW81H-1 (0-1)	98	72	
880-27934-1 MSD	SW81H-1 (0-1)	100	73	
880-27934-2	SW81H-1 (1-2)	109	83	
880-27934-3	SW81H-1 (2-3)	107	81	
880-27934-4	SW81H-1 (3-4)	107	80	
880-27934-5	SW81H-1 (4-5)	110	82	
880-27934-6	SW81H-2 (0-1)	123	94	
880-27934-7	SW81H-2 (1-2)	106	81	
880-27934-8	SW81H-2 (2-3)	109	83	
880-27934-9	SW81H-2 (3-4)	110	85	
880-27934-10	SW81H-2 (4-5)	108	83	
880-27934-11	SW81H-3 (0-1)	106	82	
880-27934-12	SW81H-3 (1-2)	106	82	
880-27934-13	SW81H-3 (2-3)	105	79	
880-27934-14	SW81H-3 (3-4)	105	79	
880-27934-15	SW81H-3 (4-5)	102	77	
880-27934-16	SW81H-4 (0-1)	109	84	
880-27934-17	SW81H-4 (1-2)	106	80	
880-27934-18	SW81H-4 (2-3)	111	84	
880-27934-19	SW81H-4 (3-4)	108	84	
880-27934-20	SW81H-4 (4-5)	110	83	
880-27934-21	SW81H-5 (0-1)	121	96	
880-27934-21 MS	SW81H-5 (0-1)	106	76	
880-27934-21 MSD	SW81H-5 (0-1)	102	73	
880-27934-22	SW81H-5 (1-2)	113	87	
880-27934-23	SW81H-5 (2-3)	115	89	
880-27934-24	SW81H-5 (3-4)	103	79	
880-27934-25	SW81H-5 (4-5)	109	83	
880-27934-26	SW81H-6 (0-1)	108	82	
880-27934-27	SW81H-6 (1-2)	106	81	
880-27934-28	SW81H-6 (2-3)	122	93	
880-27934-29	SW81H-6 (3-4)	118	92	
880-27934-30	SW81H-6 (4-5)	105	79	

## **Surrogate Summary**

Client: Civil & Environmental Consultants Inc
Project/Site: Seawolf 112 81H

SDG: Jal NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid Prep Type: Total/NA

				Percent Surrogate Recovery (Accep
		1CO1	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-27934-31	SW81H-7 (0-1)	115	89	
880-27934-32	SW81H-7 (1-2)	114	88	
880-27934-33	SW81H-7 (2-3)	103	78	
880-27934-34	SW81H-7 (3-4)	100	76	
880-27934-35	SW81H-7 (4-5)	95	72	
880-27934-36	SW81H-8 (0-1)	103	79	
880-27934-37	SW81H-8 (1-2)	104	80	
880-27934-38	SW81H-8 (2-3)	106	82	
880-27934-39	SW81H-8 (3-4)	101	77	
880-27934-40	SW81H-8 (4-5)	100	77	
880-27934-41	SW81H BG-1	114	116	
LCS 880-52717/2-A	Lab Control Sample	96	74	
LCS 880-52718/2-A	Lab Control Sample	101	78	
LCS 880-52750/2-A	Lab Control Sample	113	119	
LCSD 880-52717/3-A	Lab Control Sample Dup	109	83	
LCSD 880-52718/3-A	Lab Control Sample Dup	114	88	
LCSD 880-52750/3-A	Lab Control Sample Dup	101	112	
MB 880-52717/1-A	Method Blank	170 S1+	141 S1+	
MB 880-52718/1-A	Method Blank	189 S1+	167 S1+	
	Method Blank	167 S1+	209 S1+	

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-52509/5-A

**Matrix: Solid** 

Xylenes, Total

Analysis Batch: 52565

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 52509

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		05/03/23 12:55	05/04/23 10:53	1
Toluene	< 0.000456	U	0.00200	0.000456	mg/Kg		05/03/23 12:55	05/04/23 10:53	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		05/03/23 12:55	05/04/23 10:53	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		05/03/23 12:55	05/04/23 10:53	1
o-Xylene	< 0.000344	U	0.00200	0.000344	mg/Kg		05/03/23 12:55	05/04/23 10:53	1

0.00101 mg/Kg

MB MB

<0.00101 U

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	68	S1-	70 - 130	05/03/23 12:55	05/04/23 10:53	1
1,4-Difluorobenzene (Surr)	93		70 - 130	05/03/23 12:55	05/04/23 10:53	1

0.00400

Lab Sample ID: MB 880-52615/5-A

**Matrix: Solid** 

Analysis Batch: 52565

Client Sample ID: Method Blank

05/04/23 10:53

05/03/23 12:55

Prep Type: Total/NA

Prep Batch: 52615

ı		IVID	IVID							
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
	Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		05/04/23 13:02	05/04/23 22:12	
	Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		05/04/23 13:02	05/04/23 22:12	
	Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		05/04/23 13:02	05/04/23 22:12	
	m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		05/04/23 13:02	05/04/23 22:12	
	o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		05/04/23 13:02	05/04/23 22:12	
ı	Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		05/04/23 13:02	05/04/23 22:12	

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	67	S1-	70 - 130	05/04/23 13:02	05/04/23 22:12	1
1,4-Difluorobenzene (Surr)	94		70 - 130	05/04/23 13:02	05/04/23 22:12	1

Lab Sample ID: LCS 880-52615/1-A

**Matrix: Solid** 

**Analysis Batch: 52565** 

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA Prep Batch: 52615

	Spike	LCS L	.cs				%Rec	
Analyte	Added	Result Q	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.1281		mg/Kg	_	128	70 - 130	
Toluene	0.100	0.1203		mg/Kg		120	70 - 130	
Ethylbenzene	0.100	0.1221		mg/Kg		122	70 - 130	
m-Xylene & p-Xylene	0.200	0.2551		mg/Kg		128	70 - 130	
o-Xylene	0.100	0.1383 *-	+	mg/Kg		138	70 - 130	

LCS LCS

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	111	70 - 130
1.4-Difluorobenzene (Surr)	100	70 - 130

Lab Sample ID: LCSD 880-52615/2-A

Matrix: Solid

**Analysis Batch: 52565** 

Client Sample ID: Lab	Control Sample Dup
	Dron Type, Total/NA

Prep Type: Total/NA

Prep Batch: 52615

	<b>Spike</b>	LCSD LCSD				%Rec		RPD
Analyte	Added	Result Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	0.100	0.1252	mg/Kg		125	70 - 130	2	35

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-52615/2-A

**Matrix: Solid** 

Analysis Batch: 52565

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 52615

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Toluene	0.100	0.1076		mg/Kg		108	70 - 130	11	35
Ethylbenzene	0.100	0.1127		mg/Kg		113	70 - 130	8	35
m-Xylene & p-Xylene	0.200	0.2332		mg/Kg		117	70 - 130	9	35
o-Xylene	0.100	0.1205		mg/Kg		120	70 - 130	14	35

LCSD LCSD

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	115	70 _ 130
1,4-Difluorobenzene (Surr)	106	70 - 130

Lab Sample ID: MB 880-52617/5-A Client Sample ID: Method Blank

**Matrix: Solid** 

Analysis Batch: 52796

Prep Type: Total/NA Prep Batch: 52617

мв мв Analyte Result Qualifier MDL Unit Prepared Analyzed Dil Fac Benzene <0.000385 U 0.00200 0.000385 mg/Kg 05/04/23 13:25 05/08/23 11:39 Toluene <0.000456 U 0.00200 0.000456 mg/Kg 05/04/23 13:25 05/08/23 11:39 Ethylbenzene <0.000565 U 0.00200 0.000565 mg/Kg 05/04/23 13:25 05/08/23 11:39 m-Xylene & p-Xylene 0.00400 0.00101 mg/Kg 05/04/23 13:25 05/08/23 11:39 <0.00101 U o-Xylene <0.000344 U 0.00200 0.000344 mg/Kg 05/04/23 13:25 05/08/23 11:39 <0.00101 U 0.00400 0.00101 mg/Kg 05/04/23 13:25 Xylenes, Total 05/08/23 11:39

MB MB

Surrogate	%Recovery Qualif	er Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90	70 - 130	05/04/23 13:25	05/08/23 11:39	1
1,4-Difluorobenzene (Surr)	71	70 - 130	05/04/23 13:25	05/08/23 11:39	1

Lab Sample ID: LCS 880-52617/1-A

**Matrix: Solid** 

Analysis Batch: 52796

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 52617

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.1136		mg/Kg		114	70 - 130	
Toluene	0.100	0.1160		mg/Kg		116	70 - 130	
Ethylbenzene	0.100	0.1038		mg/Kg		104	70 - 130	
m-Xylene & p-Xylene	0.200	0.2107		mg/Kg		105	70 - 130	
o-Xylene	0.100	0.1037		mg/Kg		104	70 - 130	

LCS LCS

Surrogate	%Recovery (	Qualifier	Limits
4-Bromofluorobenzene (Surr)	127		70 - 130
1.4-Difluorobenzene (Surr)	72		70 <sub>-</sub> 130

Lab Sample ID: LCSD 880-52617/2-A

**Matrix: Solid** 

Analysis Batch: 52796

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 52617

-	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	0.100	0.1107		mg/Kg		111	70 - 130	3	35
Toluene	0.100	0.1116		mg/Kg		112	70 - 130	4	35
Ethylbenzene	0.100	0.1005		mg/Kg		100	70 - 130	3	35

### QC Sample Results

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-52617/2-A

**Matrix: Solid** 

Analysis Batch: 52796

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 52617

	Spike	LCSD	LCSD			%Rec		RPD
Analyte	Added	Result	Qualifier Unit	D	%Rec	Limits	RPD	Limit
m-Xylene & p-Xylene	0.200	0.2064	mg/Kg		103	70 - 130	2	35
o-Xylene	0.100	0.09833	mg/Kg		98	70 - 130	5	35

LCSD LCSD

%Recovery Qualifier Surrogate Limits 4-Bromofluorobenzene (Surr) 141 S1+ 70 - 130 70 - 130 1,4-Difluorobenzene (Surr) 93

Client Sample ID: SW81H-1 (0-1)

Prep Type: Total/NA

Lab Sample ID: 880-27934-1 MS **Matrix: Solid** Analysis Batch: 52796 Prep Batch: 52617

%Rec Sample Sample Spike MS MS Result Qualifier Added Result Qualifier Unit D %Rec Limits Benzene <0.000410 U F1 0.107 0.1421 F1 mg/Kg ₩ 133 70 - 130 Toluene <0.000486 U 0.107 0.1255 mg/Kg ₩ 117 70 - 130 <0.000602 U 0.1022 Ethylbenzene 0.107 mg/Kg ₽ 96 70 - 130 m-Xylene & p-Xylene <0.00108 U 0.214 0.2053 mg/Kg 96 70 - 130 ₩ <0.000367 U 0.107 o-Xylene 0.1003 mg/Kg 70 - 130

MS MS

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	145	S1+	70 - 130
1.4-Difluorobenzene (Surr)	96		70 <sub>-</sub> 130

Lab Sample ID: 880-27934-1 MSD

**Matrix: Solid** 

Client Sample ID: SW81H-1 (0-1)

Prep Type: Total/NA

Analysis Batch: 52796 Prep Batch: 52617 MSD MSD RPD Sample Sample Spike %Rec

	•	•	•								
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	<0.000410	U F1	0.107	0.1270		mg/Kg	<u></u>	118	70 - 130	11	35
Toluene	<0.000486	U	0.107	0.1257		mg/Kg	₽	117	70 - 130	0	35
Ethylbenzene	<0.000602	U	0.107	0.09977		mg/Kg	₽	93	70 - 130	2	35
m-Xylene & p-Xylene	<0.00108	U	0.215	0.1975		mg/Kg	₩	92	70 - 130	4	35
o-Xylene	< 0.000367	U	0.107	0.09704		mg/Kg	₩	90	70 - 130	3	35

MSD MSD

Surrogate	%Recovery	Qualifier	Limits		
4-Bromofluorobenzene (Surr)	146	S1+	70 - 130		
1 4-Difluorobenzene (Surr)	82		70 - 130		

Lab Sample ID: MB 880-52618/5-A Client Sample ID: Method Blank

**Matrix: Solid** Prep Type: Total/NA Analysis Batch: 52796

Prep Batch: 52618 мв мв

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		05/04/23 13:27	05/09/23 01:11	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		05/04/23 13:27	05/09/23 01:11	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		05/04/23 13:27	05/09/23 01:11	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		05/04/23 13:27	05/09/23 01:11	1
o-Xylene	< 0.000344	U	0.00200	0.000344	mg/Kg		05/04/23 13:27	05/09/23 01:11	1
Xylenes, Total	< 0.00101	U	0.00400	0.00101	mg/Kg		05/04/23 13:27	05/09/23 01:11	1

### QC Sample Results

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

Prep Batch: 52618

SDG: Jal NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

	МВ	МВ				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130	05/04/23 13:27	05/09/23 01:11	1
1,4-Difluorobenzene (Surr)	76		70 - 130	05/04/23 13:27	05/09/23 01:11	1

**Client Sample ID: Lab Control Sample** Lab Sample ID: LCS 880-52618/1-A Prep Type: Total/NA

**Matrix: Solid** 

**Analysis Batch: 52796** 

Spike	LCS	LCS				%Rec	
Added	Result	Qualifier	Unit	D	%Rec	Limits	
0.100	0.1214		mg/Kg		121	70 - 130	
0.100	0.1198		mg/Kg		120	70 - 130	
0.100	0.1058		mg/Kg		106	70 - 130	
0.200	0.2158		mg/Kg		108	70 - 130	
0.100	0.1080		mg/Kg		108	70 - 130	
	Added 0.100 0.100 0.100 0.200	Added         Result           0.100         0.1214           0.100         0.1198           0.100         0.1058           0.200         0.2158	Added         Result         Qualifier           0.100         0.1214           0.100         0.1198           0.100         0.1058           0.200         0.2158	Added         Result         Qualifier         Unit           0.100         0.1214         mg/Kg           0.100         0.1198         mg/Kg           0.100         0.1058         mg/Kg           0.200         0.2158         mg/Kg	Added         Result         Qualifier         Unit         D           0.100         0.1214         mg/Kg           0.100         0.1198         mg/Kg           0.100         0.1058         mg/Kg           0.200         0.2158         mg/Kg	Added         Result         Qualifier         Unit         D         %Rec           0.100         0.1214         mg/Kg         121           0.100         0.1198         mg/Kg         120           0.100         0.1058         mg/Kg         106           0.200         0.2158         mg/Kg         108	Added         Result         Qualifier         Unit         D         %Rec         Limits           0.100         0.1214         mg/Kg         121         70 - 130           0.100         0.1198         mg/Kg         120         70 - 130           0.100         0.1058         mg/Kg         106         70 - 130           0.200         0.2158         mg/Kg         108         70 - 130

LCS LCS %Recovery Qualifier Limits Surrogate 4-Bromofluorobenzene (Surr) 149 S1+ 70 - 130 1,4-Difluorobenzene (Surr) 89 70 - 130

Lab Sample ID: LCSD 880-52618/2-A

**Matrix: Solid** 

**Analysis Batch: 52796** 

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Prep Batch: 52618

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	0.100	0.1089		mg/Kg		109	70 - 130	11	35	
Toluene	0.100	0.1097		mg/Kg		110	70 - 130	9	35	
Ethylbenzene	0.100	0.09801		mg/Kg		98	70 - 130	8	35	
m-Xylene & p-Xylene	0.200	0.2007		mg/Kg		100	70 - 130	7	35	
o-Xylene	0.100	0.1002		mg/Kg		100	70 - 130	8	35	

LCSD LCSD %Recovery Qualifier Limits Surrogate 133 S1+ 70 - 130 4-Bromofluorobenzene (Surr) 1,4-Difluorobenzene (Surr) 70 - 130

Lab Sample ID: 880-27934-21 MS

**Matrix: Solid** 

Analysis Batch: 52796

Client Sample ID: SW81H-5 (0-1) Prep Type: Total/NA

Prep Batch: 52618

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	<0.000410	U	0.107	0.1393		mg/Kg	₽	130	70 - 130	
Toluene	<0.000486	U	0.107	0.1367		mg/Kg	₽	127	70 - 130	
Ethylbenzene	<0.000602	U	0.107	0.1216		mg/Kg	₽	113	70 - 130	
m-Xylene & p-Xylene	<0.00108	U	0.215	0.2461		mg/Kg	₽	115	70 - 130	
o-Xylene	<0.000366	U	0.107	0.1218		mg/Kg	₽	113	70 - 130	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	169	S1+	70 - 130
1.4-Difluorobenzene (Surr)	89		70 - 130

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-27934-21 MSD

**Matrix: Solid** 

Analysis Batch: 52796

Client Sample ID: SW81H-5 (0-1)

Prep Type: Total/NA

Prep Batch: 52618

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	<0.000410	U	0.108	0.1270		mg/Kg	<del>-</del>	118	70 - 130	9	35
Toluene	<0.000486	U	0.108	0.1274		mg/Kg	₽	118	70 - 130	7	35
Ethylbenzene	<0.000602	U	0.108	0.1093		mg/Kg	≎	101	70 - 130	11	35
m-Xylene & p-Xylene	<0.00108	U	0.216	0.2217		mg/Kg	₽	103	70 - 130	10	35
o-Xylene	< 0.000366	U	0.108	0.1105		mg/Kg	☼	103	70 - 130	10	35

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	151	S1+	70 - 130
1,4-Difluorobenzene (Surr)	84		70 - 130

### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-52717/1-A

**Matrix: Solid** 

Analysis Batch: 52759

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 52717

MB MB

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	24.51	J	50.0	15.0	mg/Kg		05/05/23 14:28	05/06/23 19:56	1
(GRO)-C6-C10									
Diesel Range Organics (Over	<15.0	U	50.0	15.0	mg/Kg		05/05/23 14:28	05/06/23 19:56	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		05/05/23 14:28	05/06/23 19:56	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	170	S1+	70 - 130	05/05/23 14:28	05/06/23 19:56	1
o-Terphenyl	141	S1+	70 - 130	05/05/23 14:28	05/06/23 19:56	1

Lab Sample ID: LCS 880-52717/2-A

Matrix: Solid

Analysis Batch: 52759

Client Sample ID:	<b>Lab Control Sample</b>
	Prep Type: Total/NA

Prep Batch: 52717

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	1000	980.4		mg/Kg		98	70 - 130	
(GRO)-C6-C10								
Diesel Range Organics (Over	1000	933.2		mg/Kg		93	70 - 130	
C10-C28)								

LCS LCS

Surrogate	%Recovery Qualifier	Limits
1-Chlorooctane	96	70 - 130
o-Terphenvl	74	70 - 130

Lab Sample ID: LCSD 880-52717/3-A

**Matrix: Solid** 

**Analysis Batch: 52759** 

Client Sam	nla ID: Lal	h Control	Sample Dup
Chefft Sain	pie ib. La		Sample Dup

Prep Type: Total/NA Prep Batch: 52717

	Spil	e LCSD	LCSD				%Rec		RPD
Analyte	Adde	d Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics	100	0 1057		mg/Kg	_	106	70 - 130	7	20

(GRO)-C6-C10

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

96

70 - 130

SDG: Jal NM

2

Prep Type: Total/NA

20

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-52717/3-A Client Sample ID: Lab Control Sample Dup **Matrix: Solid** Prep Type: Total/NA Analysis Batch: 52759 Prep Batch: 52717 Spike LCSD LCSD %Rec **RPD** Analyte Added Result Qualifier Unit %Rec Limits **RPD** Limit D

956.4

mg/Kg

1000

Diesel Range Organics (Over C10-C28)

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	109		70 - 130
o-Terphenyl	83		70 - 130

Lab Sample ID: 880-27934-1 MS Client Sample ID: SW81H-1 (0-1)

**Matrix: Solid** 

Prep Type: Total/NA Analysis Batch: 52759 Prep Batch: 52717

MS MS %Rec Sample Sample Spike Result Qualifier Analyte Added Result Qualifier Unit D %Rec Limits 21.4 JB 1070 867.5 ₽ 70 - 130 Gasoline Range Organics mg/Kg 79 (GRO)-C6-C10 Diesel Range Organics (Over 357 F1 1070 869.3 F1 mg/Kg Ö 48 70 - 130 C10-C28)

	IVIS IVIS	
Surrogate	%Recovery Qualifie	r Limits
1-Chlorooctane	98	70 - 130
o-Terphenyl	72	70 - 130

140 140

MSD MSD

Lab Sample ID: 880-27934-1 MSD Client Sample ID: SW81H-1 (0-1)

**Matrix: Solid** 

**Analysis Batch: 52759** 

Prep Batch: 52717 Sample Sample Spike MSD MSD %Rec RPD Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits **RPD** Limit Gasoline Range Organics 21.4 JB 1070 899.0 mg/Kg <u>#</u> 82 70 - 130 4 20 (GRO)-C6-C10 357 F1 1070 884.8 F1 50 70 - 130 20 Diesel Range Organics (Over mg/Kg ₩

C10-C28)

	IIIOD	MOD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	100		70 - 130
o-Terphenyl	73		70 - 130

Lab Sample ID: MB 880-52718/1-A Client Sample ID: Method Blank

**Matrix: Solid** Prep Type: Total/NA Analysis Batch: 52780 Prep Batch: 52718 мв мв

MDL Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac Gasoline Range Organics 22.35 J 50.0 15.0 05/05/23 14:35 05/07/23 09:34 mg/Kg (GRO)-C6-C10 50.0 05/05/23 14:35 05/07/23 09:34 Diesel Range Organics (Over 19.16 J 15.0 mg/Kg C10-C28) OII Range Organics (Over C28-C36) <15.0 U 50.0 15.0 mg/Kg 05/05/23 14:35 05/07/23 09:34

MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1-Chlorooctane 189 S1+ 70 - 130 05/05/23 14:35 05/07/23 09:34 70 - 130 05/05/23 14:35 05/07/23 09:34 167 S1+ o-Terphenyl

### QC Sample Results

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-52718/2-A

**Matrix: Solid** 

Analysis Batch: 52780

Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 52718

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	1000	933.6		mg/Kg		93	70 - 130	
(GRO)-C6-C10								
Diesel Range Organics (Over	1000	1001		mg/Kg		100	70 - 130	
C10-C28)								

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	101		70 - 130
o-Terphenyl	78		70 - 130

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 52718

Lab Sample ID: LCSD 880-52718/3-A Matrix: Solid

**Analysis Batch: 52780** 

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics	1000	1052		mg/Kg		105	70 - 130	12	20
(GRO)-C6-C10									
Diesel Range Organics (Over	1000	1008		mg/Kg		101	70 - 130	1	20
C10-C28)									

LCSD LCSD

Surrogate	%Recovery Qualifier	Limits
1-Chlorooctane	114	70 - 130
o-Terphenyl	88	70 - 130

Lab Sample ID: 880-27934-21 MS

**Matrix: Solid** 

**Analysis Batch: 52780** 

Client Sam	ple ID: SV	V81H-5	(0-1)
------------	------------	--------	-------

Prep Type: Total/NA Prep Batch: 52718

Sample Sample Spike MS MS %Rec Result Qualifier Added Analyte Result Qualifier Unit D %Rec Limits 1070 Gasoline Range Organics 41.6 JB 1028 92 70 - 130 mg/Kg (GRO)-C6-C10 Diesel Range Organics (Over <16.1 U 1070 817.6 76 70 - 130 mg/Kg Ö

C10-C28)

MS MS

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	106		70 - 130
o-Terphenyl	76		70 - 130

Lab Sample ID: 880-27934-21 MSD

Matrix: Solid

Analysis Batch: 52780

Client Sam	nle ID:	SW81H	-5 (0-1)	١
Oneni Jani	DIE ID.	O110 111	-5 (0-1	,

Prep Type: Total/NA

Prep Batch: 52718

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10	41.6	JB	1070	912.2		mg/Kg	₩	81	70 - 130	12	20	
Diesel Range Organics (Over	<16.1	U	1070	788.1		mg/Kg	₩	73	70 - 130	4	20	
C10-C28)												

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	102		70 - 130

## **QC Sample Results**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-27934-21 MSD

**Matrix: Solid** 

Analysis Batch: 52780

Client Sample ID: SW81H-5 (0-1)

Prep Type: Total/NA

Prep Batch: 52718

MSD MSD

%Recovery Qualifier Surrogate Limits o-Terphenyl 7.3 70 - 130

Client Sample ID: Method Blank

**Prep Type: Total/NA** 

Prep Batch: 52750

Lab Sample ID: MB 880-52750/1-A

**Matrix: Solid** 

Analysis Batch: 52761

MB	MB	

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	24.25	J	50.0	15.0	mg/Kg		05/05/23 17:11	05/06/23 19:56	1
(GRO)-C6-C10									
Diesel Range Organics (Over	17.13	J	50.0	15.0	mg/Kg		05/05/23 17:11	05/06/23 19:56	1
C10-C28)									
Oll Range Organics (Over C28-C36)	15.97	J	50.0	15.0	mg/Kg		05/05/23 17:11	05/06/23 19:56	1

мв мв

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	167	S1+	70 - 130	05/05/23 17:11	05/06/23 19:56	1
o-Terphenyl	209	S1+	70 - 130	05/05/23 17:11	05/06/23 19:56	1

**Client Sample ID: Lab Control Sample** 

**Matrix: Solid** 

Analysis Batch: 52761

Lab Sample ID: LCS 880-52750/2-A

Prep Type: Total/NA

Prep Batch: 52750

	<b>Spike</b>	LCS	LUS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	1000	846.9		mg/Kg		85	70 - 130	
(GRO)-C6-C10								
Diesel Range Organics (Over	1000	853.0		mg/Kg		85	70 - 130	
C10-C28)								

LCS LCS

Surrogate	%Recovery Qualifier	Limits
1-Chlorooctane	113	70 - 130
o-Terphenyl	119	70 - 130

Lab Sample ID: LCSD 880-52750/3-A

**Matrix: Solid** 

Analysis Batch: 52761

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 52750

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics	1000	842.4		mg/Kg		84	70 - 130	1	20	
(GRO)-C6-C10										
Diesel Range Organics (Over	1000	831.2		mg/Kg		83	70 - 130	3	20	
C10 C28)										

C10-C28)

LCSD LCSD

Surrogate	%Recovery Qualifier	Limits
1-Chlorooctane	101	70 - 130
o-Terphenyl	112	70 - 130

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

**Prep Type: Soluble** 

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Client Sample ID: Lab Control Sample Dup

Client Sample ID: SW81H-1 (0-1)

Client Sample ID: SW81H-1 (0-1)

Client Sample ID: SW81H-3 (0-1)

Client Sample ID: SW81H-3 (0-1)

Client Sample ID: Method Blank

SDG: Jal NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-52685/1-A

**Matrix: Solid** 

Analysis Batch: 52776

мв мв

Analyte Result Qualifier RLMDL Unit D Prepared Analyzed Dil Fac Chloride <0.395 U 5.00 0.395 mg/Kg 05/06/23 18:56

Lab Sample ID: LCS 880-52685/2-A

**Matrix: Solid** 

**Analysis Batch: 52776** 

Spike LCS LCS %Rec Added Analyte Result Qualifier Unit D %Rec Limits Chloride 250 243.9 mg/Kg 98 90 - 110

Lab Sample ID: LCSD 880-52685/3-A

**Matrix: Solid** 

**Analysis Batch: 52776** 

LCSD LCSD RPD Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits RPD Limit Chloride 250 244.4 mg/Kg 90 - 110

Lab Sample ID: 880-27934-1 MS

**Matrix: Solid** 

**Analysis Batch: 52776** 

Sample Sample MS MS Spike %Rec Result Qualifier Added Analyte Result Qualifier Unit D %Rec Limits Chloride 576 1320 2056 F1 90 - 110 mg/Kg

Lab Sample ID: 880-27934-1 MSD

**Matrix: Solid** 

Analysis Batch: 52776

Sample Sample Spike MSD MSD %Rec RPD Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits RPD Limit 576 F1 1320 Chloride 2060 F1 mg/Kg 112 90 - 110

Lab Sample ID: 880-27934-11 MS

**Matrix: Solid** 

**Analysis Batch: 52776** 

Sample Sample Spike MS MS %Rec Result Qualifier Added Analyte Result Qualifier Unit D %Rec Limits Chloride 417 265 673.4 mg/Kg 90 - 110

Lab Sample ID: 880-27934-11 MSD

**Matrix: Solid** 

**Analysis Batch: 52776** 

MSD MSD %Rec RPD Sample Sample Spike Added Result Qualifier Result Qualifier Limits RPD Limit Analyte Unit D %Rec Chloride 417 265 672.3 mg/Kg ₽ 97 90 - 110

Lab Sample ID: MB 880-52684/1-A

**Matrix: Solid** 

**Analysis Batch: 52779** 

мв мв Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac 5.00 mg/Kg Chloride <0.395 U 0.395 05/06/23 15:59

**Eurofins Midland** 

Released to Imaging: 8/27/2024 7:32:11 AM

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

**Prep Type: Soluble** 

**Client Sample ID: Lab Control Sample** 

Client Sample ID: Lab Control Sample Dup

Client Sample ID: SW81H-5 (0-1)

Client Sample ID: SW81H-5 (0-1)

Client Sample ID: SW81H-7 (0-1)

Client Sample ID: SW81H-7 (0-1)

Client Sample ID: Method Blank

**Client Sample ID: Lab Control Sample** 

SDG: Jal NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCS 880-52684/2-A

**Matrix: Solid** 

Analysis Batch: 52779

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit %Rec Limits Chloride 250 251.6 mg/Kg 101 90 - 110

Lab Sample ID: LCSD 880-52684/3-A

**Matrix: Solid** 

**Analysis Batch: 52779** 

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	250	248.2		mg/Kg		99	90 - 110	1	20

Lab Sample ID: 880-27934-21 MS

**Matrix: Solid** 

**Analysis Batch: 52779** 

	Sample S	Sample	Spike	MS	MS				%Rec
Analyte	Result C	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Chloride	1900 F	<del>-</del> 1	1360	3517	F1	mg/Kg	— <u></u>	119	90 - 110

Lab Sample ID: 880-27934-21 MSD

Matrix: Solid

Analysis Batch: 52779

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	1900	F1	1360	3516	F1	mg/Kg	₩	119	90 - 110	0	20

Lab Sample ID: 880-27934-31 MS

**Matrix: Solid** 

Analysis Batch: 52779

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	278	-	308	605.0		ma/Ka	— <u>—</u>	106	90 - 110	

Lab Sample ID: 880-27934-31 MSD

**Matrix: Solid** 

**Analysis Batch: 52779** 

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Chloride	278		308	591.4		ma/Ka		102	90 - 110		20	

Lab Sample ID: MB 880-52551/1-A

**Matrix: Solid** 

**Matrix: Solid** 

**Analysis Batch: 52877** 

мв мв

Analyte	Result Qualifi	ier RL	MDL Unit		Prepared	Analyzed	Dil Fac
Chloride	<0.395 U	5.00	0.395 mg/	Kg		05/08/23 15:16	1

Lab Sample ID: LCS 880-52551/2-A

**Analysis Batch: 52877** 

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	 250	265.4		mg/Kg	_	106	90 - 110	

## **QC Sample Results**

Spike

Added

250

LCSD LCSD

255.6

Result Qualifier

mg/Kg

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCSD 880-52551/3-A

**Matrix: Solid** 

Analyte

Chloride

Analysis Batch: 52877

Client Sample ID: Lab	Control	Sampl	e Dup
	Prep 1	vpe: S	oluble

RPD %Rec Unit

%Rec Limits RPD Limit 102 90 - 110 4 20

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

### **GC VOA**

Prep Batch: 52509

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-52509/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 52565

Lab Sample ID 880-27934-41	Client Sample ID SW81H BG-1	Prep Type Total/NA	Matrix Solid	Method 8021B	Prep Batch 52615
MB 880-52509/5-A	Method Blank	Total/NA	Solid	8021B	52509
MB 880-52615/5-A	Method Blank	Total/NA	Solid	8021B	52615
LCS 880-52615/1-A	Lab Control Sample	Total/NA	Solid	8021B	52615
LCSD 880-52615/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	52615

Prep Batch: 52615

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-41	SW81H BG-1	Total/NA	Solid	5035	
MB 880-52615/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-52615/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-52615/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Prep Batch: 52617

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
880-27934-1	SW81H-1 (0-1)	Total/NA	Solid	5035	
880-27934-2	SW81H-1 (1-2)	Total/NA	Solid	5035	
880-27934-3	SW81H-1 (2-3)	Total/NA	Solid	5035	
880-27934-4	SW81H-1 (3-4)	Total/NA	Solid	5035	
880-27934-5	SW81H-1 (4-5)	Total/NA	Solid	5035	
880-27934-6	SW81H-2 (0-1)	Total/NA	Solid	5035	
880-27934-7	SW81H-2 (1-2)	Total/NA	Solid	5035	
880-27934-8	SW81H-2 (2-3)	Total/NA	Solid	5035	
880-27934-9	SW81H-2 (3-4)	Total/NA	Solid	5035	
880-27934-10	SW81H-2 (4-5)	Total/NA	Solid	5035	
880-27934-11	SW81H-3 (0-1)	Total/NA	Solid	5035	
880-27934-12	SW81H-3 (1-2)	Total/NA	Solid	5035	
880-27934-13	SW81H-3 (2-3)	Total/NA	Solid	5035	
880-27934-14	SW81H-3 (3-4)	Total/NA	Solid	5035	
880-27934-15	SW81H-3 (4-5)	Total/NA	Solid	5035	
880-27934-16	SW81H-4 (0-1)	Total/NA	Solid	5035	
880-27934-17	SW81H-4 (1-2)	Total/NA	Solid	5035	
880-27934-18	SW81H-4 (2-3)	Total/NA	Solid	5035	
880-27934-19	SW81H-4 (3-4)	Total/NA	Solid	5035	
880-27934-20	SW81H-4 (4-5)	Total/NA	Solid	5035	
MB 880-52617/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-52617/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-52617/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-27934-1 MS	SW81H-1 (0-1)	Total/NA	Solid	5035	
880-27934-1 MSD	SW81H-1 (0-1)	Total/NA	Solid	5035	

Prep Batch: 52618

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method Prep Batch
880-27934-21	SW81H-5 (0-1)	Total/NA	Solid	5035
880-27934-22	SW81H-5 (1-2)	Total/NA	Solid	5035
880-27934-23	SW81H-5 (2-3)	Total/NA	Solid	5035
880-27934-24	SW81H-5 (3-4)	Total/NA	Solid	5035

**Eurofins Midland** 

Page 48 of 82

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

## SDG: Jal NM

## **GC VOA (Continued)**

### Prep Batch: 52618 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-25	SW81H-5 (4-5)	Total/NA	Solid	5035	
880-27934-26	SW81H-6 (0-1)	Total/NA	Solid	5035	
880-27934-27	SW81H-6 (1-2)	Total/NA	Solid	5035	
880-27934-28	SW81H-6 (2-3)	Total/NA	Solid	5035	
880-27934-29	SW81H-6 (3-4)	Total/NA	Solid	5035	
880-27934-30	SW81H-6 (4-5)	Total/NA	Solid	5035	
880-27934-31	SW81H-7 (0-1)	Total/NA	Solid	5035	
880-27934-32	SW81H-7 (1-2)	Total/NA	Solid	5035	
880-27934-33	SW81H-7 (2-3)	Total/NA	Solid	5035	
880-27934-34	SW81H-7 (3-4)	Total/NA	Solid	5035	
880-27934-35	SW81H-7 (4-5)	Total/NA	Solid	5035	
880-27934-36	SW81H-8 (0-1)	Total/NA	Solid	5035	
880-27934-37	SW81H-8 (1-2)	Total/NA	Solid	5035	
880-27934-38	SW81H-8 (2-3)	Total/NA	Solid	5035	
880-27934-39	SW81H-8 (3-4)	Total/NA	Solid	5035	
880-27934-40	SW81H-8 (4-5)	Total/NA	Solid	5035	
MB 880-52618/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-52618/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-52618/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-27934-21 MS	SW81H-5 (0-1)	Total/NA	Solid	5035	
880-27934-21 MSD	SW81H-5 (0-1)	Total/NA	Solid	5035	

#### Analysis Batch: 52796

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-1	SW81H-1 (0-1)	Total/NA	Solid	8021B	52617
880-27934-2	SW81H-1 (1-2)	Total/NA	Solid	8021B	52617
880-27934-3	SW81H-1 (2-3)	Total/NA	Solid	8021B	52617
880-27934-4	SW81H-1 (3-4)	Total/NA	Solid	8021B	52617
880-27934-5	SW81H-1 (4-5)	Total/NA	Solid	8021B	52617
880-27934-6	SW81H-2 (0-1)	Total/NA	Solid	8021B	52617
880-27934-7	SW81H-2 (1-2)	Total/NA	Solid	8021B	52617
880-27934-8	SW81H-2 (2-3)	Total/NA	Solid	8021B	52617
880-27934-9	SW81H-2 (3-4)	Total/NA	Solid	8021B	52617
880-27934-10	SW81H-2 (4-5)	Total/NA	Solid	8021B	52617
880-27934-11	SW81H-3 (0-1)	Total/NA	Solid	8021B	52617
880-27934-12	SW81H-3 (1-2)	Total/NA	Solid	8021B	52617
880-27934-13	SW81H-3 (2-3)	Total/NA	Solid	8021B	52617
880-27934-14	SW81H-3 (3-4)	Total/NA	Solid	8021B	52617
880-27934-15	SW81H-3 (4-5)	Total/NA	Solid	8021B	52617
880-27934-16	SW81H-4 (0-1)	Total/NA	Solid	8021B	52617
880-27934-17	SW81H-4 (1-2)	Total/NA	Solid	8021B	52617
880-27934-18	SW81H-4 (2-3)	Total/NA	Solid	8021B	52617
880-27934-19	SW81H-4 (3-4)	Total/NA	Solid	8021B	52617
880-27934-20	SW81H-4 (4-5)	Total/NA	Solid	8021B	52617
880-27934-21	SW81H-5 (0-1)	Total/NA	Solid	8021B	52618
880-27934-22	SW81H-5 (1-2)	Total/NA	Solid	8021B	52618
880-27934-23	SW81H-5 (2-3)	Total/NA	Solid	8021B	52618
880-27934-24	SW81H-5 (3-4)	Total/NA	Solid	8021B	52618
880-27934-25	SW81H-5 (4-5)	Total/NA	Solid	8021B	52618
880-27934-26	SW81H-6 (0-1)	Total/NA	Solid	8021B	52618
880-27934-27	SW81H-6 (1-2)	Total/NA	Solid	8021B	52618

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

### **GC VOA (Continued)**

### Analysis Batch: 52796 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-28	SW81H-6 (2-3)	Total/NA	Solid	8021B	52618
880-27934-29	SW81H-6 (3-4)	Total/NA	Solid	8021B	52618
880-27934-30	SW81H-6 (4-5)	Total/NA	Solid	8021B	52618
880-27934-31	SW81H-7 (0-1)	Total/NA	Solid	8021B	52618
880-27934-32	SW81H-7 (1-2)	Total/NA	Solid	8021B	52618
880-27934-33	SW81H-7 (2-3)	Total/NA	Solid	8021B	52618
880-27934-34	SW81H-7 (3-4)	Total/NA	Solid	8021B	52618
880-27934-35	SW81H-7 (4-5)	Total/NA	Solid	8021B	52618
880-27934-36	SW81H-8 (0-1)	Total/NA	Solid	8021B	52618
880-27934-37	SW81H-8 (1-2)	Total/NA	Solid	8021B	52618
880-27934-38	SW81H-8 (2-3)	Total/NA	Solid	8021B	52618
880-27934-39	SW81H-8 (3-4)	Total/NA	Solid	8021B	52618
880-27934-40	SW81H-8 (4-5)	Total/NA	Solid	8021B	52618
MB 880-52617/5-A	Method Blank	Total/NA	Solid	8021B	52617
MB 880-52618/5-A	Method Blank	Total/NA	Solid	8021B	52618
LCS 880-52617/1-A	Lab Control Sample	Total/NA	Solid	8021B	52617
LCS 880-52618/1-A	Lab Control Sample	Total/NA	Solid	8021B	52618
LCSD 880-52617/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	52617
LCSD 880-52618/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	52618
880-27934-1 MS	SW81H-1 (0-1)	Total/NA	Solid	8021B	52617
880-27934-1 MSD	SW81H-1 (0-1)	Total/NA	Solid	8021B	52617
880-27934-21 MS	SW81H-5 (0-1)	Total/NA	Solid	8021B	52618
880-27934-21 MSD	SW81H-5 (0-1)	Total/NA	Solid	8021B	52618

### GC Semi VOA

#### Prep Batch: 52717

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-27934-1	SW81H-1 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-2	SW81H-1 (1-2)	Total/NA	Solid	8015NM Prep	
880-27934-3	SW81H-1 (2-3)	Total/NA	Solid	8015NM Prep	
880-27934-4	SW81H-1 (3-4)	Total/NA	Solid	8015NM Prep	
380-27934-5	SW81H-1 (4-5)	Total/NA	Solid	8015NM Prep	
880-27934-6	SW81H-2 (0-1)	Total/NA	Solid	8015NM Prep	
380-27934-7	SW81H-2 (1-2)	Total/NA	Solid	8015NM Prep	
880-27934-8	SW81H-2 (2-3)	Total/NA	Solid	8015NM Prep	
880-27934-9	SW81H-2 (3-4)	Total/NA	Solid	8015NM Prep	
380-27934-10	SW81H-2 (4-5)	Total/NA	Solid	8015NM Prep	
380-27934-11	SW81H-3 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-12	SW81H-3 (1-2)	Total/NA	Solid	8015NM Prep	
380-27934-13	SW81H-3 (2-3)	Total/NA	Solid	8015NM Prep	
380-27934-14	SW81H-3 (3-4)	Total/NA	Solid	8015NM Prep	
880-27934-15	SW81H-3 (4-5)	Total/NA	Solid	8015NM Prep	
880-27934-16	SW81H-4 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-17	SW81H-4 (1-2)	Total/NA	Solid	8015NM Prep	
880-27934-18	SW81H-4 (2-3)	Total/NA	Solid	8015NM Prep	
880-27934-19	SW81H-4 (3-4)	Total/NA	Solid	8015NM Prep	
380-27934-20	SW81H-4 (4-5)	Total/NA	Solid	8015NM Prep	
MB 880-52717/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-52717/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-52717/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1 SDG: Jal NM

## GC Semi VOA (Continued)

### Prep Batch: 52717 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-1 MS	SW81H-1 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-1 MSD	SW81H-1 (0-1)	Total/NA	Solid	8015NM Prep	

#### Prep Batch: 52718

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
880-27934-21	SW81H-5 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-22	SW81H-5 (1-2)	Total/NA	Solid	8015NM Prep	
880-27934-23	SW81H-5 (2-3)	Total/NA	Solid	8015NM Prep	
880-27934-24	SW81H-5 (3-4)	Total/NA	Solid	8015NM Prep	
880-27934-25	SW81H-5 (4-5)	Total/NA	Solid	8015NM Prep	
880-27934-26	SW81H-6 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-27	SW81H-6 (1-2)	Total/NA	Solid	8015NM Prep	
880-27934-28	SW81H-6 (2-3)	Total/NA	Solid	8015NM Prep	
880-27934-29	SW81H-6 (3-4)	Total/NA	Solid	8015NM Prep	
880-27934-30	SW81H-6 (4-5)	Total/NA	Solid	8015NM Prep	
880-27934-31	SW81H-7 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-32	SW81H-7 (1-2)	Total/NA	Solid	8015NM Prep	
880-27934-33	SW81H-7 (2-3)	Total/NA	Solid	8015NM Prep	
880-27934-34	SW81H-7 (3-4)	Total/NA	Solid	8015NM Prep	
880-27934-35	SW81H-7 (4-5)	Total/NA	Solid	8015NM Prep	
880-27934-36	SW81H-8 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-37	SW81H-8 (1-2)	Total/NA	Solid	8015NM Prep	
880-27934-38	SW81H-8 (2-3)	Total/NA	Solid	8015NM Prep	
880-27934-39	SW81H-8 (3-4)	Total/NA	Solid	8015NM Prep	
880-27934-40	SW81H-8 (4-5)	Total/NA	Solid	8015NM Prep	
MB 880-52718/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-52718/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-52718/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-27934-21 MS	SW81H-5 (0-1)	Total/NA	Solid	8015NM Prep	
880-27934-21 MSD	SW81H-5 (0-1)	Total/NA	Solid	8015NM Prep	

#### Prep Batch: 52750

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-41	SW81H BG-1	Total/NA	Solid	8015NM Prep	
MB 880-52750/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-52750/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-52750/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

### Analysis Batch: 52759

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-1	SW81H-1 (0-1)	Total/NA	Solid	8015B NM	52717
880-27934-2	SW81H-1 (1-2)	Total/NA	Solid	8015B NM	52717
880-27934-3	SW81H-1 (2-3)	Total/NA	Solid	8015B NM	52717
880-27934-4	SW81H-1 (3-4)	Total/NA	Solid	8015B NM	52717
880-27934-5	SW81H-1 (4-5)	Total/NA	Solid	8015B NM	52717
880-27934-6	SW81H-2 (0-1)	Total/NA	Solid	8015B NM	52717
880-27934-7	SW81H-2 (1-2)	Total/NA	Solid	8015B NM	52717
880-27934-8	SW81H-2 (2-3)	Total/NA	Solid	8015B NM	52717
880-27934-9	SW81H-2 (3-4)	Total/NA	Solid	8015B NM	52717
880-27934-10	SW81H-2 (4-5)	Total/NA	Solid	8015B NM	52717
880-27934-11	SW81H-3 (0-1)	Total/NA	Solid	8015B NM	52717

**Eurofins Midland** 

2

4

6

8

10

12

13

Н

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1 SDG: Jal NM

## GC Semi VOA (Continued)

### Analysis Batch: 52759 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-12	SW81H-3 (1-2)	Total/NA	Solid	8015B NM	52717
880-27934-13	SW81H-3 (2-3)	Total/NA	Solid	8015B NM	52717
880-27934-14	SW81H-3 (3-4)	Total/NA	Solid	8015B NM	52717
880-27934-15	SW81H-3 (4-5)	Total/NA	Solid	8015B NM	52717
880-27934-16	SW81H-4 (0-1)	Total/NA	Solid	8015B NM	52717
880-27934-17	SW81H-4 (1-2)	Total/NA	Solid	8015B NM	52717
880-27934-18	SW81H-4 (2-3)	Total/NA	Solid	8015B NM	52717
880-27934-19	SW81H-4 (3-4)	Total/NA	Solid	8015B NM	52717
880-27934-20	SW81H-4 (4-5)	Total/NA	Solid	8015B NM	52717
MB 880-52717/1-A	Method Blank	Total/NA	Solid	8015B NM	52717
LCS 880-52717/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	52717
LCSD 880-52717/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	52717
880-27934-1 MS	SW81H-1 (0-1)	Total/NA	Solid	8015B NM	52717
880-27934-1 MSD	SW81H-1 (0-1)	Total/NA	Solid	8015B NM	52717

#### Analysis Batch: 52761

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-41	SW81H BG-1	Total/NA	Solid	8015B NM	52750
MB 880-52750/1-A	Method Blank	Total/NA	Solid	8015B NM	52750
LCS 880-52750/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	52750
LCSD 880-52750/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	52750

#### Analysis Batch: 52780

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-21	SW81H-5 (0-1)	Total/NA	Solid	8015B NM	52718
880-27934-22	SW81H-5 (1-2)	Total/NA	Solid	8015B NM	52718
880-27934-23	SW81H-5 (2-3)	Total/NA	Solid	8015B NM	52718
880-27934-24	SW81H-5 (3-4)	Total/NA	Solid	8015B NM	52718
880-27934-25	SW81H-5 (4-5)	Total/NA	Solid	8015B NM	52718
880-27934-26	SW81H-6 (0-1)	Total/NA	Solid	8015B NM	52718
880-27934-27	SW81H-6 (1-2)	Total/NA	Solid	8015B NM	52718
880-27934-28	SW81H-6 (2-3)	Total/NA	Solid	8015B NM	52718
880-27934-29	SW81H-6 (3-4)	Total/NA	Solid	8015B NM	52718
880-27934-30	SW81H-6 (4-5)	Total/NA	Solid	8015B NM	52718
880-27934-31	SW81H-7 (0-1)	Total/NA	Solid	8015B NM	52718
880-27934-32	SW81H-7 (1-2)	Total/NA	Solid	8015B NM	52718
880-27934-33	SW81H-7 (2-3)	Total/NA	Solid	8015B NM	52718
880-27934-34	SW81H-7 (3-4)	Total/NA	Solid	8015B NM	52718
880-27934-35	SW81H-7 (4-5)	Total/NA	Solid	8015B NM	52718
880-27934-36	SW81H-8 (0-1)	Total/NA	Solid	8015B NM	52718
880-27934-37	SW81H-8 (1-2)	Total/NA	Solid	8015B NM	52718
880-27934-38	SW81H-8 (2-3)	Total/NA	Solid	8015B NM	52718
880-27934-39	SW81H-8 (3-4)	Total/NA	Solid	8015B NM	52718
880-27934-40	SW81H-8 (4-5)	Total/NA	Solid	8015B NM	52718
MB 880-52718/1-A	Method Blank	Total/NA	Solid	8015B NM	52718
LCS 880-52718/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	52718
LCSD 880-52718/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	52718
880-27934-21 MS	SW81H-5 (0-1)	Total/NA	Solid	8015B NM	52718
880-27934-21 MSD	SW81H-5 (0-1)	Total/NA	Solid	8015B NM	52718

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1 SDG: Jal NM

### HPLC/IC

Leach Batch: 52551

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-41	SW81H BG-1	Soluble	Solid	DI Leach	
MB 880-52551/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-52551/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-52551/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Leach Batch: 52684

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-21	SW81H-5 (0-1)	Soluble	Solid	DI Leach	
880-27934-22	SW81H-5 (1-2)	Soluble	Solid	DI Leach	
880-27934-23	SW81H-5 (2-3)	Soluble	Solid	DI Leach	
880-27934-24	SW81H-5 (3-4)	Soluble	Solid	DI Leach	
880-27934-25	SW81H-5 (4-5)	Soluble	Solid	DI Leach	
880-27934-26	SW81H-6 (0-1)	Soluble	Solid	DI Leach	
880-27934-27	SW81H-6 (1-2)	Soluble	Solid	DI Leach	
880-27934-28	SW81H-6 (2-3)	Soluble	Solid	DI Leach	
880-27934-29	SW81H-6 (3-4)	Soluble	Solid	DI Leach	
880-27934-30	SW81H-6 (4-5)	Soluble	Solid	DI Leach	
880-27934-31	SW81H-7 (0-1)	Soluble	Solid	DI Leach	
880-27934-32	SW81H-7 (1-2)	Soluble	Solid	DI Leach	
880-27934-33	SW81H-7 (2-3)	Soluble	Solid	DI Leach	
880-27934-34	SW81H-7 (3-4)	Soluble	Solid	DI Leach	
880-27934-35	SW81H-7 (4-5)	Soluble	Solid	DI Leach	
880-27934-36	SW81H-8 (0-1)	Soluble	Solid	DI Leach	
880-27934-37	SW81H-8 (1-2)	Soluble	Solid	DI Leach	
880-27934-38	SW81H-8 (2-3)	Soluble	Solid	DI Leach	
880-27934-39	SW81H-8 (3-4)	Soluble	Solid	DI Leach	
880-27934-40	SW81H-8 (4-5)	Soluble	Solid	DI Leach	
MB 880-52684/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-52684/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-52684/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-27934-21 MS	SW81H-5 (0-1)	Soluble	Solid	DI Leach	
880-27934-21 MSD	SW81H-5 (0-1)	Soluble	Solid	DI Leach	
880-27934-31 MS	SW81H-7 (0-1)	Soluble	Solid	DI Leach	
880-27934-31 MSD	SW81H-7 (0-1)	Soluble	Solid	DI Leach	

Leach Batch: 52685

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-1	SW81H-1 (0-1)	Soluble	Solid	DI Leach	
880-27934-2	SW81H-1 (1-2)	Soluble	Solid	DI Leach	
880-27934-3	SW81H-1 (2-3)	Soluble	Solid	DI Leach	
880-27934-4	SW81H-1 (3-4)	Soluble	Solid	DI Leach	
880-27934-5	SW81H-1 (4-5)	Soluble	Solid	DI Leach	
880-27934-6	SW81H-2 (0-1)	Soluble	Solid	DI Leach	
880-27934-7	SW81H-2 (1-2)	Soluble	Solid	DI Leach	
880-27934-8	SW81H-2 (2-3)	Soluble	Solid	DI Leach	
880-27934-9	SW81H-2 (3-4)	Soluble	Solid	DI Leach	
880-27934-10	SW81H-2 (4-5)	Soluble	Solid	DI Leach	
880-27934-11	SW81H-3 (0-1)	Soluble	Solid	DI Leach	
880-27934-12	SW81H-3 (1-2)	Soluble	Solid	DI Leach	
880-27934-13	SW81H-3 (2-3)	Soluble	Solid	DI Leach	
880-27934-14	SW81H-3 (3-4)	Soluble	Solid	DI Leach	

**Eurofins Midland** 

2

3

--

6

8

10

12

13

Н

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

## **HPLC/IC** (Continued)

### Leach Batch: 52685 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-15	SW81H-3 (4-5)	Soluble	Solid	DI Leach	_
880-27934-16	SW81H-4 (0-1)	Soluble	Solid	DI Leach	
880-27934-17	SW81H-4 (1-2)	Soluble	Solid	DI Leach	
880-27934-18	SW81H-4 (2-3)	Soluble	Solid	DI Leach	
880-27934-19	SW81H-4 (3-4)	Soluble	Solid	DI Leach	
880-27934-20	SW81H-4 (4-5)	Soluble	Solid	DI Leach	
MB 880-52685/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-52685/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-52685/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-27934-1 MS	SW81H-1 (0-1)	Soluble	Solid	DI Leach	
880-27934-1 MSD	SW81H-1 (0-1)	Soluble	Solid	DI Leach	
880-27934-11 MS	SW81H-3 (0-1)	Soluble	Solid	DI Leach	
880-27934-11 MSD	SW81H-3 (0-1)	Soluble	Solid	DI Leach	

#### Analysis Batch: 52776

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-1	SW81H-1 (0-1)	Soluble	Solid	300.0	52685
880-27934-2	SW81H-1 (1-2)	Soluble	Solid	300.0	52685
880-27934-3	SW81H-1 (2-3)	Soluble	Solid	300.0	52685
880-27934-4	SW81H-1 (3-4)	Soluble	Solid	300.0	52685
880-27934-5	SW81H-1 (4-5)	Soluble	Solid	300.0	52685
880-27934-6	SW81H-2 (0-1)	Soluble	Solid	300.0	52685
880-27934-7	SW81H-2 (1-2)	Soluble	Solid	300.0	52685
880-27934-8	SW81H-2 (2-3)	Soluble	Solid	300.0	52685
880-27934-9	SW81H-2 (3-4)	Soluble	Solid	300.0	52685
880-27934-10	SW81H-2 (4-5)	Soluble	Solid	300.0	52685
880-27934-11	SW81H-3 (0-1)	Soluble	Solid	300.0	52685
880-27934-12	SW81H-3 (1-2)	Soluble	Solid	300.0	52685
880-27934-13	SW81H-3 (2-3)	Soluble	Solid	300.0	52685
880-27934-14	SW81H-3 (3-4)	Soluble	Solid	300.0	52685
880-27934-15	SW81H-3 (4-5)	Soluble	Solid	300.0	52685
880-27934-16	SW81H-4 (0-1)	Soluble	Solid	300.0	52685
880-27934-17	SW81H-4 (1-2)	Soluble	Solid	300.0	52685
880-27934-18	SW81H-4 (2-3)	Soluble	Solid	300.0	52685
880-27934-19	SW81H-4 (3-4)	Soluble	Solid	300.0	52685
880-27934-20	SW81H-4 (4-5)	Soluble	Solid	300.0	52685
MB 880-52685/1-A	Method Blank	Soluble	Solid	300.0	52685
LCS 880-52685/2-A	Lab Control Sample	Soluble	Solid	300.0	52685
LCSD 880-52685/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	52685
880-27934-1 MS	SW81H-1 (0-1)	Soluble	Solid	300.0	52685
880-27934-1 MSD	SW81H-1 (0-1)	Soluble	Solid	300.0	52685
880-27934-11 MS	SW81H-3 (0-1)	Soluble	Solid	300.0	52685
880-27934-11 MSD	SW81H-3 (0-1)	Soluble	Solid	300.0	52685

#### Analysis Batch: 52779

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-21	SW81H-5 (0-1)	Soluble	Solid	300.0	52684
880-27934-22	SW81H-5 (1-2)	Soluble	Solid	300.0	52684
880-27934-23	SW81H-5 (2-3)	Soluble	Solid	300.0	52684
880-27934-24	SW81H-5 (3-4)	Soluble	Solid	300.0	52684
880-27934-25	SW81H-5 (4-5)	Soluble	Solid	300.0	52684

**Eurofins Midland** 

Page 54 of 82

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

### SDG: Jal NM

## **HPLC/IC** (Continued)

### **Analysis Batch: 52779 (Continued)**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-26	SW81H-6 (0-1)	Soluble	Solid	300.0	52684
880-27934-27	SW81H-6 (1-2)	Soluble	Solid	300.0	52684
880-27934-28	SW81H-6 (2-3)	Soluble	Solid	300.0	52684
880-27934-29	SW81H-6 (3-4)	Soluble	Solid	300.0	52684
880-27934-30	SW81H-6 (4-5)	Soluble	Solid	300.0	52684
880-27934-31	SW81H-7 (0-1)	Soluble	Solid	300.0	52684
880-27934-32	SW81H-7 (1-2)	Soluble	Solid	300.0	52684
880-27934-33	SW81H-7 (2-3)	Soluble	Solid	300.0	52684
880-27934-34	SW81H-7 (3-4)	Soluble	Solid	300.0	52684
880-27934-35	SW81H-7 (4-5)	Soluble	Solid	300.0	52684
880-27934-36	SW81H-8 (0-1)	Soluble	Solid	300.0	52684
880-27934-37	SW81H-8 (1-2)	Soluble	Solid	300.0	52684
880-27934-38	SW81H-8 (2-3)	Soluble	Solid	300.0	52684
880-27934-39	SW81H-8 (3-4)	Soluble	Solid	300.0	52684
880-27934-40	SW81H-8 (4-5)	Soluble	Solid	300.0	52684
MB 880-52684/1-A	Method Blank	Soluble	Solid	300.0	52684
LCS 880-52684/2-A	Lab Control Sample	Soluble	Solid	300.0	52684
LCSD 880-52684/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	52684
880-27934-21 MS	SW81H-5 (0-1)	Soluble	Solid	300.0	52684
880-27934-21 MSD	SW81H-5 (0-1)	Soluble	Solid	300.0	52684
880-27934-31 MS	SW81H-7 (0-1)	Soluble	Solid	300.0	52684
880-27934-31 MSD	SW81H-7 (0-1)	Soluble	Solid	300.0	52684

#### Analysis Batch: 52877

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-41	SW81H BG-1	Soluble	Solid	300.0	52551
MB 880-52551/1-A	Method Blank	Soluble	Solid	300.0	52551
LCS 880-52551/2-A	Lab Control Sample	Soluble	Solid	300.0	52551
LCSD 880-52551/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	52551

### **General Chemistry**

### Analysis Batch: 52688

Released to Imaging: 8/27/2024 7:32:11 AM

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
880-27934-1	SW81H-1 (0-1)	Total/NA	Solid	D2216	
880-27934-2	SW81H-1 (1-2)	Total/NA	Solid	D2216	
880-27934-3	SW81H-1 (2-3)	Total/NA	Solid	D2216	
880-27934-4	SW81H-1 (3-4)	Total/NA	Solid	D2216	
880-27934-5	SW81H-1 (4-5)	Total/NA	Solid	D2216	
880-27934-6	SW81H-2 (0-1)	Total/NA	Solid	D2216	
880-27934-7	SW81H-2 (1-2)	Total/NA	Solid	D2216	
380-27934-8	SW81H-2 (2-3)	Total/NA	Solid	D2216	
880-27934-9	SW81H-2 (3-4)	Total/NA	Solid	D2216	
880-27934-10	SW81H-2 (4-5)	Total/NA	Solid	D2216	
880-27934-11	SW81H-3 (0-1)	Total/NA	Solid	D2216	
880-27934-12	SW81H-3 (1-2)	Total/NA	Solid	D2216	
880-27934-13	SW81H-3 (2-3)	Total/NA	Solid	D2216	
880-27934-14	SW81H-3 (3-4)	Total/NA	Solid	D2216	
880-27934-15	SW81H-3 (4-5)	Total/NA	Solid	D2216	
880-27934-16	SW81H-4 (0-1)	Total/NA	Solid	D2216	
880-27934-17	SW81H-4 (1-2)	Total/NA	Solid	D2216	

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

### **General Chemistry (Continued)**

### Analysis Batch: 52688 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-18	SW81H-4 (2-3)	Total/NA	Solid	D2216	_
880-27934-19	SW81H-4 (3-4)	Total/NA	Solid	D2216	
880-27934-20	SW81H-4 (4-5)	Total/NA	Solid	D2216	
MB 880-52688/1	Method Blank	Total/NA	Solid	D2216	
880-27934-1 DU	SW81H-1 (0-1)	Total/NA	Solid	D2216	
880-27934-11 DU	SW81H-3 (0-1)	Total/NA	Solid	D2216	

## Analysis Batch: 52689

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-21	SW81H-5 (0-1)	Total/NA	Solid	D2216	
880-27934-22	SW81H-5 (1-2)	Total/NA	Solid	D2216	
880-27934-23	SW81H-5 (2-3)	Total/NA	Solid	D2216	
880-27934-24	SW81H-5 (3-4)	Total/NA	Solid	D2216	
880-27934-25	SW81H-5 (4-5)	Total/NA	Solid	D2216	
880-27934-26	SW81H-6 (0-1)	Total/NA	Solid	D2216	
880-27934-27	SW81H-6 (1-2)	Total/NA	Solid	D2216	
880-27934-28	SW81H-6 (2-3)	Total/NA	Solid	D2216	
880-27934-29	SW81H-6 (3-4)	Total/NA	Solid	D2216	
880-27934-30	SW81H-6 (4-5)	Total/NA	Solid	D2216	
880-27934-31	SW81H-7 (0-1)	Total/NA	Solid	D2216	
880-27934-32	SW81H-7 (1-2)	Total/NA	Solid	D2216	
880-27934-33	SW81H-7 (2-3)	Total/NA	Solid	D2216	
880-27934-34	SW81H-7 (3-4)	Total/NA	Solid	D2216	
880-27934-35	SW81H-7 (4-5)	Total/NA	Solid	D2216	
880-27934-36	SW81H-8 (0-1)	Total/NA	Solid	D2216	
880-27934-37	SW81H-8 (1-2)	Total/NA	Solid	D2216	
880-27934-38	SW81H-8 (2-3)	Total/NA	Solid	D2216	
880-27934-39	SW81H-8 (3-4)	Total/NA	Solid	D2216	
880-27934-40	SW81H-8 (4-5)	Total/NA	Solid	D2216	
MB 880-52689/1	Method Blank	Total/NA	Solid	D2216	
880-27934-21 DU	SW81H-5 (0-1)	Total/NA	Solid	D2216	
880-27934-32 DU	SW81H-7 (1-2)	Total/NA	Solid	D2216	

### Analysis Batch: 52690

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-27934-41	SW81H BG-1	Total/NA	Solid	D2216	
MB 880-52690/1	Method Blank	Total/NA	Solid	D2216	
880-2703 <i>4-</i> 41 DH	SW81H BG-1	Total/NA	Solid	D2216	

Client Sample ID: SW81H-1 (0-1)

Date Collected: 05/02/23 09:20 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-1

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-1 (0-1)

Date Collected: 05/02/23 09:20

Date Received: 05/03/23 16:56

Percent Solids: 93.4

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 12:05	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/06/23 21:00	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	52776	05/06/23 19:12	SMC	EET MID

Client Sample ID: SW81H-1 (1-2)

Date Collected: 05/02/23 09:28

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-2

**Matrix: Solid** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab 52688 05/05/23 10:02 Total/NA Analysis D2216 KS EET MID

Client Sample ID: SW81H-1 (1-2)

Date Collected: 05/02/23 09:28

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-2
----------------------------

Matrix: Solid Percent Solids: 95.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 12:31	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/06/23 22:05	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 19:28	SMC	EET MID

Client Sample ID: SW81H-1 (2-3)

Date Collected: 05/02/23 09:32

Date Received: 05/03/23 16:56

Lab Sample ID: 880-2793	4-3
-------------------------	-----

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

SDG: Jal NM

Client Sample ID: SW81H-1 (2-3)

Date Collected: 05/02/23 09:32 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-3

**Matrix: Solid** 

Percent Solids: 94.4

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 12:56	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/06/23 22:26	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 19:34	SMC	EET MID

Client Sample ID: SW81H-1 (3-4)

Date Collected: 05/02/23 10:15 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-4

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-1 (3-4)

Date Collected: 05/02/23 10:15 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-4

**Matrix: Solid** 

Percent Solids: 95.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 13:22	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	52717	05/05/23 14:28	AJ	EET MIC
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/06/23 22:48	SM	EET MIC
Soluble	Leach	DI Leach			5.03 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 19:39	SMC	EET MID

Client Sample ID: SW81H-1 (4-5)

Date Collected: 05/02/23 10:20 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-5

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-1 (4-5)

Date Collected: 05/02/23 10:20 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-5

**Matrix: Solid** Percent Solids: 96.6

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 13:48	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/06/23 23:09	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 19:44	SMC	EET MID

Client Sample ID: SW81H-2 (0-1)

Date Collected: 05/02/23 10:43 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-6

**Matrix: Solid** 

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-2 (0-1)

Date Collected: 05/02/23 10:43

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-6

Percent Solids: 93.1

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 14:14	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/06/23 23:31	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 20:00	SMC	EET MID

Client Sample ID: SW81H-2 (1-2)

Date Collected: 05/02/23 10:48

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-7

**Matrix: Solid** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab 52688 Total/NA Analysis D2216 05/05/23 10:02 KS EET MID

Client Sample ID: SW81H-2 (1-2)

Date Collected: 05/02/23 10:48

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-7 Matrix: Solid

Percent Solids: 95.3

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 14:40	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/06/23 23:52	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 20:06	SMC	EET MID

Client Sample ID: SW81H-2 (2-3)

Date Collected: 05/02/23 10:58

Date Received: 05/03/23 16:56

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216					52688	05/05/23 10:02	KS	FET MID

Client Sample ID: SW81H-2 (2-3)

Lab Sample ID: 880-27934-8

Date Collected: 05/02/23 10:58 Date Received: 05/03/23 16:56

Project/Site: Seawolf 112 81H

**Matrix: Solid** Percent Solids: 95.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 15:06	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 00:14	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 20:11	SMC	EET MID

Client Sample ID: SW81H-2 (3-4)

Lab Sample ID: 880-27934-9

Date Collected: 05/02/23 11:00 Date Received: 05/03/23 16:56

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-2 (3-4)

Lab Sample ID: 880-27934-9

Date Collected: 05/02/23 11:00 Date Received: 05/03/23 16:56

**Matrix: Solid** Percent Solids: 77.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 15:32	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 00:35	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 20:16	SMC	EET MID

Client Sample ID: SW81H-2 (4-5)

Lab Sample ID: 880-27934-10

Date Collected: 05/02/23 11:03 Date Received: 05/03/23 16:56

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-2 (4-5)

Lab Sample ID: 880-27934-10 **Matrix: Solid** 

Date Collected: 05/02/23 11:03 Date Received: 05/03/23 16:56

Percent Solids: 94.6

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 15:58	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 00:57	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 20:22	SMC	EET MID

Client Sample ID: SW81H-3 (0-1)

Date Collected: 05/02/23 11:10 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-11

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-3 (0-1)

Date Collected: 05/02/23 11:10

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-11

**Matrix: Solid** Percent Solids: 94.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 17:46	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 01:40	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 20:27	SMC	EET MID

Client Sample ID: SW81H-3 (1-2)

Date Collected: 05/02/23 11:20

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-12

**Matrix: Solid** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab 52688 Total/NA Analysis D2216 05/05/23 10:02 KS EET MID

Client Sample ID: SW81H-3 (1-2)

Date Collected: 05/02/23 11:20

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-12 Matrix: Solid

Percent Solids: 90.2

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 18:12	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 02:01	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 20:43	SMC	EET MID

Client Sample ID: SW81H-3 (2-3)

Date Collected: 05/02/23 11:25

Date Received: 05/03/23 16:56

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

SDG: Jal NM

Client Sample ID: SW81H-3 (2-3)

Date Collected: 05/02/23 11:25 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-13

**Matrix: Solid** 

Percent Solids: 76.7

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 18:38	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 02:23	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 20:49	SMC	EET MID

Dil

Factor

Run

Initial

Amount

Final

Amount

Batch

52688

Client Sample ID: SW81H-3 (3-4)

Batch

Туре

Analysis

Batch

Method

D2216

Date Collected: 05/02/23 11:30 Date Received: 05/03/23 16:56

Prep Type

Total/NA

Lab Sample ID: 880-27934-14 Matrix: Solid

Prepared Number or Analyzed Analyst Lab 05/05/23 10:02 KS **EET MID** 

Client Sample ID: SW81H-3 (3-4)

Date Collected: 05/02/23 11:30 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-14

**Matrix: Solid Percent Solids: 93.7** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Total/NA Prep 5035 5.01 g 5 mL 52617 05/04/23 13:25 MNR **EET MID** Total/NA 8021B 52796 05/08/23 19:04 MNR Analysis 5 mL 5 mL **EET MID** Total/NA Prep 8015NM Prep 10.02 g 10 mL 52717 05/05/23 14:28 ΑJ **EET MID** Total/NA 05/07/23 02:44 Analysis 8015B NM 1 uL 1 uL 52759 SM **EET MID** 50 mL DI Leach 5.04 g 52685 05/05/23 09:57 KS Soluble Leach EET MID Soluble Analysis 300.0 1 50 mL 50 mL 52776 05/06/23 21:05 SMC **EET MID** 

Client Sample ID: SW81H-3 (4-5)

Date Collected: 05/02/23 11:35 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-15

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-3 (4-5)

Date Collected: 05/02/23 11:35

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-15 **Matrix: Solid** 

Percent Solids: 95.5

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 19:30	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 03:05	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 21:10	SMC	EET MID

SDG: Jal NM

Client Sample ID: SW81H-4 (0-1)

Date Collected: 05/02/23 12:00 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-16

**Matrix: Solid** 

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-4 (0-1)

Date Collected: 05/02/23 12:00

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-16

**Matrix: Solid** Percent Solids: 94.3

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 19:56	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 03:27	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 21:16	SMC	EET MID

Client Sample ID: SW81H-4 (1-2)

Date Collected: 05/02/23 12:05

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-17

**Matrix: Solid** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab 52688 Total/NA Analysis D2216 05/05/23 10:02 KS EET MID

Client Sample ID: SW81H-4 (1-2)

Date Collected: 05/02/23 12:05

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-17 Matrix: Solid

Percent Solids: 96.7

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 20:22	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 03:48	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 21:21	SMC	EET MID

Client Sample ID: SW81H-4 (2-3)

Date Collected: 05/02/23 13:05

Date Received: 05/03/23 16:56

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

SDG: Jal NM

Client Sample ID: SW81H-4 (2-3)

Date Collected: 05/02/23 13:05 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-18

**Matrix: Solid** 

Percent Solids: 94.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 20:49	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 04:09	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 21:26	SMC	EET MID

Client Sample ID: SW81H-4 (3-4)

Date Collected: 05/02/23 13:10

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-19 **Matrix: Solid** 

Lab Sample ID: 880-27934-19

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Į	Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-4 (3-4)

Date Collected: 05/02/23 13:10

Date Received: 05/03/23 16:56

**Matrix: Solid** 

Percent Solids: 96.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 21:15	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 04:30	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 21:32	SMC	EET MID

Client Sample ID: SW81H-4 (4-5)

Date Collected: 05/02/23 13:15

Date Received: 05/03/23 16:56

Lab Sample	ID: 880-27934-20
	Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52688	05/05/23 10:02	KS	EET MID

Client Sample ID: SW81H-4 (4-5)

Date Collected: 05/02/23 13:15

Date Received: 05/03/23 16:56

Lab Sample	ID:	880-27934-20
		Matrix: Solid

Percent Solids: 96.5

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	52617	05/04/23 13:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/08/23 21:41	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	52717	05/05/23 14:28	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52759	05/07/23 04:51	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	52685	05/05/23 09:57	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52776	05/06/23 21:37	SMC	EET MID

SDG: Jal NM

Client Sample ID: SW81H-5 (0-1)

Date Collected: 05/02/23 13:30 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-21

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-5 (0-1)

Date Collected: 05/02/23 13:30

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-21

Matrix: Solid
Percent Solids: 92.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 01:37	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 12:09	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	52779	05/06/23 16:13	SMC	EET MID

Client Sample ID: SW81H-5 (1-2)

Date Collected: 05/02/23 14:06

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-22

Matrix: Solid

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab 52689 Total/NA Analysis D2216 05/05/23 10:03 KS EET MID

Client Sample ID: SW81H-5 (1-2)

Date Collected: 05/02/23 14:06

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-22

Matrix: Solid

Percent Solids: 93.0

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 02:03	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 13:15	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 16:28	SMC	EET MID

Client Sample ID: SW81H-5 (2-3)

Date Collected: 05/02/23 14:13

Date Received: 05/03/23 16:56

mple ID: 880-27934-23
-----------------------

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1	-		52689	05/05/23 10:03	KS	EET MID

**Eurofins Midland** 

2

4

6

0

10

14

SDG: Jal NM

Client Sample ID: SW81H-5 (2-3)

Date Collected: 05/02/23 14:13 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-23

**Matrix: Solid** 

Percent Solids: 92.7

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 02:29	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 13:37	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 16:33	SMC	EET MID

Client Sample ID: SW81H-5 (3-4)

Date Collected: 05/02/23 14:16 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-24 **Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-5 (3-4)

Date Collected: 05/02/23 14:16 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-24

**Matrix: Solid** Percent Solids: 96.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 02:56	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 13:59	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 16:37	SMC	EET MID

Client Sample ID: SW81H-5 (4-5)

Date Collected: 05/02/23 14:20 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-25

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-5 (4-5)

Date Collected: 05/02/23 14:20

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-25 **Matrix: Solid** 

Percent Solids: 94.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 03:22	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 14:21	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 16:42	SMC	EET MID

SDG: Jal NM

Client Sample ID: SW81H-6 (0-1)

Date Collected: 05/02/23 14:40 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-26

Matrix: Solid

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-6 (0-1)

Date Collected: 05/02/23 14:40

Date Received: 05/03/23 16:56

_				_
	05/05/23 10:03	KS	EET MID	
				-

Lab Sample ID: 880-27934-26 Matrix: Solid Percent Solids: 95.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 03:48	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 14:43	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	52779	05/06/23 16:57	SMC	EET MID

Client Sample ID: SW81H-6 (1-2)

Date Collected: 05/02/23 14:50

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-27

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-6 (1-2)

Date Collected: 05/02/23 14:50

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-27 **Matrix: Solid** Percent Solids: 94.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 04:15	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 15:06	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:02	SMC	EET MID

Client Sample ID: SW81H-6 (2-3)

Batch

Batch

Date Collected: 05/02/23 15:02

Date Received: 05/03/23 16:56

Lab Sample	ID: 880-27934-28
------------	------------------

Prepared

		yst Lab
Total/NA Analysis D2216 1 52689	05/05/23 10:03 KS	EET MID

Initial

Final

Batch

**Eurofins Midland** 

Matrix: Solid

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-6 (2-3)

Date Collected: 05/02/23 15:02 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-28

**Matrix: Solid** 

Percent Solids: 95.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 04:41	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 15:28	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:06	SMC	EET MID

Client Sample ID: SW81H-6 (3-4)

Date Collected: 05/02/23 15:05 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-29 **Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-6 (3-4)

Date Collected: 05/02/23 15:05 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-29

**Matrix: Solid** Percent Solids: 77.3

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 05:08	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 15:50	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:11	SMC	EET MID

Client Sample ID: SW81H-6 (4-5)

Date Collected: 05/02/23 15:10 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-30 **Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-6 (4-5)

Date Collected: 05/02/23 15:10

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-30 **Matrix: Solid** 

Percent Solids: 97.0

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 05:34	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 16:12	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:16	SMC	EET MID

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-7 (0-1)

Date Collected: 05/02/23 15:30 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-31

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-7 (0-1)

Date Collected: 05/02/23 15:30

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-31

**Matrix: Solid** Percent Solids: 80.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 07:21	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 16:56	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:21	SMC	EET MID

Client Sample ID: SW81H-7 (1-2)

Date Collected: 05/02/23 15:35

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-32

**Matrix: Solid** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab 52689 Total/NA Analysis D2216 05/05/23 10:03 KS EET MID

Client Sample ID: SW81H-7 (1-2)

Date Collected: 05/02/23 15:35

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-32 Matrix: Solid

Lab Sample ID: 880-27934-33

Percent Solids: 92.4

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 07:48	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 17:19	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:35	SMC	EET MID

Client Sample ID: SW81H-7 (2-3)

Date Collected: 05/02/23 15:50

Date Received: 05/03/23 16:56

											-
	Batch	Batch		Dil	Initial	Final	Batch	Prepared			
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID	_

**Eurofins Midland** 

**Matrix: Solid** 

Client Sample ID: SW81H-7 (2-3)

Lab Sample ID: 880-27934-33

Date Collected: 05/02/23 15:50 Date Received: 05/03/23 16:56

Project/Site: Seawolf 112 81H

**Matrix: Solid** Percent Solids: 96.2

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 08:14	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 17:41	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:40	SMC	EET MID

Lab Sample ID: 880-27934-34

Date Collected: 05/02/23 15:55

Client Sample ID: SW81H-7 (3-4)

**Matrix: Solid** 

Date Received: 05/03/23 16:56

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-7 (3-4) Lab Sample ID: 880-27934-34

Date Collected: 05/02/23 15:55 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 95.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 08:41	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 18:03	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:55	SMC	EET MID

Client Sample ID: SW81H-7 (4-5)

Lab Sample ID: 880-27934-35 **Matrix: Solid** 

Date Collected: 05/02/23 16:00 Date Received: 05/03/23 16:56

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-7 (4-5) Lab Sample ID: 880-27934-35

Date Collected: 05/02/23 16:00 **Matrix: Solid** Date Received: 05/03/23 16:56 Percent Solids: 97.4

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 09:07	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 18:25	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 17:59	SMC	EET MID

Client Sample ID: SW81H-8 (0-1)

Date Collected: 05/02/23 16:28 Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-36

Matrix: Solid

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-8 (0-1)

Date Collected: 05/02/23 16:28

Date Received: 05/03/23 16:56

05/05/23 10:03 KS EET MID
---------------------------

Lab Sample ID: 880-27934-36 **Matrix: Solid** 

Percent Solids: 93.2

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 09:34	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 18:48	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 18:04	SMC	EET MID

Client Sample ID: SW81H-8 (1-2)

Date Collected: 05/02/23 16:37

Lab Sample ID: 880-27934-37

**Matrix: Solid** 

Date Received: 05/03/23 16:56

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab 52689 Total/NA Analysis D2216 05/05/23 10:03 KS EET MID

Client Sample ID: SW81H-8 (1-2)

Date Collected: 05/02/23 16:37

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-37 Matrix: Solid Percent Solids: 93.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 10:00	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 19:10	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 18:09	SMC	EET MID

Client Sample ID: SW81H-8 (2-3)

Date Collected: 05/02/23 16:40

Date Received: 05/03/23 16:56

Lab Sample ID:	880-27934-38
	Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H-8 (2-3) Lab Sample ID: 880-27934-38

Date Collected: 05/02/23 16:40 Date Received: 05/03/23 16:56

**Matrix: Solid** 

Percent Solids: 91.7

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 10:26	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 19:32	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 18:14	SMC	EET MID

Client Sample ID: SW81H-8 (3-4)

Date Collected: 05/02/23 16:45 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-39 **Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-8 (3-4)

Date Collected: 05/02/23 16:45 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-39

**Matrix: Solid** Percent Solids: 92.3

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 10:52	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 19:55	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 18:19	SMC	EET MID

Client Sample ID: SW81H-8 (4-5)

Date Collected: 05/02/23 16:47 Date Received: 05/03/23 16:56 Lab Sample ID: 880-27934-40

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52689	05/05/23 10:03	KS	EET MID

Client Sample ID: SW81H-8 (4-5)

Date Collected: 05/02/23 16:47

Date Received: 05/03/23 16:56

Lab Sample ID: 880-27934-40

**Matrix: Solid** Percent Solids: 93.6

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.013 g	5 mL	52618	05/04/23 13:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52796	05/09/23 11:18	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	52718	05/05/23 14:35	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52780	05/07/23 20:17	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	52684	05/05/23 09:56	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52779	05/06/23 18:24	SMC	EET MID

#### Lab Chronicle

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Client Sample ID: SW81H BG-1

Date Collected: 05/02/23 17:30

Lab Sample ID: 880-27934-41

Matrix: Solid

Matrix: Solid

Date Received: 05/03/23 16:56

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			52690	05/05/23 10:04	KS	EET MID

Client Sample ID: SW81H BG-1

Date Collected: 05/02/23 17:30

Date Received: 05/03/23 16:56

_ab	Sam	ple l	D:	880-27934-41

Percent Solids: 99.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	52615	05/04/23 13:02	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	52565	05/05/23 00:17	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	52750	05/05/23 17:11	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	52761	05/07/23 04:51	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	52551	05/05/23 09:40	KS	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	52877	05/08/23 17:36	SMC	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

## **Accreditation/Certification Summary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

## **Laboratory: Eurofins Midland**

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-22-25	06-30-23

## **Method Summary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1

SDG: Jal NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
D2216	Percent Moisture	ASTM	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

#### **Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

## **Sample Summary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 81H

Job ID: 880-27934-1 SDG: Jal NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
80-27934-1	SW81H-1 (0-1)	Solid	05/02/23 09:20	05/03/23 16:56
80-27934-2	SW81H-1 (1-2)	Solid	05/02/23 09:28	05/03/23 16:56
880-27934-3	SW81H-1 (2-3)	Solid	05/02/23 09:32	05/03/23 16:56
380-27934-4	SW81H-1 (3-4)	Solid	05/02/23 10:15	05/03/23 16:56
880-27934-5	SW81H-1 (4-5)	Solid	05/02/23 10:20	05/03/23 16:56
80-27934-6	SW81H-2 (0-1)	Solid	05/02/23 10:43	05/03/23 16:56
80-27934-7	SW81H-2 (1-2)	Solid	05/02/23 10:48	05/03/23 16:56
880-27934-8	SW81H-2 (2-3)	Solid	05/02/23 10:58	05/03/23 16:56
380-27934-9	SW81H-2 (3-4)	Solid	05/02/23 11:00	05/03/23 16:56
880-27934-10	SW81H-2 (4-5)	Solid	05/02/23 11:03	05/03/23 16:56
380-27934-11	SW81H-3 (0-1)	Solid	05/02/23 11:10	05/03/23 16:56
880-27934-12	SW81H-3 (1-2)	Solid	05/02/23 11:20	05/03/23 16:56
880-27934-13	SW81H-3 (2-3)	Solid	05/02/23 11:25	05/03/23 16:56
380-27934-14	SW81H-3 (3-4)	Solid	05/02/23 11:30	05/03/23 16:56
880-27934-15	SW81H-3 (4-5)	Solid	05/02/23 11:35	05/03/23 16:56
880-27934-16	SW81H-4 (0-1)	Solid	05/02/23 12:00	05/03/23 16:56
880-27934-17	SW81H-4 (1-2)	Solid	05/02/23 12:05	05/03/23 16:56
380-27934-18	SW81H-4 (2-3)	Solid	05/02/23 13:05	05/03/23 16:56
880-27934-19	SW81H-4 (3-4)	Solid	05/02/23 13:10	05/03/23 16:56
880-27934-20	SW81H-4 (4-5)	Solid	05/02/23 13:15	05/03/23 16:56
80-27934-21	SW81H-5 (0-1)	Solid	05/02/23 13:30	05/03/23 16:56
80-27934-22	SW81H-5 (1-2)	Solid	05/02/23 14:06	05/03/23 16:56
80-27934-23	SW81H-5 (2-3)	Solid	05/02/23 14:13	05/03/23 16:56
80-27934-24	SW81H-5 (3-4)	Solid	05/02/23 14:16	05/03/23 16:56
880-27934-25	SW81H-5 (4-5)	Solid	05/02/23 14:20	05/03/23 16:56
880-27934-26	SW81H-6 (0-1)	Solid	05/02/23 14:40	05/03/23 16:56
880-27934-27	SW81H-6 (1-2)	Solid	05/02/23 14:50	05/03/23 16:56
880-27934-28	SW81H-6 (2-3)	Solid	05/02/23 15:02	05/03/23 16:56
880-27934-29	SW81H-6 (3-4)	Solid	05/02/23 15:05	05/03/23 16:56
880-27934-30	SW81H-6 (4-5)	Solid	05/02/23 15:10	05/03/23 16:56
380-27934-31	SW81H-7 (0-1)	Solid	05/02/23 15:30	05/03/23 16:56
880-27934-32	SW81H-7 (1-2)	Solid	05/02/23 15:35	05/03/23 16:56
380-27934-33	SW81H-7 (2-3)	Solid	05/02/23 15:50	05/03/23 16:56
380-27934-34	SW81H-7 (3-4)	Solid	05/02/23 15:55	05/03/23 16:56
380-27934-35	SW81H-7 (4-5)	Solid	05/02/23 16:00	05/03/23 16:56
880-27934-36	SW81H-8 (0-1)	Solid	05/02/23 16:28	05/03/23 16:56
380-27934-37	SW81H-8 (1-2)	Solid	05/02/23 16:37	05/03/23 16:56
380-27934-38	SW81H-8 (2-3)	Solid	05/02/23 16:40	05/03/23 16:56
880-27934-39	SW81H-8 (3-4)	Solid	05/02/23 16:45	05/03/23 16:56
880-27934-40	SW81H-8 (4-5)	Solid	05/02/23 16:47	05/03/23 16:56
880-27934-41	SW81H BG-1	Solid	05/02/23 17:30	05/03/23 16:56

3

4

5

7

11

12

2

3

4


6

8

10

12

15 4 A



Chain of Custody

2

3

4

6

8


10

12

14

Reporting Level III Level III PST/UST TRRP Level IV Superfund DI Water H<sub>2</sub>O Deve S меон ме HNO 3 HN NaOH Na Work Order No: 21126163 NaOH+Ascorbic Acid SAPC Sample Comments Preservative Codes Date/Time direct ď Zn Acetate+NaOH Zn Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> NaSO<sub>3</sub> 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Tl Sn U V Zn NaHSO 4 NABIS Hg 1631/2451/7470/7471 Bill None NO H<sub>3</sub>PO<sub>4</sub> HP Cool Cool Page\_ 42S0 4. H 2 HCL. HC Work Order Comments ADaPT Received by (Signature) www.xenco.com State of Project: NW EDDX Eurofins Xenco. A minimum charge of \$85,00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated Program: TCLP/SPLP 6010 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Aq Tl U Relinquished by (Signature) ANALYSIS REQUEST Devan Energy Devan Direct Edvancen LCampbell Q cecinc. con Hobbs, NM (575) 392 7550 Carlsbad, NM (575) 988-3199 Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300 EL Paso TX (915) 585-3443 Lubbock, TX (806) 794-1296 MOBHUN 1918 1-638 1050 373 M.300 MUI-CONSIDO Date/Time S S Chloride S # of Cont Bill to (if different) Comp Company Name Grab/ City State ZIP TAT starts the day received by the lab, if received by 4.30pm 1310 Sor 1135 300 Address 1110 S S 1125 1130 88 88 Yes Turn Around Received by (Signature) Routine Email 3-4 TO Cherrington Phuy Due Date プト 7-5 Wet Ice 10 Temperature Reading arver Campioell **Environment Testing** Correction Factor 51यछ 412-584-7126 Date Sampled Yes No Li Campbell Seewalf 11281H Circle Method(s) and Metal(s) to be analyzed tice: Signature of this document and relinquishment of samples c service. Eurofins Xenco will be liable only for the cost of samples. Acon Turi 1 Matrix Yes No N/A Yes No N/A V Temp Blank. 331-07 200.8 / 6020 Yes No (5-1-1) [12-3] (2-4) (2-1) (1-07 3-4 (10) (1-2) s eurofins Sample Identification 5W81 H - 2 Relinquished by (Sig SW81 H-4 3W81H-4 5W81H-4 5W8 H - H Samples Received Intact SW814-3 Total 2007/6010 SW8111-3 Sample Custody Seals. Cooler Custody Seals. 5/4/8/H-3 SAMPLE RECEIPT Project Number Total Containers Project Location sampler's Name Company Name City State ZIP Project Name

5/9/2023



Superfund Level IV

S

ď

DI Water H<sub>2</sub>O

HNO 3 HN NaOH Na меон ме

NaOH+Ascorbic Acid SAPC Sample Comments Preservative Codes Dur Zn Acetate+NaOH Zn Direction Reporting Level II 🚺 Level III 🔲 PST/UST 🗌 TRRP UST/PST | PRP | Brownfields | RRC | Work Order No: 31136163 Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> NaSO <sub>3</sub> 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Tl Sn U V Zn NaHSO 4 NABIS None NO H<sub>2</sub>SO<sub>4</sub> H<sub>2</sub> H<sub>3</sub>PO ₄ HP Cool Cool HCL. HC Page Work Order Comments ADaPT EDD State of Project: | \( \mathcal{V}^{m} \) Deliverables Program: ANALYSIS REQUEST (OM KUN Midland, TX (432) 704-5440 San Antonio, TX (210) 509-3334 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199 Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300 EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296 Dewn Energy Devan Direct @ Chain of Custody anyow L Campbell @ Coll MC X21.G/ 160g BOLS mad am Halin Pres. | / / 0 ---2000 # of Cont Parameters Bill to (if different) Grab/ Company Name TAT starts the day received by the lab, if received by 4.30pm City State ZIP Yes No 1646 3-3 Rush 7-19 Address Depth 6-1 159 4-6 7 Turn Around Routine (44) Email Due Date PH 1638 Wet Ice Corrected Temperature Temperature Reading Time PKWY Environment Testing Correction Factor Thermometer ID E 1 Date Sampled Yes No the wington 1 Matrix (Com Potil) Yes No N/A Yes No N/A "com Olecil 21136116 200.8 / 6020 Temp Blank -0) Yes No w/T 183 Kawait (19 375 (3-4) 4.5 (4-5) (2-2)(3-4) 2 0 530 & eurofins Mass 165 Sample Identification ( JW BIH G Samples Received Intact: Sw 81 H-1 41H-7 Total 2007/6010 5~ 811t-5w81H-9 Sample Custody Seals. 118 CV WG/14-7 129/11-4-41 18 WG Cooler Custody Seals SAMPLE RECEIPT roject Number Total Containers. Project Location oject Manager Sampler's Name ompany Name Protect Name City State ZIP

Date/Time

Received by (Signature)

ubmitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated

Furofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample

Circle Method(s) and Metal(s) to be analyzed

expenses incurred by the client if such losses are due to circur

Relinquished by (Signature)

Date/Time

Acceived by (Signature)

Relinguished by (Signature

service. Eurofins Xenco

subcontractors. It assigns standard terms and conditions such losses are due to circumstances beyond the control

TCLP/SPLP 6010 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Tl U

Hg 1631/2451/7470/7471

2

3

4

6

8

10

12 13

14

Reporting Level II K Level III DST/UST TRRP Level IV Deliverables EDQ ADaPT Other DI Water H<sub>2</sub>O Superfund HNO 3 HN NaOH Na меон ме Bril Devin PU All Holds VaOH+Ascorbic Acid SAPC Sample Comments Date/Time Preservative Codes Work Order No: 21126167 Zn Acetate+NaOH Zn Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> NaSO<sub>3</sub> Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Tl Sn U V Zn NaHSO 4 NABIS Hg 1631 / 245 1 / 7470 / 7471 H<sub>3</sub>PO ₄ HP None NO Cool Cool H<sub>2</sub>SO<sub>4</sub> H<sub>2</sub> HCL. HC Work Order Comments Received by (Signature) www.xenco com State of Project: NM if service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control TCLP/SPLP6010 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Tl U Volcies Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco. Its affiliates and subcontractors. It assigns standard terms and conditions and subcontractors. Relinquished by' (Signature) ANALYSIS REQUEST DENON GRENGY DENONDRECKECKING Llampbell @ cecine, con Midland, TX (432) 704-5440 San Antonio, TX (210) 509-3334 Hobbs, NM (575) 392-7550 Carlsbad, NM (575) 988-3199 EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296 Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300 Chain of Custody Moisture Date/Time 5323 Ź Chloride Pres. Code # of Cont Grab/ Comp Bill to: (if different) Company Name Ì City State ZIP TAT starts the day received by the lab if received by 4.30pm Š Rush Depth Address 1730/6-1 Yes Turn Around 8RCRA 13PPM Received by (Signature) Tow Cherning by Phuy Email Routine Due Date Ì Corrected Temperature Wet Ice Time Temperature Reading Environment Testing Correction Factor Thermometer ID Sizia 413 584 7176 Date Sampled Yes No Campbel ZING 63 DISELL Secret 112 814 LUSY TIND Circle Method(s) and Metal(s) to be analyzed Matrix Yes No N/A Yes No N/A 331-071 Jal. NA CEC Temp Blank. Yes No 200.8 / 6020 & eurofins SWRIH BG-1 Sample Identification Relinquished by: (Sigr Samples Received Intact: Total 2007/6010 Sample Custody Seals Cooler Custody Seals SAMPLE RECEIPT Project Manager Project Number Project Location Sampler's Name City State ZIP Project Name

## **Login Sample Receipt Checklist**

Client: Civil & Environmental Consultants Inc

Job Number: 880-27934-1

SDG Number: Jal NM

Login Number: 27934 List Source: Eurofins Midland

List Number: 1

Creator: Kramer, Jessica

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

**Environment Testing** 

# **ANALYTICAL REPORT**

## PREPARED FOR

Attn: Ms. Laura Campbell Civil & Environmental Consultants Inc 700 Cherrington Parkway Moon Township, Pennsylvania 15108

Generated 9/28/2023 9:58:30 AM

## **JOB DESCRIPTION**

SEAWOLF 1 12 Federal #081H

## **JOB NUMBER**

880-33481-1

Eurofins Midland 1211 W. Florida Ave Midland TX 79701

## **Eurofins Midland**

## **Job Notes**

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## **Authorization**

Generated 9/28/2023 9:58:30 AM

Authorized for release by Travis Richter, Project Manager <u>Travis.Richter@et.eurofinsus.com</u> (281)794-7216

3

6

\_

11

12

1/

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Laboratory Job ID: 880-33481-1

# **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Client Sample Results	8
Surrogate Summary	19
QC Sample Results	21
QC Association Summary	27
Lab Chronicle	32
Certification Summary	39
Method Summary	40
Sample Summary	41
Chain of Custody	42
Receint Checklists	44

-

- 0

6

8

3

10

12

13

## **Definitions/Glossary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Indicates the analyte was analyzed for but not detected.

Job ID: 880-33481-1

#### **Qualifiers**

$\sim$		$\sim$	
	. v		Δ
~	•	•	

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not
	applicable.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

#### GC Semi VOA

Qualifier	Qualifier Description
В	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.
HPLC/IC	
Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.

#### **Glossary**

Abbreviation	These commonly used abbreviations may or may not be present in this report.				
п	Listed under the "D" column to designate that the result is reported on a dry weight basis				
%R	Percent Recovery				
CFL	Contains Free Liquid				
CFU	Colony Forming Unit				
CNF	Contains No Free Liquid				
DER	Duplicate Error Ratio (normalized absolute difference)				
Dil Fac	Dilution Factor				
DL	Detection Limit (DoD/DOE)				
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample				
DLC	Decision Level Concentration (Radiochemistry)				
EDL	Estimated Detection Limit (Dioxin)				
LOD	Limit of Detection (DoD/DOE)				
LOQ	Limit of Quantitation (DoD/DOE)				
MCL	EPA recommended "Maximum Contaminant Level"				
MDA	Minimum Detectable Activity (Radiochemistry)				
MDC	Minimum Detectable Concentration (Radiochemistry)				
MDL	Method Detection Limit				
ML	Minimum Level (Dioxin)				
MPN	Most Probable Number				
MQL	Method Quantitation Limit				
NC	Not Calculated				
ND	Not Detected at the reporting limit (or MDL or EDL if shown)				
NEG	Negative / Absent				
POS	Positive / Present				
PQL	Practical Quantitation Limit				
PRES	Presumptive				
QC	Quality Control				
RER	Relative Error Ratio (Radiochemistry)				
RL	Reporting Limit or Requested Limit (Radiochemistry)				
RPD	Relative Percent Difference, a measure of the relative difference between two points				

**Eurofins Midland** 

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

TEF

TEQ

## **Definitions/Glossary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Job ID: 880-33481-1

## **Glossary (Continued)**

Abbreviation

These commonly used abbreviations may or may not be present in this report.

TNTC

Too Numerous To Count

3

4

R

9

11

12

#### Case Narrative

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Job ID: 880-33481-1

#### Job ID: 880-33481-1

**Laboratory: Eurofins Midland** 

Narrative

#### Job Narrative 880-33481-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The samples were received on 9/21/2023 11:13 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.2°C

#### **Receipt Exceptions**

The following samples were received and analyzed from an unpreserved bulk soil jar: BH9 3-4 (880-33481-1), BH9 4-5 (880-33481-2), BH10 0-1 (880-33481-3), BH10 2-3 (880-33481-4), BH11 2-3 (880-33481-5), BH11 3-4 (880-33481-6), BH12 0-1 (880-33481-7), BH12 1-2 (880-33481-8), BH13 0-1 (880-33481-9), BH13 1-2 (880-33481-10), BH14 0-1 (880-33481-11), BH14 1-2 (880-33481-12), BH14 4-5 (880-33481-14), BH15 1-2 (880-33481-15), BH16 2-3 (880-33481-16) and BH16 4-5 (880-33481-17).

#### **GC VOA**

Method 8021B: Surrogate recovery for the following sample was outside control limits: BH9 3-4 (880-33481-1). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-63021 and analytical batch 880-63283 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8021B: Surrogate recovery for the following sample was outside control limits: BH9 3-4 (880-33481-1). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### GC Semi VOA

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: (CCV 880-63132/20), (CCV 880-63132/31), (CCV 880-63132/47), (CCV 880-63132/5), (CCV 880-63132/58) and (LCS 880-63115/2-A). Evidence of matrix interferences is not obvious.

Method 8015MOD\_NM: The method blank for preparation batch 880-63115 and analytical batch 880-63132 contained Diesel Range Organics (Over C10-C28) above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD\_NM: The method blank for preparation batch 880-63006 and analytical batch 880-63032 contained Gasoline Range Organics (GRO)-C6-C10 above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: BH9 3-4 (880-33481-1) and (880-33480-A-1-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

4

6

Q

11

13

#### Case Narrative

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Job ID: 880-33481-1

### Job ID: 880-33481-1 (Continued)

#### **Laboratory: Eurofins Midland (Continued)**

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: BH10 0-1 (880-33481-3), BH10 2-3 (880-33481-4), BH11 2-3 (880-33481-5), BH11 3-4 (880-33481-6), BH12 0-1 (880-33481-7), BH13 0-1 (880-33481-9) and BH14 0-1 (880-33481-11). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: BH14 4-5 (880-33481-13) and BH15 1-2 (880-33481-15). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD\_NM: Surrogate recovery for the following sample was outside control limits: BH16 4-5 (880-33481-17). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-63035 and analytical batch 880-63235 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### **General Chemistry**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

2

4

**O** 

7

8

1 1

12

1

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Method: SW846 8021B - Volatile Organic Compounds (GC)

Job ID: 880-33481-1

Lab Sample ID: 880-33481-1

Matrix: Solid

Percent Solids: 93.8

C	lient	Samp	le ID:	BH9	3-4
---	-------	------	--------	-----	-----

Date Collected: 09/18/23 12:16 Date Received: 09/21/23 11:13

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00408	U	0.0212	0.00408	mg/Kg	<del></del>	09/25/23 15:18	09/27/23 13:01	10
Toluene	<0.00483	U	0.0212	0.00483	mg/Kg	₽	09/25/23 15:18	09/27/23 13:01	10
Ethylbenzene	<0.00599	U	0.0212	0.00599	mg/Kg	₽	09/25/23 15:18	09/27/23 13:01	10
m-Xylene & p-Xylene	<0.0107	U	0.0424	0.0107	mg/Kg	₽	09/25/23 15:18	09/27/23 13:01	10
o-Xylene	0.0495		0.0212	0.00365	mg/Kg	₽	09/25/23 15:18	09/27/23 13:01	10
Xylenes, Total	0.0495		0.0424	0.0107	mg/Kg	₽	09/25/23 15:18	09/27/23 13:01	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	49	S1-	70 - 130				09/25/23 15:18	09/27/23 13:01	10
4-Bromofluorobenzene (Surr)	49	01							
4-Bromofluorobenzene (Surr) 1,4-Difluorobenzene (Surr)	101	01	70 - 130				09/25/23 15:18	09/27/23 13:01	10
, ,	101 sel Range Orga			MDL	Unit	D	09/25/23 15:18  Prepared	09/27/23 13:01  Analyzed	10
1,4-Difluorobenzene (Surr)  Method: SW846 8015B NM - Dies	101 sel Range Orga	nics (DRO) Qualifier	(GC)	MDL 16.1	Unit mg/Kg	D **			
1,4-Difluorobenzene (Surr)  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics	101 sel Range Orga Result	nics (DRO) Qualifier J B	(GC)				Prepared	Analyzed	
1,4-Difluorobenzene (Surr)  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	sel Range Orga Result 25.9	nics (DRO) Qualifier J B	(GC) RL 53.6	16.1	mg/Kg	<u> </u>	Prepared 09/21/23 14:35	<b>Analyzed</b> 09/22/23 12:50	
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	sel Range Orga Result 25.9 40.2	nics (DRO) Qualifier J B J	(GC)  RL  53.6	16.1	mg/Kg	<del>*</del> *	Prepared 09/21/23 14:35 09/21/23 14:35	Analyzed 09/22/23 12:50 09/22/23 12:50	
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	101 sel Range Orga Result 25.9 40.2 <16.1	nics (DRO) Qualifier J B J	(GC)  RL  53.6  53.6	16.1	mg/Kg	<del>*</del> *	Prepared 09/21/23 14:35 09/21/23 14:35 09/21/23 14:35	Analyzed 09/22/23 12:50 09/22/23 12:50 09/22/23 12:50	Dil Fac 1

Method: EPA 300.0 - Anions, Ion Cl	hromatography -	- Soluble						
Analyte	Result Qua	alifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	126	5.05	0.399	mg/Kg			09/25/23 23:42	1

Client Sample ID: BH9 4-5

Date Collected: 09/18/23 12:18 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33481-2

Matrix: Solid Percent Solids: 95.1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000404	U	0.00210	0.000404	mg/Kg	≎	09/21/23 17:03	09/26/23 13:40	1
Toluene	< 0.000479	U	0.00210	0.000479	mg/Kg	₽	09/21/23 17:03	09/26/23 13:40	1
Ethylbenzene	<0.000593	U	0.00210	0.000593	mg/Kg	₽	09/21/23 17:03	09/26/23 13:40	1
m-Xylene & p-Xylene	<0.00106	U	0.00420	0.00106	mg/Kg	₽	09/21/23 17:03	09/26/23 13:40	1
o-Xylene	< 0.000361	U	0.00210	0.000361	mg/Kg	₽	09/21/23 17:03	09/26/23 13:40	1
Xylenes, Total	<0.00106	U	0.00420	0.00106	mg/Kg	₩	09/21/23 17:03	09/26/23 13:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130				09/21/23 17:03	09/26/23 13:40	1
1,4-Difluorobenzene (Surr)	84		70 - 130				09/21/23 17:03	09/26/23 13:40	1

Method: SW846 8015B NM - Diese	l Range Orga	nics (DRO) (	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	24.6	JB	53.0	15.9	mg/Kg	<u> </u>	09/21/23 14:35	09/22/23 13:13	1
Diesel Range Organics (Over C10-C28)	42.0	J	53.0	15.9	mg/Kg	₽	09/21/23 14:35	09/22/23 13:13	1
Oll Range Organics (Over C28-C36)	<15.9	U	53.0	15.9	mg/Kg	₽	09/21/23 14:35	09/22/23 13:13	1

**Eurofins Midland** 

2

Л

**O** 

7

10

12

13

Chloride

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Percent Solids: 95.1

Lab Sample ID: 880-33481-2

Matrix: Solid

09/26/23 00:00

Client Sample ID: BH9 4-5	Lab Samp
Date Collected: 09/18/23 12:18	
Date Received: 09/21/23 11:13	

136

Surrogate %Recovery Qualifier Limits Prepared Analyzed 1-Chlorooctane 110 70 - 130 09/21/23 14:35 09/22/23 13:13

Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fa	С
Method: EPA 300.0 - Anions, Ion Chro	matography - Soluble							
o-Terphenyl	129	70 - 130		•	09/21/23 14:35	09/22/23 13:13		1

Client Sample ID: BH10 0-1 Lab Sample ID: 880-33481-3

4.98

0.393 mg/Kg

Date Collected: 09/18/23 12:43 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 92.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000415	U	0.00216	0.000415	mg/Kg	₩	09/21/23 17:03	09/26/23 14:01	1
Toluene	<0.000492	U	0.00216	0.000492	mg/Kg	☼	09/21/23 17:03	09/26/23 14:01	1
Ethylbenzene	<0.000609	U	0.00216	0.000609	mg/Kg	₩	09/21/23 17:03	09/26/23 14:01	1
m-Xylene & p-Xylene	<0.00109	U	0.00431	0.00109	mg/Kg	☼	09/21/23 17:03	09/26/23 14:01	1
o-Xylene	< 0.000371	U	0.00216	0.000371	mg/Kg	☼	09/21/23 17:03	09/26/23 14:01	1
Xylenes, Total	<0.00109	U	0.00431	0.00109	mg/Kg	₽	09/21/23 17:03	09/26/23 14:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	83		70 _ 130				09/21/23 17:03	09/26/23 14:01	1
1.4-Difluorobenzene (Surr)	92		70 - 130				09/21/23 17:03	09/26/23 14:01	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	21.5	J B	54.4	16.3	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 13:35	1
Diesel Range Organics (Over C10-C28)	124		54.4	16.3	mg/Kg	₽	09/21/23 14:35	09/22/23 13:35	1
Oll Range Organics (Over C28-C36)	<16.3	U	54.4	16.3	mg/Kg	\$	09/21/23 14:35	09/22/23 13:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130				09/21/23 14:35	09/22/23 13:35	1
o-Terphenyl	137	S1+	70 - 130				09/21/23 14:35	09/22/23 13:35	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Solu	ıble						
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2460	24.8	1.96	mg/Kg			09/26/23 00:06	5

Client Sample ID: BH10 2-3 Lab Sample ID: 880-33481-4 Date Collected: 09/18/23 12:47 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 78.1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000491	U	0.00255	0.000491	mg/Kg	<del>-</del>	09/21/23 17:03	09/26/23 14:21	1
Toluene	<0.000582	U	0.00255	0.000582	mg/Kg	₩	09/21/23 17:03	09/26/23 14:21	1
Ethylbenzene	<0.000721	U	0.00255	0.000721	mg/Kg	₩	09/21/23 17:03	09/26/23 14:21	1
m-Xylene & p-Xylene	<0.00129	U	0.00510	0.00129	mg/Kg	₽	09/21/23 17:03	09/26/23 14:21	1
o-Xylene	< 0.000439	U	0.00255	0.000439	mg/Kg	₩	09/21/23 17:03	09/26/23 14:21	1
Xylenes, Total	< 0.00129	U	0.00510	0.00129	mg/Kg	₽	09/21/23 17:03	09/26/23 14:21	1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Client Sample ID: BH10 2-3

Date Collected: 09/18/23 12:47 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33481-4

Matrix: Solid

Percent Solids: 78.1

82 92			130				09/21/23 17:03	09/26/23 14:21	1
92		70							
		70 -	130				09/21/23 17:03	09/26/23 14:21	1
Orga	nics (DRO)	(GC)							
Result	Qualifier		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
20.0	JB		63.5	19.1	mg/Kg	<u></u>	09/21/23 14:35	09/22/23 13:57	1
53.7	J		63.5	19.1	mg/Kg	₩	09/21/23 14:35	09/22/23 13:57	1
<19.1	U		63.5	19.1	mg/Kg	₩	09/21/23 14:35	09/22/23 13:57	1
overy	Qualifier	Lim	its				Prepared	Analyzed	Dil Fac
133	S1+	70 -	130				09/21/23 14:35	09/22/23 13:57	1
154	S1+	70 -	130				09/21/23 14:35	09/22/23 13:57	1
	20.0 53.7 <19.1 overy 133	Qualifier   20.0   J B	20.0 J B  53.7 J  <19.1 U  overy Qualifier Lim  133 S1+ 70 -	Result 20.0 J B         Qualifier 63.5           53.7 J 63.5           <19.1 U 63.5	Result 20.0         Qualifier JB         RL 63.5         MDL 19.1           53.7         J         63.5         19.1           <19.1	Result 20.0 J B         RL 63.5         MDL mg/Kg           53.7 J 63.5 J 19.1 mg/Kg           <19.1 U 63.5 19.1 mg/Kg	Result 20.0         Qualifier         RL 63.5         MDL mg/Kg         D mg/Kg           53.7         J         63.5         19.1         mg/Kg         **           <19.1	Result 20.0         Qualifier 3 B         RL 63.5         MDL mg/Kg         Unit mg/Kg         D 09/21/23 14:35           53.7         J         63.5         19.1         mg/Kg         © 09/21/23 14:35           <19.1	Result 20.0 J B         RL 63.5         MDL mg/Kg         D mg/Kg         Prepared Prepa

Client Sample ID: BH11 2-3 Lab Sample ID: 880-33481-5

4.97

0.393 mg/Kg

234

Date Collected: 09/18/23 12:55

Chloride

Percent Solids: 88.8

09/26/23 00:11

**Matrix: Solid** Date Received: 09/21/23 11:13

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000431	U	0.00224	0.000431	mg/Kg	₩	09/21/23 17:03	09/26/23 14:42	
Toluene	<0.000510	U	0.00224	0.000510	mg/Kg	₩	09/21/23 17:03	09/26/23 14:42	
Ethylbenzene	<0.000632	U	0.00224	0.000632	mg/Kg	☼	09/21/23 17:03	09/26/23 14:42	
m-Xylene & p-Xylene	<0.00113	U	0.00448	0.00113	mg/Kg	₩	09/21/23 17:03	09/26/23 14:42	
o-Xylene	<0.000385	U	0.00224	0.000385	mg/Kg	₩	09/21/23 17:03	09/26/23 14:42	
Xylenes, Total	<0.00113	U	0.00448	0.00113	mg/Kg	₩	09/21/23 17:03	09/26/23 14:42	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	92		70 - 130				09/21/23 17:03	09/26/23 14:42	
1,4-Difluorobenzene (Surr)	81		70 <sub>-</sub> 130				09/21/23 17:03	09/26/23 14:42	
Method: SW846 8015B NM - Dies Analyte		,	• •	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	(GC)  RL  55.8	MDL 16.7	Unit mg/Kg	D	Prepared 09/21/23 14:35	Analyzed 09/22/23 14:20	
Analyte Gasoline Range Organics		Qualifier	RL		Unit mg/Kg				
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	Result	Qualifier J B	RL						
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Result 35.7	Qualifier  J B	RL 55.8	16.7 16.7	mg/Kg	<u> </u>	09/21/23 14:35	09/22/23 14:20	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)	Result 35.7 40.5	Qualifier J B J	RL 55.8	16.7 16.7	mg/Kg	<u> </u>	09/21/23 14:35 09/21/23 14:35	09/22/23 14:20	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)  Surrogate	Result 35.7 40.5 <16.7	Qualifier J B J	RL 55.8 55.8	16.7 16.7	mg/Kg	<u> </u>	09/21/23 14:35 09/21/23 14:35 09/21/23 14:35	09/22/23 14:20 09/22/23 14:20 09/22/23 14:20	Dil Fa
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result 35.7 40.5 <16.7 %Recovery 114	Qualifier J B J	RL 55.8 55.8 55.8 <i>Limits</i>	16.7 16.7	mg/Kg	<u> </u>	09/21/23 14:35 09/21/23 14:35 09/21/23 14:35 <b>Prepared</b>	09/22/23 14:20 09/22/23 14:20 09/22/23 14:20 Analyzed	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result 35.7 40.5 <16.7  %Recovery 114 131	Qualifier J B  U  Qualifier  S1+	RL 55.8 55.8 55.8  Limits 70 - 130 70 - 130	16.7 16.7	mg/Kg	<u> </u>	09/21/23 14:35 09/21/23 14:35 09/21/23 14:35 <b>Prepared</b> 09/21/23 14:35	09/22/23 14:20 09/22/23 14:20 09/22/23 14:20 Analyzed 09/22/23 14:20	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   35.7   40.5   <16.7     %Recovery   114   131   Chromatograp	Qualifier J B  U  Qualifier  S1+	RL 55.8 55.8 55.8  Limits 70 - 130 70 - 130	16.7 16.7	mg/Kg mg/Kg mg/Kg	<u> </u>	09/21/23 14:35 09/21/23 14:35 09/21/23 14:35 <b>Prepared</b> 09/21/23 14:35	09/22/23 14:20 09/22/23 14:20 09/22/23 14:20 Analyzed 09/22/23 14:20	Dil Fac

Client Sample ID: BH11 3-4

Date Collected: 09/18/23 12:58

Date Received: 09/21/23 11:13

C10-C28)

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Lab Sample ID: 880-33481-6

Matrix: Solid

Percent Solids: 90.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000425	U	0.00221	0.000425	mg/Kg	<del>*</del>	09/21/23 17:03	09/26/23 15:02	1
Toluene	<0.000504	U	0.00221	0.000504	mg/Kg	₽	09/21/23 17:03	09/26/23 15:02	1
Ethylbenzene	<0.000624	U	0.00221	0.000624	mg/Kg	₽	09/21/23 17:03	09/26/23 15:02	1
m-Xylene & p-Xylene	<0.00112	U	0.00442	0.00112	mg/Kg	₩	09/21/23 17:03	09/26/23 15:02	1
o-Xylene	<0.000380	U	0.00221	0.000380	mg/Kg	₩	09/21/23 17:03	09/26/23 15:02	1
Xylenes, Total	<0.00112	U	0.00442	0.00112	mg/Kg	₽	09/21/23 17:03	09/26/23 15:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130				09/21/23 17:03	09/26/23 15:02	1
1,4-Difluorobenzene (Surr)	78		70 - 130				09/21/23 17:03	09/26/23 15:02	1
- Method: SW846 8015B NM - D	iesel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	24.8	J B	55.7	16.7	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 14:42	1
Diesel Range Organics (Over	42.8	1	55.7	16.7	mg/Kg	₩	09/21/23 14:35	09/22/23 14:42	1

Oil Range Organics (Over C28-C36)	<16.7 U	J	55.7	16.7 mg/Kg	₽	09/21/23 14:35	09/22/23 14:42	1
Surrogate	%Recovery Q	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130			09/21/23 14:35	09/22/23 14:42	1
o-Terphenyl	139 S	S1+	70 - 130			09/21/23 14:35	09/22/23 14:42	1
_								

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble	•						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	906		5.05	0.399	mg/Kg			09/26/23 00:23	1

Client Sample ID: BH12 0-1 Lab Sample ID: 880-33481-7 Date Collected: 09/18/23 13:15 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 93.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000408	U	0.00212	0.000408	mg/Kg	<del></del>	09/21/23 17:03	09/26/23 15:23	1
Toluene	<0.000484	U	0.00212	0.000484	mg/Kg	₽	09/21/23 17:03	09/26/23 15:23	1
Ethylbenzene	< 0.000599	U	0.00212	0.000599	mg/Kg	₽	09/21/23 17:03	09/26/23 15:23	1
m-Xylene & p-Xylene	<0.00107	U	0.00424	0.00107	mg/Kg	₩	09/21/23 17:03	09/26/23 15:23	1
o-Xylene	< 0.000365	U	0.00212	0.000365	mg/Kg	₩	09/21/23 17:03	09/26/23 15:23	1
Xylenes, Total	<0.00107	U	0.00424	0.00107	mg/Kg	\$	09/21/23 17:03	09/26/23 15:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	81		70 - 130				09/21/23 17:03	09/26/23 15:23	1
1,4-Difluorobenzene (Surr)	90		70 - 130				09/21/23 17:03	09/26/23 15:23	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	40.0	JB	53.7	16.1	mg/Kg	<u> </u>	09/21/23 14:35	09/22/23 15:28	1
Diesel Range Organics (Over C10-C28)	164		53.7	16.1	mg/Kg	₽	09/21/23 14:35	09/22/23 15:28	1
Oll Range Organics (Over C28-C36)	<16.1	U	53.7	16.1	mg/Kg	₽	09/21/23 14:35	09/22/23 15:28	1

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Lab Sample ID: 880-33481-7

Matrix: Solid

Percent Solids: 93.9

Date Collected: 09/18/23 13:15
Date Received: 09/21/23 11:13

Surrogate 1-Chlorooctane o-Terphenyl	%Recovery 123 144	Qualifier S1+	Limits 70 - 130 70 - 130				Prepared 09/21/23 14:35 09/21/23 14:35	Analyzed 09/22/23 15:28 09/22/23 15:28	<b>Dil Fac</b> 1
Method: EPA 300.0 - Anions, Ion C	٠.	hy - Solubl Qualifier	e RL	MDL	Unit	<u>D</u>	Prepared	Analyzed	Dil Fac
Chloride	579	F1	5.04	0.398	mg/Kg			09/26/23 00:29	1

Client Sample ID: BH12 1-2 Lab Sample ID: 880-33481-8

 Date Collected: 09/18/23 13:18
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 93.5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000409	U	0.00213	0.000409	mg/Kg	<del></del>	09/21/23 17:03	09/26/23 16:46	1
Toluene	<0.000485	U	0.00213	0.000485	mg/Kg	₽	09/21/23 17:03	09/26/23 16:46	1
Ethylbenzene	<0.000601	U	0.00213	0.000601	mg/Kg	₽	09/21/23 17:03	09/26/23 16:46	1
m-Xylene & p-Xylene	<0.00107	U	0.00425	0.00107	mg/Kg	₽	09/21/23 17:03	09/26/23 16:46	1
o-Xylene	<0.000366	U	0.00213	0.000366	mg/Kg	₽	09/21/23 17:03	09/26/23 16:46	1
Xylenes, Total	<0.00107	U	0.00425	0.00107	mg/Kg	₽	09/21/23 17:03	09/26/23 16:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	81		70 - 130				09/21/23 17:03	09/26/23 16:46	1
1,4-Difluorobenzene (Surr)	96		70 <sub>-</sub> 130				09/21/23 17:03	09/26/23 16:46	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	30.5	J B	53.1	15.9	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 15:50	1
Diesel Range Organics (Over C10-C28)	151		53.1	15.9	mg/Kg	₽	09/21/23 14:35	09/22/23 15:50	1
OII Range Organics (Over C28-C36)	<15.9	U	53.1	15.9	mg/Kg	₽	09/21/23 14:35	09/22/23 15:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				09/21/23 14:35	09/22/23 15:50	1
o-Terphenyl	127		70 - 130				09/21/23 14:35	09/22/23 15:50	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	627		5.05	0.399	mg/Kg			09/26/23 00:46	1

 Client Sample ID: BH13 0-1
 Lab Sample ID: 880-33481-9

 Date Collected: 09/18/23 13:53
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 91.0

Method: SW846 8021B - Volat	ile Organic Comp	ounds (GC)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000860	J	0.00219	0.000422	mg/Kg	₽	09/21/23 17:03	09/26/23 17:07	1
Toluene	0.00184	J	0.00219	0.000500	mg/Kg	₽	09/21/23 17:03	09/26/23 17:07	1
Ethylbenzene	0.000878	J	0.00219	0.000620	mg/Kg	₽	09/21/23 17:03	09/26/23 17:07	1
m-Xylene & p-Xylene	0.00179	J	0.00439	0.00111	mg/Kg	₽	09/21/23 17:03	09/26/23 17:07	1
o-Xylene	0.00189	J	0.00219	0.000377	mg/Kg	₩	09/21/23 17:03	09/26/23 17:07	1
Xylenes, Total	0.00368	J	0.00439	0.00111	mg/Kg	₩	09/21/23 17:03	09/26/23 17:07	1

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Client Sample ID: BH13 0-1

Date Collected: 09/18/23 13:53 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33481-9

Matrix: Solid Percent Solids: 91.0

Surrogate	%Recovery G	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	74		70 - 130	09/21/23 17:03	09/26/23 17:07	1
1 / Diffuorobenzene (Surr)	104		70 120	00/21/22 17:02	00/26/22 17:07	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	35.4	J B	54.6	16.4	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 16:12	1
Diesel Range Organics (Over C10-C28)	55.8		54.6	16.4	mg/Kg	₩	09/21/23 14:35	09/22/23 16:12	1
OII Range Organics (Over C28-C36)	<16.4	U	54.6	16.4	mg/Kg	₽	09/21/23 14:35	09/22/23 16:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				09/21/23 14:35	09/22/23 16:12	1
o-Terphenyl	134	S1+	70 - 130				09/21/23 14:35	09/22/23 16:12	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	242		4.99	0.394	mg/Kg			09/26/23 00:52	1

Lab Sample ID: 880-33481-10 Client Sample ID: BH13 1-2

Date Collected: 09/18/23 13:55 Date Received: 09/21/23 11:13

**Matrix: Solid** Percent Solids: 93.7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000414	U	0.00215	0.000414	mg/Kg	₩	09/21/23 17:03	09/26/23 17:27	1
Toluene	< 0.000491	U	0.00215	0.000491	mg/Kg	₽	09/21/23 17:03	09/26/23 17:27	•
Ethylbenzene	<0.000608	U	0.00215	0.000608	mg/Kg	₽	09/21/23 17:03	09/26/23 17:27	1
m-Xylene & p-Xylene	<0.00109	U	0.00431	0.00109	mg/Kg	₩	09/21/23 17:03	09/26/23 17:27	1
o-Xylene	< 0.000370	U	0.00215	0.000370	mg/Kg	₩	09/21/23 17:03	09/26/23 17:27	1
Xylenes, Total	<0.00109	U	0.00431	0.00109	mg/Kg	\$	09/21/23 17:03	09/26/23 17:27	,
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	83		70 - 130				09/21/23 17:03	09/26/23 17:27	1
1,4-Difluorobenzene (Surr)	91		70 - 130				09/21/23 17:03	09/26/23 17:27	1
Method: SW846 8015B NM - Die		. ,	•						
Analyte	Result	Qualifier	RL	MDL		<u>D</u>	Prepared	Analyzed	
Analyte Gasoline Range Organics		. ,	•		Unit mg/Kg	<b>D</b>	Prepared 09/21/23 14:35	Analyzed 09/22/23 16:34	
Analyte Gasoline Range Organics (GRO)-C6-C10	Result 37.3	Qualifier J B	RL 53.2	16.0	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 16:34	1
Analyte Gasoline Range Organics	Result	Qualifier J B	RL	16.0	mg/Kg		<u>.</u>		1
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	Result 37.3	Qualifier  J B	RL 53.2	16.0	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 16:34	1
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Result 37.3 42.9	Qualifier J B J	RL 53.2	16.0	mg/Kg	— —	09/21/23 14:35 09/21/23 14:35	09/22/23 16:34 09/22/23 16:34	1
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)	Result 37.3 42.9 <16.0	Qualifier J B J	RL 53.2 53.2 53.2	16.0	mg/Kg	— —	09/21/23 14:35 09/21/23 14:35 09/21/23 14:35	09/22/23 16:34 09/22/23 16:34 09/22/23 16:34	Dil Fac
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)  Surrogate	Result   37.3   42.9   <16.0   %Recovery	Qualifier J B J	RL 53.2 53.2 53.2 <i>Limits</i>	16.0	mg/Kg	— —	09/21/23 14:35 09/21/23 14:35 09/21/23 14:35 <b>Prepared</b>	09/22/23 16:34 09/22/23 16:34 09/22/23 16:34 Analyzed	Dil Fac
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   37.3   42.9   <16.0     %Recovery   113   125	Qualifier J B J U Qualifier	RL 53.2 53.2 53.2  Limits 70 - 130 70 - 130	16.0	mg/Kg	— —	09/21/23 14:35 09/21/23 14:35 09/21/23 14:35 <b>Prepared</b> 09/21/23 14:35	09/22/23 16:34 09/22/23 16:34 09/22/23 16:34 Analyzed 09/22/23 16:34	Dil Fac
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   37.3   42.9   <16.0     %Recovery   113   125   Chromatograp	Qualifier J B J U Qualifier	RL 53.2 53.2 53.2  Limits 70 - 130 70 - 130	16.0	mg/Kg mg/Kg mg/Kg	— —	09/21/23 14:35 09/21/23 14:35 09/21/23 14:35 <b>Prepared</b> 09/21/23 14:35	09/22/23 16:34 09/22/23 16:34 09/22/23 16:34 Analyzed 09/22/23 16:34	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Client Sample ID: BH14 0-1

Date Collected: 09/18/23 14:05

Date Received: 09/21/23 11:13

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Lab Sample ID: 880-33481-11

Matrix: Solid Percent Solids: 91.2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000421	U	0.00218	0.000421	mg/Kg	— <u></u>	09/21/23 17:03	09/26/23 17:48	1
Toluene	<0.000498	U	0.00218	0.000498	mg/Kg	₽	09/21/23 17:03	09/26/23 17:48	1
Ethylbenzene	< 0.000617	U	0.00218	0.000617	mg/Kg	₽	09/21/23 17:03	09/26/23 17:48	1
m-Xylene & p-Xylene	<0.00110	U	0.00437	0.00110	mg/Kg	₩	09/21/23 17:03	09/26/23 17:48	1
o-Xylene	< 0.000376	U	0.00218	0.000376	mg/Kg	₽	09/21/23 17:03	09/26/23 17:48	1
Xylenes, Total	<0.00110	U	0.00437	0.00110	mg/Kg	₽	09/21/23 17:03	09/26/23 17:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	81		70 - 130				09/21/23 17:03	09/26/23 17:48	1
1,4-Difluorobenzene (Surr)	94		70 - 130				09/21/23 17:03	09/26/23 17:48	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	24.1	J B	55.2	16.6	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 16:56	1
Diesel Range Organics (Over C10-C28)	48.0	J	55.2	16.6	mg/Kg	₽	09/21/23 14:35	09/22/23 16:56	1
Oll Range Organics (Over C28-C36)	<16.6	U	55.2	16.6	mg/Kg	₽	09/21/23 14:35	09/22/23 16:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	123		70 - 130				09/21/23 14:35	09/22/23 16:56	1
o-Terphenyl	140	S1+	70 - 130				09/21/23 14:35	09/22/23 16:56	1

Method: EPA 300.0 - Anions, Ion C	Chromatography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	914	4.97	0.393 mg/Kg			09/26/23 01:16	1

Client Sample ID: BH14 1-2 Lab Sample ID: 880-33481-12 Date Collected: 09/18/23 14:08 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 94.8

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000404	U	0.00210	0.000404	mg/Kg	₩	09/21/23 17:03	09/26/23 18:08	1
Toluene	<0.000478	U	0.00210	0.000478	mg/Kg	₽	09/21/23 17:03	09/26/23 18:08	1
Ethylbenzene	<0.000592	U	0.00210	0.000592	mg/Kg	₽	09/21/23 17:03	09/26/23 18:08	1
m-Xylene & p-Xylene	<0.00106	U	0.00419	0.00106	mg/Kg	₽	09/21/23 17:03	09/26/23 18:08	1
o-Xylene	< 0.000361	U	0.00210	0.000361	mg/Kg	₽	09/21/23 17:03	09/26/23 18:08	1
Xylenes, Total	<0.00106	U	0.00419	0.00106	mg/Kg	₩	09/21/23 17:03	09/26/23 18:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130				09/21/23 17:03	09/26/23 18:08	1
1,4-Difluorobenzene (Surr)	73		70 - 130				09/21/23 17:03	09/26/23 18:08	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	33.0	JB	52.8	15.8	mg/Kg	<u></u>	09/21/23 14:35	09/22/23 17:18	1
Diesel Range Organics (Over C10-C28)	37.6	J	52.8	15.8	mg/Kg	₩	09/21/23 14:35	09/22/23 17:18	1
Oll Range Organics (Over C28-C36)	<15.8	U	52.8	15.8	mg/Kg	₽	09/21/23 14:35	09/22/23 17:18	1

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Client Sample ID: BH14 1-2

Lab Sample ID: 880-33481-12

Date Collected: 09/18/23 14:08 Date Received: 09/21/23 11:13

**Matrix: Solid** Percent Solids: 94.8

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130	09/21/23 14:35	09/22/23 17:18	1
o-Terphenyl	130		70 - 130	09/21/23 14:35	09/22/23 17:18	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte Result Qualifier RLMDL Unit Prepared Analyzed Dil Fac Chloride 454 5.02 0.397 mg/Kg 09/26/23 01:22

Client Sample ID: BH14 4-5 Lab Sample ID: 880-33481-13

Date Collected: 09/18/23 14:11 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 88.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000432	U	0.00224	0.000432	mg/Kg	₩	09/21/23 17:03	09/26/23 18:29	1
Toluene	<0.000512	U	0.00224	0.000512	mg/Kg	₩	09/21/23 17:03	09/26/23 18:29	1
Ethylbenzene	< 0.000634	U	0.00224	0.000634	mg/Kg	₽	09/21/23 17:03	09/26/23 18:29	1
m-Xylene & p-Xylene	<0.00113	U	0.00449	0.00113	mg/Kg	₽	09/21/23 17:03	09/26/23 18:29	1
o-Xylene	<0.000386	U	0.00224	0.000386	mg/Kg	₽	09/21/23 17:03	09/26/23 18:29	1
Xylenes, Total	<0.00113	U	0.00449	0.00113	mg/Kg	₽	09/21/23 17:03	09/26/23 18:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130				09/21/23 17:03	09/26/23 18:29	1
1,4-Difluorobenzene (Surr)	74		70 <sub>-</sub> 130				09/21/23 17:03	09/26/23 18:29	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	49.1	J B	56.7	17.0	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 17:39	1
Diesel Range Organics (Over C10-C28)	105		56.7	17.0	mg/Kg	₽	09/21/23 14:35	09/22/23 17:39	1
OII Range Organics (Over C28-C36)	<17.0	U	56.7	17.0	mg/Kg	₽	09/21/23 14:35	09/22/23 17:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130				09/21/23 14:35	09/22/23 17:39	1
o-Terphenyl	134	S1+	70 - 130				09/21/23 14:35	09/22/23 17:39	1

ſ										
	Method: EPA 300.0 - Anions, Ion C	hromatography	y - Soluble							
	Analyte	Result Q	lualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	504		4.99	0.394	mg/Kg			09/26/23 01:27	1

Client Sample ID: BH15 0-1 Lab Sample ID: 880-33481-14 Date Collected: 09/18/23 14:15 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 97.1

Method: SW846 8021B - Vola	atile Organic Comp	ounds (GC)	ı						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000400	U	0.00208	0.000400	mg/Kg	₩	09/21/23 17:03	09/26/23 18:49	1
Toluene	< 0.000473	U	0.00208	0.000473	mg/Kg	₩	09/21/23 17:03	09/26/23 18:49	1
Ethylbenzene	<0.000586	U	0.00208	0.000586	mg/Kg	₩	09/21/23 17:03	09/26/23 18:49	1
m-Xylene & p-Xylene	<0.00105	U	0.00415	0.00105	mg/Kg	₽	09/21/23 17:03	09/26/23 18:49	1
o-Xylene	< 0.000357	U	0.00208	0.000357	mg/Kg	₩	09/21/23 17:03	09/26/23 18:49	1
Xylenes, Total	<0.00105	U	0.00415	0.00105	mg/Kg	₽	09/21/23 17:03	09/26/23 18:49	1

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Lab Sample ID: 880-33481-14

Matrix: Solid

Percent Solids: 97.1

Client Sample	e ID: BH15 0-1
Data Callected:	00/49/22 44:45

Date Received: 09/21/23 11:13

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130				09/21/23 17:03	09/26/23 18:49	1
1,4-Difluorobenzene (Surr)	76		70 - 130				09/21/23 17:03	09/26/23 18:49	1
Method: SW846 8015B NM - Di Analyte	iesel Range Organ Result		(GC)	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Bango Organico	40.7	1.5	51.0	15.6	ma/Ka	— <u>-</u>	00/21/23 14:35	00/22/23 18:01	

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	48.7	J B	51.9	15.6	mg/Kg	<del>*</del>	09/21/23 14:35	09/22/23 18:01	1
Diesel Range Organics (Over C10-C28)	54.0		51.9	15.6	mg/Kg	₽	09/21/23 14:35	09/22/23 18:01	1
Oll Range Organics (Over C28-C36)	<15.6	U	51.9	15.6	mg/Kg	₩	09/21/23 14:35	09/22/23 18:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130				09/21/23 14:35	09/22/23 18:01	1
o-Terphenyl	126		70 - 130				09/21/23 14:35	09/22/23 18:01	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	371		4.98	0.393	mg/Kg			09/26/23 01:33	1

Client Sample ID: BH15 1-2 Lab Sample ID: 880-33481-15

 Date Collected: 09/18/23 14:18
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 81.5

Method: SW846 8021B - Volati Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000470		0.00244	0.000470			09/21/23 17:03	09/26/23 19:10	1
Toluene	<0.000557	U	0.00244	0.000557	mg/Kg	₽	09/21/23 17:03	09/26/23 19:10	1
Ethylbenzene	<0.000690	U	0.00244	0.000690	mg/Kg	₩	09/21/23 17:03	09/26/23 19:10	1
m-Xylene & p-Xylene	<0.00123	U	0.00489	0.00123	mg/Kg	₽	09/21/23 17:03	09/26/23 19:10	1
o-Xylene	<0.000420	U	0.00244	0.000420	mg/Kg	₩	09/21/23 17:03	09/26/23 19:10	1
Xylenes, Total	<0.00123	U	0.00489	0.00123	mg/Kg	₽	09/21/23 17:03	09/26/23 19:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	84		70 - 130				09/21/23 17:03	09/26/23 19:10	1
1,4-Difluorobenzene (Surr)	91		70 - 130				09/21/23 17:03	09/26/23 19:10	1
- Method: SW846 8015B NM - D	iesel Range Orga	nics (DRO)	(GC)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	45.3	JB	61.2	18.3	mg/Kg	— <u> </u>	09/21/23 14:35	09/22/23 18:23	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	45.3	J B	61.2	18.3	mg/Kg	<u></u>	09/21/23 14:35	09/22/23 18:23	1
Diesel Range Organics (Over C10-C28)	53.5	J	61.2	18.3	mg/Kg	₽	09/21/23 14:35	09/22/23 18:23	1
Oll Range Organics (Over C28-C36)	<18.3	U	61.2	18.3	mg/Kg	₩	09/21/23 14:35	09/22/23 18:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130				09/21/23 14:35	09/22/23 18:23	1
o-Terphenyl	149	S1+	70 <sub>-</sub> 130				09/21/23 14:35	09/22/23 18:23	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble							
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	204	4.95	0.391	mg/Kg			09/26/23 01:39	1

Eurofins Midland

3

5

6

8

9

11

12

1 *A* 

Client Sample ID: BH16 2-3

Date Collected: 09/18/23 15:05 Date Received: 09/21/23 11:13

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Lab Sample ID: 880-33481-16

Matrix: Solid
Percent Solids: 86.5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000443	U	0.00230	0.000443	mg/Kg	₩	09/21/23 17:03	09/26/23 19:30	1
Toluene	<0.000524	U	0.00230	0.000524	mg/Kg	₽	09/21/23 17:03	09/26/23 19:30	1
Ethylbenzene	< 0.000649	U	0.00230	0.000649	mg/Kg	₽	09/21/23 17:03	09/26/23 19:30	1
m-Xylene & p-Xylene	<0.00116	U	0.00460	0.00116	mg/Kg	₩	09/21/23 17:03	09/26/23 19:30	1
o-Xylene	<0.000395	U	0.00230	0.000395	mg/Kg	₽	09/21/23 17:03	09/26/23 19:30	1
Xylenes, Total	<0.00116	U	0.00460	0.00116	mg/Kg	₽	09/21/23 17:03	09/26/23 19:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130				09/21/23 17:03	09/26/23 19:30	1
1.4-Difluorobenzene (Surr)	73		70 - 130				09/21/23 17:03	09/26/23 19:30	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<17.3	U	57.5	17.3	mg/Kg	— <u> </u>	09/21/23 14:35	09/22/23 18:44	1
Diesel Range Organics (Over C10-C28)	404		57.5	17.3	mg/Kg	₽	09/21/23 14:35	09/22/23 18:44	1
Oll Range Organics (Over C28-C36)	<17.3	U	57.5	17.3	mg/Kg	₽	09/21/23 14:35	09/22/23 18:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1 Chlaracatana	105		70 120				00/21/22 14:25	00/22/22 19:11	

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130	09/21/23 14:35	09/22/23 18:44	1
o-Terphenyl	117		70 - 130	09/21/23 14:35	09/22/23 18:44	1
_						

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble Result Qualifier Analyte RLMDL Unit Prepared Analyzed Dil Fac 09/26/23 01:45 Chloride 681 4.98 0.393 mg/Kg

Client Sample ID: BH16 4-5

Lab Sample ID: 880-33481-17 Date Collected: 09/18/23 15:08 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 85.8

Method: SW846 8021B - Volatile Organic	Compounds (GC)
Analosta	D 14 O 1161

Method: 5W646 6021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000448	U	0.00233	0.000448	mg/Kg	₩	09/21/23 17:03	09/26/23 19:51	1
Toluene	< 0.000530	U	0.00233	0.000530	mg/Kg	₽	09/21/23 17:03	09/26/23 19:51	1
Ethylbenzene	<0.000657	U	0.00233	0.000657	mg/Kg	₽	09/21/23 17:03	09/26/23 19:51	1
m-Xylene & p-Xylene	<0.00117	U	0.00465	0.00117	mg/Kg	₽	09/21/23 17:03	09/26/23 19:51	1
o-Xylene	<0.000400	U	0.00233	0.000400	mg/Kg	₽	09/21/23 17:03	09/26/23 19:51	1
Xylenes, Total	<0.00117	U	0.00465	0.00117	mg/Kg	₽	09/21/23 17:03	09/26/23 19:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		70 - 130				09/21/23 17:03	09/26/23 19:51	1
1,4-Difluorobenzene (Surr)	100		70 - 130				09/21/23 17:03	09/26/23 19:51	1

Method: SW646 6013B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	<17.5	U	58.3	17.5	mg/Kg	<del></del>	09/22/23 17:09	09/23/23 17:32	1
(GRO)-C6-C10									
Diesel Range Organics (Over	532	В	58.3	17.5	mg/Kg	₩	09/22/23 17:09	09/23/23 17:32	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<17.5	U	58.3	17.5	mg/Kg	≎	09/22/23 17:09	09/23/23 17:32	1

## **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Client Sample ID: BH16 4-5

Date Collected: 09/18/23 15:08 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33481-17

Matrix: Solid

Percent Solids: 85.8

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	73	70 - 130	09/22/23 17:09	09/23/23 17:32	1
o-Terphenyl	67 S1-	70 - 130	09/22/23 17:09	09/23/23 17:32	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	705		4.95	0.391	mg/Kg			09/25/23 22:49	1

J

9

10

14

## **Surrogate Summary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Job ID: 880-33481-1

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

		BFB1	DFBZ1	Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-33481-1	BH9 3-4	49 S1-	101	. — — — — — — — —
880-33481-2	BH9 4-5	96	84	
880-33481-3	BH10 0-1	83	92	
880-33481-4	BH10 2-3	82	92	
880-33481-5	BH11 2-3	92	81	
880-33481-6	BH11 3-4	91	78	
880-33481-7	BH12 0-1	81	90	
880-33481-8	BH12 1-2	81	96	
880-33481-9	BH13 0-1	74	104	
880-33481-10	BH13 1-2	83	91	
880-33481-11	BH14 0-1	81	94	
880-33481-12	BH14 1-2	92	73	
880-33481-13	BH14 4-5	93	74	
880-33481-14	BH15 0-1	91	76	
880-33481-15	BH15 1-2	84	91	
880-33481-16	BH16 2-3	92	73	
880-33481-17	BH16 4-5	90	100	
880-33481-A-1-B MS	880-33481-A-1-B MS	113	114	
880-33481-A-1-C MSD	880-33481-A-1-C MSD	118	114	
LCS 880-63021/1-A	Lab Control Sample	109	121	
LCS 880-63253/1-A	Lab Control Sample	110	99	
LCSD 880-63021/2-A	Lab Control Sample Dup	107	112	
LCSD 880-63253/2-A	Lab Control Sample Dup	114	98	
MB 880-63021/5-A	Method Blank	73	94	
MB 880-63253/5-A	Method Blank	74	93	

**Surrogate Legend** 

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

-				Percent Surrogate Recovery (Accep
		1CO1	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-33481-1	BH9 3-4	119	138 S1+	
880-33481-2	BH9 4-5	110	129	
880-33481-3	BH10 0-1	121	137 S1+	
880-33481-4	BH10 2-3	133 S1+	154 S1+	
880-33481-5	BH11 2-3	114	131 S1+	
880-33481-6	BH11 3-4	120	139 S1+	
880-33481-7	BH12 0-1	123	144 S1+	
880-33481-8	BH12 1-2	112	127	
880-33481-9	BH13 0-1	114	134 S1+	
880-33481-10	BH13 1-2	113	125	
880-33481-11	BH14 0-1	123	140 S1+	
880-33481-12	BH14 1-2	112	130	
880-33481-13	BH14 4-5	119	134 S1+	
880-33481-14	BH15 0-1	110	126	

Eurofins Midland

Released to Imaging: 8/27/2024 7:32:11 AM

3

Δ

6

8

10

12

## **Surrogate Summary**

Client: Civil & Environmental Consultants Inc
Project/Site: SEAWOLF 1 12 Federal #081H

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid Prep Type: Total/NA

				Percent Surrogate Recovery (Acceptance Limits)
		1CO1	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-33481-15	BH15 1-2	130	149 S1+	
880-33481-16	BH16 2-3	105	117	
880-33481-17	BH16 4-5	73	67 S1-	
LCS 880-63006/2-A	Lab Control Sample	95	110	
LCS 880-63115/2-A	Lab Control Sample	132 S1+	138 S1+	
LCSD 880-63006/3-A	Lab Control Sample Dup	96	113	
LCSD 880-63115/3-A	Lab Control Sample Dup	103	103	
MB 880-63006/1-A	Method Blank	95	111	
MB 880-63115/1-A - IN3	Method Blank	111	111	

1CO = 1-Chlorooctane OTPH = o-Terphenyl

4

12

## **QC Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-63021/5-A

Matrix: Solid

Analysis Batch: 63283

Client	Sample	ID:	Method	Blank

Prep Type: Total/NA

Prep Batch: 63021

	МВ	мв							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		09/21/23 17:03	09/26/23 11:27	1
Toluene	< 0.000456	U	0.00200	0.000456	mg/Kg		09/21/23 17:03	09/26/23 11:27	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		09/21/23 17:03	09/26/23 11:27	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		09/21/23 17:03	09/26/23 11:27	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		09/21/23 17:03	09/26/23 11:27	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		09/21/23 17:03	09/26/23 11:27	1

MB MB

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	73	70 - 130	09/21/23 17:03	09/26/23 11:27	1
1,4-Difluorobenzene (Surr)	94	70 - 130	09/21/23 17:03	09/26/23 11:27	1

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 63021

Lab Sample ID: LCS 880-63021/1-A

Matrix: Solid

Analysis Batch: 63283

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.09513	-	mg/Kg		95	70 - 130	
Toluene	0.100	0.1016		mg/Kg		102	70 - 130	
Ethylbenzene	0.100	0.1029		mg/Kg		103	70 - 130	
m-Xylene & p-Xylene	0.200	0.2159		mg/Kg		108	70 - 130	
o-Xylene	0.100	0.1049		mg/Kg		105	70 - 130	

LCS LCS

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	109	70 - 130
1,4-Difluorobenzene (Surr)	121	70 - 130

Lab Sample ID: LCSD 880-63021/2-A

Matrix: Solid

Analysis Batch: 63283

**Client Sample ID: Lab Control Sample Dup** 

Prep Type: Total/NA Prep Batch: 63021

Prep Batch: 63021

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	0.100	0.09430		mg/Kg		94	70 - 130	1	35
Toluene	0.100	0.09809		mg/Kg		98	70 - 130	4	35
Ethylbenzene	0.100	0.09792		mg/Kg		98	70 - 130	5	35
m-Xylene & p-Xylene	0.200	0.2068		mg/Kg		103	70 - 130	4	35
o-Xylene	0.100	0.1005		mg/Kg		101	70 - 130	4	35

LCSD LCSD

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	107	70 - 130
1,4-Difluorobenzene (Surr)	112	70 - 130

Lab Sample ID: 880-33481-A-1-B MS

Matrix: Solid

Analysis Batch: 63283

Client Sample ID: 880-33481-A-1-B MS	Client	Sample	ID:	880-3348	1-A-1-B MS
--------------------------------------	--------	--------	-----	----------	------------

Prep Type: Total/NA

Prep Batch: 63021

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.0209	F1	0.106	0.08102	F1	mg/Kg	<u></u>	57	70 - 130	
Toluene	0.645	E	0.106	0.08862	4	mg/Kg	₽	-523	70 - 130	

**Eurofins Midland** 

2

4

6

R

10

12

13

## **QC Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-33481-A-1-B MS **Matrix: Solid** 

Analysis Batch: 63283

Client Sample ID: 880-33481-A-1-B MS

Prep Type: Total/NA Prep Batch: 63021

	Sample	Sample	Spike	MS	MS				%Rec
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Ethylbenzene	0.0327	F1	0.106	0.09350	F1	mg/Kg	<del>-</del>	57	70 - 130
m-Xylene & p-Xylene	0.0938	F1	0.213	0.1907	F1	mg/Kg	₽	46	70 - 130
o-Xylene	0.0420	F1	0.106	0.09431	F1	mg/Kg	₩	49	70 - 130

MS MS

Surrogate	%Recovery Qualif	ier Limits
4-Bromofluorobenzene (Surr)	113	70 - 130
1,4-Difluorobenzene (Surr)	114	70 - 130

Client Sample ID: 880-33481-A-1-C MSD

Prep Type: Total/NA

Prep Batch: 63021

Lab Sample ID: 880-33481-A-1-C MSD **Matrix: Solid** 

**Analysis Batch: 63283** 

Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
0.0209	F1	0.106	0.08888	F1	mg/Kg	<del>-</del>	64	70 - 130	9	35
0.645	E	0.106	0.09675	4	mg/Kg	₽	-519	70 - 130	9	35
0.0327	F1	0.106	0.1034	F1	mg/Kg	≎	67	70 - 130	10	35
0.0938	F1	0.211	0.2111	F1	mg/Kg	₽	56	70 - 130	10	35
0.0420	F1	0.106	0.1040	F1	mg/Kg	☼	59	70 - 130	10	35
	Result 0.0209 0.645 0.0327 0.0938	Sample         Sample           Result         Qualifier           0.0209         F1           0.645         E           0.0327         F1           0.0938         F1           0.0420         F1	Result         Qualifier         Added           0.0209         F1         0.106           0.645         E         0.106           0.0327         F1         0.106           0.0938         F1         0.211	Result         Qualifier         Added         Result           0.0209         F1         0.106         0.08888           0.645         E         0.106         0.09675           0.0327         F1         0.106         0.1034           0.0938         F1         0.211         0.2111	Result         Qualifier         Added         Result         Qualifier           0.0209         F1         0.106         0.08888         F1           0.645         E         0.106         0.09675         4           0.0327         F1         0.106         0.1034         F1           0.0938         F1         0.211         0.2111         F1	Result         Qualifier         Added         Result         Qualifier         Unit           0.0209         F1         0.106         0.08888         F1         mg/Kg           0.645         E         0.106         0.09675         4         mg/Kg           0.0327         F1         0.106         0.1034         F1         mg/Kg           0.0938         F1         0.211         0.2111         F1         mg/Kg	Result         Qualifier         Added         Result         Qualifier         Unit         D           0.0209         F1         0.106         0.08888         F1         mg/Kg         □           0.645         E         0.106         0.09675         4         mg/Kg         □           0.0327         F1         0.106         0.1034         F1         mg/Kg         □           0.0938         F1         0.211         0.2111         F1         mg/Kg         □	Result         Qualifier         Added         Result         Qualifier         Unit         D         %Rec           0.0209         F1         0.106         0.08888         F1         mg/Kg         □         64           0.645         E         0.106         0.09675         4         mg/Kg         □         -519           0.0327         F1         0.106         0.1034         F1         mg/Kg         □         67           0.0938         F1         0.211         0.2111         F1         mg/Kg         □         56	Result         Qualifier         Added         Result         Qualifier         Unit         D         %Rec         Limits           0.0209         F1         0.106         0.08888         F1         mg/Kg         \$\preceq\$ 64         70 - 130           0.645         E         0.106         0.09675         4         mg/Kg         \$\preceq\$ -519         70 - 130           0.0327         F1         0.106         0.1034         F1         mg/Kg         \$\preceq\$ 67         70 - 130           0.0938         F1         0.211         0.2111         F1         mg/Kg         \$\preceq\$ 56         70 - 130	Result         Qualifier         Added         Result         Qualifier         Unit         D         %Rec         Limits         RPD           0.0209         F1         0.106         0.08888         F1         mg/Kg         \$\infty\$         64         70 - 130         9           0.645         E         0.106         0.09675         4         mg/Kg         \$\infty\$         -519         70 - 130         9           0.0327         F1         0.106         0.1034         F1         mg/Kg         \$\infty\$         67         70 - 130         10           0.0938         F1         0.211         0.2111         F1         mg/Kg         \$\infty\$         56         70 - 130         10

MSD MSD

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	118	70 - 130
1,4-Difluorobenzene (Surr)	114	70 - 130

Lab Sample ID: MB 880-63253/5-A

**Matrix: Solid** 

Analysis Batch: 63374

Client Sample ID: Method Blank	
Prep Type: Total/NA	

Prep Batch: 63253

	MD	IVID							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		09/25/23 15:18	09/27/23 11:38	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		09/25/23 15:18	09/27/23 11:38	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		09/25/23 15:18	09/27/23 11:38	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		09/25/23 15:18	09/27/23 11:38	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		09/25/23 15:18	09/27/23 11:38	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		09/25/23 15:18	09/27/23 11:38	1

MB MB

MR MR

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	74		70 - 130	09/25/23 15:18	09/27/23 11:38	1
1,4-Difluorobenzene (Surr)	93		70 - 130	09/25/23 15:18	09/27/23 11:38	1

Lab Sample ID: LCS 880-63253/1-A

Matrix: Solid

Analysis Batch: 63374

Client Sample I	D: Lab Control	Sample
-----------------	----------------	--------

Prep Type: Total/NA

Prep Batch: 63253

	Spike	LCS	LCS				%Rec
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene	0.100	0.1012		mg/Kg		101	70 - 130
Toluene	0.100	0.1045		mg/Kg		104	70 - 130
Ethylbenzene	0.100	0.1057		mg/Kg		106	70 - 130
m-Xylene & p-Xylene	0.200	0.2124		mg/Kg		106	70 - 130

## QC Sample Results

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-63253/1-A **Matrix: Solid** 

Analysis Batch: 63374

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 63253

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit %Rec Limits D 0.100 0.1045 105 70 - 130 o-Xylene mg/Kg

LCS LCS

%Recovery Qualifier Limits Surrogate 4-Bromofluorobenzene (Surr) 110 70 - 130 70 - 130 1,4-Difluorobenzene (Surr) 99

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

**Matrix: Solid Analysis Batch: 63374** 

Lab Sample ID: LCSD 880-63253/2-A

Prep Batch: 63253

LCSD LCSD Spike Analyte Added Result Qualifier Unit %Rec Limits RPD Limit D Benzene 0.100 0.09447 mg/Kg 94 70 - 130 35 Toluene 0.100 0.1006 mg/Kg 101 70 - 130 35 Ethylbenzene 0.100 0.1031 mg/Kg 103 70 - 130 2 35 m-Xylene & p-Xylene 0.200 0.2164 mg/Kg 108 70 - 130 2 35 0.100 0.1059 106 70 - 130 35 o-Xylene mg/Kg

LCSD LCSD

Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 114 70 - 130 1,4-Difluorobenzene (Surr) 98 70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-63006/1-A

**Matrix: Solid** 

Analysis Batch: 63032

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 63006

Result Qualifier RL MDL Dil Fac Analyte Unit D Prepared Analyzed 18.36 50.0 15.0 Gasoline Range Organics J mg/Kg 09/21/23 14:35 09/22/23 08:05 (GRO)-C6-C10 <15.0 U 50.0 15.0 mg/Kg 09/21/23 14:35 09/22/23 08:05 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) <15.0 U 50.0 15.0 mg/Kg 09/21/23 14:35 09/22/23 08:05

MB MB

MB MB

Dil Fac Surrogate %Recovery Qualifier Limits Prepared Analyzed 1-Chlorooctane 95 70 - 130 09/21/23 14:35 09/22/23 08:05 o-Terphenyl 111 70 - 130 09/21/23 14:35 09/22/23 08:05

Lab Sample ID: LCS 880-63006/2-A

**Matrix: Solid** 

**Analysis Batch: 63032** 

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 63006

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	1000	1131		mg/Kg		113	70 - 130	 
(GRO)-C6-C10								
Diesel Range Organics (Over	1000	1110		mg/Kg		111	70 - 130	
C10-C28)								

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-63006/2-A

Lab Sample ID: LCS 880-63115/2-A

**Matrix: Solid** 

Analysis Batch: 63032

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 63006

LCS LCS

Surrogate %Recovery Qualifier Limits 1-Chlorooctane 95 70 - 130 o-Terphenyl 110 70 - 130

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 63006

Lab Sample ID: LCSD 880-63006/3-A **Matrix: Solid** Analysis Batch: 63032

Spike LCSD LCSD %Rec RPD Analyte Added Result Qualifier Unit D %Rec Limits **RPD** Limit 1000 1138 114 70 - 13020 Gasoline Range Organics mg/Kg (GRO)-C6-C10 Diesel Range Organics (Over 1000 1154 mg/Kg 115 70 - 13020 C10-C28)

LCSD LCSD

Surrogate %Recovery Qualifier Limits 96 70 - 130 1-Chlorooctane 113 70 - 130 o-Terphenyl

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

**Analysis Batch: 63132** Prep Batch: 63115 Spike LCS LCS

Analyte Added Result Qualifier Unit %Rec Limits D Gasoline Range Organics 1000 726.2 mg/Kg 73 70 - 130 (GRO)-C6-C10 Diesel Range Organics (Over 1000 892.4 mg/Kg 89 70 - 130

C10-C28)

**Matrix: Solid** 

LCS LCS %Recovery Qualifier Surrogate Limits 132 S1+ 70 - 130 1-Chlorooctane o-Terphenyl 138 S1+ 70 - 130

Lab Sample ID: LCSD 880-63115/3-A Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

**Matrix: Solid** 

Analysis Batch: 63132 Prep Batch: 63115 LCSD LCSD RPD Spike %Rec

Analyte Added Result Qualifier Unit %Rec Limits **RPD** Limit 1000 832.8 83 Gasoline Range Organics mg/Kg 70 - 130 14 20 (GRO)-C6-C10 Diesel Range Organics (Over 1000 976.0 mg/Kg 98 70 - 130 20

C10-C28)

LCSD LCSD Qualifier Surrogate %Recovery Limits 1-Chlorooctane 103 70 - 130 103 70 - 130 o-Terphenyl

## QC Sample Results

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

# Method: 8015B NM - Diesel Range Organics (DRO) (GC) - IN3

Lab Sample ID: MB 880-63115/1-A

Analysis Batch: 63132

**Matrix: Solid** 

Client Sample ID: Method Blank

Prep Type: Total/NA Prep Batch: 63115

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	<15.0	U	50.0	15.0	mg/Kg		09/22/23 17:09	09/23/23 08:04	1
(GRO)-C6-C10 - IN3									
Diesel Range Organics (Over	18.04	J	50.0	15.0	mg/Kg		09/22/23 17:09	09/23/23 08:04	1
C10-C28) - IN3									
Oll Range Organics (Over C28-C36) -	<15.0	U	50.0	15.0	mg/Kg		09/22/23 17:09	09/23/23 08:04	1
IN3									
	МВ	МВ							

Limits

70 - 130

70 - 130

## Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-63035/1-A

**Matrix: Solid** 

Surrogate

1-Chlorooctane - IN3

o-Terphenyl - IN3

Analysis Batch: 63235

Client Sample ID: Method Blank

Analyzed

09/23/23 08:04

09/23/23 08:04

Prepared

09/22/23 17:09

09/22/23 17:09

**Prep Type: Soluble** 

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	5.00	0.395	mg/Kg			09/25/23 22:50	1

Lab Sample ID: LCS 880-63035/2-A **Client Sample ID: Lab Control Sample Matrix: Solid Prep Type: Soluble** 

**Analysis Batch: 63235** 

LCS LCS Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits Chloride 250 249.3 mg/Kg 100 90 - 110

%Recovery Qualifier

111

111

MB MB

Lab Sample ID: LCSD 880-63035/3-A Client Sample ID: Lab Control Sample Dup

**Matrix: Solid** 

**Analysis Batch: 63235** 

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Chloride	250	249.6		mg/Kg		100	90 - 110	0	20	

Lab Sample ID: 880-33481-7 MS Client Sample ID: BH12 0-1 **Matrix: Solid** 

**Analysis Batch: 63235** 

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	579	F1	252	800.7	F1	ma/Ka		88	90 - 110	

Lab Sample ID: 880-33481-7 MSD Client Sample ID: BH12 0-1 **Prep Type: Soluble** 

**Matrix: Solid** 

Analysis Batch: 63235

Released to Imaging: 8/27/2024 7:32:11 AM

,	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	579	F1	252	800.7	F1	mg/Kg		88	90 - 110		20

**Eurofins Midland** 

Dil Fac

**Prep Type: Soluble** 

**Prep Type: Soluble** 

### QC Sample Results

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 880-63036/1-A Client Sample ID: Method Blank

**Matrix: Solid Prep Type: Soluble** 

Analysis Batch: 63236

мв мв MDL Unit Analyte Result Qualifier RL D Prepared Analyzed Dil Fac Chloride <0.395 U 5.00 0.395 mg/Kg 09/25/23 22:29

Lab Sample ID: LCS 880-63036/2-A Client Sample ID: Lab Control Sample **Matrix: Solid Prep Type: Soluble** 

**Analysis Batch: 63236** 

Spike LCS LCS %Rec Added Analyte Result Qualifier Unit D %Rec Limits

Chloride 250 250.6 mg/Kg 100 90 - 110

Lab Sample ID: LCSD 880-63036/3-A Client Sample ID: Lab Control Sample Dup **Prep Type: Soluble** 

**Matrix: Solid** 

Analysis Batch: 63236

LCSD LCSD %Rec RPD Spike Analyte Added Result Qualifier Unit %Rec Limits **RPD** Limit Chloride 250 250.6 mg/Kg 100 90 - 110

Lab Sample ID: 880-33481-17 MS Client Sample ID: BH16 4-5

**Matrix: Solid** 

Analysis Batch: 63236

MS MS Sample Sample Spike %Rec Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits Chloride 705 248 974.2 109 90 - 110 mg/Kg

Lab Sample ID: 880-33481-17 MSD Client Sample ID: BH16 4-5

**Matrix: Solid** 

Analysis Batch: 63236

Sample Sample Spike MSD MSD %Rec RPD Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits RPD Limit 248 Chloride 705 973.2 mg/Kg 109 90 - 110 0 20

**Eurofins Midland** 

**Prep Type: Soluble** 

**Prep Type: Soluble** 

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Job ID: 880-33481-1

### **GC VOA**

Prep Batch: 63021

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-33481-2	BH9 4-5	Total/NA	Solid	5035	
880-33481-3	BH10 0-1	Total/NA	Solid	5035	
880-33481-4	BH10 2-3	Total/NA	Solid	5035	
880-33481-5	BH11 2-3	Total/NA	Solid	5035	
380-33481-6	BH11 3-4	Total/NA	Solid	5035	
880-33481-7	BH12 0-1	Total/NA	Solid	5035	
880-33481-8	BH12 1-2	Total/NA	Solid	5035	
880-33481-9	BH13 0-1	Total/NA	Solid	5035	
880-33481-10	BH13 1-2	Total/NA	Solid	5035	
380-33481-11	BH14 0-1	Total/NA	Solid	5035	
380-33481-12	BH14 1-2	Total/NA	Solid	5035	
380-33481-13	BH14 4-5	Total/NA	Solid	5035	
380-33481-14	BH15 0-1	Total/NA	Solid	5035	
380-33481-15	BH15 1-2	Total/NA	Solid	5035	
380-33481-16	BH16 2-3	Total/NA	Solid	5035	
380-33481-17	BH16 4-5	Total/NA	Solid	5035	
MB 880-63021/5-A	Method Blank	Total/NA	Solid	5035	
_CS 880-63021/1-A	Lab Control Sample	Total/NA	Solid	5035	
_CSD 880-63021/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
380-33481-A-1-B MS	880-33481-A-1-B MS	Total/NA	Solid	5035	
880-33481-A-1-C MSD	880-33481-A-1-C MSD	Total/NA	Solid	5035	

### Prep Batch: 63253

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-1	BH9 3-4	Total/NA	Solid	5035	
MB 880-63253/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-63253/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-63253/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

#### Analysis Batch: 63283

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-2	BH9 4-5	Total/NA	Solid	8021B	63021
880-33481-3	BH10 0-1	Total/NA	Solid	8021B	63021
880-33481-4	BH10 2-3	Total/NA	Solid	8021B	63021
880-33481-5	BH11 2-3	Total/NA	Solid	8021B	63021
880-33481-6	BH11 3-4	Total/NA	Solid	8021B	63021
880-33481-7	BH12 0-1	Total/NA	Solid	8021B	63021
880-33481-8	BH12 1-2	Total/NA	Solid	8021B	63021
880-33481-9	BH13 0-1	Total/NA	Solid	8021B	63021
880-33481-10	BH13 1-2	Total/NA	Solid	8021B	63021
880-33481-11	BH14 0-1	Total/NA	Solid	8021B	63021
880-33481-12	BH14 1-2	Total/NA	Solid	8021B	63021
880-33481-13	BH14 4-5	Total/NA	Solid	8021B	63021
880-33481-14	BH15 0-1	Total/NA	Solid	8021B	63021
880-33481-15	BH15 1-2	Total/NA	Solid	8021B	63021
880-33481-16	BH16 2-3	Total/NA	Solid	8021B	63021
880-33481-17	BH16 4-5	Total/NA	Solid	8021B	63021
MB 880-63021/5-A	Method Blank	Total/NA	Solid	8021B	63021
LCS 880-63021/1-A	Lab Control Sample	Total/NA	Solid	8021B	63021
LCSD 880-63021/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	63021
880-33481-A-1-B MS	880-33481-A-1-B MS	Total/NA	Solid	8021B	63021

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

# **GC VOA (Continued)**

### **Analysis Batch: 63283 (Continued)**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-A-1-C MSD	880-33481-A-1-C MSD	Total/NA	Solid	8021B	63021

### Analysis Batch: 63374

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-1	BH9 3-4	Total/NA	Solid	8021B	63253
MB 880-63253/5-A	Method Blank	Total/NA	Solid	8021B	63253
LCS 880-63253/1-A	Lab Control Sample	Total/NA	Solid	8021B	63253
LCSD 880-63253/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	63253

### GC Semi VOA

### Prep Batch: 63006

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-1	BH9 3-4	Total/NA	Solid	8015NM Prep	
880-33481-2	BH9 4-5	Total/NA	Solid	8015NM Prep	
880-33481-3	BH10 0-1	Total/NA	Solid	8015NM Prep	
880-33481-4	BH10 2-3	Total/NA	Solid	8015NM Prep	
880-33481-5	BH11 2-3	Total/NA	Solid	8015NM Prep	
880-33481-6	BH11 3-4	Total/NA	Solid	8015NM Prep	
880-33481-7	BH12 0-1	Total/NA	Solid	8015NM Prep	
880-33481-8	BH12 1-2	Total/NA	Solid	8015NM Prep	
880-33481-9	BH13 0-1	Total/NA	Solid	8015NM Prep	
880-33481-10	BH13 1-2	Total/NA	Solid	8015NM Prep	
880-33481-11	BH14 0-1	Total/NA	Solid	8015NM Prep	
880-33481-12	BH14 1-2	Total/NA	Solid	8015NM Prep	
880-33481-13	BH14 4-5	Total/NA	Solid	8015NM Prep	
880-33481-14	BH15 0-1	Total/NA	Solid	8015NM Prep	
880-33481-15	BH15 1-2	Total/NA	Solid	8015NM Prep	
880-33481-16	BH16 2-3	Total/NA	Solid	8015NM Prep	
MB 880-63006/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-63006/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-63006/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

### Analysis Batch: 63032

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-1	BH9 3-4	Total/NA	Solid	8015B NM	63006
880-33481-2	BH9 4-5	Total/NA	Solid	8015B NM	63006
880-33481-3	BH10 0-1	Total/NA	Solid	8015B NM	63006
880-33481-4	BH10 2-3	Total/NA	Solid	8015B NM	63006
880-33481-5	BH11 2-3	Total/NA	Solid	8015B NM	63006
880-33481-6	BH11 3-4	Total/NA	Solid	8015B NM	63006
880-33481-7	BH12 0-1	Total/NA	Solid	8015B NM	63006
880-33481-8	BH12 1-2	Total/NA	Solid	8015B NM	63006
880-33481-9	BH13 0-1	Total/NA	Solid	8015B NM	63000
880-33481-10	BH13 1-2	Total/NA	Solid	8015B NM	63006
880-33481-11	BH14 0-1	Total/NA	Solid	8015B NM	63006
880-33481-12	BH14 1-2	Total/NA	Solid	8015B NM	63006
880-33481-13	BH14 4-5	Total/NA	Solid	8015B NM	63006
880-33481-14	BH15 0-1	Total/NA	Solid	8015B NM	63006
880-33481-15	BH15 1-2	Total/NA	Solid	8015B NM	63006
880-33481-16	BH16 2-3	Total/NA	Solid	8015B NM	63006

**Eurofins Midland** 

2

3

4

9

10

12

13

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

# GC Semi VOA (Continued)

### Analysis Batch: 63032 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-63006/1-A	Method Blank	Total/NA	Solid	8015B NM	63006
LCS 880-63006/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	63006
LCSD 880-63006/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	63006

### Prep Batch: 63115

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-17	BH16 4-5	Total/NA	Solid	8015NM Prep	
MB 880-63115/1-A - IN3	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-63115/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-63115/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

### **Analysis Batch: 63132**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-17	BH16 4-5	Total/NA	Solid	8015B NM	63115
MB 880-63115/1-A - IN3	Method Blank	Total/NA	Solid	8015B NM	63115
LCS 880-63115/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	63115
LCSD 880-63115/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	63115

### HPLC/IC

#### Leach Batch: 63035

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-33481-1	BH9 3-4	Soluble	Solid	DI Leach	_
880-33481-2	BH9 4-5	Soluble	Solid	DI Leach	
880-33481-3	BH10 0-1	Soluble	Solid	DI Leach	
880-33481-4	BH10 2-3	Soluble	Solid	DI Leach	
880-33481-5	BH11 2-3	Soluble	Solid	DI Leach	
880-33481-6	BH11 3-4	Soluble	Solid	DI Leach	
880-33481-7	BH12 0-1	Soluble	Solid	DI Leach	
880-33481-8	BH12 1-2	Soluble	Solid	DI Leach	
880-33481-9	BH13 0-1	Soluble	Solid	DI Leach	
880-33481-10	BH13 1-2	Soluble	Solid	DI Leach	
880-33481-11	BH14 0-1	Soluble	Solid	DI Leach	
880-33481-12	BH14 1-2	Soluble	Solid	DI Leach	
880-33481-13	BH14 4-5	Soluble	Solid	DI Leach	
880-33481-14	BH15 0-1	Soluble	Solid	DI Leach	
880-33481-15	BH15 1-2	Soluble	Solid	DI Leach	
880-33481-16	BH16 2-3	Soluble	Solid	DI Leach	
MB 880-63035/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-63035/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-63035/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-33481-7 MS	BH12 0-1	Soluble	Solid	DI Leach	
880-33481-7 MSD	BH12 0-1	Soluble	Solid	DI Leach	

### Leach Batch: 63036

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-17	BH16 4-5	Soluble	Solid	DI Leach	
MB 880-63036/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-63036/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-63036/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-33481-17 MS	BH16 4-5	Soluble	Solid	DI Leach	

**Eurofins Midland** 

3

4

6

8

9

12

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Job ID: 880-33481-1

# HPLC/IC (Continued)

### Leach Batch: 63036 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-17 MSD	BH16 4-5	Soluble	Solid	DI Leach	

#### **Analysis Batch: 63235**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-1	BH9 3-4	Soluble	Solid	300.0	63035
880-33481-2	BH9 4-5	Soluble	Solid	300.0	63035
880-33481-3	BH10 0-1	Soluble	Solid	300.0	63035
880-33481-4	BH10 2-3	Soluble	Solid	300.0	63035
880-33481-5	BH11 2-3	Soluble	Solid	300.0	63035
880-33481-6	BH11 3-4	Soluble	Solid	300.0	63035
880-33481-7	BH12 0-1	Soluble	Solid	300.0	63035
880-33481-8	BH12 1-2	Soluble	Solid	300.0	63035
880-33481-9	BH13 0-1	Soluble	Solid	300.0	63035
880-33481-10	BH13 1-2	Soluble	Solid	300.0	63035
880-33481-11	BH14 0-1	Soluble	Solid	300.0	63035
880-33481-12	BH14 1-2	Soluble	Solid	300.0	63035
880-33481-13	BH14 4-5	Soluble	Solid	300.0	63035
880-33481-14	BH15 0-1	Soluble	Solid	300.0	63035
880-33481-15	BH15 1-2	Soluble	Solid	300.0	63035
880-33481-16	BH16 2-3	Soluble	Solid	300.0	63035
MB 880-63035/1-A	Method Blank	Soluble	Solid	300.0	63035
LCS 880-63035/2-A	Lab Control Sample	Soluble	Solid	300.0	63035
LCSD 880-63035/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	63035
880-33481-7 MS	BH12 0-1	Soluble	Solid	300.0	63035
880-33481-7 MSD	BH12 0-1	Soluble	Solid	300.0	63035

### Analysis Batch: 63236

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-17	BH16 4-5	Soluble	Solid	300.0	63036
MB 880-63036/1-A	Method Blank	Soluble	Solid	300.0	63036
LCS 880-63036/2-A	Lab Control Sample	Soluble	Solid	300.0	63036
LCSD 880-63036/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	63036
880-33481-17 MS	BH16 4-5	Soluble	Solid	300.0	63036
880-33481-17 MSD	BH16 4-5	Soluble	Solid	300.0	63036

### **General Chemistry**

### Analysis Batch: 63043

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
880-33481-1	BH9 3-4	Total/NA	Solid	D2216	
880-33481-2	BH9 4-5	Total/NA	Solid	D2216	
880-33481-3	BH10 0-1	Total/NA	Solid	D2216	
880-33481-4	BH10 2-3	Total/NA	Solid	D2216	
880-33481-5	BH11 2-3	Total/NA	Solid	D2216	
880-33481-6	BH11 3-4	Total/NA	Solid	D2216	
880-33481-7	BH12 0-1	Total/NA	Solid	D2216	
880-33481-8	BH12 1-2	Total/NA	Solid	D2216	
880-33481-9	BH13 0-1	Total/NA	Solid	D2216	
880-33481-10	BH13 1-2	Total/NA	Solid	D2216	
880-33481-11	BH14 0-1	Total/NA	Solid	D2216	
880-33481-12	BH14 1-2	Total/NA	Solid	D2216	

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

# **General Chemistry (Continued)**

### **Analysis Batch: 63043 (Continued)**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-33481-13	BH14 4-5	Total/NA	Solid	D2216	
880-33481-14	BH15 0-1	Total/NA	Solid	D2216	
880-33481-15	BH15 1-2	Total/NA	Solid	D2216	
880-33481-16	BH16 2-3	Total/NA	Solid	D2216	
MB 880-63043/1	Method Blank	Total/NA	Solid	D2216	
880-33481-7 DU	BH12 0-1	Total/NA	Solid	D2216	

### Analysis Batch: 63044

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33481-17	BH16 4-5	Total/NA	Solid	D2216	
MB 880-63044/1	Method Blank	Total/NA	Solid	D2216	
880-33481-17 DU	BH16 4-5	Total/NA	Solid	D2216	

А

8

9

1 1

12

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Lab Sample ID: 880-33481-1

Matrix: Solid

Client Sample ID: BH9 3-4 Date Collected: 09/18/23 12:16

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/25/23 23:42	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH9 3-4 Lab Sample ID: 880-33481-1

Date Collected: 09/18/23 12:16

Date Received: 09/21/23 11:13

Matrix: Solid
Percent Solids: 93.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63253	09/25/23 15:18	MNR	EET MID
Total/NA	Analysis	8021B		10	5 mL	5 mL	63374	09/27/23 13:01	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 12:50	SM	EET MID

Client Sample ID: BH9 4-5 Lab Sample ID: 880-33481-2

Date Collected: 09/18/23 12:18 Matrix: Solid

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 00:00	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH9 4-5 Lab Sample ID: 880-33481-2

Date Collected: 09/18/23 12:18 Matrix: Solid
Date Received: 09/21/23 11:13 Percent Solids: 95.1

Batch Batch Dil Initial Final Batch Prepared **Prep Type** Type Method Run Factor Amount Amount Number or Analyzed Analyst Lab Total/NA Prep 5035 5.01 g 5 mL 63021 09/21/23 17:03 MNR EET MID Total/NA 8021B 63283 09/26/23 13:40 MNR Analysis 5 mL 5 mL **EET MID** Total/NA 9.92 q 10 mL 63006 09/21/23 14:35 TKC EET MID Prep 8015NM Prep

Client Sample ID: BH10 0-1 Lab Sample ID: 880-33481-3

1 uL

1 uL

63032

09/22/23 13:13

SM

Date Collected: 09/18/23 12:43 Date Received: 09/21/23 11:13

Analysis

8015B NM

Total/NA

Г	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	63235	09/26/23 00:06	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

**Eurofins Midland** 

**EET MID** 

**Matrix: Solid** 

Client: Civil & Environmental Consultants Inc

Project/Site: SEAWOLF 1 12 Federal #081H

Client Sample ID: BH10 0-1

Date Collected: 09/18/23 12:43 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33481-3

Matrix: Solid

Percent Solids: 92.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 14:01	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 13:35	SM	EET MID

Client Sample ID: BH10 2-3 Lab Sample ID: 880-33481-4

Date Collected: 09/18/23 12:47

Date Received: 09/21/23 11:13

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 00:11	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH10 2-3 Lab Sample ID: 880-33481-4

Date Collected: 09/18/23 12:47

**Matrix: Solid** Percent Solids: 78.1

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 14:21	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 13:57	SM	EET MID

Client Sample ID: BH11 2-3 Lab Sample ID: 880-33481-5 Matrix: Solid

Date Collected: 09/18/23 12:55 Date Received: 09/21/23 11:13

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Soluble DI Leach 4.97 g 63035 09/22/23 08:11 AG EET MID Leach 50 mL Soluble Analysis 300.0 50 mL 50 mL 63235 09/26/23 00:17 СН **EET MID** 09/22/23 10:08 Total/NA Analysis D2216 1 63043 SMC **EET MID** 

Client Sample ID: BH11 2-3 Lab Sample ID: 880-33481-5

Date Collected: 09/18/23 12:55 Matrix: Solid Date Received: 09/21/23 11:13 Percent Solids: 88.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 14:42	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.09 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 14:20	SM	EET MID

#### **Lab Chronicle**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Client Sample ID: BH11 3-4

Date Collected: 09/18/23 12:58 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33481-6

Matrix: Solid

Job ID: 880-33481-1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 00:23	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH11 3-4

Date Collected: 09/18/23 12:58

Date Received: 09/21/23 11:13

<b>Lab Sample</b>	ID: 880-33481-6
-------------------	-----------------

**Matrix: Solid** 

Percent Solids: 90.4

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 15:02	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 14:42	SM	EET MID

Client Sample ID: BH12 0-1

Date Collected: 09/18/23 13:15

Date Received: 09/21/23 11:13

<b>Lab Samp</b>	le ID:	880-33	3481-7
-----------------	--------	--------	--------

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 00:29	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH12 0-1

Date Collected: 09/18/23 13:15

Date Received: 09/21/23 11:13

_ab	Sam	ple	ID:	880-	-3348	1-7

**Matrix: Solid** 

Percent Solids: 93.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 15:23	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.91 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 15:28	SM	EET MID

Client Sample ID: BH12 1-2

Date Collected: 09/18/23 13:18

Date Received: 09/21/23 11:13

Lab Sample	ID: 880-33481-8
------------	-----------------

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 00:46	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Client Sample ID: BH12 1-2

Date Collected: 09/18/23 13:18 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33481-8

Matrix: Solid

Matrix: Solid

Percent Solids: 93.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 16:46	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.07 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 15:50	SM	EET MID

Client Sample ID: BH13 0-1 Lab Sample ID: 880-33481-9

Date Collected: 09/18/23 13:53

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 00:52	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH13 0-1 Lab Sample ID: 880-33481-9

 Date Collected: 09/18/23 13:53
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 91.0

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 17:07	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 16:12	SM	EET MID

Date Collected: 09/18/23 13:55
Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 01:10	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH13 1-2 Lab Sample ID: 880-33481-10

 Date Collected: 09/18/23 13:55
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 93.7

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 17:27	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 16:34	SM	EET MID

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Client Sample ID: BH14 0-1

Date Collected: 09/18/23 14:05 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33481-11

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 01:16	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH14 0-1

Date Collected: 09/18/23 14:05 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33481-11

Matrix: Solid Percent Solids: 91.2

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 17:48	MNR	EET MID
Total/NA Total/NA	Prep Analysis	8015NM Prep 8015B NM		1	9.94 g 1 uL	10 mL 1 uL	63006 63032	09/21/23 14:35 09/22/23 16:56	TKC SM	EET MID EET MID

Client Sample ID: BH14 1-2

Date Collected: 09/18/23 14:08

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33481-12

Matrix: Solid

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Soluble Leach DI Leach 4.98 g 50 mL 63035 09/22/23 08:11 AG EET MID Soluble Analysis 300.0 50 mL 50 mL 63235 09/26/23 01:22 СН **EET MID** Total/NA Analysis D2216 1 63043 09/22/23 10:08 SMC **EET MID** 

Client Sample ID: BH14 1-2

Date Collected: 09/18/23 14:08

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33481-12

Matrix: Solid

Percent Solids: 94.8

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 18:08	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 17:18	SM	EET MID

Client Sample ID: BH14 4-5

Date Collected: 09/18/23 14:11

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33481-13

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 01:27	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH14 4-5

Date Collected: 09/18/23 14:11 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33481-13

Matrix: Solid
Percent Solids: 88.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 18:29	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.91 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 17:39	SM	EET MID

Lab Sample ID: 880-33481-14

Date Collected: 09/18/23 14:15 Matrix: Solid

Date Received: 09/21/23 11:13

Client Sample ID: BH15 0-1

Batch Batch Dil Initial Final Batch Prepared Method or Analyzed **Prep Type** Туре Run Factor Amount Amount Number Analyst Lab Soluble Leach DI Leach 5.02 g 50 mL 63035 09/22/23 08:11 AG EET MID Soluble 300.0 09/26/23 01:33 СН Analysis 50 mL 50 mL 63235 **EET MID** 1 Total/NA Analysis D2216 63043 09/22/23 10:08 SMC **EET MID** 1

Client Sample ID: BH15 0-1 Lab Sample ID: 880-33481-14

 Date Collected: 09/18/23 14:15
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 97.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 18:49	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.92 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 18:01	SM	EET MID

Date Collected: 09/18/23 14:18 Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.05 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 01:39	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH15 1-2 Lab Sample ID: 880-33481-15

Date Collected: 09/18/23 14:18

Date Received: 09/21/23 11:13

Matrix: Solid
Percent Solids: 81.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 19:10	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 18:23	SM	EET MID

Lab Sample ID: 880-33481-16 Date Collected: 09/18/23 15:05

**Matrix: Solid** 

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	63035	09/22/23 08:11	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63235	09/26/23 01:45	CH	EET MID
Total/NA	Analysis	D2216		1			63043	09/22/23 10:08	SMC	EET MID

Client Sample ID: BH16 2-3

Lab Sample ID: 880-33481-16

Date Collected: 09/18/23 15:05 Date Received: 09/21/23 11:13

**Matrix: Solid** Percent Solids: 86.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 19:30	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	63006	09/21/23 14:35	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63032	09/22/23 18:44	SM	EET MID

Initial

Amount

5.05 g

50 mL

Final

Amount

50 mL

50 mL

Batch

Number

Dil

1

Factor

Run

Client Sample ID: BH16 4-5

Lab Sample ID: 880-33481-17

Date Collected: 09/18/23 15:08

**Matrix: Solid** 

Lab

Date Received: 09/21/23 11:13

Prep Type

Soluble

Batch

Туре

Leach

Batch

Method

DI Leach

Soluble Analysis 300.0 Total/NA Analysis D2216 63036 09/22/23 08:16 AG EET MID 63236 09/25/23 22:49 СН **EET MID** 63044 09/22/23 10:12 SMC **EET MID** 

Prepared

or Analyzed

Client Sample ID: BH16 4-5

Lab Sample ID: 880-33481-17

Analyst

Date Collected: 09/18/23 15:08

Matrix: Solid

Date Received: 09/21/23 11:13

Percent Solids: 85.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63021	09/21/23 17:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63283	09/26/23 19:51	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	63115	09/22/23 17:09	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63132	09/23/23 17:32	SM	EET MID

**Laboratory References:** 

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

# **Accreditation/Certification Summary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H

Job ID: 880-33481-1

### **Laboratory: Eurofins Midland**

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	<b>Expiration Date</b>
Texas	NELAP	T104704400-23-26	06-30-24

4

4

8

4.0

11

13

# **Method Summary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Job ID: 880-33481-1

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
3015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
D2216	Percent Moisture	ASTM	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

#### **Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

**Eurofins Midland** 

3

4

5

7

8

9

11

4.0

# **Sample Summary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLF 1 12 Federal #081H Job ID: 880-33481-1

														_
13														
13														
13														
13														
13														
13														
13														
13														
13														

Lab Sample ID	Client Sample ID	Matrix	Collected	Received				
880-33481-1	BH9 3-4	Solid	09/18/23 12:16	09/21/23 11:13				
880-33481-2	BH9 4-5	Solid	09/18/23 12:18	09/21/23 11:13				
880-33481-3	BH10 0-1	Solid						
880-33481-4	BH10 2-3	Solid	09/18/23 12:47	09/21/23 11:13				
880-33481-5	BH11 2-3	Solid	09/18/23 12:55	09/21/23 11:13				
880-33481-6	BH11 3-4	Solid	09/18/23 12:58	09/21/23 11:13				
880-33481-7	BH12 0-1	Solid	09/18/23 13:15	09/21/23 11:13				
880-33481-8	BH12 1-2	Solid	09/18/23 13:18	09/21/23 11:13				
880-33481-9	BH13 0-1	Solid	09/18/23 13:53	09/21/23 11:13				
880-33481-10	BH13 1-2	Solid	09/18/23 13:55	09/21/23 11:13				
880-33481-11	BH14 0-1	Solid	09/18/23 14:05	09/21/23 11:13				
880-33481-12	BH14 1-2	Solid	09/18/23 14:08	09/21/23 11:13				
880-33481-13	BH14 4-5	Solid	09/18/23 14:11	09/21/23 11:13				
880-33481-14	BH15 0-1	Solid	09/18/23 14:15	09/21/23 11:13				
880-33481-15	BH15 1-2	Solid	09/18/23 14:18	09/21/23 11:13				
880-33481-16	BH16 2-3	Solid	09/18/23 15:05	09/21/23 11:13				
880-33481-17	BH16 4-5	Solid	09/18/23 15:08	09/21/23 11:13				


4

**6** 

9

12


1/



**Eurofins Midland** 

1211 W Florida Ave

Chain of Custody Record Loc: 880 **33481** 



Environment Testing

9/28/2023

### **Login Sample Receipt Checklist**

Client: Civil & Environmental Consultants Inc Job Number: 880-33481-1

Login Number: 33481 List Source: Eurofins Midland

List Number: 1

Creator: Rodriguez, Leticia

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	Comment
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

.

**Environment Testing** 

# **ANALYTICAL REPORT**

# PREPARED FOR

Attn: Ms. Laura Campbell Civil & Environmental Consultants Inc 700 Cherrington Parkway Moon Township, Pennsylvania 15108

Generated 9/27/2023 12:27:42 PM

**JOB DESCRIPTION** 

SEAWOLD 1 12 Federal #091H

**JOB NUMBER** 

880-33484-1

Eurofins Midland 1211 W. Florida Ave Midland TX 79701

# **Eurofins Midland**

# **Job Notes**

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

# **Authorization**

Generated9/27/2023 12:27:42 PM

Authorized for release by Travis Richter, Project Manager <u>Travis.Richter@et.eurofinsus.com</u> (281)794-7216 •

2

3

4

6

7

10

12

13

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Laboratory Job ID: 880-33484-1

# **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Client Sample Results	8
Surrogate Summary	25
QC Sample Results	27
QC Association Summary	35
Lab Chronicle	42
Certification Summary	54
Method Summary	55
Sample Summary	56
Chain of Custody	57
Receipt Checklists	60

-6

5

6

8

40

11

12

10

### Definitions/Glossary

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

#### **Qualifiers**

GC	<b>VOA</b>
Qual	ifier

В	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

**Qualifier Description** 

S1- Surrogate recovery exceeds control limits, low biased.
S1+ Surrogate recovery exceeds control limits, high biased.
U Indicates the analyte was analyzed for but not detected.

#### GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equ

J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

S1- Surrogate recovery exceeds control limits, low biased.

S1+ Surrogate recovery exceeds control limits, high biased.

U Indicates the analyte was analyzed for but not detected.

# HPLC/IC Qualifier

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

### Glossary

**EDL** 

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
0.51	

CFL Contains Free Liquid
CFU Colony Forming Unit
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)
LOQ Limit of Quantitation (DoD/DOE)
MCL EPA recommended "Maximum Contaminant Level"

MDA Minimum Detectable Activity (Radiochemistry)
MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)
MPN Most Probable Number
MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent
POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive
QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)

**Eurofins Midland** 

3

3

4

6

1

9

10

12

# **Definitions/Glossary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

# **Glossary (Continued)**

Abbreviation These commonly used abbreviations may or may not be present in this report.

TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

3

4

6

8

9

11

13

#### Case Narrative

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Job ID: 880-33484-1

**Laboratory: Eurofins Midland** 

Narrative

Job Narrative 880-33484-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The samples were received on 9/21/2023 11:13 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.2°C

#### Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: BH1 0-1 (880-33484-1), BH2 2-3 (880-33484-2), BH2 3-4 (880-33484-3), BH3 0-1 (880-33484-4), BH3 2-3 (880-33484-5), BH3 3-4 (880-33484-6), BH3 4-5 (880-33484-7), BH4 1-2 (880-33484-8), BH4 2-3 (880-33484-9), BH5 0-1 (880-33484-10), BH5 3-4 (880-33484-11), BH6 1-2 (880-33484-12), BH6 2-3 (880-33484-13), BH6 3-4 (880-33484-14), BH7 3-4 (880-33484-15), BH7 4-5 (880-33484-16), BH8 2-3 (880-33484-17), BH8 3-4 (880-33484-18), BH9 2-3 (880-33484-19), BH9 3-4 (880-33484-20), BH10 0-1 (880-33484-21), BH10 2-3 (880-33484-22), BH11 1-2 (880-33484-24), BH12 2-3 (880-33484-25), BH12 3-4 (880-33484-26), BH13 0-1 (880-33484-27) and BH13 1-2 (880-33484-28).

#### GC VOA

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-63286 and analytical batch 880-63282 was outside the upper control limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: (CCV 880-63317/2) and (CCV 880-63317/20). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The method blank for preparation batch 880-63020 and analytical batch 880-63282 contained o-Xylene above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-63018 and analytical batch 880-63317 was outside the control limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: BH2 2-3 (880-33484-2), BH2 3-4 (880-33484-3), BH3 3-4 (880-33484-6), BH3 4-5 (880-33484-7) and BH4 1-2 (880-33484-8). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following samples were outside control limits: BH5 0-1 (880-33484-10), BH6 1-2 (880-33484-12), BH6 3-4 (880-33484-14), BH8 3-4 (880-33484-18), BH9 2-3 (880-33484-19) and BH9 3-4 (880-33484-20). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike (MS) recoveries for preparation batch 880-63018 and analytical batch 880-63317 were outside control limits. Non-homogeneity is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

2

3

4

J

7

0

10

13

#### Case Narrative

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

### Job ID: 880-33484-1 (Continued)

**Laboratory: Eurofins Midland (Continued)** 

#### GC Semi VOA

Method 8015MOD\_NM: The surrogate recovery for the blank associated with preparation batch 880-63004 and analytical batch 880-63027 was outside the upper control limits.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: (880-33484-A-21-B MS) and (880-33484-A-21-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: (CCV 880-63027/20), (CCV 880-63027/5) and (LCS 880-63004/2-A). Evidence of matrix interferences is not obvious.

Method 8015MOD\_NM: The method blank for preparation batch 880-63004 and analytical batch 880-63027 contained OII Range Organics (Over C28-C36) above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD\_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-63004 and analytical batch 880-63027 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8015MOD\_NM: The surrogate recovery for the blank associated with preparation batch 880-63008 and analytical batch 880-63029 was outside the upper control limits.

Method 8015MOD\_NM: The matrix spike duplicate (MSD) recoveries for preparation batch 880-63008 and analytical batch 880-63029 were outside control limits. Non-homogeneity is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-63037 and analytical batch 880-63319 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### **General Chemistry**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

3

Æ

6

8

4.0

11

13

Client Sample ID: BH1 0-1

Date Collected: 09/18/23 15:58

### **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-1

Matrix: Solid Percent Solids: 98.1

Method: SW846 8021B - Volati	le Organic Comp	ounds (GC)	l .						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000390	U	0.00203	0.000390	mg/Kg	☼	09/21/23 16:34	09/26/23 15:16	
Toluene	< 0.000462	U F1	0.00203	0.000462	mg/Kg	☼	09/21/23 16:34	09/26/23 15:16	
Ethylbenzene	<0.000573	U	0.00203	0.000573	mg/Kg	₽	09/21/23 16:34	09/26/23 15:16	•
m-Xylene & p-Xylene	<0.00102	U	0.00405	0.00102	mg/Kg	☼	09/21/23 16:34	09/26/23 15:16	
o-Xylene	< 0.000349	U	0.00203	0.000349	mg/Kg	☼	09/21/23 16:34	09/26/23 15:16	•
Xylenes, Total	<0.00102	U	0.00405	0.00102	mg/Kg	₽	09/21/23 16:34	09/26/23 15:16	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130				09/21/23 16:34	09/26/23 15:16	
1,4-Difluorobenzene (Surr)	90		70 - 130				09/21/23 16:34	09/26/23 15:16	1

Analyte Result Qualifier RLMDL Unit D Prepared Analyzed Dil Fac **Gasoline Range Organics** 24.5 J F1 50.7 15.2 mg/Kg 09/21/23 14:39 09/22/23 10:31 (GRO)-C6-C10 09/22/23 10:31 Diesel Range Organics (Over <15.2 U 50.7 15.2 mg/Kg 09/21/23 14:39 C10-C28) OII Range Organics (Over C28-C36) <15.2 U 50.7 15.2 mg/Kg 09/21/23 14:39 09/22/23 10:31 Dil Fac Surrogate %Recovery Qualifier Limits Prepared Analyzed 1-Chlorooctane 74 70 - 130 09/21/23 14:39 09/22/23 10:31

Method: EPA 300.0 - Anions, Ion C	Chromatography - Soluble							
Analyte	Result Qualifier	RL	MDL (	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	117	5.08	0.401 r	mg/Kg	<del>*</del>		09/26/23 14:01	1

70 - 130

91

Client Sample ID: BH2 2-3

o-Terphenyl

Lab Sample ID: 880-33484-2

09/21/23 14:39

09/22/23 10:31

Date Collected: 09/19/23 07:57 **Matrix: Solid** Percent Solids: 95.6 Date Received: 09/21/23 11:13

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000402	U	0.00209	0.000402	mg/Kg	<del></del>	09/21/23 16:34	09/26/23 15:42	1
Toluene	< 0.000476	U	0.00209	0.000476	mg/Kg	₽	09/21/23 16:34	09/26/23 15:42	1
Ethylbenzene	<0.000590	U	0.00209	0.000590	mg/Kg	₽	09/21/23 16:34	09/26/23 15:42	1
m-Xylene & p-Xylene	<0.00105	U	0.00418	0.00105	mg/Kg	₩	09/21/23 16:34	09/26/23 15:42	1
o-Xylene	< 0.000359	U	0.00209	0.000359	mg/Kg	₽	09/21/23 16:34	09/26/23 15:42	1
Xylenes, Total	<0.00105	U	0.00418	0.00105	mg/Kg	₽	09/21/23 16:34	09/26/23 15:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	138	S1+	70 - 130				09/21/23 16:34	09/26/23 15:42	1
1,4-Difluorobenzene (Surr)	114		70 - 130				09/21/23 16:34	09/26/23 15:42	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	26.8	J	52.6	15.8	mg/Kg	<u></u>	09/21/23 14:39	09/22/23 11:42	1
Diesel Range Organics (Over C10-C28)	<15.8	U	52.6	15.8	mg/Kg	₽	09/21/23 14:39	09/22/23 11:42	1
Oll Range Organics (Over C28-C36)	<15.8	U	52.6	15.8	mg/Kg	₩	09/21/23 14:39	09/22/23 11:42	1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-2

Matrix: Solid

Percent Solids: 95.6

Client	Samp	le ID:	BH2	2-3
--------	------	--------	-----	-----

Date Collected: 09/19/23 07:57 Date Received: 09/21/23 11:13

Surrogate  1-Chlorooctane  o-Terphenyl	<b>%Recovery</b> 86 109	Qualifier	Limits 70 - 130 70 - 130				Prepared 09/21/23 14:39 09/21/23 14:39	Analyzed 09/22/23 11:42 09/22/23 11:42	<u>Dil Fac</u> 1 1
Method: EPA 300.0 - Anions, Ion C Analyte Chloride	٠.	hy - Soluble Qualifier	RL 5.19	MDL 0.410	Unit mg/Kg	<u>D</u>	Prepared	<b>Analyzed</b> 09/26/23 14:08	Dil Fac

Client Sample ID: BH2 3-4 Lab Sample ID: 880-33484-3

 Date Collected: 09/19/23 08:00
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 95.5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000406	U	0.00211	0.000406	mg/Kg	₩	09/21/23 16:34	09/26/23 16:08	1
Toluene	<0.000481	U	0.00211	0.000481	mg/Kg	☼	09/21/23 16:34	09/26/23 16:08	1
Ethylbenzene	<0.000595	U	0.00211	0.000595	mg/Kg	₩	09/21/23 16:34	09/26/23 16:08	1
m-Xylene & p-Xylene	<0.00106	U	0.00422	0.00106	mg/Kg	₽	09/21/23 16:34	09/26/23 16:08	1
o-Xylene	< 0.000363	U	0.00211	0.000363	mg/Kg	₽	09/21/23 16:34	09/26/23 16:08	1
Xylenes, Total	<0.00106	U	0.00422	0.00106	mg/Kg	₽	09/21/23 16:34	09/26/23 16:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	154	S1+	70 - 130				09/21/23 16:34	09/26/23 16:08	1
1,4-Difluorobenzene (Surr)	99		70 - 130				09/21/23 16:34	09/26/23 16:08	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	26.4	J	52.8	15.9	mg/Kg	<del>*</del>	09/21/23 14:39	09/22/23 12:05	1
Diesel Range Organics (Over C10-C28)	<15.9	U	52.8	15.9	mg/Kg	₽	09/21/23 14:39	09/22/23 12:05	1
Oll Range Organics (Over C28-C36)	<15.9	U	52.8	15.9	mg/Kg	₽	09/21/23 14:39	09/22/23 12:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130				09/21/23 14:39	09/22/23 12:05	1
o-Terphenyl	99		70 - 130				09/21/23 14:39	09/22/23 12:05	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	487		5.28	0.417	mg/Kg	<u></u>		09/26/23 14:14	1

 Client Sample ID: BH3 0-1
 Lab Sample ID: 880-33484-4

 Date Collected: 09/19/23 08:11
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 85.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000452	U	0.00235	0.000452	mg/Kg	<del>-</del>	09/21/23 16:34	09/26/23 16:34	1
Toluene	<0.000535	U	0.00235	0.000535	mg/Kg	₩	09/21/23 16:34	09/26/23 16:34	1
Ethylbenzene	<0.000663	U	0.00235	0.000663	mg/Kg	₩	09/21/23 16:34	09/26/23 16:34	1
m-Xylene & p-Xylene	<0.00119	U	0.00469	0.00119	mg/Kg	₽	09/21/23 16:34	09/26/23 16:34	1
o-Xylene	<0.000404	U	0.00235	0.000404	mg/Kg	₩	09/21/23 16:34	09/26/23 16:34	1
Xylenes, Total	< 0.00119	U	0.00469	0.00119	mg/Kg	₽	09/21/23 16:34	09/26/23 16:34	1

**Eurofins Midland** 

2

6

7

9

10

12

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Client Sample ID: BH3 0-1

Date Collected: 09/19/23 08:11 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-4

Matrix: Solid

Percent Solids: 85.4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130	09/21/23 16:34	09/26/23 16:34	1
1,4-Difluorobenzene (Surr)	92		70 - 130	09/21/23 16:34	09/26/23 16:34	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	27.3	J	59.1	17.7	mg/Kg	<del>-</del>	09/21/23 14:39	09/22/23 12:27	1
Diesel Range Organics (Over C10-C28)	2980		59.1	17.7	mg/Kg	₽	09/21/23 14:39	09/22/23 12:27	1
Oll Range Organics (Over C28-C36)	<17.7	U	59.1	17.7	mg/Kg	₽	09/21/23 14:39	09/22/23 12:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				09/21/23 14:39	09/22/23 12:27	1
o-Terphenyl	109		70 - 130				09/21/23 14:39	09/22/23 12:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	3470		29.3	2.31	mg/Kg	<del>*</del>		09/26/23 14:34	5

Client Sample ID: BH3 2-3 Lab Sample ID: 880-33484-5

Date Collected: 09/19/23 08:13 Date Received: 09/21/23 11:13

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000421	U	0.00219	0.000421	mg/Kg	₩	09/21/23 16:34	09/26/23 17:00	1
Toluene	0.000647	J	0.00219	0.000498	mg/Kg	₽	09/21/23 16:34	09/26/23 17:00	1
Ethylbenzene	<0.000617	U	0.00219	0.000617	mg/Kg	₽	09/21/23 16:34	09/26/23 17:00	1
m-Xylene & p-Xylene	<0.00110	U	0.00437	0.00110	mg/Kg	₽	09/21/23 16:34	09/26/23 17:00	1
o-Xylene	0.000852	J	0.00219	0.000376	mg/Kg	₽	09/21/23 16:34	09/26/23 17:00	1
Xylenes, Total	<0.00110	U	0.00437	0.00110	mg/Kg	₽	09/21/23 16:34	09/26/23 17:00	1
0	0/5		1 : : 4				D	A I a - I	D# 5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	126		70 - 130	09/21/23 16:34	09/26/23 17:00	1
1,4-Difluorobenzene (Surr)	90		70 - 130	09/21/23 16:34	09/26/23 17:00	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	28.2	J	54.7	16.4	mg/Kg	<del></del>	09/21/23 14:39	09/22/23 12:50	1
(GRO)-C6-C10									
Diesel Range Organics (Over	57.5		54.7	16.4	mg/Kg	₩	09/21/23 14:39	09/22/23 12:50	1
C10-C28)									
OII Range Organics (Over C28-C36)	<16.4	U	54.7	16.4	mg/Kg	₩	09/21/23 14:39	09/22/23 12:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	7.0		70 100				00/01/00 1100	00/00/00 10 50	

Surrogate	%Recovery Quali	iner Limits	Prepared	Analyzea	DII Fac
1-Chlorooctane	73	70 - 130	09/21/23 14:39	09/22/23 12:50	1
o-Terphenyl	92	70 - 130	09/21/23 14:39	09/22/23 12:50	1

Method: EPA 300.0 - Anions, Ion Ch	romatography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2320	27.3	2.15 mg/Kg	<u></u>		09/26/23 14:41	5

**Eurofins Midland** 

**Matrix: Solid** 

Percent Solids: 91.2

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Client Sample ID: BH3 3-4

Date Collected: 09/19/23 08:15 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33484-6

Matrix: Solid

Percent Solids: 90.5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000421	U	0.00219	0.000421	mg/Kg	— <u></u>	09/21/23 16:34	09/26/23 17:26	1
Toluene	<0.000499	U	0.00219	0.000499	mg/Kg	₩	09/21/23 16:34	09/26/23 17:26	1
Ethylbenzene	<0.000618	U	0.00219	0.000618	mg/Kg	₽	09/21/23 16:34	09/26/23 17:26	1
m-Xylene & p-Xylene	<0.00110	U	0.00438	0.00110	mg/Kg	₽	09/21/23 16:34	09/26/23 17:26	1
o-Xylene	<0.000376	U	0.00219	0.000376	mg/Kg	₩	09/21/23 16:34	09/26/23 17:26	1
Xylenes, Total	<0.00110	U	0.00438	0.00110	mg/Kg	₽	09/21/23 16:34	09/26/23 17:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	145	S1+	70 - 130				09/21/23 16:34	09/26/23 17:26	1
1,4-Difluorobenzene (Surr)	101		70 - 130				09/21/23 16:34	09/26/23 17:26	1
	sel Range Orga	nics (DRO)	(GC)						
Method: SW846 8015B NM - Dies						_	Dropored	Analyzed	
	Result	Qualifier	RL	MDL	Unit	D	Prepared	Allalyzeu	Dil Fac
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics	Result 29.1		RL 54.8		mg/Kg	— <del>p</del>	09/21/23 14:39	09/22/23 13:14	Dil Fac
Analyte Gasoline Range Organics							<del></del>		Dil Fac
Analyte		J		16.4			<del></del>		1 1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	648		5.47	0.432	mg/Kg	<del>*</del>		09/26/23 14:48	1

Limits

70 - 130

70 - 130

%Recovery Qualifier

73

93

Client Sample ID: BH3 4-5

Surrogate

o-Terphenyl

1-Chlorooctane

Date Collected: 09/19/23 08:17 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33484-7

Analyzed

09/22/23 13:14

09/22/23 13:14

Prepared

09/21/23 14:39

09/21/23 14:39

Matrix: Solid Percent Solids: 79.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000479	U	0.00249	0.000479	mg/Kg	₽	09/21/23 16:34	09/26/23 17:53	1
Toluene	<0.000568	U	0.00249	0.000568	mg/Kg	₽	09/21/23 16:34	09/26/23 17:53	1
Ethylbenzene	<0.000703	U	0.00249	0.000703	mg/Kg	₽	09/21/23 16:34	09/26/23 17:53	1
m-Xylene & p-Xylene	<0.00126	U	0.00498	0.00126	mg/Kg	₩	09/21/23 16:34	09/26/23 17:53	1
o-Xylene	<0.000428	U	0.00249	0.000428	mg/Kg	₽	09/21/23 16:34	09/26/23 17:53	1
Xylenes, Total	<0.00126	U	0.00498	0.00126	mg/Kg	₩	09/21/23 16:34	09/26/23 17:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130				09/21/23 16:34	09/26/23 17:53	1
1,4-Difluorobenzene (Surr)	57	S1-	70 - 130				09/21/23 16:34	09/26/23 17:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	33.9	J	62.1	18.6	mg/Kg	<del>*</del>	09/21/23 14:39	09/22/23 13:38	1
Diesel Range Organics (Over C10-C28)	292		62.1	18.6	mg/Kg	₩	09/21/23 14:39	09/22/23 13:38	1
Oll Range Organics (Over C28-C36)	<18.6	U	62.1	18.6	mg/Kg	₽	09/21/23 14:39	09/22/23 13:38	1

**Eurofins Midland** 

3

5

7

a

10

12

4 4

Dil Fac

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-7

Matrix: Solid

Percent Solids: 79.9

Client Sample ID: BH3 4-5	Client	Sample	D:	BH3	4-5
---------------------------	--------	--------	----	-----	-----

Date Collected: 09/19/23 08:17 Date Received: 09/21/23 11:13

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	76	70 - 130	09/21/23 14:39	09/22/23 13:38	1
o-Terphenyl	95	70 - 130	09/21/23 14:39	09/22/23 13:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	1090		6.21	0.491	mg/Kg	<u></u>		09/26/23 14:54	1

Client Sample ID: BH4 1-2 Lab Sample ID: 880-33484-8

Date Collected: 09/19/23 08:05Matrix: SolidDate Received: 09/21/23 11:13Percent Solids: 96.0

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000400	U	0.00208	0.000400	mg/Kg	<del>*</del>	09/21/23 16:34	09/26/23 18:19	1
Toluene	< 0.000474	U	0.00208	0.000474	mg/Kg	₽	09/21/23 16:34	09/26/23 18:19	1
Ethylbenzene	<0.000587	U	0.00208	0.000587	mg/Kg	₩	09/21/23 16:34	09/26/23 18:19	1
m-Xylene & p-Xylene	<0.00105	U	0.00416	0.00105	mg/Kg	₩	09/21/23 16:34	09/26/23 18:19	1
o-Xylene	< 0.000357	U	0.00208	0.000357	mg/Kg	₽	09/21/23 16:34	09/26/23 18:19	1
Xylenes, Total	<0.00105	U	0.00416	0.00105	mg/Kg	₽	09/21/23 16:34	09/26/23 18:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	138	S1+	70 - 130				09/21/23 16:34	09/26/23 18:19	1
1,4-Difluorobenzene (Surr)	98		70 - 130				09/21/23 16:34	09/26/23 18:19	1

						_			B.: F
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	27.3	J	52.2	15.7	mg/Kg	₽	09/21/23 14:39	09/22/23 14:02	1
(GRO)-C6-C10									
Diesel Range Organics (Over	<15.7	U	52.2	15.7	mg/Kg	≎	09/21/23 14:39	09/22/23 14:02	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.7	U	52.2	15.7	mg/Kg	₽	09/21/23 14:39	09/22/23 14:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	77		70 - 130				09/21/23 14:39	09/22/23 14:02	1
o-Terphenyl	95		70 - 130				09/21/23 14:39	09/22/23 14:02	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
	Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	587	5.22	0.412	mg/Kg	<u></u>		09/26/23 15:01	1

 Client Sample ID: BH4 2-3
 Lab Sample ID: 880-33484-9

 Date Collected: 09/19/23 08:08
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 96.8

atile Organic Comp	ounds (GC)							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.000396	U	0.00206	0.000396	mg/Kg	₽	09/21/23 16:34	09/26/23 18:45	1
< 0.000469	U	0.00206	0.000469	mg/Kg	₽	09/21/23 16:34	09/26/23 18:45	1
<0.000581	U	0.00206	0.000581	mg/Kg	₽	09/21/23 16:34	09/26/23 18:45	1
<0.00104	U	0.00412	0.00104	mg/Kg	₽	09/21/23 16:34	09/26/23 18:45	1
< 0.000354	U	0.00206	0.000354	mg/Kg	₩	09/21/23 16:34	09/26/23 18:45	1
<0.00104	U	0.00412	0.00104	mg/Kg	₩	09/21/23 16:34	09/26/23 18:45	1
	Result <0.000396 <0.000469 <0.000581 <0.00104 <0.000354	Result   Qualifier	<0.000396 U 0.00206 <0.000469 U 0.00206 <0.000581 U 0.00206 <0.00104 U 0.00412 <0.000354 U 0.00206	Result         Qualifier         RL         MDL           <0.000396	Result         Qualifier         RL         MDL         Unit           <0.000396	Result         Qualifier         RL         MDL         Unit         D           <0.000396	Result         Qualifier         RL         MDL         Unit         D         Prepared           <0.000396	Result         Qualifier         RL         MDL         Unit         D         Prepared         Analyzed           <0.000396

Job ID: 880-33484-1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H

Lab Sample ID: 880-33484-9

Matrix: Solid

Percent Solids: 96.8

Client Sample ID: BH4 2-3

Date Collected: 09/19/23 08:08 Date Received: 09/21/23 11:13

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	09/21/23 16:34	09/26/23 18:45	1
1,4-Difluorobenzene (Surr)	89		70 - 130	09/21/23 16:34	09/26/23 18:45	1

1,4-Difluorobenzene (Surr) -	89		70 - 130				09/21/23 16:34	09/26/23 18:45	1
Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	24.5	J	52.0	15.6	mg/Kg	<u></u>	09/21/23 14:39	09/22/23 14:26	1
Diesel Range Organics (Over C10-C28)	184		52.0	15.6	mg/Kg	₽	09/21/23 14:39	09/22/23 14:26	1
Oll Range Organics (Over C28-C36)	<15.6	U	52.0	15.6	mg/Kg	₽	09/21/23 14:39	09/22/23 14:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				09/21/23 14:39	09/22/23 14:26	1
o-Terphenyl	96		70 - 130				09/21/23 14:39	09/22/23 14:26	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	412	F1	5.11	0.404	mg/Kg	₩		09/26/23 15:08	1

Client Sample ID: BH5 0-1 Lab Sample ID: 880-33484-10

Date Collected: 09/19/23 08:19 Date Received: 09/21/23 11:13

**Matrix: Solid** Percent Solids: 85.2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000451	U	0.00234	0.000451	mg/Kg	₩	09/21/23 16:34	09/26/23 19:11	1
Toluene	<0.000534	U	0.00234	0.000534	mg/Kg	₽	09/21/23 16:34	09/26/23 19:11	1
Ethylbenzene	<0.000662	U	0.00234	0.000662	mg/Kg	₽	09/21/23 16:34	09/26/23 19:11	1
m-Xylene & p-Xylene	<0.00118	U	0.00469	0.00118	mg/Kg	₽	09/21/23 16:34	09/26/23 19:11	1
o-Xylene	<0.000403	U	0.00234	0.000403	mg/Kg	₽	09/21/23 16:34	09/26/23 19:11	1
Xylenes, Total	<0.00118	U	0.00469	0.00118	mg/Kg	₩	09/21/23 16:34	09/26/23 19:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	145	S1+	70 - 130				09/21/23 16:34	09/26/23 19:11	1
1,4-Difluorobenzene (Surr)	86		70 - 130				09/21/23 16:34	09/26/23 19:11	1
: Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Mathada OWO4C CO4ED NM Dia	! D 0	-: (DDO)	(00)						
Analyte	Result	Qualifier	RL	MDL 17.7		<u>D</u>	Prepared 09/21/23 14:39	Analyzed	Dil Fac
Analyte Gasoline Range Organics (GRO)-C6-C10	Result 41.1	Qualifier	<b>RL</b> 59.1	17.7	mg/Kg	— <u>-</u>	09/21/23 14:39	09/22/23 14:49	1
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	Result	Qualifier	RL						1
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Result 41.1	Qualifier J	<b>RL</b> 59.1	17.7	mg/Kg	— <u>-</u>	09/21/23 14:39	09/22/23 14:49	1
	Result 41.1	Qualifier J	<b>RL</b> 59.1	17.7	mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39	09/22/23 14:49 09/22/23 14:49	1
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)	Result 41.1 1500 <17.7	Qualifier J	59.1 59.1	17.7	mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39 09/21/23 14:39	09/22/23 14:49 09/22/23 14:49 09/22/23 14:49	Dil Fac
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate	Result   41.1   1500   <17.7   %Recovery	Qualifier J	59.1 59.1 59.1 <i>Limits</i>	17.7	mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39 09/21/23 14:39 <b>Prepared</b>	09/22/23 14:49 09/22/23 14:49 09/22/23 14:49  Analyzed	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result 41.1 1500 <17.7 %Recovery 81 102	Qualifier  J  U  Qualifier	8L 59.1 59.1 59.1 Limits 70 - 130 70 - 130	17.7	mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39 09/21/23 14:39 Prepared 09/21/23 14:39	09/22/23 14:49 09/22/23 14:49 09/22/23 14:49 Analyzed 09/22/23 14:49	Dil Fac
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   41.1   1500   <17.7     %Recovery   81   102   Chromatograp	Qualifier  J  U  Qualifier	8L 59.1 59.1 59.1 Limits 70 - 130 70 - 130	17.7	mg/Kg mg/Kg mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39 09/21/23 14:39 Prepared 09/21/23 14:39	09/22/23 14:49 09/22/23 14:49 09/22/23 14:49  Analyzed 09/22/23 14:49	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Client Sample ID: BH5 3-4

Date Collected: 09/19/23 08:25

Date Received: 09/21/23 11:13

o-Terphenyl

# **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-11

09/21/23 14:39 09/22/23 15:40

D: 880-33484-11

Matrix: Solid

Percent Solids: 79.7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000481	U	0.00250	0.000481	mg/Kg	<del></del>	09/21/23 16:34	09/26/23 20:56	1
Toluene	<0.000570	U	0.00250	0.000570	mg/Kg	₽	09/21/23 16:34	09/26/23 20:56	1
Ethylbenzene	<0.000706	U	0.00250	0.000706	mg/Kg	₩	09/21/23 16:34	09/26/23 20:56	1
m-Xylene & p-Xylene	<0.00126	U	0.00500	0.00126	mg/Kg	₽	09/21/23 16:34	09/26/23 20:56	1
o-Xylene	<0.000430	U	0.00250	0.000430	mg/Kg	₩	09/21/23 16:34	09/26/23 20:56	1
Xylenes, Total	<0.00126	U	0.00500	0.00126	mg/Kg	₽	09/21/23 16:34	09/26/23 20:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			70 - 130				09/21/23 16:34	09/26/23 20:56	1
1,4-Difluorobenzene (Surr)	88		70 - 130				09/21/23 16:34	09/26/23 20:56	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	31.0	J	62.4	18.7	mg/Kg	<del>*</del>	09/21/23 14:39	09/22/23 15:40	1
Diesel Range Organics (Over C10-C28)	40.0	J	62.4	18.7	mg/Kg	₽	09/21/23 14:39	09/22/23 15:40	1
Oll Range Organics (Over C28-C36)	<18.7	U	62.4	18.7	mg/Kg	₽	09/21/23 14:39	09/22/23 15:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	73		70 - 130				09/21/23 14:39	09/22/23 15:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
	Analyte	Result Qualifier	RL	MDL U	Jnit	D	Prepared	Analyzed	Dil Fac
	Chloride	1430	6.30	0.498 r	ng/Kg	₽		09/26/23 15:34	1

70 - 130

95

 Client Sample ID: BH6 1-2
 Lab Sample ID: 880-33484-12

 Date Collected: 09/19/23 09:27
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 95.9

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000398	U	0.00207	0.000398	mg/Kg	<del></del>	09/21/23 16:34	09/26/23 21:22	1
Toluene	<0.000472	U	0.00207	0.000472	mg/Kg	₽	09/21/23 16:34	09/26/23 21:22	1
Ethylbenzene	<0.000585	U	0.00207	0.000585	mg/Kg	₽	09/21/23 16:34	09/26/23 21:22	1
m-Xylene & p-Xylene	<0.00104	U	0.00414	0.00104	mg/Kg	₽	09/21/23 16:34	09/26/23 21:22	1
o-Xylene	< 0.000356	U	0.00207	0.000356	mg/Kg	₽	09/21/23 16:34	09/26/23 21:22	1
Xylenes, Total	<0.00104	U	0.00414	0.00104	mg/Kg	₩	09/21/23 16:34	09/26/23 21:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	148	S1+	70 - 130				09/21/23 16:34	09/26/23 21:22	1
1,4-Difluorobenzene (Surr)	102		70 - 130				09/21/23 16:34	09/26/23 21:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Gasoline Range Organics (GRO)-C6-C10	28.0	J	51.9	15.6	mg/Kg	<u> </u>	09/21/23 14:39	09/22/23 16:03	1		
Diesel Range Organics (Over C10-C28)	<15.6	U	51.9	15.6	mg/Kg	₽	09/21/23 14:39	09/22/23 16:03	1		
Oll Range Organics (Over C28-C36)	<15.6	U	51.9	15.6	mg/Kg	≎	09/21/23 14:39	09/22/23 16:03	1		

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-12

Percent Solids: 95.9

Client Sample ID: BH6 1-2 Date Collected: 09/19/23 09:27 Matrix: Solid Date Received: 09/21/23 11:13

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	75	70 - 130	09/21/23 14:39	09/22/23 16:03	1
o-Terphenyl	92	70 - 130	09/21/23 14:39	09/22/23 16:03	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Į	Chloride	607		5.18	0.409	mg/Kg	<u></u>		09/26/23 15:54	1

Lab Sample ID: 880-33484-13 Client Sample ID: BH6 2-3

Date Collected: 09/19/23 09:30 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 94.2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000546	J	0.00211	0.000406	mg/Kg	<del>*</del>	09/21/23 16:34	09/26/23 21:48	1
Toluene	<0.000481	U	0.00211	0.000481	mg/Kg	₽	09/21/23 16:34	09/26/23 21:48	1
Ethylbenzene	< 0.000596	U	0.00211	0.000596	mg/Kg	₽	09/21/23 16:34	09/26/23 21:48	1
m-Xylene & p-Xylene	<0.00107	U	0.00422	0.00107	mg/Kg	₽	09/21/23 16:34	09/26/23 21:48	1
o-Xylene	< 0.000363	U	0.00211	0.000363	mg/Kg	₽	09/21/23 16:34	09/26/23 21:48	1
Xylenes, Total	<0.00107	U	0.00422	0.00107	mg/Kg	₽	09/21/23 16:34	09/26/23 21:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	130		70 - 130				09/21/23 16:34	09/26/23 21:48	1
1,4-Difluorobenzene (Surr)	97		70 <sub>-</sub> 130				09/21/23 16:34	09/26/23 21:48	1

Method: SW846 8015B NM - Dies	lethod: SW846 8015B NM - Diesel Range Organics (DRO) (GC)											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac			
Gasoline Range Organics (GRO)-C6-C10	<15.9	U	52.8	15.9	mg/Kg	<del>*</del>	09/21/23 14:39	09/22/23 16:27	1			
Diesel Range Organics (Over C10-C28)	<15.9	U	52.8	15.9	mg/Kg	₽	09/21/23 14:39	09/22/23 16:27	1			
OII Range Organics (Over C28-C36)	<15.9	U	52.8	15.9	mg/Kg	₽	09/21/23 14:39	09/22/23 16:27	1			
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac			
1-Chlorooctane	81		70 - 130				09/21/23 14:39	09/22/23 16:27	1			
o-Terphenyl	105		70 - 130				09/21/23 14:39	09/22/23 16:27	1			

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	487		5.36	0.423	mg/Kg	<u></u>		09/26/23 16:01	1

Client Sample ID: BH6 3-4 Lab Sample ID: 880-33484-14 Date Collected: 09/19/23 09:33 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 96.0

Method: SW846 8021B - Vola	atile Organic Comp	ounds (GC)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000436	J	0.00208	0.000400	mg/Kg	₽	09/21/23 16:34	09/26/23 22:14	1
Toluene	<0.000474	U	0.00208	0.000474	mg/Kg	₩	09/21/23 16:34	09/26/23 22:14	1
Ethylbenzene	<0.000587	U	0.00208	0.000587	mg/Kg	₩	09/21/23 16:34	09/26/23 22:14	1
m-Xylene & p-Xylene	<0.00105	U	0.00416	0.00105	mg/Kg	₽	09/21/23 16:34	09/26/23 22:14	1
o-Xylene	<0.000358	U	0.00208	0.000358	mg/Kg	₩	09/21/23 16:34	09/26/23 22:14	1
Xylenes, Total	<0.00105	U	0.00416	0.00105	mg/Kg	₩	09/21/23 16:34	09/26/23 22:14	1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Client Sample ID: BH6 3-4

Date Collected: 09/19/23 09:33 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-14

Matrix: Solid Percent Solids: 96.0

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	140	S1+	70 - 130	09/21/23 16:34	09/26/23 22:14	1
1,4-Difluorobenzene (Surr)	91		70 - 130	09/21/23 16:34	09/26/23 22:14	1

- · · · • • • · · · · · · · · · · · · ·						
4-Bromofluorobenzene (Surr)	140	S1+	70 - 130	09/21/23 16:34	09/26/23 22:14	1
1,4-Difluorobenzene (Surr)	91		70 - 130	09/21/23 16:34	09/26/23 22:14	1
_		. (220)	(00)			

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	27.3	J	51.8	15.5	mg/Kg	<del>*</del>	09/21/23 14:39	09/22/23 16:52	1
Diesel Range Organics (Over C10-C28)	17.6	J	51.8	15.5	mg/Kg	₽	09/21/23 14:39	09/22/23 16:52	1
Oll Range Organics (Over C28-C36)	<15.5	U	51.8	15.5	mg/Kg	\$	09/21/23 14:39	09/22/23 16:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				09/21/23 14:39	09/22/23 16:52	1
o-Terphenyl	101		70 - 130				09/21/23 14:39	09/22/23 16:52	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	131		5.24	0.414	mg/Kg	<u> </u>		09/26/23 14:32	1

Client Sample ID: BH7 3-4 Lab Sample ID: 880-33484-15 Date Collected: 09/19/23 09:36 **Matrix: Solid** 

Date Received: 09/21/23 11:13 Percent Solids: 90.6

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000426	U	0.00221	0.000426	mg/Kg	₩	09/21/23 16:34	09/26/23 22:41	1
Toluene	<0.000504	U	0.00221	0.000504	mg/Kg	₽	09/21/23 16:34	09/26/23 22:41	1
Ethylbenzene	<0.000625	U	0.00221	0.000625	mg/Kg	₽	09/21/23 16:34	09/26/23 22:41	1
m-Xylene & p-Xylene	<0.00112	U	0.00442	0.00112	mg/Kg	₽	09/21/23 16:34	09/26/23 22:41	1
o-Xylene	<0.000380	U	0.00221	0.000380	mg/Kg	₽	09/21/23 16:34	09/26/23 22:41	1
Xylenes, Total	<0.00112	U	0.00442	0.00112	mg/Kg	₩	09/21/23 16:34	09/26/23 22:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	128		70 - 130				09/21/23 16:34	09/26/23 22:41	1
1,4-Difluorobenzene (Surr)	73		70 - 130				09/21/23 16:34	09/26/23 22:41	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	28.8	J	54.7	16.4	mg/Kg	<del>*</del>	09/21/23 14:39	09/22/23 17:16	1
Diesel Range Organics (Over	<16.4	U	54.7	16.4	mg/Kg	₽	09/21/23 14:39	09/22/23 17:16	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<16.4	U	54.7	16.4	mg/Kg	₩	09/21/23 14:39	09/22/23 17:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	72		70 - 130				09/21/23 14:39	09/22/23 17:16	1
o-Terphenyl	88		70 - 130				09/21/23 14:39	09/22/23 17:16	1

Method: EPA 300.0 - Anions, Ion Chro	matography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1830	27.6	2.18 mg/Kg	<u></u>		09/26/23 14:50	5

Client Sample ID: BH7 4-5

Date Collected: 09/19/23 09:39

Date Received: 09/21/23 11:13

# **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-16

Matrix: Solid

Percent Solids: 89.0

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000579	J	0.00224	0.000431	mg/Kg	₩	09/21/23 16:34	09/26/23 23:07	1
Toluene	<0.000510	U	0.00224	0.000510	mg/Kg	₽	09/21/23 16:34	09/26/23 23:07	1
Ethylbenzene	<0.000632	U	0.00224	0.000632	mg/Kg	₽	09/21/23 16:34	09/26/23 23:07	1
m-Xylene & p-Xylene	<0.00113	U	0.00448	0.00113	mg/Kg	₽	09/21/23 16:34	09/26/23 23:07	1
o-Xylene	<0.000385	U	0.00224	0.000385	mg/Kg	₩	09/21/23 16:34	09/26/23 23:07	1
Xylenes, Total	<0.00113	U	0.00448	0.00113	mg/Kg	₽	09/21/23 16:34	09/26/23 23:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	128		70 - 130				09/21/23 16:34	09/26/23 23:07	1
1,4-Difluorobenzene (Surr)	93		70 - 130				09/21/23 16:34	09/26/23 23:07	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	29.3	J	56.7	17.0	mg/Kg	<del>-</del>	09/21/23 14:39	09/22/23 17:39	1
Diesel Range Organics (Over C10-C28)	<17.0	U	56.7	17.0	mg/Kg	₽	09/21/23 14:39	09/22/23 17:39	1
Oll Range Organics (Over C28-C36)	<17.0	U	56.7	17.0	mg/Kg	₽	09/21/23 14:39	09/22/23 17:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130				09/21/23 14:39	09/22/23 17:39	1
o-Terphenyl	102		70 - 130				09/21/23 14:39	09/22/23 17:39	1

Method: EPA 300.0 - Anions, Ion (	Chromatography - Soluble	)						
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1960	28.0	2.21	mg/Kg	<del></del>		09/26/23 14:56	5

Client Sample ID: BH8 2-3 Lab Sample ID: 880-33484-17 Date Collected: 09/19/23 09:48 Matrix: Solid Date Received: 09/21/23 11:13 Percent Solids: 94.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000405	U	0.00210	0.000405	mg/Kg	₩	09/21/23 16:34	09/26/23 23:33	1
Toluene	<0.000480	U	0.00210	0.000480	mg/Kg	₽	09/21/23 16:34	09/26/23 23:33	1
Ethylbenzene	<0.000595	U	0.00210	0.000595	mg/Kg	₩	09/21/23 16:34	09/26/23 23:33	1
m-Xylene & p-Xylene	<0.00106	U	0.00421	0.00106	mg/Kg	₩	09/21/23 16:34	09/26/23 23:33	1
o-Xylene	< 0.000362	U	0.00210	0.000362	mg/Kg	₩	09/21/23 16:34	09/26/23 23:33	1
Xylenes, Total	<0.00106	U	0.00421	0.00106	mg/Kg	₽	09/21/23 16:34	09/26/23 23:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	129		70 - 130				09/21/23 16:34	09/26/23 23:33	1
1,4-Difluorobenzene (Surr)	74		70 - 130				09/21/23 16:34	09/26/23 23:33	1

Method: SW846 8015B NM - Diesel	Range Orga	nics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	28.0	J	53.4	16.0	mg/Kg	<u> </u>	09/21/23 14:39	09/22/23 18:01	1
Diesel Range Organics (Over C10-C28)	<16.0	U	53.4	16.0	mg/Kg	₽	09/21/23 14:39	09/22/23 18:01	1
Oll Range Organics (Over C28-C36)	<16.0	U	53.4	16.0	mg/Kg	₽	09/21/23 14:39	09/22/23 18:01	1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Client Sample ID: BH8 2-3

Lab Sample ID: 880-33484-17 Date Collected: 09/19/23 09:48

Matrix: Solid

Date Received: 09/21/23 11:13

Percent Solids: 94.4

Surrogate	%Recovery	Qualifier	Limits	Pre	epared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130	09/21/	/23 14:39	09/22/23 18:01	1
o-Terphenyl	107		70 - 130	09/21/	/23 14:39	09/22/23 18:01	1
Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble					

Analyte Result Qualifier RL MDL Unit Prepared Analyzed Dil Fac Chloride 453 5.30 0.419 mg/Kg 09/26/23 15:01

Client Sample ID: BH8 3-4 Lab Sample ID: 880-33484-18

Date Collected: 09/19/23 09:51 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 79.3

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000485	U	0.00252	0.000485	mg/Kg	<del>*</del>	09/21/23 16:34	09/26/23 23:59	1
Toluene	< 0.000574	U	0.00252	0.000574	mg/Kg	₽	09/21/23 16:34	09/26/23 23:59	1
Ethylbenzene	<0.000711	U	0.00252	0.000711	mg/Kg	₩	09/21/23 16:34	09/26/23 23:59	1
m-Xylene & p-Xylene	<0.00127	U	0.00504	0.00127	mg/Kg	₽	09/21/23 16:34	09/26/23 23:59	1
o-Xylene	< 0.000433	U	0.00252	0.000433	mg/Kg	₽	09/21/23 16:34	09/26/23 23:59	1
Xylenes, Total	<0.00127	U	0.00504	0.00127	mg/Kg	₽	09/21/23 16:34	09/26/23 23:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	134	S1+	70 - 130				09/21/23 16:34	09/26/23 23:59	1
1.4-Difluorobenzene (Surr)	95		70 - 130				09/21/23 16:34	09/26/23 23:59	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	33.6	J	63.6	19.1	mg/Kg	<del>*</del>	09/21/23 14:39	09/22/23 18:23	1
Diesel Range Organics (Over C10-C28)	<19.1	U	63.6	19.1	mg/Kg	₽	09/21/23 14:39	09/22/23 18:23	1
Oll Range Organics (Over C28-C36)	<19.1	U	63.6	19.1	mg/Kg	₽	09/21/23 14:39	09/22/23 18:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	86		70 - 130				09/21/23 14:39	09/22/23 18:23	1
o-Terphenyl	111		70 - 130				09/21/23 14:39	09/22/23 18:23	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	236		6.36	0.502	mg/Kg	<b>*</b>		09/26/23 15:07	1

Client Sample ID: BH9 2-3 Lab Sample ID: 880-33484-19 Date Collected: 09/19/23 10:14 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 94.1

Method: SW846 8021B - Vol.	atile Organic Comp	ounds (GC)	ı						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000410	U	0.00213	0.000410	mg/Kg	₩	09/21/23 16:34	09/27/23 00:25	1
Toluene	<0.000485	U	0.00213	0.000485	mg/Kg	₽	09/21/23 16:34	09/27/23 00:25	1
Ethylbenzene	<0.000601	U	0.00213	0.000601	mg/Kg	₽	09/21/23 16:34	09/27/23 00:25	1
m-Xylene & p-Xylene	<0.00107	U	0.00426	0.00107	mg/Kg	₽	09/21/23 16:34	09/27/23 00:25	1
o-Xylene	< 0.000366	U	0.00213	0.000366	mg/Kg	₩	09/21/23 16:34	09/27/23 00:25	1
Xylenes, Total	<0.00107	U	0.00426	0.00107	mg/Kg	₩	09/21/23 16:34	09/27/23 00:25	1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Client Sample ID: BH9 2-3

Date Collected: 09/19/23 10:14 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33484-19

Matrix: Solid

Percent Solids: 94.1

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	133	S1+	70 - 130				09/21/23 16:34	09/27/23 00:25	1
1,4-Difluorobenzene (Surr)	88		70 - 130				09/21/23 16:34	09/27/23 00:25	1
	ol Bango Orga	nice (DBO)	(CC)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	26.4	J	53.6	16.1	mg/Kg	— <u> </u>	09/21/23 14:39	09/22/23 18:45	1
Diesel Range Organics (Over C10-C28)	1570		53.6	16.1	mg/Kg	₩	09/21/23 14:39	09/22/23 18:45	1
Oll Range Organics (Over C28-C36)	<16.1	U	53.6	16.1	mg/Kg	₽	09/21/23 14:39	09/22/23 18:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac

 Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

 Analyte
 Result
 Qualifier
 RL
 MDL
 Unit
 D
 Prepared
 Analyzed
 Dil Fac

 Chloride
 2000
 26.8
 2.11
 mg/Kg
 ©
 09/26/23 15:25
 5

70 - 130

70 - 130

101

129

Client Sample ID: BH9 3-4 Lab Sample ID: 880-33484-20

Date Collected: 09/19/23 10:16 Date Received: 09/21/23 11:13

1-Chlorooctane

o-Terphenyl

Matrix: Solid
Percent Solids: 93.3

09/22/23 18:45

09/22/23 18:45

09/21/23 14:39

09/21/23 14:39

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000415	U	0.00216	0.000415	mg/Kg	<del></del>	09/21/23 16:34	09/27/23 00:52	
Toluene	<0.000491	U	0.00216	0.000491	mg/Kg	₩	09/21/23 16:34	09/27/23 00:52	
Ethylbenzene	<0.000609	U	0.00216	0.000609	mg/Kg	₩	09/21/23 16:34	09/27/23 00:52	
m-Xylene & p-Xylene	<0.00109	U	0.00431	0.00109	mg/Kg	₩	09/21/23 16:34	09/27/23 00:52	
o-Xylene	< 0.000371	U	0.00216	0.000371	mg/Kg	₩	09/21/23 16:34	09/27/23 00:52	
Xylenes, Total	<0.00109	U	0.00431	0.00109	mg/Kg	₽	09/21/23 16:34	09/27/23 00:52	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130				09/21/23 16:34	09/27/23 00:52	
1,4-Difluorobenzene (Surr)	89		70 - 130				09/21/23 16:34	09/27/23 00:52	
Method: SW846 8015B NM - Dies	•			MDI	llnit	ь	Dropared	Anglygod	Dile
•									
Analyte	Result	Qualifier	RL		Unit	<u>D</u>	Prepared	Analyzed	Dil Fa
Analyte Gasoline Range Organics	•	Qualifier		MDL 16.0	Unit mg/Kg	D	Prepared 09/21/23 14:39	Analyzed 09/22/23 19:07	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10	Result 27.4	Qualifier J	RL 53.4	16.0	mg/Kg	— <u>-</u>	09/21/23 14:39	09/22/23 19:07	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	Result	Qualifier J	RL	16.0			<u>.</u>		Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10	Result 27.4	Qualifier J	RL 53.4	16.0	mg/Kg	— <u>-</u>	09/21/23 14:39	09/22/23 19:07	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Result 27.4 40.3	Qualifier  J  U	RL 53.4	16.0	mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39	09/22/23 19:07 09/22/23 19:07	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)	Result 27.4 40.3 <16.0	Qualifier  J  U	RL 53.4 53.4	16.0	mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39 09/21/23 14:39	09/22/23 19:07 09/22/23 19:07 09/22/23 19:07	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)  Surrogate	Result 27.4 40.3 <16.0 %Recovery	Qualifier  J  U	8L 53.4 53.4 53.4 <i>Limits</i>	16.0	mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39 09/21/23 14:39 <b>Prepared</b>	09/22/23 19:07 09/22/23 19:07 09/22/23 19:07 Analyzed	
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   27.4   40.3   <16.0   %Recovery   81   103   Chromatograp	Qualifier  J  U  Qualifier	RL 53.4 53.4 53.4   Limits 70 - 130   70 - 130	16.0 16.0 16.0	mg/Kg mg/Kg mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39 09/21/23 14:39 Prepared 09/21/23 14:39	09/22/23 19:07 09/22/23 19:07 09/22/23 19:07 Analyzed 09/22/23 19:07	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   27.4   40.3   <16.0   %Recovery   81   103   Chromatograp	Qualifier  J  U  Qualifier	RL 53.4 53.4 53.4  Limits 70 - 130 70 - 130	16.0 16.0 16.0	mg/Kg	<u> </u>	09/21/23 14:39 09/21/23 14:39 09/21/23 14:39 Prepared 09/21/23 14:39	09/22/23 19:07 09/22/23 19:07 09/22/23 19:07 Analyzed 09/22/23 19:07	

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-21

Matrix: Solid

Percent Solids: 90.3

Client Sample ID: BH10 0-1
Date Collected: 09/19/23 11:07
Date Received: 09/21/23 11:13

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000424	U	0.00220	0.000424	mg/Kg	— <u></u>	09/21/23 17:02	09/26/23 23:21	1
Toluene	<0.000502	U	0.00220	0.000502	mg/Kg	₽	09/21/23 17:02	09/26/23 23:21	1
Ethylbenzene	<0.000622	U	0.00220	0.000622	mg/Kg	₽	09/21/23 17:02	09/26/23 23:21	1
m-Xylene & p-Xylene	<0.00111	U	0.00440	0.00111	mg/Kg	₽	09/21/23 17:02	09/26/23 23:21	1
o-Xylene	< 0.000379	U	0.00220	0.000379	mg/Kg	₩	09/21/23 17:02	09/26/23 23:21	1
Xylenes, Total	<0.00111	U	0.00440	0.00111	mg/Kg	₽	09/21/23 17:02	09/26/23 23:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		70 - 130				09/21/23 17:02	09/26/23 23:21	1
1,4-Difluorobenzene (Surr)	98		70 - 130				09/21/23 17:02	09/26/23 23:21	1

T-DIOINGIGOIODENZENE (Guit)	00		10 - 130				03/21/23 11.02	09/20/23 23.21	,
1,4-Difluorobenzene (Surr)	98		70 - 130				09/21/23 17:02	09/26/23 23:21	1
Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<16.5	U F1	54.9	16.5	mg/Kg	<del>*</del>	09/21/23 14:28	09/22/23 10:31	1
Diesel Range Organics (Over C10-C28)	37.4	J F1	54.9	16.5	mg/Kg	₽	09/21/23 14:28	09/22/23 10:31	1
Oll Range Organics (Over C28-C36)	<16.5	U	54.9	16.5	mg/Kg	₽	09/21/23 14:28	09/22/23 10:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130				09/21/23 14:28	09/22/23 10:31	1
o-Terphenyl	72		70 - 130				09/21/23 14:28	09/22/23 10:31	1

Method: EPA 300.0 - Anions, Ion C	hromatography	y - Soluble						
Analyte	Result Q	ualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	589	5.52	0.436	mg/Kg	<del>*</del>		09/26/23 15:36	1

Client Sample ID: BH10 2-3

Date Collected: 09/19/23 11:10 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33484-22

Matrix: Solid

Percent Solids: 95.5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000402	U	0.00209	0.000402	mg/Kg		09/21/23 17:02	09/26/23 23:42	1
Toluene	< 0.000476	U	0.00209	0.000476	mg/Kg	₽	09/21/23 17:02	09/26/23 23:42	1
Ethylbenzene	<0.000590	U	0.00209	0.000590	mg/Kg	₽	09/21/23 17:02	09/26/23 23:42	1
m-Xylene & p-Xylene	<0.00106	U	0.00418	0.00106	mg/Kg	₽	09/21/23 17:02	09/26/23 23:42	1
o-Xylene	0.000515	JB	0.00209	0.000359	mg/Kg	₽	09/21/23 17:02	09/26/23 23:42	1
Xylenes, Total	<0.00106	U	0.00418	0.00106	mg/Kg	₩	09/21/23 17:02	09/26/23 23:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130				09/21/23 17:02	09/26/23 23:42	1
1,4-Difluorobenzene (Surr)	102		70 - 130				09/21/23 17:02	09/26/23 23:42	1

Method: SW846 8015B NM - Diese	el Range Orga	nics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.9	U	52.9	15.9	mg/Kg	₩	09/21/23 14:28	09/22/23 11:42	1
Diesel Range Organics (Over C10-C28)	24.0	J	52.9	15.9	mg/Kg	₩	09/21/23 14:28	09/22/23 11:42	1
Oll Range Organics (Over C28-C36)	<15.9	U	52.9	15.9	mg/Kg	₽	09/21/23 14:28	09/22/23 11:42	1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Client Sample ID: BH10 2-3

Date Collected: 09/19/23 11:10 Date Received: 09/21/23 11:13

Chloride

Lab Sample ID: 880-33484-22

09/26/23 15:42

Matrix: Solid

Percent Solids: 95.5

Surrogate 1-Chlorooctane o-Terphenyl	<b>%Recovery</b> 78 72	Qualifier	Limits 70 - 130 70 - 130				Prepared 09/21/23 14:28 09/21/23 14:28	Analyzed 09/22/23 11:42 09/22/23 11:42	<b>Dil Fac</b> 1 1
Method: EPA 300.0 - Anions, Ion Ch Analyte	• •	hy - Soluble Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

Client Sample ID: BH11 0-1 Lab Sample ID: 880-33484-23

5.19

0.410 mg/Kg

329

 Date Collected: 09/19/23 11:19
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 94.7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000407	U	0.00212	0.000407	mg/Kg	<del></del>	09/21/23 17:02	09/27/23 00:02	1
Toluene	<0.000483	U	0.00212	0.000483	mg/Kg	₽	09/21/23 17:02	09/27/23 00:02	1
Ethylbenzene	<0.000598	U	0.00212	0.000598	mg/Kg	₽	09/21/23 17:02	09/27/23 00:02	1
m-Xylene & p-Xylene	<0.00107	U	0.00423	0.00107	mg/Kg	₽	09/21/23 17:02	09/27/23 00:02	1
o-Xylene	< 0.000364	U	0.00212	0.000364	mg/Kg	₽	09/21/23 17:02	09/27/23 00:02	1
Xylenes, Total	<0.00107	U	0.00423	0.00107	mg/Kg	₩	09/21/23 17:02	09/27/23 00:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130				09/21/23 17:02	09/27/23 00:02	1
1,4-Difluorobenzene (Surr)	101		70 - 130				09/21/23 17:02	09/27/23 00:02	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.9	U	53.0	15.9	mg/Kg	<del>*</del>	09/21/23 14:28	09/22/23 12:05	1
Diesel Range Organics (Over C10-C28)	25.4	J	53.0	15.9	mg/Kg	₽	09/21/23 14:28	09/22/23 12:05	1
Oll Range Organics (Over C28-C36)	<15.9	U	53.0	15.9	mg/Kg	₽	09/21/23 14:28	09/22/23 12:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	74		70 - 130				09/21/23 14:28	09/22/23 12:05	1
o-Terphenyl	70		70 - 130				09/21/23 14:28	09/22/23 12:05	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Solu	ıble						
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2010	26.3	2.08	mg/Kg	<del>*</del>		09/26/23 01:43	5

 Client Sample ID: BH11 1-2
 Lab Sample ID: 880-33484-24

 Date Collected: 09/19/23 11:21
 Matrix: Solid

 Date Received: 09/21/23 11:13
 Percent Solids: 95.3

atile Organic Comp	ounds (GC)							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.000402	U	0.00209	0.000402	mg/Kg	₽	09/21/23 17:02	09/27/23 00:23	1
<0.000477	U	0.00209	0.000477	mg/Kg	₩	09/21/23 17:02	09/27/23 00:23	1
<0.000590	U	0.00209	0.000590	mg/Kg	₩	09/21/23 17:02	09/27/23 00:23	1
<0.00106	U	0.00418	0.00106	mg/Kg	₽	09/21/23 17:02	09/27/23 00:23	1
< 0.000359	U	0.00209	0.000359	mg/Kg	₩	09/21/23 17:02	09/27/23 00:23	1
<0.00106	U	0.00418	0.00106	mg/Kg	₩	09/21/23 17:02	09/27/23 00:23	1
	Result <0.000402 <0.000477 <0.000590 <0.00106 <0.000359	Result   Qualifier   Compounds (GC)   Result   Qualifier   Co.000402   U   Co.000590   U   Co.00106   U   Co.000359   U   Co.00106   U   Co	<0.000402 U 0.00209 <0.000477 U 0.00209 <0.000590 U 0.00209 <0.00106 U 0.00418 <0.000359 U 0.00209	Result         Qualifier         RL         MDL           <0.000402	Result         Qualifier         RL         MDL         Unit           <0.000402	Result         Qualifier         RL         MDL         Unit         D           <0.000402	Result         Qualifier         RL         MDL         Unit         D         Prepared           <0.000402	Result         Qualifier         RL         MDL         Unit         D         Prepared         Analyzed           <0.000402

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-24

Matrix: Solid

Percent Solids: 95.3

Client Sample ID: BH11	1-2
Data Callacted: 09/19/22 11:2	4

Date Collected: 09/19/23 11:21 Date Received: 09/21/23 11:13

Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130			09/21/23 17:02	09/27/23 00:23	1
1,4-Difluorobenzene (Surr)	104		70 - 130			09/21/23 17:02	09/27/23 00:23	1
Method: SW846 8015B NM - Diesel	Range Orga	nics (DRO) (	GC)					
Analyte	Result	Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.6	U	52.1	15.6	mg/Kg	<del>*</del>	09/21/23 14:28	09/22/23 12:27	1
Diesel Range Organics (Over C10-C28)	18.7	J	52.1	15.6	mg/Kg	₽	09/21/23 14:28	09/22/23 12:27	1
Oll Range Organics (Over C28-C36)	<15.6	U	52.1	15.6	mg/Kg	₽	09/21/23 14:28	09/22/23 12:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130				09/21/23 14:28	09/22/23 12:27	1
o-Terphenyl	73		70 - 130				09/21/23 14:28	09/22/23 12:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Chloride	1170		5.27	0.416	mg/Kg	*		09/26/23 01:49	1

Client Sample ID: BH12 2-3 Lab Sample ID: 880-33484-25

Date Collected: 09/19/23 11:34 Date Received: 09/21/23 11:13 Matrix: Solid
Percent Solids: 93.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000410	U	0.00213	0.000410	mg/Kg	<del>*</del>	09/21/23 17:02	09/27/23 00:43	
Toluene	<0.000485	U	0.00213	0.000485	mg/Kg	₽	09/21/23 17:02	09/27/23 00:43	
Ethylbenzene	<0.000601	U	0.00213	0.000601	mg/Kg	₽	09/21/23 17:02	09/27/23 00:43	
m-Xylene & p-Xylene	<0.00107	U	0.00425	0.00107	mg/Kg	₩	09/21/23 17:02	09/27/23 00:43	
o-Xylene	< 0.000366	U	0.00213	0.000366	mg/Kg	₩	09/21/23 17:02	09/27/23 00:43	
Xylenes, Total	<0.00107	U	0.00425	0.00107	mg/Kg	₽	09/21/23 17:02	09/27/23 00:43	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	100		70 - 130				09/21/23 17:02	09/27/23 00:43	
1,4-Difluorobenzene (Surr)	111		70 - 130				09/21/23 17:02	09/27/23 00:43	
Method: SW846 8015B NM - Dies				MDL	Unit	D	Prepared	Analyzed	Dil Fa
Method: SW846 8015B NM - Dies	sal Panga Orga	nice (DRO)	(GC)						
Analyte	Result	Qualifier	RL		Unit ma/Ka	<u>D</u>	Prepared	Analyzed	Dil Fa
Analyte Gasoline Range Organics		Qualifier		<b>MDL</b> 16.0		<u>D</u>	Prepared 09/21/23 14:28	Analyzed 09/22/23 12:50	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10	Result	Qualifier U	RL	16.0	mg/Kg				Dil Fa
Analyte Gasoline Range Organics	Result   <16.0	Qualifier U	RL 53.3	16.0		<u> </u>	09/21/23 14:28	09/22/23 12:50	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	Result   <16.0	Qualifier U J	RL 53.3	16.0	mg/Kg	<u> </u>	09/21/23 14:28	09/22/23 12:50	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Result <16.0 28.1	Qualifier U  J  U	RL 53.3	16.0	mg/Kg	<u> </u>	09/21/23 14:28 09/21/23 14:28	09/22/23 12:50 09/22/23 12:50	
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	Result <16.0 28.1 <16.0	Qualifier U  J  U	RL       53.3       53.3       53.3	16.0	mg/Kg	<u> </u>	09/21/23 14:28 09/21/23 14:28 09/21/23 14:28	09/22/23 12:50 09/22/23 12:50 09/22/23 12:50	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate	Result   <16.0     28.1   <16.0     %Recovery	Qualifier U  J  U	53.3 53.3 53.3 <i>Limits</i>	16.0	mg/Kg	<u> </u>	09/21/23 14:28 09/21/23 14:28 09/21/23 14:28 <b>Prepared</b>	09/22/23 12:50 09/22/23 12:50 09/22/23 12:50 Analyzed	
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   <16.0   28.1   <16.0     %Recovery   80   75   Chromatograp	Qualifier  U  Qualifier  Ohy - Solubl	RL 53.3 53.3 53.3 53.3   Limits 70 - 130 70 - 130	16.0	mg/Kg	<u> </u>	09/21/23 14:28 09/21/23 14:28 09/21/23 14:28 <b>Prepared</b> 09/21/23 14:28	09/22/23 12:50 09/22/23 12:50 09/22/23 12:50 Analyzed 09/22/23 12:50	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   <16.0   28.1   <16.0     %Recovery   80   75   Chromatograp	Qualifier  U  J  U  Qualifier	8L 53.3 53.3 53.3 53.3 Elimits 70 - 130 70 - 130	16.0 16.0 16.0	mg/Kg	<u> </u>	09/21/23 14:28 09/21/23 14:28 09/21/23 14:28 <b>Prepared</b> 09/21/23 14:28	09/22/23 12:50 09/22/23 12:50 09/22/23 12:50 Analyzed 09/22/23 12:50	Dil Fa

**Eurofins Midland** 

2

Δ

J

9

11

13

14

Client Sample ID: BH12 3-4

Date Collected: 09/19/23 11:37

Date Received: 09/21/23 11:13

o-Terphenyl

# **Client Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Lab Sample ID: 880-33484-26

Matrix: Solid

Percent Solids: 95.2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000404	U	0.00210	0.000404	mg/Kg	<del></del>	09/21/23 17:02	09/27/23 01:04	1
Toluene	0.000599	J	0.00210	0.000478	mg/Kg	₽	09/21/23 17:02	09/27/23 01:04	1
Ethylbenzene	<0.000592	U	0.00210	0.000592	mg/Kg	₽	09/21/23 17:02	09/27/23 01:04	1
m-Xylene & p-Xylene	<0.00106	U	0.00419	0.00106	mg/Kg	₽	09/21/23 17:02	09/27/23 01:04	1
o-Xylene	0.000374	JB	0.00210	0.000361	mg/Kg	₽	09/21/23 17:02	09/27/23 01:04	1
Xylenes, Total	<0.00106	U	0.00419	0.00106	mg/Kg	₩	09/21/23 17:02	09/27/23 01:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130				09/21/23 17:02	09/27/23 01:04	1
1,4-Difluorobenzene (Surr)	109		70 - 130				09/21/23 17:02	09/27/23 01:04	1

1,4-Difluorobenzene (Surr)	109		70 - 130				09/21/23 17:02	09/27/23 01:04	1
	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.6	U	52.0	15.6	mg/Kg	<u> </u>	09/21/23 14:28	09/22/23 13:14	1
Diesel Range Organics (Over C10-C28)	28.6	J	52.0	15.6	mg/Kg	₩	09/21/23 14:28	09/22/23 13:14	1
Oll Range Organics (Over C28-C36)	<15.6	U	52.0	15.6	mg/Kg	₽	09/21/23 14:28	09/22/23 13:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				09/21/23 14:28	09/22/23 13:14	1

Method: EPA 300.0 - Anions, Ion (	Chromatography - S	Soluble						
Analyte	Result Qualit	fier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	578	5.25	0.415	mg/Kg	<del></del>		09/26/23 16:14	1

70 - 130

75

Date Collected: 09/19/23 11:50 Matrix: Solid

Date Received: 09/21/23 11:13 Percent Solids: 94.6

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000409	U	0.00213	0.000409	mg/Kg	<del></del>	09/21/23 17:02	09/27/23 01:24	1
Toluene	<0.000485	U	0.00213	0.000485	mg/Kg	₽	09/21/23 17:02	09/27/23 01:24	1
Ethylbenzene	<0.000601	U	0.00213	0.000601	mg/Kg	₽	09/21/23 17:02	09/27/23 01:24	1
m-Xylene & p-Xylene	<0.00107	U	0.00425	0.00107	mg/Kg	₽	09/21/23 17:02	09/27/23 01:24	1
o-Xylene	0.000620	JB	0.00213	0.000366	mg/Kg	₽	09/21/23 17:02	09/27/23 01:24	1
Xylenes, Total	<0.00107	U	0.00425	0.00107	mg/Kg	₽	09/21/23 17:02	09/27/23 01:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				09/21/23 17:02	09/27/23 01:24	1
1,4-Difluorobenzene (Surr)	107		70 - 130				09/21/23 17:02	09/27/23 01:24	1

Method: SW846 8015B NM - Diese	l Range Orga	nics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.9	U	53.2	15.9	mg/Kg	<u> </u>	09/21/23 14:28	09/22/23 13:38	1
Diesel Range Organics (Over C10-C28)	61.9		53.2	15.9	mg/Kg	₽	09/21/23 14:28	09/22/23 13:38	1
Oll Range Organics (Over C28-C36)	<15.9	U	53.2	15.9	mg/Kg	₽	09/21/23 14:28	09/22/23 13:38	1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

09/26/23 16:21

Client Sample ID: BH13 0-1

Chloride

Lab Sample ID: 880-33484-27 Date Collected: 09/19/23 11:50

Matrix: Solid

Date Received: 09/21/23 11:13 Percent Solids: 94.6

Surrogate	%Recovery Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	77	70 - 130		-	09/21/23 14:28	09/22/23 13:38	1
o-Terphenyl	73	70 - 130			09/21/23 14:28	09/22/23 13:38	1
Method: EPA 300.0 - Anions, Ion Cl	hromatography - Soluble	9	MDI Unit	n	Propared	Analyzad	Dil Fac

Client Sample ID: BH13 1-2 Lab Sample ID: 880-33484-28

26.2

2.07 mg/Kg

2050

Date Collected: 09/19/23 11:55 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 94.8

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000407	U	0.00211	0.000407	mg/Kg	<del></del>	09/21/23 17:02	09/27/23 01:45	1
Toluene	0.000500	J	0.00211	0.000482	mg/Kg	₽	09/21/23 17:02	09/27/23 01:45	1
Ethylbenzene	< 0.000597	U	0.00211	0.000597	mg/Kg	₽	09/21/23 17:02	09/27/23 01:45	1
m-Xylene & p-Xylene	<0.00107	U	0.00423	0.00107	mg/Kg	₽	09/21/23 17:02	09/27/23 01:45	1
o-Xylene	< 0.000364	U	0.00211	0.000364	mg/Kg	₽	09/21/23 17:02	09/27/23 01:45	1
Xylenes, Total	<0.00107	U	0.00423	0.00107	mg/Kg	₩	09/21/23 17:02	09/27/23 01:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				09/21/23 17:02	09/27/23 01:45	1
=	400								
1,4-Difluorobenzene (Surr)	102		70 - 130				09/21/23 17:02	09/27/23 01:45	1
1,4-Difluorobenzene (Surr)  Method: SW846 8015B NM - Dies Analyte	sel Range Orga	nics (DRO) Qualifier		MDL	Unit	D	09/21/23 17:02  Prepared	09/27/23 01:45 Analyzed	7 Dil Fac
Method: SW846 8015B NM - Dies	sel Range Orga	Qualifier	(GC)	<b>MDL</b> 15.9	Unit mg/Kg	D			·
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics	sel Range Orga Result	Qualifier U	(GC)	15.9			Prepared	Analyzed	Dil Fac
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	sel Range Orga Result	Qualifier U	(GC) RL 53.1	15.9 15.9	mg/Kg	<del>*</del>	Prepared 09/21/23 14:28	<b>Analyzed</b> 09/22/23 14:02	Dil Fac
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	sel Range Orga Result <15.9 23.5	Qualifier U  J	(GC)  RL  53.1	15.9 15.9	mg/Kg	— <del>-</del>	Prepared 09/21/23 14:28 09/21/23 14:28	Analyzed 09/22/23 14:02	<b>Dil Fac</b> 1
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	Result   <15.9     <15.9	Qualifier U  J	(GC)  RL  53.1  53.1	15.9 15.9	mg/Kg	— <del>-</del>	Prepared 09/21/23 14:28 09/21/23 14:28 09/21/23 14:28	Analyzed 09/22/23 14:02 09/22/23 14:02 09/22/23 14:02	<b>Dil Fac</b> 1 1

Method: EPA 300.0 - Anions, Ion C	hromatography - Solubl	le					
Analyte	Result Qualifier	RL	MDL Ur	nit D	Prepared	Analyzed	Dil Fac
Chloride	1070	5.23	0.413 mg	g/Kg 🌣		09/26/23 16:28	1

# **Surrogate Summary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

				Percent Surrogate Recovery (Acceptance Limits
		BFB1	DFBZ1	
ab Sample ID	Client Sample ID	(70-130)	(70-130)	
30-33484-1	BH1 0-1	108	90	
)-33484-1 MS	BH1 0-1	127	97	
-33484-1 MSD	BH1 0-1	112	74	
)-33484-2	BH2 2-3	138 S1+	114	
)-33484-3	BH2 3-4	154 S1+	99	
)-33484-4	BH3 0-1	124	92	
0-33484-5	BH3 2-3	126	90	
0-33484-6	BH3 3-4	145 S1+	101	
)-33484-7	BH3 4-5	121	57 S1-	
0-33484-8	BH4 1-2	138 S1+	98	
0-33484-9	BH4 2-3	98	89	
-33484-10	BH5 0-1	145 S1+	86	
)-33484-11	BH5 3-4	121	88	
)-33484-12	BH6 1-2	148 S1+	102	
0-33484-13	BH6 2-3	130	97	
-33484-14	BH6 3-4	140 S1+	91	
-33484-15	BH7 3-4	128	73	
-33484-16	BH7 4-5	128	93	
-33484-17	BH8 2-3	129	74	
-33484-18	BH8 3-4	134 S1+	95	
-33484-19	BH9 2-3	133 S1+	88	
-33484-20	BH9 3-4	141 S1+	89	
-33484-21	BH10 0-1	88	98	
33484-21 MS	BH10 0-1	97	103	
33484-21 MSD	BH10 0-1	104	98	
33484-22	BH10 2-3	98	102	
-33484-23	BH11 0-1	108	102	
1-33464-24	BH11 1-2	97	101	
-33484-25	BH12 2-3	100	104	
-33484-26	BH12 3-4	98	109	
D-33484-27	BH13 0-1	109	109	
0-33484-27 0-33484-28	BH13 0-1 BH13 1-2	109	107	
0-33464-26 S 880-63018/1-A				
S 880-63018/1-A S 880-63020/1-A	Lab Control Sample	109	98	
SD 880-63020/1-A SD 880-63018/2-A	Lab Control Sample	108 100	98 81	
	Lab Control Sample Dup			
SD 880-63020/2-A	Lab Control Sample Dup	107	97	
880-63018/5-A	Method Blank	69 S1-	79	
880-63020/5-A	Method Blank	117	126	

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

# **Surrogate Summary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

				Percent Surrogate Recovery (Acceptance Limits)
		1001	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-33484-1	BH1 0-1	74	91	
880-33484-1 MS	BH1 0-1	85	94	
880-33484-1 MSD	BH1 0-1	83	89	
880-33484-2	BH2 2-3	86	109	
380-33484-3	BH2 3-4	79	99	
380-33484-4	BH3 0-1	82	109	
380-33484-5	BH3 2-3	73	92	
880-33484-6	BH3 3-4	73	93	
380-33484-7	BH3 4-5	76	95	
380-33484-8	BH4 1-2	77	95	
880-33484-9	BH4 2-3	76	96	
880-33484-10	BH5 0-1	81	102	
880-33484-11	BH5 3-4	73	95	
380-33484-12	BH6 1-2	75	92	
880-33484-13	BH6 2-3	81	105	
380-33484-14	BH6 3-4	80	101	
380-33484-15	BH7 3-4	72	88	
380-33484-16	BH7 4-5	78	102	
380-33484-17	BH8 2-3	83	107	
380-33484-18	BH8 3-4	86	111	
380-33484-19	BH9 2-3	101	129	
380-33484-20	BH9 3-4	81	103	
380-33484-21	BH10 0-1	78	72	
380-33484-21 MS	BH10 0-1	76	66 S1-	
380-33484-21 MSD	BH10 0-1	75	65 S1-	
380-33484-22	BH10 2-3	78	72	
380-33484-23	BH11 0-1	74	70	
380-33484-24	BH11 1-2	78	73	
880-33484-25	BH12 2-3	80	75	
880-33484-26	BH12 3-4	80	75	
880-33484-27	BH13 0-1	77	73	
380-33484-28	BH13 1-2	78	73	
_CS 880-63004/2-A	Lab Control Sample	146 S1+	146 S1+	
LCS 880-63008/2-A	Lab Control Sample	80	98	
LCSD 880-63004/3-A	Lab Control Sample Dup	106	105	
LCSD 880-63008/3-A	Lab Control Sample Dup	99	123	
MB 880-63004/1-A - IN3	Method Blank	127	132 S1+	
MB 880-63008/1-A - INS	Method Blank	113	152 S1+	

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-63018/5-A

**Matrix: Solid** 

Analysis Batch: 63317

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 63018

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		09/21/23 16:34	09/26/23 14:50	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		09/21/23 16:34	09/26/23 14:50	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		09/21/23 16:34	09/26/23 14:50	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		09/21/23 16:34	09/26/23 14:50	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		09/21/23 16:34	09/26/23 14:50	1
Xylenes, Total	< 0.00101	U	0.00400	0.00101	mg/Kg		09/21/23 16:34	09/26/23 14:50	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	69	S1-	70 - 130	09/21/23 16:34	09/26/23 14:50	1
1,4-Difluorobenzene (Surr)	79		70 - 130	09/21/23 16:34	09/26/23 14:50	1

Lab Sample ID: LCS 880-63018/1-A

**Matrix: Solid** 

Analysis Batch: 63317

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 63018

		Spike	LCS	LCS				%Rec	
Δ	nalyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
В	denzene	0.100	0.1118		mg/Kg		112	70 - 130	
т	oluene	0.100	0.1263		mg/Kg		126	70 - 130	
E	thylbenzene	0.100	0.1117		mg/Kg		112	70 - 130	
n	n-Xylene & p-Xylene	0.200	0.2161		mg/Kg		108	70 - 130	
0	-Xylene	0.100	0.1077		mg/Kg		108	70 - 130	

LCS LCS

Surrogate	%Recovery	Qualifier	Limits		
4-Bromofluorobenzene (Surr)	109		70 - 130		
1,4-Difluorobenzene (Surr)	84		70 - 130		

Lab Sample ID: LCSD 880-63018/2-A

Matrix: Solid

Analysis Batch: 63317

**Client Sample ID: Lab Control Sample Dup** 

Prep Type: Total/NA

Prep Batch: 63018

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	0.100	0.1006		mg/Kg		101	70 - 130	11	35	
Toluene	0.100	0.1124		mg/Kg		112	70 - 130	12	35	
Ethylbenzene	0.100	0.1015		mg/Kg		102	70 - 130	10	35	
m-Xylene & p-Xylene	0.200	0.2074		mg/Kg		104	70 - 130	4	35	
o-Xylene	0.100	0.1015		mg/Kg		102	70 - 130	6	35	

LCSD LCSD

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1.4-Difluorobenzene (Surr)	81		70 - 130

Lab Sample ID: 880-33484-1 MS

Matrix: Solid

Analysis Batch: 63317

Client Sample ID: BH1 0-1 Prep Type: Total/NA

Prep Batch: 63018

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	<0.000390	U	0.102	0.1183		mg/Kg	<u></u>	116	70 - 130	
Toluene	<0.000462	U F1	0.102	0.1341	F1	mg/Kg	₽	132	70 - 130	

**Eurofins Midland** 

Page 27 of 60

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H

Job ID: 880-33484-1

### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-33484-1 MS

Lab Sample ID: 880-33484-1 MSD

**Matrix: Solid** 

**Matrix: Solid** 

**Analysis Batch: 63317** 

Analysis Batch: 63317

Client Sample ID: BH1 0-1

Prep Type: Total/NA Prep Batch: 63018

Sample Sample Spike MS MS %Rec Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits Ethylbenzene <0.000573 U 0.102 0.1215 119 70 - 130 mg/Kg Ü m-Xylene & p-Xylene <0.00102 U 0.203 0.2451 mg/Kg ₽ 120 70 - 130 <0.000349 U 0.102 o-Xylene 0.1120 mg/Kg 110 70 - 130 Ċ.

MS MS

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	127		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Client Sample ID: BH1 0-1

Prep Type: Total/NA

Prep Batch: 63018

RPD

Sample Sample Spike MSD MSD %Rec Result Qualifier Added Result Qualifier Limits RPD Limit Analyte Unit D 0.101 104 Benzene <0.000390 U 0.1052 mg/Kg ₽ 70 - 130 12 35 Toluene <0.000462 U F1 0.101 0.1123 mg/Kg ₽ 111 70 - 130 18 35 Ethylbenzene <0.000573 U 0.101 0.1032 mg/Kg ₩ 102 70 - 130 16 35 <0.00102 U 0.202 0.2130 106 70 - 130 35 m-Xylene & p-Xylene mq/Kq ₽ 14 0.101 <0.000349 U 0.09943 98 70 - 130 12 o-Xylene mg/Kg Ü

MSD MSD

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	112	70 - 130
1,4-Difluorobenzene (Surr)	74	70 - 130

Lab Sample ID: MB 880-63020/5-A

**Matrix: Solid** 

Analysis Batch: 63282

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 63020

MB MB

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		09/21/23 17:02	09/26/23 22:52	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		09/21/23 17:02	09/26/23 22:52	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		09/21/23 17:02	09/26/23 22:52	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		09/21/23 17:02	09/26/23 22:52	1
o-Xylene	0.0004957	J	0.00200	0.000344	mg/Kg		09/21/23 17:02	09/26/23 22:52	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		09/21/23 17:02	09/26/23 22:52	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130	09/21/23 17:02	09/26/23 22:52	1
1,4-Difluorobenzene (Surr)	126		70 - 130	09/21/23 17:02	09/26/23 22:52	1

Lab Sample ID: LCS 880-63020/1-A

**Matrix: Solid** 

Analysis Batch: 63282

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 63020

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.07564		mg/Kg		76	70 - 130	
Toluene	0.100	0.07658		mg/Kg		77	70 - 130	
Ethylbenzene	0.100	0.07573		mg/Kg		76	70 - 130	
m-Xylene & p-Xylene	0.200	0.1737		mg/Kg		87	70 - 130	

**Eurofins Midland** 

Released to Imaging: 8/27/2024 7:32:11 AM

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-63020/1-A **Matrix: Solid** 

Lab Sample ID: LCSD 880-63020/2-A

Analysis Batch: 63282

Analyte

o-Xylene

Matrix: Solid

**Analysis Batch: 63282** 

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA Prep Batch: 63020

Spike LCS LCS %Rec Added Result Qualifier Unit %Rec Limits D 0.100 0.08460 85 70 - 130 mg/Kg

LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 108 70 - 130 70 - 130 1,4-Difluorobenzene (Surr) 98

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 63020

Spike LCSD LCSD Analyte Added Result Qualifier Unit %Rec Limits **RPD** Limit D Benzene 0.100 0.08419 mg/Kg 84 70 - 130 11 35 Toluene 0.100 0.08114 mg/Kg 81 70 - 130 6 35 Ethylbenzene 0.100 0.08199 mg/Kg 82 70 - 130 8 35 m-Xylene & p-Xylene 0.200 0.1847 mg/Kg 92 70 - 130 6 35 0.100 0.08975 90 70 - 130 35 o-Xylene mg/Kg

LCSD LCSD %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 107 70 - 130 1,4-Difluorobenzene (Surr) 97 70 - 130

Lab Sample ID: 880-33484-21 MS

**Matrix: Solid** 

Surrogate

**Analysis Batch: 63282** 

Client Sample ID: BH10 0-1

Prep Type: Total/NA Prep Batch: 63020

MS MS Sample Sample Spike %Rec %Rec Result Qualifier Added Result Qualifier Analyte Unit D Limits Benzene <0.000424 U 0.111 0.1145 mg/Kg ₽ 104 70 - 130 Toluene <0.000502 U 0.111 0.1024 93 70 - 130 mg/Kg ₩ Ethylbenzene <0.000622 U 0.111 0.08653 mg/Kg ä 78 70 - 130 m-Xylene & p-Xylene <0.00111 U 0.221 0.2036 mg/Kg ₩ 92 70 - 130 o-Xylene <0.000379 U 0.111 0.09875 mg/Kg ø 89 70 - 130

> Limits 70 - 130

MS MS %Recovery Qualifier 4-Bromofluorobenzene (Surr) 97

70 - 130 1,4-Difluorobenzene (Surr) 103

Lab Sample ID: 880-33484-21 MSD

**Matrix: Solid** 

Surrogate

**Analysis Batch: 63282** 

Client Sample ID: BH10 0-1 Prep Type: Total/NA

Prep Batch: 63020

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	<0.000424	U	0.110	0.1229		mg/Kg	<del>*</del>	111	70 - 130	7	35
Toluene	<0.000502	U	0.110	0.1029		mg/Kg	₽	93	70 - 130	0	35
Ethylbenzene	<0.000622	U	0.110	0.1005		mg/Kg	₽	91	70 - 130	15	35
m-Xylene & p-Xylene	<0.00111	U	0.221	0.2316		mg/Kg	₽	105	70 - 130	13	35
o-Xylene	<0.000379	U	0.110	0.1118		mg/Kg	₽	101	70 - 130	12	35

Job ID: 880-33484-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-33484-21 MSD **Matrix: Solid** 

Analysis Batch: 63282

Client Sample ID: BH10 0-1

Prep Type: Total/NA

Prep Batch: 63020

MSD MSD Surrogate %Recovery Qualifier

Limits 4-Bromofluorobenzene (Surr) 104 70 - 130 1,4-Difluorobenzene (Surr) 98 70 - 130

Client Sample ID: Method Blank

09/26/23 11:15

Prep Type: Total/NA

Prep Batch: 63286

Lab Sample ID: MB 880-63286/5-A

**Matrix: Solid** Analysis Batch: 63282

Analyte

Benzene

Toluene

o-Xylene

Ethylbenzene m-Xylene & p-Xylene

Xylenes, Total

MB MB Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac <0.000385 Ū 0.00200 0.000385 09/26/23 09:26 09/26/23 11:15 mg/Kg <0.000456 U 0.00200 0.000456 mg/Kg 09/26/23 09:26 09/26/23 11:15 <0.000565 U 0.00200 0.000565 mg/Kg 09/26/23 09:26 09/26/23 11:15 <0.00101 U 0.00400 0.00101 mg/Kg 09/26/23 09:26 09/26/23 11:15 <0.000344 U 0.00200 0.000344 mg/Kg 09/26/23 09:26 09/26/23 11:15

0.00101 mg/Kg

MB MB

<0.00101 U

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130	09/26/23 09:26	09/26/23 11:15	1
1,4-Difluorobenzene (Surr)	137	S1+	70 - 130	09/26/23 09:26	09/26/23 11:15	1

0.00400

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: LCS 880-63004/2-A

Matrix: Solid

**Analysis Batch: 63027** 

Client Sample ID: Lab Control Sample

09/26/23 09:26

Prep Type: Total/NA Prep Batch: 63004

Spike LCS LCS Analyte Added Result Qualifier %Rec Limits Unit D Gasoline Range Organics 1000 877.2 mg/Kg 88 70 - 130 (GRO)-C6-C10 1000 Diesel Range Organics (Over 908.9 mg/Kg 91 70 - 130

C10-C28)

LCS LCS Surrogate %Recovery Qualifier Limits 1-Chlorooctane 146 S1+ 70 130 o-Terphenyl 146 S1+ 70 - 130

Lab Sample ID: LCSD 880-63004/3-A

Released to Imaging: 8/27/2024 7:32:11 AM

**Matrix: Solid** 

**Analysis Batch: 63027** 

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 63004

LCSD LCSD RPD Spike %Rec %Rec Analyte Added Result Qualifier Unit Limits RPD Limit Gasoline Range Organics 1000 91 909.1 mg/Kg 70 - 130 4 20 (GRO)-C6-C10 Diesel Range Organics (Over 1000 959.9 mg/Kg 96 70 - 130 20

C10-C28)

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	106		70 - 130
o-Terphenyl	105		70 - 130

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H

Job ID: 880-33484-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-33484-21 MS

**Matrix: Solid** 

Analysis Batch: 63027

Client Sample ID: BH10 0-1 Prep Type: Total/NA

Prep Batch: 63004

Sample Sample Spike MS MS Result Qualifier Added Analyte Result Qualifier Unit D %Rec Limits Gasoline Range Organics <16.5 U F1 1110 777.5 mg/Kg Ä 70 70 - 130 (GRO)-C6-C10 1110 Diesel Range Organics (Over 37.4 JF1 751.2 F1 64 70 - 130 mg/Kg 24 C10-C28)

MS MS

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	76		70 - 130
o-Terphenyl	66	S1-	70 - 130

Lab Sample ID: 880-33484-21 MSD Client Sample ID: BH10 0-1

**Matrix: Solid** 

**Analysis Batch: 63027** 

Prep Type: Total/NA

Prep Batch: 63004

Sample Sample Spike MSD MSD %Rec RPD Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits **RPD** Limit <16.5 U F1 1110 768.4 F1 ₩ 69 70 - 130 Gasoline Range Organics mg/Kg 1 (GRO)-C6-C10 Diesel Range Organics (Over 37.4 JF1 1110 737.6 F1 mg/Kg 63 70 - 130 2 20 C10-C28)

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	75		70 - 130
o-Terphenyl	65	S1-	70 - 130

Lab Sample ID: MB 880-63008/1-A

**Matrix: Solid** 

Analysis Batch: 63029

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 63008

MR MR Result Qualifier Analyte RL MDL Unit Prepared Analyzed Dil Fac <15.0 U 50.0 Gasoline Range Organics 15.0 09/21/23 14:39 09/22/23 07:49 mg/Kg (GRO)-C6-C10 <15.0 U 50.0 09/21/23 14:39 09/22/23 07:49 Diesel Range Organics (Over 15.0 mg/Kg C10-C28) Oll Range Organics (Over C28-C36) <15.0 U 50.0 15.0 mg/Kg 09/21/23 14:39 09/22/23 07:49

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130	09/21/23 14:39	09/22/23 07:49	1
o-Terphenyl	151	S1+	70 - 130	09/21/23 14:39	09/22/23 07:49	1

Lab Sample ID: LCS 880-63008/2-A

**Matrix: Solid** 

**Analysis Batch: 63029** 

**Client Sample ID: Lab Control Sample** Prep Type: Total/NA

Prep Batch: 63008

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	1000	1009		mg/Kg		101	70 - 130	 
(GRO)-C6-C10								
Diesel Range Organics (Over	1000	1146		mg/Kg		115	70 - 130	
C10-C28)								

Job ID: 880-33484-1

# Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-63008/2-A

**Matrix: Solid** 

Analysis Batch: 63029

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 63008

LCS LCS

Surrogate %Recovery Qualifier Limits 1-Chlorooctane 80 70 - 130 o-Terphenyl 98 70 - 130

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 63008

Lab Sample ID: LCSD 880-63008/3-A **Matrix: Solid** 

Analysis Batch: 63029

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics	1000	1120		mg/Kg		112	70 - 130	10	20
(GRO)-C6-C10									
Diesel Range Organics (Over	1000	1091		mg/Kg		109	70 - 130	5	20
C10-C28)									

LCSD LCSD

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	99		70 - 130
o-Terphenyl	123		70 - 130

Client Sample ID: BH1 0-1

70 - 130

Prep Type: Total/NA

Prep Batch: 63008

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	24.5	J F1	1020	739.2		mg/Kg	<u></u>	70	70 - 130	
(GRO)-C6-C10										
Diesel Range Organics (Over	<15.2	U	1020	966.8		mg/Kg	☼	95	70 - 130	
C10-C28)										

**Matrix: Solid** 

**Analysis Batch: 63029** 

MS MS %Recovery Qualifier Surrogate Limits 70 - 130 1-Chlorooctane 85 o-Terphenyl 94 70 - 130

Lab Sample ID: 880-33484-1 MSD Client Sample ID: BH1 0-1 Prep Type: Total/NA

1020

**Matrix: Solid** 

Lab Sample ID: 880-33484-1 MS

Analysis Batch: 63029										Prep Batch: 63008		
	Sample	Sample	Spike	MSD	MSD				%Rec		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics	24.5	J F1	1020	731.2	F1	mg/Kg	<u> </u>	69	70 - 130	1	20	

915.3

mg/Kg

(GRO)-C6-C10 Diesel Range Organics (Over

C10-C28)

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	83		70 - 130
o-Terphenyl	89		70 - 130

<15.2 U

**Eurofins Midland** 

20

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) - IN3

Analysis Batch: 63027

**Matrix: Solid** 

Client Sample ID: Method Blank Prep Type: Total/NA

Prep Batch: 63004

мв мв Dil Fac MDL Unit Analyte Result Qualifier RL Prepared Analyzed Gasoline Range Organics <15.0 U 50.0 15.0 mg/Kg 09/21/23 14:28 09/22/23 07:49 (GRO)-C6-C10 - IN3 Diesel Range Organics (Over <15.0 U 50.0 09/21/23 14:28 09/22/23 07:49 15.0 mg/Kg C10-C28) - IN3 15.0 mg/Kg OII Range Organics (Over C28-C36) -23.48 J 50.0 09/21/23 14:28 09/22/23 07:49

	IND	WD				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane - IN3	127		70 - 130	09/21/23 14:28	09/22/23 07:49	1
o-Terphenyl - IN3	132	S1+	70 - 130	09/21/23 14:28	09/22/23 07:49	1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-63036/1-A Client Sample ID: Method Blank **Prep Type: Soluble** 

**Matrix: Solid** 

Analysis Batch: 63236

MB MB Analyte Result Qualifier RL MDL Unit Prepared Analyzed Chloride <0.395 U 5.00 0.395 mg/Kg 09/25/23 22:29

Lab Sample ID: LCS 880-63036/2-A **Client Sample ID: Lab Control Sample Prep Type: Soluble** 

**Matrix: Solid** 

**Matrix: Solid** 

**Matrix: Solid** 

**Analysis Batch: 63236** 

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	250	250.6		ma/Ka		100	90 - 110	

Lab Sample ID: LCSD 880-63036/3-A

Client Sample ID: Lab Control Sample Dup

**Prep Type: Soluble** 

Analysis Batch: 63236

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	250	250.6		mg/Kg		100	90 - 110	0	20

Lab Sample ID: MB 880-63037/1-A

Client Sample ID: Method Blank **Prep Type: Soluble** 

Analysis Batch: 63319

мв мв

Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395 U	5.00	0.395 mg/Kg			09/26/23 11:56	1

Lab Sample ID: LCS 880-63037/2-A

**Client Sample ID: Lab Control Sample** 

**Matrix: Solid** 

**Prep Type: Soluble** 

**Analysis Batch: 63319** 

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	200	195.4		ma/Ka		98	90 - 110	

**Eurofins Midland** 

Dil Fac

Job ID: 880-33484-1

**Prep Type: Soluble** 

Client Sample ID: BH6 3-4

Client Sample ID: BH6 3-4

Client Sample ID: BH4 2-3

Client Sample ID: BH4 2-3

Client Sample ID: Method Blank

**Client Sample ID: Lab Control Sample** 

Client Sample ID: Lab Control Sample Dup

Client Sample ID: Lab Control Sample Dup

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 880-63037/3-A

**Matrix: Solid** 

Analysis Batch: 63319

Spike LCSD LCSD %Rec RPD Analyte babbA Result Qualifier Unit D %Rec Limits RPD Limit Chloride 200 194.5 mg/Kg 97 90 - 110

Lab Sample ID: 880-33484-9 MS

**Matrix: Solid** 

**Analysis Batch: 63319** 

-	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	412	F1	256	639.5	F1	mg/Kg	<b>#</b>	89	90 - 110	

Lab Sample ID: 880-33484-9 MSD

**Matrix: Solid** 

Analysis Batch: 63319

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	412	F1	256	638.8	F1	mg/Kg	<del>*</del>	89	90 - 110	0	20

Lab Sample ID: MB 880-63038/1-A

**Matrix: Solid** 

Analysis Batch: 63344

мв мв

ı	Analyte	Result	Qualifier	RL	MDL	Unit	)	Prepared	Analyzed	Dil Fac
	Chloride	<0.395	U	5.00	0.395	mg/Kg			09/26/23 14:15	1

Lab Sample ID: LCS 880-63038/2-A

**Matrix: Solid** 

Analysis Batch: 63344

		Spike	LCS	LCS				%Rec	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride		250	230.2		ma/Ka	_	96	90 110	

Lab Sample ID: LCSD 880-63038/3-A

**Matrix: Solid** 

**Analysis Batch: 63344** 

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	250	230 3		ma/Ka		96	90 - 110		20

Lab Sample ID: 880-33484-14 MS

**Matrix: Solid** 

**Analysis Batch: 63344** 

	Sample Sa	ample	Spike	MS	MS				%Rec
Analyte	Result Q	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Chloride	131		262	382.2		mg/Kg	— <u>—</u>	96	90 - 110

Lab Sample ID: 880-33484-14 MSD

**Matrix: Solid** 

Analysis Batch: 63344											
	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	131		262	382.7		mg/Kg	<del>*</del>	96	90 - 110	0	20

**Eurofins Midland** 

Page 34 of 60

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

### **GC VOA**

### Prep Batch: 63018

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-33484-1	BH1 0-1	Total/NA	Solid	5035	
880-33484-2	BH2 2-3	Total/NA	Solid	5035	
880-33484-3	BH2 3-4	Total/NA	Solid	5035	
880-33484-4	BH3 0-1	Total/NA	Solid	5035	
880-33484-5	BH3 2-3	Total/NA	Solid	5035	
880-33484-6	BH3 3-4	Total/NA	Solid	5035	
880-33484-7	BH3 4-5	Total/NA	Solid	5035	
880-33484-8	BH4 1-2	Total/NA	Solid	5035	
880-33484-9	BH4 2-3	Total/NA	Solid	5035	
880-33484-10	BH5 0-1	Total/NA	Solid	5035	
880-33484-11	BH5 3-4	Total/NA	Solid	5035	
880-33484-12	BH6 1-2	Total/NA	Solid	5035	
880-33484-13	BH6 2-3	Total/NA	Solid	5035	
880-33484-14	BH6 3-4	Total/NA	Solid	5035	
880-33484-15	BH7 3-4	Total/NA	Solid	5035	
880-33484-16	BH7 4-5	Total/NA	Solid	5035	
880-33484-17	BH8 2-3	Total/NA	Solid	5035	
880-33484-18	BH8 3-4	Total/NA	Solid	5035	
880-33484-19	BH9 2-3	Total/NA	Solid	5035	
880-33484-20	BH9 3-4	Total/NA	Solid	5035	
MB 880-63018/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-63018/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-63018/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-33484-1 MS	BH1 0-1	Total/NA	Solid	5035	
880-33484-1 MSD	BH1 0-1	Total/NA	Solid	5035	

### Prep Batch: 63020

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-33484-21	BH10 0-1	Total/NA	Solid	5035	
880-33484-22	BH10 2-3	Total/NA	Solid	5035	
880-33484-23	BH11 0-1	Total/NA	Solid	5035	
880-33484-24	BH11 1-2	Total/NA	Solid	5035	
880-33484-25	BH12 2-3	Total/NA	Solid	5035	
880-33484-26	BH12 3-4	Total/NA	Solid	5035	
880-33484-27	BH13 0-1	Total/NA	Solid	5035	
880-33484-28	BH13 1-2	Total/NA	Solid	5035	
MB 880-63020/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-63020/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-63020/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-33484-21 MS	BH10 0-1	Total/NA	Solid	5035	
880-33484-21 MSD	BH10 0-1	Total/NA	Solid	5035	

### Analysis Batch: 63282

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-21	BH10 0-1	Total/NA	Solid	8021B	63020
880-33484-22	BH10 2-3	Total/NA	Solid	8021B	63020
880-33484-23	BH11 0-1	Total/NA	Solid	8021B	63020
880-33484-24	BH11 1-2	Total/NA	Solid	8021B	63020
880-33484-25	BH12 2-3	Total/NA	Solid	8021B	63020
880-33484-26	BH12 3-4	Total/NA	Solid	8021B	63020
880-33484-27	BH13 0-1	Total/NA	Solid	8021B	63020

**Eurofins Midland** 

3

4

6

8

4.6

11

13

1 4

Page 35 of 60

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

# GC VOA (Continued)

### Analysis Batch: 63282 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-28	BH13 1-2	Total/NA	Solid	8021B	63020
MB 880-63020/5-A	Method Blank	Total/NA	Solid	8021B	63020
MB 880-63286/5-A	Method Blank	Total/NA	Solid	8021B	63286
LCS 880-63020/1-A	Lab Control Sample	Total/NA	Solid	8021B	63020
LCSD 880-63020/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	63020
880-33484-21 MS	BH10 0-1	Total/NA	Solid	8021B	63020
880-33484-21 MSD	BH10 0-1	Total/NA	Solid	8021B	63020

#### Prep Batch: 63286

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-63286/5-A	Method Blank	Total/NA	Solid	5035	

#### Analysis Batch: 63317

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-1	BH1 0-1	Total/NA	Solid	8021B	63018
880-33484-2	BH2 2-3	Total/NA	Solid	8021B	63018
880-33484-3	BH2 3-4	Total/NA	Solid	8021B	63018
880-33484-4	BH3 0-1	Total/NA	Solid	8021B	63018
880-33484-5	BH3 2-3	Total/NA	Solid	8021B	63018
880-33484-6	BH3 3-4	Total/NA	Solid	8021B	63018
880-33484-7	BH3 4-5	Total/NA	Solid	8021B	63018
880-33484-8	BH4 1-2	Total/NA	Solid	8021B	63018
880-33484-9	BH4 2-3	Total/NA	Solid	8021B	63018
880-33484-10	BH5 0-1	Total/NA	Solid	8021B	63018
880-33484-11	BH5 3-4	Total/NA	Solid	8021B	63018
880-33484-12	BH6 1-2	Total/NA	Solid	8021B	63018
880-33484-13	BH6 2-3	Total/NA	Solid	8021B	63018
880-33484-14	BH6 3-4	Total/NA	Solid	8021B	63018
880-33484-15	BH7 3-4	Total/NA	Solid	8021B	63018
880-33484-16	BH7 4-5	Total/NA	Solid	8021B	63018
880-33484-17	BH8 2-3	Total/NA	Solid	8021B	63018
880-33484-18	BH8 3-4	Total/NA	Solid	8021B	63018
880-33484-19	BH9 2-3	Total/NA	Solid	8021B	63018
880-33484-20	BH9 3-4	Total/NA	Solid	8021B	63018
MB 880-63018/5-A	Method Blank	Total/NA	Solid	8021B	63018
LCS 880-63018/1-A	Lab Control Sample	Total/NA	Solid	8021B	63018
LCSD 880-63018/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	63018
880-33484-1 MS	BH1 0-1	Total/NA	Solid	8021B	63018
880-33484-1 MSD	BH1 0-1	Total/NA	Solid	8021B	63018

#### **GC Semi VOA**

#### Prep Batch: 63004

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-21	BH10 0-1	Total/NA	Solid	8015NM Prep	
880-33484-22	BH10 2-3	Total/NA	Solid	8015NM Prep	
880-33484-23	BH11 0-1	Total/NA	Solid	8015NM Prep	
880-33484-24	BH11 1-2	Total/NA	Solid	8015NM Prep	
880-33484-25	BH12 2-3	Total/NA	Solid	8015NM Prep	
880-33484-26	BH12 3-4	Total/NA	Solid	8015NM Prep	
880-33484-27	BH13 0-1	Total/NA	Solid	8015NM Prep	

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

### GC Semi VOA (Continued)

### Prep Batch: 63004 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-28	BH13 1-2	Total/NA	Solid	8015NM Prep	
MB 880-63004/1-A - IN3	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-63004/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-63004/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-33484-21 MS	BH10 0-1	Total/NA	Solid	8015NM Prep	
880-33484-21 MSD	BH10 0-1	Total/NA	Solid	8015NM Prep	

### Prep Batch: 63008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-1	BH1 0-1	Total/NA	Solid	8015NM Prep	
880-33484-2	BH2 2-3	Total/NA	Solid	8015NM Prep	
880-33484-3	BH2 3-4	Total/NA	Solid	8015NM Prep	
880-33484-4	BH3 0-1	Total/NA	Solid	8015NM Prep	
880-33484-5	BH3 2-3	Total/NA	Solid	8015NM Prep	
880-33484-6	BH3 3-4	Total/NA	Solid	8015NM Prep	
880-33484-7	BH3 4-5	Total/NA	Solid	8015NM Prep	
880-33484-8	BH4 1-2	Total/NA	Solid	8015NM Prep	
880-33484-9	BH4 2-3	Total/NA	Solid	8015NM Prep	
880-33484-10	BH5 0-1	Total/NA	Solid	8015NM Prep	
880-33484-11	BH5 3-4	Total/NA	Solid	8015NM Prep	
880-33484-12	BH6 1-2	Total/NA	Solid	8015NM Prep	
880-33484-13	BH6 2-3	Total/NA	Solid	8015NM Prep	
880-33484-14	BH6 3-4	Total/NA	Solid	8015NM Prep	
880-33484-15	BH7 3-4	Total/NA	Solid	8015NM Prep	
880-33484-16	BH7 4-5	Total/NA	Solid	8015NM Prep	
880-33484-17	BH8 2-3	Total/NA	Solid	8015NM Prep	
880-33484-18	BH8 3-4	Total/NA	Solid	8015NM Prep	
880-33484-19	BH9 2-3	Total/NA	Solid	8015NM Prep	
880-33484-20	BH9 3-4	Total/NA	Solid	8015NM Prep	
MB 880-63008/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-63008/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-63008/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-33484-1 MS	BH1 0-1	Total/NA	Solid	8015NM Prep	
880-33484-1 MSD	BH1 0-1	Total/NA	Solid	8015NM Prep	

#### Analysis Batch: 63027

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-21	BH10 0-1	Total/NA	Solid	8015B NM	63004
880-33484-22	BH10 2-3	Total/NA	Solid	8015B NM	63004
880-33484-23	BH11 0-1	Total/NA	Solid	8015B NM	63004
880-33484-24	BH11 1-2	Total/NA	Solid	8015B NM	63004
880-33484-25	BH12 2-3	Total/NA	Solid	8015B NM	63004
880-33484-26	BH12 3-4	Total/NA	Solid	8015B NM	63004
880-33484-27	BH13 0-1	Total/NA	Solid	8015B NM	63004
880-33484-28	BH13 1-2	Total/NA	Solid	8015B NM	63004
MB 880-63004/1-A - IN3	Method Blank	Total/NA	Solid	8015B NM	63004
LCS 880-63004/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	63004
LCSD 880-63004/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	63004
880-33484-21 MS	BH10 0-1	Total/NA	Solid	8015B NM	63004
880-33484-21 MSD	BH10 0-1	Total/NA	Solid	8015B NM	63004

**Eurofins Midland** 

3

4

6

0

0

10

12

13

14

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

### GC Semi VOA

#### Analysis Batch: 63029

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-1	BH1 0-1	Total/NA	Solid	8015B NM	63008
880-33484-2	BH2 2-3	Total/NA	Solid	8015B NM	63008
880-33484-3	BH2 3-4	Total/NA	Solid	8015B NM	63008
880-33484-4	BH3 0-1	Total/NA	Solid	8015B NM	63008
880-33484-5	BH3 2-3	Total/NA	Solid	8015B NM	63008
880-33484-6	BH3 3-4	Total/NA	Solid	8015B NM	63008
880-33484-7	BH3 4-5	Total/NA	Solid	8015B NM	63008
880-33484-8	BH4 1-2	Total/NA	Solid	8015B NM	63008
880-33484-9	BH4 2-3	Total/NA	Solid	8015B NM	63008
880-33484-10	BH5 0-1	Total/NA	Solid	8015B NM	63008
880-33484-11	BH5 3-4	Total/NA	Solid	8015B NM	63008
880-33484-12	BH6 1-2	Total/NA	Solid	8015B NM	63008
880-33484-13	BH6 2-3	Total/NA	Solid	8015B NM	63008
880-33484-14	BH6 3-4	Total/NA	Solid	8015B NM	63008
880-33484-15	BH7 3-4	Total/NA	Solid	8015B NM	63008
880-33484-16	BH7 4-5	Total/NA	Solid	8015B NM	63008
880-33484-17	BH8 2-3	Total/NA	Solid	8015B NM	63008
880-33484-18	BH8 3-4	Total/NA	Solid	8015B NM	63008
880-33484-19	BH9 2-3	Total/NA	Solid	8015B NM	63008
880-33484-20	BH9 3-4	Total/NA	Solid	8015B NM	63008
MB 880-63008/1-A	Method Blank	Total/NA	Solid	8015B NM	63008
LCS 880-63008/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	63008
LCSD 880-63008/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	63008
880-33484-1 MS	BH1 0-1	Total/NA	Solid	8015B NM	63008
880-33484-1 MSD	BH1 0-1	Total/NA	Solid	8015B NM	63008

### HPLC/IC

#### Leach Batch: 63036

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-23	BH11 0-1	Soluble	Solid	DI Leach	
880-33484-24	BH11 1-2	Soluble	Solid	DI Leach	
MB 880-63036/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-63036/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-63036/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

#### Leach Batch: 63037

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-33484-1	BH1 0-1	Soluble	Solid	DI Leach	_
880-33484-2	BH2 2-3	Soluble	Solid	DI Leach	
880-33484-3	BH2 3-4	Soluble	Solid	DI Leach	
880-33484-4	BH3 0-1	Soluble	Solid	DI Leach	
880-33484-5	BH3 2-3	Soluble	Solid	DI Leach	
880-33484-6	BH3 3-4	Soluble	Solid	DI Leach	
880-33484-7	BH3 4-5	Soluble	Solid	DI Leach	
880-33484-8	BH4 1-2	Soluble	Solid	DI Leach	
880-33484-9	BH4 2-3	Soluble	Solid	DI Leach	
880-33484-10	BH5 0-1	Soluble	Solid	DI Leach	
880-33484-11	BH5 3-4	Soluble	Solid	DI Leach	
880-33484-12	BH6 1-2	Soluble	Solid	DI Leach	
880-33484-13	BH6 2-3	Soluble	Solid	DI Leach	

**Eurofins Midland** 

2

3

4

6

8

9

11

14

. .

1.4

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

### **HPLC/IC** (Continued)

### Leach Batch: 63037 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-25	BH12 2-3	Soluble	Solid	DI Leach	
880-33484-26	BH12 3-4	Soluble	Solid	DI Leach	
880-33484-27	BH13 0-1	Soluble	Solid	DI Leach	
880-33484-28	BH13 1-2	Soluble	Solid	DI Leach	
MB 880-63037/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-63037/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-63037/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-33484-9 MS	BH4 2-3	Soluble	Solid	DI Leach	
880-33484-9 MSD	BH4 2-3	Soluble	Solid	DI Leach	

#### Leach Batch: 63038

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-14	BH6 3-4	Soluble	Solid	DI Leach	
880-33484-15	BH7 3-4	Soluble	Solid	DI Leach	
880-33484-16	BH7 4-5	Soluble	Solid	DI Leach	
880-33484-17	BH8 2-3	Soluble	Solid	DI Leach	
880-33484-18	BH8 3-4	Soluble	Solid	DI Leach	
880-33484-19	BH9 2-3	Soluble	Solid	DI Leach	
880-33484-20	BH9 3-4	Soluble	Solid	DI Leach	
880-33484-21	BH10 0-1	Soluble	Solid	DI Leach	
880-33484-22	BH10 2-3	Soluble	Solid	DI Leach	
MB 880-63038/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-63038/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-63038/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-33484-14 MS	BH6 3-4	Soluble	Solid	DI Leach	
880-33484-14 MSD	BH6 3-4	Soluble	Solid	DI Leach	

### Analysis Batch: 63236

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-23	BH11 0-1	Soluble	Solid	300.0	63036
880-33484-24	BH11 1-2	Soluble	Solid	300.0	63036
MB 880-63036/1-A	Method Blank	Soluble	Solid	300.0	63036
LCS 880-63036/2-A	Lab Control Sample	Soluble	Solid	300.0	63036
LCSD 880-63036/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	63036

#### Analysis Batch: 63319

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-1	BH1 0-1	Soluble	Solid	300.0	63037
880-33484-2	BH2 2-3	Soluble	Solid	300.0	63037
880-33484-3	BH2 3-4	Soluble	Solid	300.0	63037
880-33484-4	BH3 0-1	Soluble	Solid	300.0	63037
880-33484-5	BH3 2-3	Soluble	Solid	300.0	63037
880-33484-6	BH3 3-4	Soluble	Solid	300.0	63037
880-33484-7	BH3 4-5	Soluble	Solid	300.0	63037
880-33484-8	BH4 1-2	Soluble	Solid	300.0	63037
880-33484-9	BH4 2-3	Soluble	Solid	300.0	63037
880-33484-10	BH5 0-1	Soluble	Solid	300.0	63037
880-33484-11	BH5 3-4	Soluble	Solid	300.0	63037
880-33484-12	BH6 1-2	Soluble	Solid	300.0	63037
880-33484-13	BH6 2-3	Soluble	Solid	300.0	63037
880-33484-25	BH12 2-3	Soluble	Solid	300.0	63037

**Eurofins Midland** 

3

4

6

8

9

11

12

14

. .

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

### HPLC/IC (Continued)

### **Analysis Batch: 63319 (Continued)**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-26	BH12 3-4	Soluble	Solid	300.0	63037
880-33484-27	BH13 0-1	Soluble	Solid	300.0	63037
880-33484-28	BH13 1-2	Soluble	Solid	300.0	63037
MB 880-63037/1-A	Method Blank	Soluble	Solid	300.0	63037
LCS 880-63037/2-A	Lab Control Sample	Soluble	Solid	300.0	63037
LCSD 880-63037/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	63037
880-33484-9 MS	BH4 2-3	Soluble	Solid	300.0	63037
880-33484-9 MSD	BH4 2-3	Soluble	Solid	300.0	63037

#### Analysis Batch: 63344

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-14	BH6 3-4	Soluble	Solid	300.0	63038
880-33484-15	BH7 3-4	Soluble	Solid	300.0	63038
880-33484-16	BH7 4-5	Soluble	Solid	300.0	63038
880-33484-17	BH8 2-3	Soluble	Solid	300.0	63038
880-33484-18	BH8 3-4	Soluble	Solid	300.0	63038
880-33484-19	BH9 2-3	Soluble	Solid	300.0	63038
880-33484-20	BH9 3-4	Soluble	Solid	300.0	63038
880-33484-21	BH10 0-1	Soluble	Solid	300.0	63038
880-33484-22	BH10 2-3	Soluble	Solid	300.0	63038
MB 880-63038/1-A	Method Blank	Soluble	Solid	300.0	63038
LCS 880-63038/2-A	Lab Control Sample	Soluble	Solid	300.0	63038
LCSD 880-63038/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	63038
880-33484-14 MS	BH6 3-4	Soluble	Solid	300.0	63038
880-33484-14 MSD	BH6 3-4	Soluble	Solid	300.0	63038

### **General Chemistry**

#### Analysis Batch: 63045

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-33484-1	BH1 0-1	Total/NA	Solid	D2216	
880-33484-2	BH2 2-3	Total/NA	Solid	D2216	
880-33484-3	BH2 3-4	Total/NA	Solid	D2216	
380-33484-4	BH3 0-1	Total/NA	Solid	D2216	
380-33484-5	BH3 2-3	Total/NA	Solid	D2216	
380-33484-6	BH3 3-4	Total/NA	Solid	D2216	
380-33484-7	BH3 4-5	Total/NA	Solid	D2216	
380-33484-8	BH4 1-2	Total/NA	Solid	D2216	
880-33484-9	BH4 2-3	Total/NA	Solid	D2216	
880-33484-10	BH5 0-1	Total/NA	Solid	D2216	
380-33484-11	BH5 3-4	Total/NA	Solid	D2216	
380-33484-12	BH6 1-2	Total/NA	Solid	D2216	
880-33484-13	BH6 2-3	Total/NA	Solid	D2216	
380-33484-14	BH6 3-4	Total/NA	Solid	D2216	
880-33484-15	BH7 3-4	Total/NA	Solid	D2216	
380-33484-16	BH7 4-5	Total/NA	Solid	D2216	
380-33484-17	BH8 2-3	Total/NA	Solid	D2216	
880-33484-18	BH8 3-4	Total/NA	Solid	D2216	
880-33484-19	BH9 2-3	Total/NA	Solid	D2216	
880-33484-20	BH9 3-4	Total/NA	Solid	D2216	
MB 880-63045/1	Method Blank	Total/NA	Solid	D2216	

**Eurofins Midland** 

2

5

7

8

11

12

14

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

### **General Chemistry (Continued)**

### **Analysis Batch: 63045 (Continued)**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-1 DU	BH1 0-1	Total/NA	Solid	D2216	
880-33484-11 DU	BH5 3-4	Total/NA	Solid	D2216	

#### **Analysis Batch: 63048**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-33484-21	BH10 0-1	Total/NA	Solid	D2216	
880-33484-22	BH10 2-3	Total/NA	Solid	D2216	
880-33484-23	BH11 0-1	Total/NA	Solid	D2216	
880-33484-24	BH11 1-2	Total/NA	Solid	D2216	
880-33484-25	BH12 2-3	Total/NA	Solid	D2216	
880-33484-26	BH12 3-4	Total/NA	Solid	D2216	
880-33484-27	BH13 0-1	Total/NA	Solid	D2216	
880-33484-28	BH13 1-2	Total/NA	Solid	D2216	
MB 880-63048/1	Method Blank	Total/NA	Solid	D2216	
880-33484-21 DU	BH10 0-1	Total/NA	Solid	D2216	

Eurofins Midland

3

4

6

R

9

4 4

12

13

14

Client Sample ID: BH1 0-1

Date Collected: 09/18/23 15:58 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-1

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH1 0-1

Date Collected: 09/18/23 15:58 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-1

**Matrix: Solid** Percent Solids: 98.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 15:16	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 10:31	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 14:01	CH	EET MID

Client Sample ID: BH2 2-3

Date Collected: 09/19/23 07:57

Lab Sample ID: 880-33484-2

**Matrix: Solid** 

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216	· <u></u>	1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH2 2-3

Date Collected: 09/19/23 07:57

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-2 **Matrix: Solid** Percent Solids: 95.6

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 15:42	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 11:42	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 14:08	CH	EET MID

Analysis

D2216

Total/NA

Client Sam	iple ID: BH2 3	3-4						Lab Samp	ole ID: 8	80-33484	-3
<b>Date Collecte</b>	ed: 09/19/23 08:	00								Matrix: So	lid
Date Receive	ed: 09/21/23 11:1	13									
	Batch	Batch		Dil	Initial	Final	Batch	Prepared			
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab	

63045

09/22/23 10:17

SMC

**Eurofins Midland** 

EET MID

Client Sample ID: BH2 3-4

Date Collected: 09/19/23 08:00 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-3

**Matrix: Solid** 

Percent Solids: 95.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 16:08	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.91 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 12:05	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 14:14	CH	EET MID

Client Sample ID: BH3 0-1

Date Collected: 09/19/23 08:11 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-4

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH3 0-1

Date Collected: 09/19/23 08:11

Lab Sample ID: 880-33484-4

Percent Solids: 85.4

**Matrix: Solid** Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 16:34	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 12:27	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		5			63319	09/26/23 14:34	CH	EET MID

Client Sample ID: BH3 2-3

Date Collected: 09/19/23 08:13

Date Received: 09/21/23 11:13

Lab	Sample	ID:	880-33484-5
			Matrix: Solid

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH3 2-3

Date Collected: 09/19/23 08:13

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-5 **Matrix: Solid** 

Percent Solids: 91.2

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 17:00	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 12:50	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		5			63319	09/26/23 14:41	CH	EET MID

\_\_\_\_\_

Client Sample ID: BH3 3-4

Date Collected: 09/19/23 08:15 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33484-6

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH3 3-4

Date Collected: 09/19/23 08:15 Date Received: 09/21/23 11:13 9/22/23 10:17 SMC EET MID

Lab Sample ID: 880-33484-6

Matrix: Solid Percent Solids: 90.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 17:26	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 13:14	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 14:48	CH	EET MID

Client Sample ID: BH3 4-5

Date Collected: 09/19/23 08:17

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-7

Matrix: Solid

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
l	Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH3 4-5

Date Collected: 09/19/23 08:17

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-7
Matrix: Solid

Percent Solids: 79.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 17:53	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.09 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 13:38	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 14:54	CH	EET MID

Client Sample ID: BH4 1-2

Date Collected: 09/19/23 08:05 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33484-8

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Job ID: 880-33484-1

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H

Client Sample ID: BH4 1-2

Date Collected: 09/19/23 08:05 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-8

**Matrix: Solid** 

Percent Solids: 96.0

Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Prep	5035			5.01 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 18:19	MNR	EET MID
Prep	8015NM Prep			9.97 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 14:02	SM	EET MID
Leach	DI Leach			4.99 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Analysis	300.0		1			63319	09/26/23 15:01	CH	EET MID
	Type Prep Analysis Prep Analysis Leach	Type         Method           Prep         5035           Analysis         8021B           Prep         8015NM Prep           Analysis         8015B NM           Leach         DI Leach	Type         Method         Run           Prep         5035           Analysis         8021B           Prep         8015NM Prep           Analysis         8015B NM           Leach         DI Leach	Type         Method         Run         Factor           Prep         5035         Factor         1           Analysis         8021B         1           Prep         8015NM Prep         1           Analysis         8015B NM         1           Leach         DI Leach	Type         Method         Run         Factor         Amount           Prep         5035         5.01 g           Analysis         8021B         1         5 mL           Prep         8015NM Prep         9.97 g           Analysis         8015B NM         1         1 uL           Leach         DI Leach         4.99 g	Type         Method         Run         Factor         Amount         Amount           Prep         5035         5.01 g         5 mL           Analysis         8021B         1 5 mL         5 mL           Prep         8015NM Prep         9.97 g         10 mL           Analysis         8015B NM         1 1 uL         1 uL           Leach         DI Leach         4.99 g         50 mL	Type         Method         Run         Factor         Amount         Amount         Number           Prep         5035         5.01 g         5 mL         63018           Analysis         8021B         1 5 mL         5 mL         63317           Prep         8015NM Prep         9.97 g         10 mL         63008           Analysis         8015B NM         1 1 uL         1 uL         63029           Leach         DI Leach         4.99 g         50 mL         63037	Type         Method         Run         Factor         Amount         Amount         Number         or Analyzed           Prep         5035         5.01 g         5 mL         63018         09/21/23 16:34           Analysis         8021B         1 5 mL         5 mL         63317         09/26/23 18:19           Prep         8015NM Prep         9.97 g         10 mL         63008         09/21/23 14:39           Analysis         8015B NM         1 1 uL         1 uL         63029         09/22/23 14:02           Leach         DI Leach         4.99 g         50 mL         63037         09/22/23 08:18	Type         Method         Run         Factor         Amount         Amount         Number         or Analyzed         Analyst           Prep         5035         5.01 g         5 mL         63018         09/21/23 16:34         MNR           Analysis         8021B         1         5 mL         5 mL         63317         09/26/23 18:19         MNR           Prep         8015NM Prep         9.97 g         10 mL         63008         09/21/23 14:39         TKC           Analysis         8015B NM         1         1 uL         1 uL         63029         09/22/23 14:02         SM           Leach         DI Leach         4.99 g         50 mL         63037         09/22/23 08:18         AG

Client Sample ID: BH4 2-3

Date Collected: 09/19/23 08:08 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-9

**Matrix: Solid** 

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
l	Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH4 2-3

Date Collected: 09/19/23 08:08 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-9

**Matrix: Solid** 

Percent Solids: 96.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 18:45	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 14:26	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 15:08	CH	EET MID

Client Sample ID: BH5 0-1

Date Collected: 09/19/23 08:19

Date Received: 09/21/23 11:13

Lab Sample ID	: 880-33484-10
---------------	----------------

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH5 0-1

Date Collected: 09/19/23 08:19

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-1	0
Matrix: Soli	d

Percent Solids: 85.2

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 19:11	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.93 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 14:49	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		5			63319	09/26/23 15:28	CH	EET MID

Client Sample ID: BH5 3-4

Date Collected: 09/19/23 08:25 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-11

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH5 3-4

Date Collected: 09/19/23 08:25 Date Received: 09/21/23 11:13

or Analyzed	Analyst	Lab
09/22/23 10:17	SMC	EET MID

Lab Sample ID: 880-33484-11 Matrix: Solid Percent Solids: 79.7

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 20:56	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 15:40	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 15:34	CH	EET MID

Client Sample ID: BH6 1-2

Date Collected: 09/19/23 09:27

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-12

**Matrix: Solid** 

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
l	Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH6 1-2

Date Collected: 09/19/23 09:27

Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-12 **Matrix: Solid** 

Percent Solids: 95.9

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 21:22	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 16:03	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 15:54	CH	EET MID

Client Sample ID: BH6 2-3

Date Collected: 09/19/23 09:30

Released to Imaging: 8/27/2024 7:32:11 AM

Date Received: 09/21/23 11:13

Sample ID: 880-33484-13
-------------------------

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH6 2-3

Date Collected: 09/19/23 09:30 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-13

Matrix: Solid

Percent Solids: 94.2

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 21:48	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 16:27	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 16:01	CH	EET MID

Client Sample ID: BH6 3-4

Date Collected: 09/19/23 09:33 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-14 **Matrix: Solid** 

Dil Batch Batch Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Analysis Total/NA D2216 63045 09/22/23 10:17 SMC **EET MID** 

Client Sample ID: BH6 3-4

Date Collected: 09/19/23 09:33 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-14

**Matrix: Solid** Percent Solids: 96.0

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 22:14	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 16:52	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		1			63344	09/26/23 14:32	CH	EET MID

Client Sample ID: BH7 3-4

Date Collected: 09/19/23 09:36

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH7 3-4 Date Collected: 09/19/23 09:36

Date Received: 09/21/23 11:13

Lab Sample	ID:	880-33484-15
		Matrix: Solid

Lab Sample ID: 880-33484-15

Percent Solids: 90.6

**Matrix: Solid** 

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 22:41	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.09 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 17:16	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		5			63344	09/26/23 14:50	CH	EET MID

Client: Civil & Environmental Consultants Inc

Project/Site: SEAWOLD 1 12 Federal #091H

Client Sample ID: BH7 4-5

Date Collected: 09/19/23 09:39 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33484-16

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH7 4-5

Date Collected: 09/19/23 09:39 Date Received: 09/21/23 11:13

09/22/23 10:17	SMC	EET MID
Lab Sampl	e ID: 88	0-33484-16

Matrix: Solid Percent Solids: 89.0

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 23:07	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 17:39	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		5			63344	09/26/23 14:56	CH	EET MID

Client Sample ID: BH8 2-3

Date Collected: 09/19/23 09:48

Lab Sample ID: 880-33484-17

Matrix: Solid

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH8 2-3

Date Collected: 09/19/23 09:48

Date Received: 09/21/23 11:13

	-	Matrix: Solid Percent Solids: 94.4
1	Prepared	

Lab Sample ID: 880-33484-17

Lab Sample ID: 880-33484-18

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 23:33	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.91 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 18:01	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		1			63344	09/26/23 15:01	CH	EET MID

Client Sample ID: BH8 3-4

Date Collected: 09/19/23 09:51

Date Received: 09/21/23 11:13

Date Hoodingal of		-									-
	Batch	Batch		Dil	Initial	Final	Batch	Prepared			
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID	_

**Eurofins Midland** 

**Matrix: Solid** 

Client Sample ID: BH8 3-4

Date Collected: 09/19/23 09:51 Date Received: 09/21/23 11:13 Lab Sample ID: 880-33484-18

**Matrix: Solid** 

**Matrix: Solid** 

**Matrix: Solid** 

Percent Solids: 79.3

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/26/23 23:59	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.92 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 18:23	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		1			63344	09/26/23 15:07	CH	EET MID

Client Sample ID: BH9 2-3 Lab Sample ID: 880-33484-19 Date Collected: 09/19/23 10:14

Date Received: 09/21/23 11:13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63045	09/22/23 10:17	SMC	EET MID

Client Sample ID: BH9 2-3 Lab Sample ID: 880-33484-19 Date Collected: 09/19/23 10:14 **Matrix: Solid** 

Date Received: 09/21/23 11:13 Percent Solids: 94.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/27/23 00:25	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 18:45	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		5			63344	09/26/23 15:25	CH	EET MID

Client Sample ID: BH9 3-4 Lab Sample ID: 880-33484-20

Date Collected: 09/19/23 10:16 Date Received: 09/21/23 11:13

<del>_</del>											
	Batch	Batch		Dil	Initial	Final	Batch	Prepared			
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	D2216					63045	09/22/23 10:17	SMC	EET MID	

Client Sample ID: BH9 3-4 Lab Sample ID: 880-33484-20

Date Collected: 09/19/23 10:16 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 93.3

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	63018	09/21/23 16:34	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63317	09/27/23 00:52	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	63008	09/21/23 14:39	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63029	09/22/23 19:07	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		1			63344	09/26/23 15:31	CH	EET MID

Lab Sample ID: 880-33484-21

Matrix: Solid

Client Sample ID: BH10 0-1 Date Collected: 09/19/23 11:07

Date Received: 09/21/23 11:13

	Bato	tch E	Batch		Dil	Initial	Final	Batch	Prepared		
Prep	Туре Тур	oe N	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/	NA Ana	alysis [	D2216		1			63048	09/22/23 10:20	SMC	EET MID

Client Sample ID: BH10 0-1

Date Collected: 09/19/23 11:07 Date Received: 09/21/23 11:13

03/22/20 10:20	OWIO	LLT WIID
Lab Sample	e ID: 88	30-33484-21
		Matrix: Solid

Percent Solids: 90.3

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63020	09/21/23 17:02	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63282	09/26/23 23:21	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10 mL	63004	09/21/23 14:28	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63027	09/22/23 10:31	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		1			63344	09/26/23 15:36	CH	EET MID

Client Sample ID: BH10 2-3

Date Collected: 09/19/23 11:10

Date Received: 09/21/23 11:13

Lab Sample	ID: 880-33484-22
------------	------------------

**Matrix: Solid** 

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
l	Total/NA	Analysis	D2216		1			63048	09/22/23 10:20	SMC	EET MID

Client Sample ID: BH10 2-3

Date Collected: 09/19/23 11:10

Date Received: 09/21/23 11:13

Lab Sample ID:	880-33484-22
----------------	--------------

**Matrix: Solid** Percent Solids: 95.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63020	09/21/23 17:02	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63282	09/26/23 23:42	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	63004	09/21/23 14:28	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63027	09/22/23 11:42	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	63038	09/22/23 08:22	AG	EET MID
Soluble	Analysis	300.0		1			63344	09/26/23 15:42	CH	EET MID

Client Sample ID: BH11 0-1

Date Collected: 09/19/23 11:19 Date Received: 09/21/23 11:13

Lab	Sample	ID:	880-3	334	84-23	

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63048	09/22/23 10:20	SMC	EET MID

Client Sample ID: BH11 0-1

Date Collected: 09/19/23 11:19 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-23

**Matrix: Solid** 

Percent Solids: 94.7

Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Prep	5035			4.99 g	5 mL	63020	09/21/23 17:02	MNR	EET MID
Analysis	8021B		1	5 mL	5 mL	63282	09/27/23 00:02	MNR	EET MID
Prep	8015NM Prep			9.96 g	10 mL	63004	09/21/23 14:28	TKC	EET MID
Analysis	8015B NM		1	1 uL	1 uL	63027	09/22/23 12:05	SM	EET MID
Leach	DI Leach			5.02 g	50 mL	63036	09/22/23 08:16	AG	EET MID
Analysis	300.0		5	50 mL	50 mL	63236	09/26/23 01:43	CH	EET MID
	Type Prep Analysis Prep Analysis Leach	Type         Method           Prep         5035           Analysis         8021B           Prep         8015NM Prep           Analysis         8015B NM           Leach         DI Leach	Type         Method         Run           Prep         5035           Analysis         8021B           Prep         8015NM Prep           Analysis         8015B NM           Leach         DI Leach	Type         Method         Run         Factor           Prep         5035         Factor         1           Analysis         8021B         1           Prep         8015NM Prep         1           Analysis         8015B NM         1           Leach         DI Leach	Type         Method         Run         Factor         Amount           Prep         5035         4.99 g           Analysis         8021B         1         5 mL           Prep         8015NM Prep         9.96 g           Analysis         8015B NM         1         1 uL           Leach         DI Leach         5.02 g	Type         Method         Run         Factor         Amount         Amount           Prep         5035         4.99 g         5 mL           Analysis         8021B         1 5 mL         5 mL           Prep         8015NM Prep         9.96 g         10 mL           Analysis         8015B NM         1 1 uL         1 uL           Leach         DI Leach         5.02 g         50 mL	Type         Method         Run         Factor         Amount         Amount         Number           Prep         5035         4.99 g         5 mL         63020           Analysis         8021B         1 5 mL         5 mL         63282           Prep         8015NM Prep         9.96 g         10 mL         63004           Analysis         8015B NM         1 1 uL         1 uL         1 uL         63027           Leach         DI Leach         5.02 g         50 mL         63036	Type         Method         Run         Factor         Amount         Amount         Number         or Analyzed           Prep         5035         4.99 g         5 mL         63020         09/21/23 17:02           Analysis         8021B         1 5 mL         5 mL         63282         09/27/23 00:02           Prep         8015NM Prep         9.96 g         10 mL         63004         09/21/23 14:28           Analysis         8015B NM         1 1 uL         1 uL         63027         09/22/23 12:05           Leach         DI Leach         5.02 g         50 mL         63036         09/22/23 08:16	Type         Method         Run         Factor         Amount         Amount         Number         or Analyzed         Analyst           Prep         5035         4.99 g         5 mL         63020         09/21/23 17:02         MNR           Analysis         8021B         1         5 mL         5 mL         63282         09/27/23 00:02         MNR           Prep         8015NM Prep         9.96 g         10 mL         63004         09/21/23 14:28         TKC           Analysis         8015B NM         1         1 uL         1 uL         63027         09/22/23 12:05         SM           Leach         DI Leach         5.02 g         50 mL         63036         09/22/23 08:16         AG

Client Sample ID: BH11 1-2

Date Collected: 09/19/23 11:21 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-24 **Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63048	09/22/23 10:20	SMC	EET MID

Client Sample ID: BH11 1-2

Date Collected: 09/19/23 11:21 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-24

**Matrix: Solid** Percent Solids: 95.3

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	63020	09/21/23 17:02	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63282	09/27/23 00:23	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.07 g	10 mL	63004	09/21/23 14:28	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63027	09/22/23 12:27	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	63036	09/22/23 08:16	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	63236	09/26/23 01:49	CH	EET MID

Client Sample ID: BH12 2-3

Date Collected: 09/19/23 11:34

Date Received: 09/21/23 11:13

Lab Sample	ID:	880-33484-25

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63048	09/22/23 10:20	SMC	EET MID

Client Sample ID: BH12 2-3

Date Collected: 09/19/23 11:34

Lab Sample ID: 880-33484-25 **Matrix: Solid** Date Received: 09/21/23 11:13 Percent Solids: 93.4

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	63020	09/21/23 17:02	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63282	09/27/23 00:43	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	63004	09/21/23 14:28	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63027	09/22/23 12:50	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 16:08	CH	EET MID

Client: Civil & Environmental Consultants Inc

Project/Site: SEAWOLD 1 12 Federal #091H

Client Sample ID: BH12 3-4

Date Collected: 09/19/23 11:37 Date Received: 09/21/23 11:13

Lab Sample ID: 880-33484-26

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63048	09/22/23 10:20	SMC	EET MID

Lab Sample ID: 880-33484-26

Client Sample ID: BH12 3-4 Date Collected: 09/19/23 11:37

Date Received: 09/21/23 11:13

Matrix: Solid Percent Solids: 95.2

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	63020	09/21/23 17:02	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63282	09/27/23 01:04	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.09 g	10 mL	63004	09/21/23 14:28	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63027	09/22/23 13:14	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 16:14	CH	EET MID

Lab Sample ID: 880-33484-27

Date Collected: 09/19/23 11:50

Client Sample ID: BH13 0-1

Date Received: 09/21/23 11:13

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63048	09/22/23 10:20	SMC	EET MID

Client Sample ID: BH13 0-1 Lab Sample ID: 880-33484-27

Date Collected: 09/19/23 11:50 Date Received: 09/21/23 11:13

**Matrix: Solid** Percent Solids: 94.6

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	63020	09/21/23 17:02	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63282	09/27/23 01:24	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10 mL	63004	09/21/23 14:28	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63027	09/22/23 13:38	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		5			63319	09/26/23 16:21	CH	EET MID

Client Sample ID: BH13 1-2 Lab Sample ID: 880-33484-28 Date Collected: 09/19/23 11:55

Date Received: 09/21/23 11:13

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			63048	09/22/23 10:20	SMC	EET MID

Date Collected: 09/19/23 11:55

#### Lab Chronicle

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Client Sample ID: BH13 1-2 Lab Sample ID: 880-33484-28

Matrix: Solid

Date Received: 09/21/23 11:13 Percent Solids: 94.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	63020	09/21/23 17:02	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	63282	09/27/23 01:45	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10 mL	63004	09/21/23 14:28	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	63027	09/22/23 14:02	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	63037	09/22/23 08:18	AG	EET MID
Soluble	Analysis	300.0		1			63319	09/26/23 16:28	CH	EET MID

#### Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

11

12

13

# **Accreditation/Certification Summary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

#### **Laboratory: Eurofins Midland**

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	
Texas	NELAP	T104704400-23-26	06-30-24

3

6

8

10

13

# **Method Summary**

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
D2216	Percent Moisture	ASTM	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

#### **Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

**Eurofins Midland** 

3

4

**5** 

ŏ

11

# Sample Summary

Client: Civil & Environmental Consultants Inc Project/Site: SEAWOLD 1 12 Federal #091H Job ID: 880-33484-1

000-33404-1	

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-33484-1	BH1 0-1	Solid	09/18/23 15:58	09/21/23 11:13
880-33484-2	BH2 2-3	Solid	09/19/23 07:57	09/21/23 11:13
880-33484-3	BH2 3-4	Solid	09/19/23 08:00	09/21/23 11:13
880-33484-4	BH3 0-1	Solid	09/19/23 08:11	09/21/23 11:13
880-33484-5	BH3 2-3	Solid	09/19/23 08:13	09/21/23 11:13
880-33484-6	BH3 3-4	Solid	09/19/23 08:15	09/21/23 11:13
880-33484-7	BH3 4-5	Solid	09/19/23 08:17	09/21/23 11:13
880-33484-8	BH4 1-2	Solid	09/19/23 08:05	09/21/23 11:13
880-33484-9	BH4 2-3	Solid	09/19/23 08:08	09/21/23 11:13
880-33484-10	BH5 0-1	Solid	09/19/23 08:19	09/21/23 11:13
880-33484-11	BH5 3-4	Solid	09/19/23 08:25	09/21/23 11:13
880-33484-12	BH6 1-2	Solid	09/19/23 09:27	09/21/23 11:13
380-33484-13	BH6 2-3	Solid	09/19/23 09:30	09/21/23 11:13
880-33484-14	BH6 3-4	Solid	09/19/23 09:33	09/21/23 11:13
880-33484-15	BH7 3-4	Solid	09/19/23 09:36	09/21/23 11:13
80-33484-16	BH7 4-5	Solid	09/19/23 09:39	09/21/23 11:13
80-33484-17	BH8 2-3	Solid	09/19/23 09:48	09/21/23 11:13
380-33484-18	BH8 3-4	Solid	09/19/23 09:51	09/21/23 11:13
380-33484-19	BH9 2-3	Solid	09/19/23 10:14	09/21/23 11:13
380-33484-20	BH9 3-4	Solid	09/19/23 10:16	09/21/23 11:13
380-33484-21	BH10 0-1	Solid	09/19/23 11:07	09/21/23 11:13
880-33484-22	BH10 2-3	Solid	09/19/23 11:10	09/21/23 11:13
880-33484-23	BH11 0-1	Solid	09/19/23 11:19	09/21/23 11:13
880-33484-24	BH11 1-2	Solid	09/19/23 11:21	09/21/23 11:13
380-33484-25	BH12 2-3	Solid	09/19/23 11:34	09/21/23 11:13
880-33484-26	BH12 3-4	Solid	09/19/23 11:37	09/21/23 11:13
880-33484-27	BH13 0-1	Solid	09/19/23 11:50	09/21/23 11:13
880-33484-28	BH13 1-2	Solid	09/19/23 11:55	09/21/23 11:13

4

7

ŏ

44


12

13


1211 W Florida Ave

13 14


# Chain of Custody Record



/er: 01/16/2019



# Chain of Custody Record



Ver- 01/16/2019

# **Login Sample Receipt Checklist**

Client: Civil & Environmental Consultants Inc Job Number: 880-33484-1

Login Number: 33484 List Source: Eurofins Midland

List Number: 1

Creator: Rodriguez, Leticia

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
s the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is	N/A	

200 oj 334

1

6

4

6

8

10

15

13

14

<6mm (1/4").

**Environment Testing** 

# **ANALYTICAL REPORT**

# PREPARED FOR

Attn: Ms. Laura Campbell Civil & Environmental Consultants Inc 700 Cherrington Parkway Moon Township, Pennsylvania 15108

Generated 11/6/2023 12:58:23 PM

# **JOB DESCRIPTION**

Seawolf 1 12 Federal 8H SDG NUMBER 331-071

# **JOB NUMBER**

820-10713-1

Eurofins Lubbock 6701 Aberdeen Ave. Suite 8 Lubbock TX 79424

# **Eurofins Lubbock**

#### **Job Notes**

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

# **Authorization**

Generated 11/6/2023 12:58:23 PM

Authorized for release by Travis Richter, Project Manager <u>Travis.Richter@et.eurofinsus.com</u> (281)794-7216 Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H Laboratory Job ID: 820-10713-1 SDG: 331-071

# **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	16
Certification Summary	19
Method Summary	20
Sample Summary	21
Chain of Custody	22
Receipt Checklists	23

# **Definitions/Glossary**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 331-071

#### **Qualifiers**

#### **GC VOA**

Qualifier **Qualifier Description** S1-Surrogate recovery exceeds control limits, low biased. U Indicates the analyte was analyzed for but not detected.

#### **GC Semi VOA**

Qualifier	Qualifier Description
В	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.
HPLC/IC	

#### Qualifier

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)

MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)

ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated

ND	Net Detected at the new artise limit (or MDL or EDL if alcount)
ND	Not Detected at the reporting limit (or MDL or EDL if shown)

NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control

RER	Relative Error Ratio	(Radiochemistry)

RL	Reporting Limit or Requested Limit (F	Radiochemistry)
----	---------------------------------------	-----------------

RPD	Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) **TEQ** Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

#### Case Narrative

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H Job ID: 820-10713-1 SDG: 331-071

Job ID: 820-10713-1

**Laboratory: Eurofins Lubbock** 

Narrative

Job Narrative 820-10713-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The samples were received on 10/31/2023 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.7°C

#### **GC VOA**

Method 8021B: Surrogate recovery for the following samples were outside control limits: BH-19 2-3' (820-10713-6) and (820-10714-A-2-F). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### GC Semi VOA

Method 8015MOD\_NM: The surrogate recovery for the blank associated with preparation batch 880-65999 and analytical batch 880-65947 was outside the upper control limits.

Method 8015MOD\_NM: The method blank for preparation batch 880-65999 and analytical batch 880-65947 contained Gasoline Range Organics (GRO)-C6-C10 above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD\_NM: The continuing calibration verification (CCV) associated with batch 880-65947 recovered above the upper control limit for Gasoline Range Organics (GRO)-C6-C10. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: (CCV 880-65947/47).

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: BH-17 0-1' (820-10713-1), BH-17 3-4' (820-10713-2), BH-18 0-1' (820-10713-3), BH-18 2-3' (820-10713-4), BH-19 0-1' (820-10713-5) and BH-19 2-3' (820-10713-6). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### **General Chemistry**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

-

5

\_

6

0

9

11

14

L

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

Percent Solids: 96.8

SDG: 331-071

Client Sample ID: BH-17 0-1'

Date Collected: 10/30/23 12:52 Date Received: 10/31/23 10:30 Lab Sample ID: 820-10713-1 Matrix: Solid

Sample Depth: 0 - 1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000395	U	0.00205	0.000395	mg/Kg	<del>-</del>	11/03/23 08:04	11/03/23 11:53	1
Toluene	<0.000468	U	0.00205	0.000468	mg/Kg	₽	11/03/23 08:04	11/03/23 11:53	1
Ethylbenzene	<0.000580	U	0.00205	0.000580	mg/Kg	₽	11/03/23 08:04	11/03/23 11:53	1
m-Xylene & p-Xylene	<0.00104	U	0.00411	0.00104	mg/Kg	₽	11/03/23 08:04	11/03/23 11:53	1
o-Xylene	< 0.000353	U	0.00205	0.000353	mg/Kg	₽	11/03/23 08:04	11/03/23 11:53	1
Xylenes, Total	<0.00104	U	0.00411	0.00104	mg/Kg	₽	11/03/23 08:04	11/03/23 11:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	78		70 - 130				11/03/23 08:04	11/03/23 11:53	1
1,4-Difluorobenzene (Surr)	99		70 - 130				11/03/23 08:04	11/03/23 11:53	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	45.0	JB	51.8	15.5	mg/Kg	<b>‡</b>	11/01/23 14:52	11/02/23 00:45	1
Diesel Range Organics (Over C10-C28)	32.4	J	51.8	15.5	mg/Kg	₽	11/01/23 14:52	11/02/23 00:45	1
OII Range Organics (Over C28-C36)	<15.5	U	51.8	15.5	mg/Kg	₽	11/01/23 14:52	11/02/23 00:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	142	S1+	70 - 130				11/01/23 14:52	11/02/23 00:45	1
o-Terphenyl	162	S1+	70 - 130				11/01/23 14:52	11/02/23 00:45	1

Method: EPA 300.0 - Anions, Ion (	Chromatography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	134	5.18	0.409 mg/Kg	₩		11/04/23 14:11	1

Client Sample ID: BH-17 3-4'

Date Collected: 10/30/23 12:57 Date Received: 10/31/23 10:30

Lab Sample ID: 820-10713-2 **Matrix: Solid** 

Percent Solids: 90.4

Sample Depth: 3 - 4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000427	U	0.00222	0.000427	mg/Kg	<del>*</del>	11/03/23 08:04	11/03/23 12:13	1
Toluene	<0.000506	U	0.00222	0.000506	mg/Kg	₽	11/03/23 08:04	11/03/23 12:13	1
Ethylbenzene	<0.000627	U	0.00222	0.000627	mg/Kg	₽	11/03/23 08:04	11/03/23 12:13	1
m-Xylene & p-Xylene	<0.00112	U	0.00444	0.00112	mg/Kg	₽	11/03/23 08:04	11/03/23 12:13	1
o-Xylene	<0.000382	U	0.00222	0.000382	mg/Kg	₽	11/03/23 08:04	11/03/23 12:13	1
Xylenes, Total	<0.00112	U	0.00444	0.00112	mg/Kg	₽	11/03/23 08:04	11/03/23 12:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		70 - 130				11/03/23 08:04	11/03/23 12:13	1
1,4-Difluorobenzene (Surr)	95		70 - 130				11/03/23 08:04	11/03/23 12:13	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	49.6	JB	55.7	16.7	mg/Kg	<b>#</b>	11/01/23 14:52	11/02/23 01:07	1
Diesel Range Organics (Over C10-C28)	39.3	J	55.7	16.7	mg/Kg	₩	11/01/23 14:52	11/02/23 01:07	1

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H Job ID: 820-10713-1

SDG: 331-071

Client Sample ID: BH-17 3-4'

Lab Sample ID: 820-10713-2

Date Collected: 10/30/23 12:57 Date Received: 10/31/23 10:30 Matrix: Solid
Percent Solids: 90.4

Sample Depth: 3 - 4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oll Range Organics (Over C28-C36)	<16.7	U	55.7	16.7	mg/Kg	₩	11/01/23 14:52	11/02/23 01:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	153	S1+	70 - 130				11/01/23 14:52	11/02/23 01:07	1
o-Terphenyl	172	S1+	70 <sub>-</sub> 130				11/01/23 14:52	11/02/23 01:07	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble	<b>)</b>					
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	62.7	5.57	0.440 mg/Kg	\$		11/04/23 14:31	1

Client Sample ID: BH-18 0-1'

Lab Sample ID: 820-10713-3

11/03/23 12:34

11/02/23 01:28

11/03/23 08:04

11/01/23 14:52

Date Collected: 10/30/23 16:55 Date Received: 10/31/23 10:30 Matrix: Solid Percent Solids: 94.7

Sample Depth: 0 - 1

Xylenes, Total

o-Terphenyl

Method: SW846 8021B - Volatile Organic Compounds (GC) Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac Benzene <0.000410 U 0.00213 0.000410 mg/Kg 11/03/23 08:04 11/03/23 12:34 Toluene <0.000486 U 0.00213 0.000486 mg/Kg 11/03/23 08:04 11/03/23 12:34 ₩ Ethylbenzene <0.000602 U 0.00213 0.000602 mg/Kg 11/03/23 08:04 11/03/23 12:34 m-Xylene & p-Xylene 0.00426 11/03/23 12:34 <0.00108 U 0.00108 mg/Kg ₩ 11/03/23 08:04 o-Xylene <0.000366 U 0.00213 0.000366 mg/Kg 11/03/23 08:04 11/03/23 12:34

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93	70 - 130	11/03/23 08:04	11/03/23 12:34	1
1.4-Difluorobenzene (Surr)	82	70 - 130	11/03/23 08:04	11/03/23 12:34	1

0.00426

0.00108 mg/Kg

<0.00108 U

157 S1+

									•
_ Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	23.8	J B	52.7	15.8	mg/Kg	<u></u>	11/01/23 14:52	11/02/23 01:28	1
Diesel Range Organics (Over C10-C28)	33.6	J	52.7	15.8	mg/Kg	₽	11/01/23 14:52	11/02/23 01:28	1
Oll Range Organics (Over C28-C36)	<15.8	U	52.7	15.8	mg/Kg	₽	11/01/23 14:52	11/02/23 01:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130				11/01/23 14:52	11/02/23 01:28	1

Method: EPA 300.0 - Anions, Ion C	hromatography -	Soluble						
Analyte	Result Qual	lifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	64.1	5.31	0.420	mg/Kg	<u></u>		11/04/23 14:38	1

70 - 130

**Eurofins Lubbock** 

2

4

6

8

46

11

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 331-071

Client Sample ID: BH-18 2-3'

Date Collected: 10/30/23 17:05 Date Received: 10/31/23 10:30 Lab Sample ID: 820-10713-4 Matrix: Solid Percent Solids: 93.2

Sample Depth: 2 - 3

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000412	U	0.00214	0.000412	mg/Kg	<del>-</del>	11/03/23 08:04	11/03/23 12:54	1
Toluene	<0.000488	U	0.00214	0.000488	mg/Kg	₽	11/03/23 08:04	11/03/23 12:54	1
Ethylbenzene	<0.000605	U	0.00214	0.000605	mg/Kg	₽	11/03/23 08:04	11/03/23 12:54	1
m-Xylene & p-Xylene	<0.00108	U	0.00428	0.00108	mg/Kg	₽	11/03/23 08:04	11/03/23 12:54	1
o-Xylene	<0.000368	U	0.00214	0.000368	mg/Kg	₩	11/03/23 08:04	11/03/23 12:54	1
Xylenes, Total	<0.00108	U	0.00428	0.00108	mg/Kg	\$	11/03/23 08:04	11/03/23 12:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		70 - 130				11/03/23 08:04	11/03/23 12:54	1
1,4-Difluorobenzene (Surr)	92		70 - 130				11/03/23 08:04	11/03/23 12:54	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	45.6	JB	53.2	15.9	mg/Kg	<b>‡</b>	11/01/23 14:52	11/02/23 02:11	1
Diesel Range Organics (Over C10-C28)	36.0	J	53.2	15.9	mg/Kg	₽	11/01/23 14:52	11/02/23 02:11	1
OII Range Organics (Over C28-C36)	<15.9	U	53.2	15.9	mg/Kg	₽	11/01/23 14:52	11/02/23 02:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	154	S1+	70 - 130				11/01/23 14:52	11/02/23 02:11	1
o-Terphenyl	181	S1+	70 - 130				11/01/23 14:52	11/02/23 02:11	1

Method: EPA 300.0 - Anions, Ion	Chromatography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	70.2	5.33	0.421 mg/Kg	₽		11/04/23 14:44	1

Client Sample ID: BH-19 0-1'

Date Collected: 10/30/23 16:46

Date Received: 10/31/23 10:30 Sample Depth: 0 - 1

Lab Sample	ID: 820-10713-5
	Matrix: Solid

Percent Solids: 97.1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000393	U	0.00204	0.000393	mg/Kg	<del>*</del>	11/03/23 08:04	11/03/23 13:15	1
Toluene	< 0.000465	U	0.00204	0.000465	mg/Kg	₽	11/03/23 08:04	11/03/23 13:15	1
Ethylbenzene	<0.000576	U	0.00204	0.000576	mg/Kg	₽	11/03/23 08:04	11/03/23 13:15	1
m-Xylene & p-Xylene	<0.00103	U	0.00408	0.00103	mg/Kg	₽	11/03/23 08:04	11/03/23 13:15	1
o-Xylene	< 0.000351	U	0.00204	0.000351	mg/Kg	₽	11/03/23 08:04	11/03/23 13:15	1
Xylenes, Total	<0.00103	U	0.00408	0.00103	mg/Kg	₩	11/03/23 08:04	11/03/23 13:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130				11/03/23 08:04	11/03/23 13:15	1
1,4-Difluorobenzene (Surr)	86		70 - 130				11/03/23 08:04	11/03/23 13:15	1
- Method: SW846 8015B NM - D	iesel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	21.2	JB	51.1	15.3	mg/Kg		11/01/23 14:52	11/02/23 02:32	1

**Eurofins Lubbock** 

11/02/23 02:32

51.1

15.3 mg/Kg

☆ 11/01/23 14:52

40.4 J

(GRO)-C6-C10

C10-C28)

**Diesel Range Organics (Over** 

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

Percent Solids: 97.1

SDG: 331-071

Client Sample ID: BH-19 0-1'

Date Collected: 10/30/23 16:46 Date Received: 10/31/23 10:30 Lab Sample ID: 820-10713-5 Matrix: Solid

Sample Depth: 0 - 1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oll Range Organics (Over C28-C36)	<15.3	U	51.1	15.3	mg/Kg	₩	11/01/23 14:52	11/02/23 02:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	160	S1+	70 - 130				11/01/23 14:52	11/02/23 02:32	1
o-Terphenyl	182	S1+	70 - 130				11/01/23 14:52	11/02/23 02:32	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	48.2	5.19	0.410 mg/Kg	<b>□</b>		11/04/23 14:51	1

Client Sample ID: BH-19 2-3'

Lab Sample ID: 820-10713-6

Matrix: Solid

Percent Solids: 97.1

Date Collected: 10/30/23 16:50 Date Received: 10/31/23 10:30

Sample Depth: 2 - 3

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000398	U	0.00207	0.000398	mg/Kg	<del>-</del>	11/03/23 08:04	11/03/23 13:36	1
Toluene	<0.000471	U	0.00207	0.000471	mg/Kg	₽	11/03/23 08:04	11/03/23 13:36	1
Ethylbenzene	<0.000584	U	0.00207	0.000584	mg/Kg	₽	11/03/23 08:04	11/03/23 13:36	1
m-Xylene & p-Xylene	<0.00104	U	0.00414	0.00104	mg/Kg	₽	11/03/23 08:04	11/03/23 13:36	1
o-Xylene	< 0.000356	U	0.00207	0.000356	mg/Kg	₽	11/03/23 08:04	11/03/23 13:36	1
Xylenes, Total	<0.00104	U	0.00414	0.00104	mg/Kg	₩	11/03/23 08:04	11/03/23 13:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		70 _ 130				11/03/23 08:04	11/03/23 13:36	1
1,4-Difluorobenzene (Surr)	67	S1-	70 - 130				11/03/23 08:04	11/03/23 13:36	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	37.2	J B	51.3	15.4	mg/Kg	*	11/01/23 14:52	11/02/23 02:53	1
Diesel Range Organics (Over C10-C28)	36.0	J	51.3	15.4	mg/Kg	₩	11/01/23 14:52	11/02/23 02:53	1
Oll Range Organics (Over C28-C36)	<15.4	U	51.3	15.4	mg/Kg	₽	11/01/23 14:52	11/02/23 02:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	153	S1+	70 - 130				11/01/23 14:52	11/02/23 02:53	1
o-Terphenyl	172	S1+	70 - 130				11/01/23 14:52	11/02/23 02:53	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	47.0	5.18	0.409 mg/Kg	☼		11/04/23 14:57	1

# **Surrogate Summary**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 331-071

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

				Percent Surrogate Recovery (Acceptance Limits)
		BFB1	DFBZ1	
_ab Sample ID	Client Sample ID	(70-130)	(70-130)	
320-10713-1	BH-17 0-1'	78	99	
320-10713-2	BH-17 3-4'	82	95	
320-10713-3	BH-18 0-1'	93	82	
320-10713-4	BH-18 2-3'	82	92	
320-10713-5	BH-19 0-1'	97	86	
320-10713-6	BH-19 2-3'	89	67 S1-	
_CS 880-66132/1-A	Lab Control Sample	106	120	
CSD 880-66132/2-A	Lab Control Sample Dup	114	121	
MB 880-66132/5-A	Method Blank	74	94	
Surrogate Legend				

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Prep Type: Total/NA **Matrix: Solid** 

			Percent Surrogate Recovery (Ad	cceptance Limits)
		1CO1	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	70-130)	
820-10713-1	BH-17 0-1'	142 S1+	62 S1+	
820-10713-2	BH-17 3-4'	153 S1+	72 S1+	
820-10713-3	BH-18 0-1'	134 S1+	57 S1+	
820-10713-4	BH-18 2-3'	154 S1+	81 S1+	
820-10713-5	BH-19 0-1'	160 S1+	82 S1+	
820-10713-6	BH-19 2-3'	153 S1+	72 S1+	
LCS 880-65999/2-A	Lab Control Sample	77	95	
LCSD 880-65999/3-A	Lab Control Sample Dup	73	89	
MB 880-65999/1-A	Method Blank	249 S1+	91 S1+	

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

### **QC Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 331-071

#### Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-66132/5-A

**Matrix: Solid** 

Analysis Batch: 66130

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 66132

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		11/03/23 08:04	11/03/23 11:10	1
Toluene	< 0.000456	U	0.00200	0.000456	mg/Kg		11/03/23 08:04	11/03/23 11:10	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		11/03/23 08:04	11/03/23 11:10	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		11/03/23 08:04	11/03/23 11:10	1
o-Xylene	< 0.000344	U	0.00200	0.000344	mg/Kg		11/03/23 08:04	11/03/23 11:10	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		11/03/23 08:04	11/03/23 11:10	1

MB MB

Surrogate	%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	74		70 - 130	_	11/03/23 08:04	11/03/23 11:10	1
1,4-Difluorobenzene (Surr)	94		70 - 130		11/03/23 08:04	11/03/23 11:10	1

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 66132

Prep Type: Total/NA

Prep Batch: 66132

Lab Sample ID: LCS 880-66132/1-A Matrix: Solid

Analysis Batch: 66130

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.09192	-	mg/Kg		92	70 - 130	
Toluene	0.100	0.08765		mg/Kg		88	70 - 130	
Ethylbenzene	0.100	0.08557		mg/Kg		86	70 - 130	
m-Xylene & p-Xylene	0.200	0.1836		mg/Kg		92	70 - 130	
o-Xvlene	0.100	0.08849		ma/Ka		88	70 - 130	

LCS LCS

Surrogate	%Recovery Qualifier		Limits
4-Bromofluorobenzene (Surr)	106		70 - 130
1,4-Difluorobenzene (Surr)	120		70 - 130

**Client Sample ID: Lab Control Sample Dup** 

**Matrix: Solid** 

Analysis Batch: 66130

Lab Sample ID: LCSD 880-66132/2-A

•	Spike	LCSD	LCSD				%Rec		RPD	5 5 5
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	0.100	0.09299		mg/Kg		93	70 - 130	1	35	
Toluene	0.100	0.08745		mg/Kg		87	70 - 130	0	35	
Ethylbenzene	0.100	0.08940		mg/Kg		89	70 - 130	4	35	
m-Xylene & p-Xylene	0.200	0.1920		mg/Kg		96	70 - 130	4	35	
o-Xvlene	0.100	0.09302		ma/Ka		93	70 - 130	5	35	

LCSD LCSD

Surrogate	%Recovery (	Qualifier	70 - 130
4-Bromofluorobenzene (Surr)	114		70 - 130
1,4-Difluorobenzene (Surr)	121		70 - 130

#### QC Sample Results

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 331-071

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-65999/1-A

**Matrix: Solid** 

Analysis Batch: 65947

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 65999

	MB	МВ							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	16.52	J	50.0	15.0	mg/Kg		11/01/23 14:52	11/01/23 20:24	1
(GRO)-C6-C10									
Diesel Range Organics (Over	<15.0	U	50.0	15.0	mg/Kg		11/01/23 14:52	11/01/23 20:24	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		11/01/23 14:52	11/01/23 20:24	1
	МВ	MB							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	249	S1+	70 - 130				11/01/23 14:52	11/01/23 20:24	1

70 - 130

Lab Sample ID: LCS 880-65999/2-A

**Matrix: Solid** 

o-Terphenyl

**Analysis Batch: 65947** 

Client Sample ID: Lab Control Sample

11/01/23 20:24

11/01/23 14:52

Prep Type: Total/NA

Prep Batch: 65999

LCS LCS Spike %Rec Analyte Added Result Qualifier Unit D %Rec Limits 1000 861.0 86 70 - 130 Gasoline Range Organics mg/Kg (GRO)-C6-C10 Diesel Range Organics (Over 1000 912.7 mg/Kg 91 70 - 130C10-C28)

LCS LCS

291 S1+

%Recovery Qualifier Limits Surrogate 1-Chlorooctane 77 70 - 130 o-Terphenyl 95 70 - 130

Client Sample ID: Lab Control Sample Dup

70 - 130

81

Prep Type: Total/NA Prep Batch: 65999

12

20

Analysis Batch: 65947

Lab Sample ID: LCSD 880-65999/3-A

Gasoline Range Organics

LCSD LCSD Spike %Rec RPD Added RPD Limit Result Qualifier Unit D %Rec Limits 1000 839.4 mg/Kg 84 70 - 130 20

mg/Kg

(GRO)-C6-C10 Diesel Range Organics (Over

**Matrix: Solid** 

C10-C28)

Surrogate

Analyte

LCSD LCSD Qualifier %Recovery Limits

70 - 130 1-Chlorooctane 73 89 70 - 130 o-Terphenyl

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-65991/1-A Client Sample ID: Method Blank

1000

813.3

**Matrix: Solid** 

Analysis Batch: 66206

мв мв Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac Chloride <0.395 U 5.00 11/04/23 11:28 0.395 mg/Kg

**Prep Type: Soluble** 

#### **QC Sample Results**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 331-071

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-65991/2-A **Matrix: Solid** 

Lab Sample ID: LCSD 880-65991/3-A

Analysis Batch: 66206

**Analysis Batch: 66206** 

**Matrix: Solid** 

**Client Sample ID: Lab Control Sample** 

**Prep Type: Soluble** 

Spike LCS LCS %Rec Result Qualifier Analyte Added Unit %Rec Limits Chloride 250 253.6 mg/Kg 101 90 - 110

Client Sample ID: Lab Control Sample Dup

**Prep Type: Soluble** 

Spike LCSD LCSD %Rec RPD

Added Result Qualifier Limits RPD Limit Analyte Unit D %Rec Chloride 250 254.0 mg/Kg 102 90 - 110 0 20

# **QC Association Summary**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H Job ID: 820-10713-1 SDG: 331-071

#### **GC VOA**

#### Analysis Batch: 66130

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-10713-1	BH-17 0-1'	Total/NA	Solid	8021B	66132
820-10713-2	BH-17 3-4'	Total/NA	Solid	8021B	66132
820-10713-3	BH-18 0-1'	Total/NA	Solid	8021B	66132
820-10713-4	BH-18 2-3'	Total/NA	Solid	8021B	66132
820-10713-5	BH-19 0-1'	Total/NA	Solid	8021B	66132
820-10713-6	BH-19 2-3'	Total/NA	Solid	8021B	66132
MB 880-66132/5-A	Method Blank	Total/NA	Solid	8021B	66132
LCS 880-66132/1-A	Lab Control Sample	Total/NA	Solid	8021B	66132
LCSD 880-66132/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	66132

#### Prep Batch: 66132

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-10713-1	BH-17 0-1'	Total/NA	Solid	5035	
820-10713-2	BH-17 3-4'	Total/NA	Solid	5035	
820-10713-3	BH-18 0-1'	Total/NA	Solid	5035	
820-10713-4	BH-18 2-3'	Total/NA	Solid	5035	
820-10713-5	BH-19 0-1'	Total/NA	Solid	5035	
820-10713-6	BH-19 2-3'	Total/NA	Solid	5035	
MB 880-66132/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-66132/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-66132/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

#### **GC Semi VOA**

#### Analysis Batch: 65947

I ah Samula ID	Client Sample ID	Bron Tuno	Matrix	Method	Prep Batch
Lab Sample ID		Prep Type			- <u> </u>
820-10713-1	BH-17 0-1'	Total/NA	Solid	8015B NM	65999
820-10713-2	BH-17 3-4'	Total/NA	Solid	8015B NM	65999
820-10713-3	BH-18 0-1'	Total/NA	Solid	8015B NM	65999
820-10713-4	BH-18 2-3'	Total/NA	Solid	8015B NM	65999
820-10713-5	BH-19 0-1'	Total/NA	Solid	8015B NM	65999
820-10713-6	BH-19 2-3'	Total/NA	Solid	8015B NM	65999
MB 880-65999/1-A	Method Blank	Total/NA	Solid	8015B NM	65999
LCS 880-65999/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	65999
LCSD 880-65999/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	65999

#### Prep Batch: 65999

Released to Imaging: 8/27/2024 7:32:11 AM

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-10713-1	BH-17 0-1'	Total/NA	Solid	8015NM Prep	
820-10713-2	BH-17 3-4'	Total/NA	Solid	8015NM Prep	
820-10713-3	BH-18 0-1'	Total/NA	Solid	8015NM Prep	
820-10713-4	BH-18 2-3'	Total/NA	Solid	8015NM Prep	
820-10713-5	BH-19 0-1'	Total/NA	Solid	8015NM Prep	
820-10713-6	BH-19 2-3'	Total/NA	Solid	8015NM Prep	
MB 880-65999/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-65999/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-65999/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Eurofins Lubbock

2

3

5

6

8

9

10

10

13

# **QC Association Summary**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H Job ID: 820-10713-1 SDG: 331-071

#### HPLC/IC

#### Leach Batch: 65991

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-10713-1	BH-17 0-1'	Soluble	Solid	DI Leach	
820-10713-2	BH-17 3-4'	Soluble	Solid	DI Leach	
820-10713-3	BH-18 0-1'	Soluble	Solid	DI Leach	
820-10713-4	BH-18 2-3'	Soluble	Solid	DI Leach	
820-10713-5	BH-19 0-1'	Soluble	Solid	DI Leach	
820-10713-6	BH-19 2-3'	Soluble	Solid	DI Leach	
MB 880-65991/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-65991/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-65991/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

#### Analysis Batch: 66206

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-10713-1	BH-17 0-1'	Soluble	Solid	300.0	65991
820-10713-2	BH-17 3-4'	Soluble	Solid	300.0	65991
820-10713-3	BH-18 0-1'	Soluble	Solid	300.0	65991
820-10713-4	BH-18 2-3'	Soluble	Solid	300.0	65991
820-10713-5	BH-19 0-1'	Soluble	Solid	300.0	65991
820-10713-6	BH-19 2-3'	Soluble	Solid	300.0	65991
MB 880-65991/1-A	Method Blank	Soluble	Solid	300.0	65991
LCS 880-65991/2-A	Lab Control Sample	Soluble	Solid	300.0	65991
LCSD 880-65991/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	65991

# **General Chemistry**

#### Analysis Batch: 66000

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-10713-1	BH-17 0-1'	Total/NA	Solid	D2216	<u> </u>
820-10713-2	BH-17 3-4'	Total/NA	Solid	D2216	
820-10713-3	BH-18 0-1'	Total/NA	Solid	D2216	
820-10713-4	BH-18 2-3'	Total/NA	Solid	D2216	
820-10713-5	BH-19 0-1'	Total/NA	Solid	D2216	
820-10713-6	BH-19 2-3'	Total/NA	Solid	D2216	
MB 880-66000/1	Method Blank	Total/NA	Solid	D2216	
820-10713-1 DU	BH-17 0-1'	Total/NA	Solid	D2216	

Lab Sample ID: 820-10713-1

**Matrix: Solid** 

Client Sample ID: BH-17 0-1'

Date Collected: 10/30/23 12:52 Date Received: 10/31/23 10:30

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared			
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	D2216		1			66000	11/02/23 13:11	SMC	EET MID	_

Client Sample ID: BH-17 0-1'

Date Collected: 10/30/23 12:52

Date Received: 10/31/23 10:30

or Analyzed	Analyst	Lab
11/02/23 13:11	SMC	EET MID

Lab Sample ID: 820-10713-1 Matrix: Solid Percent Solids: 96.8

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	66132	11/03/23 08:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	66130	11/03/23 11:53	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10 mL	65999	11/01/23 14:52	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	65947	11/02/23 00:45	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	65991	11/01/23 14:25	SMC	EET MID
Soluble	Analysis	300.0		1			66206	11/04/23 14:11	CH	EET MID

Client Sample ID: BH-17 3-4'

Date Collected: 10/30/23 12:57

Date Received: 10/31/23 10:30

Lab Sample ID: 820-10713-2

**Matrix: Solid** 

		Batch	Batch		Dil	Initial	Final	Batch	Prepared		
	Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
l	Total/NA	Analysis	D2216		1			66000	11/02/23 13:11	SMC	EET MID

Client Sample ID: BH-17 3-4'

Date Collected: 10/30/23 12:57

Date Received: 10/31/23 10:30

Lab	Sample	ID:	820-10713-2
			Matrix: Solid

Percent Solids: 90.4

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	66132	11/03/23 08:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	66130	11/03/23 12:13	MNR	EET MID
Total/NA	Prep	8015NM Prep			9.92 g	10 mL	65999	11/01/23 14:52	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	65947	11/02/23 01:07	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	65991	11/01/23 14:25	SMC	EET MID
Soluble	Analysis	300.0		1			66206	11/04/23 14:31	CH	EET MID

Client Sample ID: BH-18 0-1'

Date Collected: 10/30/23 16:55

Date Received: 10/31/23 10:30

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared			
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	D2216					66000	11/02/23 13:11	SMC	EET MID	-

Job ID: 820-10713-1

SDG: 331-071

Client Sample ID: BH-18 0-1'

Date Collected: 10/30/23 16:55 Date Received: 10/31/23 10:30

Lab Sample ID: 820-10713-3

**Matrix: Solid** Percent Solids: 94.7

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	66132	11/03/23 08:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	66130	11/03/23 12:34	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	65999	11/01/23 14:52	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	65947	11/02/23 01:28	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	65991	11/01/23 14:25	SMC	EET MID
Soluble	Analysis	300.0		1			66206	11/04/23 14:38	CH	EET MID

Client Sample ID: BH-18 2-3'

Date Collected: 10/30/23 17:05 Date Received: 10/31/23 10:30

Lab Sample ID: 820-10713-4 Matrix: Solid

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Total/NA Analysis D2216 66000 11/02/23 13:11 SMC **EET MID** 

Client Sample ID: BH-18 2-3'

Date Collected: 10/30/23 17:05 Date Received: 10/31/23 10:30

Lab Sample ID: 820-10713-4

**Matrix: Solid** Percent Solids: 93.2

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Total/NA Prep 5035 5.01 g 5 mL 66132 11/03/23 08:04 FΙ EET MID Total/NA 8021B 66130 11/03/23 12:54 MNR Analysis 5 mL 5 mL **EET MID** Total/NA Prep 8015NM Prep 10.09 g 10 mL 65999 11/01/23 14:52 TKC **EET MID** Total/NA 65947 11/02/23 02:11 SM Analysis 8015B NM 1 uL 1 uL **EET MID** 5.03 g 50 mL 11/01/23 14:25 SMC Soluble Leach DI Leach 65991 EET MID Soluble Analysis 300.0 1 66206 11/04/23 14:44 CH **EET MID** 

Client Sample ID: BH-19 0-1'

Date Collected: 10/30/23 16:46 Date Received: 10/31/23 10:30

Lab Sample ID: 820-10713-5

**Matrix: Solid** 

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			66000	11/02/23 13:11	SMC	EET MID

Client Sample ID: BH-19 0-1'

Date Collected: 10/30/23 16:46

Date Received: 10/31/23 10:30

Lab Sample ID: 820-10713-5 **Matrix: Solid** 

Percent Solids: 97.1

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	66132	11/03/23 08:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	66130	11/03/23 13:15	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.07 g	10 mL	65999	11/01/23 14:52	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	65947	11/02/23 02:32	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	65991	11/01/23 14:25	SMC	EET MID
Soluble	Analysis	300.0		1			66206	11/04/23 14:51	CH	EET MID

#### **Lab Chronicle**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 331-071

Client Sample ID: BH-19 2-3'

Lab Sample ID: 820-10713-6

Date Collected: 10/30/23 16:50 Date Received: 10/31/23 10:30

Client Sample ID: BH-19 2-3'

Matrix: Solid

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			66000	11/02/23 13:11	SMC	EET MID

Lab Sample ID: 820-10713-6

Date Collected: 10/30/23 16:50 Matrix: Solid Date Received: 10/31/23 10:30 Percent Solids: 97.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	66132	11/03/23 08:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	66130	11/03/23 13:36	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	65999	11/01/23 14:52	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	65947	11/02/23 02:53	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	65991	11/01/23 14:25	SMC	EET MID
Soluble	Analysis	300.0		1			66206	11/04/23 14:57	CH	EET MID

Laboratory References:

Released to Imaging: 8/27/2024 7:32:11 AM

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

# **Accreditation/Certification Summary**

Client: Civil & Environmental Consultants Inc

Job ID: 820-10713-1 SDG: 331-071

Project/Site: Seawolf 1 12 Federal 8H

#### **Laboratory: Eurofins Midland**

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-23-26	06-30-24

# **Method Summary**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 33

31	-071	

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
D2216	Percent Moisture	ASTM	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

#### Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

**Eurofins Lubbock** 

Page 20 of 24 Released to Imaging: 8/27/2024 7:32:11 AM

# **Sample Summary**

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 1 12 Federal 8H

Job ID: 820-10713-1

SDG: 331-071

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
820-10713-1	BH-17 0-1'	Solid	10/30/23 12:52	10/31/23 10:30	0 - 1
820-10713-2	BH-17 3-4'	Solid	10/30/23 12:57	10/31/23 10:30	3 - 4
820-10713-3	BH-18 0-1'	Solid	10/30/23 16:55	10/31/23 10:30	0 - 1
820-10713-4	BH-18 2-3'	Solid	10/30/23 17:05	10/31/23 10:30	2 - 3
820-10713-5	BH-19 0-1'	Solid	10/30/23 16:46	10/31/23 10:30	0 - 1
820-10713-6	BH-19 2-3'	Solid	10/30/23 16:50	10/31/23 10:30	2-3

820-10713 Chain of Custody

282 of 334

1

2

3

Revised Da

7

9

12

14

Chain of Custody

Houston, TX (281) 240-4200, Dalias, TX (214) 902-0300 Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334 EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296 Hobbs, NM (575) 392-7550, Carlebad, NM (575) 988-3199 Little Rock, AR (501) 224-5060

**Environment Testing** 

Project Manager:	HOURS CAMPORLL	217		Bill to: (if different)	Q.	Davon							Work Orc	Work Order Comments	ıts	
	CEC			Company Name	.e					Δ.	rogram: L	JST/PST [	PRP	Program: UST/PST 🗌 PRP 🗌 Brownfields 🗌 RRC 📋	RRC S	Superfund []
	700 CHERRINGTON		PKWY	Address:						Ø	State of Project:	oject:				
te ZIP:		Ι.		City, State ZIP:						α	eporting:	Level II 🔽	Level III	Reporting: Level II V Level III   PST/UST   TRRP   Level IV	TRRP	Level IV
			Email:	LCAMPBELL (D	0 17	Cec Incom	K .COV				Deliverables: EDD		[Z]	ADaPT [	Other:	
Project Name: 54	Saudo F Ference Of H	TBJ	Turn	Turn Around					ANALYSIS REQUEST	SREGU	EST			Pre	Preservative Codes	Codes
	331-071		Koutine	Rush	Code									None: NO		DI Water: H <sub>2</sub> O
<u> </u>	(BA-CO., 1) 3M		Due Date:			_		741			-	_		Cool: Cool		МеОН: Ме
Sampler's Name:	B. Baritan		TAT starts the	day received by			1	7 m						HCL: HC		HNO3
PO#	21126163		the lab, if received b	eived by 4:30pm	9.	)-( ]-n	- 5)							H <sub>2</sub> S04: H <sub>2</sub>		NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes Al	Wet Ice:	oN Se	1636	9	0h×	0)						H <sub>3</sub> PO <sub>4</sub> : HP	숒	
Samples Received Intact:	Yes No	Thermometer ID:		12.4				27						NaHSO4: NABIS	: NABIS	
Cooler Custody Seals:	Yes No	Correction Factor:		9		Nie Nie	私	7						Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub>	: NaSO3	
Sample Custody Seals:	Yes No WAT	V/A Temperature Reading:	Reading:	90 M				-710						Zn Aceta	Zn Acetate+NaOH: Zn	
Total Containers:		Corrected Temperature:	emperature:	3.7				21.0						NaOH+A	NaOH+Ascorbic Acid: SAPC	: SAPC
Sample Identification	Matrix	Date	Time	Depth Grab/	*	94P2 300	AVOI:	1014						Sar	Sample Comments	nents
	Š	Sampled	_	Сощр		4	_				1	+	+	_		
1-0 H-HG	2	10/30/23	125	0-1.10	2	-										
B4-17 2-4		10/20/13	1257	3-41	-											
JO		Į	1635	Q-1,												
34-18 2-3,			5021	17-31												
			1646	0-1'												
	7	7	1 1	2-3	>	1	1									
							$\dashv$	$\Box$			-	$\exists$				
								$\exists$			$\dashv$					
Total 200.7 / 6010	200.8 / 6020:	88	BRCRA 13PPM	M Texas 11		Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K	e B Cd	Ca C	20 CU F	e Pb M	g Mn M	N N	Se Ag Si(	Se Ag SiO <sub>2</sub> Na Sr Ti Sn U V Zn	N U VS	Zu
Circle Method(s) and	Circle Method(s) and Metal(s) to be analyzed	pe:	TCLP / SPLP	LP 6010: 8RCRA	- 11	Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti	Be Cd	00 70	Cu Pb Mi	Mo N	Se Ag	) I	Hg: 1631	31 / 245.1 / 7470	7470 / 7471	
Notice: Signature of this document and relinquishment of semples constitutes a vaild purchas of service. Eurofins Xenco will be flable only for the cost of samples and shall not assume an of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge	Notice: Signature of this document and relinquishment of samples constitutes a vaid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It seeligns standard terms and conditions of service. Eurofins Xenco with be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control Eurofins Xenco, Aminimum charge of \$55.00 will be applied to each project and a charge of \$5 for each asample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negoci	of samples controlling to each	titutes a valid p d shall not assu. project and a ch	urchase order fron me any responsibli large of \$5 for each	n client con lity for any h sample su	pany to Euro losses or exp ubmitted to El	fins Xenco. enses incu urofins Xen	. Its affiliate rred by the co, but not	s and subcor client if such analyzed. Th	iceses are c see terms w	sseigns star lue to circur III be enforc	idard farmi natances be ed unless pr	se order from client company to Eurofina Xenco, its affiliates and subcontractors. It sesigns standard terms and conditions by responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of \$5 for each sample submitted to Eurofine Xenco, but not analyzed. These terms will be enforced unless previously negoclated.	rol dated.		
Relinquished by: (Signature)	Signature)	Receive	Received by: (Signatúre)	túre)		Date/Time	F	Relinqui	Relinquished by: (Signature)	Signature		Receive	Received by: (Signature)	nature)	Date	Date/Time
770	1	Maria	A STATE OF THE PARTY OF THE PAR		18/18/	18/12/12/18/18/	j de									
8	>	1	-			2	230									
4					L		9				F					

# **Login Sample Receipt Checklist**

Client: Civil & Environmental Consultants Inc

Job Number: 820-10713-1

SDG Number: 331-071

Login Number: 10713 List Source: Eurofins Lubbock

List Number: 1 Creator: Lee, Randell

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Released to Imaging: 8/27/2024 7:32:11 AM

# **Login Sample Receipt Checklist**

Client: Civil & Environmental Consultants Inc

Job Number: 820-10713-1

SDG Number: 331-071

List Source: Eurofins Midland List Creation: 11/01/23 12:57 PM

List Number: 2 Creator: Rodriguez, Leticia

Login Number: 10713

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
ls the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is	N/A	

**Eurofins Lubbock** 

Released to Imaging: 8/27/2024 7:32:11 AM

<6mm (1/4").

3

4

0

10

. .

13

**Environment Testing** 

# **ANALYTICAL REPORT**

# PREPARED FOR

Attn: Ms. Laura Campbell Civil & Environmental Consultants Inc 700 Cherrington Parkway Moon Township, Pennsylvania 15108

Generated 7/2/2024 3:49:11 PM

# **JOB DESCRIPTION**

Seawolf 112 Fed 81H

# **JOB NUMBER**

880-45366-1

Eurofins Midland 1211 W. Florida Ave Midland TX 79701

# **Job Notes**

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

# **Authorization**

Generated 7/2/2024 3:49:11 PM

Authorized for release by Travis Richter, Project Manager <u>Travis.Richter@et.eurofinsus.com</u> (281)794-7216

3

4

7

8

10

13

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 112 Fed 81H

Laboratory Job ID: 880-45366-1

# **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	15
QC Sample Results	17
QC Association Summary	23
Lab Chronicle	27
Certification Summary	33
Method Summary	34
Sample Summary	35
Chain of Custody	36
Receipt Checklists	

2

\_

3

4

6

8

9

11

12

13

#### **Definitions/Glossary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

#### **Qualifiers**

#### **GC VOA**

Qualifier **Qualifier Description** 

Indicates the analyte was analyzed for but not detected.

#### **GC Semi VOA**

Qualifier	Qualitier Description

В Compound was found in the blank and sample.

Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

S1+ Surrogate recovery exceeds control limits, high biased. Indicates the analyte was analyzed for but not detected.

#### **HPLC/IC**

LCS and/or LCSD is outside acceptance limits, low biased.

\*1 LCS/LCSD RPD exceeds control limits.

F1 MS and/or MSD recovery exceeds control limits.

Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Indicates the analyte was analyzed for but not detected.

#### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this repor
--------------	---

Listed under the "D" column to designate that the result is reported on a dry weight basis

Percent Recovery %R CFL Contains Free Liquid CFU Colony Forming Unit CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac **Dilution Factor** 

Detection Limit (DoD/DOE) DL

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

Decision Level Concentration (Radiochemistry) DLC

EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) Limit of Quantitation (DoD/DOE) LOQ

EPA recommended "Maximum Contaminant Level" MCL MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit Minimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

**Practical Quantitation Limit PQL** 

**PRES** Presumptive **Quality Control** 

RER Relative Error Ratio (Radiochemistry)

Reporting Limit or Requested Limit (Radiochemistry) RL

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) Toxicity Equivalent Quotient (Dioxin) TEQ

**TNTC** Too Numerous To Count

**Eurofins Midland** 

#### **Case Narrative**

Client: Civil & Environmental Consultants Inc

Project: Seawolf 112 Fed 81H

Job ID: 880-45366-1

Job ID: 880-45366-1

**Eurofins Midland** 

#### Job Narrative 880-45366-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The samples were received on 6/27/2024 5:40 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.1°C.

#### **GC VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### **Diesel Range Organics**

Method 8015MOD NM: The surrogate recovery for the blank associated with preparation batch 880-84585 and analytical batch 880-84626 was outside the upper control limits.

Method 8015MOD NM: The method blank for preparation batch 880-84585 and analytical batch 880-84626 contained Gasoline Range Organics (GRO)-C6-C10 above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD\_NM: The continuing calibration verification (CCV) associated with batch 880-84626 recovered below the lower control limit for Diesel Range Organics (Over C10-C28). An acceptable CCV was ran within the 12 hour window, therefore the data has been qualified and reported. The associated sample is impacted: (CCV 880-84626/20).

Method 8015MOD NM: Surrogate recovery for the following samples were outside control limits: 81H-20 2-3 (880-45366-1), 81H-20 4 (880-45366-2), 81H-21 2-3 (880-45366-3), 81H-21 4 (880-45366-4), 81H CS-1 (880-45366-5), 81H CS-2 (880-45366-6), 81H CS-3 (880-45366-7), 81H CS-4 (880-45366-8), 81H CS-5 (880-45366-9), 81H CS-6 (880-45366-10), 81H CS-7 (880-45366-11), 81H CS-8 (880-45366-12), 81H CS-9 (880-45366-13), 81H CS-10 (880-45366-14), (880-45366-A-1-H MS) and (880-45366-A-1-I MSD). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

Method 300 ORGFM 28D - Soluble: The laboratory control sample (LCS) associated with preparation batch 880-84481 and analytical batch 880-84677 was outside acceptance criteria due to a mis-injection. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 300 ORGFM 28D - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-84484 and analytical batch 880-84712 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H Client Sample ID: 81H-20 2-3

Date Collected: 06/25/24 09:41

Matrix: Solid

Job ID: 880-45366-1

Lab Sample ID: 880-45366-1

Date Received: 06/27/24 17:40								Percent Soli	ds: 97.1
Method: SW846 8021B - Volatile	Organic Comp	ounds (GC	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00143	U	0.00205	0.00143	mg/Kg	<del></del>	06/28/24 10:56	06/29/24 15:00	1
Toluene	<0.00205	U	0.00205	0.00205	mg/Kg	₽	06/28/24 10:56	06/29/24 15:00	1
Ethylbenzene	<0.00112	U	0.00205	0.00112	mg/Kg	₽	06/28/24 10:56	06/29/24 15:00	1
m-Xylene & p-Xylene	<0.00234	U	0.00410	0.00234	mg/Kg	₽	06/28/24 10:56	06/29/24 15:00	1
o-Xylene	< 0.00163	U	0.00205	0.00163	mg/Kg	₽	06/28/24 10:56	06/29/24 15:00	1
Xylenes, Total	<0.00234	U	0.00410	0.00234	mg/Kg	₽	06/28/24 10:56	06/29/24 15:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				06/28/24 10:56	06/29/24 15:00	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/28/24 10:56	06/29/24 15:00	1
- Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	<11.3	U	51.4	11.3	mg/Kg	<del>-</del>	06/28/24 16:08	06/29/24 10:31	1
(GRO)-C6-C10									
Diesel Range Organics (Over C10-C28)	22.3	J	51.4	15.4	mg/Kg	₽	06/28/24 16:08	06/29/24 10:31	1
Oil Range Organics (Over C28-C36)	<12 9	U	51.4	12 9	ma/Ka	<i>₹</i> 5-	06/28/24 16:08	06/29/24 10:31	1

Oil Range Organics (Over C28-C36)	<12.9	U	51.4	12.9 mg/Kg	₩	06/28/24 16:08	06/29/24 10:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130			06/28/24 16:08	06/29/24 10:31	1
o-Terphenyl	146	S1+	70 - 130			06/28/24 16:08	06/29/24 10:31	1

Method: EPA 300.0 - Anions, Ion (	Chromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.44	J *- *1	5.18	0.409	mg/Kg	<u></u>		07/01/24 22:11	1

Client Sample ID: 81H-20 4 Lab Sample ID: 880-45366-2 Date Collected: 06/25/24 09:43 Matrix: Solid

Date Received: 06/27/24 17:40 Percent Solids: 96.3

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00145	U	0.00209	0.00145	mg/Kg	<del>*</del>	06/28/24 10:56	06/29/24 15:20	1
Toluene	<0.00208	U	0.00209	0.00208	mg/Kg	₽	06/28/24 10:56	06/29/24 15:20	1
Ethylbenzene	<0.00114	U	0.00209	0.00114	mg/Kg	₽	06/28/24 10:56	06/29/24 15:20	1
m-Xylene & p-Xylene	<0.00238	U	0.00417	0.00238	mg/Kg	₽	06/28/24 10:56	06/29/24 15:20	1
o-Xylene	<0.00165	U	0.00209	0.00165	mg/Kg	₽	06/28/24 10:56	06/29/24 15:20	1
Xylenes, Total	<0.00238	U	0.00417	0.00238	mg/Kg	₩	06/28/24 10:56	06/29/24 15:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130				06/28/24 10:56	06/29/24 15:20	1
1,4-Difluorobenzene (Surr)	99		70 - 130				06/28/24 10:56	06/29/24 15:20	1

Method: SW846 8015B NM - Diese	Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	44.5	JB	51.7	11.3	mg/Kg	—— <u>—</u>	06/28/24 16:08	06/29/24 11:29	1
Diesel Range Organics (Over C10-C28)	22.6	J	51.7	15.5	mg/Kg	₽	06/28/24 16:08	06/29/24 11:29	1
Oil Range Organics (Over C28-C36)	<12.9	U	51.7	12.9	mg/Kg	₽	06/28/24 16:08	06/29/24 11:29	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Lab Sample ID: 880-45366-2

**Matrix: Solid** Percent Solids: 96.3

Job ID: 880-45366-1

Client Sample ID: 81H-20 4

Date Collected: 06/25/24 09:43 Date Received: 06/27/24 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	150	S1+	70 - 130	06/28/24 16:08	06/29/24 11:29	1
o-Terphenyl	166	S1+	70 - 130	06/28/24 16:08	06/29/24 11:29	1

Method: EPA 300.0 - Anions, Ion Chr	omatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	92.4	*- *1	5.16	0.408	mg/Kg	<b>‡</b>		07/01/24 22:16	1

Client Sample ID: 81H-21 2-3 Lab Sample ID: 880-45366-3

Date Collected: 06/25/24 09:52 **Matrix: Solid** Date Received: 06/27/24 17:40 Percent Solids: 92.6

Method: SW846 8021B - Volati	le Organic Comp	ounds (GC	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00152	U	0.00218	0.00152	mg/Kg	<del></del>	06/28/24 10:56	06/29/24 15:41	1
Toluene	<0.00218	U	0.00218	0.00218	mg/Kg	₽	06/28/24 10:56	06/29/24 15:41	1
Ethylbenzene	<0.00119	U	0.00218	0.00119	mg/Kg	₽	06/28/24 10:56	06/29/24 15:41	1
m-Xylene & p-Xylene	<0.00249	U	0.00436	0.00249	mg/Kg	₽	06/28/24 10:56	06/29/24 15:41	1
o-Xylene	<0.00173	U	0.00218	0.00173	mg/Kg	₽	06/28/24 10:56	06/29/24 15:41	1
Xylenes, Total	<0.00249	U	0.00436	0.00249	mg/Kg	₽	06/28/24 10:56	06/29/24 15:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			70 - 130				06/28/24 10:56	06/29/24 15:41	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/28/24 10:56	06/29/24 15:41	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	39.4	J B	53.9	11.8	mg/Kg	<u></u>	06/28/24 16:08	06/29/24 11:49	1
Diesel Range Organics (Over C10-C28)	25.1	J	53.9	16.2	mg/Kg	₩	06/28/24 16:08	06/29/24 11:49	1
Oil Range Organics (Over C28-C36)	<13.5	U	53.9	13.5	mg/Kg	₩	06/28/24 16:08	06/29/24 11:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	156	S1+	70 - 130				06/28/24 16:08	06/29/24 11:49	1
o-Terphenyl	170	S1+	70 - 130				06/28/24 16:08	06/29/24 11:49	1

Method: EPA 300.0 - Anions, Ion Cl	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	47.3	*- *1	5.38	0.425	mg/Kg	<u></u>		07/01/24 22:21	1

Client Sample ID: 81H-21 4 Lab Sample ID: 880-45366-4 Date Collected: 06/25/24 09:55 **Matrix: Solid** Date Received: 06/27/24 17:40 Percent Solids: 93.5

itile Organic Comp	ounds (GC)							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.00148	U	0.00212	0.00148	mg/Kg	₽	06/28/24 10:56	06/29/24 16:01	1
<0.00212	U	0.00212	0.00212	mg/Kg	₽	06/28/24 10:56	06/29/24 16:01	1
<0.00116	U	0.00212	0.00116	mg/Kg	₽	06/28/24 10:56	06/29/24 16:01	1
<0.00243	U	0.00425	0.00243	mg/Kg	₽	06/28/24 10:56	06/29/24 16:01	1
<0.00168	U	0.00212	0.00168	mg/Kg	₽	06/28/24 10:56	06/29/24 16:01	1
< 0.00243	U	0.00425	0.00243	mg/Kg	₩	06/28/24 10:56	06/29/24 16:01	1
	Result <0.00148 <0.00212 <0.00116 <0.00243 <0.00168	Natile Organic Compounds (GC)   Result   Qualifier   Co.00148   U   Co.00212   U   Co.00116   U   Co.00243   U   Co.00168   U   Co.00243   U   Co.00243	<0.00148	Result         Qualifier         RL         MDL           <0.00148	Result         Qualifier         RL         MDL         Unit           <0.00148	Result         Qualifier         RL         MDL         Unit         D           <0.00148	Result         Qualifier         RL         MDL         Unit         D         Prepared           <0.00148	Result         Qualifier         RL         MDL         Unit         D         Prepared         Analyzed           <0.00148

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Lab Sample ID: 880-45366-4

Matrix: Solid Percent Solids: 93.5

Job ID: 880-45366-1

Client Sample ID: 81H-21 4 Date Collected: 06/25/24 09:55

Date Received: 06/27/24 17:40

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				06/28/24 10:56	06/29/24 16:01	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/28/24 10:56	06/29/24 16:01	1
- Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	47.6	JB	53.2	11.7	mg/Kg	<u></u>	06/28/24 16:08	06/29/24 12:08	1
Diesel Range Organics (Over C10-C28)	23.4	J	53.2	16.0	mg/Kg	₽	06/28/24 16:08	06/29/24 12:08	1
Oil Range Organics (Over C28-C36)	<13.3	U	53.2	13.3	mg/Kg	₽	06/28/24 16:08	06/29/24 12:08	1

	Surrogate	%Recovery	Qualifier	Limits	Prepared	l Analyzed	Dil Fac
	1-Chlorooctane	150	S1+	70 - 130	06/28/24 16	:08 06/29/24 12:08	8 1
	o-Terphenyl	161	S1+	70 - 130	06/28/24 16	:08 06/29/24 12:08	8 1
ı	_						

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble											
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	38.8	*- *1	5.36	0.423	mg/Kg	<b>#</b>		07/01/24 22:37	1		

Client Sample ID: 81H CS-1 Lab Sample ID: 880-45366-5

Date Received: 06/27/24 17:40

Date Collected: 06/25/24 10:36 **Matrix: Solid** Percent Solids: 98.3

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00142	U	0.00204	0.00142	mg/Kg	<del>*</del>	06/28/24 10:56	06/29/24 16:22	1
Toluene	<0.00204	U	0.00204	0.00204	mg/Kg	₽	06/28/24 10:56	06/29/24 16:22	1
Ethylbenzene	<0.00111	U	0.00204	0.00111	mg/Kg	₽	06/28/24 10:56	06/29/24 16:22	1
m-Xylene & p-Xylene	<0.00233	U	0.00408	0.00233	mg/Kg	₩	06/28/24 10:56	06/29/24 16:22	1
o-Xylene	<0.00162	U	0.00204	0.00162	mg/Kg	₩	06/28/24 10:56	06/29/24 16:22	1
Xylenes, Total	<0.00233	U	0.00408	0.00233	mg/Kg	₽	06/28/24 10:56	06/29/24 16:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130				06/28/24 10:56	06/29/24 16:22	1
1,4-Difluorobenzene (Surr)	101		70 - 130				06/28/24 10:56	06/29/24 16:22	1
- Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	34.4	J B	50.8	11.2	mg/Kg	<u></u>	06/28/24 16:08	06/29/24 12:28	
(GRO)-C6-C10									
Diesel Range Organics (Over	250		50.8	15.2	mg/Kg	₽	06/28/24 16:08	06/29/24 12:28	
C10-C28) Oil Pango Organics (Over C28 C26)			E0 0		malka				

Gasoline Range Organics (GRO)-C6-C10	34.4	JB	50.8	11.2 mg/Kg	₩	06/28/24 16:08	06/29/24 12:28	1
Diesel Range Organics (Over	250		50.8	15.2 mg/Kg	₩	06/28/24 16:08	06/29/24 12:28	1
C10-C28) Oil Range Organics (Over C28-C36)	<12.7	U	50.8	12.7 mg/Kg	<b>\$</b>	06/28/24 16:08	06/29/24 12:28	1
0	0/ 5	0				D	Anahmad	D# 5
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130			06/28/24 16:08	06/29/24 12:28	1
o-Terphenyl	136	S1+	70 - 130			06/28/24 16:08	06/29/24 12:28	1
o-Terpnenyl	136	S1+	70 - 130			06/28/24 16:08	06/29/24 12:28	1

Method: EPA 300.0 - Anions, Ion Ch	romatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	534	*- *1	5.07	0.401	mg/Kg	*		07/01/24 22:42	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Lab Sample ID: 880-45366-6

06/28/24 16:08

06/29/24 12:48

Lab Sample ID: 880-45366-7

**Matrix: Solid** 

Percent Solids: 93.2

Matrix: Solid

Percent Solids: 93.8

Job ID: 880-45366-1

Client Sample ID: 81H CS-2 Date Collected: 06/25/24 10:38

Date Received: 06/27/24 17:40 Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00149	U	0.00214	0.00149	mg/Kg	<u></u>	06/28/24 10:56	06/29/24 16:42	1
Toluene	<0.00214	U	0.00214	0.00214	mg/Kg	₽	06/28/24 10:56	06/29/24 16:42	1
Ethylbenzene	<0.00116	U	0.00214	0.00116	mg/Kg	₽	06/28/24 10:56	06/29/24 16:42	1
m-Xylene & p-Xylene	<0.00244	U	0.00427	0.00244	mg/Kg	₩	06/28/24 10:56	06/29/24 16:42	1
o-Xylene	< 0.00169	U	0.00214	0.00169	mg/Kg	₽	06/28/24 10:56	06/29/24 16:42	1
Xylenes, Total	<0.00244	U	0.00427	0.00244	mg/Kg	₩	06/28/24 10:56	06/29/24 16:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				06/28/24 10:56	06/29/24 16:42	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/28/24 10:56	06/29/24 16:42	1
Method: SW846 8015B NM - Dies Analyte	• •	nics (DRO) Qualifier	(GC)	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	28.0	JB	53.2	11.7	mg/Kg	<u></u>	06/28/24 16:08	06/29/24 12:48	1
Diesel Range Organics (Over C10-C28)	87.0		53.2	15.9	mg/Kg	₽	06/28/24 16:08	06/29/24 12:48	1
Oil Range Organics (Over C28-C36)	<13.3	U	53.2	13.3	mg/Kg	≎	06/28/24 16:08	06/29/24 12:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	144	S1+	70 - 130				06/28/24 16:08	06/29/24 12:48	

Method: EPA 300.0 - Anions, Ion C	Chromatography	- Soluble						
Analyte	Result Qu	alifier RL	MDL (	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	666 *- *	5.32	0.420	mg/Kg	<del>-</del>		07/01/24 22:58	1

70 - 130

Client Sample ID: 81H CS-3

o-Terphenyl

Date Collected: 06/25/24 10:40 Date Received: 06/27/24 17:40

151 S1+

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00148	U	0.00213	0.00148	mg/Kg	<del>*</del>	06/28/24 10:56	06/29/24 17:02	1
Toluene	<0.00213	U	0.00213	0.00213	mg/Kg	₽	06/28/24 10:56	06/29/24 17:02	1
Ethylbenzene	<0.00116	U	0.00213	0.00116	mg/Kg	₽	06/28/24 10:56	06/29/24 17:02	1
m-Xylene & p-Xylene	<0.00244	U	0.00427	0.00244	mg/Kg	₽	06/28/24 10:56	06/29/24 17:02	1
o-Xylene	<0.00169	U	0.00213	0.00169	mg/Kg	₽	06/28/24 10:56	06/29/24 17:02	1
Xylenes, Total	<0.00244	U	0.00427	0.00244	mg/Kg	₩	06/28/24 10:56	06/29/24 17:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			70 - 130				06/28/24 10:56	06/29/24 17:02	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/28/24 10:56	06/29/24 17:02	1

Method: SW846 8015B NM - Diese	Range Orga	nics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<11.7	U	53.4	11.7	mg/Kg	<u></u>	06/28/24 16:08	06/29/24 13:08	1
Diesel Range Organics (Over C10-C28)	955		53.4	16.0	mg/Kg	₽	06/28/24 16:08	06/29/24 13:08	1
Oil Range Organics (Over C28-C36)	<13.4	U	53.4	13.4	mg/Kg	₽	06/28/24 16:08	06/29/24 13:08	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Lab Sample ID: 880-45366-7

Matrix: Solid Percent Solids: 93.2

Job ID: 880-45366-1

Client Sample ID: 81H CS-3 Date Collected: 06/25/24 10:40 Date Received: 06/27/24 17:40

l	Surrogate	%Recovery	Qualifier	Limits	Pre	epared	Analyzed	Dil Fac
	1-Chlorooctane	139	S1+	70 - 130	06/28	/24 16:08	06/29/24 13:08	1
	o-Terphenyl	150	S1+	70 - 130	06/28	/24 16:08	06/29/24 13:08	1

Method: EPA 300.0 - Anions, Ion (	Chromatography - Solu	ıble					
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4730 *- *1	27.0	2.14 mg/Kg	<del></del>		07/01/24 23:03	5

Client Sample ID: 81H CS-4 Lab Sample ID: 880-45366-8

Date Collected: 06/25/24 10:42 **Matrix: Solid** Date Received: 06/27/24 17:40 Percent Solids: 97.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00142	U	0.00204	0.00142	mg/Kg	<del>*</del>	06/28/24 10:56	06/29/24 17:23	1
Toluene	<0.00204	U	0.00204	0.00204	mg/Kg	₽	06/28/24 10:56	06/29/24 17:23	1
Ethylbenzene	<0.00111	U	0.00204	0.00111	mg/Kg	₽	06/28/24 10:56	06/29/24 17:23	1
m-Xylene & p-Xylene	<0.00233	U	0.00408	0.00233	mg/Kg	₽	06/28/24 10:56	06/29/24 17:23	1
o-Xylene	< 0.00161	U	0.00204	0.00161	mg/Kg	₽	06/28/24 10:56	06/29/24 17:23	1
Xylenes, Total	<0.00233	U	0.00408	0.00233	mg/Kg	₽	06/28/24 10:56	06/29/24 17:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				06/28/24 10:56	06/29/24 17:23	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/28/24 10:56	06/29/24 17:23	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	38.6	J B	51.3	11.3	mg/Kg	<del>*</del>	06/28/24 16:08	06/29/24 13:28	1
Diesel Range Organics (Over C10-C28)	139		51.3	15.4	mg/Kg	₽	06/28/24 16:08	06/29/24 13:28	1
Oil Range Organics (Over C28-C36)	<12.8	U	51.3	12.8	mg/Kg	₽	06/28/24 16:08	06/29/24 13:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130				06/28/24 16:08	06/29/24 13:28	1
o-Terphenyl	140	S1+	70 - 130				06/28/24 16:08	06/29/24 13:28	1

Method: EPA 300.0 - Anions, Ion Cl	hromatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	925	*- *1	5.16	0.407	mg/Kg	<u></u>		07/01/24 23:08	1

Client Sample ID: 81H CS-5 Lab Sample ID: 880-45366-9 Date Collected: 06/25/24 10:44 **Matrix: Solid** Date Received: 06/27/24 17:40 Percent Solids: 96.1

tile Organic Comp	ounds (GC)							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.00145	U	0.00208	0.00145	mg/Kg	₽	06/28/24 10:56	06/29/24 17:43	1
<0.00208	U	0.00208	0.00208	mg/Kg	₽	06/28/24 10:56	06/29/24 17:43	1
<0.00113	U	0.00208	0.00113	mg/Kg	₽	06/28/24 10:56	06/29/24 17:43	1
<0.00238	U	0.00416	0.00238	mg/Kg	₽	06/28/24 10:56	06/29/24 17:43	1
< 0.00165	U	0.00208	0.00165	mg/Kg	₩	06/28/24 10:56	06/29/24 17:43	1
<0.00238	U	0.00416	0.00238	mg/Kg	₽	06/28/24 10:56	06/29/24 17:43	1
	Result <0.00145 <0.00208 <0.00113 <0.00238 <0.00165	tile Organic Compounds (GC)  Result Qualifier  <0.00145 U  <0.00208 U  <0.00113 U  <0.00238 U  <0.00165 U  <0.00238 U	<0.00145 U 0.00208 <0.00208 U 0.00208 <0.00113 U 0.00208 <0.00238 U 0.00416 <0.00165 U 0.00208	Result         Qualifier         RL         MDL           <0.00145	Result         Qualifier         RL         MDL         Unit           <0.00145	Result         Qualifier         RL         MDL         Unit         D           <0.00145	Result         Qualifier         RL         MDL         Unit         D         Prepared           <0.00145	Result         Qualifier         RL         MDL         Unit         D         Prepared         Analyzed           <0.00145

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Lab Sample ID: 880-45366-9

Matrix: Solid Percent Solids: 96.1

Job ID: 880-45366-1

Client Sample ID: 81H CS-5 Date Collected: 06/25/24 10:44

Date Received: 06/27/24 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	06/28/24 10:56	06/29/24 17:43	1
1,4-Difluorobenzene (Surr)	100		70 - 130	06/28/24 10:56	06/29/24 17:43	1

1,4-Dilidoropenzene (Surr)	100		70 - 130				00/20/24 10.50	00/29/24 17.43	,
- Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	41.1	J B	51.8	11.4	mg/Kg	<del>*</del>	06/28/24 16:08	06/29/24 13:47	1
Diesel Range Organics (Over C10-C28)	165		51.8	15.5	mg/Kg	₩	06/28/24 16:08	06/29/24 13:47	1
Oil Range Organics (Over C28-C36)	<13.0	U	51.8	13.0	mg/Kg	\$	06/28/24 16:08	06/29/24 13:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				06/28/24 16:08	06/29/24 13:47	1
o-Terphenyl	137	S1+	70 - 130				06/28/24 16:08	06/29/24 13:47	1

Method: EPA 300.0 - Anions, Ion Cl	hromatograp	hy - Solubl	e						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5210	*- *1	52.2	4.13	mg/Kg	<u></u>		07/01/24 23:13	10

Client Sample ID: 81H CS-6 Lab Sample ID: 880-45366-10

Date Received: 06/27/24 17:40

Date Collected: 06/25/24 10:46 **Matrix: Solid** Percent Solids: 93.4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.00148	U	0.00212	0.00148	mg/Kg	<del></del>	06/28/24 10:56	06/29/24 18:04	
Toluene	< 0.00212	U	0.00212	0.00212	mg/Kg	₩	06/28/24 10:56	06/29/24 18:04	
Ethylbenzene	<0.00115	U	0.00212	0.00115	mg/Kg	₽	06/28/24 10:56	06/29/24 18:04	
m-Xylene & p-Xylene	<0.00242	U	0.00424	0.00242	mg/Kg	₩	06/28/24 10:56	06/29/24 18:04	
o-Xylene	<0.00168	U	0.00212	0.00168	mg/Kg	₩	06/28/24 10:56	06/29/24 18:04	
Xylenes, Total	<0.00242	U	0.00424	0.00242	mg/Kg	₩	06/28/24 10:56	06/29/24 18:04	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)			70 - 130				06/30/24 18:35	07/01/24 02:18	
1,4-Difluorobenzene (Surr)	92		70 - 130				06/30/24 18:35	07/01/24 02:18	
Method: SW846 8015B NM - Die	sel Range Orga	nics (DRO)	(GC)						
-									
Analyte	Result	Qualifier	RL	MDL		<u>D</u>	Prepared	Analyzed	Dil Fa
Analyte Gasoline Range Organics			•	MDL 11.8	Unit mg/Kg	<b>D</b>	Prepared 06/28/24 16:08	Analyzed 06/29/24 14:07	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10	Result 47.3	Qualifier	<b>RL</b> 53.5	11.8	mg/Kg	<del>*</del>	06/28/24 16:08	06/29/24 14:07	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	Result	Qualifier	RL	11.8			<u>.</u>		Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10	Result 47.3	Qualifier J B	<b>RL</b> 53.5	11.8	mg/Kg	<del>*</del>	06/28/24 16:08	06/29/24 14:07	Dil Fa
Analyte  Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Result 47.3	Qualifier J B	RL 53.5	11.8	mg/Kg	— — *	06/28/24 16:08 06/28/24 16:08	06/29/24 14:07 06/29/24 14:07	
Analyte  Gasoline Range Organics (GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oil Range Organics (Over C28-C36)	Result 47.3 169 <13.4	Qualifier J B	53.5 53.5 53.5	11.8	mg/Kg	— — *	06/28/24 16:08 06/28/24 16:08 06/28/24 16:08	06/29/24 14:07 06/29/24 14:07 06/29/24 14:07	
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oil Range Organics (Over C28-C36)  Surrogate	Result   47.3   169   <13.4   %Recovery	Qualifier  J B  U  Qualifier	8L 53.5 53.5 53.5 <i>Limits</i>	11.8	mg/Kg	— — *	06/28/24 16:08 06/28/24 16:08 06/28/24 16:08 <b>Prepared</b>	06/29/24 14:07 06/29/24 14:07 06/29/24 14:07 Analyzed	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oil Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   47.3   169   <13.4     %Recovery   146   160	Qualifier  U  Qualifier  S1+ S1+	RL 53.5 53.5 53.5 53.5 <b>Limits</b> 70 - 130 70 - 130	11.8	mg/Kg	— — *	06/28/24 16:08 06/28/24 16:08 06/28/24 16:08 <b>Prepared</b> 06/28/24 16:08	06/29/24 14:07 06/29/24 14:07 06/29/24 14:07 Analyzed 06/29/24 14:07	Dil Fa
Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oil Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   47.3   169   <13.4     %Recovery   146   160   160   Chromatograp	Qualifier  U  Qualifier  S1+ S1+	RL 53.5 53.5 53.5 53.5 <b>Limits</b> 70 - 130 70 - 130	11.8 16.1 13.4	mg/Kg	— — *	06/28/24 16:08 06/28/24 16:08 06/28/24 16:08 <b>Prepared</b> 06/28/24 16:08	06/29/24 14:07 06/29/24 14:07 06/29/24 14:07 Analyzed 06/29/24 14:07	Dil Fa

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

o-Terphenyl

06/28/24 16:08 06/29/24 14:47

Client Sample ID: 81H CS-7 Lab Sample ID: 880-45366-11 Date Collected: 06/25/24 10:48 Matrix: Solid

Job ID: 880-45366-1

Date Received: 06/27/24 17:40								Percent Soli	ds: 95.0
Method: SW846 8021B - Volat	ile Organic Comp	ounds (GC)	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00147	U	0.00212	0.00147	mg/Kg	<del>*</del>	06/30/24 18:35	07/01/24 02:39	1
Toluene	<0.00212	U	0.00212	0.00212	mg/Kg	₽	06/30/24 18:35	07/01/24 02:39	1
Ethylbenzene	<0.00115	U	0.00212	0.00115	mg/Kg	₽	06/30/24 18:35	07/01/24 02:39	1
m-Xylene & p-Xylene	<0.00242	U	0.00424	0.00242	mg/Kg	₽	06/30/24 18:35	07/01/24 02:39	1
o-Xylene	<0.00168	U	0.00212	0.00168	mg/Kg	₽	06/30/24 18:35	07/01/24 02:39	1
Xylenes, Total	<0.00242	U	0.00424	0.00242	mg/Kg	₽	06/30/24 18:35	07/01/24 02:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				06/30/24 18:35	07/01/24 02:39	1
1,4-Difluorobenzene (Surr)	90		70 - 130				06/30/24 18:35	07/01/24 02:39	1
- Method: SW846 8015B NM - D	iesel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	31.8	JB	52.6	11.5	mg/Kg	<del>-</del>	06/28/24 16:08	06/29/24 14:47	1

Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO	) (GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	31.8	JB	52.6	11.5	mg/Kg	ф	06/28/24 16:08	06/29/24 14:47	1
Diesel Range Organics (Over C10-C28)	242		52.6	15.8	mg/Kg	\$	06/28/24 16:08	06/29/24 14:47	1
Oil Range Organics (Over C28-C36)	<13.2	U	52.6	13.2	mg/Kg	₩	06/28/24 16:08	06/29/24 14:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	163	S1+	70 - 130				06/28/24 16:08	06/29/24 14:47	1

Method: EPA 300.0 - Anions, Ion Ch	romatograp	hy - Soluble							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1570	*- *1	26.3	2.08	mg/Kg	<b>‡</b>		07/01/24 23:24	5

70 - 130

180 S1+

Client Sample ID: 81H CS-8 Lab Sample ID: 880-45366-12 Date Collected: 06/25/24 10:50 Matrix: Solid Date Received: 06/27/24 17:40 Percent Solids: 93.6

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00149	U	0.00214	0.00149	mg/Kg	₩	06/30/24 18:35	07/01/24 02:59	1
Toluene	<0.00214	U	0.00214	0.00214	mg/Kg	₽	06/30/24 18:35	07/01/24 02:59	1
Ethylbenzene	<0.00117	U	0.00214	0.00117	mg/Kg	₽	06/30/24 18:35	07/01/24 02:59	1
m-Xylene & p-Xylene	<0.00244	U	0.00428	0.00244	mg/Kg	₽	06/30/24 18:35	07/01/24 02:59	1
o-Xylene	< 0.00169	U	0.00214	0.00169	mg/Kg	₽	06/30/24 18:35	07/01/24 02:59	1
Xylenes, Total	<0.00244	U	0.00428	0.00244	mg/Kg	₽	06/30/24 18:35	07/01/24 02:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130				06/30/24 18:35	07/01/24 02:59	1
1,4-Difluorobenzene (Surr)	90		70 - 130				06/30/24 18:35	07/01/24 02:59	1

Method: SW846 8015B NM - Diesel	Range Orga	nics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	37.4	JB	53.3	11.7	mg/Kg	<u> </u>	06/28/24 16:08	06/29/24 15:06	1
Diesel Range Organics (Over C10-C28)	290		53.3	16.0	mg/Kg	₽	06/28/24 16:08	06/29/24 15:06	1
Oil Range Organics (Over C28-C36)	<13.3	U	53.3	13.3	mg/Kg	₽	06/28/24 16:08	06/29/24 15:06	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Date Received: 06/27/24 17:40

Client Sample ID: 81H CS-8 Lab Sample ID: 880-45366-12 Date Collected: 06/25/24 10:50 Matrix: Solid

Percent Solids: 93.6

Job ID: 880-45366-1

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	126	70 - 130	06/28/24 16:08	06/29/24 15:06	1
o-Terphenyl	148 S1+	70 - 130	06/28/24 16:08	06/29/24 15:06	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble	•						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	381	*- *1	5.30	0.418	mg/Kg	<del>*</del>		07/01/24 23:29	1

Lab Sample ID: 880-45366-13 Client Sample ID: 81H CS-9

Date Collected: 06/25/24 10:52 **Matrix: Solid** Date Received: 06/27/24 17:40 Percent Solids: 96.1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00144	U	0.00207	0.00144	mg/Kg	<del>*</del>	06/30/24 18:35	07/01/24 03:20	1
Toluene	<0.00206	U	0.00207	0.00206	mg/Kg	₽	06/30/24 18:35	07/01/24 03:20	1
Ethylbenzene	<0.00112	U	0.00207	0.00112	mg/Kg	₽	06/30/24 18:35	07/01/24 03:20	1
m-Xylene & p-Xylene	<0.00236	U	0.00413	0.00236	mg/Kg	₽	06/30/24 18:35	07/01/24 03:20	1
o-Xylene	<0.00164	U	0.00207	0.00164	mg/Kg	₽	06/30/24 18:35	07/01/24 03:20	1
Xylenes, Total	<0.00236	U	0.00413	0.00236	mg/Kg	₩	06/30/24 18:35	07/01/24 03:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				06/30/24 18:35	07/01/24 03:20	1
1,4-Difluorobenzene (Surr)	91		70 - 130				06/30/24 18:35	07/01/24 03:20	1

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	37.6	J B	52.0	11.4	mg/Kg	<del>*</del>	06/28/24 16:08	06/29/24 15:26	1
Diesel Range Organics (Over C10-C28)	140		52.0	15.6	mg/Kg	₽	06/28/24 16:08	06/29/24 15:26	1
Oil Range Organics (Over C28-C36)	<13.0	U	52.0	13.0	mg/Kg	₽	06/28/24 16:08	06/29/24 15:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	156	S1+	70 - 130				06/28/24 16:08	06/29/24 15:26	1
o-Terphenyl	176	S1+	70 - 130				06/28/24 16:08	06/29/24 15:26	1

Method: EPA 300.0 - Anions, Ion	Chromatography - Solu	ble						
Analyte	Result Qualifier	RL	MDL U	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1010 F1	5.22	0.412 r	mg/Kg	<del>-</del>		07/02/24 09:28	1

Client Sample ID: 81H CS-10 Lab Sample ID: 880-45366-14 Date Collected: 06/25/24 10:54 **Matrix: Solid** Date Received: 06/27/24 17:40 Percent Solids: 81.2

Method: SW846 8021B - Volatile	Organic Comp	ounds (GC)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00171	U	0.00246	0.00171	mg/Kg	<del>*</del>	06/30/24 18:35	07/01/24 03:40	1
Toluene	< 0.00246	U	0.00246	0.00246	mg/Kg	₩	06/30/24 18:35	07/01/24 03:40	1
Ethylbenzene	< 0.00134	U	0.00246	0.00134	mg/Kg	₩	06/30/24 18:35	07/01/24 03:40	1
m-Xylene & p-Xylene	<0.00281	U	0.00492	0.00281	mg/Kg	₩	06/30/24 18:35	07/01/24 03:40	1
o-Xylene	< 0.00195	U	0.00246	0.00195	mg/Kg	₩	06/30/24 18:35	07/01/24 03:40	1
Xylenes, Total	<0.00281	U	0.00492	0.00281	mg/Kg	₽	06/30/24 18:35	07/01/24 03:40	1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Lab Sample ID: 880-45366-14

Matrix: Solid

Percent Solids: 81.2

Job ID: 880-45366-1

Client Sample	ID: 81H CS-10
---------------	---------------

Date Collected: 06/25/24 10:54 Date Received: 06/27/24 17:40

Surrogate 4-Bromofluorobenzene (Surr) 1,4-Difluorobenzene (Surr)	<b>%Recovery</b> 106 90	Qualifier	<b>Limits</b> 70 - 130 70 - 130				Prepared 06/30/24 18:35 06/30/24 18:35	Analyzed 07/01/24 03:40 07/01/24 03:40	<b>Dil Fac</b> 1
Method: SW846 8015B NM - Diesel Analyte		nics (DRO) Qualifier	(GC)	MDL	Unit	<u>D</u>	Prepared	Analyzed	Dil Fac

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	45.4	J B	61.4	13.5	mg/Kg	<del>*</del>	06/28/24 16:08	06/29/24 15:45	1
Diesel Range Organics (Over C10-C28)	491		61.4	18.4	mg/Kg	₽	06/28/24 16:08	06/29/24 15:45	1
Oil Range Organics (Over C28-C36)	<15.4	U	61.4	15.4	mg/Kg	₽	06/28/24 16:08	06/29/24 15:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	150	S1+	70 - 130				06/28/24 16:08	06/29/24 15:45	1
o-Terphenyl	170	S1+	70 - 130				06/28/24 16:08	06/29/24 15:45	1

Method: EPA 300.0 - Anions, Ion C	hromatograp	hy - Soluble	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	263		6.22	0.491	mg/Kg	\$		07/02/24 09:44	1

2

4

6

8

10

11

13

# **Surrogate Summary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

		BFB1	DFBZ1	Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-45366-1	81H-20 2-3	112	100	
880-45366-1 MS	81H-20 2-3	107	98	
880-45366-1 MSD	81H-20 2-3	108	98	
880-45366-2	81H-20 4	118	99	
880-45366-3	81H-21 2-3	111	100	
880-45366-4	81H-21 4	110	100	
880-45366-5	81H CS-1	113	101	
880-45366-6	81H CS-2	112	100	
880-45366-7	81H CS-3	111	100	
880-45366-8	81H CS-4	112	100	
880-45366-9	81H CS-5	113	100	
880-45366-10	81H CS-6	114	92	
880-45366-11	81H CS-7	105	90	
880-45366-12	81H CS-8	104	90	
880-45366-13	81H CS-9	109	91	
880-45366-14	81H CS-10	106	90	
LCS 880-84482/1-A	Lab Control Sample	109	99	
LCS 880-84640/1-A	Lab Control Sample	105	91	
LCSD 880-84482/2-A	Lab Control Sample Dup	106	98	
LCSD 880-84640/2-A	Lab Control Sample Dup	103	93	
MB 880-84482/5-A	Method Blank	107	98	
MB 880-84640/5-A	Method Blank	103	88	

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

				Percent Surrogate Recovery (Acceptance Limit
		1CO1	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
380-45366-1	81H-20 2-3	125	146 S1+	
380-45366-1 MS	81H-20 2-3	156 S1+	155 S1+	
380-45366-1 MSD	81H-20 2-3	147 S1+	140 S1+	
380-45366-2	81H-20 4	150 S1+	166 S1+	
380-45366-3	81H-21 2-3	156 S1+	170 S1+	
380-45366-4	81H-21 4	150 S1+	161 S1+	
380-45366-5	81H CS-1	130	136 S1+	
880-45366-6	81H CS-2	144 S1+	151 S1+	
380-45366-7	81H CS-3	139 S1+	150 S1+	
880-45366-8	81H CS-4	130	140 S1+	
380-45366-9	81H CS-5	125	137 S1+	
380-45366-10	81H CS-6	146 S1+	160 S1+	
880-45366-11	81H CS-7	163 S1+	180 S1+	
380-45366-12	81H CS-8	126	148 S1+	
380-45366-13	81H CS-9	156 S1+	176 S1+	
380-45366-14	81H CS-10	150 S1+	170 S1+	
LCS 880-84585/2-A	Lab Control Sample	108	115	

# **Surrogate Summary**

Client: Civil & Environmental Consultants Inc Job ID: 880-45366-1

Project/Site: Seawolf 112 Fed 81H Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid Prep Type: Total/NA

				Percent Surrogate Recovery (Acceptance Limits)
		1CO1	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
LCSD 880-84585/3-A	Lab Control Sample Dup	98	104	
MB 880-84585/1-A	Method Blank	217 S1+	247 S1+	
Surrogate Legend				

1CO = 1-Chlorooctane OTPH = o-Terphenyl

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

# Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-84482/5-A

**Matrix: Solid** 

**Analysis Batch: 84628** 

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 84482

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		06/28/24 10:56	06/29/24 14:38	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		06/28/24 10:56	06/29/24 14:38	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		06/28/24 10:56	06/29/24 14:38	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg		06/28/24 10:56	06/29/24 14:38	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		06/28/24 10:56	06/29/24 14:38	1
Xylenes, Total	< 0.00229	U	0.00400	0.00229	mg/Kg		06/28/24 10:56	06/29/24 14:38	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	06/28/24 10:56	06/29/24 14:38	1
1,4-Difluorobenzene (Surr)	98		70 - 130	06/28/24 10:56	06/29/24 14:38	1

Lab Sample ID: LCS 880-84482/1-A

Matrix: Solid

Analysis Batch: 84628

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 84482

	<b>Spike</b>	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.09990		mg/Kg		100	70 - 130	
Toluene	0.100	0.09163		mg/Kg		92	70 - 130	
Ethylbenzene	0.100	0.08916		mg/Kg		89	70 - 130	
m-Xylene & p-Xylene	0.200	0.2042		mg/Kg		102	70 - 130	
o-Xylene	0.100	0.09181		mg/Kg		92	70 - 130	

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-84482/2-A

**Matrix: Solid** 

Analysis Batch: 84628

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA Prep Batch: 84482

LCSD LCSD RPD Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits Limit Benzene 0.100 0.09886 mg/Kg 99 70 - 130 35 Toluene 0.100 0.09022 mg/Kg 90 70 - 130 2 35 Ethylbenzene 0.100 0.08742 mg/Kg 87 70 - 130 2 35 0.200 0.1994 m-Xylene & p-Xylene mg/Kg 100 70 - 130 35 0.100 0.09012 70 - 130 o-Xylene mg/Kg 90 35

LCSD LCSD

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	106		70 - 130
1.4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 880-45366-1 MS

**Matrix: Solid** 

Analysis Batch: 84628

Client Sample ID: 81H-20 2-3

Prep Type: Total/NA

Prep Batch: 84482

		Sample	Sample	Spike	MS	MS				%Rec	
	Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
	Benzene	<0.00143	U	0.103	0.09515		mg/Kg	<u></u>	93	70 - 130	
١	Toluene	<0.00205	U	0.103	0.08537		mg/Kg	₽	83	70 - 130	

**Eurofins Midland** 

Page 17 of 38

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-45366-1 MS

**Matrix: Solid** 

Analysis Batch: 84628

Client Sample ID: 81H-20 2-3

**Prep Type: Total/NA** 

Prep Batch: 84482

Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
						_	/orvec	Lillits
<0.00112	U	0.103	0.08251		mg/Kg	<del>-</del>	80	70 - 130
<0.00234	U	0.205	0.1894		mg/Kg	₽	92	70 - 130
< 0.00163	U	0.103	0.08475		mg/Kg	₩	83	70 - 130
	<0.00234	<0.00234 U	<0.00234 U 0.205	<0.00234 U 0.205 0.1894	<0.00234 U 0.205 0.1894	<0.00234 U 0.205 0.1894 mg/Kg	<0.00234 U 0.205 0.1894 mg/Kg *	<0.00234 U 0.205 0.1894 mg/Kg # 92

MS MS

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Client Sample ID: 81H-20 2-3

Prep Type: Total/NA

Prep Batch: 84482

**Matrix: Solid** 

Lab Sample ID: 880-45366-1 MSD

Analysis Batch: 84628

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	<0.00143	U	0.104	0.09866		mg/Kg	₽	95	70 - 130	4	35
Toluene	<0.00205	U	0.104	0.08722		mg/Kg	₽	84	70 - 130	2	35
Ethylbenzene	<0.00112	U	0.104	0.08317		mg/Kg	₽	80	70 - 130	1	35
m-Xylene & p-Xylene	<0.00234	U	0.208	0.1911		mg/Kg	₽	92	70 - 130	1	35
o-Xylene	< 0.00163	U	0.104	0.08626		mg/Kg	₽	83	70 - 130	2	35

MSD MSD

Surrogate	%Recovery Q	ualifier	Limits
4-Bromofluorobenzene (Surr)	108		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: MB 880-84640/5-A

**Matrix: Solid** 

**Analysis Batch: 84639** 

Client Sample ID: Method Blank Prep Type: Total/NA

Prep Batch: 84640

Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<0.00139	U	0.00200	0.00139	mg/Kg		06/30/24 18:35	06/30/24 21:19	1
<0.00200	U	0.00200	0.00200	mg/Kg		06/30/24 18:35	06/30/24 21:19	1
<0.00109	U	0.00200	0.00109	mg/Kg		06/30/24 18:35	06/30/24 21:19	1
<0.00229	U	0.00400	0.00229	mg/Kg		06/30/24 18:35	06/30/24 21:19	1
<0.00158	U	0.00200	0.00158	mg/Kg		06/30/24 18:35	06/30/24 21:19	1
<0.00229	U	0.00400	0.00229	mg/Kg		06/30/24 18:35	06/30/24 21:19	1
	<0.00139 <0.00200 <0.00109 <0.00229 <0.00158	Result   Qualifier	<0.00139 U 0.00200 <0.00200 U 0.00200 <0.00109 U 0.00200 <0.00229 U 0.00400 <0.00158 U 0.00200	<0.00139	<0.00139	<0.00139 U 0.00200 0.00139 mg/Kg <0.00200 U 0.00200 0.00200 mg/Kg <0.00109 U 0.00200 0.00109 mg/Kg <0.00229 U 0.00400 0.00229 mg/Kg <0.00158 U 0.00200 0.00158 mg/Kg	<0.00139	<0.00139 U

MB MB

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	06/30/24 18:35	06/30/24 21:19	1
1,4-Difluorobenzene (Surr)	88		70 - 130	06/30/24 18:35	06/30/24 21:19	1

Lab Sample ID: LCS 880-84640/1-A

**Matrix: Solid** 

**Analysis Batch: 84639** 

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 84640

	Spike	LCS	LCS				%Rec
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene	0.100	0.1048		mg/Kg		105	70 - 130
Toluene	0.100	0.1028		mg/Kg		103	70 - 130
Ethylbenzene	0.100	0.09994		mg/Kg		100	70 - 130
m-Xylene & p-Xylene	0.200	0.2149		mg/Kg		107	70 - 130

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

103

mg/Kg

70 - 130

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-84640/1-A

Matrix: Solid

Prep Type: Total/NA

Applysis Batch: 84639

Analysis Batch: 84639 Prep Batch: 84640
Spike LCS LCS %Rec

 Analyte
 Added
 Result Qualifier
 Unit
 D
 %Rec Limits

 o-Xylene
 0.100
 0.1071
 mg/Kg
 107
 70 - 130

 Surrogate
 %Recovery
 Qualifier
 Limits

 4-Bromofluorobenzene (Surr)
 105
 70 - 130

 1,4-Difluorobenzene (Surr)
 91
 70 - 130

Lab Sample ID: LCSD 880-84640/2-A Client Sample ID: Lab Control Sample Dup

Matrix: Solid Prep Type: Total/NA
Analysis Batch: 84639 Prep Batch: 84640

Spike LCSD LCSD RPD Analyte Added Result Qualifier Unit %Rec Limits Limit D Benzene 0.100 0.1023 mg/Kg 102 70 - 130 2 35 Toluene 0.100 0.09916 mg/Kg 99 70 - 130 35 Ethylbenzene 0.100 0.09632 mg/Kg 96 70 - 130 35 35 m-Xylene & p-Xylene 0.200 0.2067 mg/Kg 103 70 - 130

0.1032

0.100

 Surrogate
 %Recovery
 Qualifier
 Limits

 4-Bromofluorobenzene (Surr)
 103
 70 - 130

 1,4-Difluorobenzene (Surr)
 93
 70 - 130

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-84585/1-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 84626

o-Xylene

MB

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	13.97	J	50.0	11.0	mg/Kg		06/28/24 16:08	06/29/24 08:16	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		06/28/24 16:08	06/29/24 08:16	1
Oil Range Organics (Over C28-C36)	<12.5	U	50.0	12.5	mg/Kg		06/28/24 16:08	06/29/24 08:16	1

MB MB Dil Fac Surrogate %Recovery Qualifier Limits Prepared Analyzed 1-Chlorooctane 217 S1+ 70 - 130 06/28/24 16:08 06/29/24 08:16 o-Terphenyl 247 S1+ 70 - 130 06/28/24 16:08 06/29/24 08:16

Lab Sample ID: LCS 880-84585/2-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 84626 Prep Batch: 84585

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	1000	875.7		mg/Kg		88	70 - 130	
(GRO)-C6-C10								
Diesel Range Organics (Over	1000	938.8		mg/Kg		94	70 - 130	
C10 C20\								

C10-C28)

**Eurofins Midland** 

Prep Batch: 84585

3

4

6

0

9

11

13

14

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-84585/2-A

Lab Sample ID: LCSD 880-84585/3-A

**Matrix: Solid** 

**Matrix: Solid** 

Analysis Batch: 84626

Diesel Range Organics (Over

**Analysis Batch: 84626** 

Lab Sample ID: 880-45366-1 MS

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 84585

LCS LCS

%Recovery Qualifier Surrogate Limits 1-Chlorooctane 108 70 - 130 o-Terphenyl 115 70 - 130

Client Sample ID: Lab Control Sample Dup

70 - 130

81

Prep Type: Total/NA

Prep Batch: 84585

14

Analysis Batch: 84626 Spike LCSD LCSD %Rec RPD Analyte Added Result Qualifier Unit D %Rec Limits RPD Limit Gasoline Range Organics 1000 754.3 75 70 - 130 15 20 mg/Kg (GRO)-C6-C10

813.5

mg/Kg

1000

C10-C28)

**Matrix: Solid** 

LCSD LCSD

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	98		70 - 130
o-Terphenyl	104		70 - 130

Client Sample ID: 81H-20 2-3

Prep Type: Total/NA

Prep Batch: 84585

Sample Sample Spike MS MS Added Analyte Result Qualifier Result Qualifier Unit D %Rec Limits Gasoline Range Organics <11.3 U 1030 1042 mg/Kg ₽ 102 70 - 130 (GRO)-C6-C10 1030 70 - 130 Diesel Range Organics (Over 22.3 J 871.9 mg/Kg 83

C10-C28)

MS MS

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	156	S1+	70 - 130
o-Terphenyl	155	S1+	70 - 130

Lab Sample ID: 880-45366-1 MSD Client Sample ID: 81H-20 2-3

**Matrix: Solid** 

Analysis Batch: 84626

Prep Type: Total/NA

Prep Batch: 84585

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics	<11.3	U	1030	1025		mg/Kg	<u></u>	100	70 - 130	2	20
(GRO)-C6-C10 Diesel Range Organics (Over	22.3	J	1030	797.0		mg/Kg	₩	75	70 - 130	9	20

C10-C28)

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	147	S1+	70 - 130
o-Terphenyl	140	S1+	70 - 130

**Eurofins Midland** 

20

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

Client Sample ID: 81H-21 2-3

**Prep Type: Soluble** 

**Prep Type: Soluble** 

**Prep Type: Soluble** 

Client Sample ID: Lab Control Sample Dup

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-84481/1-A **Matrix: Solid** 

**Analysis Batch: 84677** 

Analyte

Chloride

Client Sample ID: Method Blank **Prep Type: Soluble** 

MB MB Result Qualifier RLMDL Unit D Prepared Analyzed Dil Fac <0.395 U 5.00 0.395 mg/Kg 07/01/24 20:47

Lab Sample ID: LCS 880-84481/2-A Client Sample ID: Lab Control Sample **Matrix: Solid Prep Type: Soluble** 

**Analysis Batch: 84677** 

Spike LCS LCS %Rec Added Analyte Result Qualifier Unit D %Rec Limits Chloride 250 259.2 mg/Kg 104 90 - 110

Lab Sample ID: LCSD 880-84481/3-A Client Sample ID: Lab Control Sample Dup **Matrix: Solid Prep Type: Soluble** 

**Analysis Batch: 84677** 

LCSD LCSD RPD Spike %Rec Analyte Added Result Qualifier Unit D %Rec Limits RPD Limit Chloride <0.395 U \*- \*1 250 mg/Kg 90 - 110 200

Lab Sample ID: 880-45366-3 MS Client Sample ID: 81H-21 2-3 **Prep Type: Soluble** 

**Matrix: Solid** 

**Analysis Batch: 84677** 

Sample Sample MS MS Spike %Rec Result Qualifier Added Analyte Result Qualifier Unit D %Rec Limits \*- \*1 Chloride 47.3 269 334.7 107 90 - 110 mg/Kg

Lab Sample ID: 880-45366-3 MSD

**Matrix: Solid** 

**Analysis Batch: 84677** 

Sample Sample Spike MSD MSD %Rec RPD Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits RPD Limit 47.3 \*- \*1 Chloride 269 335.6 mg/Kg 107 90 - 110

Lab Sample ID: MB 880-84484/1-A Client Sample ID: Method Blank **Prep Type: Soluble** 

**Matrix: Solid** 

**Analysis Batch: 84712** 

мв мв

MDL Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac Chloride <0.395 5.00 0.395 mg/Kg 07/02/24 09:12

Lab Sample ID: LCS 880-84484/2-A Client Sample ID: Lab Control Sample

**Matrix: Solid** 

**Analysis Batch: 84712** 

LCS LCS %Rec Spike Added Result Qualifier Limits Analyte Unit %Rec Chloride 250 260.6 mg/Kg 104 90 - 110

Lab Sample ID: LCSD 880-84484/3-A

**Matrix: Solid** 

**Analysis Batch: 84712** 

Spike LCSD LCSD %Rec RPD Analyte Added Result Qualifier Unit %Rec Limits **RPD** Limit Chloride 250 262.2 mg/Kg 105 90 - 110

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

Method: 300.0 - Anions, Ion Chromatography

**Matrix: Solid** 

Analysis Batch: 84712

Lab Sample ID: 880-45366-13 MS Client Sample ID: 81H CS-9 **Prep Type: Soluble** 

Sample Sample Spike MS MS %Rec Result Qualifier Added Result Qualifier Analyte Unit D %Rec Limits Chloride 1010 F1 261 1228 F1 mg/Kg ₩ 84 90 - 110

Lab Sample ID: 880-45366-13 MSD Client Sample ID: 81H CS-9

**Matrix: Solid Prep Type: Soluble** 

**Analysis Batch: 84712** 

Sample Sample Spike MSD MSD %Rec RPD Result Qualifier Added Result Qualifier Limits RPD Limit Analyte Unit D %Rec Chloride 1010 F1 261 1233 F1 mg/Kg ₽ 85 90 - 110 0 20

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

#### **GC VOA**

#### Prep Batch: 84482

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-1	81H-20 2-3	Total/NA	Solid	5035	
880-45366-2	81H-20 4	Total/NA	Solid	5035	
880-45366-3	81H-21 2-3	Total/NA	Solid	5035	
880-45366-4	81H-21 4	Total/NA	Solid	5035	
880-45366-5	81H CS-1	Total/NA	Solid	5035	
880-45366-6	81H CS-2	Total/NA	Solid	5035	
880-45366-7	81H CS-3	Total/NA	Solid	5035	
880-45366-8	81H CS-4	Total/NA	Solid	5035	
880-45366-9	81H CS-5	Total/NA	Solid	5035	
880-45366-10	81H CS-6	Total/NA	Solid	5035	
MB 880-84482/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-84482/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-84482/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-45366-1 MS	81H-20 2-3	Total/NA	Solid	5035	
880-45366-1 MSD	81H-20 2-3	Total/NA	Solid	5035	

#### Analysis Batch: 84628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-1	81H-20 2-3	Total/NA	Solid	8021B	84482
880-45366-2	81H-20 4	Total/NA	Solid	8021B	84482
880-45366-3	81H-21 2-3	Total/NA	Solid	8021B	84482
880-45366-4	81H-21 4	Total/NA	Solid	8021B	84482
880-45366-5	81H CS-1	Total/NA	Solid	8021B	84482
880-45366-6	81H CS-2	Total/NA	Solid	8021B	84482
880-45366-7	81H CS-3	Total/NA	Solid	8021B	84482
880-45366-8	81H CS-4	Total/NA	Solid	8021B	84482
880-45366-9	81H CS-5	Total/NA	Solid	8021B	84482
880-45366-10	81H CS-6	Total/NA	Solid	8021B	84482
MB 880-84482/5-A	Method Blank	Total/NA	Solid	8021B	84482
LCS 880-84482/1-A	Lab Control Sample	Total/NA	Solid	8021B	84482
LCSD 880-84482/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	84482
880-45366-1 MS	81H-20 2-3	Total/NA	Solid	8021B	84482
880-45366-1 MSD	81H-20 2-3	Total/NA	Solid	8021B	84482

#### Analysis Batch: 84639

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-10	81H CS-6	Total/NA	Solid	8021B	84640
880-45366-11	81H CS-7	Total/NA	Solid	8021B	84640
880-45366-12	81H CS-8	Total/NA	Solid	8021B	84640
880-45366-13	81H CS-9	Total/NA	Solid	8021B	84640
880-45366-14	81H CS-10	Total/NA	Solid	8021B	84640
MB 880-84640/5-A	Method Blank	Total/NA	Solid	8021B	84640
LCS 880-84640/1-A	Lab Control Sample	Total/NA	Solid	8021B	84640
LCSD 880-84640/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	84640

#### Prep Batch: 84640

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method Prep	Batch
880-45366-10	81H CS-6	Total/NA	Solid	5035	
880-45366-11	81H CS-7	Total/NA	Solid	5035	
880-45366-12	81H CS-8	Total/NA	Solid	5035	
880-45366-13	81H CS-9	Total/NA	Solid	5035	

**Eurofins Midland** 

Page 23 of 38

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

### **GC VOA (Continued)**

#### Prep Batch: 84640 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-14	81H CS-10	Total/NA	Solid	5035	
MB 880-84640/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-84640/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-84640/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

#### **GC Semi VOA**

#### Prep Batch: 84585

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-1	81H-20 2-3	Total/NA	Solid	8015NM Prep	
880-45366-2	81H-20 4	Total/NA	Solid	8015NM Prep	
880-45366-3	81H-21 2-3	Total/NA	Solid	8015NM Prep	
880-45366-4	81H-21 4	Total/NA	Solid	8015NM Prep	
880-45366-5	81H CS-1	Total/NA	Solid	8015NM Prep	
880-45366-6	81H CS-2	Total/NA	Solid	8015NM Prep	
880-45366-7	81H CS-3	Total/NA	Solid	8015NM Prep	
880-45366-8	81H CS-4	Total/NA	Solid	8015NM Prep	
880-45366-9	81H CS-5	Total/NA	Solid	8015NM Prep	
880-45366-10	81H CS-6	Total/NA	Solid	8015NM Prep	
880-45366-11	81H CS-7	Total/NA	Solid	8015NM Prep	
880-45366-12	81H CS-8	Total/NA	Solid	8015NM Prep	
880-45366-13	81H CS-9	Total/NA	Solid	8015NM Prep	
880-45366-14	81H CS-10	Total/NA	Solid	8015NM Prep	
MB 880-84585/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-84585/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-84585/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-45366-1 MS	81H-20 2-3	Total/NA	Solid	8015NM Prep	
880-45366-1 MSD	81H-20 2-3	Total/NA	Solid	8015NM Prep	

#### Analysis Batch: 84626

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-1	81H-20 2-3	Total/NA	Solid	8015B NM	84585
880-45366-2	81H-20 4	Total/NA	Solid	8015B NM	84585
880-45366-3	81H-21 2-3	Total/NA	Solid	8015B NM	84585
880-45366-4	81H-21 4	Total/NA	Solid	8015B NM	84585
880-45366-5	81H CS-1	Total/NA	Solid	8015B NM	84585
880-45366-6	81H CS-2	Total/NA	Solid	8015B NM	84585
880-45366-7	81H CS-3	Total/NA	Solid	8015B NM	84585
880-45366-8	81H CS-4	Total/NA	Solid	8015B NM	84585
880-45366-9	81H CS-5	Total/NA	Solid	8015B NM	84585
880-45366-10	81H CS-6	Total/NA	Solid	8015B NM	84585
880-45366-11	81H CS-7	Total/NA	Solid	8015B NM	84585
880-45366-12	81H CS-8	Total/NA	Solid	8015B NM	84585
880-45366-13	81H CS-9	Total/NA	Solid	8015B NM	84585
880-45366-14	81H CS-10	Total/NA	Solid	8015B NM	84585
MB 880-84585/1-A	Method Blank	Total/NA	Solid	8015B NM	84585
LCS 880-84585/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	84585
LCSD 880-84585/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	84585
880-45366-1 MS	81H-20 2-3	Total/NA	Solid	8015B NM	84585
880-45366-1 MSD	81H-20 2-3	Total/NA	Solid	8015B NM	84585

Client: Civil & Environmental Consultants Inc Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

#### **HPLC/IC**

#### Leach Batch: 84481

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-45366-1	81H-20 2-3	Soluble	Solid	DI Leach	_
880-45366-2	81H-20 4	Soluble	Solid	DI Leach	
880-45366-3	81H-21 2-3	Soluble	Solid	DI Leach	
880-45366-4	81H-21 4	Soluble	Solid	DI Leach	
880-45366-5	81H CS-1	Soluble	Solid	DI Leach	
880-45366-6	81H CS-2	Soluble	Solid	DI Leach	
880-45366-7	81H CS-3	Soluble	Solid	DI Leach	
880-45366-8	81H CS-4	Soluble	Solid	DI Leach	
880-45366-9	81H CS-5	Soluble	Solid	DI Leach	
880-45366-10	81H CS-6	Soluble	Solid	DI Leach	
880-45366-11	81H CS-7	Soluble	Solid	DI Leach	
880-45366-12	81H CS-8	Soluble	Solid	DI Leach	
MB 880-84481/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-84481/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-84481/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-45366-3 MS	81H-21 2-3	Soluble	Solid	DI Leach	
880-45366-3 MSD	81H-21 2-3	Soluble	Solid	DI Leach	

#### Leach Batch: 84484

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-13	81H CS-9	Soluble	Solid	DI Leach	
880-45366-14	81H CS-10	Soluble	Solid	DI Leach	
MB 880-84484/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-84484/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-84484/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-45366-13 MS	81H CS-9	Soluble	Solid	DI Leach	
880-45366-13 MSD	81H CS-9	Soluble	Solid	DI Leach	

#### **Analysis Batch: 84677**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-1	81H-20 2-3	Soluble	Solid	300.0	84481
880-45366-2	81H-20 4	Soluble	Solid	300.0	84481
880-45366-3	81H-21 2-3	Soluble	Solid	300.0	84481
880-45366-4	81H-21 4	Soluble	Solid	300.0	84481
880-45366-5	81H CS-1	Soluble	Solid	300.0	84481
880-45366-6	81H CS-2	Soluble	Solid	300.0	84481
880-45366-7	81H CS-3	Soluble	Solid	300.0	84481
880-45366-8	81H CS-4	Soluble	Solid	300.0	84481
880-45366-9	81H CS-5	Soluble	Solid	300.0	84481
880-45366-10	81H CS-6	Soluble	Solid	300.0	84481
880-45366-11	81H CS-7	Soluble	Solid	300.0	84481
880-45366-12	81H CS-8	Soluble	Solid	300.0	84481
MB 880-84481/1-A	Method Blank	Soluble	Solid	300.0	84481
LCS 880-84481/2-A	Lab Control Sample	Soluble	Solid	300.0	84481
LCSD 880-84481/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	84481
880-45366-3 MS	81H-21 2-3	Soluble	Solid	300.0	84481
880-45366-3 MSD	81H-21 2-3	Soluble	Solid	300.0	84481

#### Analysis Batch: 84712

Released to Imaging: 8/27/2024 7:32:11 AM

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-13	81H CS-9	Soluble	Solid	300.0	84484

**Eurofins Midland** 

Page 25 of 38

6

8

11

12

1 1

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

### **HPLC/IC** (Continued)

#### **Analysis Batch: 84712 (Continued)**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-14	81H CS-10	Soluble	Solid	300.0	84484
MB 880-84484/1-A	Method Blank	Soluble	Solid	300.0	84484
LCS 880-84484/2-A	Lab Control Sample	Soluble	Solid	300.0	84484
LCSD 880-84484/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	84484
880-45366-13 MS	81H CS-9	Soluble	Solid	300.0	84484
880-45366-13 MSD	81H CS-9	Soluble	Solid	300.0	84484

#### **General Chemistry**

#### Analysis Batch: 84527

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-45366-1	81H-20 2-3	Total/NA	Solid	D2216	
880-45366-2	81H-20 4	Total/NA	Solid	D2216	
880-45366-3	81H-21 2-3	Total/NA	Solid	D2216	
880-45366-4	81H-21 4	Total/NA	Solid	D2216	
880-45366-5	81H CS-1	Total/NA	Solid	D2216	
880-45366-6	81H CS-2	Total/NA	Solid	D2216	
880-45366-7	81H CS-3	Total/NA	Solid	D2216	
880-45366-8	81H CS-4	Total/NA	Solid	D2216	
880-45366-9	81H CS-5	Total/NA	Solid	D2216	
880-45366-10	81H CS-6	Total/NA	Solid	D2216	
880-45366-11	81H CS-7	Total/NA	Solid	D2216	
880-45366-12	81H CS-8	Total/NA	Solid	D2216	
880-45366-13	81H CS-9	Total/NA	Solid	D2216	
880-45366-14	81H CS-10	Total/NA	Solid	D2216	
MB 880-84527/1	Method Blank	Total/NA	Solid	D2216	
880-45366-1 DU	81H-20 2-3	Total/NA	Solid	D2216	
880-45366-11 DU	81H CS-7	Total/NA	Solid	D2216	

**Eurofins Midland** 

3

4

6

0

10

12

13

14

Client Sample ID: 81H-20 2-3

Lab Sample ID: 880-45366-1 Date Collected: 06/25/24 09:41

Matrix: Solid

Date Received: 06/27/24 17:40

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			84527	06/28/24 13:48	CH	EET MID

Client Sample ID: 81H-20 2-3

Lab Sample ID: 880-45366-1 Date Collected: 06/25/24 09:41 Matrix: Solid

Percent Solids: 97.1

Date Received: 06/27/24 17:40

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	84482	06/28/24 10:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84628	06/29/24 15:00	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 10:31	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84677	07/01/24 22:11	CH	EET MID

Client Sample ID: 81H-20 4 Lab Sample ID: 880-45366-2

Date Collected: 06/25/24 09:43 **Matrix: Solid** 

Date Received: 06/27/24 17:40

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			84527	06/28/24 13:48	CH	EET MID

Client Sample ID: 81H-20 4 Lab Sample ID: 880-45366-2 **Matrix: Solid** 

Date Collected: 06/25/24 09:43

Date Received: 06/27/24 17:40 Percent Solids: 96.3

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	84482	06/28/24 10:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84628	06/29/24 15:20	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 11:29	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84677	07/01/24 22:16	CH	EET MID

Client Sample ID: 81H-21 2-3 Lab Sample ID: 880-45366-3 Date Collected: 06/25/24 09:52

Date Received: 06/27/24 17:40

	Batch	Batch		Dil	Initial	Final	Batch	Prepared			
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	D2216					84527	06/28/24 13:48	CH	EET MID	-

**Eurofins Midland** 

**Matrix: Solid** 

Released to Imaging: 8/27/2024 7:32:11 AM

Lab Sample ID: 880-45366-4

**Matrix: Solid** 

**Matrix: Solid** 

Project/Site: Seawolf 112 Fed 81H

Client Sample ID: 81H-21 2-3 Lab Sample ID: 880-45366-3

Date Collected: 06/25/24 09:52

Date Received: 06/27/24 17:40

Matrix: Solid
Percent Solids: 92.6

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	84482	06/28/24 10:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84628	06/29/24 15:41	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 11:49	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84677	07/01/24 22:21	CH	EET MID

Client Sample ID: 81H-21 4

Date Collected: 06/25/24 09:55 Date Received: 06/27/24 17:40

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			84527	06/28/24 13:48	CH	EET MID

Client Sample ID: 81H-21 4 Lab Sample ID: 880-45366-4

 Date Collected: 06/25/24 09:55
 Matrix: Solid

 Date Received: 06/27/24 17:40
 Percent Solids: 93.5

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	84482	06/28/24 10:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84628	06/29/24 16:01	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 12:08	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84677	07/01/24 22:37	CH	EET MID

Client Sample ID: 81H CS-1 Lab Sample ID: 880-45366-5

Date Collected: 06/25/24 10:36 Date Received: 06/27/24 17:40

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			84527	06/28/24 13:48	CH	EET MID

Client Sample ID: 81H CS-1 Lab Sample ID: 880-45366-5

Date Collected: 06/25/24 10:36 Matrix: Solid
Date Received: 06/27/24 17:40 Percent Solids: 98.3

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	84482	06/28/24 10:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84628	06/29/24 16:22	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 12:28	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84677	07/01/24 22:42	CH	EET MID

**Eurofins Midland** 

\_

<u>ی</u>

5

7

10

12

. .

Date Received: 06/27/24 17:40

Total/NA

Lab Sample ID: 880-45366-6 Client Sample ID: 81H CS-2 Date Collected: 06/25/24 10:38

**Matrix: Solid** 

**EET MID** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab

84527

06/28/24 13:48

Client Sample ID: 81H CS-2

Analysis

D2216

Lab Sample ID: 880-45366-6

СН

Date Collected: 06/25/24 10:38 Date Received: 06/27/24 17:40

**Matrix: Solid** Percent Solids: 93.8

Batch Batch Dil Initial Final Batch Prepared Prep Type Method Amount Amount Number or Analyzed Analyst Туре Run Factor Lab Total/NA 5035 84482 06/28/24 10:56 EET MID Prep 4.99 g 5 mL MNR Total/NA 8021B 06/29/24 16:42 Analysis 5 mL 5 mL 84628 MNR **EET MID** 1 Total/NA Prep 8015NM Prep 10.03 g 10 mL 84585 06/28/24 16:08 EL **EET MID** 

Total/NA 8015B NM Analysis 1 uL 1 uL 84626 06/29/24 12:48 SM **EET MID** 1 Soluble Leach DI Leach 5.01 g 50 mL 84481 06/28/24 10:55 SMC **EET MID** Soluble Analysis 300.0 50 mL 50 mL 84677 07/01/24 22:58 СН **EET MID** 1

Client Sample ID: 81H CS-3

Lab Sample ID: 880-45366-7

Date Collected: 06/25/24 10:40 Date Received: 06/27/24 17:40

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			84527	06/28/24 13:48	СН	EET MID

Client Sample ID: 81H CS-3

Lab Sample ID: 880-45366-7

Date Collected: 06/25/24 10:40 Date Received: 06/27/24 17:40

**Matrix: Solid** Percent Solids: 93.2

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	84482	06/28/24 10:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84628	06/29/24 17:02	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 13:08	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	84677	07/01/24 23:03	CH	EET MID

Client Sample ID: 81H CS-4

Lab Sample ID: 880-45366-8

**Matrix: Solid** 

Date Collected: 06/25/24 10:42 Date Received: 06/27/24 17:40

Dil Batch Batch Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Total/NA Analysis D2216 84527 06/28/24 13:48 CH **EET MID** 

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Lab Sample ID: 880-45366-8

Matrix: Solid

Percent Solids: 97.4

Job ID: 880-45366-1

Client Sample ID: 81H CS-4 Date Collected: 06/25/24 10:42

Date Received: 06/27/24 17:40

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	84482	06/28/24 10:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84628	06/29/24 17:23	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 13:28	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84677	07/01/24 23:08	CH	EET MID

Client Sample ID: 81H CS-5

Date Collected: 06/25/24 10:44 Date Received: 06/27/24 17:40

Lab Sample ID: 880-45366-9 Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			84527	06/28/24 13:48	СН	EET MID

Client Sample ID: 81H CS-5

Date Collected: 06/25/24 10:44 Date Received: 06/27/24 17:40

Lab Sample ID: 880-45366-9

**Matrix: Solid** Percent Solids: 96.1

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Total/NA Prep 5035 5.00 g 5 mL 84482 06/28/24 10:56 MNR EET MID Total/NA Analysis 8021B 84628 06/29/24 17:43 MNR 5 mL 5 mL **EET MID** Total/NA Prep 8015NM Prep 10.05 g 10 mL 84585 06/28/24 16:08 EL **EET MID** Total/NA 8015B NM 84626 06/29/24 13:47 Analysis 1 uL 1 uL SM EET MID 50 mL Soluble 4.98 g 84481 06/28/24 10:55 SMC Leach DI Leach **EET MID** Soluble Analysis 300.0 10 50 mL 50 mL 84677 07/01/24 23:13 CH **EET MID** 

Client Sample ID: 81H CS-6

Date Collected: 06/25/24 10:46

Date Received: 06/27/24 17:40

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			84527	06/28/24 13:48	CH	EET MID

Client Sample ID: 81H CS-6

Date Collected: 06/25/24 10:46

Date Received: 06/27/24 17:40

Lab Sample ID: 880-45366-10 **Matrix: Solid** 

Lab Sample ID: 880-45366-10

Percent Solids: 93.4

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	84640	06/30/24 18:35	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84639	07/01/24 02:18	MNR	EET MID
Total/NA	Prep	5035			5.05 g	5 mL	84482	06/28/24 10:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84628	06/29/24 18:04	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 14:07	SM	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	84677	07/01/24 23:19	CH	EET MID

**Eurofins Midland** 

**Matrix: Solid** 

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Client Sample ID: 81H CS-7

Date Received: 06/27/24 17:40

Lab Sample ID: 880-45366-11 Date Collected: 06/25/24 10:48

**Matrix: Solid** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab D2216 EET MID Total/NA Analysis 84527 06/28/24 13:48 СН

Client Sample ID: 81H CS-7

Date Collected: 06/25/24 10:48 Date Received: 06/27/24 17:40

Lab Sample ID: 880-45366-11 **Matrix: Solid** 

Percent Solids: 95.0

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	84640	06/30/24 18:35	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84639	07/01/24 02:39	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 14:47	SM	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	84677	07/01/24 23:24	CH	EET MID

Lab Sample ID: 880-45366-12 Client Sample ID: 81H CS-8

Date Collected: 06/25/24 10:50

Date Received: 06/27/24 17:40

**Matrix: Solid** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Total/NA Analysis D2216 84527 06/28/24 13:48 СН EET MID

Client Sample ID: 81H CS-8 Lab Sample ID: 880-45366-12

Date Collected: 06/25/24 10:50

Date Received: 06/27/24 17:40

**Matrix: Solid** Percent Solids: 93.6

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	84640	06/30/24 18:35	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84639	07/01/24 02:59	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 15:06	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	84481	06/28/24 10:55	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84677	07/01/24 23:29	CH	EET MID

Client Sample ID: 81H CS-9 Lab Sample ID: 880-45366-13

Date Collected: 06/25/24 10:52 Date Received: 06/27/24 17:40

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analys	is D2216		1			84527	06/28/24 13:48	CH	EET MID

**Eurofins Midland** 

**Matrix: Solid** 

Client Sample ID: 81H CS-9 Lab Sample ID: 880-45366-13

Date Collected: 06/25/24 10:52 Matrix: Solid Date Received: 06/27/24 17:40

Percent Solids: 96.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	84640	06/30/24 18:35	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84639	07/01/24 03:20	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 15:26	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	84484	06/28/24 11:00	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84712	07/02/24 09:28	CH	EET MID

Client Sample ID: 81H CS-10

Lab Sample ID: 880-45366-14 Date Collected: 06/25/24 10:54 **Matrix: Solid** 

Date Received: 06/27/24 17:40

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	D2216		1			84527	06/28/24 13:48	CH	EET MID

Client Sample ID: 81H CS-10 Lab Sample ID: 880-45366-14

Date Collected: 06/25/24 10:54 **Matrix: Solid** Date Received: 06/27/24 17:40 Percent Solids: 81.2

_	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	84640	06/30/24 18:35	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	84639	07/01/24 03:40	MNR	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	84585	06/28/24 16:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	84626	06/29/24 15:45	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	84484	06/28/24 11:00	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	84712	07/02/24 09:44	CH	EET MID

#### Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

# **Accreditation/Certification Summary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

#### **Laboratory: Eurofins Midland**

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	<b>Expiration Date</b>
Texas	NELAP	T104704400	06-30-25

# **Method Summary**

Client: Civil & Environmental Consultants Inc

Project/Site: Seawolf 112 Fed 81H

Job ID: 880-45366-1

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
D2216	Percent Moisture	ASTM	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

#### **Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

**Eurofins Midland** 

1

3

4

6

9

11

12

13

14

# **Sample Summary**

Client: Civil & Environmental Consultants Inc

81H CS-10

Project/Site: Seawolf 112 Fed 81H

880-45366-14

Job ID: 880-45366-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-45366-1	81H-20 2-3	Solid	06/25/24 09:41	06/27/24 17:40
880-45366-2	81H-20 4	Solid	06/25/24 09:43	06/27/24 17:40
880-45366-3	81H-21 2-3	Solid	06/25/24 09:52	06/27/24 17:40
380-45366-4	81H-21 4	Solid	06/25/24 09:55	06/27/24 17:40
880-45366-5	81H CS-1	Solid	06/25/24 10:36	06/27/24 17:40
880-45366-6	81H CS-2	Solid	06/25/24 10:38	06/27/24 17:40
880-45366-7	81H CS-3	Solid	06/25/24 10:40	06/27/24 17:40
880-45366-8	81H CS-4	Solid	06/25/24 10:42	06/27/24 17:40
380-45366-9	81H CS-5	Solid	06/25/24 10:44	06/27/24 17:40
380-45366-10	81H CS-6	Solid	06/25/24 10:46	06/27/24 17:40
880-45366-11	81H CS-7	Solid	06/25/24 10:48	06/27/24 17:40
880-45366-12	81H CS-8	Solid	06/25/24 10:50	06/27/24 17:40
880-45366-13	81H CS-9	Solid	06/25/24 10:52	06/27/24 17:40

Solid

06/25/24 10:54

06/27/24 17:40

e

*A* 

5

-

8

10

12

13

14

eurofins

**Environment Testing** 

Project Manager:

BUTWAL JIK

Bill to: (if different)
Company Name:

State of Project:

Work Order Comments

Program: UST/PST ☐ PRP☐ Brownfields ☐ RRC ☐ Superfund ☐

4

**4 5** 

7

9

12

13

# Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300 Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334 EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199 Little Rock, AR (501) 224-5060

Work	
880-4	
45366 C	
hain of	
of Custon	
₽ <b>.</b>	

		6				5
		127/17/20	1		Corps (	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Received by: (Signature)	Relinquished by: (Signature)	Date/Time Re	gnature)	Received by: (Signature)	: (Signature)	Relinquished by: (Signature)
tandard terms cumetances bey roed unless pro	Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofine Xenco, its affiliates and subcontractors. It essigns standard terms and conditions of sarvice. Eurofine Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofine Xenco. A minimum charge of \$86.00 will be applied to each project and a charge of \$6 for each sample submitted to Eurofine Xenco. A minimum charge of \$86.00 will be applied to each project and a charge of \$6 for each sample submitted to Eurofine Xenco. A minimum charge of \$86.00 will be applied to each project and a charge of \$6 for each sample submitted to Eurofine Xenco. A minimum charge of \$86.00 will be applied to each project and a charge of \$6 for each sample submitted to Eurofine Xenco.	Notice: Signature of this document and ralinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontracts of sarvice. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losse of Eurofins Xenco. A minimum charge of \$55.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These to	lid purchase order from cilen assume any responsibility for a charge of \$5 for each sam	t of samples constitutes a va cet of samples and shall not a sampled to each project and	ocument and relinquishmen o will be liable only for the c mum charge of \$85.00 will b	Notice: Signature of this of service. Eurofins Xervice of Eurofins Xenco. A min
II C	Mn Mn	Sb As Ba Be Cd Cr Co Cu Pb	TCLP / SPLP 6010: 8RCRA		Circle Method(s) and Metal(s) to be analyzed	Circle Method(s) a
Mo Ni K Se	a Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2	Sb As Ba Be B Cd Ca	8RCRA 13PPM Texas 11 Al	8RCRA 1:	10 200.8 / 6020:	Total 200.7 / 6010
		XXXX	0	10:46	-lo   S	SJ H18
		XXXX	0 0 0	10:4	5	-SJ H 18
		XXXX	2 " C	10:4	2 2	STH CS
		$\times \times \times \times$	0 4	10:41	S S	STH CS
		XXXX		11 10:38	N	- SJH118
		XXXX	o scuibad C	10:3	S	- SO HIS
		メスメメ	6 3	55:6 18/28/2)	2	18-H18
		XXXX	2-3 0	ES: 6 16/56/71	7	で 上 8
		XXXXX	4 0	6h:6 12 5cm	2	97.73
		X X X	2 0 C	17:0 16:20 9	-3	いったいの
		300. 8015 802	Depth Comp Cont	Date Time Sampled Sampled	ification Matrix	Sample Identification
		hall B-	8: 3.	Corrected Temperature:	(	Total Containers:
			3.2		Yes No (	Sample Custody Seals:
		178	] - O.	_	Yes No	Cooler Custody Seals:
		W W	R-R	Thermometer ID:	act: (Yes No	Samples Received Intact:
		-F	Yes No	Yes No Wet Ice:	Temp Blank:	SAMPLE RECEIPT
		r.O.		the lab, if		PO#
_			TAT starts the day received by	TAT starts		Sampler's Name:
		Ad.		Due Date:		Project Location:
			e Rush Code	Routine		ň
	ANALYSIS REQUEST		Turn Around	NIB	Scawolf [12 Fed	Project Name:
Deliverables: EDD	Deliverat	Email: the antopomental Con inc	III thuntgow		8-0-365-2324	Phone:
Reporting: Level II Level III PST/UST TRRP Level IV	Reporting		City, State ZIP:	8010	Loon township	City, State ZIP:
]				- 1		

# **Chain of Custody**

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300 Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334 EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 888-3199

**Environment Testing** 

Work
0
rder No:
77
2
8
1

Relinquished by: (Signature)  Received by: (Signature)  Received by: (Signature)  Received by: (Signature)  Date/Time  Relinquished by: (Signature)  Received by: (Signature)  Date/Time	2	0 11						
(8)		124 17:40	6/27	\		Q	lins	ny
erms will be enforced unless previously negotiated.	Relinquished by: (Signature)	Date/Time		iture)	Received by: (Signature)		y: (Signature	Relinquished by: (Signature)
se are due to circumstances beyond the control	of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These ten	y losses or expenses it submitted to Eurofins	ty for a	rme any responsibili harge of \$5 for each	samples and shall not assu- led to each project and a c	nly for the cost of \$85.00 will be appi	nco will be liable o	service. Eurofins Xer Eurofins Xenco. A mi
O NI Se Ag TI U Hg: 1631 / 245.1 / 7470 / 7471	Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Notes: Signature of this document and relinquishment of samples constitutes a valid purphase order from client company to Eurofina Xanco. Its affiliates and subcontractors	Sb As Ba Be C	RA	TCLP / SPLP 6010: 8RCRA	TCLP / SF	o be analyzed	and Metal(s) t	Circle Method(s) and Metal(s) to be analyzed Notice: Signature of this document and relinquishment of sai
	Cd Ca Cr Co Cu Fe F	b As Ba Be B	Al Sb	PM Texas 11	8RCRA 13PPM	200.8 / 6020:	010 200.8	Total 200.7 / 6010
	×	×××		6	10:54	O	6	SIH (2
	×	XXX		2		200	2	SIHCS-
	<b>*</b>	XXX		C	10:50	S	00	SO HIS
	×	XXX		Crafford C		8 6	77	JHCS -
Sample Comments	Noi	80K 80K	cont Cont	Depth Grab/	Date Time Sampled Sampled	Matrix S.	ntification	Sample Identification
NaOH+Ascorbic Acid: SAPC	.01	MC LUG		3.	Corrected Temperature:	Co		Total Containers:
Zn Acetate+NaOH: Zn	100	2		3.2	Temperature Reading:	No NIA TO		Sample Custody Seals:
Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> ; NaSO <sub>3</sub>	٤	-P	Pa	- 2 En	Correction Factor:	No (NIA) Co	is: Yes	Cooler Custody Seals:
NaHSO <sub>4</sub> : NABIS	-2	300 M	ram	JI.	omete			Samples Received Intact:
U	54	- O	eter	Ve No	Yes in Wet los.	Temo Blank: Y	-	SAMPLE RECEIPT
•	96	411	8	the lab, if received by 4:30pm	the lab, if rec			PO#
HCI : HC HNO	doc	JU: TP		a day raceived by	TAT starts th			Sampler's Name:
	A	1			7			minut I postine:
None: NO DI Water: H <sub>2</sub> O			Code.	Rush	☐ Routine			Project Number:
EQUEST Preservative Codes	ANALYSIS RE			Turn Around		112 Rd 81H	Sacraffi	Project Name:
Deliverables: EDD ADaPT Other:	inc	macec.	MO	thunteroung ?	14 Email:	SDD-368-9384	500-	Phone:
Reporting: Level II  Level III PST/JST TRRP Level IV				City, State ZIP:	DA 15108	Jachie 1	Moon township	City, State ZIP:
State of Project:				Address:	In emoneton varyan	removed	D 00 C	Address:
Program: UST/PST   PRP   Brownfields   RRC   Superfund				Company Name	& Environmental Coulty Company Name:	Course	CW186	Company Name:
Work Order Comments				Bill to: (if different)	Oriens	Montgomen	Travis	Project Manager:

7/2/2024

# **Login Sample Receipt Checklist**

Client: Civil & Environmental Consultants Inc Job Number: 880-45366-1

Login Number: 45366 List Source: Eurofins Midland

List Number: 1

Creator: Kramer, Jessica

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

# APPENDIX G PHOTOGRAPHIC LOG

#### 331-071 Seawolf 1 12 Federal 81H January 7, 2018 Release Devon Energy Corporation May 2, 2023



Well Pad



Location of spill, facing northeast



Location of spill, facing north

#### 331-071 Seawolf 1 12 Federal 81H January 7, 2018 Release Devon Energy Corporation June 25, 2024



Installation of 81H-20, facing south



Soil confirmation sampling, facing north



Installation of 81H-20, facing south



Soil confirmation sampling, facing north

#### 331-071 Seawolf 1 12 Federal 81H January 7, 2018 Release Devon Energy Corporation June 26, 2024



View of surficial soil confirmation sampling grid, facing northwest



View of surficial soil confirmation sampling grid, facing southwest



View of surficial soil confirmation sampling grid, facing northwest



View of surficial soil confirmation sampling grid, facing west



View of surficial soil confirmation sampling grid, facing south. Five point grab pattern visible.



View of surficial soil confirmation sampling grid, facing north

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 375590

#### **QUESTIONS**

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	375590
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Prerequisites		
Incident ID (n#)	nOY1802255368	
Incident Name	NOY1802255368 SEAWOLF 1 12 FEDERAL #081H @ 30-025-43762	
Incident Type	Oil Release	
Incident Status	Remediation Closure Report Received	
Incident Well	[30-025-43762] SEAWOLF 1 12 FEDERAL #081H	

Location of Release Source	Location of Release Source	
Please answer all the questions in this group.		
Site Name	SEAWOLF 1 12 FEDERAL #081H	
Date Release Discovered 01/07/2018		
Surface Owner	Federal	

ncident Details	
Please answer all the questions in this group.	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries No	
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release		
Material(s) released, please answer all that apply below. Any calculations or specific justifications fo	or the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.	
Produced Water Released (bbls) Details	Not answered.	
Is the concentration of chloride in the produced water >10,000 mg/l	Not answered.	
Condensate Released (bbls) Details	Not answered.	
Natural Gas Vented (Mcf) Details	Not answered.	
Natural Gas Flared (Mcf) Details	Not answered.	
Other Released Details	Cause: Equipment Failure   Other (Specify)   Diesel   Released: 10 BBL   Recovered: 8 BBL   Lost: 2 BBL.	
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 375590

Phone:(505) 476-3470 Fax:(505) 476-3462	
QUESTI	ONS (continued)
Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137 Action Number: 375590 Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)
QUESTIONS	
Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the C-129 form.
Initial Response  The responsible party must undertake the following actions immediately unless they could create a s	safety hazard that would result in injury.
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of ted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of valuation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for releathe OCD does not relieve the operator of liability should their operations have failed to a	knowledge and understand that pursuant to OCD rules and regulations all operators are required asses which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: Dale Woodall Title: EHS Professional

Email: Dale.Woodall@dvn.com

Date: 08/20/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

QUESTIONS, Page 3

Action 375590

#### **QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	375590
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Site Characterization		
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.		
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)	
What method was used to determine the depth to ground water	NM OSE iWaters Database Search	
Did this release impact groundwater or surface water	No	
What is the minimum distance, between the closest lateral extents of the release ar	nd the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)	
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)	
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)	
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)	
Any other fresh water well or spring	Greater than 5 (mi.)	
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)	
A wetland	Between ½ and 1 (mi.)	
A subsurface mine	Greater than 5 (mi.)	
An (non-karst) unstable area	Greater than 5 (mi.)	
Categorize the risk of this well / site being in a karst geology	Low	
A 100-year floodplain	Greater than 5 (mi.)	
Did the release impact areas not on an exploration, development, production, or storage site	No	

Remediation Plan	
Please answer all the questions that apply or are indicated. This information must be provided to	the appropriate district office no later than 90 days after the release discovery date.
Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination	n associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in m	illigrams per kilograms.)
Chloride (EPA 300.0 or SM4500 Cl B)	5210
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	955
GRO+DRO (EPA SW-846 Method 8015M)	955
BTEX (EPA SW-846 Method 8021B or 8260B)	0.1
Benzene (EPA SW-846 Method 8021B or 8260B)	0
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes complete which includes the anticipated timelines for beginning and completing the remediation.	d efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC,
On what estimated date will the remediation commence	05/02/2023
On what date will (or did) the final sampling or liner inspection occur	06/25/2024
On what date will (or was) the remediation complete(d)	06/25/2024
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	0
What is the estimated volume (in cubic yards) that will be remediated	0
These estimated dates and measurements are recognized to be the best guess or calculation at the	ne time of submission and may (be) change(d) over time as more remediation efforts are completed.
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in a	accordance with the physical realities encountered during remediation. If the responsible party has any need to

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II** 

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III** 

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 375590

**QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	375590
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Yes
Other Non-listed Remedial Process. Please specify	No remediation required at this time. Surficial confirmation soil samples that were collected to represent 400 square foot grids within the contaminated area were collected on 6/25/2024.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement

Name: Dale Woodall Title: EHS Professional Email: Dale.Woodall@dvn.com

Date: 08/20/2024

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

QUESTIONS, Page 5

Action 375590

**QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	375590
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 375590

**QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	375590
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)
OUESTIONS	

#### QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	355473
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	06/25/2024
What was the (estimated) number of samples that were to be gathered	9
What was the sampling surface area in square feet	3475

Remediation Closure Request		
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.		
Requesting a remediation closure approval with this submission	Yes	
Have the lateral and vertical extents of contamination been fully delineated	Yes	
Was this release entirely contained within a lined containment area	No	
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes	
What was the total surface area (in square feet) remediated	0	
What was the total volume (cubic yards) remediated	0	
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes	
What was the total surface area (in square feet) reclaimed	0	
What was the total volume (in cubic yards) reclaimed	0	
Summarize any additional remediation activities not included by answers (above)	No remediation required at this time. Surficial confirmation soil samples that were collected to represent 400 square foot grids within the contaminated area were collected on 6/25/2024.	

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents o final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Name: Dale Woodall Title: EHS Professional I hereby agree and sign off to the above statement Email: Dale.Woodall@dvn.com Date: 08/20/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

QUESTIONS, Page 7

Action 375590

**QUESTIONS** (continued)

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	375590
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 375590

#### CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	375590
	Action Type:
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

#### CONDITIONS

Created By	Condition	Condition Date
amaxwell	Remediation closure approved.	8/27/2024
amaxwell	A reclamation report will not be accepted until reclamation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.	8/27/2024
amaxwell	The reclamation report will need to include: Executive Summary of the reclamation activities; Scaled Site Map including sampling locations; Analytical results including, but not limited to, results showing that any remaining impacts meet the reclamation standards and results to prove the backfill is non-waste containing; At least one (1) representative 5-point composite sample will need to be collected from the backfill material that will be used for the reclamation of the top four feet of the excavation. OCD reserves the right to request additional sampling if needed; pictures of the backfilled areas showing that the area is back, as nearly as practical, to the original condition or the final land use and maintain those areas to control dust and minimize erosion to the extent practical; pictures of the top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater; and a revegetation plan.	8/27/2024