



Incident Number: nAPP2417953983

## Release Assessment and Closure Request

Scripps Water Transfer Pipeline

Unit A, Section 2, Township 18 South, Range 26 East

County: Eddy

Coordinates: 32.693447, -104.346487

Vertex File Number: 24E-03808

**Prepared for:**

Silverback Operating II, LLC.

**Prepared by:**

Vertex Resource Services Inc.

**Date:**

December 2024

**Silverback Operating II, LLC.**  
Scripps Water Transfer Pipeline


**Release Assessment and Closure Request**  
December 2024

**Release Assessment and Closure Request**  
**Scripps Water Transfer Pipeline**  
**Unit A, Section 2, Township 18 South, Range 26 East**  
**County: Eddy**  
**Coordinates: 32.693447, -104.346487**

Prepared for:  
**Silverback Operating II, LLC.**  
108 South 4<sup>th</sup> Street  
Artesia, New Mexico 88210

**New Mexico Oil Conservation Division – District 2 – Artesia**  
508 West Texas Avenue  
Artesia, New Mexico 88210


Prepared by:  
**Vertex Resource Services Inc.**  
3101 Boyd Drive  
Carlsbad, New Mexico 88220



Fernando Rodriguez, B.Sc.  
INTERMEDIATE BIOLOGIST, REPORTING

December 11, 2024

Date



Chance Dixon, B.Sc.  
PROJECT MANAGER, REPORT REVIEW

December 11, 2024

Date

Silverback Operating II, LLC.  
Scripps Water Transfer Pipeline

Release Assessment and Closure Request  
December 2024

Table of Contents

1.0 Introduction ..... 1

2.0 Incident Description ..... 1

3.0 Site Characteristics ..... 1

4.0 Closure Criteria Determination ..... 2

5.0 Remedial Actions Taken..... 4

6.0 Closure Request..... 5

7.0 References ..... 6

8.0 Limitations ..... 8

Silverback Operating II, LLC.  
Scripps Water Transfer Pipeline

Release Assessment and Closure Request  
December 2024

### In-text Tables

- Table 1. Closure Criteria Determination  
Table 2. Closure Criteria for Soils to Remediation & Reclamation Standards

### List of Figures

- Figure 1. Characterization Sampling Site Schematic  
Figure 2. Confirmatory Sampling Site Schematic

### List of Tables

- Table 3. Initial Characterization Field Screen and Laboratory Results  
Table 4. Confirmatory Sample Field Screen and Laboratory Results

### List of Appendices

- Appendix A. NMOCD C-141 Report  
Appendix B. Closure Criteria Research Documentation  
Appendix C. Daily Field Reports  
Appendix D. Notifications  
Appendix E. Laboratory Data Reports and Chain of Custody Forms



## 1.0 Introduction

Silverback Operating II, LLC. (Silverback) retained Vertex Resource Services Inc. (Vertex) to conduct a Release Assessment and Closure for a produced water release that occurred on June 25, 2024, at the Scripps Water Transfer Pipeline (hereafter referred to as the “site”). Silverback submitted an initial C-141 Release Notification (Appendix A) to New Mexico Oil Conservation Division (NMOCD) District 2 on June 27, 2024. Incident ID number nAPP2417953983 was assigned to this incident.

This report provides a description of the release assessment and remediation activities associated with the site. The information presented demonstrates that closure criteria established in Table I of 19.15.29.12 of the *New Mexico Administrative Code* (NMAC; New Mexico Oil Conservation Division, 2018) related to NMOCD has been met and all applicable regulations are being followed. This document is intended to serve as a final report to obtain approval from NMOCD for closure of this release, with the understanding that restoration of the release site will be completed following the approval of this remediation and the site will be reclaimed as per NMAC 19.15.29.13.

## 2.0 Incident Description

The release occurred on June 25, 2024, due to a rupture on the 6in Scripps water transfer pipeline, which caused fluids to overspray surrounding pastures and pipeline right-of-way. Silverback submitted the notification of release which involved the release and overspray of approximately 15 barrels (bbl.) of produced water into the surrounding pasture and areas of the pipeline right-of-way. No standing fluids were recovered during the initial clean-up but impacted soils were scraped off during the initial site assessment and clean-up. Additional details relevant to the release are presented in the C-141 Report.

## 3.0 Site Characteristics

The site is located approximately 9.75 miles southeast of Artesia, New Mexico (Google Inc., 2024). The legal location for the site is Section 2, Township 18 South and Range 26 East in Eddy County, New Mexico. The release area is located on private property owned by Thomas Green. An aerial photograph and site schematic are presented on Figure 1.

The location is typical of oil and gas exploration and production sites in the Permian Basin and the right-of-way is currently used for produced water transportation. The following sections specifically describe the release area surrounding the pasture areas and associated right-of-way.

*The Geological Map of New Mexico* (New Mexico Bureau of Geology and Mineral Resources, 2024) indicates the site’s surface geology primarily comprises Qp – Piedmont alluvial deposits (Holocene to lower Pleistocene) and is characterized as sandy. The predominant soil texture on the site is Harkey very fine sandy loam. Soils can be classified as well-drained with a low runoff class. The karst geology at the site is characterized as medium potential (United States Department of the Interior, Bureau of Land Management, 2018).

The surrounding landscape is associated with plain, fan piedmont, and terrace landforms with elevations ranging between 2,800 and 5,000 feet. The climate is semiarid with average annual precipitation ranging between 8 and 13 inches. Using information from the United States Department of Agriculture, the historical plant community was

determined to be a black grama and dropseeds dominated grassland. Blue grama also occurs as a subdominant species. Litter and bare ground compose a significant proportion of the ground cover while grasses compose the remainder. Fire suppression, and the loss of grass cover due to overgrazing and drought may facilitate the increase and encroachment of shrubs (United States Department of Agriculture, Natural Resources Conservation Service, 2024).

#### 4.0 Closure Criteria Determination

The nearest active well to the site is a private well (RA 10246) located approximately 0.2 miles southwest of the site with a recorded depth to groundwater of 50 feet below ground surface (bgs.) (New Mexico Office of the State Engineer, 2024b). Information pertaining to the depth to ground water determination is included in Appendix B.

There is no surface water present at the site. The nearest significant watercourse, as defined in Subsection P of 19.15.17.7 NMAC, are riverines for the Pecos River located approximately 0.48 miles east of the site (United States Fish and Wildlife Service, 2024).

At the site, there are no continuously flowing watercourses or significant watercourses, lakebeds, sinkholes, playa lakes or other critical water or community features as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC.

Silverback Operating II, LLC.  
Scripps Water Transfer Pipeline

Release Assessment and Closure Request  
December 2024

<b>Table 1. Closure Criteria Determination</b>			
<b>Site Specific Conditions</b>		<b>Value</b>	<b>Unit</b>
1	Depth to Groundwater (nearest reference)	50	feet
	Distance between release and nearest DTGW reference	1,074	feet
		0.20	miles
	Date of nearest DTGW reference measurement	September 16, 2002	
2	Within 300 feet of any continuously flowing watercourse or any other significant watercourse	2,529	feet
3	Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark)	4,539	feet
4	Within 300 feet from an occupied residence, school, hospital, institution or church	1,564	feet
5	i) Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or	1,074	feet
	ii) Within 1000 feet of any fresh water well or spring	1,074	feet
6	Within incorporated municipal boundaries or within a defined municipal fresh water field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended, unless the municipality specifically approves	No	(Y/N)
7	Within 300 feet of a wetland	3,638	feet
8	Within the area overlying a subsurface mine	No	(Y/N)
	Distance between release and nearest registered mine	31,050	feet
9	Within an unstable area (Karst Map)	Medium	Critical High Medium Low
	Distance between release and nearest unstable area	11,375	feet
10	Within a 100-year Floodplain	500	year
	Distance between release and nearest FEMA Zone A (100-year Floodplain)	750	feet
11	Soil Type	Hk: Harkey very fine sandy loam	
12	Ecological Classification	R070BD004NM — Sandy	
13	Geology	Qp- Piedmont alluvial deposits	
	<b>NMAC 19.15.29.12 E (Table 1) Closure Criteria</b>	<50'	<50' 51-100' >100'

The closure criteria determined for the site are associated with the following constituent concentration limits as presented in Table 2.

<b>Table 2. Closure Criteria for Soils Impacted by a Release DTGW &lt;50 feet bgs</b>		
<b>Minimum depth below any point within the horizontal boundary of the release to groundwater less than 10,000 mg/l TDS</b>	<b>Constituent</b>	<b>Limit</b>
<b>&lt; 50 feet</b>	Chloride	600 mg/kg
	TPH (GRO+DRO+MRO)	100 mg/kg
	BTEX	50 mg/kg
	Benzene	10 mg/kg

bgs – below ground surface

DTGW – depth to groundwater

TPH – total petroleum hydrocarbons, GRO – gas range organics, DRO – diesel range organics, MRO – motor oil range organics

BTEX – benzene, toluene, ethylbenzene and xylenes

## 5.0 Remedial Actions Taken

The remedial activities were completed following the proposed remediation plan which was approved by NMOCD on September 17, 2024. The plan included a variance requesting permission to use the borehole sample points (BH24-01 through BH24-18) as confirmation sample points. Laboratory analyses for these boreholes are included in the confirmatory table (Table 4). An initial site inspection of the release area was completed on June 27, 2024, which identified the area of the release specified in the initial C-141 Report and estimated the approximate volume of the release. The impacted area was determined to be approximately 158 feet long and 384 feet wide; the total affected area was 20,671 square feet. Site characterization activities were conducted by Vertex on August 20, 2024. A total of 18 sampling boreholes were established to obtain both horizontal and vertical delineation. From these boreholes, a total of 39 samples were collected at various depths and submitted to Cardinal Laboratories in Hobbs, New Mexico, for analysis. The Daily Field Reports (DFRs) and site photographs associated with the site inspection are included in Appendix C. Characterization laboratory results are presented in Table 3.

Remediation efforts began on October 2, 2024, and were finalized on October 23, 2024. Vertex supervised the excavation of impacted soils. Field screening was completed on a total of 98 sample points and consisted of analysis using a Photo Ionization Detector (volatile hydrocarbons), Dextsil Petroflag using EPA SW-846 Method 9074 (extractable hydrocarbons) and Silver Nitrate titrations (chlorides). Field screening results were used to identify areas requiring further remediation. Impacted soil was removed to a depth of 0.5 to 1 ft bgs. Impacted soil was transported by a licensed waste hauler and disposed of at an approved waste management facility. The final DFR with photographs of the remediated site prior to backfill is included in Appendix C.

Notification that confirmatory samples were being collected was provided to the NMOCD two business days prior to conducting final sampling pursuant to 19.15.29.12.D(1)(a). Sampling notification emails are included in Appendix D. Confirmatory base floor samples were collected from the surfaces of the excavation in 200 square foot increments and confirmation side wall samples were collected per 200 square feet between each borehole that was previously

approved for confirmation in the remediation plan. A total of 98 confirmation samples (93 base samples and five wall samples) were collected for laboratory analysis following NMOCD soil sampling procedures. Samples were submitted to Cardinal Laboratories under chain-of-custody protocols and analyzed for BTEX (EPA Method 8021B), total petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D) and total chlorides (EPA Method 300.0). The soil samples were placed directly into pre-cleaned glass jars, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The excavation extent and the final sampling locations were mapped utilizing a handheld GPS and are presented on Figure 2. Laboratory results are presented in Table 4, and the laboratory data reports are included in Appendix E. All confirmatory samples collected and analyzed were below closure criteria for the site.

## 6.0 Closure Request

Vertex recommends no additional remedial actions at the site. Laboratory analyses of confirmation samples collected at the site show final confirmatory values below NMOCD closure criteria for areas where depth to groundwater is less than 50 feet, as presented in Table 2. There are no anticipated risks to human, ecological, or hydrological receptors at this site. The excavation will be backfilled with non-waste-containing, uncontaminated, earthen material, sourced locally, and placed to meet the site's existing grade to prevent water ponding and erosion. The reclamation requirements of 19.15.29.13 NMAC will be completed following backfilling activities. The DFR and site photographs prior to backfill procedures are included in Appendix C.

On behalf of Silverback, Vertex requests that this incident (nAPP2417953983) be closed as all closure requirements set forth in Subsection E of 19.15.29.12 NMAC have been met. Silverback certifies that all information in this report and the appendices are correct and that they have complied with all applicable closure requirements and conditions specified in Division rules and directives to meet NMOCD requirements to obtain closure on the site.

Should you have any questions or concerns, please do not hesitate to contact Chance Dixon at 575.988.1472 or [cdixon@vertexresource.com](mailto:cdixon@vertexresource.com).

## 7.0 References

- Google Inc. (2024). *Google Earth Pro (Version 7.3.3)* [Software]. Retrieved from <https://earth.google.com>
- New Mexico Bureau of Geology and Mineral Resources. (2024). *Interactive Geologic Map*. Retrieved from <https://maps.nmt.edu/>
- New Mexico Department of Surface Water Quality Bureau. (2024). *Assessed and Impaired Waters of New Mexico*. Retrieved from <https://gis.web.env.nm.gov/oem/?map=swqb>
- New Mexico Energy, Minerals and Natural Resources Department. (2024). *OCD Permitting - Spill Search*. Retrieved from <https://wwwapps.emnrd.nm.gov/ocd/ocdpermitting/Data/Spills/Spills.aspx>
- New Mexico Mining and Minerals Division. (2024). *Coal Mine Resources in New Mexico*. Retrieved from <https://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=5f80f3b0faa545e58fe747cc7b037a93>
- New Mexico Office of the State Engineer. (2024a). *Point of Diversion Location Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/wellSurfaceDiversion.html>
- New Mexico Office of the State Engineer. (2024b). *Water Column/Average Depth to Water Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>
- New Mexico Office of the State Engineer. (2024c). *Well Log/Meter Information Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/meterReport.html>
- New Mexico Oil Conservation Division. (2018). *New Mexico Administrative Code – Natural Resources and Wildlife Oil and Gas Releases*. Santa Fe, New Mexico.
- United States Department of Agriculture, Natural Resources Conservation Service. (2024). *Web Soil Survey*. Retrieved from <https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
- United States Department of Homeland Security, Federal Emergency Management Agency. (2024). *FEMA Flood Map Service: Search by Address*. Retrieved from <https://msc.fema.gov/portal/search?AddressQuery=malaga%20new%20mexico#searchresultsanchor>
- United States Department of the Interior and U.S. Department of Agriculture. (2007). *Surface Operating Standards and Guidelines for Oil and Gas Exploration and Development: The Gold Book*. Fourth edition. Available at: <https://www.blm.gov/sites/blm.gov/files/Gold%20Book%202007%20Revised.pdf>
- United States Department of the Interior, Bureau of Land Management. (2018). *New Mexico Cave/Karst*. Retrieved from [https://www.nm.blm.gov/shapeFiles/cfo/carlsbad\\_spatial\\_data.html](https://www.nm.blm.gov/shapeFiles/cfo/carlsbad_spatial_data.html)
- United States Fish and Wildlife Service. (2024). *National Wetland Inventory - Surface Waters and Wetlands*. Retrieved from <https://fwsprimary.wim.usgs.gov/wetlands/apps/wetlands-mapper/>

**Silverback Operating II, LLC.**  
Scripps Water Transfer Pipeline

**Release Assessment and Closure Request**  
December 2024

---

United States Geological Survey. (2024). *National Water Information System: Web Interface*. Retrieved from <https://waterdata.usgs.gov/nwis>

Silverback Operating II, LLC.  
Scripps Water Transfer Pipeline

Release Assessment and Closure Request  
December 2024

## 8.0 Limitations


This report has been prepared for the sole benefit of Silverback Operating II, LLC. This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division, without the express written consent of Vertex Resource Services Inc. (Vertex) and Silverback Operating II, LLC. Any use of this report by a third party, or any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgement of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.



## **FIGURES**

Document Path: G:\Projects\Silverback Exploration\2024\24E-030808\Project\24E-030808\_Scripps Water Transfer Pipeline.aprx



0 25 50 ft  
NAD 1983 UTM Zone 13N  
Date: Aug 29/24

Map Center:  
Lat/Long  
32.69364°, -104.346253°



### Characterization Sampling Site Schematic Scripps Water Transfer Pipeline

FIGURE:

1




Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.

Note: Georeferenced image from Esri, 2023. Approximate site boundary from sketch by Vertex Professional Services Ltd. (Vertex), 2024. Site features from GPS, Vertex, 2024.

VERSATILITY. EXPERTISE.





- Base Sample (Prefixed by "BS24-")
- ◆ Borehole
- ▲ Wall Sample (Prefixed by "WS24-")
- Pipeline (Underground)
- Excavation to 1' bgs (~806 sq.ft. | 131 ft.)
- Excavation to 1' bgs (~999 sq.ft. | 127 ft.)
- Release Area/ Scraped Area to 0.5' bgs (~20,672 sq.ft. | 1,046 ft.)



0 25 50 ft  
NAD 1983 UTM Zone 13N  
Date: Nov 15/24

Map Center:  
Lat/Long  
32.693653°, -104.346144°



## Confirmation Sampling Site Schematic Scripps Water Transfer Pipeline

FIGURE:

2



Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.

Note: Georeferenced image from Esri, 2023. Approximate site boundary from sketch by Vertex Professional Services Ltd. (Vertex), 2024. Site features from GPS, Vertex, 2024.

VERSATILITY. EXPERTISE.

## **TABLES**

Client Name: Silverback Exploration  
 Site Name: Scripps Water Transfer Pipeline Release  
 NMOCD Tracking #: nAPP2417953983  
 Project #: 24E-03808  
 Lab Reports: H245117

Table 3. Initial Characterization Field Screen and Laboratory Results													
Sample Description			Field Screening			Petroleum Hydrocarbons							Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Volatile		Extractable					
						Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Depth to Groundwater: <50 feet bgs													
BH24-01	0	August 19, 2024	-	-	21	ND	ND	ND	ND	ND	ND	ND	16
	2	August 19, 2024	-	-	35	ND	ND	ND	ND	ND	ND	ND	32
BH24-02	0	August 19, 2024	-	-	1,252	ND	ND	ND	ND	ND	ND	ND	960
	2	August 19, 2024	-	-	121	ND	ND	ND	ND	ND	ND	ND	32
	4	August 19, 2024	-	-	56	ND	ND	ND	ND	ND	ND	ND	32
BH24-03	0	August 19, 2024	-	-	891	ND	ND	ND	ND	ND	ND	ND	480
	2	August 19, 2024	-	-	101	ND	ND	ND	ND	ND	ND	ND	32
	4	August 19, 2024	-	-	89	ND	ND	ND	ND	ND	ND	ND	16
BH24-04	0	August 19, 2024	-	-	193	ND	ND	ND	ND	ND	ND	ND	96
	2	August 19, 2024	-	-	109	ND	ND	ND	ND	ND	ND	ND	32
BH24-05	0	August 19, 2024	-	-	318	ND	ND	ND	ND	ND	ND	ND	208
	2	August 19, 2024	-	-	105	ND	ND	ND	ND	ND	ND	ND	80
BH24-06	0	August 19, 2024	-	-	121	ND	ND	ND	ND	ND	ND	ND	160
	2	August 19, 2024	-	-	130	ND	ND	ND	ND	ND	ND	ND	128
BH24-07	0	August 19, 2024	-	-	15,900	ND	ND	ND	ND	ND	ND	ND	13,800
	2	August 19, 2024	-	-	193	ND	ND	ND	ND	ND	ND	ND	32
	4	August 19, 2024	-	-	165	ND	ND	ND	ND	ND	ND	ND	32
BH24-08	0	August 19, 2024	-	-	38	ND	ND	ND	ND	ND	ND	ND	16
	2	August 19, 2024	-	-	72	ND	ND	ND	ND	ND	ND	ND	16
BH24-09	0	August 20, 2024	-	-	52	ND	ND	ND	ND	ND	ND	ND	128
	2	August 20, 2024	-	-	80	ND	ND	ND	ND	ND	ND	ND	96
BH24-10	0	August 20, 2024	-	-	32	ND	ND	ND	ND	ND	ND	ND	144
	2	August 20, 2024	-	-	33	ND	ND	ND	ND	ND	ND	ND	96
BH24-11	0	August 20, 2024	-	-	55	ND	ND	ND	ND	ND	ND	ND	96
	2	August 20, 2024	-	-	40	ND	ND	ND	ND	ND	ND	ND	96
BH24-12	0	August 20, 2024	-	-	78	ND	ND	ND	ND	ND	ND	ND	96
	2	August 20, 2024	-	-	95	ND	ND	ND	ND	ND	ND	ND	144
BH24-13	0	August 20, 2024	-	-	56	ND	ND	ND	ND	ND	ND	ND	112
	2	August 20, 2024	-	-	45	ND	ND	ND	ND	ND	ND	ND	112
BH24-14	0	August 20, 2024	-	-	24	ND	ND	ND	ND	ND	ND	ND	48
	2	August 20, 2024	-	-	72	ND	ND	ND	ND	ND	ND	ND	64
BH24-15	0	August 20, 2024	-	-	31	ND	ND	ND	ND	ND	ND	ND	32
	2	August 20, 2024	-	-	45	ND	ND	ND	ND	ND	ND	ND	16
BH24-16	0	August 20, 2024	-	-	91	ND	ND	ND	ND	ND	ND	ND	64
	2	August 20, 2024	-	-	98	ND	ND	ND	ND	ND	ND	ND	96
BH24-17	0	August 20, 2024	-	-	63	ND	ND	ND	ND	ND	ND	ND	32
	2	August 20, 2024	-	-	50	ND	ND	ND	ND	ND	ND	ND	128
BH24-18	0	August 20, 2024	-	-	77	ND	ND	ND	ND	ND	ND	ND	80
	2	August 20, 2024	-	-	35	ND	ND	ND	ND	ND	ND	ND	32

"ND" Not Detected at the Reporting Limit  
 "-" indicates not analyzed/assessed

**Bold and grey: exceeds NMOCD Closure Criteria (on-pad)**  
**Bold and green: exceeds NMOCD Reclamation Criteria (off-pad)**



Client Name: Silverback Exploration  
 Site Name: Scripps Water Transfer Pipeline  
 NMOCD Tracking #: nAPP2417953983  
 Project #: 24E-03808  
 Lab Reports: H245117, H246098, H246477

Table 4. Confirmatory Sample Field Screen and Laboratory Results													
Sample Description			Field Screening			Petroleum Hydrocarbons							Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Volatile		Extractable					
						Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Depth to Groundwater: <50 feet bgs													
Base Excavation Samples													
BS24-01	0.5	October 2, 2024	ND	-	186	ND	ND	ND	ND	ND	ND	ND	160
BS24-02	0.5	October 2, 2024	ND	-	155	ND	ND	ND	ND	ND	ND	ND	80
BS24-03	0.5	October 2, 2024	ND	-	124	ND	ND	ND	ND	ND	ND	ND	80
BS24-04	0.5	October 2, 2024	ND	-	131	ND	ND	ND	ND	ND	ND	ND	144
BS24-05	0.5	October 2, 2024	ND	-	149	ND	ND	ND	ND	ND	ND	ND	32
BS24-06	0.5	October 2, 2024	ND	-	126	ND	ND	ND	ND	ND	ND	ND	48
BS24-07	0.5	October 2, 2024	ND	-	146	ND	ND	ND	ND	ND	ND	ND	32
BS24-08	0.5	October 2, 2024	ND	-	111	ND	ND	ND	16	ND	16	16	96
BS24-09	0.5	October 2, 2024	ND	-	118	ND	ND	ND	ND	ND	ND	ND	144
BS24-10	0.5	October 2, 2024	ND	-	172	ND	ND	ND	ND	ND	ND	ND	16
BS24-11	0.5	October 2, 2024	ND	-	128	ND	ND	ND	ND	ND	ND	ND	96
BS24-12	0.5	October 2, 2024	ND	-	114	ND	ND	ND	ND	ND	ND	ND	64
BS24-13	0.5	October 2, 2024	ND	-	118	ND	ND	ND	ND	ND	ND	ND	128
BS24-14	0.5	October 2, 2024	ND	-	170	ND	ND	ND	ND	ND	ND	ND	144
BS24-15	0.5	October 2, 2024	ND	-	113	ND	ND	ND	ND	ND	ND	ND	80
BS24-16	0.5	October 2, 2024	ND	-	146	ND	ND	ND	ND	ND	ND	ND	16
BS24-17	0.5	October 2, 2024	ND	-	195	ND	ND	ND	ND	ND	ND	ND	16
BS24-18	0.5	October 2, 2024	ND	-	105	ND	ND	ND	ND	ND	ND	ND	16
BS24-19	0.5	October 2, 2024	ND	-	177	ND	ND	ND	ND	ND	ND	ND	32
BS24-20	0.5	October 2, 2024	ND	-	191	ND	ND	ND	ND	ND	ND	ND	112
BS24-21	0.5	October 21, 2024	ND	-	186	ND	ND	ND	ND	ND	ND	ND	48
BS24-22	0.5	October 21, 2024	ND	-	165	ND	ND	ND	ND	ND	ND	ND	ND
BS24-23	0.5	October 21, 2024	ND	-	200	ND	ND	ND	ND	ND	ND	ND	ND
BS24-24	0.5	October 21, 2024	ND	-	142	ND	ND	ND	ND	ND	ND	ND	ND
BS24-25	0.5	October 21, 2024	ND	-	126	ND	ND	ND	ND	ND	ND	ND	32
BS24-26	0.5	October 21, 2024	ND	-	148	ND	ND	ND	ND	ND	ND	ND	16
BS24-27	0.5	October 21, 2024	ND	-	203	ND	ND	ND	ND	ND	ND	ND	32
BS24-28	0.5	October 21, 2024	ND	-	160	ND	ND	ND	ND	ND	ND	ND	16
BS24-29	0.5	October 21, 2024	ND	-	189	ND	ND	ND	ND	ND	ND	ND	16
BS24-30	0.5	October 21, 2024	ND	-	148	ND	ND	ND	ND	ND	ND	ND	32
BS24-31	1	October 21, 2024	ND	-	140	ND	ND	ND	ND	ND	ND	ND	16
BS24-32	1	October 21, 2024	ND	-	165	ND	ND	ND	ND	ND	ND	ND	ND
BS24-33	0.5	October 21, 2024	ND	-	184	ND	ND	ND	ND	ND	ND	ND	ND
BS24-34	0.5	October 21, 2024	ND	-	131	ND	ND	ND	ND	ND	ND	ND	ND
BS24-35	0.5	October 21, 2024	ND	-	177	ND	ND	ND	ND	ND	ND	ND	ND
BS24-36	0.5	October 21, 2024	ND	-	217	ND	ND	ND	ND	ND	ND	ND	ND
BS24-37	0.5	October 21, 2024	ND	-	393	ND	ND	ND	ND	ND	ND	ND	16
BS24-38	0.5	October 21, 2024	ND	-	288	ND	ND	ND	ND	ND	ND	ND	ND
BS24-39	0.5	October 21, 2024	ND	-	365	ND	ND	ND	ND	ND	ND	ND	ND
BS24-40	0.5	October 21, 2024	ND	-	119	ND	ND	ND	ND	ND	ND	ND	ND
BS24-41	0.5	October 21, 2024	ND	-	360	ND	ND	ND	ND	ND	ND	ND	ND
BS24-42	0.5	October 21, 2024	ND	-	303	ND	ND	ND	ND	ND	ND	ND	ND
BS24-43	0.5	October 21, 2024	ND	-	108	ND	ND	ND	ND	ND	ND	ND	ND
BS24-44	0.5	October 21, 2024	ND	-	339	ND	ND	ND	ND	ND	ND	ND	ND
BS24-45	0.5	October 21, 2024	ND	-	88	ND	ND	ND	ND	ND	ND	ND	16
BS24-46	0.5	October 21, 2024	ND	-	93	ND	ND	ND	ND	ND	ND	ND	64
BS24-47	0.5	October 21, 2024	ND	-	36	ND	ND	ND	ND	ND	ND	ND	16
BS24-48	1	October 21, 2024	ND	-	108	ND	ND	ND	ND	ND	ND	ND	ND
BS24-49	1	October 21, 2024	ND	-	300	ND	ND	ND	ND	ND	ND	ND	80
BS24-50	0.5	October 21, 2024	ND	-	383	ND	ND	ND	ND	ND	ND	ND	32

"ND" Not Detected at the Reporting Limit  
 "-" indicates not analyzed/assessed

Bold/Green shaded exceeds NMOCD Reclamation Criteria (off-pad)





Client Name: Silverback Exploration  
 Site Name: Scripps Water Transfer Pipeline  
 NMOCD Tracking #: nAPP2417953983  
 Project #: 24E-03808  
 Lab Reports: H245117, H246098, H246477

Table 4. Confirmatory Sample Field Screen and Laboratory Results

Table 4. Confirmatory Sample Field Screen and Laboratory Results													
Sample Description			Field Screening			Petroleum Hydrocarbons							Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Volatile		Extractable					
						Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Depth to Groundwater: <50 feet bgs													
BS24-51	0.5	October 22, 2024	ND	-	313	ND	ND	ND	ND	ND	ND	ND	80
BS24-52	0.5	October 22, 2024	ND	-	241	ND	ND	ND	ND	ND	ND	ND	112
BS24-53	0.5	October 22, 2024	ND	-	298	ND	ND	ND	ND	ND	ND	ND	ND
BS24-54	0.5	October 22, 2024	ND	-	197	ND	ND	ND	ND	ND	ND	ND	ND
BS24-55	0.5	October 22, 2024	ND	-	105	ND	ND	ND	ND	ND	ND	ND	128
BS24-56	0.5	October 22, 2024	ND	-	200	ND	ND	ND	ND	ND	ND	ND	ND
BS24-57	0.5	October 22, 2024	ND	-	363	ND	ND	ND	ND	ND	ND	ND	80
BS24-58	0.5	October 22, 2024	ND	-	277	ND	ND	ND	ND	ND	ND	ND	ND
BS24-59	0.5	October 22, 2024	ND	-	349	ND	ND	ND	ND	ND	ND	ND	128
BS24-60	0.5	October 22, 2024	ND	-	398	ND	ND	ND	ND	ND	ND	ND	144
BS24-61	0.5	October 22, 2024	ND	-	427	ND	ND	ND	ND	ND	ND	ND	64
BS24-62	0.5	October 22, 2024	ND	-	562	ND	ND	ND	ND	ND	ND	ND	112
BS24-63	0.5	October 22, 2024	ND	-	438	ND	ND	ND	ND	ND	ND	ND	16
BS24-64	0.5	October 22, 2024	ND	-	528	ND	ND	ND	ND	ND	ND	ND	64
BS24-65	0.5	October 22, 2024	ND	-	389	ND	ND	ND	ND	ND	ND	ND	ND
BS24-66	0.5	October 22, 2024	ND	-	230	ND	ND	ND	ND	ND	ND	ND	32
BS24-67	0.5	October 22, 2024	ND	-	102	ND	ND	ND	ND	ND	ND	ND	96
BS24-68	0.5	October 22, 2024	ND	-	252	ND	ND	ND	ND	ND	ND	ND	32
BS24-69	0.5	October 22, 2024	ND	-	73	ND	ND	ND	ND	ND	ND	ND	ND
BS24-70	0.5	October 22, 2024	ND	-	294	ND	ND	ND	ND	ND	ND	ND	80
BS24-71	0.5	October 22, 2024	ND	-	194	ND	ND	ND	ND	ND	ND	ND	32
BS24-72	0.5	October 22, 2024	ND	-	194	ND	ND	ND	ND	ND	ND	ND	32
BS24-73	0.5	October 22, 2024	ND	-	181	ND	ND	ND	ND	ND	ND	ND	16
BS24-74	0.5	October 22, 2024	ND	-	197	ND	ND	ND	ND	ND	ND	ND	32
BS24-75	0.5	October 22, 2024	ND	-	278	ND	ND	ND	ND	ND	ND	ND	ND
BS24-76	0.5	October 22, 2024	ND	-	181	ND	ND	ND	ND	ND	ND	ND	192
BS24-77	0.5	October 22, 2024	ND	-	220	ND	ND	ND	ND	ND	ND	ND	112
BS24-78	0.5	October 22, 2024	ND	-	148	ND	ND	ND	ND	ND	ND	ND	ND
BS24-79	0.5	October 22, 2024	ND	-	163	ND	ND	ND	ND	ND	ND	ND	112
BS24-80	0.5	October 22, 2024	ND	-	278	ND	ND	ND	ND	ND	ND	ND	32
BS24-81	0.5	October 23, 2024	ND	-	76	ND	ND	ND	ND	ND	ND	ND	32
BS24-82	0.5	October 23, 2024	ND	-	307	ND	ND	ND	ND	ND	ND	ND	ND
BS24-83	0.5	October 23, 2024	ND	-	206	ND	ND	ND	ND	ND	ND	ND	ND
BS24-84	0.5	October 23, 2024	ND	-	297	ND	ND	ND	ND	ND	ND	ND	ND
BS24-85	0.5	October 23, 2024	ND	-	167	ND	ND	ND	ND	ND	ND	ND	16
BS24-86	0.5	October 23, 2024	ND	-	239	ND	ND	ND	ND	ND	ND	ND	80
BS24-87	0.5	October 23, 2024	ND	-	292	ND	ND	ND	ND	ND	ND	ND	ND
BS24-88	1	October 23, 2024	ND	-	177	ND	ND	ND	ND	ND	ND	ND	32
BS24-89	1	October 23, 2024	ND	-	105	ND	ND	ND	ND	ND	ND	ND	ND
BS24-90	1	October 23, 2024	ND	-	311	ND	ND	ND	ND	ND	ND	ND	128
BS24-91	1	October 23, 2024	ND	-	235	ND	ND	ND	ND	ND	ND	ND	16
BS24-92	0.5	October 23, 2024	ND	-	292	ND	ND	ND	ND	ND	ND	ND	ND
BS24-93	0.5	October 23, 2024	ND	-	259	ND	ND	ND	ND	ND	ND	ND	ND
NMOCD Approved Boreholes to Represent Confirmation Base Samples													
BH24-01	0	August 19, 2024	-	-	21	ND	ND	ND	ND	ND	ND	ND	16
	2	August 19, 2024	-	-	35	ND	ND	ND	ND	ND	ND	ND	32
BH24-03	0	August 19, 2024	-	-	891	ND	ND	ND	ND	ND	ND	ND	480
	2	August 19, 2024	-	-	101	ND	ND	ND	ND	ND	ND	ND	32
BH24-04	4	August 19, 2024	-	-	89	ND	ND	ND	ND	ND	ND	ND	16
	0	August 19, 2024	-	-	193	ND	ND	ND	ND	ND	ND	ND	96
BH24-05	2	August 19, 2024	-	-	109	ND	ND	ND	ND	ND	ND	ND	32
	0	August 19, 2024	-	-	318	ND	ND	ND	ND	ND	ND	ND	208
BH24-06	2	August 19, 2024	-	-	105	ND	ND	ND	ND	ND	ND	ND	80
	0	August 19, 2024	-	-	121	ND	ND	ND	ND	ND	ND	ND	160

"ND" Not Detected at the Reporting Limit  
 "-" indicates not analyzed/assessed

Bold/Green shaded exceeds NMOCD Reclamation Criteria (off-pad)



Client Name: Silverback Exploration  
 Site Name: Scripps Water Transfer Pipeline  
 NMOCD Tracking #: nAPP2417953983  
 Project #: 24E-03808  
 Lab Reports: H245117, H246098, H246477

Table 4. Confirmatory Sample Field Screen and Laboratory Results													
Sample Description			Field Screening			Petroleum Hydrocarbons							Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Volatile		Extractable					
						Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Depth to Groundwater: <50 feet bgs													
BH24-06	2	August 19, 2024	-	-	130	ND	ND	ND	ND	ND	ND	ND	128
BH24-08	0	August 19, 2024	-	-	38	ND	ND	ND	ND	ND	ND	ND	16
	2	August 19, 2024	-	-	72	ND	ND	ND	ND	ND	ND	ND	16
BH24-09	0	August 20, 2024	-	-	52	ND	ND	ND	ND	ND	ND	ND	128
	2	August 20, 2024	-	-	80	ND	ND	ND	ND	ND	ND	ND	96
BH24-11	0	August 20, 2024	-	-	55	ND	ND	ND	ND	ND	ND	ND	96
	2	August 20, 2024	-	-	40	ND	ND	ND	ND	ND	ND	ND	96
NMOCD Approved Boreholes to Represent Confirmation Sidewall Samples													
BH24-10	0	August 20, 2024	-	-	32	ND	ND	ND	ND	ND	ND	ND	144
	2	August 20, 2024	-	-	33	ND	ND	ND	ND	ND	ND	ND	96
BH24-12	0	August 20, 2024	-	-	78	ND	ND	ND	ND	ND	ND	ND	96
	2	August 20, 2024	-	-	95	ND	ND	ND	ND	ND	ND	ND	144
BH24-13	0	August 20, 2024	-	-	56	ND	ND	ND	ND	ND	ND	ND	112
	2	August 20, 2024	-	-	45	ND	ND	ND	ND	ND	ND	ND	112
BH24-14	0	August 20, 2024	-	-	24	ND	ND	ND	ND	ND	ND	ND	48
	2	August 20, 2024	-	-	72	ND	ND	ND	ND	ND	ND	ND	64
BH24-15	0	August 20, 2024	-	-	31	ND	ND	ND	ND	ND	ND	ND	32
	2	August 20, 2024	-	-	45	ND	ND	ND	ND	ND	ND	ND	16
BH24-16	0	August 20, 2024	-	-	91	ND	ND	ND	ND	ND	ND	ND	64
	2	August 20, 2024	-	-	98	ND	ND	ND	ND	ND	ND	ND	96
BH24-17	0	August 20, 2024	-	-	63	ND	ND	ND	ND	ND	ND	ND	32
	2	August 20, 2024	-	-	50	ND	ND	ND	ND	ND	ND	ND	128
BH23-18	0	August 20, 2024	-	-	77	ND	ND	ND	ND	ND	ND	ND	80
	2	August 20, 2024	-	-	35	ND	ND	ND	ND	ND	ND	ND	32
Sidewall Excavation Samples													
WS24-01	0.5	October 23, 2024	ND	-	216	ND	ND	ND	ND	ND	ND	ND	ND
WS24-02	0.5	October 23, 2024	ND	-	191	ND	ND	ND	ND	ND	ND	ND	32
WS24-03	0.5	October 23, 2024	ND	-	307	ND	ND	ND	ND	ND	ND	ND	ND
WS24-04	0.5	October 23, 2024	ND	-	202	ND	ND	ND	ND	ND	ND	ND	ND
WS24-05	0.5	October 23, 2024	ND	-	144	ND	ND	ND	ND	ND	ND	ND	ND

"ND" Not Detected at the Reporting Limit  
 "-" indicates not analyzed/assessed

Bold/Green shaded exceeds NMOCD Reclamation Criteria (off-pad)





## **APPENDIX A**

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS  
  
Action 359326

QUESTIONS

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 359326
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

<b>Location of Release Source</b> <i>Please answer all the questions in this group.</i>	
Site Name	Scripps Water Transfer
Date Release Discovered	06/25/2024
Surface Owner	Private

<b>Incident Details</b> <i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

<b>Nature and Volume of Release</b> <i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Pipeline (Any)   Produced Water   Released: 15 BBL   Recovered: 0 BBL   Lost: 15 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	none

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 359326

**QUESTIONS (continued)**

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 359326
	Action Type: [NOTIFY] Notification Of Release (NOR)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.

*With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.*

**Initial Response**

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.*

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	N/A

*Per Paragraph 4 of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.*

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

ACKNOWLEDGMENTS  
  
Action 359326

ACKNOWLEDGMENTS

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 359326
	Action Type: [NOTIFY] Notification Of Release (NOR)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit notification of a release on behalf of my operator.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 359326

CONDITIONS

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 359326
	Action Type: [NOTIFY] Notification Of Release (NOR)

CONDITIONS

Created By	Condition	Condition Date
htreffert	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.	6/27/2024



## Project Completion Checklist – Silverback Form 001

## Volume Justification

This form is to be used to convey justification of spill volumes in the event of a release. Clearly indicate by calculations or description in the space provided below.

### Justification:

Soil Type	Porosity	Length	Width	Depth (.083 per inch)	Cubic Feet	Estimated Barrels	Soil Type
Clay	0.15	10	10	0.083	8.3	0.22	Clay
Peat	0.40	10	10	0.083	8.3	0.59	Peat
Glacial Sediments	0.13	10	10	0.083	8.3	0.19	Glacial Sediments
Sandy Clay	0.12	10	10	0.083	8.3	0.18	Sandy Clay
Silt	0.16	10	10	0.083	8.3	0.24	Silt
Loess	0.25	10	10	0.083	8.3	0.37	Loess
Fine Sand	0.16	10	10	0.083	8.3	0.24	Fine Sand
<b>Medium Sand</b>	<b>0.25</b>	<b>90</b>	<b>90</b>	<b>0.0417</b>	<b>337.77</b>	<b>15.05</b>	<b>Medium Sand</b>
Coarse Sand	0.26	10	10	0.083	8.3	0.38	Coarse Sand
Gravely Sand	0.26	10	10	0.083	8.3	0.38	Gravely Sand
Fine Gravel	0.26	10	10	0.083	8.3	0.38	Fine Gravel
Medium Gravel	0.20	10	10	0.083	8.3	0.30	Medium Gravel
Coarse Gravel	0.18	10	10	0.083	8.3	0.27	Coarse Gravel
Sandstone	0.25	10	10	0.083	8.3	0.37	Sandstone
Siltstone	0.18	10	10	0.083	8.3	0.27	Siltstone
Shale	0.05	10	10	0.083	8.3	0.07	Shale
Limestone	0.13	10	10	0.083	8.3	0.19	Limestone
Basalt	0.19	10	10	0.083	8.3	0.28	Basalt
Volcanic Tuff	0.20	10	10	0.083	8.3	0.30	Volcanic Tuff
Standing Liquids	X	10	10	0.083	8.3	1.48	Standing Liquids

1	2	3	4	5	6
0.083	0.166	0.250	0.332	0.415	0.500
7	8	9	10	11	12
0.581	0.664	0.750	0.830	0.913	1.000

**NOTE:** This is an estimate tool designed for quick field estimates of whether a C-141 should be required (i.e. a release is estimated to be greater than or less than 5 barrel volumes)

Choose the one prevailing ground type for estimating spill volumes at a single location.

Note that the depth should be measured in feet and tenths of feet (1 inch = .083)

Cubic Feet = L x W x D  
Estimated Barrels = ((Cubic Feet x Porosity) / 5.61)

**(337.77cuft X 0.25porosity) / 5.61 = 15.05 Barrels**

**Approved by:** Fernando Rodriguez

**Date:** 7/10/2024

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS  
  
Action 363212

QUESTIONS

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 363212
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2417953983
Incident Name	NAPP2417953983 SCRIPPS WATER TRANSFER @ 0
Incident Type	Produced Water Release
Incident Status	Initial C-141 Received

Location of Release Source	
Please answer all the questions in this group.	
Site Name	Scripps Water Transfer
Date Release Discovered	06/25/2024
Surface Owner	Private

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Pipeline (Any)   Produced Water   Released: 15 BBL   Recovered: 0 BBL   Lost: 15 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	none

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 2  
Action 363212

QUESTIONS (continued)

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 363212
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	N/A

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Heather Treffert Title: Field Operations Analyst Email: htrefert@silverbackexp.com Date: 07/11/2024
--	--



**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 363212

**QUESTIONS (continued)**

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 363212
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

**QUESTIONS****Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Between 1000 (ft.) and ½ (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1000 (ft.) and ½ (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1000 (ft.) and ½ (mi.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between ½ and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1 and 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Medium
A 100-year floodplain	Between 500 and 1000 (ft.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

**Remediation Plan**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	No
---	----

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 363212

CONDITIONS


Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 363212
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	None	7/11/2024

## **APPENDIX B**


## Nearest Domestic Fresh Water Well



8/20/2024, 4:02:23 PM

OSE Water PODs Incident Release

• Active       Produced Water Release



Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department., Esri, HERE, Garmin, IPC, Maxar

New Mexico Oil Conservation Division





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
<a href="#">RA 10246</a>		RA	ED	SW	SE	NE	02	19S	26E	561189.0	3617174.0 *		324	220	50	170
<a href="#">RA 11874 POD2</a>		RA	ED	SW	NW	NE	02	19S	26E	560710.4	3617630.0		565	125	58	67
<a href="#">RA 11874 POD1</a>	R	RA	ED	SW	NW	NE	02	19S	26E	560707.2	3617638.6		571	140	40	100
<a href="#">L 04209 POD3</a>		L	LE	NE	NE	NE	04	19S	36E	560771.5	3617845.9		603	162	72	90
<a href="#">RA 12698 POD1</a>		RA	ED	SE	SE	NW	02	19S	26E	560619.3	3617198.3		703	140	90	50
<a href="#">RA 12572 POD1</a>		RA	ED	SE	SE	NW	02	19S	26E	560591.8	3617171.4		739	159		
<a href="#">RA 09211</a>		RA	ED	SE	SE	SW	35	18S	26E	560574.0	3617975.0 *		838	100	45	55
<a href="#">RA 09212</a>		RA	ED	SE	SE	SW	35	18S	26E	560574.0	3617975.0 *		838	120	45	75
<a href="#">RA 09213</a>		RA	ED	SE	SE	SW	35	18S	26E	560574.0	3617975.0 *		838	120	45	75
<a href="#">RA 09214</a>		RA	ED	SE	SE	SW	35	18S	26E	560574.0	3617975.0 *		838	100	45	55

Average Depth to Water: 54 feet

Minimum Depth: 40 feet

Maximum Depth: 90 feet

Record Count: 10

UTM Filters (in meters):

Easting: 561259

Northing: 3617491

Radius: 850


\* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

# Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE  
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
	RA 10246	SW	SE	NE	02	19S	26E	561189.0	3617174.0 *	

\* UTM location was derived from PLSS - see Help

Driller License:	1501	Driller Company:	BUSTAMANTE, DANIEL L.
Driller Name:	BUSTAMANTE, DANIEL L.		
Drill Start Date:	2002-09-09	Drill Finish Date:	2002-09-16
Log File Date:	2002-09-18	PCW Rcv Date:	Source: Shallow
Pump Type:	Pipe Discharge Size:	Estimated Yield:	
Casing Size:	5.00	Depth Well:	220
		Depth Water:	50

## Water Bearing Stratifications:

Top	Bottom	Description
70	90	Shallow Alluvium/Basin Fill
160	205	Shallow Alluvium/Basin Fill

## Casing Perforations:

Top	Bottom
70	170

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) RA-11874				OSE FILE NUMBER(S)				
	WELL OWNER NAME(S) Charles & Angela Granger				PHONE (OPTIONAL)				
	WELL OWNER MAILING ADDRESS 348 E. Kincaid Ranch Rd.				CITY Atesia		STATE NM		
					ZIP 88210				
2. DRILLING & CASING INFORMATION	WELL LOCATION (FROM GPS)		DEGREES 32		MINUTES 41		SECONDS 41		
			LATITUDE		N		* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
			LONGITUDE		W		* DATUM REQUIRED: WGS 84		
	DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE								
3. ANNULAR MATERIAL	LICENSE NUMBER WD-1632		NAME OF LICENSED DRILLER Caleb Curry				NAME OF WELL DRILLING COMPANY Hopper Pump & Drilling Inc.		
	DRILLING STARTED 6/30/2014		DRILLING ENDED 7/1/2014		DEPTH OF COMPLETED WELL (FT) 123		BORE HOLE DEPTH (FT) 160		
							DEPTH WATER FIRST ENCOUNTERED (FT) 58		
	COMPLETED WELL IS: <input type="radio"/> ARTESIAN <input type="radio"/> DRY HOLE <input checked="" type="radio"/> SHALLOW (UNCONFINED)						STATIC WATER LEVEL IN COMPLETED WELL (FT) 58		
	DRILLING FLUID: <input type="radio"/> AIR <input checked="" type="radio"/> MUD ADDITIVES - SPECIFY:								
	DRILLING METHOD: <input type="radio"/> ROTARY <input type="radio"/> HAMMER <input type="radio"/> CABLE TOOL <input type="radio"/> OTHER - SPECIFY:								
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)	
	FROM	TO							
		+2	60	8.75	pvc	spline	5	.25	
		60	123	8.75	pvc	spline	5	.25	.032
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT			
	FROM	TO							
		3	23	8.75	3/8 bentonite chip				
		23	123	8.75	8/16 silica sand				

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)


FILE NUMBER	RA-11874	POD NUMBER	2	TRN NUMBER	546995
LOCATION	213 195 26 E 02				PAGE 1 OF 2

#### 4. HYDROGEOLOGIC LOG OF WELL

FOR OSE INTERNAL USE



## Nearest Significant Watercourse




8/20/2024, 3:41:54 PM

Incident Release



Produced Water Release

— OSE Streams




Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department., Sources: Esri, Airbus DS, USGS, NGA, NASA,

New Mexico Oil Conservation Division

NM OCD Oil and Gas Map. <http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75>: New Mexico Oil Conservation Division

## Nearest Lakebed



8/20/2024, 3:44:57 PM

Incident Release




Produced Water Release



OSW Water Bodys



OSE Streams



Esri, NASA, NGA, USGS, FEMA, Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department., Esri

New Mexico Oil Conservation Division

NM OCD Oil and Gas Map. <http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75>: New Mexico Oil Conservation Division

## Nearest Occupied Residence




8/20/2024, 3:47:09 PM

Incident Release



Produced Water Release




Maxar, Microsoft, Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department., Esri, HERE, Garmin, IPC, NM


New Mexico Oil Conservation Division

NM OCD Oil and Gas Map. <http://nm-emonrd.maps.arcgis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75>: New Mexico Oil Conservation Division





## Scripps Pipeline - Nearest Wetland



August 20, 2024

### Wetlands


- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.


# Nearest Registered Mine



8/20/2024, 4:13:47 PM

Registered Mines

✕ Aggregate, Stone etc.



Texas Parks & Wildlife, CONANP, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, USDA, USFWS, Esri,

EMNRD MMD GIS Coordinator

NM Energy, Minerals and Natural Resources Department (<http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=1b5e577974664d689b47790897ca2795>)



## Nearest High Karst Area



8/20/2024, 4:17:13 PM

Incident Release



Produced Water Release


Karst Occurrence Potential



High



Medium



BLM, OCD, New Mexico Tech, Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department., Esri, HERE, Garmin,

New Mexico Oil Conservation Division

NM OCD Oil and Gas Map. <http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75>: New Mexico Oil Conservation Division



# National Flood Hazard Layer FIRMMette



104°21'6"W 32°41'52"N



0 250 500 1,000 1,500 2,000 Feet

1:6,000

104°20'29"W 32°41'21"N

Released to Imaging: 12/24/2024 10:55:40 AM

Basemap Imagery Source: USGS National Map 2023

## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/20/2024 at 6:24 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



United States  
Department of  
Agriculture

**NRCS**

Natural  
Resources  
Conservation  
Service

A product of the National  
Cooperative Soil Survey,  
a joint effort of the United  
States Department of  
Agriculture and other  
Federal agencies, State  
agencies including the  
Agricultural Experiment  
Stations, and local  
participants

# Custom Soil Resource Report for Eddy Area, New Mexico



August 20, 2024



# Preface

---

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist ([http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2\\_053951](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951)).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

# Contents

---

**Preface**..... 2

**How Soil Surveys Are Made**.....5

**Soil Map**..... 8

    Soil Map (Scripps Water Transfer Pipeline).....9

    Legend.....10

    Map Unit Legend (Scripps Water Transfer Pipeline).....11

    Map Unit Descriptions (Scripps Water Transfer Pipeline)..... 11

        Eddy Area, New Mexico.....13

        Hk—Harkey very fine sandy loam, 0 to 1 percent slopes.....13

**References**..... 15

## How Soil Surveys Are Made

---

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil



## Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

## Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

## Soil Map

---

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.


Custom Soil Resource Report  
Soil Map (Scripps Water Transfer Pipeline)



## Custom Soil Resource Report

## MAP LEGEND

## Area of Interest (AOI)

 Area of Interest (AOI)


## Soils


 Soil Map Unit Polygons


 Soil Map Unit Lines


 Soil Map Unit Points

## Special Point Features

 Blowout

 Borrow Pit


 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water


 Perennial Water

 Rock Outcrop


 Saline Spot

 Sandy Spot

 Severely Eroded Spot


 Sinkhole


 Slide or Slip


 Sodic Spot


 Spoil Area

 Stony Spot


 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

## Water Features

 Streams and Canals


## Transportation

 Rails


 Interstate Highways

 US Routes

 Major Roads

 Local Roads

## Background

 Aerial Photography

## MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service  
Web Soil Survey URL:  
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico  
Survey Area Data: Version 19, Sep 7, 2023

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 12, 2022—Dec 2, 2022

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## Custom Soil Resource Report

## Map Unit Legend (Scripps Water Transfer Pipeline)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Hk	Harkey very fine sandy loam, 0 to 1 percent slopes	1.6	100.0%
Totals for Area of Interest		1.6	100.0%

## Map Unit Descriptions (Scripps Water Transfer Pipeline)

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The



## Custom Soil Resource Report

delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

## Custom Soil Resource Report

**Eddy Area, New Mexico****Hk—Harkey very fine sandy loam, 0 to 1 percent slopes****Map Unit Setting**

*National map unit symbol:* 1w4l  
*Elevation:* 3,000 to 4,200 feet  
*Mean annual precipitation:* 10 to 16 inches  
*Mean annual air temperature:* 60 to 64 degrees F  
*Frost-free period:* 180 to 240 days  
*Farmland classification:* Prime farmland if irrigated

**Map Unit Composition**

*Harkey and similar soils:* 95 percent  
*Minor components:* 5 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

**Description of Harkey****Setting**

*Landform:* Flood plains, alluvial fans  
*Landform position (three-dimensional):* Talf, rise  
*Down-slope shape:* Convex, linear  
*Across-slope shape:* Linear  
*Parent material:* Alluvium derived from sedimentary rock

**Typical profile**

*H1 - 0 to 9 inches:* very fine sandy loam  
*H2 - 9 to 87 inches:* very fine sandy loam

**Properties and qualities**

*Slope:* 0 to 1 percent  
*Depth to restrictive feature:* More than 80 inches  
*Drainage class:* Well drained  
*Runoff class:* Low  
*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high  
 (0.60 to 2.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum content:* 30 percent  
*Gypsum, maximum content:* 2 percent  
*Maximum salinity:* Nonsaline to slightly saline (0.0 to 4.0 mmhos/cm)  
*Sodium adsorption ratio, maximum:* 1.0  
*Available water supply, 0 to 60 inches:* High (about 9.6 inches)

**Interpretive groups**

*Land capability classification (irrigated):* 1  
*Land capability classification (nonirrigated):* 7c  
*Hydrologic Soil Group:* B  
*Ecological site:* R070BD004NM - Sandy  
*Hydric soil rating:* No

## Custom Soil Resource Report

**Minor Components****Unnamed soils***Percent of map unit:* 2 percent*Hydric soil rating:* No**Arno***Percent of map unit:* 1 percent*Landform:* Flood plains, alluvial fans*Landform position (three-dimensional):* Talf, rise*Down-slope shape:* Linear*Across-slope shape:* Linear*Ecological site:* R070BC033NM - Salty Bottomland*Hydric soil rating:* Yes**Pima variant***Percent of map unit:* 1 percent*Landform:* Flood plains, alluvial flats, alluvial fans*Landform position (three-dimensional):* Talf, rise*Down-slope shape:* Convex, linear*Across-slope shape:* Linear, convex*Ecological site:* R070BC017NM - Bottomland*Hydric soil rating:* Yes**Anthony***Percent of map unit:* 1 percent*Landform:* Flood plains, alluvial fans*Landform position (three-dimensional):* Talf, rise*Down-slope shape:* Convex, linear*Across-slope shape:* Linear*Ecological site:* R070BD004NM - Sandy*Hydric soil rating:* Yes

## References

---

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\\_054262](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262)
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\\_053577](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577)
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\\_053580](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580)
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2\\_053374](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374)
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

## Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2\\_054242](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242)

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\\_053624](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624)

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. [http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_052290.pdf](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf)



# Ecological site R070BD004NM Sandy

Accessed: 08/20/2024

## General information

**Provisional.** A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

## Physiographic features

This site is on uplands, plains, dunes, fan piedmonts, terraces and in inter dunal areas. The parent material consists of mixed alluvium and or eolian sands or calcareous alluvium derived from sedimentary rock. Slope range on this site range from 0 to 9 percent with the average of 5 percent.

Low stabilized dunes may occur occasionally on this site. Elevations range from 2,800 to 5,000 feet.

Table 2. Representative physiographic features

Landforms	(1) Plain (2) Fan piedmont (3) Terrace
Flooding frequency	None
Ponding frequency	None
Elevation	2,842–4,500 ft
Slope	0–5%
Aspect	Aspect is not a significant factor

## Climatic features

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common. Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity short duration thunderstorms. Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes. The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer. The average frost-free season is 207 to 220 days. The last killing frost is in late March or early April, and the first killing frost is in late October or early November. Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture,



annual forbs and cool season grasses can make up an important component of this site. Strong winds blow from the southwest in January through June which rapidly dries out the soil during a critical period for cool season plant growth.

Climate data was obtained from <http://www.wrcc.sage.dri.edu/summary/climsmnm.html> web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	200 days
Freeze-free period (average)	219 days
Precipitation total (average)	12 in

Influencing water features

This site is not influenced from water from wetlands or streams.

Soil features

Soils are moderately deep or very deep. Surface textures are loamy fine sand, fine sandy loam, loamy very fine sand or gravelly sandy loam.

Subsurface is a sandy loam, loam, sandy clay loam, clay loam (contains more than 45 percent sand and 18 to 35 percent clay) and less than 15 percent carbonates.

Substratum is a sandy loam, fine sandy loam, sandy clay loam, clay loam, coarse sandy loam, or coarse sand and Calcium carbonate equivalent of 15 to 40 percent. Some layers high in lime or with caliche fragments may occur at depths of 20 to 30 inches.

These soils, if unprotected by plant cover and organic residue, become wind blown and low hummocks are formed. They contains more than 45 percent sand and 18 to 35 percent clay.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic Soils Are:

- Anthony
- Berino
- Cacique
- Harkey
- Pajaritio
- Reakor
- Mobeetie
- Wink
- Sotim
- Vinton
- Drake
- Onite
- Alma
- Poquita
- Dona Ana
- Monahans

Note: \*Cacique soils is a shallow soil.

**Table 4. Representative soil features**


Surface texture	(1) Fine sandy loam (2) Sandy loam (3) Loamy fine sand
Family particle size	(1) Loamy
Drainage class	Well drained to moderately well drained
Permeability class	Moderately rapid to moderately slow
Soil depth	30–72 in
Surface fragment cover <=3"	0–20%
Surface fragment cover >3"	0%
Available water capacity (0–40in)	3–11 in
Calcium carbonate equivalent (0–40in)	5–30%
Electrical conductivity (0–40in)	0–2 mmhos/cm
Sodium adsorption ratio (0–40in)	0–1
Soil reaction (1:1 water) (0–40in)	6.6–8.4
Subsurface fragment volume <=3" (Depth not specified)	0–15%
Subsurface fragment volume >3" (Depth not specified)	0%

## Ecological dynamics

### Overview

The Sandy site often intergrades with the Loamy Sand and Deep Sand sites (SD-3). Sandy sites occur on plains, fans, or terraces between drainages. Slopes average less than five percent. Surface textures are usually sandy loams. The historic plant community of the Sandy site is dominated by black grama (*Bouteloua eriopoda*) and dropseeds (*Sporobolus flexuosus*, *S. contractus*, *S. cryptandrus*). Blue grama (*B. gracilis*) also occurs as a subdominant species. Perennial and annual forb abundance is distributed relative to precipitation occurrence. Litter and to a lesser extent, bare ground, compose a significant proportion of the ground cover while grasses compose the remainder. Decreases in black grama and other grass species' cover indicate a transition to states with an increased shrub component. Shinnery oak (*Quercus havardii*), sand sage (*Artemisia filifolia*), and honey mesquite (*Prosopis glandulosa*) can all increase in composition. Lehmann lovegrass (*Eragrostis lehmanniana*) also may occur as a result of invasion and competition among grass species. Heavy grazing intensity and/or drought are influential in decreasing grass cover and subsequently increasing shrub cover. Fire suppression further supports shrub cover increase and an advantage over grass species. However, brush and grazing management may restore grass species and reverse shrub or grass/shrub dominated states back toward the historic plant community.

### State and transition model

**Plant Communities and Transitional Pathways (diagram)**

**State 1**  
**Historic Climax Plant Community**

**Community 1.1**  
**Historic Climax Plant Community**

Grassland: The historic plant community is composed primarily of black grama, dropseeds, and a secondary component of blue grama. Black grama tends to dominate due to the predominance of sandy loam soils; however, dropseeds increase on more loamy soils. Perennial and annual forbs are common but their abundance and

distribution are dependent on seasonal precipitation. Historical fire frequency is unknown but probably contributed to shrub reduction to the competitive advantage of grass species. Excessive grazing and drought are likely the dominant drivers that decrease black grama and increase dropseed and threeawn abundance within the historic plant community. Black grama has low seed viability, and therefore, reproduces vegetatively during the summer growing season. However, black grama growth is delayed one season after normal precipitation. Black grama is dormant for the remainder of the year; however, black grama retains nutritive value yearlong for grazing. In contrast, dropseeds have relatively abundant, viable seed production and can benefit from early spring as well as summer precipitation. Threeawns also respond to spring and summer moisture and tend to be the year's first palatable species. Threeawns and dropseeds, however, are not palatable during dormant periods, which extends grazing pressure to black grama. Moderate to heavy grazing reduces vegetative cover of black grama which increases its susceptibility to wind erosion and drought (Canfield 1939). Black grama is especially vulnerable to grazing during the summer growing season when stoloniferous growth and rooting occur. Black grama sustains short droughts through reduction of plant tufts which will subsequently emerge with sufficient moisture. Prolonged drought or grazing concurrently under drought conditions can delay or impede recovery of black grama (Nelson 1934) and increase abundance of dropseeds, threeawns, and blue grama. Historical fire events may have benefited black grama, especially, frequent, light intensity/severity fires in conjunction with sufficient moisture to increase stolon production (McPherson 1995). Fires which were hot and severe, however, probably contributed to black grama mortality, more so in drought conditions. Diagnosis: This state is a grassland dominated by black grama, dropseeds, and threeawns, with subdominant blue grama. Shrubs, such as sand sage and mesquite, are sparsely dispersed throughout the grassland. Forb populations are present and fluctuate with precipitation variability. Other grasses that could appear on this site include: fall withchgrass, slim tridens, Almejita signalgrass, Indian ricegrass and fluffgrass. Other shrubs include: pale wolfberry, lotebush, tarbush, Apacheplume, and mesquite. Other forbs include: plains tickseed, plains blackfoot, scorpionweed, nama, wooly guarra, wooly dalea, spectaclepod mustard, bladderpod mustard, menodora, prickly lettuce, lambsquarter, wooly Indianwheat and wild buckwheat.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	High (Lb/Acre)
Grass/Grasslike	480	720	960
Forb	90	135	180
Shrub/Vine	30	45	60
Total	600	900	1200

Table 6. Ground cover

Tree foliar cover	0%
Shrub/vine/liana foliar cover	0%
Grass/grasslike foliar cover	35-40%
Forb foliar cover	0%
Non-vascular plants	0%
Biological crusts	0%
Litter	35-45%
Surface fragments >0.25" and <=3"	0%
Surface fragments >3"	0%
Bedrock	0%
Water	0%
Bare ground	15-20%

Figure 7. Plant community growth curve (percent production by month). NM2804, R042XC004NM-Sandy-HCPC. SD-3 Sandy - Warm season plant community .

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	1	3	4	10	10	25	30	12	5	0	0

## State 2

### Shinnery Oak Dominated

#### Community 2.1

##### Shinnery Oak Dominated

Shinnery Oak Dominated: This state is dominated by Shinnery oak with subdominant grass species from the historic plant community. Bare ground is a significant component in this state. Shinnery oak tends to be clumped in distribution in finer soil textures. Shinnery oak density increases (as well as dropseeds, threeawns, and blue grama) in coarse textured (e.g., Loamy Sand sites) and deeper, coarse textured (e.g., Deep Sand and Sandhills sites) soils. Shinnery oak predominates during periods of above average (i.e., 16 in.) precipitation during the months of July and August. Abundance and distribution also increases with disturbance, such as excessive grazing and fire, due to an aggressive rhizome system. Shinnery oak's extensive root system allows competitive exclusion of grasses and forbs. Brush control with herbicide treatments applied in the spring can reduce Shinnery oak (Herbel et al. 1979, Pettit 1986). In addition, repetitive seasons of goat browsing can also decrease Shinnery oak abundance. However, brush management should maintain shrub patches to prevent erosion and to provide wildlife cover and forage. Diagnosis: This state represents a clumped distribution of Shinnery oak with patches of bare ground and subdominant grass species, such as black grama, dropseeds, threeawns, and blue grama. Shinnery oak density increases, as do dropseeds, threeawns, and blue grama, as Sandy site intergrades with Deep Sand and Sandhills sites. Transition to Shinnery Oak-Dominated State (1a): Decrease in black grama with subsequent decrease in dropseeds and threeawns. Increase in Shinnery oak as a result of drought, above average precipitation (>16 inches), grazing, fire suppression, interspecific competition, and coarse textured soils. Key indicators of approach to transition: • Loss of black grama and other grass species cover • Increase of dropseed/threeawn and shinnery oak • Surface soil erosion and bare patch expansion Transition to Historic Plant Community (1b): The Shinnery oak-dominated state begins to transition toward the historic plant community as drivers such as drought, but also above average precipitation (e.g., 16 inches) discontinue. Brush control can also drive the Shinnery oak state toward a grassland state.

## State 3

### Sand Sage Dominated

#### Community 3.1

##### Sand Sage Dominated

Sand Sage Dominated: This state is dominated by sand sage with subdominant grass species from the historic plant community. Sand sage occurs as a result of insufficient herbicide application in Shinnery oak dominated sites with subdominant sand sage. Sand sage either reestablishes dominance or colonizes from an off-site location and stabilizes soils. Sand sage stabilizes light sandy soils from wind erosion and provides a harbor for grass and forb species in heavily grazed conditions (Davis and Bonham 1979). Sand sage abundance increases with drought and/or heavy grazing, but decreases with light grazing due to herbaceous plant competition. Grass and forb species can reestablish as competition from sand sage is relatively light. Herbicide applied in the spring, especially when growth and photosynthesis rates are greatest, can reduce sand sage if there is subsequent rest from grazing (Herbel et al. 1979, Pettit 1986). Brush management should maintain patches of sand sage to prevent wind erosion and subsequent dune formation. Diagnosis: This state is dominated by sand sage with subdominant grass species, such as black grama, dropseeds, threeawns, and blue grama. Sand sage tends to occur in sites with coarser textured soils. Transition to Sand Sage Dominated (2): Sand sage appears from off-site locations and/or increases after insufficient herbicide applications aimed at removing Shinnery oak and sand sage. Key indicators of approach to transition: • Increase of sand sage seedlings and grasses • Reduced soil erosion Transition to Historic Plant Community (3): The sand sage dominated state transitions toward the historic plant community as sand sage decreases primarily through brush management but also with light intensity grazing management. Drought reduction will also support a transition to the historic plant community.

**State 4****Lehmann Lovegrass + Natives****Community 4.1****Lehmann Lovegrass + Natives**

Lehmann Lovegrass + Natives: This state is dominated by Lehmann lovegrass with subdominant grass species from the historic plant community. Lehmann lovegrass is a warm-season, perennial bunchgrass that was introduced from South Africa in the 1930's for rangeland restoration purposes (Humphrey 1970). Lehmann lovegrass invades from off-site locations with projects utilizing lovegrass for reseeding, soil stabilization, or highway projects. Lehmann lovegrass provides a winter and early spring forage for grazing. Lehmann lovegrass is vigorous in sandy to sandy loam soils which receive approximately 6-8 inches of summer precipitation (Cox et al. 1988). Lehmann lovegrass's aggressive competitive exclusion of native grass species has been attributed to lovegrass's low summer palatability, which reduces vigor of native species and allows lovegrass to increase vigor before grazing. Also, Lehmann lovegrass abundant seed production and establishment, especially after disturbances, allows for increased competition (Cable 1971, Cox et al. 1981). Lehmann lovegrass generally is tolerant to fire because of an aggressive seed-bank; however, severe fires can cause mature lovegrass mortality (Sumrall et al. 1991). Herbicide and reseeding is recommended for control of Lehmann lovegrass (Winn 1991). Diagnosis: Lehmann lovegrass and grass species from the historic plant community, such as black grama, dropseeds, threeawns, and blue grama, dominate this state. Transition to Lehmann lovegrass and native grass species (4a): Decrease in black grama with subsequent decrease in dropseeds and threeawns. Increase in Lehmann lovegrass as a result of drought, grazing, fire and interspecific competition from nearby sources of Lehmann lovegrass. Key indicators of approach to transition: • Loss of black grama and other grass species cover • Disturbance and nearby source of Lehmann lovegrass • Increase of Lehmann lovegrass seedlings Transition to Historic Plant Community (4b): The Lehmann lovegrass/native grass state transitions toward the historic plant community after actions such as herbicide application and native reseeding have occurred. In addition, prevention of disturbances such as fire and livestock grazing also will encourage the transition to a native grass community

**State 5****Grass/Mesquite****Community 5.1****Grass/Mesquite**

Grass/Mesquite: This state is dominated by honey mesquite with dropseeds and/or threeawns. Black grama generally is rare as a result of heavy grazing intensity. Honey mesquite invades through seed dispersal from grazing livestock and/or wildlife. Dropseeds and threeawns cohabitate with mesquite due to sufficient precipitation. Mesquite tends to be arborescent due to less soil erosion relative to the Coppice Dunes state which reflects large soil loss. Mesquite obtains approximately half of its nitrogen from symbiotic bacteria housed in root nodules (Lajtha and Schlesinger 1986). Mesquite also provides nitrogen and soil organic matter to co-dominant grasses (Ansley and Jacoby 1998, Ansley et al. 1998). Historical fire occurrences reduced mesquite abundance by disrupting seed production cycles and suppressing seedlings; thus, grass species remained dominant. However, fire suppression has allowed mesquite to increase in density and abundance, increasing mesquite resistance to fires through aggressive resprouting. Herbicide application combined with subsequent prescribed fire may be effective in mesquite reduction (Britton and Wright 1971). Diagnosis: This state is co-dominated by honey mesquite and dropseeds or threeawns. Transition to Grass/Mesquite State (5a): This state occurs due to a decrease in black grama primarily from heavy grazing intensity and from an introduction of mesquite seeds from grazers. Dropseeds and threeawns increase and co-exist in the absence of black grama. Fire suppression also is responsible for an increase in mesquite. Key indicators of approach to transition: • Loss of black grama • Increase of dropseeds and/or threeawns • Increase of mesquite seedlings Transition to Historic Plant Community (5b): Transition to the historic plant community requires brush management through herbicide application and possibly prescribed fire to reduce mesquite abundance. Once shrub species are removed, prescribed fire may be useful in maintaining a dominant grassland. Precipitation is also necessary in conjunction with management activities to support a dominant grassland.

**State 6**



## Coppice Dunes

### Community 6.1 Coppice Dunes

Coppice Dunes: This state is dominated by coppice mesquite dunes with minimal or no grass cover. Honey mesquite occurs in a multi-stemmed growth form which cultivates it's dune formation by entrapping drifting sands. Mesquite utilizes its extensive tap and lateral roots to benefit from moisture deep in coarse textured soils. Grass species cannot compete for moisture, especially with compounding perturbations such as heavy grazing and drought. Soils succumb to wind erosion with the depletion of grass cover and eventually dunes form around mesquite plants (Gould 1982). Brush management is limited to herbicide application, biological control, or manual removal, as a lack of grass cover prevents prescribed burning. Seeding subsequent to brush control may transition this State toward the historic plant community. Diagnosis: This state is characterized by low growing, multi-stemmed mesquite plants which form Coppice dunes by drifting soils from wind erosion. As grass cover decreases, windblown soils are removed from unprotected, inter-dune areas. Soils are then re-deposited on dunes which increases dune size. Transition to Mesquite Coppice Dunes State (6): Decrease in black grama with subsequent decrease in dropseeds and threeawns due to competition with mesquite especially during drought, heavy grazing, and fire suppression. Competitive exclusion of grasses leads to wind erosion of sandy soils and dune formation of low growing mesquite plants. Key indicators of approach to transition: • Loss of black grama and other grass species cover • Wind erosion as evidenced by pedestalled plants • Bare patch expansion • Increase of Coppice dune mesquites Transition to Historic Plant Community (7): Transition toward the historic plant community requires mesquite removal though either herbicide application, biological control, or manual removal. In addition, seeding of native grass species with subsequent years of sufficient moisture is critical.

### Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover (%)
<b>Grass/Grasslike</b>					
1	<b>Warm Season</b>			315–360	
	black grama	BOER4	<i>Bouteloua eriopoda</i>	315–360	–
2	<b>Warm Season</b>			45–90	
	blue grama	BOGR2	<i>Bouteloua gracilis</i>	45–90	–
3	<b>Warm Season</b>			27–45	
	bush muhly	MUPO2	<i>Muhlenbergia porteri</i>	27–45	–
4	<b>Warm Season</b>			90–135	
	spike dropseed	SPCO4	<i>Sporobolus contractus</i>	90–135	–
	sand dropseed	SPCR	<i>Sporobolus cryptandrus</i>	90–135	–
	mesa dropseed	SPFL2	<i>Sporobolus flexuosus</i>	90–135	–
5	<b>Warm Season</b>			27–45	
	threeawn	ARIST	<i>Aristida</i>	27–45	–
6	<b>Warm Season</b>			27–45	
	plains bristleglass	SEVU2	<i>Setaria vulpiseta</i>	27–45	–
7	<b>Warm Season</b>			27–45	
	Arizona cottontop	DICA8	<i>Digitaria californica</i>	27–45	–
8	<b>Warm Season</b>			45–72	
	silver bluestem	BOSA	<i>Bothriochloa saccharoides</i>	45–72	–
	little bluestem	SCSC	<i>Schizachyrium scoparium</i>	45–72	–
9	<b>Warm Season</b>			9–27	
	vine mesquite	PAOB	<i>Panicum obtusum</i>	9–27	–

10	<b>Warm Season</b>			9–27	
	tobosagrass	PLMU3	<i>Pleuraphis mutica</i>	9–27	–
11	<b>Other Perennial Grasses</b>			9–27	
	Grass, perennial	2GP	<i>Grass, perennial</i>	9–27	–
<b>Shrub/Vine</b>					
12	<b>Shrub</b>			9–45	
	yucca	YUCCA	<i>Yucca</i>	9–45	–
13	<b>Shrub</b>			9–27	
	catclaw mimosa	MIACB	<i>Mimosa aculeaticarpa</i> var. <i>biuncifera</i>	9–27	–
14	<b>Shrub</b>			9–27	
	fourwing saltbush	ATCA2	<i>Atriplex canescens</i>	9–27	–
15	<b>Shrub</b>			9–27	
	jointfir	EPHED	<i>Ephedra</i>	9–27	–
16	<b>Shrub</b>			9–27	
	javelina bush	COER5	<i>Condalia ericoides</i>	9–27	–
17	<b>Shrub</b>			9–27	
	sand sagebrush	ARFI2	<i>Artemisia filifolia</i>	9–27	–
	broom snakeweed	GUSA2	<i>Gutierrezia sarothrae</i>	9–27	–
18	<b>Other Shrubs</b>			9–27	
	Shrub (>.5m)	2SHRUB	<i>Shrub (&gt;.5m)</i>	9–27	–
<b>Forb</b>					
19	<b>Forb</b>			27–63	
	croton	CROTO	<i>Croton</i>	27–63	–
	globemallow	SPHAE	<i>Sphaeralcea</i>	27–63	–
20	<b>Forb</b>			27–45	
	curlycup gumweed	GRSQ	<i>Grindelia squarrosa</i>	27–45	–
	woolly groundsel	PACA15	<i>Packera cana</i>	27–45	–
21	<b>Forb</b>			9–27	
	Adonis blazingstar	MEMU3	<i>Mentzelia multiflora</i>	9–27	–
22	<b>Forb</b>			27–45	
	redstem stork's bill	ERIC16	<i>Erodium cicutarium</i>	27–45	–
	Texas stork's bill	ERTE13	<i>Erodium texanum</i>	27–45	–
23	<b>Other Forbs</b>			9–27	
	Forb (herbaceous, not grass nor grass-like)	2FORB	<i>Forb (herbaceous, not grass nor grass-like)</i>	9–27	–

## Animal community

This site provides habitat which support a resident animal community that is characterized by pronghorn antelope, black-tailed jackrabbit, spotted ground squirrel, black-tailed prairie dog, yellow-faced pocket gopher, Ord's kangaroo rat, Northern grasshopper mouse, southern plains woodrat, badger, meadowlark, roadrunner, burrowing owl, white-necked raven, cactus wren, pyrrhuloxia, lesser prairie chicken, mourning dove, scaled quail, Harris' hawk, side-blotched lizard, marbled whiptail, Texas horned lizard, prairie rattlesnake, plains spadefoot toad, and ornate box turtle.

## Hydrological functions

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Hydrologic Interpretations

Soil Series Hydrologic Group

Anthony B

Berino B

Cacique C \*shallow soil

Harkey B

Pajarito B

Reakor B

Mobeetie B

Wink B

Sotim B

Vinton B

Drake B

Onite B

Alma B

Poquita B

Dona Ana B

Monahans B

## Recreational uses

This site offers recreation potential for hiking, horseback riding, nature observation, and photography, bird, antelope and predator hunting. During years of abundant spring moisture, this site displays a colorful array of wildflowers.

## Wood products

This site has no potential for wood products.

## Other products

This site is suitable for grazing by all classes and kinds of livestock during all seasons of the year. Under retrogression, plants such as black grama, blue grama, bush muhly, plains bristlegrass, Arizona cottontop, vine mesquite, little bluestem and fourwing saltbush will decrease while the dropseeds, threeawns, tobosa, yucca, catclaw mimosa, javelinabush, mesquite and broom snakeweed will increase. This site responds well to brush management and deferment. It is best suited to a system of management that rotates the season of use.

## Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month

Similarity Index Ac/AUM

100 - 76 2.7 – 3.8

75 – 51 3.5 – 5.0

50 – 26 5.0 – 8.0

25 – 0 8.1 +

## Inventory data references

Other References:

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Other references

Other References:  
Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Literature Cited

Ansley, R. J.; Jacoby, P. W. 1998. Manipulation of fire intensity to achieve mesquite management goals in north Texas. In: Pruden, Teresa L.; Brennan, Leonard A., eds. Fire in ecosystem management: shifting the paradigm from suppression to prescription: Proceedings, Tall Timbers fire ecology conference; 1996 May 7-10; Boise, ID. No. 20. Tallahassee, FL: Tall Timbers Research Station:195-204.

Ansley, R. J.; Jones, D. L.; Tunnell, T. R.; [and others]. 1998. Honey mesquite canopy responses to single winter fires: relation to herbaceous fuel, weather and fire temperature. International Journal of Wildland Fire 8(4):241-252.

Britton, Carlton M.; Wright, Henry A. 1971. Correlation of weather and fuel variables to mesquite damage by fire. Journal of Range Management 24:136-141.

Cable, Dwight R. 1971. Lehmann lovegrass on the Santa Rita Experimental Range, 1937-1968. Journal of Range Management 24:17-21.

Canfield, R. H. 1939. The effect of intensity and frequency of clipping on density and yield of black grama and tobosa grass. Tech. Bull. 681. Washington, DC: U.S. Department of Agriculture. 32 p.

Cox, Jerry R.; Ruyle, G.B.; Fourle, Jan H.; Donaldson, Charlie. 1988. Lehmann lovegrass—central South Africa and Arizona, USA. Rangelands 10(2):53-55

Contributors

Don Sylvester  
Quinn Hodgson

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.

Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

Indicators

1. Number and extent of rills:



Natural Resources  
Conservation Service


Web Soil Survey  
National Cooperative Soil Survey

8/20/2024  
Page 1 of 3

All Ecological Sites -- Eddy Area, New Mexico  
(Scripps Water Transfer Pipeline)


## MAP LEGEND

### Area of Interest (AOI)

 Area of Interest (AOI)


### Soils

#### Soil Rating Polygons

 R070BD004NM


 Not rated or not available


#### Soil Rating Lines

 R070BD004NM


 Not rated or not available

#### Soil Rating Points

 R070BD004NM


 Not rated or not available

### Water Features

 Streams and Canals


### Transportation

 Rails

 Interstate Highways

 US Routes

 Major Roads

 Local Roads

### Background

 Aerial Photography

## MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico

Survey Area Data: Version 19, Sep 7, 2023

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 12, 2022—Dec 2, 2022


The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.



All Ecological Sites —

Map unit symbol	Map unit name	Component name (percent)	Ecological site	Acres in AOI	Percent of AOI
Hk	Harkey very fine sandy loam, 0 to 1 percent slopes	Harkey (95%)	R070BD004NM — Sandy	1.6	100.0%
		Unnamed soils (2%)			
		Anthony (1%)	R070BD004NM — Sandy		
		Arno (1%)	R070BC033NM — Salty Bottomland		
		Pima variant (1%)	R070BC017NM — Bottomland		
Totals for Area of Interest				1.6	100.0%


# Site Geologic Map



8/20/2024, 4:34:22 PM

## Lithologic Units

- Playa—Alluvium and evaporite deposits (Holocene)
- Water—Perennial standing water
- Qa—Alluvium (Holocene to upper Pleistocene)



Texas Parks & Wildlife, CONANP, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, USDA, USFWS,

ArcGIS Web AppBuilder

## **APPENDIX C**

# Daily Site Visit Report



Client	Silverback Exploration	Inspection Date	6/27/2024
Site Location Name	Scripps Water Transfer Pipeline	API #	
Client Contact Name	Justin Carter	Project Owner	
Client Contact Phone #	405-286-3375	Project Manager	
Project Reference #			
Unique Project ID			

## Summary of Times

Arrived at Site	6/27/2024 10:00 AM
Departed Site	6/27/2024 1:32 PM

## Field Notes

12:00 Initial Site Scrape Photographs

## Next Steps & Recommendations

1

# Daily Site Visit Report



## Site Photos

### Viewing Direction: Northeast



Eastern extent of the release/scraped areas

### Viewing Direction: Northwest



Western extent of the release/scraped areas

### Viewing Direction: Southwest



Southern portions of the release/scraped areas

### Viewing Direction: Southeast



Eastern extent of the release/scraped areas

# Daily Site Visit Report



## Site Photos

Viewing Direction: East



Eastern extent of the release/scraped areas

Viewing Direction: North



Western extent of the release/scraped areas



## Daily Site Visit Report



Daily Site Visit Signature

**Inspector:** Fernando Rodriguez

**Signature:**

  
Signature

## Daily Site Visit Report



Client	Silverback Exploration	Inspection Date	10/23/2024
Site Location Name	Scripps Water Transfer Pipeline	API #	
Client Contact Name	Justin Carter	Project Owner	
Client Contact Phone #	405-286-3375	Project Manager	
Project Reference #			
Unique Project ID			

### Summary of Times

Arrived at Site 10/23/2024 7:30 AM

Departed Site 10/23/2024 11:25 AM

### Field Notes

- Collected confirmation samples from excavated areas.
- Field screened samples for chlorides and then placed samples into glass jars for lab analysis.
- Took site photographs of excavation prior to backfill.

### Next Steps & Recommendations

1

# Daily Site Visit Report



## Site Photos

### Viewing Direction: South

Date & Time: Wed Oct 23 09:59:50 MDT 2024  
Position: +032.69350° / -104.34679°  
Altitude: 3306ft  
Datum: WGS-84  
Azimuth Bearing: 055° N55E 0978mils (True)  
Zoom: 1x



Overview of west excavation

### Viewing Direction: Northwest

Date & Time: Wed Oct 23 10:00:14 MDT 2024  
Position: +032.69339° / -104.34661°  
Altitude: 3302ft  
Datum: WGS-84  
Azimuth Bearing: 016° N16E 0284mils (True)  
Zoom: 1x



Overview of west excavation

### Viewing Direction: Northeast

Date & Time: Wed Oct 23 10:01:11 MDT 2024  
Position: +032.69354° / -104.34645°  
Altitude: 3304ft  
Datum: WGS-84  
Azimuth Bearing: 065° N65E 1156mils (True)  
Zoom: 1x



Overview of west excavation

### Viewing Direction: Southeast

Date & Time: Wed Oct 23 10:02:09 MDT 2024  
Position: +032.69359° / -104.34614°  
Altitude: 3301ft  
Datum: WGS-84  
Azimuth Bearing: 100° S80E 1178mils (True)  
Zoom: 1x



Overview of west excavation

# Daily Site Visit Report



## Site Photos

### Viewing Direction: West

Date & Time: Wed Oct 23 10:02:15 MDT 2024  
Position: +032.69357° / -104.34609°  
Altitude: 3303ft  
Datum: WGS-84  
Azimuth Bearing: 305° N55W 5422mils (True)  
Zoom: 1X



Western extent of the release/scraped areas

### Viewing Direction: Southwest

Date & Time: Wed Oct 23 10:03:14 MDT 2024  
Position: +032.69351° / -104.34556°  
Altitude: 3302ft  
Datum: WGS-84  
Azimuth Bearing: 275° N05W 4889mils (True)  
Zoom: 1X



Western extent of the release/scraped areas

### Viewing Direction: West

Date & Time: Wed Oct 23 10:13:59 MDT 2024  
Position: +032.69346° / -104.34640°  
Altitude: 3298ft  
Datum: WGS-84  
Azimuth Bearing: 218° S38W 3874mils (True)  
Zoom: 1X



Eastern portions of the release/scraped areas

### Viewing Direction: North

Date & Time: Wed Oct 23 10:16:55 MDT 2024  
Position: +032.69380° / -104.34708°  
Altitude: 3274ft  
Datum: WGS-84  
Azimuth Bearing: 306° N54W 5440mils (True)  
Zoom: 1X



Western extent of the release/scraped areas

# Daily Site Visit Report



## Site Photos

### Viewing Direction: East

Date & Time: Wed Oct 23 09:58:35 MDT 2024  
Position: +032.69377° / -104.36634°  
Altitude: 3310ft  
Datum: WGS-84  
Azimuth Bearing: 217.537W 3858mils (True)  
Zoom: 1x



Overview of east excavation

### Viewing Direction: West

Date & Time: Wed Oct 23 09:59:14 MDT 2024  
Position: +032.69376° / -104.36675°  
Altitude: 3304ft  
Datum: WGS-84  
Azimuth Bearing: 118.564E 2062mils (True)  
Zoom: 1x



Overview of east excavation



## Daily Site Visit Report



Daily Site Visit Signature

**Inspector:** Fernando Rodriguez

**Signature:**

  
Signature

## **APPENDIX D**

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS  
  
Action 388299

QUESTIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 388299
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2417953983
Incident Name	NAPP2417953983 SCRIPPS WATER TRANSFER @ 0
Incident Type	Produced Water Release
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	Scripps Water Transfer
Date Release Discovered	06/25/2024
Surface Owner	Private

Sampling Event General Information	
Please answer all the questions in this group.	
What is the sampling surface area in square feet	2,000
What is the estimated number of samples that will be gathered	20
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/02/2024
Time sampling will commence	12:00 PM
Please provide any information necessary for observers to contact samplers	Sampler Information: Fernando Rodriguez @ (575) 361-4509
Please provide any information necessary for navigation to sampling site	Driving Directions: US Hwy 285 and E Kincaid Ranch Rd, drive East for 2.26mi. Stay right on Kincaid Ranch Rd and continue driving South for 1.04 mi, turn left onto road and drive 200ft, stay right and drive on two-track for 0.44mi to gate at coordinates (32.69699, -104.34453). From gate, drive southwest on two-track road for 0.27mi until arrival at location.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 388299

CONDITIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 388299
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
jcarter	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	9/30/2024

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS

Action 392882

QUESTIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 392882
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2417953983
Incident Name	NAPP2417953983 SCRIPPS WATER TRANSFER @ 0
Incident Type	Produced Water Release
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	Scripps Water Transfer
Date Release Discovered	06/25/2024
Surface Owner	Private

Sampling Event General Information	
Please answer all the questions in this group.	
What is the sampling surface area in square feet	16,000
What is the estimated number of samples that will be gathered	30
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/21/2024
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Fernando Rodriguez @ (575) 361-4509
Please provide any information necessary for navigation to sampling site	US Hwy 285 and E Kincaid Ranch Rd, drive East for 2.26mi. Stay right on Kincaid Ranch Rd and continue driving South for 1.04 mi, turn left onto road and drive 200ft, stay right and drive on two-track for 0.44mi to gate at coordinates (32.69699, -104.34453). From gate, drive southwest on two-track road for 0.27mi until arrival at location.



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 392882

CONDITIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 392882
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
jcarter	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	10/15/2024

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS  
  
Action 392891

QUESTIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 392891
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2417953983
Incident Name	NAPP2417953983 SCRIPPS WATER TRANSFER @ 0
Incident Type	Produced Water Release
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	Scripps Water Transfer
Date Release Discovered	06/25/2024
Surface Owner	Private

Sampling Event General Information	
Please answer all the questions in this group.	
What is the sampling surface area in square feet	6,000
What is the estimated number of samples that will be gathered	30
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/22/2024
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Fernando Rodriguez @ (575) 361-4509
Please provide any information necessary for navigation to sampling site	US Hwy 285 and E Kincaid Ranch Rd, drive East for 2.26mi. Stay right on Kincaid Ranch Rd and continue driving South for 1.04 mi, turn left onto road and drive 200ft, stay right and drive on two-track for 0.44mi to gate at coordinates (32.69699, -104.34453). From gate, drive southwest on two-track road for 0.27mi until arrival at location.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 392891

CONDITIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 392891
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
jcarter	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	10/15/2024

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS  
  
Action 392893

QUESTIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 392893
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2417953983
Incident Name	NAPP2417953983 SCRIPPS WATER TRANSFER @ 0
Incident Type	Produced Water Release
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	Scripps Water Transfer
Date Release Discovered	06/25/2024
Surface Owner	Private

Sampling Event General Information	
Please answer all the questions in this group.	
What is the sampling surface area in square feet	4,000
What is the estimated number of samples that will be gathered	20
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/23/2024
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Fernando Rodriguez @ (575) 361-4509
Please provide any information necessary for navigation to sampling site	US Hwy 285 and E Kincaid Ranch Rd, drive East for 2.26mi. Stay right on Kincaid Ranch Rd and continue driving South for 1.04 mi, turn left onto road and drive 200ft, stay right and drive on two-track for 0.44mi to gate at coordinates (32.69699, -104.34453). From gate, drive southwest on two-track road for 0.27mi until arrival at location.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 392893

CONDITIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 392893
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
jcarter	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	10/15/2024



## **APPENDIX E**



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 28, 2024

MICHAEL MOFFITT

VERTEX RESOURCE GROUP

420 SOUTH MAIN, SUITE 202

TULSA, OK 74103

RE: SCRIPPS WATER TRANSFER PIPELINE

Enclosed are the results of analyses for samples received by the laboratory on 08/22/24 14:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 01 0FT (H245117-01)**

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.83	91.7	2.00	12.1		
Toluene*	<0.050	0.050	08/23/2024	ND	1.82	90.9	2.00	10.8		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	1.85	92.5	2.00	9.60		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	5.53	92.1	6.00	9.47		
Total BTX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	08/23/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 118 % 48.2-134

Surrogate: 1-Chlorooctadecane 117 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 01 2FT (H245117-02)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.83	91.7	2.00	12.1		
Toluene*	<0.050	0.050	08/23/2024	ND	1.82	90.9	2.00	10.8		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	1.85	92.5	2.00	9.60		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	5.53	92.1	6.00	9.47		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 106 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 02 OFT (H245117-03)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.83	91.7	2.00	12.1		
Toluene*	<0.050	0.050	08/23/2024	ND	1.82	90.9	2.00	10.8		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	1.85	92.5	2.00	9.60		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	5.53	92.1	6.00	9.47		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	960	16.0	08/23/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	90.8	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	52.6	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 100 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 02 2FT (H245117-04)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.83	91.7	2.00	12.1		
Toluene*	<0.050	0.050	08/23/2024	ND	1.82	90.9	2.00	10.8		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	1.85	92.5	2.00	9.60		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	5.53	92.1	6.00	9.47		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 108 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 02 4FT (H245117-05)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.83	91.7	2.00	12.1		
Toluene*	<0.050	0.050	08/23/2024	ND	1.82	90.9	2.00	10.8		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	1.85	92.5	2.00	9.60		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	5.53	92.1	6.00	9.47		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 112 % 48.2-134

Surrogate: 1-Chlorooctadecane 108 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 03 OFT (H245117-06)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.83	91.7	2.00	12.1		
Toluene*	<0.050	0.050	08/23/2024	ND	1.82	90.9	2.00	10.8		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	1.85	92.5	2.00	9.60		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	5.53	92.1	6.00	9.47		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	480	16.0	08/23/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 112 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 03 2FT (H245117-07)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.83	91.7	2.00	12.1		
Toluene*	<0.050	0.050	08/23/2024	ND	1.82	90.9	2.00	10.8		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	1.85	92.5	2.00	9.60		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	5.53	92.1	6.00	9.47		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 114 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 03 4FT (H245117-08)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	2.11	106	2.00	1.48		
Toluene*	<0.050	0.050	08/23/2024	ND	2.01	101	2.00	1.41		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.05	103	2.00	1.07		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.07	101	6.00	0.933		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	08/23/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 112 % 48.2-134

Surrogate: 1-Chlorooctadecane 109 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 04 OFT (H245117-09)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	2.11	106	2.00	1.48		
Toluene*	<0.050	0.050	08/23/2024	ND	2.01	101	2.00	1.41		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.05	103	2.00	1.07		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.07	101	6.00	0.933		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 118 % 48.2-134

Surrogate: 1-Chlorooctadecane 115 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 04 2FT (H245117-10)**

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 122 % 48.2-134

Surrogate: 1-Chlorooctadecane 120 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 05 OFT (H245117-11)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	103	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	23.5	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 122 % 48.2-134

Surrogate: 1-Chlorooctadecane 122 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 05 2FT (H245117-12)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 84.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 80.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 06 0FT (H245117-13)**

BTEx 8021B			mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 112 % 48.2-134

Surrogate: 1-Chlorooctadecane 116 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 06 2FT (H245117-14)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 120 % 48.2-134

Surrogate: 1-Chlorooctadecane 116 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 07 OFT (H245117-15)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30	
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86	
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02	
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90	
Total BTEX	<0.300	0.300	08/23/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	13800	16.0	08/23/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	31.8	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 115 % 48.2-134

Surrogate: 1-Chlorooctadecane 113 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 07 2FT (H245117-16)**

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30	
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86	
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02	
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90	
Total BTX	<0.300	0.300	08/23/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 112 % 48.2-134

Surrogate: 1-Chlorooctadecane 109 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 07 4FT (H245117-17)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 116 % 48.2-134

Surrogate: 1-Chlorooctadecane 112 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 08 0FT (H245117-18)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEx	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	198	99.0	200	2.33	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	206	103	200	6.08	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 126 % 48.2-134

Surrogate: 1-Chlorooctadecane 126 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/19/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 08 2FT (H245117-19)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEx	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	220	110	200	3.50	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	215	107	200	5.58	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 94.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 113 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 09 OFT (H245117-20)**

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30	
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86	
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02	
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90	
Total BTX	<0.300	0.300	08/23/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	220	110	200	3.50	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	215	107	200	5.58	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 95.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 117 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 09 2FT (H245117-21)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30	
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86	
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02	
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90	
Total BTEX	<0.300	0.300	08/23/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 96.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 124 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 10 0FT (H245117-22)**

BTEx 8021B			mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 75.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 10 2FT (H245117-23)**

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30	
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86	
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02	
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90	
Total BTX	<0.300	0.300	08/23/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	08/23/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 92.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 121 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 11 OFT (H245117-24)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 91.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 11 2FT (H245117-25)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	08/23/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 86.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 111 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 12 0FT (H245117-26)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 92.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 116 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 12 2FT (H245117-27)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30	
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86	
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02	
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90	
Total BTEX	<0.300	0.300	08/23/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 99.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 126 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 13 0FT (H245117-28)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	08/23/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 95.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 121 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 13 2FT (H245117-29)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.94	97.0	2.00	9.30		
Toluene*	<0.050	0.050	08/23/2024	ND	2.03	102	2.00	7.86		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.07	104	2.00	7.02		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.44	107	6.00	6.90		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 95.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 121 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 14 0FT (H245117-30)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 95.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 122 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 14 2FT (H245117-31)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEx	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 94.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 120 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 15 0FT (H245117-32)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEx	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 91.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 116 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 15 2FT (H245117-33)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 93.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 126 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 16 0FT (H245117-34)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 98.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 126 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 16 2FT (H245117-35)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 98.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 125 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 17 OFT (H245117-36)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 90.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 115 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 17 2FT (H245117-37)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 96.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 125 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 18 0FT (H245117-38)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 89.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 115 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 08/22/2024  
 Reported: 08/28/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 08/20/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BH 24 - 18 2FT (H245117-39)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/23/2024	ND	1.96	98.1	2.00	5.24		
Toluene*	<0.050	0.050	08/23/2024	ND	2.06	103	2.00	4.54		
Ethylbenzene*	<0.050	0.050	08/23/2024	ND	2.18	109	2.00	1.08		
Total Xylenes*	<0.150	0.150	08/23/2024	ND	6.55	109	6.00	2.07		
Total BTEX	<0.300	0.300	08/23/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/23/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/23/2024	ND	214	107	200	1.25	
DRO >C10-C28*	<10.0	10.0	08/23/2024	ND	227	113	200	7.34	
EXT DRO >C28-C36	<10.0	10.0	08/23/2024	ND					

Surrogate: 1-Chlorooctane 93.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- \*\* Samples not received at proper temperature of 6°C or below.
- \*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Vertex Resource Services		P.O. #:		ANALYSIS REQUEST	
Project Manager: Michael Moffitt		Company: Silverback Exploration			
Address: 3101 Boyd Dr		Attn: Rafael Alvino			
City: Carlsbad		Address: 108 S. 4th St.			
Phone #: 575-988-2681		City: Artesia			
Fax #: 575-988-2681		State: NM Zip: 88210			
Project #: 24E-03808		Phone #:			
Project Name: Scripps Water Transfer Pipeline		Fax #:			
Project Location: Eddy County, NM		DATE			
Sampler Name: Fernando Rodriguez		TIME			
FOR LAB USE ONLY		TPH: (8015) EXT			
Lab I.D.		BTX: (8021B)			
Sample I.D.		Chloride (SM 4500)			
BH24-01 0ft		DATE			
BH24-01 2ft		TIME			
BH24-02 0ft		TPH: (8015) EXT			
BH24-02 2ft		BTX: (8021B)			
BH24-03 0ft		Chloride (SM 4500)			
BH24-03 2ft		DATE			
BH24-04 0ft		TIME			
BH24-04 2ft		TPH: (8015) EXT			
BH24-05 0ft		BTX: (8021B)			
BH24-05 2ft		Chloride (SM 4500)			
BH24-06 0ft		DATE			
BH24-06 2ft		TIME			
BH24-07 0ft		TPH: (8015) EXT			
BH24-07 2ft		BTX: (8021B)			
BH24-08 0ft		Chloride (SM 4500)			
BH24-08 2ft		DATE			
BH24-09 0ft		TIME			
BH24-09 2ft		TPH: (8015) EXT			
BH24-10 0ft		BTX: (8021B)			
BH24-10 2ft		Chloride (SM 4500)			
BH24-11 0ft		DATE			
BH24-11 2ft		TIME			
BH24-12 0ft		TPH: (8015) EXT			
BH24-12 2ft		BTX: (8021B)			
BH24-13 0ft		Chloride (SM 4500)			
BH24-13 2ft		DATE			
BH24-14 0ft		TIME			
BH24-14 2ft		TPH: (8015) EXT			
BH24-15 0ft		BTX: (8021B)			
BH24-15 2ft		Chloride (SM 4500)			
BH24-16 0ft		DATE			
BH24-16 2ft		TIME			
BH24-17 0ft		TPH: (8015) EXT			
BH24-17 2ft		BTX: (8021B)			
BH24-18 0ft		Chloride (SM 4500)			
BH24-18 2ft		DATE			
BH24-19 0ft		TIME			
BH24-19 2ft		TPH: (8015) EXT			
BH24-20 0ft		BTX: (8021B)			
BH24-20 2ft		Chloride (SM 4500)			
BH24-21 0ft		DATE			
BH24-21 2ft		TIME			
BH24-22 0ft		TPH: (8015) EXT			
BH24-22 2ft		BTX: (8021B)			
BH24-23 0ft		Chloride (SM 4500)			
BH24-23 2ft		DATE			
BH24-24 0ft		TIME			
BH24-24 2ft		TPH: (8015) EXT			
BH24-25 0ft		BTX: (8021B)			
BH24-25 2ft		Chloride (SM 4500)			
BH24-26 0ft		DATE			
BH24-26 2ft		TIME			
BH24-27 0ft		TPH: (8015) EXT			
BH24-27 2ft		BTX: (8021B)			
BH24-28 0ft		Chloride (SM 4500)			
BH24-28 2ft		DATE			
BH24-29 0ft		TIME			
BH24-29 2ft		TPH: (8015) EXT			
BH24-30 0ft		BTX: (8021B)			
BH24-30 2ft		Chloride (SM 4500)			
BH24-31 0ft		DATE			
BH24-31 2ft		TIME			
BH24-32 0ft		TPH: (8015) EXT			
BH24-32 2ft		BTX: (8021B)			
BH24-33 0ft		Chloride (SM 4500)			
BH24-33 2ft		DATE			
BH24-34 0ft		TIME			
BH24-34 2ft		TPH: (8015) EXT			
BH24-35 0ft		BTX: (8021B)			
BH24-35 2ft		Chloride (SM 4500)			
BH24-36 0ft		DATE			
BH24-36 2ft		TIME			
BH24-37 0ft		TPH: (8015) EXT			
BH24-37 2ft		BTX: (8021B)			
BH24-38 0ft		Chloride (SM 4500)			
BH24-38 2ft		DATE			
BH24-39 0ft		TIME			
BH24-39 2ft		TPH: (8015) EXT			
BH24-40 0ft		BTX: (8021B)			
BH24-40 2ft		Chloride (SM 4500)			
BH24-41 0ft		DATE			
BH24-41 2ft		TIME			
BH24-42 0ft		TPH: (8015) EXT			
BH24-42 2ft		BTX: (8021B)			
BH24-43 0ft					







## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

[illegible]



## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 14, 2024

MICHAEL MOFFITT

VERTEX RESOURCE GROUP

420 SOUTH MAIN, SUITE 202

TULSA, OK 74103

RE: SCRIPPS WATER TRANSFER PIPELINE

Enclosed are the results of analyses for samples received by the laboratory on 10/08/24 10:56.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-01 0.5FT (H246098-01)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.24	112	2.00	2.54	
Toluene*	<0.050	0.050	10/09/2024	ND	2.14	107	2.00	3.27	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.12	106	2.00	3.55	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.32	105	6.00	3.57	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	10/09/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 110 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-02 0.5FT (H246098-02)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 94.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-03 0.5FT (H246098-03)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 118 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-04 0.5FT (H246098-04)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-05 0.5FT (H246098-05)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62	
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/09/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 122 % 48.2-134

Surrogate: 1-Chlorooctadecane 108 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-06 0.5FT (H246098-06)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62	
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	10/09/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-07 0.5FT (H246098-07)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 117 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-08 0.5FT (H246098-08)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	16.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 115 % 48.2-134

Surrogate: 1-Chlorooctadecane 104 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-09 0.5FT (H246098-09)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62	
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 113 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-10 0.5FT (H246098-10)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62	
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 98.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-11 0.5FT (H246098-11)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62	
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	10/09/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-12 0.5FT (H246098-12)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 98.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-13 0.5FT (H246098-13)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 110 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-14 0.5FT (H246098-14)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	10/09/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.4 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-15 0.5FT (H246098-15)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/09/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	205	102	200	3.46	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	215	108	200	8.73	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 90.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-16 0.5FT (H246098-16)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/09/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	208	104	200	2.22	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	194	96.8	200	0.964	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 76.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 79.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-17 0.5FT (H246098-17)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62		
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04		
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19		
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92		
Total BTEX	<0.300	0.300	10/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/09/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	208	104	200	2.22	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	194	96.8	200	0.964	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 120 % 48.2-134

Surrogate: 1-Chlorooctadecane 123 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-18 0.5FT (H246098-18)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62	
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/09/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	208	104	200	2.22	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	194	96.8	200	0.964	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-19 0.5FT (H246098-19)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62	
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/09/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	208	104	200	2.22	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	194	96.8	200	0.964	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 114 % 48.2-134

Surrogate: 1-Chlorooctadecane 116 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/08/2024  
 Reported: 10/14/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/02/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BS24-20 0.5FT (H246098-20)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2024	ND	2.18	109	2.00	3.62	
Toluene*	<0.050	0.050	10/09/2024	ND	2.08	104	2.00	4.04	
Ethylbenzene*	<0.050	0.050	10/09/2024	ND	2.09	104	2.00	4.19	
Total Xylenes*	<0.150	0.150	10/09/2024	ND	6.23	104	6.00	3.92	
Total BTEX	<0.300	0.300	10/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	10/09/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/09/2024	ND	208	104	200	2.22	
DRO >C10-C28*	<10.0	10.0	10/09/2024	ND	194	96.8	200	0.964	
EXT DRO >C28-C36	<10.0	10.0	10/09/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



---

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

### Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

---

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

<b>Company Name:</b> Vertex Resource Services		<b>P.O. #:</b>		<b>BILL TO</b>																	
<b>Project Manager:</b> Michael Moffitt		<b>Company:</b> Silverback Exploration		<b>ANALYSIS REQUEST</b>																	
<b>Address:</b> 3101 Boyd Dr		<b>Attn:</b> Rafael Alviso																			
<b>City:</b> Carlsbad		<b>Address:</b> 108 S. 4th St.																			
<b>Phone #:</b> 575-988-2881		<b>City:</b> Artesia																			
<b>Fax #:</b>		<b>State:</b> NM																			
<b>Project #:</b> 24E-03808		<b>Zip:</b> 88210																			
<b>Project Name:</b> Scripps Water Transfer Pipeline		<b>Phone #:</b>																			
<b>Project Location:</b> Eddy County, NM		<b>Fax #:</b>																			
<b>Sampler Name:</b> Fernando Rodriguez																					
<small>FOR LAB USE ONLY</small>																					
<b>Lab I.D.</b>	<b>Sample I.D.</b>	<b>(G)RAB OR (C)OMP.</b>	<b># CONTAINERS</b>	<b>MATRIX</b>	<b>PRESERV.</b>	<b>SAMPLING</b>															
				GROUNDWATER																	
				WASTEWATER																	
				SOIL																	
				OIL																	
				SLUDGE																	
				OTHER :																	
				ACID/BASE																	
				ICE / COOL																	
				OTHER :																	
							<b>DATE</b>	<b>TIME</b>	<b>TPH: (8015) EXT</b>	<b>BTEX (8021B)</b>	<b>Chloride (SM 4500)</b>										
H24109X	BS24-01 0.5ft	C	1				10/2/24	12:30	X	X	X										
	BS24-02 0.5ft	C	1				10/2/24	12:35	X	X	X										
	BS24-03 0.5ft	C	1				10/2/24	12:40	X	X	X										
	BS24-04 0.5ft	C	1				10/2/24	12:45	X	X	X										
	BS24-05 0.5ft	C	1				10/2/24	12:50	X	X	X										
	BS24-06 0.5ft	C	1				10/2/24	12:55	X	X	X										
	BS24-07 0.5ft	C	1				10/2/24	13:00	X	X	X										
	BS24-08 0.5ft	C	1				10/2/24	13:05	X	X	X										
	BS24-09 0.5ft	C	1				10/2/24	13:10	X	X	X										
	BS24-10 0.5ft	C	1				10/2/24	13:15	X	X	X										
	BS24-11 0.5ft	C	1				10/2/24	13:20	X	X	X										
	BS24-12 0.5ft	C	1				10/2/24	13:25	X	X	X										
	BS24-13 0.5ft	C	1				10/2/24	13:30	X	X	X										
<small>PLEASE NOTE: Liability and Damages. Cardinal's liability and claims exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services furnished by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.</small>																					
<b>Relinquished By:</b>		<b>Received By:</b>		<b>Phone Result:</b>		<b>Fax Result:</b>		<b>Yes</b>		<b>No</b>		<b>Add'l Phone #:</b>		<b>Add'l Fax #:</b>							
Time: 10:56		Time: 10:56		Phone Result: Yes No		Fax Result: Yes No		Yes No		Yes No		Add'l Phone #:		Add'l Fax #:							
Date: 10/2/24		Date: 10/2/24		Phone Result: Yes No		Fax Result: Yes No		Yes No		Yes No		Add'l Phone #:		Add'l Fax #:							
Time: 10:56		Time: 10:56		Phone Result: Yes No		Fax Result: Yes No		Yes No		Yes No		Add'l Phone #:		Add'l Fax #:							
<b>Delivered By: (Circle One)</b>		<b>Sample Condition</b>		<b>CHECKED BY:</b>																	
-S.R. / C.O.U.		Cool Intact		(Initials)																	
-U.4 #140		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		S.R.																	
<b>Sampler - UPS - Bus - Other:</b>		<input type="checkbox"/> No <input type="checkbox"/> No																			
<small>FORM C-006 R-20</small>																					
<small>s. Please fax written changes to 575-393-2476</small>																					





101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

<b>Company Name:</b> Vertex Resource Services		<b>BILL TO</b>		<b>ANALYSIS REQUEST</b>																										
<b>Project Manager:</b> Michael Moffitt		<b>P.O. #:</b>																												
<b>Address:</b> 3101 Boyd Dr		<b>Company:</b> Silverback Exploration																												
<b>City:</b> Carlsbad		<b>Attn:</b> Rafael Alviso																												
<b>Phone #:</b> 575-988-2681		<b>Address:</b> 108 S. 4th St.																												
<b>Fax #:</b>		<b>City:</b> Artesia																												
<b>Project #:</b> 24E-03808		<b>State:</b> NM <b>Zip:</b> 88210																												
<b>Project Name:</b> Scripps Water Transfer Pipeline		<b>Phone #:</b>																												
<b>Project Location:</b> Eddy County, NM		<b>Fax #:</b>																												
<b>Sampler Name:</b> Fernando Rodriguez																														
<small>FOR LAB USE ONLY</small>																														
<b>Lab I.D.</b>	<b>Sample I.D.</b>	(G)RAB OR (C)OMP	# CONTAINERS	MATRIX			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	TPH: (8015) EXT	BTEX (8021B)	Chloride (SM 4500)										
14	BS24-14 0.5ft	C	1													10/2/24	13:35	X	X	X										
15	BS24-15 0.5ft	C	1													10/2/24	13:40	X	X	X										
16	BS24-16 0.5ft	C	1													10/2/24	13:45	X	X	X										
17	BS24-17 0.5ft	C	1													10/2/24	13:50	X	X	X										
18	BS24-18 0.5ft	C	1													10/2/24	13:55	X	X	X										
19	BS24-19 0.5ft	C	1													10/2/24	14:00	X	X	X										
20	BS24-20 0.5ft	C	1													10/2/24	14:05	X	X	X										
<small>PLEASE NOTE: Liability and Damages. Cardinal's liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services rendered by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.</small>																														
<b>Relinquished By:</b>		<b>Date:</b> 10-8-24		<b>Received By:</b>		<b>Time:</b> 10:50																								
<b>Relinquished By:</b>		<b>Date:</b>		<b>Received By:</b>																										
<b>Time:</b>																														
<b>Delivered By: (Circle One)</b> 5-8-24		<b>Sample Condition</b>		<b>CHECKED BY:</b>																										
<b>Sampler - UPS - Bus - Other:</b> -4.4: #140		<b>Cool</b> <input type="checkbox"/> <b>Intact</b> <input type="checkbox"/>		<b>(Initials)</b> 872																										
<b>FORM-006 R 2.0</b>		<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>																												
<b>3. Please fax written changes to 575-393-2476</b>																														
<b>REMARKS:</b>																														
Direct bill to Silverback Exploration Email results to: rmmoffitt@vertex.ca & frodriquez@vertex.ca																														



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 29, 2024

MICHAEL MOFFITT

VERTEX RESOURCE GROUP

420 SOUTH MAIN, SUITE 202

TULSA, OK 74103

RE: SCRIPPS WATER TRANSFER PIPELINE

Enclosed are the results of analyses for samples received by the laboratory on 10/24/24 10:17.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 21 0.5FT (H246477-01)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60	
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 124 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	10/24/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/24/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/24/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/24/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 22 0.5FT (H246477-02)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/24/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/24/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/24/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 102 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 23 0.5FT (H246477-03)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 100 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 24 0.5FT (H246477-04)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 123 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 25 0.5FT (H246477-05)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 26 0.5FT (H246477-06)**

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 118 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 106 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 27 0.5FT (H246477-07)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 125 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 28 0.5FT (H246477-08)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 99.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 29 0.5FT (H246477-09)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 119 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 30 0.5FT (H246477-10)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 126 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 98.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 96.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 31 1FT (H246477-11)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 96.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 32 1FT (H246477-12)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60		
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 123 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 102 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 33 0.5FT (H246477-13)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.15	107	2.00	2.60	
Toluene*	<0.050	0.050	10/24/2024	ND	2.11	105	2.00	5.52	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.23	112	2.00	8.13	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.85	114	6.00	7.88	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 87.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 34 0.5FT (H246477-14)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 35 0.5FT (H246477-15)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 98.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 36 0.5FT (H246477-16)**

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	222	111	200	0.625	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	197	98.7	200	0.0299	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 37 0.5FT (H246477-17)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 97.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 85.4 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 38 0.5FT (H246477-18)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01	
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 116 % 48.2-134

Surrogate: 1-Chlorooctadecane 102 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 39 0.5FT (H246477-19)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 40 0.5FT (H246477-20)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 113 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 41 0.5FT (H246477-21)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01	
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 42 0.5FT (H246477-22)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 106 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 43 0.5FT (H246477-23)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 110 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 44 0.5FT (H246477-24)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 112 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 45 0.5FT (H246477-25)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 111 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 46 0.5FT (H246477-26)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 116 % 48.2-134

Surrogate: 1-Chlorooctadecane 100 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 47 0.5FT (H246477-27)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 87.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 75.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 48 1FT (H246477-28)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 98.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 85.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 49 1FT (H246477-29)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 94.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/21/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 50 0.5FT (H246477-30)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 111 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 51 0.5FT (H246477-31)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 111 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 52 0.5FT (H246477-32)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 110 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 53 0.5FT (H246477-33)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.85	92.6	2.00	5.01		
Toluene*	<0.050	0.050	10/24/2024	ND	1.96	97.9	2.00	1.58		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.03	101	2.00	2.83		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.04	101	6.00	3.60		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 121 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 54 0.5FT (H246477-34)**

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21	
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208	
Total BTX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/28/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/28/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/28/2024	ND					

Surrogate: 1-Chlorooctane 98.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 85.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 55 0.5FT (H246477-35)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21	
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 99.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 88.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 56 0.5FT (H246477-36)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	204	102	200	6.38	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	198	98.9	200	6.96	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 112 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 57 0.5FT (H246477-37)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 58 0.5FT (H246477-38)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 104 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 59 0.5FT (H246477-39)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21	
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 86.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 60 0.5FT (H246477-40)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 108 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 61 0.5FT (H246477-41)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 93.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 94.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 62 0.5FT (H246477-42)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21	
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 111 % 48.2-134

Surrogate: 1-Chlorooctadecane 114 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 63 0.5FT (H246477-43)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 99.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 102 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 64 0.5FT (H246477-44)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 96.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 65 0.5FT (H246477-45)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 115 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 66 0.5FT (H246477-46)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21	
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 67 0.5FT (H246477-47)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21	
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 95.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 68 0.5FT (H246477-48)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 97.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 96.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 69 0.5FT (H246477-49)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 98.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 70 0.5FT (H246477-50)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21	
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 94.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 94.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 71 0.5FT (H246477-51)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21	
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 95.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 72 0.5FT (H246477-52)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 97.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 73 0.5FT (H246477-53)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.12	106	2.00	1.21		
Toluene*	<0.050	0.050	10/24/2024	ND	2.17	109	2.00	0.775		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	0.190		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.47	108	6.00	0.208		
Total BTEx	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 97.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 74 0.5FT (H246477-54)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 127 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 112 % 48.2-134

Surrogate: 1-Chlorooctadecane 115 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 75 0.5FT (H246477-55)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 127 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 96.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 96.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 76 0.5FT (H246477-56)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 125 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	203	102	200	4.18	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	207	104	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 108 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 77 0.5FT (H246477-57)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 67.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 62.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 78 0.5FT (H246477-58)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 118 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 82.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 73.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 79 0.5FT (H246477-59)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 62.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 62.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/22/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 80 0.5FT (H246477-60)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 121 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 76.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 68.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 81 0.5FT (H246477-61)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 127 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 77.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 70.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 82 0.5FT (H246477-62)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/24/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 74.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 69.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 83 0.5FT (H246477-63)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 120 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 87.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 79.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 84 0.5FT (H246477-64)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8	
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74	
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495	
Total BTEX	<0.300	0.300	10/25/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 130 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/24/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 82.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 73.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 85 0.5FT (H246477-65)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 124 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 71.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 62.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 86 0.5FT (H246477-66)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 72.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 65.4 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 87 0.5FT (H246477-67)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 121 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 68.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 60.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 88 1FT (H246477-68)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 128 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 74.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 67.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 89 1FT (H246477-69)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 75.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 68.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 90 1FT (H246477-70)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 119 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 79.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 71.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 91 1FT (H246477-71)**

BTEx 8021B		mg/kg		Analyzed By: JH				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8	
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74	
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41	
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495	
Total BTEX	<0.300	0.300	10/25/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 136 % 71.5-134

Chloride, SM4500Cl-B			mg/kg					Analyzed By: HM	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	10/25/2024	ND	432	108	400	0.00	

TPH 8015M			mg/kg					Analyzed By: MS	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 80.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 70.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 92 0.5FT (H246477-72)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 81.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 72.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: BH 24 - 93 0.5FT (H246477-73)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/25/2024	ND	2.20	110	2.00	12.8		
Toluene*	<0.050	0.050	10/25/2024	ND	2.01	101	2.00	9.74		
Ethylbenzene*	<0.050	0.050	10/25/2024	ND	2.18	109	2.00	3.41		
Total Xylenes*	<0.150	0.150	10/25/2024	ND	6.80	113	6.00	0.495		
Total BTEX	<0.300	0.300	10/25/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 130 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 78.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 69.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: WS 24 - 01 0.5FT (H246477-74)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.26	113	2.00	1.41		
Toluene*	<0.050	0.050	10/24/2024	ND	2.27	113	2.00	0.422		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.28	114	2.00	0.148		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	7.09	118	6.00	0.0444		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 86.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 76.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: WS 24 - 02 0.5FT (H246477-75)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.26	113	2.00	1.41		
Toluene*	<0.050	0.050	10/24/2024	ND	2.27	113	2.00	0.422		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.28	114	2.00	0.148		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	7.09	118	6.00	0.0444		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 82.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 71.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: WS 24 - 03 0.5FT (H246477-76)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.26	113	2.00	1.41		
Toluene*	<0.050	0.050	10/24/2024	ND	2.27	113	2.00	0.422		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.28	114	2.00	0.148		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	7.09	118	6.00	0.0444		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	205	103	200	5.58	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	183	91.6	200	9.72	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 85.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 75.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: WS 24 - 04 0.5FT (H246477-77)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.26	113	2.00	1.41		
Toluene*	<0.050	0.050	10/24/2024	ND	2.27	113	2.00	0.422		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.28	114	2.00	0.148		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	7.09	118	6.00	0.0444		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	209	104	200	1.44	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	190	94.9	200	1.81	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 90.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 85.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

VERTEX RESOURCE GROUP  
 MICHAEL MOFFITT  
 420 SOUTH MAIN, SUITE 202  
 TULSA OK, 74103  
 Fax To: NA

Received: 10/24/2024  
 Reported: 10/29/2024  
 Project Name: SCRIPPS WATER TRANSFER PIPELINE  
 Project Number: 24E-03808  
 Project Location: SILVERBACK - EDDY CO NM

Sampling Date: 10/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Shalyn Rodriguez

**Sample ID: WS 24 - 05 0.5FT (H246477-78)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	2.26	113	2.00	1.41		
Toluene*	<0.050	0.050	10/24/2024	ND	2.27	113	2.00	0.422		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	2.28	114	2.00	0.148		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	7.09	118	6.00	0.0444		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/25/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	209	104	200	1.44	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	190	94.9	200	1.81	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 96.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-04            The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- QR-03            The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
- ND            Analyte NOT DETECTED at or above the reporting limit
- RPD            Relative Percent Difference
- \*\*            Samples not received at proper temperature of 6°C or below.
- \*\*\*            Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager







101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

<b>Company Name:</b> Vertex Resource Services		<b>P.O. #:</b>		<b>BILL TO</b>																			
<b>Project Manager:</b> Michael Moffitt		<b>Company:</b> Silverback Exploration		<b>ANALYSIS REQUEST</b>																			
<b>Address:</b> 3101 Boyd Dr		<b>Attn:</b> Rafael Alviso																					
<b>City:</b> Carlsbad		<b>Address:</b> 108 S. 4th St.																					
<b>State:</b> NM		<b>City:</b> Artesia																					
<b>Zip:</b> 88220		<b>State:</b> NM																					
<b>Project #:</b> 24E-03808		<b>Zip:</b> 88210																					
<b>Project Name:</b> Scripps Water Transfer Pipeline																							
<b>Project Location:</b> Eddy County, NM																							
<b>Sampler Name:</b> Fernando Rodriguez																							
<b>FOR LAB USE ONLY</b>																							
<b>Lab I.D.</b>	<b>Sample I.D.</b>	<b>(G)RAB OR (C)OMP.</b>	<b># CONTAINERS</b>	<b>MATRIX</b>						<b>PRESERV.</b>	<b>SAMPLING</b>												
				<b>GROUNDWATER</b>	<b>WASTEWATER</b>	<b>SOIL</b>	<b>OIL</b>	<b>SLUDGE</b>	<b>OTHER :</b>	<b>ACID/BASE:</b>	<b>ICE / COOL</b>	<b>OTHER :</b>	<b>DATE</b>	<b>TIME</b>	<b>TPH: (8015) EXT</b>	<b>BTEX (8021B)</b>	<b>Chloride (SM 4500)</b>						
14	BS24-34 0.5ft	C	1	X									10/21/24	9:05	X	X	X						
15	BS24-35 0.5ft	C	1	X									10/21/24	9:10	X	X	X						
16	BS24-36 0.5ft	C	1	X									10/21/24	9:15	X	X	X						
17	BS24-37 0.5ft	C	1	X									10/21/24	9:20	X	X	X						
18	BS24-38 0.5ft	C	1	X									10/21/24	9:25	X	X	X						
19	BS24-39 0.5ft	C	1	X									10/21/24	9:30	X	X	X						
20	BS24-40 0.5ft	C	1	X									10/21/24	9:35	X	X	X						
21	BS24-41 0.5ft	C	1	X									10/21/24	9:40	X	X	X						
22	BS24-42 0.5ft	C	1	X									10/21/24	9:45	X	X	X						
23	BS24-43 0.5ft	C	1	X									10/21/24	9:50	X	X	X						
24	BS24-44 0.5ft	C	1	X									10/21/24	9:55	X	X	X						
25	BS24-45 0.5ft	C	1	X									10/21/24	10:00	X	X	X						
26	BS24-46 0.5ft	C	1	X									10/21/24	10:05	X	X	X						
<small>PLEASE NOTE: Liability and Damages. Cardinal's liability and claims exclusive remedy for any claim arising whether caused in contract or tort, shall be limited to the amount paid by the client for the service. In no event shall Cardinal be liable for negligence and any other claims whatsoever that be deemed unless made in writing and received by Cardinal within 30 days after completion of the applicable analysis or successful testing out of or related to the performance of services rendered by Cardinal. Regardless of whether such claim is based upon any of the above stated theories or otherwise.</small>																							
<b>Relinquished By:</b>		<b>Date:</b> 10/24/24		<b>Received By:</b> [Signature]		<b>Time:</b> 10:17		<b>Phone Result:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No		<b>Add'l Phone #:</b>		<b>REMARKS:</b>											
<b>Relinquished By:</b>		<b>Date:</b>		<b>Received By:</b>		<b>Time:</b>		<b>Fax Result:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No		<b>Add'l Fax #:</b>													
<b>Delivered By: (Circle One)</b> 3822-0-102		<b>Sample Condition</b>		<b>CHECKED BY:</b>		<b>Initials</b>																	
<b>Sampler - UPS - Bus - Other:</b> -44: #140		<b>Cool</b> <input type="checkbox"/> <b>Intact</b> <input checked="" type="checkbox"/>		<b>Yes</b> <input checked="" type="checkbox"/> <b>No</b> <input type="checkbox"/>		<b>Yes</b> <input checked="" type="checkbox"/> <b>No</b> <input type="checkbox"/>																	
<b>3. Please call within 72 hours to 575-393-2476</b>																							





101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

<b>Company Name:</b> Vertex Resource Services		<b>P.O. #:</b>		<b>ANALYSIS REQUEST</b>									
<b>Project Manager:</b> Michael Moffitt		<b>Company:</b> Silverback Exploration											
<b>Address:</b> 3101 Boyd Dr		<b>Attn:</b> Rafael Alvizo											
<b>City:</b> Carlsbad		<b>Address:</b> 108 S. 4th St.											
<b>State:</b> NM		<b>City:</b> Artesia											
<b>Phone #:</b> 575-988-2681		<b>State:</b> NM											
<b>Fax #:</b>		<b>Zip:</b> 88210											
<b>Project #:</b> 24E-03808		<b>Phone #:</b>											
<b>Project Owner:</b> Scripps Water Transfer Pipeline		<b>Fax #:</b>											
<b>Project Location:</b> Eddy County, NM													
<b>Sampler Name:</b> Fernando Rodriguez													
FOR LAB USE ONLY													
<b>Lab I.D.</b>	<b>Sample I.D.</b>	<b>(G)RAB OR (C)OMP.</b>	<b># CONTAINERS</b>	<b>MATRIX</b>					<b>PRESERV.</b>	<b>SAMPLING</b>			
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	
BS24-47 0.5ft	C 1	X	X										
BS24-48 1ft	C 1	X	X										
BS24-49 1ft	C 1	X	X										
BS24-50 0.5ft	C 1	X	X										
BS24-51 0.5ft	C 1	X	X										
BS24-52 0.5ft	C 1	X	X										
BS24-53 0.5ft	C 1	X	X										
BS24-54 0.5ft	C 1	X	X										
BS24-55 0.5ft	C 1	X	X										
BS24-56 0.5ft	C 1	X	X										
BS24-57 0.5ft	C 1	X	X										
BS24-58 0.5ft	C 1	X	X										
BS24-59 0.5ft	C 1	X	X										
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising out of this contract or tort, shall be limited to the amount paid by the client for the service. All claims, including those for negligence and any other claims whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated remedies or otherwise.													
<b>Relinquished By:</b>	<b>Date:</b> 10/24/24	<b>Received By:</b>	<b>Time:</b> 10:17										
<b>Relinquished By:</b>	<b>Date:</b> 10/17	<b>Received By:</b>	<b>Time:</b>										
<b>Delivered By: (Circle One)</b> -3.8/c-o-cc	<b>Sample Condition</b>			<b>CHECKED BY:</b>									
<b>Sampler - UPS - Bus - Other:</b> -4.4/c-#140	<b>Cool</b> <input type="checkbox"/> <b>Intact</b> <input checked="" type="checkbox"/>			<b>(Initials)</b> SR									
<b>5. Please print any changes to 575-393-2476</b>													
<b>Phone Result:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <b>Add'l Phone #:</b>													
<b>Fax Result:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <b>Add'l Fax #:</b>													
<b>REMARKS:</b>				Direct bill to Silverback Exploration Email results to: mmoffit@vertex.ca & ftrdriguez@vertex.ca									





CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Vertex Resource Services  
Project Manager: Michael Moffitt

Address: 3101 Boyd Dr  
City: Carlsbad State: NM Zip: 88220

Phone #: 575-988-2681 Fax #: 575-988-2681

Project #: 24E-03808 Project Owner: Scripps Water Transfer Pipeline

Project Location: Eddy County, NM

Sampler Name: Fernando Rodriguez

BILL TO

ANALYSIS REQUEST

P.O. #:

Company: Silverback Exploration

Attn: Rafael Alviso

Address: 108 S. 4th St.

City: Artesia

State: NM Zip: 88210

Phone #:

Fax #:

Lab I.D. Sample I.D.

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	ANALYSIS REQUEST									
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :			TPH: (8015) EXT	BTEX (8021B)	Chloride (SM 4500)							
40	BS24-60 0.5ft	C	1	X						10/22/24	8:45	X	X	X							
41	BS24-61 0.5ft	C	1	X						10/22/24	8:50	X	X	X							
42	BS24-62 0.5ft	C	1	X						10/22/24	8:55	X	X	X							
43	BS24-63 0.5ft	C	1	X						10/22/24	9:00	X	X	X							
44	BS24-64 0.5ft	C	1	X						10/22/24	9:05	X	X	X							
45	BS24-65 0.5ft	C	1	X						10/22/24	9:10	X	X	X							
46	BS24-66 0.5ft	C	1	X						10/22/24	9:15	X	X	X							
47	BS24-67 0.5ft	C	1	X						10/22/24	9:20	X	X	X							
48	BS24-68 0.5ft	C	1	X						10/22/24	9:25	X	X	X							
49	BS24-69 0.5ft	C	1	X						10/22/24	9:30	X	X	X							
50	BS24-70 0.5ft	C	1	X						10/22/24	9:35	X	X	X							
51	BS24-71 0.5ft	C	1	X						10/22/24	9:40	X	X	X							
52	BS24-72 0.5ft	C	1	X						10/22/24	9:45	X	X	X							

PLEASE NOTE: Liability and Damages. Cardholder's liability and client's exclusive remedy for any claim arising out of this contract shall be limited to the amount paid by the client for the services. In no event shall Cardholder be liable for incidental or consequential damages, including without limitation, business interruption, loss of data, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal Laboratories. Signature of client is required on this form to validate the chain of custody.

Relinquished By:

Date: 10/24/24

Time: 10:17

Received By: Stockpioneers

Relinquished By:

Date:

Time:

Received By:

Delivered By: (Circle One)

-3.86/20.10

Sampler - UPS - Bus - Other:

-44. #140

3. Please fax with changes to 575-393-2476

Sample Condition  
Cool Intact  
☒ Yes ☐ No  
☐ No ☐ No

CHECKED BY: (Initials)  
SR

Phone Result: ☐ Yes ☐ No Add'l Phone #:  
Fax Result: ☐ Yes ☐ No Add'l Fax #:

Direct bill to Silverback Exploration  
Email results to: rnmoffit@silverback.com  
frrodriguez@vertex.ca





101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]





CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Vertex Resource Services

Project Manager: Michael Moffitt

Address: 3101 Boyd Dr

City: Carlsbad State: NM Zip: 88220

Phone #: 575-989-2681 Fax #:

Project #: 24E-03808 Project Owner:

Project Name: Scripps Water Transfer Pipeline

Project Location: Eddy County, NM

Sampler Name: Fernando Rodriguez

FOR LAB USE ONLY

BILL TO

ANALYSIS REQUEST

P.O. #:

Company: Silverback Exploration

Attn: Rafael Alvizo

Address: 108 S. 4th St.

City: Artesia

State: NM Zip: 88210

Phone #:

Fax #:

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

(G)RAB OR (C)OMP.  
# CONTAINERS  
GROUNDWATER  
WASTEWATER  
SOIL  
OIL  
SLUDGE  
OTHER :  
ACID/BASE:  
ICE / COOL  
OTHER :

MATRIX

PRESERV.

SAMPLING

DATE TIME

TPH: (8015) EXT  
BTEX (8021B)  
Chloride (SM 4500)

PLEASE NOTE: Liability and Damages. Cardinal's liability and damages are limited to the amount paid by the client for the service. In no event shall Cardinal be liable for negligence and any other claims whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. All claims, including those for negligence and any other claims whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. All claims, including those for negligence and any other claims whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. All claims, including those for negligence and any other claims whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service.

Relinquished By:

Date: 10/23/24

Time: 10:17

Received By: *Spedraquez*

Date: 10/23/24

Time: 9:25

Phone Result: ☐ Yes ☐ No Add'l Phone #:

Fax Result: ☐ Yes ☐ No Add'l Fax #:

REMARKS:

Relinquished By:

Date: 10/23/24

Time: 10:17

Received By: *Spedraquez*

Date: 10/23/24

Time: 9:25

Phone Result: ☐ Yes ☐ No Add'l Phone #:

Fax Result: ☐ Yes ☐ No Add'l Fax #:

REMARKS:

Delivered By: (Circle One) *3.8: hole*

Date: 10/23/24

Time: 10:17

Received By: *Spedraquez*

Date: 10/23/24

Time: 9:25

Phone Result: ☐ Yes ☐ No Add'l Phone #:

Fax Result: ☐ Yes ☐ No Add'l Fax #:

REMARKS:

Sampler - UPS - Bus - Other: *44c #140*

Date: 10/23/24

Time: 10:17

Received By: *Spedraquez*

Date: 10/23/24

Time: 9:25

Phone Result: ☐ Yes ☐ No Add'l Phone #:

Fax Result: ☐ Yes ☐ No Add'l Fax #:

REMARKS:

Sample Condition  
Cool ☐ Intact ☐  
Yes ☒ No ☐  
Yes ☐ No ☐

CHECKED BY: *SR*  
(Initials)

5. Please fax written changes to 575-393-2476

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS

Action 410752

QUESTIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 410752
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2417953983
Incident Name	NAPP2417953983 SCRIPPS WATER TRANSFER @ 0
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received

Location of Release Source	
Please answer all the questions in this group.	
Site Name	Scripps Water Transfer
Date Release Discovered	06/25/2024
Surface Owner	Private

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Pipeline (Any)   Produced Water   Released: 15 BBL   Recovered: 0 BBL   Lost: 15 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	none

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 410752

**QUESTIONS (continued)**

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 410752
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

**Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	N/A

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Fatma Abdallah Title: Regulatory Manager Email: FAbdallah@silverbackexp.com Date: 09/05/2024
--	---

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 410752

**QUESTIONS (continued)**

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 410752
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS****Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Between 1000 (ft.) and ½ (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1000 (ft.) and ½ (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1000 (ft.) and ½ (mi.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between ½ and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1 and 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Medium
A 100-year floodplain	Between 500 and 1000 (ft.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

**Remediation Plan**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

**Soil Contamination Sampling:** (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	13800
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	10
GRO+DRO (EPA SW-846 Method 8015M)	10
BTEX (EPA SW-846 Method 8021B or 8260B)	0.3
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	10/07/2024
On what date will (or did) the final sampling or liner inspection occur	10/08/2024
On what date will (or was) the remediation complete(d)	10/08/2024
What is the estimated surface area (in square feet) that will be reclaimed	20671
What is the estimated volume (in cubic yards) that will be reclaimed	800
What is the estimated surface area (in square feet) that will be remediated	20671
What is the estimated volume (in cubic yards) that will be remediated	800

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 410752

**QUESTIONS (continued)**

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 410752
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Remediation Plan (continued)</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
<b>This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:</b>	
(Select all answers below that apply.)	
(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	LEA LAND LANDFILL [fEEM0112342028]
<b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state	No
<b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Fatma Abdallah Title: Regulatory Manager Email: FAbdallah@silverbackexp.com Date: 09/05/2024
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 5  
  
Action 410752

QUESTIONS (continued)

Operator:  Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID:  330968
	Action Number:  410752
	Action Type:  [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 410752

**QUESTIONS (continued)**

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 410752
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

Sampling Event Information	
Last sampling notification (C-141N) recorded	392893
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/23/2024
What was the (estimated) number of samples that were to be gathered	20
What was the sampling surface area in square feet	4000

**Remediation Closure Request**

*Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.*

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	20672
What was the total volume (cubic yards) remediated	416.5
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	20672
What was the total volume (in cubic yards) reclaimed	416.5
Summarize any additional remediation activities not included by answers (above)	NA

*The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Justin Carter Title: Landman Email: <a href="mailto:jcarter@novoog.com">jcarter@novoog.com</a> Date: 12/11/2024
--	--



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 7  
  
Action 410752

QUESTIONS (continued)

Operator:  Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID:  330968
	Action Number:  410752
	Action Type:  [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 410752

CONDITIONS

Operator: Silverback Operating II, LLC 1001 W. Wilshire Blvd Oklahoma City, OK 73112	OGRID: 330968
	Action Number: 410752
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	This Remediation Closure Report is approved. Areas reasonably needed for production or subsequent drilling operations will need to be reclaimed and revegetated as soon as they are no longer reasonably needed. A report for reclamation and revegetation will need to be submitted and approved prior to this incident receiving the final status of "Restoration Complete".	12/24/2024
scott.rodgers	The reclamation report will need to include: Executive Summary of the reclamation activities; Scaled Site Map including sampling locations; Analytical results including, but not limited to, results showing that any remaining impacts meet the reclamation standards and results to prove the backfill is non-waste containing; At least one (1) representative 5-point composite sample will need to be collected from the backfill material that will be used for the reclamation of the top four feet of the excavation. The OCD reserves the right to request additional sampling if needed; pictures of the backfilled areas showing that the area is back, as nearly as practical, to the original condition or the final land use and maintain those areas to control dust and minimize erosion to the extent practical; pictures of the top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater; and a revegetation plan.	12/24/2024