



1. Continue O&M & sampling as stated in report. 2. Submit next quarterly report by April 15, 2025.

January 9, 2025

**New Mexico Oil Conservation Division**

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

**Re: Fourth Quarter 2024 – SVE System Update**

Sullivan GC D #1E  
San Juan County, New Mexico  
Hilcorp Energy Company  
NMOCD Incident Number: NCS1518952648

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Fourth Quarter 2024 – SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the Sullivan GC D #1E natural gas production well (Site), located in Unit F of Section 26, Township 29 North, Range 11 West in San Juan County, New Mexico (Figure 1). Specifically, this report summarizes Site activities performed in October, November, and December of 2024 to the New Mexico Oil Conservation Division (NMOCD).

### SVE SYSTEM SPECIFICATIONS

The original SVE system was installed at the Site in April 2016 by XTO Energy, the previous Site owner, in response to a release originating from a broken fiberglass line used to transfer natural gas condensate. The original SVE system was purchased from Geotech Environmental Equipment, Inc. (Geotech) and operated successfully until the summer of 2018. Due to a broken SVE blower motor, the Site's SVE system did not operate between 2018 and March of 2022; however, a rental SVE system was brought onto the Site and began operation on December 2, 2021. The blower motor from the original Geotech system was replaced on March 21, 2022, and the Geotech SVE system was put back into service.

The current Geotech SVE system is configured with vacuum applied to wells PR-1, MW-01, MW-02, MW-05, and MW-06 (shown on Figure 2). The SVE system consists of a 3 horsepower Rotron Model EN656 regenerative blower capable of producing 212 standard cubic feet per minute (scfm) of flow and 73 inches of water column (IWC) vacuum. The layout of the SVE system and piping is shown on Figure 2.

### FOURTH QUARTER 2024 ACTIVITIES

During the fourth quarter of 2024, Ensolum and Hilcorp personnel performed bi-weekly operation and maintenance (O&M) visits to verify the system was operating as designed and to perform any required maintenance. Field notes taken during O&M visits are presented in Appendix A. During the fourth quarter of 2024, all SVE wells (PR-1, MW-01, MW-02, MW-05, and MW-06) were operated in order to induce air flow through impacted soil within the source area. Based on hour meter readings, between September 16 and December 16, 2024, the SVE system operated for 1,750 hours, with a runtime efficiency of 80 percent (%). However, during a site visit on December 2, 2024, it was determined that

the hour meter was no longer functioning properly and was in need of replacement. A replacement hour meter was installed on December 3, 2024, but was installed in a different location than the broken meter. The broken meter was left in place temporarily and a photo of the old meter was inadvertently collected on December 16, 2024. Photos of the new hour meter will be provided in the next quarterly update report. No alarms were noted on the system telemetry throughout the quarter and the system was in operation during Site visits conducted twice per month during the fourth quarter of 2024. Based on this information, we believe that the system was fully operational between September 16 and December 16, 2024 and runtime was likely greater than 90%. Appendix B presents photographs of the runtime meter for calculating the runtime efficiency. A screenshot of the telemetry screen showing the system status throughout the quarter is also included in Appendix B. Table 1 presents the SVE system operational hours and percent runtime based on the field notes collected during the quarter.

A fourth quarter 2024 vapor sample was collected on November 18, 2024, from a sample port located between the SVE piping manifold and the SVE blower using a high vacuum air sampler. Prior to collection, the vapor sample was field screened with a photoionization detector (PID) for organic vapor monitoring (OVM). The vapor sample was collected directly into two 1-Liter Tedlar® bags and submitted to Eurofins Environment Testing (Formerly Hall Environmental Analysis Laboratory), located in Albuquerque, New Mexico, for analysis of total volatile petroleum hydrocarbons (TVPH, also referred to as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)) following United States Environmental Protection Agency (EPA) Method 8015D, volatile organic compounds (VOCs) following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processor Association (GPA) Method 2261. Table 2 presents a summary of analytical data collected during this sampling event and previous sampling events, with the full laboratory analytical report included in Appendix C.

Vapor sample data and measured stack flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 3). Based on these estimates, 92,060 pounds (46 tons) of TVPH have been removed by the system to date.

## RECOMMENDATIONS

Bi-weekly O&M visits will continue to be performed by Ensolum and/or Hilcorp personnel to verify the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum). Deviations from regular operations will be noted on field logs and included in the following quarterly report.

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,  
**Ensolum, LLC**



Stuart Hyde, LG (licensed in WA & TX)  
 Senior Managing Geologist  
 (970) 903-1607  
 shyde@ensolum.com




Daniel R. Moir, PG (licensed in WY & TX)  
 Senior Managing Geologist  
 (303) 887-2946  
 dmoir@ensolum.com

**Attachments:**


Figure 1	Site Location
Figure 2	SVE System Layout
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Emission Analytical Results
Table 3	Soil Vapor Extraction System Mass Removal and Emissions
Appendix A	Field Notes
Appendix B	Project Photographs
Appendix C	Laboratory Analytical Reports



Figures







**ENSOLUM**  
 Environmental, Engineering and  
 Hydrogeologic Consultants

**SITE LOCATION**


HILLCORP ENERGY COMPANY  
 SULLIVAN GC D #1E  
 San Juan County, New Mexico  
 36.885855° N, 107.899525° W

PROJECT NUMBER: 07A1988029

**FIGURE**

**1**





**SVE SYSTEM LAYOUT**

HILCORP ENERGY COMPANY  
 SULLIVAN GC D #1E  
 San Juan County, New Mexico  
 36.885855° N, 107.899525° W


PROJECT NUMBER:07A1988029

**FIGURE**

**2**



Tables





**TABLE 1**  
**SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS**  
 Sullivan GC D#1E  
 Hilcorp Energy Company  
 San Juan County, New Mexico

**Permanent Geotech SVE Skid Runtime Operation**

Date	Total Operational Hours	Delta Hours	Days	% Runtime
9/16/2024	21,519	--	--	--
12/2/2024 <sup>(1)</sup>	23,262	1,743	77	94%
12/16/2024	23,269	7	14	2%

(1) Hour meter found to be in need of replacement on 12/2/2024. A replacement was ordered but had not yet been received by 12/16/2024.





**TABLE 2**  
**SOIL VAPOR EXTRACTION SYSTEM EMISSIONS ANALYTICAL RESULTS**  
 Sullivan GC D#1E  
 Hilcorp Energy Company  
 San Juan County, New Mexico

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH/GRO (µg/L)	Oxygen (%)	Carbon Dioxide (%)
4/18/2016	--	840	1,900	87	840	140,000	--	--
4/20/2016	2,375	840	1,900	87	840	140,000	--	--
4/29/2017	3,520	280	1,000	64	630	65,000	--	--
8/11/2016	4,215	92	700	90	910	23,000	--	--
1/24/2018	2,837	46	140	<5.0	410	21,000	--	--
6/29/2018	3,000	63	210	<5.0	410	27,000	--	--
12/2/2021	741	15	<5.0	<5.0	99	33,000	--	--
3/16/2022	982	<0.10	<0.10	<0.10	1.1	64	19.40	1.23
6/17/2022	327	<0.10	<0.10	<0.10	0.25	10	21.54	0.29
9/22/2022	266	<0.10	<0.10	<0.10	<0.15	<5.0	20.57	1.00
12/10/2022	68	0.75	4.9	0.49	9.0	490	21.02	0.65
3/13/2023	69	0.81	4.4	0.30	5.7	300	21.15	0.51
6/23/2023	139	5.9	12	3.0	6.7	840	21.01	0.55
8/18/2023	76	2.4	2.9	<1.0	1.8	340	20.83	0.68
11/21/2023	186	2.8	18	1.7	18	480	20.94	0.51
3/4/2024	212	4.0	29.0	2.7	31	580	21.41	0.51
6/14/2024	142	4.4	4.1	<1.0	2.1	340	20.44	0.72
9/16/2024	55	5.8	24	1.3	13	510	21.32	0.48
11/18/2024	87	9.6	60	5.0	53	1,100	17.79	0.89

**Notes:**

- GRO: gasoline range hydrocarbons
- µg/L: microgram per liter
- PID: photoionization detector
- ppm: parts per million
- TVPH: total volatile petroleum hydrocarbons
- %: percent
- : not sampled
- <: gray indicates result less than the stated laboratory reporting limit (RL)



**TABLE 3**  
**SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS**  
 Sullivan GC D#1E  
 Hilcorp Energy Company  
 San Juan County, New Mexico

Laboratory Analysis						
Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
4/18/2016	--	840	1,900	87	840	140,000
4/20/2016	2,375	840	1,900	87	840	140,000
4/29/2017	3,520	280	1,000	64	630	65,000
8/11/2016	4,215	92	700	90	910	23,000
1/24/2018	2,837	46	140	5.0	410	21,000
6/29/2018	3,000	63	210	5.0	410	27,000
12/2/2021	Rental SVE System Startup					
12/2/2021	741	15	5.0	5.0	99	33,000
3/16/2022	982	0.10	0.10	0.10	1.1	64
3/21/2022	Permanent SVE System Startup					
6/17/2022	327	0.10	0.10	0.10	0.25	10
9/22/2022	266	0.10	0.10	0.10	0.15	5.0
12/10/2022	68	0.75	4.9	0.49	9.0	490
3/13/2023	69	0.81	4.4	0.30	5.7	300
6/23/2023	139	5.9	12	3.0	6.7	840
8/18/2023	76	2.4	2.9	1.0	1.8	340
11/21/2023	186	2.8	18	1.7	18	480
3/4/2024	212	4.0	29.0	2.7	31	580
6/14/2024	142	4.4	4.1	1.0	2.1	340
9/16/2024	55	5.8	24	1.3	13	510
11/18/2024	87	9.6	60	5.0	53	1,100
<b>Average</b>	1,072	116	317	19	225	23,898

Vapor Extraction Summary								
Date	Flow Rate (cfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
4/18/2016	90	0	0	0.28	0.64	0.029	0.28	47
4/20/2016	109	313,920	313,920	0.34	0.77	0.035	0.34	57
4/29/2017	90	1,480,320	1,166,400	0.19	0.49	0.025	0.25	35
8/11/2016	70	6,923,520	5,443,200	0.049	0.22	0.020	0.20	12
1/24/2018	60	--	--	0.015	0.094	0.011	0.15	4.9
6/29/2018	41	53,246,160	46,322,640	0.0084	0.027	0.001	0.063	3.7
12/2/2021	Rental SVE System Startup							
12/2/2021	49	53,246,160	0	0	0	0	0	0
3/16/2022	49	60,581,754	7,335,594	0.0014	0.00047	0.00047	0.0092	3.0
3/21/2022	Permanent SVE System Startup							
6/17/2022	80	70,724,634	10,142,880	0.00030	0.00030	0.00030	0.0002	0.011
9/22/2022	68	80,221,650	9,497,016	0.00025	0.00025	0.00025	0.00051	0.0019
12/10/2022	80	89,341,170	9,119,520	0.00013	0.00075	0.000088	0.0014	0.074
3/13/2023	75	99,328,020	9,986,850	0.00022	0.0013	0.00011	0.0021	0.11
6/23/2023	76	110,408,820	11,080,800	0.00095	0.0023	0.00047	0.0018	0.16
8/18/2023	80	116,845,620	6,436,800	0.00124	0.0022	0.00060	0.0013	0.18
11/21/2023	75	127,065,120	10,219,500	0.00073	0.0029	0.00038	0.0028	0.12
3/4/2024	110	143,512,320	16,447,200	0.00140	0.0097	0.00091	0.0101	0.22
6/14/2024	110	157,953,120	14,440,800	0.00173	0.0068	0.00076	0.0068	0.19
9/16/2024	105	172,046,220	14,093,100	0.00200	0.0055	0.00045	0.0030	0.17
11/18/2024	105	181,590,720	9,544,500	0.00302	0.0165	0.00124	0.0130	0.32
<b>Average</b>				0.047	0.121	0.007	0.070	8.60

Mass Recovery								
Date	Total SVE System Hours	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
4/18/2016	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4/20/2016	48	48	16	37	1.7	16	2,740	1.4
4/29/2017	264	216	41	105	5.5	53	7,452	3.7
8/11/2016	1,560	1,296	63	288	26	261	14,929	7.5
1/24/2018	--	--	--	--	--	--	--	--
6/29/2018	16,848	15,288	128	410	12	961	56,264	28
12/2/2021	Rental SVE System Startup							
12/2/2021	968	0	0.0	0.0	0.0	0.0	0.0	0.0
3/16/2022	3,463	2,495	3.5	1.2	1.2	23	7,559	3.8
3/21/2022	Permanent SVE System Startup							
3/21/2022	0	0	0.0	0.0	0.0	0.0	0.0	0.0
6/17/2022	2,113	2,113	0.063	0.063	0.063	0.43	23	0.012
9/22/2022	4,441	2,328	0.059	0.059	0.059	0.12	4.3	0.0022
12/10/2022	6,341	1,900	0.24	1.4	0.17	2.6	141	0.070
3/13/2023	8,560	2,219	0.49	2.9	0.25	4.6	246	0.12
6/23/2023	10,990	2,430	2.3	5.7	1.1	4.3	394	0.20
8/18/2023	12,331	1,341	1.7	3.0	0.80	1.7	237	0.12
11/21/2023	14,602	2,271	1.7	6.7	0.86	6.3	261	0.13
3/4/2024	17,094	2,492	3.5	24.1	2.26	25.1	543	0.27
6/14/2024	19,282	2,188	3.8	14.9	1.67	14.9	414	0.21
9/16/2024	21,519	2,237	4.5	12.3	1.01	6.6	373	0.19
11/18/2024	23,034	1,515	4.6	25.0	1.87	19.6	479	0.24
<b>Total Mass Recovery to Date</b>			274	939	56	1,401	92,060	46

Notes:  
 cf: cubic feet  
 cfm: cubic feet per minute  
 µg/L: micrograms per liter  
 lb/hr: pounds per hour  
 --: not sampled  
 PID: photoionization detector  
 ppm: parts per million  
 TVPH: total volatile petroleum hydrocarbons  
 gray: laboratory reporting limit used for calculating emissions



---

APPENDIX A  
Field Notes

---



SULLIVAN GC D#1E SVE SYSTEM (RENTAL UNIT)
BIWEEKLY O&M FORM

DATE: 10-8
TIME ONSITE:

O&M PERSONNEL: B Sinclair
TIME OFFSITE:

SVE SYSTEM - MONTHLY O&M

Table with 2 columns: SVE ALARMS (check if applicable) and alarm types (HIGH/LOW VACUUM, KO TANK HIGH LEVEL, HIGH EXHAUST TEMPERATURE)

Product Skimmer
Hours (take photo)
Volume in bbl
Volume removed
Volume removed to date

Table with 3 columns: SVE SYSTEM, READING, TIME. Includes rows for Blower Hours, Pre K/O Vacuum, Post K/O Vacuum, Total Flow, Zone 1/ Leg A Flow, Inlet PID, Exhaust Post GAC PID, Liquid in K/O Sight Tube, K/O Liquid Drained.

HOUSEKEEPING Check
Inline Filter Clean
Clean tank level alarm on skimmer

SVE SYSTEM - QUARTERLY SAMPLING

Form fields for SAMPLE ID, Analytes (TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)), SAMPLE TIME, OPERATING WELLS

ZONES

Change in Well Operation:
Zone 1/ Leg A

Table with 4 columns: LOCATION, VACUUM (IWC), PID HEADSPACE (PPM), ADJUSTMENTS. Rows include MW-01, MW-02, MW-05, MW-06, PR-1.

Product Recovery

Table with 5 columns: Well, LOCATION, Product thickness, Product removed from Sock (volume and color), Volume removed total (gal or oz?), Replace Sock? (Y/N0)

COMMENTS/OTHER MAINTENANCE:



# SULLIVAN GC D#1E SVE SYSTEM (RENTAL UNIT) BIWEEKLY O&M FORM

DATE: 10-22  
TIME ONSITE: \_\_\_\_\_

O&M PERSONNEL: B Sinclair  
TIME OFFSITE: \_\_\_\_\_

### SVE SYSTEM - MONTHLY O&M

SVE ALARMS: (check if applicable)	_____	HIGH/LOW VACUUM
	_____	KO TANK HIGH LEVEL
	_____	HIGH EXHAUST TEMPERATURE

Product Skimmer  
 Hours (take photo) \_\_\_\_\_  
 Volume in bbl \_\_\_\_\_  
 Volume removed \_\_\_\_\_  
 Volume removed to date \_\_\_\_\_

### SVE SYSTEM

Blower Hours (take photo) \_\_\_\_\_  
 Pre K/O Vacuum (IWC) \_\_\_\_\_  
 Post K/O Vacuum (IWC) \_\_\_\_\_  
 Total Flow (cfm) \_\_\_\_\_  
 Zone 1/ Leg A Flow (scfm) \_\_\_\_\_  
 Inlet PID \_\_\_\_\_  
 Exhaust Post GAC PID \_\_\_\_\_  
 Liquid in K/O Sight Tube (Y/N) \_\_\_\_\_  
 K/O Liquid Drained (gallons) \_\_\_\_\_

### READING

	READING	TIME
Blower Hours (take photo)	<u>22384</u>	<u>1541</u>
Pre K/O Vacuum (IWC)	<u>22</u>	
Post K/O Vacuum (IWC)	<u>24</u>	
Total Flow (cfm)	<u>112</u>	
Zone 1/ Leg A Flow (scfm)		
Inlet PID	<u>43.3</u>	
Exhaust Post GAC PID	<u>18.6</u>	
Liquid in K/O Sight Tube (Y/N)		
K/O Liquid Drained (gallons)		

### HOUSEKEEPING Check

Inline Filter Clean \_\_\_\_\_  
 Clean tank level alarm on skimmer \_\_\_\_\_

### SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: \_\_\_\_\_

SAMPLE TIME: \_\_\_\_\_

Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)

OPERATING WELLS

## ZONES

Change in Well Operation: \_\_\_\_\_

Zone 1/ Leg A

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	ADJUSTMENTS
MW-01	<u>3.41</u>	<u>214.4</u>	
MW-02	<u>6.94</u>	<u>53.2</u>	
MW-05	<u>3.29</u>	<u>62.9</u>	
MW-06	<u>3.27</u>	<u>347.4</u>	
PR-1	<u>6.95</u>	<u>42.5</u>	

## Product Recovery

Well	LOCATION	Product thickness	Product removed from Sock (volume and color)	Volume removed total (gal or oz?)	Replace Sock? (Y/N)

COMMENTS/OTHER MAINTENANCE:

\_\_\_\_\_



SULLIVAN GC D#1E SVE SYSTEM (RENTAL UNIT)
BIWEEKLY O&M FORM

DATE: 11-4
TIME ONSITE:

O&M PERSONNEL: B Sinclair
TIME OFFSITE:

SVE SYSTEM - MONTHLY O&M

Table with 2 columns: SVE ALARMS (check if applicable) and HIGH/LOW VACUUM, KO TANK HIGH LEVEL, HIGH EXHAUST TEMPERATURE.

Product Skimmer
Hours (take photo)
Volume in bbl
Volume removed
Volume removed to date

Table with 3 columns: SVE SYSTEM, READING, TIME. Rows include Blower Hours (22696, 1959), Pre K/O Vacuum (21), Post K/O Vacuum (26), Total Flow (105), Zone 1/ Leg A Flow, Inlet PID (82.3), Exhaust Post GAC PID (24.7).

HOUSEKEEPING Check
Inline Filter Clean
Clean tank level alarm on skimmer

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
SAMPLE TIME:

OPERATING WELLS

ZONES

Change in Well Operation:

Zone 1/ Leg A

Table with 4 columns: LOCATION, VACUUM (IWC), PID HEADSPACE (PPM), ADJUSTMENTS. Rows for MW-01, MW-02, MW-05, MW-06, PR-1.

Product Recovery

Well

Table with 5 columns: LOCATION, Product thickness, Product removed from Sock (volume and color), Volume removed total (gal or oz?), Replace Sock? (Y/N0).

COMMENTS/OTHER MAINTENANCE:

Large empty rectangular box for comments or other maintenance notes.



SULLIVAN GC D#1E SVE SYSTEM (RENTAL UNIT)
BIWEEKLY O&M FORM

DATE: 11-18
TIME ONSITE:

O&M PERSONNEL: B Sinclair
TIME OFFSITE:

SVE SYSTEM - MONTHLY O&M

Table with 2 columns: SVE ALARMS (check if applicable) and HIGH/LOW VACUUM, KO TANK HIGH LEVEL, HIGH EXHAUST TEMPERATURE.

Product Skimmer
Hours (take photo)
Volume in bbl
Volume removed
Volume removed to date

Table with 3 columns: SVE SYSTEM, READING, TIME. Rows include Blower Hours (23034), Pre K/O Vacuum (21), Post K/O Vacuum (31), Total Flow (10.5), Zone 1/ Leg A Flow, Inlet PID (87.0), Exhaust Post GAC PID (21.9), Liquid in K/O Sight Tube (Y/N), K/O Liquid Drained (gallons).

HOUSEKEEPING Check
Inline Filter Clean
Clean tank level alarm on skimmer

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: SVE-1
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
SAMPLE TIME: 1705

OPERATING WELLS

ZONES

Change in Well Operation:

Zone 1/ Leg A

Table with 4 columns: LOCATION, VACUUM (IWC), PID HEADSPACE (PPM), ADJUSTMENTS. Rows include MW-01, MW-02, MW-05, MW-06, PR-1.

Product Recovery

Table with 5 columns: Well, LOCATION, Product thickness, Product removed from Sock (volume and color), Volume removed total (gal or oz?), Replace Sock? (Y/N0).

COMMENTS/OTHER MAINTENANCE:

Empty box for comments/other maintenance.





### SULLIVAN GC D#1E SVE SYSTEM (RENTAL UNIT) BIWEEKLY O&M FORM

DATE: 12-2-24  
TIME ONSITE: \_\_\_\_\_

O&M PERSONNEL: B Sinclair  
TIME OFFSITE: \_\_\_\_\_

#### SVE SYSTEM - MONTHLY O&M

SVE ALARMS: (check if applicable)	<input type="checkbox"/>	HIGH/LOW VACUUM
	<input type="checkbox"/>	KO TANK HIGH LEVEL
	<input type="checkbox"/>	HIGH EXHAUST TEMPERATURE

**Product Skimmer**  
 Hours (take photo) \_\_\_\_\_  
 Volume in bbl \_\_\_\_\_  
 Volume removed \_\_\_\_\_  
 Volume removed to date \_\_\_\_\_

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	<u>23262</u>	<u>1455</u>
Pre K/O Vacuum (IWC)	<u>22</u>	
Post K/O Vacuum (IWC)	<u>26</u>	
Total Flow (cfm)	<u>103</u>	
Zone 1/ Leg A Flow (cfm)		
Inlet PID (ppm)	<u>92.1</u>	
Exhaust Post GAC PID (ppm)	<u>29.2</u>	
Liquid in K/O Sight Tube (Y/N)		
K/O Liquid Drained (gallons)		

**HOUSEKEEPING** Check  
 Inline Filter Clean   
 Clean tank level alarm on skimmer

#### SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____	SAMPLE TIME: _____
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS _____	

#### ZONES

Change in Well Operation: \_\_\_\_\_

Zone 1/ Leg A

LOCATION	VACUUM (IWC)	VELOCITY (fpm)	PID HEADSPACE (PPM)	ADJUSTMENTS
MW-01	<u>4.03</u>		<u>108.8</u>	
MW-02	<u>3.69</u>		<u>73.2</u>	
MW-05	<u>3.22</u>		<u>68.1</u>	
MW-06	<u>3.77</u>		<u>102.2</u>	
PR-2	<u>3.51</u>		<u>58.3</u>	

#### Product Recovery

Well	LOCATION	Product thickness	Product removed from Sock (volume and color)	Volume removed total (gal or oz?)	Replace Sock? (Y/N)

COMMENTS/OTHER MAINTENANCE:  
Hour meter beginning to fail, requested replacement.












## APPENDIX B

# Project Photographs

---

**PROJECT PHOTOGRAPHS**  
 Sullivan GC D #1E  
 San Juan County, New Mexico  
 Hilcorp Energy Company

<p><b>Photograph 1</b></p> <p>Runtime meter taken on September 16, 2024 at 2:36 PM          Hours = 21,519</p>	
<p><b>Photograph 2</b></p> <p>Runtime meter taken on December 2, 2024 at 2:55 PM          Hours = 23,262</p>	
<p><b>Photograph 3</b></p> <p>Runtime meter taken on December 16, 2024 at 3:30 PM          Hours = 23,269</p>	

**PROJECT PHOTOGRAPHS**  
 Sullivan GC D #1E  
 San Juan County, New Mexico  
 Hilcorp Energy Company

<p><b>Photograph 4</b></p> <p>Fourth Quarter 2024 Telemetry System Status Report</p>	<div data-bbox="792 321 1370 359" style="background-color: #2e5496; color: white; padding: 2px;">History Values</div> <table border="1" data-bbox="800 369 1349 596"> <thead> <tr> <th>Attribute Name</th> <th>Configured Attribute Value</th> </tr> </thead> <tbody> <tr><td>Site Service</td><td>SJBU.UIS_1</td></tr> <tr><td>Long Point ID</td><td>93206_EVPS</td></tr> <tr><td>Facility ID</td><td>93206</td></tr> <tr><td>Uniform Data Code</td><td>EVPS</td></tr> <tr><td>Units</td><td>&lt;none&gt;</td></tr> <tr><td>Description</td><td>Enviro SVE Status</td></tr> <tr><td>Point Scheme</td><td>CDP Enhanced (2)</td></tr> </tbody> </table> <table border="1" data-bbox="800 632 1349 1180"> <thead> <tr> <th>Timestamp (descending)</th> <th>Value</th> <th>Point State</th> </tr> </thead> <tbody> <tr><td>12/27/2024 14:55:21.685</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>12/27/2024 10:55:48.170</td><td>ON</td><td>Unreliable</td></tr> <tr><td>12/17/2024 14:55:25.493</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>12/17/2024 12:55:39.185</td><td>ON</td><td>Unreliable</td></tr> <tr><td>12/17/2024 10:55:21.646</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>12/17/2024 08:55:23.833</td><td>ON</td><td>Unreliable</td></tr> <tr><td>12/13/2024 08:55:20.441</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>12/13/2024 04:55:48.180</td><td>ON</td><td>Unreliable</td></tr> <tr><td>11/21/2024 10:55:24.201</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>11/21/2024 00:55:21.818</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>11/20/2024 20:55:48.238</td><td>ON</td><td>Unreliable</td></tr> <tr><td>11/15/2024 20:55:21.770</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>11/15/2024 14:55:48.068</td><td>ON</td><td>Unreliable</td></tr> <tr><td>10/4/2024 09:55:20.484</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>10/4/2024 07:55:39.245</td><td>ON</td><td>Unreliable</td></tr> <tr><td>10/4/2024 05:55:21.829</td><td>ON</td><td>Enumeration Norm</td></tr> <tr><td>10/4/2024 03:55:23.097</td><td>ON</td><td>Unreliable</td></tr> <tr><td>9/11/2024 09:35:01.748</td><td>ON</td><td>Enumeration Norm</td></tr> </tbody> </table>	Attribute Name	Configured Attribute Value	Site Service	SJBU.UIS_1	Long Point ID	93206_EVPS	Facility ID	93206	Uniform Data Code	EVPS	Units	<none>	Description	Enviro SVE Status	Point Scheme	CDP Enhanced (2)	Timestamp (descending)	Value	Point State	12/27/2024 14:55:21.685	ON	Enumeration Norm	12/27/2024 10:55:48.170	ON	Unreliable	12/17/2024 14:55:25.493	ON	Enumeration Norm	12/17/2024 12:55:39.185	ON	Unreliable	12/17/2024 10:55:21.646	ON	Enumeration Norm	12/17/2024 08:55:23.833	ON	Unreliable	12/13/2024 08:55:20.441	ON	Enumeration Norm	12/13/2024 04:55:48.180	ON	Unreliable	11/21/2024 10:55:24.201	ON	Enumeration Norm	11/21/2024 00:55:21.818	ON	Enumeration Norm	11/20/2024 20:55:48.238	ON	Unreliable	11/15/2024 20:55:21.770	ON	Enumeration Norm	11/15/2024 14:55:48.068	ON	Unreliable	10/4/2024 09:55:20.484	ON	Enumeration Norm	10/4/2024 07:55:39.245	ON	Unreliable	10/4/2024 05:55:21.829	ON	Enumeration Norm	10/4/2024 03:55:23.097	ON	Unreliable	9/11/2024 09:35:01.748	ON	Enumeration Norm
Attribute Name	Configured Attribute Value																																																																									
Site Service	SJBU.UIS_1																																																																									
Long Point ID	93206_EVPS																																																																									
Facility ID	93206																																																																									
Uniform Data Code	EVPS																																																																									
Units	<none>																																																																									
Description	Enviro SVE Status																																																																									
Point Scheme	CDP Enhanced (2)																																																																									
Timestamp (descending)	Value	Point State																																																																								
12/27/2024 14:55:21.685	ON	Enumeration Norm																																																																								
12/27/2024 10:55:48.170	ON	Unreliable																																																																								
12/17/2024 14:55:25.493	ON	Enumeration Norm																																																																								
12/17/2024 12:55:39.185	ON	Unreliable																																																																								
12/17/2024 10:55:21.646	ON	Enumeration Norm																																																																								
12/17/2024 08:55:23.833	ON	Unreliable																																																																								
12/13/2024 08:55:20.441	ON	Enumeration Norm																																																																								
12/13/2024 04:55:48.180	ON	Unreliable																																																																								
11/21/2024 10:55:24.201	ON	Enumeration Norm																																																																								
11/21/2024 00:55:21.818	ON	Enumeration Norm																																																																								
11/20/2024 20:55:48.238	ON	Unreliable																																																																								
11/15/2024 20:55:21.770	ON	Enumeration Norm																																																																								
11/15/2024 14:55:48.068	ON	Unreliable																																																																								
10/4/2024 09:55:20.484	ON	Enumeration Norm																																																																								
10/4/2024 07:55:39.245	ON	Unreliable																																																																								
10/4/2024 05:55:21.829	ON	Enumeration Norm																																																																								
10/4/2024 03:55:23.097	ON	Unreliable																																																																								
9/11/2024 09:35:01.748	ON	Enumeration Norm																																																																								





## APPENDIX C

# Laboratory Analytical Reports

---



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mitch Killough  
 Hilcorp Energy  
 PO BOX 4700  
 Farmington, New Mexico 87499  
 Generated 12/4/2024 4:22:04 PM Revision 1

## JOB DESCRIPTION

Sullivan GC D 1E

## JOB NUMBER

885-15596-1

Eurofins Albuquerque  
 4901 Hawkins NE  
 Albuquerque NM 87109



# Eurofins Albuquerque

## Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

## Authorization



Authorized for release by  
Michelle Garcia, Project Manager  
[michelle.garcia@et.eurofinsus.com](mailto:michelle.garcia@et.eurofinsus.com)  
(505)345-3975

Generated  
12/4/2024 4:22:04 PM  
Revision 1



Client: Hilcorp Energy  
Project/Site: Sullivan GC D 1E

Laboratory Job ID: 885-15596-1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	8
QC Association Summary . . . . .	12
Lab Chronicle . . . . .	13
Certification Summary . . . . .	14
Subcontract Data . . . . .	17
Chain of Custody . . . . .	24
Receipt Checklists . . . . .	25



## Definitions/Glossary

Client: Hilcorp Energy  
Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Hilcorp Energy  
Project: Sullivan GC D 1E

Job ID: 885-15596-1

**Job ID: 885-15596-1**

**Eurofins Albuquerque**

**Job Narrative  
885-15596-1**

## REVISION

The report being provided is a revision of the original report sent on 12/2/2024. The report (revision 1) is being revised due to The GRO dilution factor has been updated..

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

## **Receipt**

The sample was received on 11/20/2024 6:35 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.8°C.

## **Subcontract Work**

Method Fixed Gases: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

## **Gasoline Range Organics**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## **GC/MS VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque



### Client Sample Results

Client: Hilcorp Energy  
 Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

**Client Sample ID: SVE-1**

**Lab Sample ID: 885-15596-1**

Date Collected: 11/18/24 17:05

Matrix: Air

Date Received: 11/20/24 06:35

Sample Container: Tedlar Bag 1L

**Method: SW846 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	1100		50	ug/L			11/20/24 15:54	10
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		52 - 172				11/20/24 15:54	10

**Method: SW846 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			11/20/24 15:54	10
1,1,1-Trichloroethane	ND		1.0	ug/L			11/20/24 15:54	10
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			11/20/24 15:54	10
1,1,2-Trichloroethane	ND		1.0	ug/L			11/20/24 15:54	10
1,1-Dichloroethane	ND		1.0	ug/L			11/20/24 15:54	10
1,1-Dichloroethene	ND		1.0	ug/L			11/20/24 15:54	10
1,1-Dichloropropene	ND		1.0	ug/L			11/20/24 15:54	10
1,2,3-Trichlorobenzene	ND		1.0	ug/L			11/20/24 15:54	10
1,2,3-Trichloropropane	ND		2.0	ug/L			11/20/24 15:54	10
1,2,4-Trichlorobenzene	ND		1.0	ug/L			11/20/24 15:54	10
<b>1,2,4-Trimethylbenzene</b>	<b>2.0</b>		1.0	ug/L			11/20/24 15:54	10
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			11/20/24 15:54	10
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			11/20/24 15:54	10
1,2-Dichlorobenzene	ND		1.0	ug/L			11/20/24 15:54	10
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			11/20/24 15:54	10
1,2-Dichloropropane	ND		1.0	ug/L			11/20/24 15:54	10
<b>1,3,5-Trimethylbenzene</b>	<b>1.8</b>		1.0	ug/L			11/20/24 15:54	10
1,3-Dichlorobenzene	ND		1.0	ug/L			11/20/24 15:54	10
1,3-Dichloropropane	ND		1.0	ug/L			11/20/24 15:54	10
1,4-Dichlorobenzene	ND		1.0	ug/L			11/20/24 15:54	10
1-Methylnaphthalene	ND		4.0	ug/L			11/20/24 15:54	10
2,2-Dichloropropane	ND		2.0	ug/L			11/20/24 15:54	10
2-Butanone	ND		10	ug/L			11/20/24 15:54	10
2-Chlorotoluene	ND		1.0	ug/L			11/20/24 15:54	10
2-Hexanone	ND		10	ug/L			11/20/24 15:54	10
2-Methylnaphthalene	ND		4.0	ug/L			11/20/24 15:54	10
4-Chlorotoluene	ND		1.0	ug/L			11/20/24 15:54	10
4-Isopropyltoluene	ND		1.0	ug/L			11/20/24 15:54	10
4-Methyl-2-pentanone	ND		10	ug/L			11/20/24 15:54	10
Acetone	ND		10	ug/L			11/20/24 15:54	10
<b>Benzene</b>	<b>9.6</b>		1.0	ug/L			11/20/24 15:54	10
Bromobenzene	ND		1.0	ug/L			11/20/24 15:54	10
Bromodichloromethane	ND		1.0	ug/L			11/20/24 15:54	10
Dibromochloromethane	ND		1.0	ug/L			11/20/24 15:54	10
Bromoform	ND		1.0	ug/L			11/20/24 15:54	10
Bromomethane	ND		3.0	ug/L			11/20/24 15:54	10
Carbon disulfide	ND		10	ug/L			11/20/24 15:54	10
Carbon tetrachloride	ND		1.0	ug/L			11/20/24 15:54	10
Chlorobenzene	ND		1.0	ug/L			11/20/24 15:54	10
Chloroethane	ND		2.0	ug/L			11/20/24 15:54	10
Chloroform	ND		1.0	ug/L			11/20/24 15:54	10

Eurofins Albuquerque



### Client Sample Results

Client: Hilcorp Energy  
 Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

**Client Sample ID: SVE-1**

**Lab Sample ID: 885-15596-1**

Date Collected: 11/18/24 17:05

Matrix: Air

Date Received: 11/20/24 06:35

Sample Container: Tedlar Bag 1L

**Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	ND		3.0	ug/L			11/20/24 15:54	10
cis-1,2-Dichloroethene	ND		1.0	ug/L			11/20/24 15:54	10
cis-1,3-Dichloropropene	ND		1.0	ug/L			11/20/24 15:54	10
Dibromomethane	ND		1.0	ug/L			11/20/24 15:54	10
Dichlorodifluoromethane	ND		1.0	ug/L			11/20/24 15:54	10
<b>Ethylbenzene</b>	<b>5.0</b>		1.0	ug/L			11/20/24 15:54	10
Hexachlorobutadiene	ND		1.0	ug/L			11/20/24 15:54	10
Isopropylbenzene	ND		1.0	ug/L			11/20/24 15:54	10
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			11/20/24 15:54	10
Methylene Chloride	ND		3.0	ug/L			11/20/24 15:54	10
n-Butylbenzene	ND		3.0	ug/L			11/20/24 15:54	10
N-Propylbenzene	ND		1.0	ug/L			11/20/24 15:54	10
Naphthalene	ND		2.0	ug/L			11/20/24 15:54	10
sec-Butylbenzene	ND		1.0	ug/L			11/20/24 15:54	10
Styrene	ND		1.0	ug/L			11/20/24 15:54	10
tert-Butylbenzene	ND		1.0	ug/L			11/20/24 15:54	10
Tetrachloroethene (PCE)	ND		1.0	ug/L			11/20/24 15:54	10
<b>Toluene</b>	<b>60</b>		1.0	ug/L			11/20/24 15:54	10
trans-1,2-Dichloroethene	ND		1.0	ug/L			11/20/24 15:54	10
trans-1,3-Dichloropropene	ND		1.0	ug/L			11/20/24 15:54	10
Trichloroethene (TCE)	ND		1.0	ug/L			11/20/24 15:54	10
Trichlorofluoromethane	ND		1.0	ug/L			11/20/24 15:54	10
Vinyl chloride	ND		1.0	ug/L			11/20/24 15:54	10
<b>Xylenes, Total</b>	<b>53</b>		1.5	ug/L			11/20/24 15:54	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		70 - 130		11/20/24 15:54	10
Toluene-d8 (Surr)	109		70 - 130		11/20/24 15:54	10
4-Bromofluorobenzene (Surr)	123		70 - 130		11/20/24 15:54	10
Dibromofluoromethane (Surr)	90		70 - 130		11/20/24 15:54	10

Eurofins Albuquerque

### QC Sample Results

Client: Hilcorp Energy  
 Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

#### Method: 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Lab Sample ID: MB 885-16400/4  
 Matrix: Air  
 Analysis Batch: 16400

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	ug/L			11/20/24 13:28	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	83		52 - 172				11/20/24 13:28	1

Lab Sample ID: LCS 885-16400/3  
 Matrix: Air  
 Analysis Batch: 16400

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	4250	4710		ug/L		111	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	90		52 - 172				

#### Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-16277/1005  
 Matrix: Air  
 Analysis Batch: 16277

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.10	ug/L			11/20/24 13:28	1
1,1,1-Trichloroethane	ND		0.10	ug/L			11/20/24 13:28	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			11/20/24 13:28	1
1,1,2-Trichloroethane	ND		0.10	ug/L			11/20/24 13:28	1
1,1-Dichloroethane	ND		0.10	ug/L			11/20/24 13:28	1
1,1-Dichloroethene	ND		0.10	ug/L			11/20/24 13:28	1
1,1-Dichloropropene	ND		0.10	ug/L			11/20/24 13:28	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			11/20/24 13:28	1
1,2,3-Trichloropropane	ND		0.20	ug/L			11/20/24 13:28	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			11/20/24 13:28	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			11/20/24 13:28	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			11/20/24 13:28	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			11/20/24 13:28	1
1,2-Dichlorobenzene	ND		0.10	ug/L			11/20/24 13:28	1
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			11/20/24 13:28	1
1,2-Dichloropropane	ND		0.10	ug/L			11/20/24 13:28	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			11/20/24 13:28	1
1,3-Dichlorobenzene	ND		0.10	ug/L			11/20/24 13:28	1
1,3-Dichloropropane	ND		0.10	ug/L			11/20/24 13:28	1
1,4-Dichlorobenzene	ND		0.10	ug/L			11/20/24 13:28	1
1-Methylnaphthalene	ND		0.40	ug/L			11/20/24 13:28	1
2,2-Dichloropropane	ND		0.20	ug/L			11/20/24 13:28	1
2-Butanone	ND		1.0	ug/L			11/20/24 13:28	1
2-Chlorotoluene	ND		0.10	ug/L			11/20/24 13:28	1
2-Hexanone	ND		1.0	ug/L			11/20/24 13:28	1

Eurofins Albuquerque



### QC Sample Results

Client: Hilcorp Energy  
 Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

**Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)**

**Lab Sample ID: MB 885-16277/1005**  
**Matrix: Air**  
**Analysis Batch: 16277**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	ND		0.40	ug/L			11/20/24 13:28	1
4-Chlorotoluene	ND		0.10	ug/L			11/20/24 13:28	1
4-Isopropyltoluene	ND		0.10	ug/L			11/20/24 13:28	1
4-Methyl-2-pentanone	ND		1.0	ug/L			11/20/24 13:28	1
Acetone	ND		1.0	ug/L			11/20/24 13:28	1
Benzene	ND		0.10	ug/L			11/20/24 13:28	1
Bromobenzene	ND		0.10	ug/L			11/20/24 13:28	1
Bromodichloromethane	ND		0.10	ug/L			11/20/24 13:28	1
Dibromochloromethane	ND		0.10	ug/L			11/20/24 13:28	1
Bromoform	ND		0.10	ug/L			11/20/24 13:28	1
Bromomethane	ND		0.30	ug/L			11/20/24 13:28	1
Carbon disulfide	ND		1.0	ug/L			11/20/24 13:28	1
Carbon tetrachloride	ND		0.10	ug/L			11/20/24 13:28	1
Chlorobenzene	ND		0.10	ug/L			11/20/24 13:28	1
Chloroethane	ND		0.20	ug/L			11/20/24 13:28	1
Chloroform	ND		0.10	ug/L			11/20/24 13:28	1
Chloromethane	ND		0.30	ug/L			11/20/24 13:28	1
cis-1,2-Dichloroethene	ND		0.10	ug/L			11/20/24 13:28	1
cis-1,3-Dichloropropene	ND		0.10	ug/L			11/20/24 13:28	1
Dibromomethane	ND		0.10	ug/L			11/20/24 13:28	1
Dichlorodifluoromethane	ND		0.10	ug/L			11/20/24 13:28	1
Ethylbenzene	ND		0.10	ug/L			11/20/24 13:28	1
Hexachlorobutadiene	ND		0.10	ug/L			11/20/24 13:28	1
Isopropylbenzene	ND		0.10	ug/L			11/20/24 13:28	1
Methyl-tert-butyl Ether (MTBE)	ND		0.10	ug/L			11/20/24 13:28	1
Methylene Chloride	ND		0.30	ug/L			11/20/24 13:28	1
n-Butylbenzene	ND		0.30	ug/L			11/20/24 13:28	1
N-Propylbenzene	ND		0.10	ug/L			11/20/24 13:28	1
Naphthalene	ND		0.20	ug/L			11/20/24 13:28	1
sec-Butylbenzene	ND		0.10	ug/L			11/20/24 13:28	1
Styrene	ND		0.10	ug/L			11/20/24 13:28	1
tert-Butylbenzene	ND		0.10	ug/L			11/20/24 13:28	1
Tetrachloroethene (PCE)	ND		0.10	ug/L			11/20/24 13:28	1
Toluene	ND		0.10	ug/L			11/20/24 13:28	1
trans-1,2-Dichloroethene	ND		0.10	ug/L			11/20/24 13:28	1
trans-1,3-Dichloropropene	ND		0.10	ug/L			11/20/24 13:28	1
Trichloroethene (TCE)	ND		0.10	ug/L			11/20/24 13:28	1
Trichlorofluoromethane	ND		0.10	ug/L			11/20/24 13:28	1
Vinyl chloride	ND		0.10	ug/L			11/20/24 13:28	1
Xylenes, Total	ND		0.15	ug/L			11/20/24 13:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130		11/20/24 13:28	1
Toluene-d8 (Surr)	115		70 - 130		11/20/24 13:28	1
4-Bromofluorobenzene (Surr)	94		70 - 130		11/20/24 13:28	1
Dibromofluoromethane (Surr)	101		70 - 130		11/20/24 13:28	1

Eurofins Albuquerque

## QC Sample Results

Client: Hilcorp Energy  
Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-16277/5

Matrix: Air

Analysis Batch: 16277

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			11/20/24 13:28	1
1,1,1-Trichloroethane	ND		1.0	ug/L			11/20/24 13:28	1
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			11/20/24 13:28	1
1,1,2-Trichloroethane	ND		1.0	ug/L			11/20/24 13:28	1
1,1-Dichloroethane	ND		1.0	ug/L			11/20/24 13:28	1
1,1-Dichloroethene	ND		1.0	ug/L			11/20/24 13:28	1
1,1-Dichloropropene	ND		1.0	ug/L			11/20/24 13:28	1
1,2,3-Trichlorobenzene	ND		1.0	ug/L			11/20/24 13:28	1
1,2,3-Trichloropropane	ND		2.0	ug/L			11/20/24 13:28	1
1,2,4-Trichlorobenzene	ND		1.0	ug/L			11/20/24 13:28	1
1,2,4-Trimethylbenzene	ND		1.0	ug/L			11/20/24 13:28	1
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			11/20/24 13:28	1
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			11/20/24 13:28	1
1,2-Dichlorobenzene	ND		1.0	ug/L			11/20/24 13:28	1
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			11/20/24 13:28	1
1,2-Dichloropropane	ND		1.0	ug/L			11/20/24 13:28	1
1,3,5-Trimethylbenzene	ND		1.0	ug/L			11/20/24 13:28	1
1,3-Dichlorobenzene	ND		1.0	ug/L			11/20/24 13:28	1
1,3-Dichloropropane	ND		1.0	ug/L			11/20/24 13:28	1
1,4-Dichlorobenzene	ND		1.0	ug/L			11/20/24 13:28	1
1-Methylnaphthalene	ND		4.0	ug/L			11/20/24 13:28	1
2,2-Dichloropropane	ND		2.0	ug/L			11/20/24 13:28	1
2-Butanone	ND		10	ug/L			11/20/24 13:28	1
2-Chlorotoluene	ND		1.0	ug/L			11/20/24 13:28	1
2-Hexanone	ND		10	ug/L			11/20/24 13:28	1
2-Methylnaphthalene	ND		4.0	ug/L			11/20/24 13:28	1
4-Chlorotoluene	ND		1.0	ug/L			11/20/24 13:28	1
4-Isopropyltoluene	ND		1.0	ug/L			11/20/24 13:28	1
4-Methyl-2-pentanone	ND		10	ug/L			11/20/24 13:28	1
Acetone	ND		10	ug/L			11/20/24 13:28	1
Benzene	ND		1.0	ug/L			11/20/24 13:28	1
Bromobenzene	ND		1.0	ug/L			11/20/24 13:28	1
Bromodichloromethane	ND		1.0	ug/L			11/20/24 13:28	1
Dibromochloromethane	ND		1.0	ug/L			11/20/24 13:28	1
Bromoform	ND		1.0	ug/L			11/20/24 13:28	1
Bromomethane	ND		3.0	ug/L			11/20/24 13:28	1
Carbon disulfide	ND		10	ug/L			11/20/24 13:28	1
Carbon tetrachloride	ND		1.0	ug/L			11/20/24 13:28	1
Chlorobenzene	ND		1.0	ug/L			11/20/24 13:28	1
Chloroethane	ND		2.0	ug/L			11/20/24 13:28	1
Chloroform	ND		1.0	ug/L			11/20/24 13:28	1
Chloromethane	ND		3.0	ug/L			11/20/24 13:28	1
cis-1,2-Dichloroethene	ND		1.0	ug/L			11/20/24 13:28	1
cis-1,3-Dichloropropene	ND		1.0	ug/L			11/20/24 13:28	1
Dibromomethane	ND		1.0	ug/L			11/20/24 13:28	1
Dichlorodifluoromethane	ND		1.0	ug/L			11/20/24 13:28	1
Ethylbenzene	ND		1.0	ug/L			11/20/24 13:28	1
Hexachlorobutadiene	ND		1.0	ug/L			11/20/24 13:28	1

Eurofins Albuquerque



### QC Sample Results

Client: Hilcorp Energy  
 Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

#### Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-16277/5  
 Matrix: Air  
 Analysis Batch: 16277

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		1.0	ug/L			11/20/24 13:28	1
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			11/20/24 13:28	1
Methylene Chloride	ND		3.0	ug/L			11/20/24 13:28	1
n-Butylbenzene	ND		3.0	ug/L			11/20/24 13:28	1
N-Propylbenzene	ND		1.0	ug/L			11/20/24 13:28	1
Naphthalene	ND		2.0	ug/L			11/20/24 13:28	1
sec-Butylbenzene	ND		1.0	ug/L			11/20/24 13:28	1
Styrene	ND		1.0	ug/L			11/20/24 13:28	1
tert-Butylbenzene	ND		1.0	ug/L			11/20/24 13:28	1
Tetrachloroethene (PCE)	ND		1.0	ug/L			11/20/24 13:28	1
Toluene	ND		1.0	ug/L			11/20/24 13:28	1
trans-1,2-Dichloroethene	ND		1.0	ug/L			11/20/24 13:28	1
trans-1,3-Dichloropropene	ND		1.0	ug/L			11/20/24 13:28	1
Trichloroethene (TCE)	ND		1.0	ug/L			11/20/24 13:28	1
Trichlorofluoromethane	ND		1.0	ug/L			11/20/24 13:28	1
Vinyl chloride	ND		1.0	ug/L			11/20/24 13:28	1
Xylenes, Total	ND		1.5	ug/L			11/20/24 13:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130		11/20/24 13:28	1
Toluene-d8 (Surr)	115		70 - 130		11/20/24 13:28	1
4-Bromofluorobenzene (Surr)	94		70 - 130		11/20/24 13:28	1
Dibromofluoromethane (Surr)	101		70 - 130		11/20/24 13:28	1

Lab Sample ID: LCS 885-16277/4  
 Matrix: Air  
 Analysis Batch: 16277

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.1	18.7		ug/L		93	70 - 130
Benzene	20.1	19.7		ug/L		98	70 - 130
Chlorobenzene	20.1	20.0		ug/L		100	70 - 130
Toluene	20.2	19.6		ug/L		97	70 - 130
Trichloroethene (TCE)	20.2	18.3		ug/L		91	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
Toluene-d8 (Surr)	97		70 - 130
4-Bromofluorobenzene (Surr)	82		70 - 130
Dibromofluoromethane (Surr)	98		70 - 130

Eurofins Albuquerque

# QC Association Summary

Client: Hilcorp Energy  
Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

## GC/MS VOA

### Analysis Batch: 16277

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-15596-1	SVE-1	Total/NA	Air	8260B	
MB 885-16277/1005	Method Blank	Total/NA	Air	8260B	
MB 885-16277/5	Method Blank	Total/NA	Air	8260B	
LCS 885-16277/4	Lab Control Sample	Total/NA	Air	8260B	

### Analysis Batch: 16400

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-15596-1	SVE-1	Total/NA	Air	8015M/D	
MB 885-16400/4	Method Blank	Total/NA	Air	8015M/D	
LCS 885-16400/3	Lab Control Sample	Total/NA	Air	8015M/D	





# Lab Chronicle

Client: Hilcorp Energy  
Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

**Client Sample ID: SVE-1**

**Lab Sample ID: 885-15596-1**

**Date Collected: 11/18/24 17:05**

**Matrix: Air**

**Date Received: 11/20/24 06:35**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015M/D		10	16400	CM	EET ALB	11/20/24 15:54
Total/NA	Analysis	8260B		10	16277	CM	EET ALB	11/20/24 15:54

**Laboratory References:**

= , 1120 South 27th Street, Billings, MT 59101, TEL (406)252-6325

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

# Accreditation/Certification Summary

Client: Hilcorp Energy  
 Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

## Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropane
8260B		Air	Dibromochloromethane

Eurofins Albuquerque



# Accreditation/Certification Summary

Client: Hilcorp Energy  
 Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

## Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Oregon	NELAP	NM100001	02-26-25
--------	-------	----------	----------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene

Eurofins Albuquerque

## Accreditation/Certification Summary

Client: Hilcorp Energy  
Project/Site: Sullivan GC D 1E

Job ID: 885-15596-1

### Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Eurofins Albuquerque



Trust our People. Trust our Data.  
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515  
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

# ANALYTICAL SUMMARY REPORT

December 02, 2024

Hall Environmental  
4901 Hawkins St NE Ste D  
Albuquerque, NM 87109-4372

Work Order: B24111572 Quote ID: B15626

Project Name: Sullivan GC D 1E, 88501698

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 11/21/2024 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B24111572-001	SVE-1 (885-15596-1)	11/18/24 17:05	11/21/24	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond,/1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 So. 27th Street, Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

Energy Laboratories, Inc. verifies the reported results for the analysis has been technically reviewed and approved for release.

If you have any questions regarding these test results, please contact your Project Manager.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12





Trust our People. Trust our Data.  
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515  
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

### LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

**Client:** Hall Environmental  
**Project:** Sullivan GC D 1E, 88501698  
**Lab ID:** B24111572-001  
**Client Sample ID:** SVE-1 (885-15596-1)

**Report Date:** 12/02/24  
**Collection Date:** 11/18/24 17:05  
**Date Received:** 11/21/24  
**Matrix:** Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>GAS CHROMATOGRAPHY ANALYSIS REPORT</b>							
Oxygen	17.79	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Nitrogen	79.71	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Carbon Dioxide	0.89	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Methane	1.31	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Ethane	0.19	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Propane	0.06	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Isobutane	0.01	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
n-Butane	0.01	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Isopentane	0.01	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Hexanes plus	0.02	Mol %		0.01		GPA 2261-13	11/21/24 13:23 / jrj
Propane	0.017	gpm		0.001		GPA 2261-13	11/21/24 13:23 / jrj
Isobutane	0.003	gpm		0.001		GPA 2261-13	11/21/24 13:23 / jrj
n-Butane	0.003	gpm		0.001		GPA 2261-13	11/21/24 13:23 / jrj
Isopentane	0.004	gpm		0.001		GPA 2261-13	11/21/24 13:23 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-13	11/21/24 13:23 / jrj
Hexanes plus	0.008	gpm		0.001		GPA 2261-13	11/21/24 13:23 / jrj
GPM Total	0.035	gpm		0.001		GPA 2261-13	11/21/24 13:23 / jrj
GPM Pentanes plus	0.012	gpm		0.001		GPA 2261-13	11/21/24 13:23 / jrj

#### CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	20			1		GPA 2261-13	11/21/24 13:23 / jrj
Net BTU per cu ft @ std cond. (LHV)	18			1		GPA 2261-13	11/21/24 13:23 / jrj
Pseudo-critical Pressure, psia	543			1		GPA 2261-13	11/21/24 13:23 / jrj
Pseudo-critical Temperature, deg R	242			1		GPA 2261-13	11/21/24 13:23 / jrj
Specific Gravity @ 60/60F	0.993			0.001		D3588-81	11/21/24 13:23 / jrj
Air, %	81.30			0.01		GPA 2261-13	11/21/24 13:23 / jrj
- The analysis was not corrected for air.							

#### COMMENTS

-							11/21/24 13:23 / jrj
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior. - GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions. - To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825. - Standard conditions: 60 F & 14.73 psi on a dry basis							

**Report Definitions:** RL - Analyte Reporting Limit  
QCL - Quality Control Limit

MCL - Maximum Contaminant Level  
ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.  
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515  
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

### QA/QC Summary Report

Prepared by Billings, MT Branch

Work Order: B24111572

Report Date: 12/02/24

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
<b>Method: GPA 2261-13</b>								Batch: R432869		
<b>Lab ID: B24111572-001ADUP</b>	12 Sample Duplicate				Run: GCNGA-B_241121A			11/21/24 14:12		
Oxygen		17.8	Mol %	0.01				0.1	20	
Nitrogen		79.7	Mol %	0.01				0	20	
Carbon Dioxide		0.88	Mol %	0.01				1.1	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		1.29	Mol %	0.01				1.5	20	
Ethane		0.20	Mol %	0.01				5.1	20	
Propane		0.07	Mol %	0.01				15	20	
Isobutane		0.01	Mol %	0.01				0.0	20	
n-Butane		0.01	Mol %	0.01				0.0	20	
Isopentane		0.01	Mol %	0.01				0.0	20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.02	Mol %	0.01				0.0	20	
<b>Lab ID: LCS112124</b>	11 Laboratory Control Sample				Run: GCNGA-B_241121A			11/21/24 15:51		
Oxygen		0.62	Mol %	0.01	124	70	130			
Nitrogen		6.06	Mol %	0.01	101	70	130			
Carbon Dioxide		0.99	Mol %	0.01	100	70	130			
Methane		74.8	Mol %	0.01	100	70	130			
Ethane		6.04	Mol %	0.01	101	70	130			
Propane		5.06	Mol %	0.01	102	70	130			
Isobutane		1.60	Mol %	0.01	80	70	130			
n-Butane		2.00	Mol %	0.01	100	70	130			
Isopentane		1.04	Mol %	0.01	104	70	130			
n-Pentane		1.01	Mol %	0.01	101	70	130			
Hexanes plus		0.81	Mol %	0.01	101	70	130			

**Qualifiers:**

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.  
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515  
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

# Work Order Receipt Checklist

## Hall Environmental

## B24111572

Login completed by: Lyndsi E. LeProwse

Date Received: 11/21/2024

Reviewed by: dharris

Received by: CMJ

Reviewed Date: 11/22/2024

Carrier name: FedEx NDA

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	16.1°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

### Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Trip Blanks and/or Blind Duplicate samples are assigned the earliest collection time for the associated requested analysis in order to evaluate the holding time unless specifically indicated.

### Contact and Corrective Action Comments:

None





Trust our People. Trust our Data.  
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515  
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

### Laboratory Certifications and Accreditations

Current certificates are available at [www.energylab.com](http://www.energylab.com) website:

	Agency	Number
<b>Billings, MT</b>    	Alaska	17-023
	California	3087
	Colorado	MT00005
	Department of Defense (DoD)/ISO17025	ADE-2588
	Florida (Primary NELAP)	E87668
	Idaho	MT00005
	Louisiana	05079
	Montana	CERT0044
	Nebraska	NE-OS-13-04
	Nevada	NV-C24-00250
	North Dakota	R-007
	National Radon Proficiency	109383-RMP
	Oregon	4184
	South Dakota	ARSD 74:04:07
	Texas	TX-C24-00302
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00170
Washington	C1039	
<b>Casper, WY</b>  	Alaska	20-006
	California	3021
	Colorado	WY00002
	Florida (Primary NELAP)	E87641
	Idaho	WY00002
	Louisiana	05083
	Montana	CERT0002
	Nebraska	NE-OS-08-04
	Nevada	NV-C24-00245
	North Dakota	R-125
	Oregon	WY200001
	South Dakota	WY00002
	Texas	T104704181-23-21
	US EPA Region VIII	WY00002
	USNRC License	49-26846-01
Washington	C1012	
<b>Gillette, WY</b>	US EPA Region VIII	WY00006
<b>Helena, MT</b>	Colorado	MT00945
	Montana	CERT0079
	Nevada	NV-C24-00119
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00090

**Eurofins Albuquerque**  
4901 Hawkins NE  
Albuquerque, NM 87109  
Phone: 505-345-3975 Fax: 505-345-4107

### Chain of Custody Record



Environment Testing

<b>Client Information (Sub Contract Lab)</b>		Sampler: N/A	Lab PM: Garcia, Michelle	Carrier Tracking No(s): N/A	COC No: 885-2889-1
Client Contact: Shipping/Receiving		Phone: N/A	E-Mail: michelle.garcia@et.eurofins.com	State of Origin: New Mexico	Page: Page 1 of 1
Company: Energy Laboratories, Inc.		Accreditations Required (See note): NELAP - Oregon; State - New Mexico		Job #: 885-15596-1	Preservation Codes:
Address: 1120 South 27th Street,		Due Date Requested: 11/27/2024		Analysis Requested	
City: Billings	State, Zip: MT, 59101	PO #: N/A	TAT Requested (days): N/A	Total Number of containers	
Phone: 406-252-8325(Tel)	Project #: N/A	WO #: N/A	Matrix (W=water, S=solid, O=waste/oil, AT=Tissue, A=Air)	SUB (Fixed Gases)/ Fixed Gases	
Email: N/A	Project Name: Sullivan GC D 1E	SSOW#: N/A	Sample Type (C=Comp, G=grab)	Perform MS/MSD (Yes or No)	
Site: N/A	Site: N/A	Sample Date: 11/18/24	Sample Time: 17:05 Mountain	Field Filtered Sample (Yes or No)	
<b>Sample Identification - Client ID (Lab ID)</b>		Sample Date: 11/18/24	Sample Time: 17:05 Mountain	Special Instructions/Note:	
SVE-1 (885-15596-1)		Sample Date: 11/18/24	Sample Time: 17:05 Mountain	1 See Attached Instructions	
SVE-1 (885-15596-1)		Sample Date: 11/18/24	Sample Time: 17:05 Mountain	Bdy 11572	

**Possible Hazard Identification**  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months  
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2  
 Special Instructions/QC Requirements:

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Relinquished by: *[Signature]* Date: 11/20/24 1410 Company  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company

Custody Seal Intact:  Yes  No  Δ  No  Δ  No  
 Custody Seal No.: *[Signature]* Crystal Jones 11/21/24 0900  
 Cooler Temperature(s) and Other Remarks:

Ver: 10/10/2024



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

**ICOC No:**  
885-2889

**Containers**

Count      Container Type  
1              Tedlar Bag 1L

Preservative  
None

**Subcontract Method Instructions**

Sample IDs	Method	Method Description	Method Comments
1	SUBCONTRACT	SUB (Fixed Gases)/ Fixed Gases	Fixed Gases



# Chain-of-Custody Record

Client: Hilcorp

Mailing Address:

Phone #:

email or Fax#: branden.s.inclair@hilcorp.com

QA/QC Package:  
 Standard  Level 4 (Full Validation)  
 Az Compliance  
 NELAC  Other

Accreditation:  
 EDD (Type)

Project Manager: Mitch Killough

Sampler: Branden Sinclair

On Ice:  Yes  No

# of Coolers: 1

Cooler Temp (including CF): 9-0.1-1.8 (°C)

Turn-Around Time:  
 Standard  Rush

Project Name:  
Sullivan GCB IE

Project #:                     

Project Manager: Mitch Killough

Sampler: Branden Sinclair

On Ice:  Yes  No

# of Coolers: 1

Cooler Temp (including CF): 9-0.1-1.8 (°C)

Container Type and #  
2 Tedlar

Preservative Type  
                    

HEAL No.  
                    



**HALL ENVIRONMENTAL ANALYSIS LABORATORY**

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

885-15596 COC

**Analysis Request**

BTEX / MTBE / TMBs (8021)	
TPH:8015D(GRO / DRO / MRO)	
8081 Pesticides/8082 PCBs	
EDB (Method 504.1)	
PAHs by 8310 or 8270SIMS	
RCRA 8 Metals	
Cl, F, Br, NO <sub>3</sub> , NO <sub>2</sub> , PO <sub>4</sub> , SO <sub>4</sub>	
8260 (VOA)	✓
8270 (Semi-VOA)	
Total Coliform (Present/Absent)	✓
8015 TPH	✓
Fixed gas O <sub>2</sub> & CO <sub>2</sub>	✓

Remarks:

Received by: Branden Sinclair Date: 11/19/24 Time: 1303

Received by:                      Date:                      Time:                     

if necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



### Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-15596-1

**Login Number: 15596**

**List Source: Eurofins Albuquerque**

**List Number: 1**

**Creator: Casarrubias, Tracy**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 419407

**CONDITIONS**

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 419407
	Action Type: [REPORT] Alternative Remediation Report (C-141AR)

**CONDITIONS**

Created By	Condition	Condition Date
nvelez	SVE reviewed - 1. Continue O&M & sampling as stated in report. 2. Submit next quarterly report by April 15, 2025.	1/16/2025