

***** LIQUID SPILLS - VOLUME CALCULATIONS ******

Loca	tion of spill:	Avant/Skeen Ro	d booster		Date of Spill:	2/1	/2025			
					uipment, i.e wellhead, s		_			
	flo	wline, tank battery,	production vessel, t	ransfer p	oump, or storage tank place	e an "X" here:				
				Input	Data:	OIL:		WATER:		
If spill volur	nes from measure	ment, i.e. metering	, tank volumes, etc.a	are know	n enter the volumes here:	0.0000 BI	BL	0.0000 BE	iL.	
If "known" s	spill volumes are	given, input data	for the following "/	Area Ca	Iculations" is optional. T	he above will o	verrid	e the calculate	d volumes.	
	Total Area Cal	culations			Carlo VIII Sanga Common of Edition Co.	Standing L	iquid	Calculations	S	
Total Surface Area	width	length	wet soil depth oi	il (%)	Standing Liquid Area	width		length	liquid dep	th oil (%)
Rectangle Area #1	4 ft X 100 ft X	301 ft X 120 ft X	1 in	0% 0%	Rectangle Area #1	0 ft 0 ft	X	0 ft 0 ft	X 0 X 0	
Rectangle Area #2 Rectangle Area #3	0 ft X	0 ft X	1 in 0 in	0%	Rectangle Area #2 Rectangle Area #3	0 ft	X	0 ft	X 0	
Rectangle Area #4	0 ft X	0 ft X	0 in	0%	Rectangle Area #4	0 ft	X	0 ft	X 0	
Rectangle Area #5	0 ft X	0 ft X	0 in	0%	Rectangle Area #5	0 ft	X	0 ft	X 0	
Rectangle Area #6	0 ft X	0 ft X	0 in	0%	Rectangle Area #6	0 ft	X	0 ft	X 0	
Rectangle Area #7 Rectangle Area #8	0 ft X 0 ft X	0 ft X 0 ft X	0 in 0 in	0% 0%	Rectangle Area #7 Rectangle Area #8	0 ft 0 ft	X	0 ft 0 ft	X 0 X	
700000 / San C 10 10 20 / 20 / 20 / 20 / 20 / 20 / 20	1000 V000	10 March 10 10 10 10 10 10 10 10 10 10 10 10 10	Gazan Marian		1901 (2000 9000 1000 - 1 000 000 000 000 000 000 000 000 000 0	of the above of	10.10-01.	200	30.7900 Wallery	22 mg 52
				okay						
		production	system leak - DAII	LY PRO	DUCTION DATA REQUIR	ED				
Average Daily Production:	Oil	Water								
	0 BBL	0 BBL								
Did leak occur before the sepa	arator?:	YES X N/A	(place an "X")							
Special Control Contro	25 No. 1005 (1007) (1007)	000 170 CANADA								
Amount of Free Liquid					Percentage of Oil i	n Free Liquid				
Recovered:	0 BBL	oka	У		i orooniago or oni	Recovered:	0%	(percentage)		
Liquid holding factor *:	0.14 gal per	nal Use the fo	llowing when the spill we	ate the arai	ns of the soil	Lice the following wi	non tho	liquid completely fill	s the pore space of the	enil:
Eigala Holaling Tactor	0.14 gai pei		.08 gallon liquid per gallo						by barriers, natural (or	
			(caliche) loam = .14 gallo						gallon volume of soil.	1/336)
			ay Ioam soil = .14 gallon			* sandy loam = .5 g	allon liq	uid per gallon volum	e of soil.	
		* clay loar	n = .16 gallon liquid per g	gallon volur	ne of soil:					
Saturated Soil Volur	ne Calculations:				Free Liquid Vo	olume Calculati	ons:			
Total Solid/Liquid Volume:	13,204 sq. ft.	<u>H2O</u> 1,100 cu. ft.	OIL cu. ft.		Total Free Liquid Volume:	sc	ą. ft.	<u>H2O</u> .000 cu.	.ft000	cu. ft.
Estimated Volumes S	Spilled				Estimated Production	Volumes Lost				
Liga	ıid in Soil:	H2O 27.4 BBL	OIL 0.0 BBL		Estimated Produ	iotion Spillod:		H2O 0.000000 BB	OIL 0.000000	DDI
	ee Liquid:	110.0 BBL	0.0 BBL		Estimated Frode	iction opilied.		0.000000	0.00000	DDL
	Totals:	137.435 BBL	0.000 BBL		Estimated Surface					
Administration (Authority) and Authority (Authority)					Surface Area:	13, <mark>204</mark> sc				
Total Liquid S _l	oill Liquid:	137.435 BBL	0.000 BBL		Surface Area:	.3031 ad	re			
Recovered Volum	<u>ies</u>				Estimated Weights,	and Volumes				
Estimated oil recovered:	0.0 BBL	check -	okay		Saturated Soil =	123,237 lb	S	1,100 cu	ft. 41	cu.yds.
Estimated water recovered:	0.0 BBL	check -	okay		Total Liquid =	137 BI	3L	5,772.27 gal	lon 48,025	bs




AVANT OPERATING LEA UNIT FRAC – WATER XFER LEA, NM








AVANT OPERATING LEA UNIT FRAC – WATER XFER LEA, NM







AVANT OPERATING LEA UNIT FRAC – WATER XFER LEA, NM



General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 427353

QUESTIONS

Operator:	OGRID:
Avant Operating, LLC	330396
1515 Wynkoop Street	Action Number:
Denver, CO 80202	427353
	Action Type:
	[C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2503331267
Incident Name	NAPP2503331267 LEA UNIT FRAC @ 0
Incident Type	Produced Water Release
Incident Status	Initial C-141 Received

Location of Release Source		
Please answer all the questions in this group.		
Site Name	Lea Unit Frac	
Date Release Discovered	02/01/2025	
Surface Owner	Federal	

ncident Details		
Please answer all the questions in this group.		
Incident Type	Produced Water Release	
Did this release result in a fire or is the result of a fire	No	
Did this release result in any injuries	No	
Has this release reached or does it have a reasonable probability of reaching a watercourse	No	
Has this release endangered or does it have a reasonable probability of endangering public health	No	
Has this release substantially damaged or will it substantially damage property or the environment	No	
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No	

Nature and Volume of Release				
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.				
Crude Oil Released (bbls) Details	Not answered.			
Produced Water Released (bbls) Details	Cause: Equipment Failure Fitting Produced Water Released: 137 BBL Recovered: 110 BBL Lost: 27 BBL.			
Is the concentration of chloride in the produced water >10,000 mg/l	Yes			
Condensate Released (bbls) Details	Not answered.			
Natural Gas Vented (Mcf) Details	Not answered.			
Natural Gas Flared (Mcf) Details	Not answered.			
Other Released Details	Not answered.			
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	A 3rd party water transfer company was pumping water to the Lea Unit 14-11 #203H frac. The surface lay-flat line was over pressurized, causing a carbon steel clamp to fail and released an estimated 137 barrels produced water along the ROW and into the pasture. A vac truck was able to recover a total of 110 barrels fluid. The impacted soils will be scheduled for remediation after frac operations are completed and the surface line is removed in the coming weeks.			

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 427353

QUESTIONS (continued)

Operator:		OGRID: 330396
Avant Operating, LLC 1515 Wynkoop Street		Action Number:
Denver, CO 80202		427353
		Action Type:
		[C-141] Initial C-141 (C-141-v-Initial)
QUESTIONS		
Nature and Volume of Release (continued)		
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied ve	olumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes	
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major r (1) an unauthorized rele	elease" determine using: ease of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the	he C-129 form.
L w 15		
Initial Response		
The responsible party must undertake the following actions immediately unless they could create a s		ıry.
The source of the release has been stopped	True	
The impacted area has been secured to protect human health and the environment	True	
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True	
All free liquids and recoverable materials have been removed and managed appropriately	True	
If all the actions described above have not been undertaken, explain why	Not answered.	
Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remedi actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure e	ted or if the release occurred within a	a lined containment area (see Subparagraph (a) of Paragraph (5) of
I hereby certify that the information given above is true and complete to the best of my to report and/or file certain release notifications and perform corrective actions for release the OCD does not relieve the operator of liability should their operations have failed to a water, human health or the environment. In addition, OCD acceptance of a C-141 report local laws and/or regulations.	ases which may endanger publi adequately investigate and remo	c health or the environment. The acceptance of a C-141 report by ediate contamination that pose a threat to groundwater, surface
I hereby agree and sign off to the above statement	Name: Laci Luig Title: ES&H Specialist Email: DL_PermianEnvironm Date: 02/02/2025	nental@coterra.com

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 3

Action 427353

QUESTIONS (continued)

Operator:	OGRID:
Avant Operating, LLC	330396
	Action Number:
Denver, CO 80202	427353
	Action Type:
	[C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS Site Characterization Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the What is the shallowest depth to groundwater beneath the area affected by the Not answered. release in feet below ground surface (ft bgs) What method was used to determine the depth to ground water Not answered. Did this release impact groundwater or surface water Not answered What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A continuously flowing watercourse or any other significant watercourse Not answered Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Not answered. An occupied permanent residence, school, hospital, institution, or church Not answered. A spring or a private domestic fresh water well used by less than five households Not answered. for domestic or stock watering purposes Any other fresh water well or spring Not answered. Incorporated municipal boundaries or a defined municipal fresh water well field Not answered. Not answered. A subsurface mine Not answered. An (non-karst) unstable area Not answered. Categorize the risk of this well / site being in a karst geology A 100-year floodplain Not answered. Did the release impact areas not on an exploration, development, production, or Not answered. storage site

Remediation Plan			
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.			
Requesting a remediation plan approval with this submission	No		
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.			

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 427353

CONDITIONS

Operator:	OGRID:
Avant Operating, LLC	330396
1515 Wynkoop Street	Action Number:
Denver, CO 80202	427353
	Action Type:
	[C-141] Initial C-141 (C-141-v-Initial)

CONDITIONS

Cre	eated By	Condition	Condition Date
rŀ	namlet	None	2/5/2025