

(A) ELECTRONIC SAMPLING NOTIFICATION

Date of first excavation confirmation soil sample collection:	10/04/24
Total area sampled (sqft)	13,044
Total Number of excavation confirmation soil samples	105
Primary sample technician	Jason Owsley
Contact information for primary sample technician	575-602-5998
Driving Directions to site: FROM THE INTER OF CR-66A & SANGER ST HEAD W ON SANGER ST 0.25MI, N 0.2MI, W 0.1MI TO THE BATTERY ON THE RIGHT	

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Monday, September 30, 2024 11:24 AM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 388233

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 10/03/2024 @ 09:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: this is the first of two Sampling Notifications, est doing 35 samples each day for a total of 70 samples.

Additional Instructions: 32.7132797, -103.1813812 off NW County Road
Texland - Kirk 432-894-1491, Case 806-777-2965
Diamondback - Jason Owsley 575-602-5998

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Monday, September 30, 2024 11:32 AM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 388298

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 10/04/2024 @ 08:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: this is the second of two Sampling Notifications, an est of 35 samples will be taken of the 70 total samples gathered.

Texland - Kirk 432-894-1491, Case 806-777-2965

Diamondback - Jason Owsley 575-602-5998

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Vickie Smith

Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 390752

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Tuesday, October 8, 2024 11:38 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 390752

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 10/10/2024 @ 11:30

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 w/Texland Petroleum; Jason 575-602-5998 w/Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Friday, November 1, 2024 4:16 PM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 398277

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/06/2024 @ 08:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 w/ Texland Petroleum;
Jason 575-602-5998 Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Friday, November 1, 2024 4:21 PM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 398280

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/07/2024 @ 08:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 w/Textland Petroleum;
Jason 575-602-5998 w/Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Friday, November 8, 2024 9:35 AM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 400703

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/12/2024 @ 08:30

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 Texland Petroleum;
Jason 575-602-5998 Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Friday, November 8, 2024 9:40 AM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 400707

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/13/2024 @ 08:30

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 Texland Petroleum;
Jason 575-602-5998 Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Wednesday, November 13, 2024 10:56 AM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 402850

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/18/2024 @ 08:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 Texland Petroleum;
Jason 575-602-5998 Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Vickie Smith

From: Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>
Sent: Wednesday, August 14, 2024 12:50 PM
To: Vickie Smith
Cc: Bratcher, Michael, EMNRD; Wells, Shelly, EMNRD; Velez, Nelson, EMNRD
Subject: Extension Approved - Request for Spill extension (nAPP2414147581)

RE: Incident #NAPP2414147581

Vickie,

Your request for a 90 day extension to **November 12th, 2024** is approved. Please include this e-mail correspondence in the remediation and/or closure report.

Robert Hamlet • Environmental Specialist - Advanced
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave. | Artesia, NM 88210
575.909.0302 | robert.hamlet@state.nm.us
<http://www.emnrd.state.nm.us/OCD/>



From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Monday, August 12, 2024 3:30 PM
To: Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>
Cc: Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>
Subject: FW: [EXTERNAL] Request for Spill extension (nAPP2414147581)

From: Vickie Smith <vsmith@texpetro.com>
Sent: Monday, August 12, 2024 2:40 PM
To: Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>
Subject: [EXTERNAL] Request for Spill extension

You don't often get email from vsmith@texpetro.com. [Learn why this is important](#)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Texland Petroleum-Hobbs, LLC (113315)
Bowers A Battery nAPP2414147581

Texland is requesting a 90 day extension to the clean up operations on the above captioned well. The need to move the tank battery because the work area became extremely dangerous has delayed

the completion of the remediation work and the final report being submitted.

Vickie Smith
Regulatory Analyst
575-433-8395
vsmith@texpetro.com

Vickie Smith

From: Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>
Sent: Thursday, October 31, 2024 2:15 PM
To: Wilson Woods; Bratcher, Michael, EMNRD; Wells, Shelly, EMNRD
Cc: Vickie Smith; Kelly Jordan; Greg Mendenhall; Case Keeter; Kirk Jackson
Subject: RE: [EXTERNAL] RE: (Final Denied) - Request for Release cleanup extension

Yes sir, that is correct.

Robert Hamlet • Environmental Specialist - Advanced
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave. | Artesia, NM 88210
575.909.0302 | robert.hamlet@state.nm.us
<http://www.emnrd.state.nm.us/OCD/>



From: Wilson Woods <wwoods@texpetro.com>
Sent: Thursday, October 31, 2024 1:14 PM
To: Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>; Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Cc: Vickie Smith <vsmith@texpetro.com>; Kelly Jordan <kjordan@texpetro.com>; Greg Mendenhall <gmendenhall@texpetro.com>; Case Keeter <ckeeter@texpetro.com>; Kirk Jackson <kjackson@texpetro.com>
Subject: [EXTERNAL] RE: (Final Denied) - Request for Release cleanup extension

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Thank you. Just to clarify for the record, that will be January 27, **2025**.

I think our engineers would still like to have a call with you to discuss next steps, specifically dealing with the water table depth. Do you have availability next week to have a call with Greg and Kelly?

Thanks,
Wilson

From: Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>
Sent: Thursday, October 31, 2024 2:09 PM
To: Wilson Woods <wwoods@texpetro.com>; Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Cc: Vickie Smith <vsmith@texpetro.com>; Kelly Jordan <kjordan@texpetro.com>; Greg Mendenhall <gmendenhall@texpetro.com>; Case Keeter <ckeeter@texpetro.com>; Kirk Jackson <kjackson@texpetro.com>
Subject: (Final Denied) - Request for Release cleanup extension

Wilson,

I just talked to the OCD Environmental Incident Supervisor (Mike Bratcher). We are willing to work with you on this one, since you relocated the battery. Our system defaults to a 90 day extension for a Remediation Closure Report, which would require a report to be submitted by **January 27th, 2024**. This will be the **final extension** for this release. Please include this e-mail correspondence in the remediation and/or closure report.

Regards,

Robert Hamlet • Environmental Specialist - Advanced
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave. | Artesia, NM 88210
575.909.0302 | robert.hamlet@state.nm.us
<http://www.emnrd.state.nm.us/OCD/>



From: Wilson Woods <wwoods@texpetro.com>
Sent: Thursday, October 31, 2024 10:18 AM
To: Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>; Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Cc: Vickie Smith <vsmith@texpetro.com>; Kelly Jordan <kjordan@texpetro.com>; Greg Mendenhall <gmendenhall@texpetro.com>; Case Keeter <ckeeter@texpetro.com>; Kirk Jackson <kjackson@texpetro.com>
Subject: [EXTERNAL] RE: (Extension Denied) - Request for Release cleanup extension

You don't often get email from wwoods@texpetro.com. [Learn why this is important](#)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Robert: I wanted to share with you the scope of the operation involved on this cleanup, and ask for clarification on what we are supposed to do if the cleanup can't be completed before November 12.

The spill occurred on May 19. The spill was approximately 52 barrels of oil and we picked up 40 barrels. The spill was entirely contained within the berm. Oil seeped under one tank at the battery, requiring the movement of the tank in order to fully clean the area. For safety reasons, we couldn't just move the one tank involved because of fear of collapse during any excavation that may be involved in the cleanup. So we had to relocate the entire battery before we could dig.

In order to move the battery, we had to reach an agreement with OXY as the surface owner and the BLM as the mineral owner. The BLM approved our filing on June 27, and OXY gave us an easement to relocate the battery on or about July 1. Our relocation effort started on July 9, and was completed on August 19.

Once the battery was relocated, we began cleanup efforts under the original tank location. We anticipated this would be a relatively simple cleanup given that it only involved about 12 barrels that were not recovered.

I have attached an aerial photo reflecting the status of the excavation as of 10/16/2024 (the most recent photo we have). Also linked is a [video](#) reflecting the dig as of the first of October. As we have continued digging and testing, this has turned into an excavation project of an area over 160 feet long and 65 feet wide, between 10-25 feet deep

at this point. This is obviously more significant than what would result from a 12 barrel spill that was entirely contained within the berms. We are pretty clearly dealing with issues from a legacy operator before we had ownership and operation of the battery.

I assure you we are diligently working to clean this up. However, if this extension is denied, we need guidance on how to proceed forward with the cleanup. We do not think it is likely that cleanup will be complete given the timelines we have experienced thus far. The typical schedule has been:

- We will have the digging crew with Diamondback Disposal Services out for multiple days to continue excavation
- We send samples to Cardinal Laboratories to determine whether the new excavation limit is clean, with results taking up to a week to receive
- We have Diamondback back out to continue to excavate at its next availability, typically within a week or two of the receipt of lab results.

How would you have us proceed to get this finished by November 12?

Assuming you are willing to work with us on the scheduling given the size and scope of the project, we are also at a point where we need guidance from you on how to continue. Specifically, as we approach the water table, we assume you want us to stop digging before we hit it. Can we use an impermeable barrier (a liner) to prevent water contamination? At what point can we do that?

We would request a conference call or Teams meeting with you to discuss next steps at your earliest convenience.

Please let us know your availability.

Thanks,

Wilson Woods

Wilson Woods

Vice President – Land & Legal

Texland Petroleum, L.P. | (817) 900-1216

600 Bailey Avenue, Suite 150 | Fort Worth, TX 76107

Board Certified - Oil, Gas & Mineral Law

Texas Board of Legal Specialization

Begin forwarded message:

From: Kelly Jordan <kjordan@texpetro.com>

Date: October 31, 2024 at 10:14:41 AM CDT

To: Case Keeter <ckeeter@texpetro.com>

Subject: Fwd: (Extension Denied) - Request for Release cleanup extension

Begin forwarded message:

From: Vickie Smith <vsmith@texpetro.com>
Date: October 31, 2024 at 9:50:59 AM CDT
To: Case Keeter <ckeeter@texpetro.com>, Kelly Jordan <kjordan@texpetro.com>, Greg Mendenhall <gmendenhall@texpetro.com>, Kirk Jackson <kjackson@texpetro.com>, Ronnie McCracken <rmccracken@texpetro.com>
Subject: Fwd: (Extension Denied) - Request for Release cleanup extension

Begin forwarded message:

From: "Hamlet, Robert, EMNRD" <Robert.Hamlet@emnrd.nm.gov>
Date: October 31, 2024 at 7:19:43 AM MDT
To: Vickie Smith <vsmith@texpetro.com>
Cc: "Bratcher, Michael, EMNRD" <mike.bratcher@emnrd.nm.gov>, "Wells, Shelly, EMNRD" <Shelly.Wells@emnrd.nm.gov>
Subject: (Extension Denied) - Request for Release cleanup extension

Vickie,

This incident occurred in an area with very shallow groundwater. The Extension Request is Denied. Please include this e-mail correspondence in the remediation and/or closure report.

Robert Hamlet • Environmental Specialist - Advanced
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave. | Artesia, NM 88210
575.909.0302 | robert.hamlet@state.nm.us
<http://www.emnrd.state.nm.us/OCD/>



From: Vickie Smith <vsmith@texpetro.com>
Sent: Wednesday, October 30, 2024 2:49 PM
To: Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>; Hamlet, Robert, EMNRD <Robert.Hamlet@emnrd.nm.gov>
Cc: Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>
Subject: [EXTERNAL] Request for Release cleanup extension

Some people who received this message don't often get email from vsmith@texpetro.com. [Learn why this is important](#)


CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Texland Petroleum-Hobbs, LLC (113315)
Bowers A Battery nAPP2414147581

Texland is requesting a 90 day extension to the clean up operations on the above captioned well. The present deadline ends 11/12/2024. Since we had to move the battery to a different location due to the dangerous working conditions, which in turn delayed the remediation work and now scheduling with our contractor has become difficult due to depth and type of excavation that is needed and the length of time it is taking to accomplish good soil tests, they have had other jobs scheduled.

Thank you for your time and prompt response to this request.

Vickie Smith
Executive Regulatory Analyst
575-433-8395
vsmith@texpetro.com



TEXLAND PETROLEUM-HOBBS, LLC

Final Remediation/Reclamation Report

BOWERS A FEDERAL BATTERY

API No. 30-025-36837

P-30-18S-38E

32.71419699,-103.18367097



2525 NW County Rd
Hobbs, NM 88240
[\(575\) 392-9996](tel:5753929996)

Introduction

This report documents the remediation activities conducted at the BOWERS A FEDERAL BATTERY, API# 3002536837. On behalf of Texland Petroleum-Hobbs, LLC (Texland), Diamondback Disposal Services, Inc. (Diamondback) undertook the cleanup (remediation) and reclamation of release number nAPP2414147581. The release was caused by equipment failure at a coupling, resulting in the discharge of 52 barrels (BBL) of crude oil. Of the total discharged, 40 BBL were successfully recovered, leaving 12 BBL unrecovered and necessitating remediation. The site is located in Unit Letter P, Section 30, Township 18S, Range 38E, at coordinates 32.71419699, -103.18367097. Remediation and reclamation activities were carried out in accordance with the New Mexico Oil Conservation Division (NMOCD) and regulations 19.15.29 and 19.2.100.67 of the New Mexico Administrative Code (NMAC), effective August 14, 2018.

The site is situated approximately 0.5 miles west of Hobbs, NM, within a designated oil and gas operations area, adjacent to residential properties. Background information was collected for the site, and a web soil survey (see Appendix A) identified the native soil as Kimbrough loam. Operations remained within the permitted right-of-way, and a re-vegetation plan is not required.

A review by the New Mexico Office of the State Engineer (NMOSE) was conducted to assess groundwater depth within a 1-mile radius of the site and identify registered water wells within a ½-mile radius. Multiple wells were found within the 1-mile radius, with depths to water ranging from 26 to 54 feet below ground surface (BGS). The calculated average depth to water is approximately 40 feet BGS. The nearest well, POD L 10639, is located 160 feet away with a depth to water of 42 feet BGS (see Appendix B for details). The nearest wetland was identified 1.8 miles from the site. Karst potential for the site is classified as low. However, due to the proximity of groundwater and nearby residences, the most stringent environmental standards were applied. The site was evaluated using the closure criteria outlined in Table 1 of NMAC 19.15.29.12 for groundwater depths of less than 50 feet. (See Table Below)

Table 1 NMAC 19.15.29.12 Closure Criteria for Soils Impacted by a Release		
<50 Feet	Chloride	600 mg/kg
	TPH (GRO+DRO+MRO)	100 mg/kg
	BTEX	50 mg/kg
	Benzene	10 mg/kg

Remediation/Reclamation Activities

Between August 29th and November 17th, 2024, Diamondback excavated approximately 10,208 cubic yards (cy) of impacted material. The material was temporarily stockpiled in a designated area at the site before being loaded onto 20-yard trucks and transported to the Lea Land LLC Landfill for final disposal. During this period, field tests for chloride levels and TPH values were conducted.

The NMOCD was notified of the intent to begin confirmation sampling of the excavation on September 30th, October 8th, November 1st, 8th, and 11th, 2024. Following these notifications, the site was sampled to determine compliance with the RRALs. Five-point composite samples were collected from every 200 square feet of sidewall and floor area. These samples were packaged and delivered to a third-party laboratory under a chain of custody for analysis per regulatory standards. Upon review of the analytical results, many floor and wall samples (see Appendix C) exceeded the closure criteria. Additional excavation and sampling were conducted in the areas that failed to meet the RRALs. This process was repeated until all floor and wall samples met the Table 1 RRALs required for site closure. Based on the laboratory data, all restoration and reclamation limits have been successfully met for groundwater depths of less than 50 feet BGS.

In the first week of December 2024, the site will be backfilled with approximately 9,000 cubic yards of locally sourced caliche. The material will be carefully placed and compacted to restore the pad to operational condition while ensuring proper drainage and preventing stormwater runoff. These activities will help minimize erosion and maintain consistency with existing site conditions.


Conclusion

Upon final review of all analytical data provided by the third-party independent lab, results indicated that all recommended remediation action levels restoration/reclamation criteria were met for all excavated areas. On behalf of Texland Resources, Diamondback Disposal Services respectfully requests that the NMOCD grant closure approval at BOWERS A FEDERAL BATTERY API# 30025-36837 for release number nAPP2414147581. Thank you for your consideration.

Appendix A


Site Characterization

Residential Distance



11/1/2024, 11:03:07 AM


— Override 1



Esri Community Maps Contributors, New Mexico State University, City of Hobbs, Texas Parks & Wildlife, © OpenStreetMap, Microsoft, CONANP, Esri,

Diamondback Disposal Services

This is an unofficial map from the OSE's online application.



Bowers A Karst Potential

0 12.5 25 50
mi




New Mexico State Land Office

Disclaimer:
The New Mexico State Land Office assumes no responsibility or liability for, or in connection with the accuracy, reliability or use of the information provided herein with respect to State Land Office data or data from other sources.

Data pertaining to New Mexico State Trust Lands are provisional and subject to revision, and do not constitute an official record of title. Official records may be reviewed at the New Mexico State Land Office in Santa Fe, New Mexico.


Released to Imaging: 3/25/2025 11:39:40 AM
Map Created: 11/1/2024

- User drawn points
- Karst_Potential_NM
- Potential
 - High
 - Medium
 - Low
- Critical_Karst_Zone_NM





Bowers A Wetland



November 1, 2024

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for **Lea County, New Mexico**

Bowers A Soil Report



November 27, 2024

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface..... 2

How Soil Surveys Are Made.....5

Soil Map..... 8

 Soil Map.....9

 Legend.....10

 Map Unit Legend..... 11

 Map Unit Descriptions.....11

 Lea County, New Mexico..... 13

 KN—Kimbrough loam, 0 to 3 percent slopes..... 13

References..... 15

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.


Custom Soil Resource Report Soil Map



Custom Soil Resource Report


MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)


Soils


 Soil Map Unit Polygons


 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit


 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water

 Perennial Water

 Rock Outcrop


 Saline Spot

 Sandy Spot

 Severely Eroded Spot


 Sinkhole

 Slide or Slip


 Sodic Spot

 Spoil Area

 Stony Spot


 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

Water Features

 Streams and Canals


Transportation

 Rails


 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 21, Sep 3, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KN	Kimbrough loam, 0 to 3 percent slopes	1.9	100.0%
Totals for Area of Interest		1.9	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico

KN—Kimbrough loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 2qmyr

Elevation: 2,500 to 4,800 feet

Mean annual precipitation: 14 to 16 inches

Mean annual air temperature: 57 to 63 degrees F

Frost-free period: 180 to 220 days

Farmland classification: Not prime farmland

Map Unit Composition

Kimbrough and similar soils: 85 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kimbrough

Setting

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Loamy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 3 inches: loam

Bw - 3 to 10 inches: loam

Bkkm1 - 10 to 16 inches: cemented material

Bkkm2 - 16 to 80 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 4 to 18 inches to petrocalcic

Drainage class: Well drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.01 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 95 percent

Maximum salinity: Nonsaline (0.0 to 1.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Custom Soil Resource Report

Minor Components

Eunice

Percent of map unit: 6 percent

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Convex

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Spraberry

Percent of map unit: 5 percent

Landform: Playa rims, plains

Down-slope shape: Convex, linear

Across-slope shape: Linear

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Kenhill

Percent of map unit: 4 percent

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Linear

Ecological site: R077DY038TX - Clay Loam 12-17" PZ

Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelpdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624


United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

Appendix B

Depth to Groundwater


Topographical Information

Bowers 1 Mile Radius




11/1/2024, 10:50:50 AM

— Override 1




Copyright:© 2013 National Geographic Society, i-cubed

Bowers 5 Mile Radius




11/1/2024, 10:54:00 AM

Override 1




Copyright:© 2013 National Geographic Society, i-cubed

Bowers 1/2 Mile Radius



11/1/2024, 10:47:55 AM

-  Override 1
  Closure Area
  Both Estates
-  OSE District Boundary
  Artesian Planning Area
- Water Right Regulations
 New Mexico State Trust Lands
-  Critical Management Area - Guidelines
  Subsurface Estate




Esri, HERE, Garmin, Esri, HERE, Maxar

Diamondback Disposal Services
This is an unofficial map from the OSE's online application.

Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
	L 10639			SE	30	18S	38E	670246.0	3621118.0 *	

* UTM location was derived from PLSS - see Help

Driller License:	1044	Driller Company:	EADES WELL DRILLING & PUMP SERVICE			
Driller Name:	EADES, ALAN					
Drill Start Date:	1997-04-17	Drill Finish Date:	1997-04-17		Plug Date:	
Log File Date:	1997-08-04	PCW Rcv Date:			Source:	Shallow
Pump Type:		Pipe Discharge Size:			Estimated Yield:	35
Casing Size:	5.75	Depth Well:	188		Depth Water:	42

Water Bearing Stratifications:

Top	Bottom	Description
42	188	Other/Unknown

Casing Perforations:

Top	Bottom
158	188

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 10639		L	LE			SE	30	18S	38E	670246.0	3621118.0	*	54	188	42	146
L 04428		L	LE	NW	SE	SE	30	18S	38E	670346.0	3621023.0	*	118	80	38	42
L 05084		L	LE	NW	SE	SE	30	18S	38E	670346.0	3621023.0	*	118	100	40	60
L 06004		L	LE	NW	SE	SE	30	18S	38E	670346.0	3621023.0	*	118	50	40	10
L 06007		L	LE	NW	SE	SE	30	18S	38E	670346.0	3621023.0	*	118	50	40	10
L 13750 POD3		L	LE	SW	NE	SE	30	18S	38E	670267.9	3621181.0		121	300		
L 11461	R	L	LE	NE	SW	SE	30	18S	38E	670093.5	3621011.7		151	160	51	109
L 11461 POD2		L	LE	NE	SW	SE	30	18S	38E	670093.5	3621011.7		151	95	45	50
L 15737 POD1		L	LE	SW	SE	SE	30	18S	38E	670297.8	3620819.6		252	205	124	81
L 07532		L	LE	SW	SE	SE	30	18S	38E	670346.0	3620823.0	*	265	360		
L 05629 POD2	C	L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50	28	22
L 05630		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50	28	22
L 05630 POD2		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367		55	
L 05657		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50		
L 05657	C	L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50		
L 06006		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50	40	10
L 06006 POD2		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	55		
L 06971		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50		
L 06972		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50		
L 06973		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50		
L 06974		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50		
L 06992		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50	35	15
L 06995		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50	35	15
L 06996		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50	35	15
L 10093		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50	42	8
L 10094		L	LE	NE	NW	SE	30	18S	38E	670136.0	3621418.0	*	367	50	42	8






























(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 02230		L	LE	SW	SW	SE	30	18S	38E	669944.0	3620816.0	* 	382	60	30	30
L 10033		L	LE	SW	SW	SE	30	18S	38E	669944.0	3620816.0	* 	382	140	60	80
L 02629		L	LE	SE	SE	SE	30	18S	38E	670546.0	3620823.0	* 	393	80	26	54
L 05627		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	28	22
L 05628		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	28	22
L 05628 POD2		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	55		
L 05655		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50		
L 05656		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50		
L 05871		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	43	27	16
L 06005		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	40	10
L 06011		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	40	10
L 06012		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	40	10
L 06012	C	L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	40	10
L 06013		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	40	10
L 06013	C	L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	40	10
L 06014		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	40	10
L 06975		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50		
L 06993		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	35	15
L 06994		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	35	15
L 09936		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	41	9
L 10095		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	42	8
L 10096		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	42	8
L 10097		L	LE	NW	NW	SE	30	18S	38E	669936.0	3621418.0	* 	462	50	41	9
L 12580 POD1		L	LE	SE	SW	NW	30	18S	38E	670227.9	3621544.8		480	160	57	103
L 07005		L	LE	NW	SW	SW	29	18S	38E	670749.0	3621030.0	* 	515	150	50	100
L 13520 POD1		L	LE	SW	SE	NE	30	18S	38E	670350.1	3621569.1		517	155	65	90
L 00382 POD2		L	LE	NE	NE	NE	31	18S	38E	670553.0	3620620.0	* 	546	120	65	55
L 00382 POD2	R	L	LE	NE	NE	NE	31	18S	38E	670553.0	3620620.0	* 	546	120	65	55
L 12981 POD1		L	LE	SE	SE	NE	30	18S	38E	670532.9	3621541.4		562	195		






























(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 06570		L	LE	SW	SW	SW	29	18S	38E	670749.0	3620830.0	* 	565	112	54	58
L 07068		L	LE	SW	SW	SW	29	18S	38E	670749.0	3620830.0	* 	565	183	50	133
L 05593		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	130	50	80
L 05624		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50	28	22
L 05624	C	L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50	28	22
L 05625		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50	28	22
L 05678		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	110	50	60
L 06001		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50	40	10
L 06001	C	L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50	40	10
L 06003		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	55		
L 06025		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	55		
L 06340 POD7		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50		
L 06514		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50	48	2
L 06514 POD2		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50	48	2
L 06514 POD3		L	LE	SE	SW	NE	30	18S	38E	670129.0	3621621.0	* 	566	50		
L 01835 POD2		L	LE	SW	SE	NE	30	18S	38E	670332.0	3621628.0	* 	571	100	26	74
L 02873		L	LE	SW	SE	NE	30	18S	38E	670332.0	3621628.0	* 	571	60	26	34
L 04511		L	LE	SW	SE	NE	30	18S	38E	670332.0	3621628.0	* 	571	29	25	4
L 05626		L	LE	SW	SE	NE	30	18S	38E	670332.0	3621628.0	* 	571	50	28	22
L 05888		L	LE	SW	SE	NE	30	18S	38E	670332.0	3621628.0	* 	571	43	26	17
L 06340 POD4		L	LE	SW	SE	NE	30	18S	38E	670332.0	3621628.0	* 	571	50		
L 06340 POD5		L	LE	SW	SE	NE	30	18S	38E	670332.0	3621628.0	* 	571	50		
L 06340 POD6		L	LE	SW	SE	NE	30	18S	38E	670332.0	3621628.0	* 	571	50		
L 04224		L	LE				30	18S	38E	669864.0	3621506.0	* 	576	100	40	60
L 05405		L	LE				30	18S	38E	669864.0	3621506.0	* 	576	110	60	50
L 13244 POD1		L	LE	SE	SW	NE	30	18S	38E	670090.0	3621626.6		580	160	56	104
L 05473		L	LE	NE	NE	SW	30	18S	38E	669734.0	3621411.0	* 	609	100	55	45
L 07017		L	LE		SW	SW	29	18S	38E	670850.0	3620931.0	* 	629	150	60	90
L 07570		L	LE		SW	SW	29	18S	38E	670850.0	3620931.0	* 	629	122	48	74






























(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 05596	C	L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	50	28	22
L 05596 POD3		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	50	28	22
L 05596 POD3	C	L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	50	28	22
L 05865		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	40	27	13
L 05866		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	40	27	13
L 05867		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	43	27	16
L 05868		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	43	27	16
L 05869		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	40	27	13
L 05870	C	L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	43	27	16
L 05886		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	43	26	17
L 05986		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	50		
L 06200		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	42	40	2
L 06200	C	L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	42	40	2
L 06340		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	50		
L 06340 POD2		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	50		
L 07602 POD2		L	LE	SW	SW	NE	30	18S	38E	669929.0	3621621.0	* 	635	190	49	141
L 02660		L	LE	SE	SE	NE	30	18S	38E	670532.0	3621628.0	* 	636	60	33	27
L 02780	R	L	LE	SE	SE	NE	30	18S	38E	670532.0	3621628.0	* 	636	85	26	59
L 06545		L	LE	SE	SE	NE	30	18S	38E	670532.0	3621628.0	* 	636	100	38	62
L 08391		L	LE		NE	SW	30	18S	38E	669635.0	3621312.0	* 	649	139	60	79
L 08362		L	LE		NW	SW	29	18S	38E	670842.0	3621334.0	* 	664	187	48	139
L 02564		L	LE	NE	NE	NW	31	18S	38E	669748.0	3620606.0	* 	668	60	30	30
L 02780 POD2		L	LE	SE	SE	NE	30	19S	38E	670607.8	3621622.2		670	200	100	100
L 01260		L	LE	NW	NW	NW	32	18S	38E	670756.0	3620627.0	* 	680		60	
L 12081 POD1		L	LE	SE	SE	NE	30	18S	38E	670588.4	3621647.1		681	210		
L 13683 POD1		L	LE	SE	SE	NE	30	18S	38E	670457.0	3621715.7		687	155	63	92
L 08928		L	LE		SW	NE	30	18S	38E	670030.0	3621722.0	* 	688	100	54	46
L 03979		L	LE		SE	NE	30	18S	38E	670433.0	3621729.0	* 	693			
L 07245		L	LE		SE	NE	30	18S	38E	670433.0	3621729.0	* 	693	100	46	54






























(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 10041		L	LE		SE	NE	30	18S	38E	670433.0	3621729.0 *		693	140	60	80
L 10235		L	LE		SE	NE	30	18S	38E	670433.0	3621729.0 *		693	160	41	119
L 05818		L	LE	SE	SE	NW	30	18S	38E	669727.0	3621614.0 *		748	32	32	0
L 05849		L	LE	SE	SE	NW	30	18S	38E	669727.0	3621614.0 *		748	38	34	4
L 13265 POD1		L	LE	NE	SE	NE	30	18S	38E	670534.5	3621751.0		748	160	57	103
L 09705		L	LE	SE	SW	SW	29	18S	38E	670949.0	3620830.0 *		751	135	65	70
L 11886 POD1		L	LE	SE	SW	SW	29	18S	38E	670949.0	3620830.0 *		751	172		
L 09350		L	LE			NE	31	18S	38E	670259.0	3620312.0 *		752	150	41	109
L 14492 POD1		L	LE	NE	SW	SW	29	18S	38E	670985.4	3621126.5		752	203	100	103
L 04547		L	LE	SW	SW	NW	29	18S	38E	670734.0	3621635.0 *		757	110	70	40
L 05948		L	LE	NE	SW	NE	30	18S	38E	670129.0	3621821.0 *		763	50	40	10
L 05949		L	LE	NE	SW	NE	30	18S	38E	670129.0	3621821.0 *		763	50	40	10
L 06291		L	LE	NE	SW	NE	30	18S	38E	670129.0	3621821.0 *		763	150	50	100
L 07962		L	LE	NE	SW	NE	30	18S	38E	670129.0	3621821.0 *		763	130	48	82
L 11214		L	LE	NE	SW	NE	30	18S	38E	670129.0	3621821.0 *		763	196		
L 11570		L	LE	NE	SW	NE	30	18S	38E	670129.0	3621821.0 *		763	176		
L 01835		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	100	30	70
L 01835	R	L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	100	30	70
L 01835 POD5		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	100	32	68
L 01835 POD6		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	120	32	88
L 02261		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	50	30	20
L 05929		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	40	32	8
L 05930		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	40	32	8
L 05931		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	40	32	8
L 05932		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	40	32	8
L 05933		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	40	32	8
L 05934		L	LE	NW	SE	NE	30	18S	38E	670332.0	3621828.0 *		769	40	32	8
L 03545 POD6		L	LE			SW	30	18S	38E	669462.0	3621104.0 *		773	36	26	10
L 12874 POD1		L	LE	NE	SW	SW	29	18S	38E	671030.7	3621066.3		795	175		






























(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 05946		L	LE	NW	SW	NE	30	18S	38E	669929.0	3621821.0	* 	815	50	40	10
L 05947		L	LE	NW	SW	NE	30	18S	38E	669929.0	3621821.0	* 	815	50	40	10
L 06176		L	LE	NW	SW	NE	30	18S	38E	669929.0	3621821.0	* 	815	40	32	8
L 06177		L	LE	NW	SW	NE	30	18S	38E	669929.0	3621821.0	* 	815	40	32	8
L 08131		L	LE			SW	29	18S	38E	671051.0	3621132.0	* 	818	110	60	50
L 03996		L	LE	NE	SE	NE	30	18S	38E	670532.0	3621828.0	* 	819	80	33	47
L 11527		L	LE	NE	SE	NE	30	18S	38E	670532.0	3621828.0	* 	819	140	51	89
L 05874		L	LE		NW	NW	32	18S	38E	670857.0	3620528.0	* 	821	125	45	80
L 04321		L	LE	NE	NW	NW	32	18S	38E	670956.0	3620627.0	* 	843	110	45	65
L 03545 POD1		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	36	26	10
L 03545 POD10		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	37	26	11
L 03545 POD11		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	37	26	11
L 03545 POD12		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	36	26	10
L 03545 POD13		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	36	26	10
L 03545 POD2		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	37	26	11
L 03545 POD3		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	37	26	11
L 03545 POD4		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	36	26	10
L 03545 POD5		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	36	26	10
L 03545 POD7		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	36	26	10
L 03545 POD8		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	36	26	10
L 03545 POD9		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	36	26	10
L 03802		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	88	30	58
L 05666		L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	105	40	65
L 09273	R	L	LE			NE	30	18S	38E	670231.0	3621923.0	* 	858	86	50	36
L 09787 POD2		L	LE			NE	30	18S	38E	670231.0	3621923.0		858	255		
L 13228 POD1		L	LE	SW	SE	NE	30	08S	38E	669613.5	3621695.1		885	200	60	140
L 12291 POD1		L	LE	NE	SE	NE	30	18S	38E	670483.7	3621920.8		891	195	80	115
L 02395		L	LE	SW	SE	NW	30	18S	38E	669527.0	3621614.0	* 	896	87	30	57
L 09662		L	LE	NE	SE	NW	30	18S	38E	669727.0	3621814.0	* 	905	158	115	43






























(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 11171		L	LE	NW	SE	SW	29	18S	38E	671152.0	3621037.0 *		917	206		
L 06745		L	LE	NW	SW	NW	29	18S	38E	670734.0	3621835.0 *		917	120	49	71
L 07531		L	LE	NW	SW	NW	29	18S	38E	670734.0	3621835.0 *		917	370		
L 14315 POD1		L	LE	SE	NE	NE	30	18S	38E	670507.2	3621978.5		953	180	56	124
L 06000		L	LE	SE	NW	NE	30	18S	38E	670122.0	3622024.0 *		966	50	40	10
L 06000	C	L	LE	SE	NW	NE	30	18S	38E	670122.0	3622024.0 *		966	50	40	10
L 01835 POD4		L	LE	SW	NE	NE	30	18S	38E	670325.0	3622031.0 *		970	96	35	61
L 02271		L	LE	SW	NE	NE	30	18S	38E	670325.0	3622031.0 *		970	80	35	45
L 03690		L	LE	SW	NE	NE	30	18S	38E	670325.0	3622031.0 *		970	75	35	40
L 05047		L	LE	SW	NE	NE	30	18S	38E	670325.0	3622031.0 *		970	90	40	50
L 12937 POD1		L	LE	NW	SW	NE	31	18S	38E	669965.8	3620129.9		972	127	45	82
L 14866 POD1		L	LE	SE	SW	NE	31	18S	38E	670216.9	3620072.6		992	175	65	110
L 01862 POD2		L	LE	SE	NE	NE	30	18S	38E	670525.0	3622031.0 *		1009	60	28	32
L 02777		L	LE	SE	NE	NE	30	18S	38E	670525.0	3622031.0 *		1009	60	25	35
L 03130		L	LE	SE	NE	NE	30	18S	38E	670525.0	3622031.0 *		1009	80	30	50
L 04397		L	LE	SW	NW	NE	30	18S	38E	669922.0	3622024.0 *		1009	80	28	52
L 13013 POD1		L	LE	NE	SW	NW	32	18S	38E	670928.9	3620325.1		1014	183		
L 15409 POD1		L	LE	SE	NW	NE	30	18S	38E	670062.1	3622084.5		1034	200	60	140
L 14335 POD1		L	LE	SE	NE	NE	30	18S	38E	670463.7	3622082.5		1043	175	60	115
L 07533		L	LE	SW	SE	NE	31	18S	38E	670360.0	3620017.0 *		1054		360	
L 14714 POD1		L	LE	SW	NW	NW	29	18S	38E	670765.5	3621979.8		1057	180	120	60
L 14714 POD2		L	LE	SW	SW	NW	32	18S	38E	670765.5	3621979.8		1057	180	120	60
L 06124		L	LE		NW	NE	30	18S	38E	670023.0	3622125.0 *		1081	100	65	35
L 08445		L	LE		NW	NE	30	18S	38E	670023.0	3622125.0 *		1081	966	34	932
L 08447		L	LE		NW	NE	30	18S	38E	670023.0	3622125.0 *		1081	161	36	125
L 10886		L	LE		NW	NE	30	18S	38E	670023.0	3622125.0 *		1081	160	44	116
L 10408		L	LE		NE	NE	30	18S	38E	670426.0	3622132.0 *		1084	100	44	56
L 10862		L	LE		NE	NE	30	18S	38E	670426.0	3622132.0 *		1084	150	43	107
L 11191		L	LE	SW	SW	SW	30	18S	38E	669160.0	3620802.0 *		1106	234		






























(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 12817 POD1		L	LE	SW	NE	SE	06	18S	38E	670420.8	3622155.7		1106	195		
L 13997 POD1		L	LE	NE	SE	SW	29	18S	38E	671343.3	3621125.0		1109	109	62	47
L 05736		L	LE			NW	32	18S	38E	671065.0	3620326.0 *		1111	125	45	80
L 06245		L	LE			NW	32	18S	38E	671065.0	3620326.0 *		1111	150	34	116
L 10035		L	LE			NW	32	18S	38E	671065.0	3620326.0 *		1111	150	65	85
L 10620		L	LE			NW	32	18S	38E	671065.0	3620326.0 *		1111	158	43	115
L 11776		L	LE	NE	SW	NW	32	18S	38E	670963.0	3620224.0 *		1111	120	58	62
L 12636 POD1		L	LE	NE	NE	NW	32	18S	38E	671302.3	3620719.8		1121	191		
L 12855 POD1		L	LE	NE	NE	NW	32	18S	38E	671302.3	3620719.8		1121	181		
L 15269		L	LE	NE	NW	NE	30	18S	38E	670490.0	3622186.8		1150	200	115	85
L 03737		L	LE			NW	30	18S	38E	669448.0	3621910.0 *		1155	110	28	82
L 04962		L	LE			NW	30	18S	38E	669448.0	3621910.0 *		1155	81	35	46
L 05101		L	LE			NW	30	18S	38E	669448.0	3621910.0 *		1155	100	40	60
L 05213		L	LE			NW	30	18S	38E	669448.0	3621910.0 *		1155	100	40	60
L 06178		L	LE	NE	SW	NW	30	18S	38E	669346.0	3621808.0 *		1158	42	32	10
L 01937	R	L	LE	NE	NW	NE	30	18S	38E	670122.0	3622224.0 *		1164	130	37	93
L 09789		L	LE	NE	NW	NE	30	18S	38E	670122.0	3622224.0 *		1164	156	37	119
L 11126		L	LE	NE	NW	NE	30	18S	38E	670122.0	3622224.0 *		1164	150	56	94
L 01835 POD3		L	LE	NW	NE	NE	30	18S	38E	670325.0	3622231.0 *		1169	109	30	79
L 02244		L	LE	NW	NE	NE	30	18S	38E	670325.0	3622231.0 *		1169	85	30	55
L 03259		L	LE	NW	NE	NE	30	18S	38E	670325.0	3622231.0 *		1169	111	30	81
L 09273 POD2		L	LE	NW	NE	NE	30	18S	38E	670398.6	3622232.3		1179	170	70	100
L 09777		L	LE			NW	29	18S	38E	671036.0	3621937.0 *		1184	150	84	66
L 06550		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	145	87	58
L 07169		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	100	35	65
L 09115		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	153	32	121
L 09431		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	100	42	58
L 10080		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	175	117	58
L 11277		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	177		

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 11393		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	176		
L 11577		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	180		
L 11599		L	LE	NW	NW	NE	30	18S	38E	669922.0	3622224.0 *		1200	107		
L 02577		L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	80	40	40
L 02577	R	L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	80	40	40
L 02858		L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	60	30	30
L 03526		L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	100	30	70
L 03659		L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	100	30	70
L 04519		L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	65	50	15
L 07602	R	L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	109		
L 08018 POD2		L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	150	70	80
L 11317		L	LE	NE	NE	NE	30	18S	38E	670525.0	3622231.0 *		1201	184	56	128
L 07597		L	LE		NE	NW	30	18S	38E	669621.0	3622118.0 *		1219	120	32	88
L 07732		L	LE		NE	NW	30	18S	38E	669621.0	3622118.0 *		1219	125	40	85
L 08036		L	LE		NE	NW	30	18S	38E	669621.0	3622118.0 *		1219	95	32	63
L 09792		L	LE		NW	NW	29	18S	38E	670828.0	3622139.0 *		1227	150	42	108
L 10860		L	LE		NW	NW	29	18S	38E	670828.0	3622139.0 *		1227	160	39	121
L 11365		L	LE	SE	SE	NW	29	18S	38E	671337.0	3621642.0 *		1244	120	55	65
L 15649 POD1		L	LE	NW	NE	NE	30	18S	38E	670124.5	3622315.4		1255	195	78	117
L 03136		L	LE	NE	NE	NW	30	18S	38E	669720.0	3622217.0 *		1262	75	30	45
L 03903		L	LE	NE	NE	NW	30	18S	38E	669720.0	3622217.0 *		1262	97	35	62
L 10558		L	LE	SE	SW	NW	32	18S	38E	670963.0	3620024.0 *		1269	120	80	40
L 03016		L	LE	NE	SE	SE	25	18S	37E	668957.0	3620996.0 *		1279	100		
L 15704 POD1		L	LE	NE	NE	NW	30	18S	38E	669760.6	3622263.6		1289	198	96	102
L 06444		L	LE				29	18S	38E	671453.0	3621534.0 *		1305	141	45	96
L 12553 POD1		L	LE	SW	SW	SE	19	18S	38E	669821.4	3622330.3		1331	190		
L 07774		L	LE	NW	NW	SW	32	18S	38E	670770.0	3619821.0 *		1353	110	40	70
L 07286		L	LE	NW	NE	NW	30	18S	38E	669520.0	3622217.0 *		1356	150	65	85
L 14980 POD1		L	LE	SE	SE	SE	19	18S	38E	670578.3	3622383.3		1362	185	115	70

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 04803		L	LE	SE	SW	SE	19	18S	38E	670115.0	3622427.0 *		1367	100	37	63
L 04998		L	LE	SW	SE	SE	19	18S	38E	670317.0	3622434.0 *		1371	70	35	35
L 05253		L	LE	SE	SE	SE	19	18S	38E	670517.0	3622434.0 *		1398	100	38	62
L 06980		L	LE	SE	SE	SE	19	18S	38E	670517.0	3622434.0		1398	120	33	87
L 04675		L	LE	SW	SW	SE	19	18S	38E	669915.0	3622427.0 *		1399	90	30	60
L 08637		L	LE	SW	SW	SE	19	18S	38E	669915.0	3622427.0 *		1399	135	40	95
L 14707 POD1		L	LE	SW	SW	SW	20	18S	38E	670636.2	3622411.4		1405	221	140	81
L 15472 POD1		L	LE	SE	SW	SE	19	18S	38E	670199.1	3622475.4		1411	212	80	132
L 13750 POD2		L	LE	SW	SW	NE	29	18S	38E	671526.4	3621651.9		1418	300		
L 03650		L	LE		NW	NW	30	18S	38E	669240.0	3622111.0 *		1443	45	28	17
L 03904		L	LE		NW	NW	30	18S	38E	669240.0	3622111.0 *		1443	72	30	42
L 01264		L	LE	NE	NW	SW	32	18S	38E	670970.0	3619821.0 *		1444			
L 06593		L	LE	SE	SE	SW	19	18S	38E	669713.0	3622420.0 *		1452	100	46	54
L 12212 POD1		L	LE	SW	SE	SE	19	18S	38E	670245.2	3622522.4		1457	205		
L 11230		L	LE	SW	SW	SW	20	18S	38E	670720.0	3622441.0 *		1459	140	50	90
L 12065 POD1		L	LE	SE	SE	NE	25	18S	37E	668916.0	3621696.8		1462	194		
L 07530		L	LE	SE	NE	NW	29	18S	38E	671330.0	3622045.0 *		1469	370		
L 07163		L	LE		NE	NW	29	18S	38E	671231.0	3622146.0 *		1470	110	67	43
L 14213 POD1		L	LE	SW	SW	NE	29	18S	38E	671610.3	3621586.8		1471	215	63	152
L 04920		L	LE	NE	SE	NE	36	18S	37E	668980.6	3620287.1		1475	180	40	140
L 11575		L	LE		SW	SE	19	18S	38E	670016.0	3622528.0 *		1479	150	50	100
L 11724		L	LE		SW	SE	19	18S	38E	670016.0	3622528.0 *		1479	160	50	110
L 06632		L	LE		SE	SE	19	18S	38E	670418.0	3622535.0 *		1481	142	42	100
L 08386		L	LE		SE	SE	19	18S	38E	670418.0	3622535.0 *		1481	130	42	88
L 08050		L	LE		NW	SW	32	18S	38E	670871.0	3619722.0 *		1485	110	38	72
L 09989		L	LE		NW	SW	32	18S	38E	670871.0	3619722.0 *		1485	76	42	34
L 14320 POD1		L	LE	SE	SE	SE	19	18S	38E	670581.4	3622509.7		1486	215	65	150
L 15181 POD1		L	LE	SE	SE	SE	19	18S	38E	670522.1	3622530.8		1494	215	98	117
L 08313 POD2		L	LE	SE	SW	SW	20	18S	37E	670916.1	3622426.1		1522	154	55	99















(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 07528		L	LE	SE	NW	SE	29	18S	38E	671747.0	3621246.0	* 	1522	380		
L 11176		L	LE	SE	NW	SE	29	18S	38E	671747.0	3621246.0	* 	1522	220	65	155
L 03260		L	LE	NE	SE	NE	36	18S	37E	668970.0	3620191.0	* 	1537	100	35	65
L 10340		L	LE	SE	SW	SW	20	18S	38E	670920.0	3622441.0	* 	1537	158	114	44
L 15055 POD1		L	LE	NE	SE	SE	19	18S	38E	670461.6	3622585.5		1537	160		
L 15012 POD1		L	LE	NE	SW	SE	19	18S	38E	670209.8	3622614.2		1549	157	80	77
L 08429		L	LE	NE	NW	SE	29	18S	38E	671747.0	3621446.0	* 	1559	120	62	58
L 06740		L	LE	NE	SW	SE	19	18S	38E	670115.0	3622627.0	* 	1567	125	41	84
L 08791		L	LE		SE	SW	19	18S	38E	669614.0	3622521.0	* 	1583	120	46	74
L 10948		L	LE		SE	SW	19	18S	38E	669614.0	3622521.0	* 	1583	140	45	95
L 11345		L	LE	NW	NW	NW	30	18S	38E	669139.0	3622210.0	* 	1585	190		
L 08313	R	L	LE		SW	SW	20	18S	38E	670821.0	3622542.0	* 	1589	85	20	65
L 11293		L	LE		SW	SW	20	18S	38E	670821.0	3622542.0	* 	1589	140	59	81
L 11572		L	LE		SW	SW	20	18S	38E	670821.0	3622542.0	* 	1589	160	53	107

Average Depth to Water: 46 feet

Minimum Depth: 20 feet

Maximum Depth: 360 feet

Record Count: 301

UTM Filters (in meters):

Easting: 670234.977

Northing: 3621064.543

Radius: 1609

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Appendix C

Site Delineation Mapping and Summary Report

Bowers A Fed Tank Battery
Wall Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE	SOIL STATUS
W 1	H246189-01	0-4'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<50.0	374	309	683	176	Excavated
W 1	H246758-01	0-4'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	727	594	1321	80.0	Excavated
W 1	H246901-01	0-5'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
W 2	H246189-02	0-4'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	47.2	11.2	58.4	80.0	In-Situ
W 3	H246189-03	4-8'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<50.0	253	215	468	192	Excavated
W 3	H246758-02	4-9'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	883	507	1390	112	Excavated
W 3	H246901-02	0-9'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208	In-Situ
W 4	H246189-04	4-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336	In-Situ
W 5	H246189-05	8-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	14.2	<10.0	14.2	96.0	In-Situ
W 6	H246189-06	8-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	17.4	<10.0	17.4	224	In-Situ
W 7	H246189-07	0-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	2890	713	3603	48.0	Excavated
W 7	H246758-03	0-12'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	38.5	<10.0	38.5	96.0	In-Situ
W 8	H246189-08	0-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	320	In-Situ
W 9	H246189-09	0-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	2950	701	3651	128	Excavated
W 9	H246758-04	0-12'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	24.0	<10.0	<10.0	96.0	In-Situ
W 10	H246189-10	0-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	320	In-Situ
W 11	H246189-11	0-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	1670	515	2185	288	Excavated
W 11	H246758-05	0-14'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	836	460	1296	96.0	Excavated
W 11	H246901-03	0-14'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	15.0	38.4	<10.0	32.0	In-Situ
W 12	H246758-06	8-12'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	14.9	<10.0	14.9	96.0	In-Situ
W 13	H246189-12	0-8'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	400	In-Situ
W 15	H246758-07	8-23'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	26.4	<10.0	26.4	96.0	In-Situ
W 16	H246189-13	0-20'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<50.0	2080	636	2716	192	Excavated
W 16	H246758-08	0-22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	42.9	<10.0	42.9	128	In-Situ
W 17	H246189-14	0-20'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
W 18	H246189-15	0-20'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	52.3	<10.0	52.3	64.0	In-Situ
W 19	H246189-16	0-20'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	56.3	<10.0	56.3	64.0	In-Situ
W 20	H246189-17	0-20'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	400	In-Situ
W 21	H246758-09	8-23'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	155	40.0	195.0	176	Excavated
W 21	H246901-04	8-23'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	30.9	60.8	91.7	64.0	In-Situ
W 22	H246758-11	14-22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336	In-Situ
W 23	H246189-18	0-12'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	687	180	867	352	Excavated
W 23	H246758-10	0-12'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	131	28.7	159.7	160	Excavated
W 23	H246901-05	0-12'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
W 24	H246189-19	0-14'	10/10/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336	In-Situ
W 25	H246758-12	12-14'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	496	In-Situ
W 26	H246758-13	12-14'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	512	In-Situ
W 27	H246901-06	0-10'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192	In-Situ
W 28	H246901-07	0-10'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	22.7	<10.0	22.7	32.0	In-Situ
W 29	H246901-08	0-10'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
W 30	H246901-09	0-23'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
W 31	H246901-10	0-23'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	32.0	<10.0	32.0	64.0	In-Situ
W 32	H246901-11	17-22'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
W 33	H246901-12	0-17'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	11.2	11.2	48.0	In-Situ
W 34	H246901-13	0-17'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	16.7	17.9	34.6	80.0	In-Situ
W 35	H246901-14	0-17'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	21.0	20.5	41.5	48.0	In-Situ
W 36	H246918-01	10-17'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
W 37	H246918-02	14-22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
W 38	H246918-03	10-22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
W 39	H246918-04	14-22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
W 40	H246918-05	0-22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
W 41	H246918-06	0-22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
W 42	H246918-07	0-22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ

W 43	H246918-08	0-22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
W 44	H246918-09	0-22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
W 45	H247021-01	22'	11/18/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
Bowers A Fed Tank Battery Floor Summary														
SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE	SOIL STATUS
B 1	H246022-01	4'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	304	In-Situ
B 2	H246022-02	4'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	304	In-Situ
B 3	H246022-03	4'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	262	221	483	128	Excavated
B 3	H246759-01	4'6"	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
B 4	H246022-04	4'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	279	239	518	144	Excavated
B 4	H246759-02	4'6"	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	694	208	902	192	Excavated
B 4	H246919-07	5'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
B 5	H246022-05	4'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	1040	431	1471	336	Excavated
B 5	H246759-03	4'6"	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B 6	H246022-06	4'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	257	224	481	160	Excavated
B 6	H246759-04	4'6"	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	183	61.5	244.5	128	Excavated
B 6	H246919-08	5'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
B 7	H246022-07	8'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	250	107	357	192	Excavated
B 7	H247009-01	8'6"	11/18/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
B 8	H246022-08	8'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	13.4	<10.0	13.4	368	In-Situ
B 9	H246022-09	8'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	264	94.7	358.7	176	Excavated
B 9	H246759-05	9'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192	In-Situ
B 10	H246022-10	8'4	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	20.9	<10.0	20.9	352	In-Situ
B 11	H246022-11	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	256	In-Situ
B 12	H246022-12	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	320	In-Situ
B 13	H246022-13	8'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
B 14	H246022-14	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	18.9	<10.0	18.9	224	In-Situ
B 15	H246022-15	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336	In-Situ
B 16	H246022-16	8'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16.0	In-Situ
B 17	H246022-17	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16.0	In-Situ
B 18	H246022-18	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B 19	H246022-19	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0	In-Situ
B 20	H246022-20	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	27.9	<10.0	27.9	448	In-Situ
B 21	H246759-06	14'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
B 22	H246759-07	14'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96.0	In-Situ
B 23	H246022-21	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
B 24	H246022-22	12'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
B 25	H246900-07	22'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32.0	In-Situ
B 26	H246900-08	22'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32.0	In-Situ
B 27	H246759-16	22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	21.6	<10.0	21.6	144	In-Situ
B 28	H246759-08	14'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	24.4	<10.0	24.4	320	In-Situ
B 29	H246022-23	14'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128	In-Situ
B 30	H246022-24	14'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
B 31	H246900-09	22'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	23.6	37.4	61.0	32.0	In-Situ
B 32	H246900-10	22'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	15.2	41.5	56.7	80.0	In-Situ
B 33	H246758-09	22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
B 34	H246759-10	22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
B 35	H246022-25	14'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
B 36	H246022-26	14'	10/3/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96.0	In-Situ
B 37	H246919-01	22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
B 38	H246919-02	22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
B 39	H246759-11	22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128	In-Situ
B 40	H246759-12	22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96.0	In-Situ
B 41	H246058-01	12'	10/4/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	30.9	<10.0	272	In-Situ
B 42	H246058-02	12'	10/4/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	11.9	<10.0	352	In-Situ

B 43	H246058-03	22'	10/4/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
B 44	H246058-04	22'	10/4/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	88.4	12.2	100.6	224	In-Situ
B 44	H246759-13	23'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144	In-Situ
B 45	H246058-05	8'	10/4/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
B 46	H246058-06	8'	10/4/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	256	In-Situ
B 47	H246058-07	20'	10/4/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	531	162	693	112	Excavated
B 47	H246759-14	22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	65.5	<10.0	65.5	64.0	In-Situ
B 48	H246058-08	20'	10/4/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	1610	401	2011	144	Excavated
B 48	H246759-15	22'	11/6/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	122	In-Situ
B 49	H246900-01	10'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	20.7	63.1	83.8	48.0	In-Situ
B 50	H246900-02	10'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	10.8	10.8	64.0	In-Situ
B 51	H246900-03	10'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	33.4	67.8	101.2	48.0	Excavated
B 1	H247009-02	10'6"	11/18/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
B 52	H246900-04	17'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16.0	In-Situ
B 53	H246900-05	17'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32.0	In-Situ
B 54	H246900-06	22'	11/12/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32.0	In-Situ
B 55	H246919-03	23'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
B 56	H246919-04	23'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32.0	In-Situ
B 57	H246919-05	22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16.0	In-Situ
B 58	H246919-06	22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32.0	In-Situ
B 59	H246919-09	22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0	In-Situ
B 60	H246919-10	22'	11/13/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32.0	In-Situ

Bowers A Fed Tank Battery
Horizontal

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE	SOIL STATUS
H 1	H247010-01	Surface	11/18/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
H 2	H247010-02	Surface	11/18/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64.0	In-Situ
H 3	H247010-03	Surface	11/18/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ
H 4	H247010-04	Surface	11/18/24	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0	In-Situ



BOWERS A FEDERAL BATTERY
@ 3002536837
NAPP2414147581
Wall Sample Map



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

- Bottoms "B"
- Horizontal Sample "H"



BOWERS A FEDERAL BATTERY
@ 3002536837
NAPP2414147581
Floor Sample Map



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

Appendix D Site Photography And Field Notes

Bowers A Fed CTB
NAPP2414147581
Final Excavation Photos



<u>Sample ID</u>	<u>Soil</u>	<u>Water</u>	<u>Ratio</u>	<u>AgNO3</u>	<u>Cl Result</u>	<u>MR3000</u>	<u>Depth</u>
S1	11.92	32.85	2.76	0.03	83	9.20	
S2	10.66	32.18	3.02	0.04	121	32.20	
S3	10	30.56	3.06	0.02	61	3.70	
S4				0.00		142.90	
S5	10.37	29.2	2.82	0.04	113	1.40	
S6	12.69	30.1	2.37	0.03	71	5.70	
S7	10.18	30.22	2.97	0.04	119	3.00	
S8	10.2	33.29	3.26	0.03	98	0.00	
S9	11.83	32.78	2.77	0.02	55	0.90	
S10	12	29.45	2.45	0.02	49	0.50	
S11	11.89	33.26	2.80	0.05	140	1.10	
S12						77.50	
S13	11.52	30.9	2.68	0.02	54	26.20	
S14	10.55	31.41	2.98	0.02	60	1.40	
S15	12.44	30.75	2.47	0.08	198	3.50	
S16	12.62	30.24	2.40	0.26	623	29.70	
S17	12.13	32.41	2.67	0.07	187	18.90	
S18	12.61	30.31	2.40	0.07	168	44.10	
S19	12.17	28.05	2.30	0.11	253	42.50	
S18						351.20	
S19						121.90	
S20						67.90	4-10'
S21						45.30	4-10'
S19						69.70	0-4'
S18						81.70	4-10'
scratch	11.94	27.22	2.28	0.02	46		
scratch	11.54	29	2.51	0.10	251		
W1	12.95	29.15	2.25	0.12	270	1.00	0-4'
W2	12.7	29	2.28	0.10	228	1.20	0-4'
W3	12.83	30.68	2.39	0.04	96	8.00	4-8'
W4	11	28.37	2.58	0.02	52	5.00	4-12'
W5	12.05	28.7	2.38	0.06	143	10.00	8-12'
W6	11.44	27.57	2.41	0.05	120	6.00	8-12'
W7							
W8							
W9							
W10							
W11							
W12						187.00	
W13						194.00	
W14							
W15							
W16							
W17	11.9	27.21	2.29	0.10	229	1.80	0-20'
W18	11.75	29	2.47	0.04	99	5.00	0-20'
W19	11.53	28.08	2.44	0.02	49	4.90	0-20'
W20	12.22	27.7	2.27	0.15	340	0.80	0-20'
W21						194.00	
W22							0-20'
W23							0
W24	11.74	28.87	2.46	0.10	246	3.00	0-14'
W1	11.55	29.28	2.54	0.05	127	1.00	0-4'

W3	12.33	29.21	2.37	0.06	142	1.00	4-9'
w7	11.57	28.81	2.49	0.10	249	3.70	0-12
w9	11.36	28.86	2.54	0.06	152	1.00	0-12'
w11	11.55	29.76	2.58	0.06	155	1.40	0-14'
w12	12	29.2	2.43	0.04	97	1.50	8-12'
w15	12.73	28.95	2.27	0.06	136	2.30	8-23'
w16	13.06	30.18	2.31	0.04	92	1.30	0-22
w21	11.42	29.29	2.56	0.04	103	1.00	8-23'
w23	11.57	27.24	2.35	0.10	235	0.70	0-12
w22	12.2	28	2.30	0.16	367	0.80	14-22'
w25	12.47	28.14	2.26	0.18	406	0.50	12-14'
w26	11.85	28.53	2.41	0.16	385	0.70	12-14'
w27	12.31	26.29	2.14	0.08	171	1.00	0-10
w28	12	28.59	2.38	0.04	95	0.80	0-10
w29	12.2	27.68	2.27	0.04	91	1.20	0-10
w1	11.95	28.98	2.43	0.02	48	1.00	0-5'
w3	12.11	29.07	2.40	0.04	96	0.85	4-9'
w11	11.9	29.78	2.50	0.04	100	0.60	0-14'
w21	11.63	28	2.41	0.04	96	0.10	8-23'
w23	13.06	27.99	2.14	0.06	129	0.05	0-12'
W27	11.2	29.15	2.60	0.06	156	0.05	0-10'
W28	12.83	28.9	2.25	0.10	225	0.08	0-10'
W29	11.69	28.1	2.40	0.05	120	1.20	0-10'
W30	12.53	27.43	2.19	0.04	88	1.30	0-23'
W31	11.22	29	2.58	0.04	103	0.05	0-23'
W32	13.24	30.18	2.28	0.02	46	0.05	17-22'
W33	11.73	29.32	2.50	0.04	100	1.30	0-17'
W34	11.1	30.12	2.71	0.06	163	1.70	0-17'
W35	12	31.16	2.60	0.06	156	2.00	0-17'
W36	12.86	32.73	2.55		0	0.70	10-22'
W37	12.33	30.08	2.44		0	0.80	14-22'
W38	11.48	28.52	2.48	0.04	99	0.50	14-22'
W39	12.35	28.63	2.32	0.02	46	0.70	14-22'
W40	12.51	26.29	2.10	0.06	126	1.20	0-22'
W41	12.41	27.51	2.22	0.04	89	1.00	0-22'
W42	12.57	27.44	2.18	0.04	87	1.70	0-22'
W43	12.47	28.67	2.30	0.04	92	0.50	0-22'
W44	12.29	27.47	2.24	0.02	45	0.40	0-22'
W45	12.43	28.49	2.29	0.02	46	0.10	22'
<u>Sample ID</u>	<u>Soil</u>	<u>Water</u>	<u>Ratio</u>	<u>AgNO3</u>	<u>Cl Result</u>	<u>MR3000</u>	<u>Depth</u>
B1	12.29	31.09	2.53	0.11	278	41.80	4'
B2	11.29	32.36	2.87	0.13	372	32.50	4'
B3	12.66	32.55	2.57	0.02	51	2.30	4'
B4	12.54	30.88	2.46	0.03	74	1.00	4'
B5					0	63.30	4'
B6						263.90	4'
B7						80.30	4'
B8						107.80	4'
B9						390.20	4'
B10						380.00	4'
B11						247.20	4'
B12						74.90	4'
B13						259.00	4'

B14						86.30	4'
B15	11.96	26.19	2.19	0.22	482	11.50	4'
B16	12.03	27.58	2.29	0.12	275	1.90	4'
B17	12.6	28.65	2.27	0.10	227	11.00	4'
B18						142.90	4'
B19						46.40	4'
B20	13.28	28.23	2.13	0.16	340	5.34	4'
B21	11.42	29.29	2.56	0.02	51	38.00	4'
B22	11.52	28.33	2.46	0.06	148	285.56	4'
B23						31.80	4'
B24						30.00	4'
B25						144.30	4'
B5						100.90	6'
B6						117.50	6'
B7						207.50	6'
B8						96.20	6'
B9						96.30	6'
B10						115.80	6'
B11						141.60	6'
B12						125.00	6'
B13						max	6'
B14						Max	6'
B15							
B18						100.00	6'
B19						96.80	6'
B25						78.00	6'
B5						23.50	8'
B6						8.20	8'
B7						81.40	8'
B8						266.10	8'
B9	12.78	28.35	2.22	0.18	399	83.60	8'
B10	11.17	27	2.42	0.20	483	24.20	8'
B11	11.73	27.36	2.33	0.23	536	119.60	8'
B12	11.56	29.11	2.52	0.25	629	73.90	8'
B13						177.00	8'
B14						75.30	8'
B15						60.80	8'
B16						58.20	8'
B17						147.30	8'
B18						120.40	8'
B19						195.00	8'
B22						191.00	8'
B23						90.00	8'
B25						90.30	8'
B26						152.70	8'
B27						194.00	8'
B28						18.20	8'
B29						4.20	8'
B30						2256.00	8'
B7						0.20	10'
B8						0.00	10'
B11						0.70	10'
B12						0.00	10'

Start Final Sampling New Floor configuration						
B1	11.28	27.28	2.42	0.14	0.00	4'
B2	11.67	26.6	2.28	0.15	0.08	4'
B3	11.8	27	2.29	0.08	0.00	4'
B4	11.3	27.5	2.43	0.06		4'
B5	12	29.35	2.45	0.12	1.90	4'
B6	12.53	28.86	2.30	0.06	0.10	4'
B7	11.3	27.64	2.45	0.10	10.30	8'
B8	12.81	28.41	2.22	0.18	2.70	8'
B9	12.23	28.08	2.30	0.14	0.00	8'
B10	12.21	27.52	2.25	0.18	3.00	8'
B11	12.52	29.81	2.38	0.10	0.00	12'
B12	12.54	26.81	2.14	0.11	0.00	12'
B13	11.19	29.23	2.61	0.08	0.00	8'
B14	11.6	27.67	2.39	0.12	16.40	12'
B15	11.52	28.52	2.48	0.12	3.30	12'
B16	12.21	26.69	2.19	0.26	0.00	8'
B17	12.13	28.23	2.33	0.24	0.00	12'
B18	12.87	27.08	2.10	0.26	0.90	12'
B19	11.89	28.83	2.42	0.02	1.10	12'
B20	11.55	28.17	2.44	0.22	7.10	12'
B21					55.40	14'
B22					85.10	12'
B23	11.77	27.87	2.37	0.38	1.70	12'
B24	11.84	27.19	2.30	0.02	0.00	12'
B25	0	0			244.00	12'
B26					74.00	12'
B27					128.80	12'
B28					361.90	14'
B29	12.38	28.64	2.31	0.10	0.40	14'
B30	12.76	26.65	2.09	0.10	0.00	14'
B31					500.00	12'
B32					84.50	12'
B33					278.00	12'
B34					207.40	12'
B35	12.95	27.32	2.11	0.02	2.60	14'
B36	11.87	27.48	2.32	0.04	0.40	14'
B37					125.50	12'
B38					209.60	12'
B39					136.50	22'
B40					86.40	22'
B41	12	29.44	2.45	0.08	0.30	12'
B42	12.27	28.53	2.33	0.10	0.00	12'
B43	11.14	28.7	2.58	0.02	0.00	22'
B44	12.28	26.48	2.16	0.12	3.80	22'
B45	11.84	28.52	2.41	0.02	0.00	8'
B46	12.49	28.19	2.26	0.10	0.00	8'
B47	12.87	27.2	2.11	0.04	2.40	20'
B48	12.19	27.29	2.24	0.12	25.10	20'
B3	13.08	29.53	2.26	0.10	1.80	4'6"
B4	13.14	29	2.21	0.10	5.70	4'6"
B5	11.87	30.62	2.58	0.06	0.20	4'6"
B6	12.74	30	2.35	0.04	2.00	4'6"

B9	12.84	29	2.26	0.04		0.50	9'
B21	12.58	29.44	2.34	0.08		2.00	14'
B22	11.55	30.6	2.65	0.04		2.10	14'
B28	12.68	28.15	2.22	0.12		0.50	14'
B33	12.64	28.65	2.27	0.10		0.50	22'
B34	11.77	28.82	2.45	0.08		0.80	22'
B39	11.67	28.44	2.44			2.00	22'
B40	11.36	28.07	2.47			2.40	22'
B44	12.58	29.38	2.34			6.00	23'
B47	12.82	29.54	2.30			5.50	22'
B48	12.87	26.93	2.09			1.30	22'
B49	12.13	29.82	2.46	0.02		0.70	
B50	12	27.41	2.28	0.04		0.50	
B51	12.37	28.11	2.27	0.08		0.06	
B7	13.28	27.25	2.05	0.05		0.80	
B51	13.49	27.18	2.01	0.04		1.90	
B37	14.08	28.09	2.00	0.08		0.50	22'
B38	12.3	27.56	2.24	0.05		0.10	22'
B55	13.2	29.3	2.22	0.08		0.00	23'
B56	13	29.78	2.29	0.02		0.70	23'
B57	12.31	27.8	2.26	0.00		1.60	22'
B58	13.4	30	2.24	0.08		2.20	22'
b4	12.62	31	2.46	0.03		0.00	5'
B6	11.65	28.24	2.42	0.01		0.00	5'
B59	11.59	29.71	2.56	0.07		1.20	22'
B60	11.36	29.95	2.64	0.08		3.00	22'

Appendix E

Communications

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 388298

From: Vickie Smith <vsmith@texpetro.com>

To: Case Keeter <ckeeter@texpetro.com>, jasono@diamondbacknm.com <jasono@diamondbacknm.com>

Cc: Kelly Jordan <kjordan@texpetro.com>, Greg Mendenhall <gmendenhall@texpetro.com>, Kirk Jackson <kjackson@texpetro.com>

Date: Mon, 30 Sep 2024 16:37:59 +0000 (09/30/2024 10:37:59 AM)

Please see the approved Notification below.

Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Monday, September 30, 2024 11:32 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 388298

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 10/04/2024 @ 08:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: this is the second of two Sampling Notifications, an est of 35 samples will be taken of the 70 total samples gathered.

Texland - Kirk 432-894-1491, Case 806-777-2965
Diamondback - Jason Owsley 575-602-5998

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

if you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 388233

From: Vickie Smith <vsmith@texpetro.com>

To: Case Keeter <ckeeter@texpetro.com>, jasono@diamondbacknm.com <jasono@diamondbacknm.com>

Cc: Kelly Jordan <kjordan@texpetro.com>, Greg Mendenhall <gmendenhall@texpetro.com>, Kirk Jackson <kjackson@texpetro.com>

Date: Mon, 30 Sep 2024 16:44:51 +0000 (09/30/2024 10:44:51 AM)

We have two notification of sampling approved, this will make sure all samples are accepted.

Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Monday, September 30, 2024 11:24 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 388233

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 10/03/2024 @ 09:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: this is the first of two Sampling Notifications, est doing 35 samples each day for a total of 70 samples.

Additional Instructions: 32.7132797, -103.1813812 off NW County Road
Texland - Kirk 432-894-1491, Case 806-777-2965
Diamondback - Jason Owsley 575-602-5998

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 390752

From: Vickie Smith <vsmith@texpetro.com>

To: Case Keeter <ckeeter@texpetro.com>, jasono@diamondbacknm.com <jasono@diamondbacknm.com>, Kirk Jackson <kjackson@texpetro.com>

Cc: Kelly Jordan <kjordan@texpetro.com>, Greg Mendenhall <gmendenhall@texpetro.com>

Date: Tue, 8 Oct 2024 16:42:41 +0000 (10/08/2024 10:42:41 AM)

Please see the approved Sampling Notification for the Bowers A Battery, and please note the start of sampling time.

Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Tuesday, October 8, 2024 11:38 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 390752

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 10/10/2024 @ 11:30

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 w/Texland Petroleum; Jason 575-602-5998 w/Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 398280

From: Vickie Smith <vsmith@texpetro.com>

To: Case Keeter <ckeeter@texpetro.com>, Kirk Jackson <kjackson@texpetro.com>, jasono@diamondbacknm.com <jasono@diamondbacknm.com>

Date: Fri, 1 Nov 2024 21:25:30 +0000 (11/01/2024 03:25:30 PM)

Here is the approval for day #2's Sampling.

Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Friday, November 1, 2024 4:21 PM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 398280

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/07/2024 @ 08:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 w/Textland Petroleum; Jason 575-602-5998 w/Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 398277

From: Vickie Smith <vsmith@texpetro.com>

To: Case Keeter <ckeeter@texpetro.com>, Kirk Jackson <kjackson@texpetro.com>, jasono@diamondbacknm.com <jasono@diamondbacknm.com>

Date: Fri, 1 Nov 2024 21:26:30 +0000 (11/01/2024 03:26:30 PM)

Here is the approval for day 1's Sampling.

Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Friday, November 1, 2024 4:16 PM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 398277

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/06/2024 @ 08:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 w/ Texland Petroleum; Jason 575-602-5998 Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 402850

From: Vickie Smith <vsmith@texpetro.com>

To: Case Keeter <ckeeter@texpetro.com>, Kirk Jackson <kjackson@texpetro.com>, Jason Owsley <jasono@diamondbacknm.com>

Cc: Greg Mendenhall <gmendenhall@texpetro.com>, Kelly Jordan <kjordan@texpetro.com>

Date: Wed, 13 Nov 2024 16:59:14 +0000 (11/13/2024 09:59:14 AM)

Please see the Notice of Sampling

If you need anything please let me know,
Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Wednesday, November 13, 2024 10:56 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 402850

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/18/2024 @ 08:00

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 Texland Petroleum;
Jason 575-602-5998 Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Friday, November 8, 2024 9:35 AM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 400703

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/12/2024 @ 08:30

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 Texland Petroleum;
Jason 575-602-5998 Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

[NOTIFY] Notification Of Sampling (C-141N) Application

Submission Information

Submission ID:	400703	Districts:	Hobbs
Operator:	[113315] TEXLAND PETROLEUM-HOBBS, LLC	Counties:	Lea
Description:	TEXLAND PETROLEUM-HOBBS, LLC [113315] , Bowers A Federal Battery , NAPP2414147581		
Status:	APPROVED		
Status Date:	11/08/2024		
References (2):	30-025-36837, NAPP2414147581		

Forms

This application type does not have attachments.

Questions

Prerequisites

Incident ID (n#)	nAPP2414147581
Incident Name	NAPP2414147581 BOWERS A FEDERAL BATTERY @ 30-025-36837
Incident Type	Oil Release
Incident Status	Initial C-141 Approved
Incident Well	[30-025-36837] BOWERS A FEDERAL #045

Location of Release Source

Site Name	Bowers A Federal Battery
Date Release Discovered	05/19/2024
Surface Owner	Private

Sampling Event General Information

Please answer all the questions in this group.

What is the sampling surface area in square feet	2,800
What is the estimated number of samples that will be gathered	14

Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	11/12/2024
Time sampling will commence	08:30 AM
Please provide any information necessary for observers to contact samplers	Case 806-777-2965, Kirk 432-894-1491 Texland Petroleum; Jason 575-602-5998 Diamondback
Please provide any information necessary for navigation to sampling site	32.7132797, -103.1813812 off NW County Road

Acknowledgments

This submission type does not have acknowledgments, at this time.

Comments

No comments found for this submission.

Conditions

Summary: *vsmith (11/8/2024)*, Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation cl

Reasons

No reasons found for this submission.

Fees

No fees found for this submission.

[Go Back](#)

Vickie Smith

From: OCDOnline@state.nm.us
Sent: Friday, November 8, 2024 9:40 AM
To: Vickie Smith
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 400707

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted **Notification for (Final) Sampling of a Release** (C-141N), for incident ID (n#) nAPP2414147581.

The sampling event is expected to take place:

When: 11/13/2024 @ 08:30

Where: P-30-18S-38E 755 FSL 285 FEL (32.7140744,-103.1841335)

Additional Information: Case 806-777-2965, Kirk 432-894-1491 Texland Petroleum;
Jason 575-602-5998 Diamondback

Additional Instructions: 32.7132797, -103.1813812 off NW County Road

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

[NOTIFY] Notification Of Sampling (C-141N) Application

Submission Information

Submission ID:	400707	Districts:	Hobbs
Operator:	[113315] TEXLAND PETROLEUM-HOBBS, LLC	Counties:	Lea
Description:	TEXLAND PETROLEUM-HOBBS, LLC [113315] , Bowers A Federal Battery , nAPP2414147581		
Status:	APPROVED		
Status Date:	11/08/2024		
References (2):	30-025-36837, nAPP2414147581		

Forms

This application type does not have attachments.

Questions

Prerequisites

Incident ID (n#)	nAPP2414147581
Incident Name	NAPP2414147581 BOWERS A FEDERAL BATTERY @ 30-025-36837
Incident Type	Oil Release
Incident Status	Initial C-141 Approved
Incident Well	[30-025-36837] BOWERS A FEDERAL #045

Location of Release Source

Site Name	Bowers A Federal Battery
Date Release Discovered	05/19/2024
Surface Owner	Private

Sampling Event General Information

Please answer all the questions in this group.

What is the sampling surface area in square feet	2,800
What is the estimated number of samples that will be gathered	14

Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	11/13/2024
Time sampling will commence	08:30 AM
Please provide any information necessary for observers to contact samplers	Case 806-777-2965, Kirk 432-894-1491 Texland Petroleum; Jason 575-602-5998 Diamondback
Please provide any information necessary for navigation to sampling site	32.7132797, -103.1813812 off NW County Road

Acknowledgments

This submission type does not have acknowledgments, at this time.

Comments

No comments found for this submission.

Conditions

Summary: vsmith (11/8/2024). Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation cl

Reasons

No reasons found for this submission.

Fees

No fees found for this submission.

Go Back

Appendix F Lab Results Originals



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 09, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 10/03/24 12:38.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	10/03/2024	Sampling Date:	10/03/2024
Reported:	10/09/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	** (See Notes)
Project Number:	TLP - 14	Sample Received By:	Shalyn Rodriguez
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 1 @ 4' (H246022-01)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/04/2024	ND	2.16	108	2.00	5.29		
Toluene*	<0.050	0.050	10/04/2024	ND	2.24	112	2.00	4.52		
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.27	114	2.00	4.13		
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.87	115	6.00	3.98		
Total BTX	<0.300	0.300	10/04/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 72.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 68.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 2 @ 4' (H246022-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	10/04/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 84.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 77.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 3 @ 4' (H246022-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	10/04/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	262	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	221	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 92.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 88.1 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 4 @ 4' (H246022-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/05/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/05/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/05/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/05/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/05/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	10/04/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	279	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	239	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 98.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 5 @ 4' (H246022-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	10/04/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	1040	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	431	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 100 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 6 @ 4' (H246022-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	10/04/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	257	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	224	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 90.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 85.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 7 @ 8' (H246022-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	250	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	107	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 98.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 8 @ 8' (H246022-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	368	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	13.4	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 81.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 78.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 9 @ 8' (H246022-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43		
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28		
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30		
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62		
Total BTEX	<0.300	0.300	10/04/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	264	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	94.7	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 85.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 10 @ 8'4 (H246022-10)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	352	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	195	97.5	200	0.398	
DRO >C10-C28*	20.9	10.0	10/04/2024	ND	167	83.3	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 90.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 11 @ 12' (H246022-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	10/04/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 79.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 68.8 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 12 @ 12' (H246022-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/05/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/05/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/05/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/05/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/05/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	10/04/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 82.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 74.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 13 @ 8' (H246022-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43		
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28		
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30		
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62		
Total BTEX	<0.300	0.300	10/04/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 75.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 68.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 14 @ 12' (H246022-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	18.9	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 75.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 67.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 15 @ 12' (H246022-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43		
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28		
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30		
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62		
Total BTEX	<0.300	0.300	10/04/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 96.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 16 @ 8' (H246022-16)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43		
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28		
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30		
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62		
Total BTEX	<0.300	0.300	10/04/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 85.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 77.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 17 @ 12' (H246022-17)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43		
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28		
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30		
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62		
Total BTEX	<0.300	0.300	10/04/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 94.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 18 @ 12' (H246022-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/05/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/05/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/05/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/05/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/05/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 85.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 77.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 19 @ 12' (H246022-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/04/2024	ND	2.18	109	2.00	2.43		
Toluene*	<0.050	0.050	10/04/2024	ND	2.09	105	2.00	2.28		
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.13	107	2.00	2.30		
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.38	106	6.00	2.62		
Total BTEX	<0.300	0.300	10/04/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/04/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 92.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 83.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 20 @ 12' (H246022-20)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/05/2024	ND	2.18	109	2.00	2.43		
Toluene*	<0.050	0.050	10/05/2024	ND	2.09	105	2.00	2.28		
Ethylbenzene*	<0.050	0.050	10/05/2024	ND	2.13	107	2.00	2.30		
Total Xylenes*	<0.150	0.150	10/05/2024	ND	6.38	106	6.00	2.62		
Total BTEX	<0.300	0.300	10/05/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	448	16.0	10/04/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	27.9	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 79.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 73.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 23 @ 12' (H246022-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/05/2024	ND	2.18	109	2.00	2.43	
Toluene*	<0.050	0.050	10/05/2024	ND	2.09	105	2.00	2.28	
Ethylbenzene*	<0.050	0.050	10/05/2024	ND	2.13	107	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/05/2024	ND	6.38	106	6.00	2.62	
Total BTEX	<0.300	0.300	10/05/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/04/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 77.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 71.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 24 @ 12' (H246022-22)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.22	111	2.00	0.00617	
Toluene*	<0.050	0.050	10/04/2024	ND	2.27	113	2.00	0.309	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.28	114	2.00	1.10	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.91	115	6.00	1.14	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	10/04/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 86.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 79.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 29 @ 14' (H246022-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.22	111	2.00	0.00617	
Toluene*	<0.050	0.050	10/04/2024	ND	2.27	113	2.00	0.309	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.28	114	2.00	1.10	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.91	115	6.00	1.14	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	10/04/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 84.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 77.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 30 @ 14' (H246022-24)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.22	111	2.00	0.00617	
Toluene*	<0.050	0.050	10/04/2024	ND	2.27	113	2.00	0.309	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.28	114	2.00	1.10	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.91	115	6.00	1.14	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	10/04/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 86.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 80.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 35 @ 14' (H246022-25)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.22	111	2.00	0.00617	
Toluene*	<0.050	0.050	10/04/2024	ND	2.27	113	2.00	0.309	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.28	114	2.00	1.10	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.91	115	6.00	1.14	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	10/04/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 90.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 10/03/2024
 Reported: 10/09/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 10/03/2024
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Shalyn Rodriguez

Sample ID: B 36 @ 14' (H246022-26)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/04/2024	ND	2.22	111	2.00	0.00617	
Toluene*	<0.050	0.050	10/04/2024	ND	2.27	113	2.00	0.309	
Ethylbenzene*	<0.050	0.050	10/04/2024	ND	2.28	114	2.00	1.10	
Total Xylenes*	<0.150	0.150	10/04/2024	ND	6.91	115	6.00	1.14	
Total BTEX	<0.300	0.300	10/04/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	10/04/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/04/2024	ND	202	101	200	0.414	
DRO >C10-C28*	<10.0	10.0	10/04/2024	ND	182	91.1	200	3.22	
EXT DRO >C28-C36	<10.0	10.0	10/04/2024	ND					

Surrogate: 1-Chlorooctane 90.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 85.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals

Project Manager: Justin Roberts

Address: 2525 NW County RD

City: Hobbs State: NM ZIP: 88240

Phone #: (575) 392-9996

Project #: TLP-14

Project Name: Bowers A Fed CTB

Project Location: 32.71425348, -103.18365009

Sampler Name: Jason Owsley

FOR LAB USE ONLY
Lab I.D.

Sample I.D.

Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					DATE	TIME	CL	EXT	BTEX	T	C	L	I	P	N	O	R	M
			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE														
B1 @ 4'	C	1	X						10-3-24	9:00 AM	X	X									
B2 @ 4'	C	1	X						10-3-24	9:02 AM	X	X									
B3 @ 4'	C	1	X						10-3-24	9:04 AM	X	X									
B4 @ 4'	C	1	X						10-3-24	9:06 AM	X	X									
B5 @ 4'	C	1	X						10-3-24	9:08 AM	X	X									
B6 @ 4'	C	1	X						10-3-24	9:10 AM	X	X									
B7 @ 8'	C	1	X						10-3-24	9:12 AM	X	X									
B8 @ 8'	C	1	X						10-3-24	9:14 AM	X	X									
B9 @ 8'	C	1	X						10-3-24	9:16 AM	X	X									
B10 @ 8'4	C	1	X						10-3-24	9:18 AM	X	X									

FALSE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client to the analyzer. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature] Date: 10-3-24 Time: 1:38
Received By: [Signature] Date: 10-3-24 Time: 1:38

Delivered By: (Circle One)
Sampler - UPS - Bus - Other:

Observed Temp. °C 10.4
Corrected Temp. °C 9.8

Sample Condition
Cool Intact
☒ Yes ☐ No

CHECKED BY: (Initials) [Signature]

Turnaround Time: Standard ☒ Rush ☐
Thermometer ID #140
Correction Factor -0.10

Bacteria (only) Sample Condition
☒ Yes ☐ No
Corrected Temp. °C

Verbal Result: ☐ Yes ☐ No
All Results are emailed. Please provide Email address: jasono@diamondbacknm.com / ap@diamondbacknm.com
REMARKS:

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals						BILL TO						ANALYSIS REQUEST											
Project Manager: Justin Roberts						P.O. #:																	
Address: 2525 NW County RD						Company: Texland																	
City: Hobbs						Attn: Case Keeler																	
State: NM ZIP: 88240						Address:																	
Phone #: (575)-392-9996						City:																	
Project #:						TLP-14																	
Project Name:						Bowers A Fed CTB																	
Project Location:						32.71425348,-103.18365009																	
Sample Name:						Jason Owsley																	
FOR LAB USE ONLY						PRESERV.						SAMPLING											
Lab I.D.						MATRIX																	
Sample I.D.						(G)RAB OR (C)OMP.																	
						# CONTAINERS																	
H2400033						GROUNDWATER																	
						WASTEWATER																	
						SOIL																	
						OIL																	
						SLUDGE																	
						OTHER :																	
						ACID/BASE:																	
						ICE / COOL																	
						OTHER :																	
						DATE						TIME											
11 B11 @ 12'						C 1						X X											
12 B12 @ 12'						C 1						X X											
13 B13 @ 8'						C 1						X X											
14 B14 @ 12'						C 1						X X											
15 B15 @ 12'						C 1						X X											
16 B16 @ 8'						C 1						X X											
17 B17 @ 12'						C 1						X X											
18 B18 @ 12'						C 1						X X											
19 B19 @ 12'						C 1						X X											
20 B20 @ 12'						C 1						X X											
REMARKS:						All results are emailed. Please provide Email address: jasonc@diamondbacknm.com / ap@diamondbacknm.com																	
Vertical Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						Add'l Phone #:																	
Thermometer ID #140						Correction Factor -0.00																	
Cool Intact <input checked="" type="checkbox"/>						Observed Temp. °C																	
Standard Backline (only) Sample Condition																							
Yes <input type="checkbox"/> No <input type="checkbox"/>						Corrected Temp. °C																	



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals

BILL TO

ANALYSIS REQUEST

Project Manager: Justin Roberts

P.O. #:

Address: 2525 NW County RD

Company: Textland

City: Hobbs

State: NM ZIP: 88240

Attn: Case Keeler

Phone #: (575)-392-9996

Address:

Project #:

City:

Project Name: Bowers A Fed CTB

State: Zip:

Project Location: 32.71425348,-103.18365009

Phone #:

Sampler Name: Jason Owsley

Fax #:

Lab I.D.

Sample I.D.

FOR LAB USE ONLY		Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					TEMPERATURE	DATE	TIME	CL	EXT TPH	BTEX	T C C L I P	N O R M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
------------------	--	----------	-------------	-------------------	--------------	--------	--	--	--	--	-------------	------	------	----	------------	------	----------------------------	------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NOTE: Liability and Damages. Cardinal's liability and damages are limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the analysis. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature]
Date: 10-3-24
Time: 1:38
Received By: [Signature]
Date: [Blank]
Time: [Blank]

Verbal Result: ☐ Yes ☐ No
All Results are emailed. Please provide Email address: jason@diamondbacknm.com / ap@diamondbacknm.com
Add'l Phone #: [Blank]
REMARKS: [Blank]

Delivered By: (Circle One)
Sampler - UPS - Bus - Other:

Observed Temp. °C 10.4
Corrected Temp. °C 9.8

Sample Condition
Cool ☐ Intact ☐
Yes ☐ No ☐

CHECKED BY: [Signature]
(Initials)

Turnaround Time: Standard ☒ Rush ☐
Cool Intact ☒ Backfill (only) Sample Condition ☐
Thermometer ID #140
Correction Factor -0.4

Yes ☐ No ☐
Corrected Temp. °C



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 10, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 10/04/24 13:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/04/2024	Sampling Date:	10/04/2024
Reported:	10/10/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 41 @ 12' (H246058-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/07/2024	ND	2.02	101	2.00	3.32	
Toluene*	<0.050	0.050	10/07/2024	ND	2.04	102	2.00	3.16	
Ethylbenzene*	<0.050	0.050	10/07/2024	ND	2.06	103	2.00	2.56	
Total Xylenes*	<0.150	0.150	10/07/2024	ND	6.13	102	6.00	2.49	
Total BTEX	<0.300	0.300	10/07/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	10/08/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/07/2024	ND	189	94.5	200	0.336	
DRO >C10-C28*	30.9	10.0	10/07/2024	ND	184	92.1	200	0.0505	
EXT DRO >C28-C36	<10.0	10.0	10/07/2024	ND					

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/04/2024	Sampling Date:	10/04/2024
Reported:	10/10/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 42 @ 12' (H246058-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2024	ND	2.02	101	2.00	3.32		
Toluene*	<0.050	0.050	10/07/2024	ND	2.04	102	2.00	3.16		
Ethylbenzene*	<0.050	0.050	10/07/2024	ND	2.06	103	2.00	2.56		
Total Xylenes*	<0.150	0.150	10/07/2024	ND	6.13	102	6.00	2.49		
Total BTEX	<0.300	0.300	10/07/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	352	16.0	10/08/2024	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/07/2024	ND	189	94.5	200	0.336	
DRO >C10-C28*	11.9	10.0	10/07/2024	ND	184	92.1	200	0.0505	
EXT DRO >C28-C36	<10.0	10.0	10/07/2024	ND					

Surrogate: 1-Chlorooctane 110 % 48.2-134

Surrogate: 1-Chlorooctadecane 99.4 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/04/2024	Sampling Date:	10/04/2024
Reported:	10/10/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 43 @ 22' (H246058-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2024	ND	2.02	101	2.00	3.32		
Toluene*	<0.050	0.050	10/07/2024	ND	2.04	102	2.00	3.16		
Ethylbenzene*	<0.050	0.050	10/07/2024	ND	2.06	103	2.00	2.56		
Total Xylenes*	<0.150	0.150	10/07/2024	ND	6.13	102	6.00	2.49		
Total BTEX	<0.300	0.300	10/07/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	10/08/2024	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/07/2024	ND	189	94.5	200	0.336	
DRO >C10-C28*	<10.0	10.0	10/07/2024	ND	184	92.1	200	0.0505	
EXT DRO >C28-C36	<10.0	10.0	10/07/2024	ND					

Surrogate: 1-Chlorooctane 122 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/04/2024	Sampling Date:	10/04/2024
Reported:	10/10/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 44 @ 22' (H246058-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2024	ND	2.02	101	2.00	3.32		
Toluene*	<0.050	0.050	10/07/2024	ND	2.04	102	2.00	3.16		
Ethylbenzene*	<0.050	0.050	10/07/2024	ND	2.06	103	2.00	2.56		
Total Xylenes*	<0.150	0.150	10/07/2024	ND	6.13	102	6.00	2.49		
Total BTEX	<0.300	0.300	10/07/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	10/08/2024	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/07/2024	ND	189	94.5	200	0.336	
DRO >C10-C28*	88.4	10.0	10/07/2024	ND	184	92.1	200	0.0505	
EXT DRO >C28-C36	12.2	10.0	10/07/2024	ND					

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 109 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/04/2024	Sampling Date:	10/04/2024
Reported:	10/10/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 45 @ 8' (H246058-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/07/2024	ND	2.02	101	2.00	3.32	
Toluene*	<0.050	0.050	10/07/2024	ND	2.04	102	2.00	3.16	
Ethylbenzene*	<0.050	0.050	10/07/2024	ND	2.06	103	2.00	2.56	
Total Xylenes*	<0.150	0.150	10/07/2024	ND	6.13	102	6.00	2.49	
Total BTEX	<0.300	0.300	10/07/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	10/08/2024	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/07/2024	ND	189	94.5	200	0.336	
DRO >C10-C28*	<10.0	10.0	10/07/2024	ND	184	92.1	200	0.0505	
EXT DRO >C28-C36	<10.0	10.0	10/07/2024	ND					

Surrogate: 1-Chlorooctane 121 % 48.2-134

Surrogate: 1-Chlorooctadecane 107 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/04/2024	Sampling Date:	10/04/2024
Reported:	10/10/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 46 @ 8' (H246058-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2024	ND	2.02	101	2.00	3.32		
Toluene*	<0.050	0.050	10/07/2024	ND	2.04	102	2.00	3.16		
Ethylbenzene*	<0.050	0.050	10/07/2024	ND	2.06	103	2.00	2.56		
Total Xylenes*	<0.150	0.150	10/07/2024	ND	6.13	102	6.00	2.49		
Total BTEX	<0.300	0.300	10/07/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	256	16.0	10/08/2024	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/07/2024	ND	189	94.5	200	0.336	
DRO >C10-C28*	<10.0	10.0	10/07/2024	ND	184	92.1	200	0.0505	
EXT DRO >C28-C36	<10.0	10.0	10/07/2024	ND					

Surrogate: 1-Chlorooctane 113 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	10/04/2024	Sampling Date:	10/04/2024
Reported:	10/10/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 47 @ 20' (H246058-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/07/2024	ND	2.02	101	2.00	3.32	
Toluene*	<0.050	0.050	10/07/2024	ND	2.04	102	2.00	3.16	
Ethylbenzene*	<0.050	0.050	10/07/2024	ND	2.06	103	2.00	2.56	
Total Xylenes*	<0.150	0.150	10/07/2024	ND	6.13	102	6.00	2.49	
Total BTEx	<0.300	0.300	10/07/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	10/08/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/07/2024	ND	189	94.5	200	0.336	
DRO >C10-C28*	531	10.0	10/07/2024	ND	184	92.1	200	0.0505	
EXT DRO >C28-C36	162	10.0	10/07/2024	ND					

Surrogate: 1-Chlorooctane 122 % 48.2-134

Surrogate: 1-Chlorooctadecane 122 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/04/2024	Sampling Date:	10/04/2024
Reported:	10/10/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 48 @ 20' (H246058-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2024	ND	2.02	101	2.00	3.32		
Toluene*	<0.050	0.050	10/07/2024	ND	2.04	102	2.00	3.16		
Ethylbenzene*	<0.050	0.050	10/07/2024	ND	2.06	103	2.00	2.56		
Total Xylenes*	<0.150	0.150	10/07/2024	ND	6.13	102	6.00	2.49		
Total BTEX	<0.300	0.300	10/07/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KV					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	10/08/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<50.0	50.0	10/07/2024	ND	189	94.5	200	0.336	
DRO >C10-C28*	1610	50.0	10/07/2024	ND	184	92.1	200	0.0505	
EXT DRO >C28-C36	401	50.0	10/07/2024	ND					

Surrogate: 1-Chlorooctane 128 % 48.2-134

Surrogate: 1-Chlorooctadecane 137 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Released to Imaging: 3/25/2025 11:39:40 AM



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 16, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 10/10/24 16:23.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 1 @ 0-4' (H246189-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35	
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05	
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92	
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92	
Total BTX	<0.300	0.300	10/14/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	10/14/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<50.0	50.0	10/14/2024	ND	180	89.9	200	4.21	
DRO >C10-C28*	374	50.0	10/14/2024	ND	192	96.2	200	3.44	
EXT DRO >C28-C36	309	50.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 92.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 92.4 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 2 @ 0-4' (H246189-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/14/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	180	89.9	200	4.21	
DRO >C10-C28*	47.2	10.0	10/14/2024	ND	192	96.2	200	3.44	
EXT DRO >C28-C36	11.2	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 94.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 3 @ 4-8' (H246189-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35	
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05	
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92	
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92	
Total BTEX	<0.300	0.300	10/14/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<50.0	50.0	10/14/2024	ND	180	89.9	200	4.21	
DRO >C10-C28*	253	50.0	10/14/2024	ND	192	96.2	200	3.44	
EXT DRO >C28-C36	215	50.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 94.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 4 @ 4-12' (H246189-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/14/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	180	89.9	200	4.21	
DRO >C10-C28*	<10.0	10.0	10/14/2024	ND	192	96.2	200	3.44	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 89.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 78.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 5 @ 8-12' (H246189-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35	
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05	
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92	
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92	
Total BTEX	<0.300	0.300	10/14/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	14.2	10.0	10/14/2024	ND	199	99.3	200	4.96	QR-03
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 6 @ 8-12' (H246189-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/14/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	17.4	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 107 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 7 @ 0-12' (H246189-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/14/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	2890	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	713	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 144 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 8 @ 0-12' (H246189-08)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35	
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05	
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92	
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92	
Total BTEX	<0.300	0.300	10/14/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	10/14/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	<10.0	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 9 @ 0-12' (H246189-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/14/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	2950	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	701	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 147 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 10 @ 0-12' (H246189-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/14/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	10/14/2024	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	<10.0	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 120 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 11 @ 0-12' (H246189-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/14/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	1670	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	515	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 95.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 124 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 13 @ 0-8' (H246189-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/14/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/14/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/14/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/14/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	400	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	<10.0	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 84.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.8 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 16 @ 0-20' (H246189-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.35	
Toluene*	<0.050	0.050	10/15/2024	ND	2.01	101	2.00	4.05	
Ethylbenzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.92	
Total Xylenes*	<0.150	0.150	10/15/2024	ND	6.19	103	6.00	3.92	
Total BTEX	<0.300	0.300	10/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 119 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<50.0	50.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	2080	50.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	636	50.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 86.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 124 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 17 @ 0-20' (H246189-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/15/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/15/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	<10.0	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 121 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 18 @ 0-20' (H246189-15)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/15/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/15/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	52.3	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 92.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 19 @ 0-20' (H246189-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/15/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/15/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	56.3	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 20 @ 0-20' (H246189-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.35	
Toluene*	<0.050	0.050	10/15/2024	ND	2.01	101	2.00	4.05	
Ethylbenzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.92	
Total Xylenes*	<0.150	0.150	10/15/2024	ND	6.19	103	6.00	3.92	
Total BTEX	<0.300	0.300	10/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	400	16.0	10/14/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	<10.0	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 121 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 23 @ 0-12' (H246189-18)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/15/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/15/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	352	16.0	10/14/2024	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	687	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	180	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 95.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 122 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	10/10/2024	Sampling Date:	10/10/2024
Reported:	10/16/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 24 @ 0-14' (H246189-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.35		
Toluene*	<0.050	0.050	10/15/2024	ND	2.01	101	2.00	4.05		
Ethylbenzene*	<0.050	0.050	10/15/2024	ND	2.07	103	2.00	3.92		
Total Xylenes*	<0.150	0.150	10/15/2024	ND	6.19	103	6.00	3.92		
Total BTEX	<0.300	0.300	10/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	10/14/2024	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2024	ND	220	110	200	4.83	
DRO >C10-C28*	<10.0	10.0	10/14/2024	ND	199	99.3	200	4.96	
EXT DRO >C28-C36	<10.0	10.0	10/14/2024	ND					

Surrogate: 1-Chlorooctane 72.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.1 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals

BILL TO

ANALYSIS REQUEST

Project Manager: Justin Roberts

P.O. #: Company: Textland

Address: 2525 NW County RD

Attn: Case Keefer

City: Hobbs State: NM ZIP: 88240

Address:

Phone #: (575)-392-9996

City:

Project #: TLP-14

State: Zip:

Project Name: Bowers A Fed CTB

Phone #:

Project Location: 32.71425348, -103.18365009

Fax #:

Sampler Name: Jason Owsley

FOR LAB USE ONLY

Lab I.D.

Sample I.D.

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	CL	EXT	TPH	BTEX	C	L	P	N	O	R	M																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</
----------	-------------	-------------------	--------------	-------------	------------	------	-----	--------	---------	------------	------------	---------	------	------	----	-----	-----	------	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

LEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise, shall be limited to the amount paid by the client to the laboratory. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal.

Relinquished By: Date: 8-10-24 Time: 10:23 Received By: Date: 8-10-24 Time: 10:23

Verbal Result: ☐ Yes ☐ No Add'l Phone #:
All Results are emailed. Please provide Email address: jasono@diamondbacknm.com / ap@diamondbacknm.com

Delivered By: (Circle One)
Sampler - UPS - Bus - Other:
Observed Temp. °C: 2.28 Corrected Temp. °C: 2.28
Cool Intact ☒ Yes ☐ No ☐ No ☐ No

Turnaround Time: Standard ☒ Rush ☐
Thermometer ID #140 Correction Factor -0.5°C
Cool Intact ☒ Yes ☐ No ☐ No ☐ No
Bacteria (only) Sample Condition ☐ Yes ☐ No
Corrected Temp. °C

Page 23 of 23

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 12, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 11/06/24 12:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 1 @ 0-4' (H246758-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83	
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45	
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02	
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21	
Total BTX	<0.300	0.300	11/08/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/08/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	727	10.0	11/07/2024	ND	189	94.6	200	1.64	QM-07
EXT DRO >C28-C36	594	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 81.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 75.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 3 @ 4-9' (H246758-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83		
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	883	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	507	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 86.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 7 @ 0-12' (H246758-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83	
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45	
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02	
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21	
Total BTEX	<0.300	0.300	11/08/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	38.5	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 88.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 76.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 9 @ 0-12' (H246758-04)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83	
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45	
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02	
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21	
Total BTX	<0.300	0.300	11/08/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	24.0	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 78.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 68.8 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 11 @ 0-14' (H246758-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83		
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21		
Total BTEx	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	836	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	460	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 71.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 72.1 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 12 @ 8-12' (H246758-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83		
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	14.9	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 76.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 64.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 15 @ 8-23' (H246758-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83	
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45	
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02	
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21	
Total BTEX	<0.300	0.300	11/08/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10		
DRO >C10-C28*	26.4	10.0	11/07/2024	ND	189	94.6	200	1.64		
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND						

Surrogate: 1-Chlorooctane 72.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 63.1 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 16 @ 0-22' (H246758-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83		
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	42.9	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 85.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 73.8 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 21 @ 8-23' (H246758-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83		
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21		
Total BTEx	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	155	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	40.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 79.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 70.1 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 23 @ 0-12' (H246758-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83		
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	131	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	28.7	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 81.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 72.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 22 @ 14-22' (H246758-11)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.09	105	2.00	1.83		
Toluene*	<0.050	0.050	11/08/2024	ND	2.15	108	2.00	2.45		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.16	108	2.00	2.02		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.40	107	6.00	2.21		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 78.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 67.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 25 @ 12-14' (H246758-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843	QR-03	
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745	QR-03	
Total BTEx	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	496	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 83.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 72.4 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 26 @ 12-14' (H246758-13)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	512	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	208	104	200	2.10	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	189	94.6	200	1.64	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 84.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 73.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

- QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
- Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals

Project Manager: Justin Roberts

Address: 2525 NW County RD

City: Hobbs State: NM Z/P: 88240

Phone #: (575)-392-9996

Project #: T1044

101-14	Project Name: Powers A End CTB
--------	--------------------------------

Project | Location: 33 744053 40 400 10000000

[illegible]

casoli cwsley

Lab 1.D.

Sample I.D.

H246758

W1@0.4'

W3 @ 4-9'

3 W7 @ 0-12

4 W9@a 0-12

W11@a-0-1

6	W12@a-8-1
---	-----------

7 W15 @ 8-2.

8	W16 @ 0-2'
---	------------

9 W21 @ 8-2;

W23 @ 0-12

NOTE: Liability and Damages. Cardinal's liability and client service. In no event shall Cardinal be liable for inci-

is or successors arising out of or related to the performance

inquired By:

024

Page 20 of 20

...of...

12

Reviewed By: (Circle One)

Journal of Management Education 35(1)

by

ed

FORM-006 R 3.2 10/07/21

+ C₁ec

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Released to Imaging: 3/25/2025 11:39:40 AM



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals

Project Manager: Justin Roberts

Address: 2525 NW County RD

City: Hobbs

Phone #: (575)-392-9996

Project #:

Project Name: Bowers A Fed CTB

Project Location: 32.71425348,-103.18365009

Sampler Name: Jason Owsley

Lab I.D.

BILL TO

ANALYSIS REQUEST

P.O. #:

Company: Texland

Attn: Case Keeter

Address:

City:

State:

Phone #:

Fax #:

Sample I.D.

1246758

11 W2 @ 14-22'

12 W25 @ 12-14'

13 W26 @ 12-14'

NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim relating to the analysis, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Inquired By: _____ Date: 11-6-24 Received By: _____ Verbal Result: ☐ Yes ☐ No Add'l Phone #: _____
Inquired By: _____ Date: 12-30 Received By: _____ All Results are emailed. Please provide Email address: Jason@diamondbacknm.com / ap@diamondbacknm.com / Case Keeter <ckeeter@texpetro.com>

Observed Temp. °C: 4.8 Corrected Temp. °C: 4.2 Sample Condition: ☒ Intact ☐ Leaky ☐ No ☐ No CHECKED BY: (Initials) _____

Thermometer ID #140 Correction Factor -0.6 Rush ☐ Cool ☐ Bacteria (only) Sample Condition: ☐ Yes ☐ No ☐ No ☐ No Corrected Temp. °C: _____



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 12, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 11/06/24 12:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 3 @ 4'6" (H246759-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438	
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142	
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843	
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745	
Total BTX	<0.300	0.300	11/08/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	11/08/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/06/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/06/2024	ND					

Surrogate: 1-Chlorooctane 125 % 48.2-134

Surrogate: 1-Chlorooctadecane 130 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 4 @ 4'6" (H246759-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	11/08/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2024	ND	203	102	200	0.915	
DRO >C10-C28*	694	10.0	11/06/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	208	10.0	11/06/2024	ND					

Surrogate: 1-Chlorooctane 131 % 48.2-134

Surrogate: 1-Chlorooctadecane 134 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 5 @ 4'6" (H246759-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/06/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/06/2024	ND					

Surrogate: 1-Chlorooctane 128 % 48.2-134

Surrogate: 1-Chlorooctadecane 134 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 6 @ 4'6" (H246759-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/06/2024	ND	203	102	200	0.915	
DRO >C10-C28*	183	10.0	11/06/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	61.5	10.0	11/06/2024	ND					

Surrogate: 1-Chlorooctane 132 % 48.2-134

Surrogate: 1-Chlorooctadecane 141 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 9 @ 9' (H246759-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 127 % 48.2-134

Surrogate: 1-Chlorooctadecane 132 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 21 @ 14' (H246759-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 133 % 48.2-134

Surrogate: 1-Chlorooctadecane 140 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 22 @ 14' (H246759-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 133 % 48.2-134

Surrogate: 1-Chlorooctadecane 139 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 28 @ 14' (H246759-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	320	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	24.4	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 126 % 48.2-134

Surrogate: 1-Chlorooctadecane 133 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 33 @ 22' (H246759-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 110 % 48.2-134

Surrogate: 1-Chlorooctadecane 114 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 34 @ 22' (H246759-10)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438	
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142	
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843	
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745	
Total BTEX	<0.300	0.300	11/08/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/07/2024	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 124 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 39 @ 22' (H246759-11)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438	
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142	
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843	
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745	
Total BTEX	<0.300	0.300	11/08/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 94.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 99.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 40 @ 22' (H246759-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 133 % 48.2-134

Surrogate: 1-Chlorooctadecane 140 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 44 @ 23' (H246759-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 133 % 48.2-134

Surrogate: 1-Chlorooctadecane 140 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 47 @ 22' (H246759-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	65.5	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 130 % 48.2-134

Surrogate: 1-Chlorooctadecane 138 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 48 @ 22' (H246759-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	<10.0	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 127 % 48.2-134

Surrogate: 1-Chlorooctadecane 140 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/06/2024	Sampling Date:	11/06/2024
Reported:	11/12/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 27 @ 22' (H246759-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/08/2024	ND	2.10	105	2.00	0.438		
Toluene*	<0.050	0.050	11/08/2024	ND	2.13	106	2.00	0.0142		
Ethylbenzene*	<0.050	0.050	11/08/2024	ND	2.28	114	2.00	0.843		
Total Xylenes*	<0.150	0.150	11/08/2024	ND	6.91	115	6.00	0.745		
Total BTEX	<0.300	0.300	11/08/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	11/07/2024	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/07/2024	ND	203	102	200	0.915	
DRO >C10-C28*	21.6	10.0	11/07/2024	ND	192	95.8	200	0.817	
EXT DRO >C28-C36	<10.0	10.0	11/07/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager




PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-05 The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
- QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
- Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 15, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 11/12/24 15:27.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/12/2024	Sampling Date:	11/12/2024
Reported:	11/15/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Shalyn Rodriguez
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 49 @ 10' (H246900-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/14/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	20.7	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	63.1	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 84.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 82.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received: 11/12/2024
Reported: 11/15/2024
Project Name: BOWERS A FED CTB
Project Number: TLP - 14
Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Shalyn Rodriguez

Sample ID: B 50 @ 10' (H246900-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53		
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	10.8	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 85.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B 51 @ 10' (H246900-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	33.4	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	67.8	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 90.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 88.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B 52 @ 17' (H246900-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53		
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 99.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B 53 @ 17' (H246900-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 104 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B 54 @ 22' (H246900-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 92.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 89.8 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B 25 @ 22' (H246900-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 71.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 70.8 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B 26 @ 22' (H246900-08)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 90.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 89.4 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B 31 @ 22' (H246900-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	23.6	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	37.4	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 79.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 78.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B 32 @ 22' (H246900-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	15.2	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	41.5	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 87.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 85.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-05 The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals				BILL TO				ANALYSIS REQUEST			
Project Manager: Justin Roberts				P.O. #:							
Address: 2525 NW County RD				Company: Texland							
City: Hobbs				Attn: Case Keeler							
State: NM ZIP: 88240				Address:							
Phone #: (575)-392-9996				City:							
Project #: TLP-14				State:				Zip:			
Project Name: Bowers A Fed CTB				Phone #:							
Project Location: 32.71425348, -103.18365009				Fax #:							
Sampler Name: Jason Owsley											
FOR LAB USE ONLY											
Lab I.D.											
Sample I.D.											
				(G)RAB OR (C)OMP.							
				# CONTAINERS							
				GROUNDWATER							
				WASTEWATER							
				SOIL							
				OIL							
				SLUDGE							
				OTHER :							
				ACID/BASE:							
				ICE / COOL							
				OTHER :							
				DATE							
				TIME							
				CL							
				EXT							
				TPH							
				BTEX							
				T							
				C							
				L							
				I							
				P							
				N							
				O							
				R							
				M							



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 15, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 11/12/24 15:27.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/12/2024	Sampling Date:	11/12/2024
Reported:	11/15/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Shalyn Rodriguez
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 1 @ 0-5' (H246901-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	11/14/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 97.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 3 @ 0-9' (H246901-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 88.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 11 @ 0-14' (H246901-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	15.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	38.4	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 83.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 80.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 21 @ 8-23' (H246901-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53		
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	30.9	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	60.8	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 92.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 23 @ 0-12' (H246901-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.19	109	2.00	4.53	
Toluene*	<0.050	0.050	11/15/2024	ND	2.27	113	2.00	3.13	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.17	109	2.00	3.53	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.91	115	6.00	3.06	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 97.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 27 @ 0-10' (H246901-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04	
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	224	112	200	2.49	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	227	114	200	3.00	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 99.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 96.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 28 @ 0-10' (H246901-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	233	116	200	1.50	
DRO >C10-C28*	22.7	10.0	11/13/2024	ND	218	109	200	3.04	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 71.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 71.4 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 29 @ 0-10' (H246901-08)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04	
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	233	116	200	1.50	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	218	109	200	3.04	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 87.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.8 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 30 @ 0-23' (H246901-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	233	116	200	1.50	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	218	109	200	3.04	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 95.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.3 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 31 @ 0-23' (H246901-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	233	116	200	1.50	
DRO >C10-C28*	32.0	10.0	11/13/2024	ND	218	109	200	3.04	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 91.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.4 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 32 @ 17-22' (H246901-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	233	116	200	1.50	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	218	109	200	3.04	
EXT DRO >C28-C36	<10.0	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 79.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 78.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 33 @ 0-17' (H246901-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	233	116	200	1.50	
DRO >C10-C28*	<10.0	10.0	11/13/2024	ND	218	109	200	3.04	
EXT DRO >C28-C36	11.2	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 85.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 82.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 34 @ 0-17' (H246901-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	233	116	200	1.50	
DRO >C10-C28*	16.7	10.0	11/13/2024	ND	218	109	200	3.04	
EXT DRO >C28-C36	17.9	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 77.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 75.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 11/12/2024
 Reported: 11/15/2024
 Project Name: BOWERS A FED CTB
 Project Number: TLP - 14
 Project Location: TEXLAND 32.71425348, -103.18365009

Sampling Date: 11/12/2024
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W 35 @ 0-17' (H246901-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.93	96.5	2.00	7.04		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.4	2.00	7.69		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	98.1	2.00	7.87		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	8.13		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/14/2024	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2024	ND	233	116	200	1.50	
DRO >C10-C28*	21.0	10.0	11/13/2024	ND	218	109	200	3.04	
EXT DRO >C28-C36	20.5	10.0	11/13/2024	ND					

Surrogate: 1-Chlorooctane 90.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 90.1 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals

Project Manager: Justin Roberts

Address: 2525 NW County RD

City: Hobbs State: NM ZIP: 88240

Phone #: (575)-392-9996

Project #: TLP-14

Project Name: Bowers A Fed CTB

Project Location: 32.71425348,-103.18365009

Sampler Name: Jason Owsley

Jason Owsley

Fax #:

Lab I.D.

Sample I.D.

150001

W1 @ 0-5'

W3 @ 0-9'

W11 @ 0-14

W21 @ 8-23

71-0 (b) C7M

 10^{-10} (a) 10^{-10} $W29 @ 0-10'$

W30 @ 0-23"

W31 @ 0-23"

cardinal's liability and client's a

related to the performance

1

1

1

Other:

40/07/24

+ Ca

Received by OCD: 12/10/2024 12:00:20 AM

Page 17 of 18



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

2/2

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: DiamondBack Disposals

Project Manager: Justin Roberts

Address: 2525 NW County RD

City: Hobbs

Phone #: (575)-392-9996

Project #:

Project Name: Bowers A Fed CTB

Project Location: 32.71425348,-103.18365009

Sampler Name: Jason Owsley

Lab I.D.



BILL TO

ANALYSIS REQUEST

P.O. #:

Company: Texland

Attn: Case Keeter

Address:

City:

State: Zip:

Phone #:

Fax #:

Sample I.D.

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 19, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 11/13/24 14:47.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 36 @ 10-17' (H246918-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/14/2024	ND	480	120	400	6.90		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 37 @ 14-22' (H246918-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78	
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/14/2024	ND	480	120	400	6.90		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60		
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509		
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND						

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 96.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 38 @ 10-22' (H246918-03)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	480	120	400	6.90		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 126 % 48.2-134

Surrogate: 1-Chlorooctadecane 116 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 39 @ 14-22' (H246918-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	480	120	400	6.90		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 130 % 48.2-134

Surrogate: 1-Chlorooctadecane 120 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 40 @ 0-22' (H246918-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	480	120	400	6.90		

TPH 8015M		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 153 % 48.2-134

Surrogate: 1-Chlorooctadecane 141 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
JUSTIN ROBERTS
P. O. BOX 2491
HOBBS NM, 88241
Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 41 @ 0-22' (H246918-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	480	120	400	6.90		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 127 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 42 @ 0-22' (H246918-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	480	120	400	6.90		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 128 % 48.2-134

Surrogate: 1-Chlorooctadecane 117 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 43 @ 0-22' (H246918-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/14/2024	ND	480	120	400	6.90		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 132 % 48.2-134

Surrogate: 1-Chlorooctadecane 120 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: W 44 @ 0-22' (H246918-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78	
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/14/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 133 % 48.2-134

Surrogate: 1-Chlorooctadecane 122 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 19, 2024

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: BOWERS A FED CTB

Enclosed are the results of analyses for samples received by the laboratory on 11/13/24 14:47.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 37 @ 22' (H246919-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78	
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5	
Total BTX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 128 % 48.2-134

Surrogate: 1-Chlorooctadecane 116 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 38 @ 22' (H246919-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 113 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 55 @ 23' (H246919-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 127 % 48.2-134

Surrogate: 1-Chlorooctadecane 115 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 56 @ 23' (H246919-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 116 % 48.2-134

Surrogate: 1-Chlorooctadecane 104 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 57 @ 22' (H246919-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 120 % 48.2-134

Surrogate: 1-Chlorooctadecane 108 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 58 @ 22' (H246919-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78	
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1	
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1	
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5	
Total BTEX	<0.300	0.300	11/15/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 122 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 4 @ 5' (H246919-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	2.14	107	2.00	9.78		
Toluene*	<0.050	0.050	11/15/2024	ND	2.18	109	2.00	11.1		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	2.07	104	2.00	12.1		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	6.62	110	6.00	11.5		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 97.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 6 @ 5' (H246919-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.94	97.2	2.00	8.77		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.5	2.00	9.24		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	97.9	2.00	9.54		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	9.38		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 96.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 59 @ 22' (H246919-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.94	97.2	2.00	8.77		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.5	2.00	9.24		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	97.9	2.00	9.54		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	9.38		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 128 % 48.2-134

Surrogate: 1-Chlorooctadecane 119 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	11/13/2024	Sampling Date:	11/13/2024
Reported:	11/19/2024	Sampling Type:	Soil
Project Name:	BOWERS A FED CTB	Sampling Condition:	Cool & Intact
Project Number:	TLP - 14	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.71425348, -103.18365009		

Sample ID: B 60 @ 22' (H246919-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/15/2024	ND	1.94	97.2	2.00	8.77		
Toluene*	<0.050	0.050	11/15/2024	ND	1.97	98.5	2.00	9.24		
Ethylbenzene*	<0.050	0.050	11/15/2024	ND	1.96	97.9	2.00	9.54		
Total Xylenes*	<0.150	0.150	11/15/2024	ND	5.80	96.7	6.00	9.38		
Total BTEX	<0.300	0.300	11/15/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/15/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/14/2024	ND	201	101	200	1.60	
DRO >C10-C28*	<10.0	10.0	11/14/2024	ND	194	97.2	200	0.509	
EXT DRO >C28-C36	<10.0	10.0	11/14/2024	ND					

Surrogate: 1-Chlorooctane 111 % 48.2-134

Surrogate: 1-Chlorooctadecane 100 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-05 The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", written in a cursive style.

Celey D. Keene, Lab Director/Quality Manager

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 410087

QUESTIONS

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 410087
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2414147581
Incident Name	NAPP2414147581 BOWERS A FEDERAL BATTERY @ 30-025-36837
Incident Type	Oil Release
Incident Status	Remediation Closure Report Received
Incident Well	[30-025-36837] BOWERS A FEDERAL #045

Location of Release Source	
Please answer all the questions in this group.	
Site Name	Bowers A Federal Battery
Date Release Discovered	05/19/2024
Surface Owner	Private

Incident Details	
Please answer all the questions in this group.	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Cause: Equipment Failure Coupling Crude Oil Released: 52 BBL Recovered: 40 BBL Lost: 12 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Bowers A Federal Battery Reference No nAPP2414147581 Texland Petroleum measures our tanks daily, after the spill was found the tanks were then measured and the loss was determined at that time, average daily volume (from well test) minus the previous days measurement, determined the loss. The vacuum truck that was used had a site glass that marks how many barrels are picked up.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 410087

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 410087
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Vickie Smith Title: Regulatory Analyst Email: vsmith@texpetro.com Date: 08/13/2024
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 410087

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 410087
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 500 and 1000 (ft.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 100 and 200 (ft.)
Any other fresh water well or spring	Zero feet, overlying, or within area
Incorporated municipal boundaries or a defined municipal fresh water well field	Zero feet, overlying, or within area
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Zero feet, overlying, or within area
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	512
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	3651
GRO+DRO (EPA SW-846 Method 8015M)	2950
BTEX (EPA SW-846 Method 8021B or 8260B)	0.3
Benzene (EPA SW-846 Method 8021B or 8260B)	0.1
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	05/20/2024
On what date will (or did) the final sampling or liner inspection occur	11/18/2024
On what date will (or was) the remediation complete(d)	11/18/2024
What is the estimated surface area (in square feet) that will be reclaimed	13044
What is the estimated volume (in cubic yards) that will be reclaimed	10208
What is the estimated surface area (in square feet) that will be remediated	13044
What is the estimated volume (in cubic yards) that will be remediated	10208
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 410087

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 410087
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	LEA LAND LANDFILL [fEEM0112342028]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Vickie Smith Title: Regulatory Analyst Email: vsmith@texpetro.com Date: 12/09/2024
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 410087

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 410087
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 410087

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 410087
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	402850
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	11/18/2024
What was the (estimated) number of samples that were to be gathered	10
What was the sampling surface area in square feet	2000

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	13044
What was the total volume (cubic yards) remediated	10208
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	13044
What was the total volume (in cubic yards) reclaimed	10208
Summarize any additional remediation activities not included by answers (above)	none
<p><i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i></p>	
<p>I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.</p>	
I hereby agree and sign off to the above statement	Name: Vickie Smith Title: Regulatory Analyst Email: vsmith@texpetro.com Date: 12/09/2024

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 410087

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 410087
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 410087

CONDITIONS

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 410087
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your Remediation Closure Report for Incident #NAPP2414147581, thank you. This Remediation Closure Report is approved.	3/25/2025