



209 W. McKay Street  
Carlsbad, New Mexico 88220  
Tel. 432-701-2159  
www.ntgenvironmental.com

April 22, 2025

Mike Bratcher  
District Supervisor  
Oil Conservation Division, District 2  
811 S. First Street  
Artesia, New Mexico 88210

Re: Site Characterization and Remediation Work Plan  
Devon Energy Production Company  
Taipan 10 State Com #001H  
Unit D, Section 15, Township 23S, Range 33E  
Site Coordinates: 32.3115883, -103.5664825  
Lea County, New Mexico  
Incident ID: nAPP2424048501

## **Introduction**

On behalf of Devon Energy Production Company (Devon), New Tech Global Environmental, LLC (NTGE) has prepared this Site Characterization and Remediation Work Plan for submittal to the New Mexico Oil Conservation Division (NMOCD) District 2 Office in Artesia, New Mexico to document site assessment, remedial action activities, and sample analysis results for the release number: nAPP2424048501 – Taipan 10 State Com #001H (Site). The Site is located in Unit Letter D, Section 15, of Township 23 South and Range 33 East in Lea County, New Mexico. The GPS coordinates for the release site are 32.3115883° N latitude and 103.5664825° W longitude. The site location with respect to the nearest town is shown on Figure 1 and the topography of the area is shown on Figure 2.

## **Background**

Based on the Release Notification C-141 Form, the release was discovered on August 26, 2024, and was due to an equipment failure. Upon discovery, the Site was shut-in, and repairs ensued. The incident resulted in the release of approximately five (5) barrels (bbls) of crude oil and six (6) bbls of produced water of which four (4) bbls of crude oil and zero (0) bbls of produced water were recovered for an approximate net loss of one (1) bbls of crude oil and six (6) bbls of produced water. The release area is shown on Figure 3.

---

Creating a Better  
Environment  
For Oil & Gas  
Operations

Mr. Mike Bratcher  
 April 22, 2025  
 Page 2 of 4

**Groundwater and Site Characterization**

Based on a review of the New Mexico Office of State Engineers and USGS databases, there is one known water source (C-04923-POD1) within a ½-mile radius of the Site that was drilled in 2025 by H&R Enterprises (H&R) to a reported depth of one hundred and five (105) feet below ground surface where no groundwater was encountered. No other receptors (playas, wetlands, waterways, lakebeds, or ordinance boundaries) are located within each specific boundary or distance from the Site. According to the Karst Potential Map, the Site is located within a Low Karst area. The Site characterization documentation (Points of Diversion, Karst Potential, Significant Watercourse Map, Wetlands Map, and FEMA Map) is attached to the report.

NTGE characterized the Site according to Table I, Closure Criteria for Soils Impacted by a Release, from the New Mexico Administrative Code (NMCA) Title 19, Chapter 15, Part 29, Section 12 (NMAC 19.15.29.12).

*General Site Characterization and Groundwater:*

Site Characterization	Average Groundwater Depth (ft)
Low Karst	>105

*Table 3.1 Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29.12 & 19.15.29.13)*

Regulatory Standard	Chloride	TPH (GRO+DRO+MRO)	GRO+DRO	BTEX	Benzene
19.15.23.12 Remediation and Closure Criteria for Soils Impacted by a Release	20,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg
Notes: --- = not defined					

**Initial Soil Delineation Assessment Summary and Findings**

On September 5<sup>th</sup>, 2024, NTGE conducted site assessment activities to assess the extent of impacts at the Site. Eight (8) vertical sample points (V-1 through V-8) were installed within the release area, while eleven (11) horizontal sample points (H-1 through H-11) were installed adjacent to the release area to characterize the impacts. Soil samples were collected in half foot (0.5) to one (1) foot (ft) intervals ranging from zero (0) to three and a half (3.5) ft below ground surface (bgs) with a geotechnical hand auger. The hand auger was decontaminated with Alconox<sup>®</sup> and deionized water between soil borings to prevent cross-contamination. Soil samples were placed directly into laboratory provided samples containers, placed on ice, and transported under proper chain-of-custody protocol to Cardinal Laboratories in Hobbs, New Mexico for analysis of benzene, toluene, ethylbenzene, and xylene (BTEX) (by EPA Method 8021B), total petroleum hydrocarbon (TPH) (by EPA method 8015 modified), and chloride (method SM4500Cl-B). Analytical results indicated that Chloride, TPH, and/or BTEX concentrations exceeded the NMOCD regulatory limits for soil sample V-1 from surface to two and a half (2.5) ft bgs for chloride and TPH, V-2 at all intervals for chloride and TPH, V-3 at all intervals for chloride and TPH, V-4 from (1) to two and a half (2.5) ft bgs for chloride, V-5 from one (1) to one and a half (1.5) ft bgs, V-7 at all intervals for chloride, TPH, and BTEX, V-8 at all intervals for chloride and/or TPH.

NTGE Project No.: 249090



Mr. Mike Bratcher  
April 22, 2025  
Page 3 of 4

On October 22<sup>nd</sup>, 2024, NTGE returned to Site to complete the vertical delineation assessment of the release. A total of four (4) vertical delineation sample points (i.e., TP-1 through TP-4) were installed within the release area and collected at one (1) ft intervals at depths ranging from three (3) to eleven (11) ft bgs to characterize the impacts. Soil samples were placed directly into laboratory provided samples containers, placed on ice, and transported under proper chain-of-custody protocol to Cardinal Laboratories in Hobbs, New Mexico for analysis of benzene, toluene, ethylbenzene, and xylene (BTEX) (by EPA Method 8021B), total petroleum hydrocarbon (TPH) (by EPA method 8015 modified), and chloride (method SM4500Cl-B). Analytical results indicated that Chloride concentrations exceeded the NMOCD regulatory limits for soil samples TP-1 @ 3' and TP-2 @ 3' with results of 1,220 mg/Kg and 2,040 mg/Kg chlorides, respectively.

After obtaining the delineation data Devon proceeded to contract a driller to install a temporary monitoring well to obtain updated closure criteria values. On February 3, 2025, H&R drilled a groundwater determination bore to a reported depth of 105 ft bgs. On February 10, 2025, a water probe was used to detect the presence/or absence of groundwater, no groundwater was encountered. Based on the new updated closure values (groundwater greater than 101 ft bgs) V-1, V-2, V-7, and V-8 exhibited TPH and/or BTEX above NMOCD standards for the site to a depth of one (1) ft bgs. All other samples were below NMOCD standards for the site.

Analytical results are included in Table 1, while soil boring locations are shown on Figure 3. Laboratory reports containing analytical methods and chain-of-custody documents are attached to the report.

### **Proposed Work Plan**

After reviewing and evaluating the soil boring data NTGE proposes to excavate the areas of V-1, V-2, V-7, and V-8 to a depth of one (1) ft bgs to ensure that the impacted soil has been removed from the Site. NTGE proposes that all impacts from surface to four (4) ft bgs below the updated sampling criteria be left in situ and handled upon reclamation of the site. Approximately 111 cubic yards of impacted material will be excavated and transported offsite for disposal at an NMOCD approved landfill. The proposed excavation map is shown on Figure 4.

Upon completion of the excavation, confirmation samples will be taken with a five (5) point composite sample and represent an area no greater than 200 square feet to comply with NMAC 19.15.23.12 and 19.15.29.13. Discrete soil samples will be collected from the sidewalls and bottom of the excavation if any staining is observed. All confirmation samples will be taken to a certified laboratory and analyzed for BTEX by EPA Method 8021B, TPH by EPA Method 8015B Modified and chloride by SM4500 Cl -B. If any of the confirmation samples collected exhibit concentrations above regulatory standards set by NMAC 19.15.23.12, the areas will be further excavated until concentrations are below Table 3.1 Closure Criteria.

If you have any questions regarding this letter, please contact us at (432)-701-2159.

Sincerely,  
**NTG Environmental**



Ethan Sessums  
Jr. Field Ops Manager

NTGE Project No.: 249090



Mr. Mike Bratcher  
April 22, 2025  
Page 4 of 4

Attachments:

Tables  
Figures  
Photographic Log  
Site Characterization Documentation  
Laboratory Reports and Chain-of-Custody Documents

**Tables**

**Table 1**  
**Summary of Soil Analytical Data - Delineation Samples**  
**Taipan 10 State Com 1**  
**Devon Energy Production Company**  
**Lea County, New Mexico**

Sample ID	Sample Date	Depth (ft bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	BTEX (mg/kg)	TPH					Chloride (mg/kg)
								GRO (C6-C10) (mg/kg)	DRO (C10-C28) (mg/kg)	GRO + DRO (C6-C28) (mg/kg)	MRO (C28-C35) (mg/kg)	Total GRO/DRO/MRO (C6-C35) (mg/kg)	
								Table I Closure Criteria for Soil >100 feet Depth to Groundwater 19.15.29 NMAC					
10 mg/kg	---	---	---	50 mg/kg	---	---	1,000 mg/lg	---	2,500 mg/kg	20,000 mg/kg			
<b>Vertical Delineation Samples</b>													
V-1	9/5/2024	0-.5'	<0.050	<b>1.02</b>	<b>2.56</b>	<b>15.3</b>	<b>18.9</b>	<b>284</b>	<b>2,520</b>	<b>2,804</b>	<b>432</b>	<b>3,236</b>	<b>976</b>
	9/5/2024	1-1.5'	<0.050	<0.050	<b>0.083</b>	<b>0.661</b>	<b>0.744</b>	<b>15.9</b>	<b>319</b>	<b>334.9</b>	<b>58.4</b>	<b>393.3</b>	<b>3,520</b>
	9/5/2024	2-2.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<b>148</b>	<b>148</b>	<b>25.3</b>	<b>173.3</b>	<b>1,870</b>
	9/5/2024	3-3.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>288</b>
V-2	9/5/2024	0-.5'	<0.050	<b>1.19</b>	<b>2.36</b>	<b>12.7</b>	<b>16.2</b>	<b>413</b>	<b>6,270</b>	<b>6,683</b>	<b>1,060</b>	<b>7,743</b>	<b>1,840</b>
	9/5/2024	1-1.5'	<0.050	<0.050	<0.050	<b>0.299</b>	<0.300	<10.0	<b>196</b>	<b>196</b>	<b>31.1</b>	<b>227.1</b>	<b>5,200</b>
V-3	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<b>310</b>	<b>310</b>	<b>65</b>	<b>375</b>	<b>3,760</b>
	9/5/2024	1-1.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>272</b>
V-4	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<b>32.6</b>	<b>32.6</b>	<10.0	<b>32.6</b>	<b>128</b>
	9/5/2024	1-1.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<b>42</b>	<b>42</b>	<10.0	<b>42</b>	<b>912</b>
	9/5/2024	2-2.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>832</b>
V-5	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<b>21.9</b>	<b>21.9</b>	<10.0	<b>21.9</b>	<b>480</b>
	9/5/2024	1-1.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>656</b>
V-6	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>64</b>
	9/5/2024	1-1.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>160</b>
V-7	9/5/2024	0-.5'	<b>1.18</b>	<b>24.7</b>	<b>17.5</b>	<b>77.5</b>	<b>121</b>	<b>1,010</b>	<b>3,700</b>	<b>4,710</b>	<b>629</b>	<b>5,339</b>	<b>752</b>
	9/5/2024	1-1.5'	<0.050	<b>0.53</b>	<b>0.45</b>	<b>2.1</b>	<b>3.08</b>	<b>15.4</b>	<b>215</b>	<b>230.4</b>	<b>60</b>	<b>290.4</b>	<b>6,800</b>
V-8	9/5/2024	0-.5'	<b>0.114</b>	<b>4.76</b>	<b>5.81</b>	<b>22.3</b>	<b>33</b>	<b>238</b>	<b>1,330</b>	<b>1,568</b>	<b>228</b>	<b>1,796</b>	<b>336</b>
	9/5/2024	1-1.5'	<0.050	<b>0.064</b>	<b>0.063</b>	<b>0.337</b>	<b>0.463</b>	<10.0	<10.0	<10.0	<10.0	<10.0	<b>1,220</b>
TP-1	10/22/2024	3'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>320</b>
	10/22/2024	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>352</b>
	10/22/2024	5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>656</b>
	10/22/2024	6'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>640</b>
	10/22/2024	7'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>736</b>
	10/22/2024	8'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>1,310</b>
	10/22/2024	9'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>1,260</b>
	10/22/2024	10'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>624</b>
TP-2	10/22/2024	11'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>528</b>
	10/22/2024	3'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>2,040</b>
	10/22/2024	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>1,070</b>
	10/22/2024	5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>864</b>
	10/22/2024	6'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>720</b>
	10/22/2024	7'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>1,120</b>
	10/22/2024	8'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>1,360</b>
TP-3	10/22/2024	9'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>1,330</b>
	10/22/2024	10'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>432</b>
	10/22/2024	3'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>352</b>
TP-4	10/22/2024	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>432</b>
	10/22/2024	3'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>128</b>
TP-4	10/22/2024	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>160</b>

**Table 1**  
**Summary of Soil Analytical Data - Delineation Samples**  
**Taipan 10 State Com 1**  
**Devon Energy Production Company**  
**Lea County, New Mexico**

Sample ID	Sample Date	Depth (ft bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	BTEX (mg/kg)	TPH					Chloride (mg/kg)
								GRO (C6-C10) (mg/kg)	DRO (C10-C28) (mg/kg)	GRO + DRO (C6-C28) (mg/kg)	MRO (C28-C35) (mg/kg)	Total GRO/DRO/MRO (C6-C35) (mg/kg)	
								Table I Closure Criteria for Soil >100 feet Depth to Groundwater 19.15.29 NMAC					
10 mg/kg	---	---	---	50 mg/kg	---	---	1,000 mg/lg	---	2,500 mg/kg	20,000 mg/kg			
<b>Horizontal Delineation Samples</b>													
H-1	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>48</b>
H-2	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>384</b>
H-3	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>240</b>
H-4	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>464</b>
H-5	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>32</b>
H-6	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>176</b>
H-7	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>64</b>
H-8	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>48</b>
H-9	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>32</b>
H-10	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<b>62</b>	<b>62</b>	<b>27</b>	<b>99</b>	<b>80</b>
H-11	9/5/2024	0-.5'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<b>544</b>

Notes:


- 1. Values reported in mg/kg
- 2. < = Value Less Than Reporting Limit (RL)
- 3. Bold indicates Analyte Detected
- 4. BTEX analyses by EPA Method SW 8021B
- 5. TPH analyses by EPA Method SW 8015 Mod.
- 6. GRO/DRO/MRO - Gasoline/Diesel/Motor Oil
- 7. Yellow shaded cells indicate analytical samples that exceed the NMAC 19.15.29.12 Table I Closure Criteria for the site.
- 8. --- Not Analyzed

SP-4 Sample Point Excavated

**Figures**

NTGE Project No: 249090

Document Path: C:\Users\ntg\gis\New Tech Global\NTGE - Documents\NTGE - Projects\2024 PROJECTS\DEVON\IRSC\248867 - VAN DOO DAH 33 CTB 3\Figure\_1\_SL.mxd



**SITE LOCATION MAP**  
**SITE CHARACTERIZATION AND REMEDIATION WORK PLAN**  
 TAIPAN 10 STATE COM #1  
 DEVON ENERGY PRODUCTION COMPANY  
 LEA COUNTY, NEW MEXICO




SCALE: As Shown    Date: 8/28/2024    PROJECT #: 249090

  
**New Tech Global Environmental, LLC**  
 911 Regional Park Drive  
 Houston, Texas 77060  
 T - 281.872.9300  
 F - 281.872.4521  
 Web: www.ntgenviromental.com

**NOTES:**  
 1. Base Image: ESRI Maps & Data 2013  
 2. Map Projection: NAD 1983

DRAWING NUMBER:  
**FIGURE 1**  
 SHEET NUMBER:  
**1 of 1**

Document Path: C:\Users\ntgegis\New Tech Global\NTGE - Documents\NTGE - Projects\2024 PROJECTS\SIDE\ON\IRSC\248867 - VAN DOO DAH 33 CTB 3\Figure\_1\_SL.mxd



**LEGEND**

★ Site Location

**TOPOGRAPHIC MAP**  
**SITE CHARACTERIZATION AND REMEDIATION WORK PLAN**  
 TAIPAN 10 STATE COM #1  
 DEVON ENERGY PRODUCTION COMPANY  
 LEA COUNTY, NEW MEXICO


SCALE: As Shown    Date: 8/28/2024    PROJECT #: 249090

 **NTG**  
 New Tech Global Environmental, LLC  
 911 Regional Park Drive  
 Houston, Texas 77060  
 T - 281.872.9300  
 F - 281.872.4521  
 Web: www.ntgenvironmental.com

**NOTES:**  
 1. Base Image: ESRI Maps & Data 2013  
 2. Map Projection: NAD 1983


DRAWING NUMBER:  
**FIGURE 2**  
 SHEET NUMBER:  
**1 of 1**

Document Path: C:\Users\ntg\gis\New Tech Global\NTGE - Documents\NTGE - Projects\2024 PROJECTSIDE\YON\IRSC\249090 - Taipan 10 State Com #1 - Figures\GIS\Figure\_3\_1A.mxd



**LEGEND**

- Horizontal Delineation Point
- Vertical Delineation Point
- Test Pit Location
- Area of Concern



**INITIAL ASSESSMENT MAP**  
**SITE CHARACTERIZATION AND REMEDIATION WORK PLAN**  
 TAIPAN 10 STATE COM #1  
 DEVON ENERGY PRODUCTION COMPANY  
 LEA COUNTY, NEW MEXICO


  
**New Tech Global Environmental, LLC**  
 911 Regional Park Drive  
 Houston, Texas 77060  
 T - 281.872.9300  
 F - 281.872.4521  
 Web: www.ntgenvironmental.com

**NOTES:**

1. Base Image: ESRI Maps & Data 2017
2. Map Projection: NAD 1983
3. Contour Intervals equal 1 foot
4. Elevation in feet


DRAWING NUMBER:  
**FIGURE 3**  
 SHEET NUMBER:  
**1 of 1**

Document Path: C:\Users\ntg\gis\New Tech Global\NTGE - Documents\NTGE - Projects\2024 PROJECTS\DEVON\IRSC\249090 - Taipan 10 State Com 17- Figures\GIS\Figure\_4\_PEM.mxd



**LEGEND**

- Horizontal Delineation Sample Point
- Vertical Delineation Sample Point
- 1ft Excavation



**PROPOSED EXCAVATION MAP**  
**SITE CHARACTERIZATION AND REMEDIATION WORK PLAN**  
 TAIPAN 10 STATE COM #1  
 DEVON ENERGY PRODUCTION COMPANY  
 LEA COUNTY, NEW MEXICO

  
**New Tech Global Environmental, LLC**  
 911 Regional Park Drive  
 Houston, Texas 77060  
 T - 281.872.9300  
 F - 281.872.4521  
 Web: www.ntgenviroinmental.com

**NOTES:**

1. Base Image: ESRI Maps & Data 2017
2. Map Projection: NAD 1983
3. Contour Intervals equal 1 foot
4. Elevation in feet

DRAWING NUMBER:  
**FIGURE 4**  
 SHEET NUMBER:  
**1 of 1**

# Proposed Excavation Map

Devon Energy Production Company  
Taipan 10 State Com 1  
Lea County, New Mexico  
32.3115883, -103.5664825

Area of Yellow: 3,001 sqft x 1ft ~ 111 CY

Estimated total cubic yardage: 111 CY

CY- Cubic Yards  
sqft - Square Feet

## Legend

-  1ft Excavation
-  Horizontal Delineation Sample Point
-  Vertical Delineation Sample Point



**Photographic Log**

NTGE Project No: 249090

# PHOTOGRAPHIC LOG

## Devon Energy Production Company

### Photograph No. 1

**Facility:** Taipan 10 State Com #001H

**County:** Lea County, New Mexico

**Description:**  
Area of Concern



### Photograph No. 2

**Facility:** Taipan 10 State Com #001H

**County:** Lea County, New Mexico

**Description:**  
Area of Concern




### Photograph No. 3

**Facility:** Taipan 10 State Com #001H

**County:** Lea County, New Mexico

**Description:**  
Area of Concern



# PHOTOGRAPHIC LOG

## Devon Energy Production Company

### Photograph No. 4

**Facility:** Taipan 10 State Com #001H

**County:** Lea County, New Mexico

**Description:**  
Area of Concern



### Photograph No. 5

**Facility:** Taipan 10 State Com #001H

**County:** Lea County, New Mexico

**Description:**  
Area of Concern



### Photograph No. 6

**Facility:** Taipan 10 State Com #001H

**County:** Lea County, New Mexico

**Description:**  
Area of Concern



**Site Characterization Information**

NTGE Project No: 249090

# Karst Potential Map




8/28/2024, 11:27:45 AM

Wells - Large Scale Karst Occurrence Potential  PLSS First Division

● Oil, Active  Low

● Oil, Cancelled  PLSS Second Division



BLM, OCD, New Mexico Tech, Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department., Sources: Esri, Airbus DS, USGS, NGA, NASA, CGIAR, N Robinson, NCEAS, NLS, OS, NMA, Geodastyrreisen, Rijkswaterstaat, GSA, Geoland, FEMA, Intermap and the GIS

Released to Imaging: 4/23/2025 11:02:25 AM


# OSE POD Location Map



2/11/2025, 1:47:32 PM

1:18,056

- Override 1
- OSE District Boundary
- Artesian Planning Area
- Both Estates
- New Mexico State Trust Lands
- NHD Flowlines
- Active
- Pending
- Water Right Regulations
- Closure Area
- Subsurface Estate
- Surface Estate
- Stream River



Esri, HERE, iPC, Esri, HERE, Garmin, iPC, Maxar



# WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

<b>1. GENERAL AND WELL LOCATION</b>	OSE POD NO. (WELL NO.) Pod 1		WELL TAG ID NO.		OSE FILE NO(S). C-4923	
	WELL OWNER NAME(S) Devon Energy				PHONE (OPTIONAL)	
	WELL OWNER MAILING ADDRESS 5315 Buena Vista Drive				CITY Carlsbad	STATE NM
					ZIP 88220	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 18	SECONDS 43.36	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND
	LONGITUDE 103	33	58.33	W	* DATUM REQUIRED: WGS 84	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE S15 T23s R33e						

<b>2. DRILLING &amp; CASING INFORMATION</b>	LICENSE NO. WD-1862		NAME OF LICENSED DRILLER James Hawley			NAME OF WELL DRILLING COMPANY H&R Enterprises, LLC		
	DRILLING STARTED 2-3-25	DRILLING ENDED 2-3-25	DEPTH OF COMPLETED WELL (FT) 105'	BORE HOLE DEPTH (FT) 105'	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED 2-10-25		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES – SPECIFY:			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER – SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0'	105'	5'	No casing left in hole				

<b>3. ANNULAR MATERIAL</b>	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
				N/A		

FOR OSE INTERNAL USE			WR-20 WELL RECORD & LOG (Version 09/22/2022)		
FILE NO.	POD NO.	TRN NO.			
LOCATION		WELL TAG ID NO.			PAGE 1 OF 2



Legend Basemap Query

1:144,448

**Legend**

All Layers On/Off

All Layer Transparency

**NM Wetlands Mapping and Classification**

NM Wetlands Mapping and Classification

**Mapping Status**

- In Progress (Only NWI)
- Not Mapped

**Riparian Habitat**

- 

**Hydrogeomorphic Mapping (HGM) Linears**

- Riverine

**Hydrogeomorphic Mapping (HGM) Polygons**

- Depressional
- Flats
- Lacustrine Fringe
- Riverine
- Slope

**Landscape Position and Water Body (LLWW) Linears**


- Lentic (LE)
- Lotic RIVER (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

**Landscape Position and Water Body (LLWW) Polygons**

- Lentic (LE)
- Lake (LK)
- Lotic River (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

**Landform (LLWW)**

- Basin



Legend Basemap Query

1:9,028

**Legend**

All Layers On/Off  All Layer Transparency

NM Wetlands Mapping and Classification

M Wetlands Mapping and Classification

Mapping Status

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

Riverine

Hydrogeomorphic Mapping (HGM) Polygons

Depressional

Flats

Lacustrine Fringe

Riverine

Slope

Landscape Position and Water Body (LLWW) Linears

Lentic (LE)

Lotic River (LR)

Lotic Stream (LS)

Pond (PD)

River (RV)

Stream (ST)

Terrene (TE)

Landscape Position and Water Body (LLWW) Polygons

Lentic (LE)

Lake (LK)

Lotic River (LR)

Lotic Stream (LS)

Pond (PD)

River (RV)

Stream (ST)

Terrene (TE)

Landform (LLWW)

Basin

Flat

Floodplain


Fringe

Island

Slope

NWI Linears

Palustrine Emergent (PEM)



Length: 1,680.75 ft  
Lon: -103.5593°, Lat: 32.31728°

0 300 600ft

# National Flood Hazard Layer FIRMette



103°34'18"W 32°18'57"N



## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D

OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall

OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
OTHER FEATURES		Profile Baseline
		Hydrographic Feature

MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/28/2024 at 12:14 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



# Wetlands Map



August 28, 2024

### Wetlands

-  Estuarine and Marine Deepwater
-  Freshwater Emergent Wetland
-  Lake
-  Estuarine and Marine Wetland
-  Freshwater Forested/Shrub Wetland
-  Other
-  Freshwater Pond
-  Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

**Laboratory Report and Chain-of-Custody**

NTGE Project No: 249090



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

September 11, 2024

ETHAN SESSUMS

NTG ENVIRONMENTAL

701 TRADEWINDS BLVD. SUITE C

MIDLAND, TX 79706

RE: TAIPAN 10 STATE COM 1

Enclosed are the results of analyses for samples received by the laboratory on 09/06/24 10:46.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 1 0-.5" (H245404-01)**

BTEX 8021B		mg/kg		Analyzed By: JH				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/10/2024	ND	1.91	95.3	2.00	2.29	
<b>Toluene*</b>	<b>1.02</b>	0.050	09/10/2024	ND	1.88	93.8	2.00	0.525	
<b>Ethylbenzene*</b>	<b>2.56</b>	0.050	09/10/2024	ND	1.91	95.5	2.00	0.939	
<b>Total Xylenes*</b>	<b>15.3</b>	0.150	09/10/2024	ND	5.69	94.9	6.00	0.901	
<b>Total BTEX</b>	<b>18.9</b>	0.300	09/10/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 298 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>976</b>	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>284</b>	10.0	09/07/2024	ND	206	103	200	4.57	
<b>DRO &gt;C10-C28*</b>	<b>2520</b>	10.0	09/07/2024	ND	204	102	200	1.84	
<b>EXT DRO &gt;C28-C36</b>	<b>432</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 134 % 48.2-134

Surrogate: 1-Chlorooctadecane 148 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 1 1-1.5' (H245404-02)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
<b>Ethylbenzene*</b>	<b>0.083</b>	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
<b>Total Xylenes*</b>	<b>0.661</b>	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
<b>Total BTEX</b>	<b>0.744</b>	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>3520</b>	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>15.9</b>	10.0	09/07/2024	ND	206	103	200	4.57	
<b>DRO &gt;C10-C28*</b>	<b>319</b>	10.0	09/07/2024	ND	204	102	200	1.84	
<b>EXT DRO &gt;C28-C36</b>	<b>58.4</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 122 % 48.2-134

Surrogate: 1-Chlorooctadecane 144 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 1 2-2.5' (H245404-03)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>1870</b>	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	206	103	200	4.57	
<b>DRO &gt;C10-C28*</b>	<b>148</b>	10.0	09/07/2024	ND	204	102	200	1.84	
<b>EXT DRO &gt;C28-C36</b>	<b>25.3</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 108 % 48.2-134

Surrogate: 1-Chlorooctadecane 125 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 2 0-.5" (H245404-04)**

BTEX 8021B		mg/kg		Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/10/2024	ND	1.91	95.3	2.00	2.29		
<b>Toluene*</b>	<b>1.19</b>	0.050	09/10/2024	ND	1.88	93.8	2.00	0.525		
<b>Ethylbenzene*</b>	<b>2.36</b>	0.050	09/10/2024	ND	1.91	95.5	2.00	0.939		
<b>Total Xylenes*</b>	<b>12.7</b>	0.150	09/10/2024	ND	5.69	94.9	6.00	0.901		
<b>Total BTEX</b>	<b>16.2</b>	0.300	09/10/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 301 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>Chloride</b>	<b>1840</b>	16.0	09/09/2024	ND	400	100	400	11.3		

TPH 8015M		mg/kg		Analyzed By: MS					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>GRO C6-C10*</b>	<b>413</b>	10.0	09/07/2024	ND	206	103	200	4.57		
<b>DRO &gt;C10-C28*</b>	<b>6270</b>	10.0	09/07/2024	ND	204	102	200	1.84		
<b>EXT DRO &gt;C28-C36</b>	<b>1060</b>	10.0	09/07/2024	ND						

Surrogate: 1-Chlorooctane 183 % 48.2-134

Surrogate: 1-Chlorooctadecane 203 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 2 1-1.5' (H245404-05)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
<b>Total Xylenes*</b>	<b>0.299</b>	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>5200</b>	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	206	103	200	4.57	
<b>DRO &gt;C10-C28*</b>	<b>196</b>	10.0	09/07/2024	ND	204	102	200	1.84	
<b>EXT DRO &gt;C28-C36</b>	<b>31.1</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 118 % 48.2-134

Surrogate: 1-Chlorooctadecane 134 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 3 0-.5" (H245404-06)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3760	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	206	103	200	4.57	
DRO >C10-C28*	310	10.0	09/07/2024	ND	204	102	200	1.84	
EXT DRO >C28-C36	65.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 121 % 48.2-134

Surrogate: 1-Chlorooctadecane 145 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 3 1-1.5' (H245404-07)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2024	ND	206	103	200	4.57	
DRO >C10-C28*	<10.0	10.0	09/06/2024	ND	204	102	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	09/06/2024	ND					

Surrogate: 1-Chlorooctane 113 % 48.2-134

Surrogate: 1-Chlorooctadecane 123 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 4 0-.5" (H245404-08)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>128</b>	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	206	103	200	4.57	
<b>DRO &gt;C10-C28*</b>	<b>32.6</b>	10.0	09/07/2024	ND	204	102	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 124 % 48.2-134

Surrogate: 1-Chlorooctadecane 136 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 4 1-1.5' (H245404-09)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>912</b>	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	206	103	200	4.57	
<b>DRO &gt;C10-C28*</b>	<b>42.0</b>	10.0	09/07/2024	ND	204	102	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 118 % 48.2-134

Surrogate: 1-Chlorooctadecane 131 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 4 2-2.5' (H245404-10)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	832	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	206	103	200	4.57	
DRO >C10-C28*	<10.0	10.0	09/07/2024	ND	204	102	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 110 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 5 0-.5" (H245404-11)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>480</b>	16.0	09/09/2024	ND	400	100	400	11.3	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
<b>DRO &gt;C10-C28*</b>	<b>21.9</b>	10.0	09/07/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 114 % 48.2-134

Surrogate: 1-Chlorooctadecane 117 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 5 1-1.5' (H245404-12)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	656	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/06/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/06/2024	ND					

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 122 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 6 0-.5" (H245404-13)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/06/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/06/2024	ND					

Surrogate: 1-Chlorooctane 116 % 48.2-134

Surrogate: 1-Chlorooctadecane 117 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 6 1-1.5' (H245404-14)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	1.91	95.3	2.00	2.29	
Toluene*	<0.050	0.050	09/09/2024	ND	1.88	93.8	2.00	0.525	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	1.91	95.5	2.00	0.939	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	5.69	94.9	6.00	0.901	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/06/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/06/2024	ND					

Surrogate: 1-Chlorooctane 122 % 48.2-134

Surrogate: 1-Chlorooctadecane 123 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 7 0-.5" (H245404-15)**

BTEX 8021B		mg/kg		Analyzed By: JH				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>1.18</b>	0.200	09/09/2024	ND	1.91	95.3	2.00	2.29	
<b>Toluene*</b>	<b>24.7</b>	0.200	09/09/2024	ND	1.88	93.8	2.00	0.525	
<b>Ethylbenzene*</b>	<b>17.5</b>	0.200	09/09/2024	ND	1.91	95.5	2.00	0.939	
<b>Total Xylenes*</b>	<b>77.5</b>	0.600	09/09/2024	ND	5.69	94.9	6.00	0.901	
<b>Total BTEX</b>	<b>121</b>	1.20	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 212 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>752</b>	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>1010</b>	10.0	09/07/2024	ND	194	97.0	200	3.47	
<b>DRO &gt;C10-C28*</b>	<b>3700</b>	10.0	09/07/2024	ND	190	95.2	200	2.38	
<b>EXT DRO &gt;C28-C36</b>	<b>629</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 211 % 48.2-134

Surrogate: 1-Chlorooctadecane 144 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 7 1-1.5' (H245404-16)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
<b>Toluene*</b>	<b>0.530</b>	0.050	09/09/2024	ND	2.08	104	2.00	2.02	QM-07
<b>Ethylbenzene*</b>	<b>0.450</b>	0.050	09/09/2024	ND	2.07	103	2.00	1.78	QM-07
<b>Total Xylenes*</b>	<b>2.10</b>	0.150	09/09/2024	ND	6.46	108	6.00	1.67	QM-07
<b>Total BTEX</b>	<b>3.08</b>	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 130 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>6800</b>	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>15.4</b>	10.0	09/07/2024	ND	194	97.0	200	3.47	
<b>DRO &gt;C10-C28*</b>	<b>215</b>	10.0	09/07/2024	ND	190	95.2	200	2.38	
<b>EXT DRO &gt;C28-C36</b>	<b>60.0</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 130 % 48.2-134

Surrogate: 1-Chlorooctadecane 134 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 8 0-.5" (H245404-17)**

BTEX 8021B		mg/kg		Analyzed By: JH				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>0.114</b>	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
<b>Toluene*</b>	<b>4.76</b>	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
<b>Ethylbenzene*</b>	<b>5.81</b>	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
<b>Total Xylenes*</b>	<b>22.3</b>	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
<b>Total BTEX</b>	<b>33.0</b>	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 260 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>336</b>	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>238</b>	10.0	09/07/2024	ND	194	97.0	200	3.47	
<b>DRO &gt;C10-C28*</b>	<b>1330</b>	10.0	09/07/2024	ND	190	95.2	200	2.38	
<b>EXT DRO &gt;C28-C36</b>	<b>228</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 154 % 48.2-134

Surrogate: 1-Chlorooctadecane 138 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 8 1-1.5' (H245404-18)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
<b>Toluene*</b>	<b>0.064</b>	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
<b>Ethylbenzene*</b>	<b>0.063</b>	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
<b>Total Xylenes*</b>	<b>0.337</b>	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
<b>Total BTEX</b>	<b>0.463</b>	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>1220</b>	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/06/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/06/2024	ND					

Surrogate: 1-Chlorooctane 116 % 48.2-134

Surrogate: 1-Chlorooctadecane 120 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 1 0-.5" (H245404-19)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/06/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/06/2024	ND					

Surrogate: 1-Chlorooctane 116 % 48.2-134

Surrogate: 1-Chlorooctadecane 117 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 2 0-.5" (H245404-20)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	384	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/06/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/06/2024	ND					

Surrogate: 1-Chlorooctane 114 % 48.2-134

Surrogate: 1-Chlorooctadecane 117 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 3 0-.5" (H245404-21)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/06/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/06/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 108 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 4 0-.5" (H245404-22)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	464	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/07/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 121 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 5 0-.5" (H245404-23)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>32.0</b>	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
<b>DRO &gt;C10-C28*</b>	<b>50.5</b>	10.0	09/07/2024	ND	190	95.2	200	2.38	
<b>EXT DRO &gt;C28-C36</b>	<b>27.6</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 127 % 48.2-134

Surrogate: 1-Chlorooctadecane 130 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 6 0-.5" (H245404-24)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/07/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 114 % 48.2-134

Surrogate: 1-Chlorooctadecane 118 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 7 0-.5" (H245404-25)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826		
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02		
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78		
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67		
Total BTEX	<0.300	0.300	09/09/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	09/09/2024	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47		
DRO >C10-C28*	<10.0	10.0	09/07/2024	ND	190	95.2	200	2.38		
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND						

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 122 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 8 0-.5" (H245404-26)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/07/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 117 % 48.2-134

Surrogate: 1-Chlorooctadecane 120 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 9 0-.5" (H245404-27)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/07/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 117 % 48.2-134

Surrogate: 1-Chlorooctadecane 119 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 10 0-.5" (H245404-28)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>80.0</b>	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
<b>DRO &gt;C10-C28*</b>	<b>62.0</b>	10.0	09/07/2024	ND	190	95.2	200	2.38	
<b>EXT DRO &gt;C28-C36</b>	<b>27.0</b>	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 110 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: H - 11 0-.5" (H245404-29)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	544	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/07/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 121 % 48.2-134

Surrogate: 1-Chlorooctadecane 122 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	09/06/2024	Sampling Date:	09/05/2024
Reported:	09/11/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	Cool & Intact
Project Number:	249090	Sample Received By:	Tamara Oldaker
Project Location:	DEVON - LEA CO, NM		

**Sample ID: V - 1 3-3.5' (H245404-30)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/09/2024	ND	2.02	101	2.00	0.826	
Toluene*	<0.050	0.050	09/09/2024	ND	2.08	104	2.00	2.02	
Ethylbenzene*	<0.050	0.050	09/09/2024	ND	2.07	103	2.00	1.78	
Total Xylenes*	<0.150	0.150	09/09/2024	ND	6.46	108	6.00	1.67	
Total BTEX	<0.300	0.300	09/09/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	09/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/07/2024	ND	194	97.0	200	3.47	
DRO >C10-C28*	<10.0	10.0	09/07/2024	ND	190	95.2	200	2.38	
EXT DRO >C28-C36	<10.0	10.0	09/07/2024	ND					

Surrogate: 1-Chlorooctane 117 % 48.2-134

Surrogate: 1-Chlorooctadecane 119 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
\*\* Samples not received at proper temperature of 6°C or below.
\*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Work Order No: 12245404

Project Manager: Ethan Sessums  
 Company Name: NTG Environmental  
 Address: 209 W McKay St  
 City, State ZIP: Carlsbad, NM 88220  
 Phone: 432-701-2159  
 Email: esessums@ntglobal.com

Bill to: (if different)  
 Company Name: Devon  
 Address:  
 City, State ZIP:

Work Order Comments  
 Program:  UST/PST  PRP  Brownfields  RRC  Superfund  
 State of Project:  
 Reporting Level:  Level II  Level III  PST/UST  TRRP  Level IV  
 Deliverables:  EDD  ADAPT  Other:

Project Name: Taipan 10 State Com 1  
 Project Number: 249090  
 Project Location: Lea County  
 Sampler's Name: Tyler Kimball  
 PO #: 21399101

Turn Around:  Routine  Rush  
 Due Date: TAT starts the day received by the lab, if received by 4:30pm

Received In tact: Yes  No   
 Cooler Custody Seals: Yes  No   
 Sample Custody Seals: Yes  No   
 Total Containers: 29

Temp Blank: Yes  No   
 Thermometer ID: #140  
 Correction Factor: -0.6  
 Temperature Reading: -5.4  
 Corrected Temperature: -6.0

Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab/Comp	# of Cont	ANALYSIS REQUEST				Preservative Codes
								BTEX 8021B	TPH 8015M ( GRO + DRO + MRO)	Chloride 4500		
V-1	0-5"	9/5/2024	9:00	X		Grab	1	X	X	X		None: NO Cool: Cool HCL: HC H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub> H <sub>3</sub> PO <sub>4</sub> : HP NaHSO <sub>4</sub> : NABIS Na <sub>2</sub> S <sub>2</sub> O <sub>5</sub> : NASO <sub>5</sub> Zn Acetate: -NaOH: Zn NaOH+Ascorbic Acid: SAPC
V-1	1-1.5"	9/5/2024	9:02	X		Grab	1	X	X	X		
V-1	2-2.5"	9/5/2024	9:04	X		Grab	1	X	X	X		
V-2	0-5"	9/5/2024	9:06	X		Grab	1	X	X	X		
V-2	1-1.5"	9/5/2024	9:07	X		Grab	1	X	X	X		
V-3	0-5"	9/5/2024	9:08	X		Grab	1	X	X	X		
V-3	1-1.5"	9/5/2024	9:09	X		Grab	1	X	X	X		
V-4	0-5"	9/5/2024	9:10	X		Grab	1	X	X	X		
V-4	1-1.5"	9/5/2024	9:11	X		Grab	1	X	X	X		
V-4	2-2.5"	9/5/2024	9:12	X		Grab	1	X	X	X		

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature) Tyler Kimball  
 Received by: (Signature) [Signature]  
 Date/Time: 9-5-24 1040  
 Relinquished by: (Signature)  
 Received by: (Signature)  
 Date/Time: 10/10



Chain of Custody

Work Order No: 112054004

Page 2 of 3

Project Manager: Ethan Sessums  
 Company Name: NTG Environmental  
 Address: 209 W McKay St  
 City, State ZIP: Carlsbad, NM 88220  
 Phone: 432-701-2159  
 Email: esessums@ntglobal.com

Bill to: (if different)  
 Company Name: Devon  
 Address:  
 City, State ZIP:

Work Order Comments  
 Program:  UST/PST  PRP  Brownfields  RRC  Superfund  
 State of Project:  
 Reporting Level:  Level II  Level III  PST/UST  RRP  Level IV  
 Deliverables:  EDD  ADAPT  Other:

Project Name: Taipan 10 State Com 1  
 Project Number: 249090  
 Project Location: Lea County  
 Sampler's Name: Tyler Kimball  
 PO #: 21399101

Turn Around:  Routine  Rush  
 Due Date:  
 TAT starts the day received by the lab, if received by 4:30pm

Received In tact:  Yes  No  
 Cooler Custody Seals:  Yes  No  
 Sample Custody Seals:  Yes  No  
 Total Containers: 29

Temp Blank:  Yes  No  
 Thermometer ID: #140  
 Correction Factor: -0.6  
 Temperature Reading: -5.4  
 Corrected Temperature: -6.0

Well Ice:  Yes  No

Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab Comp	# of Cont	Parameters			Sample Comments
								BTEX 8021B	TPH 8015M ( GRO + DRO + MRO)	Chloride 4500	
V-5	0-5"	9/5/2024	9:13	X		Grab	1	X	X	X	
V-5	1-1.5"	9/5/2024	9:14	X		Grab	1	X	X	X	
V-6	0-5"	9/5/2024	9:15	X		Grab	1	X	X	X	
V-6	1-1.5"	9/5/2024	9:16	X		Grab	1	X	X	X	
V-7	0-5"	9/5/2024	9:17	X		Grab	1	X	X	X	
V-7	1-1.5"	9/5/2024	9:18	X		Grab	1	X	X	X	
V-8	0-5"	9/5/2024	9:19	X		Grab	1	X	X	X	
V-8	1-1.5"	9/5/2024	9:20	X		Grab	1	X	X	X	
H-1	0-5"	9/5/2024	9:21	X		Grab	1	X	X	X	
H-2	0-5"	9/5/2024	9:22	X		Grab	1	X	X	X	

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature) Tyler Kimball	Received by: (Signature) <i>[Signature]</i>	Date/Time 9-10-24 1040	Relinquished by: (Signature)	Received by: (Signature)	Date/Time 1040
---	--	---------------------------	------------------------------	--------------------------	-------------------



Chain of Custody

Work Order #: H245404

Page 3 of 3

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	NTG Environmental	Company Name:	Devon
Address:	209 W McKay St	Address:	
City, State ZIP:	Carlsbad, NM 88220	City, State ZIP:	
Phone:	432-701-2159	Email:	essessums@ntglobal.com

Work Order Comments	
Program: UST/PST	<input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund
State of Project:	
Reporting Level: I	<input type="checkbox"/> Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV
Deliverables:	EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other:

Project Name:	Taipan 10 State Com 1	Turn Around	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code	
Project Number:	249090	Due Date:			
Project Location:	Lea County	TAT starts the day received by the lab, if received by 4:30pm			
Sampler's Name:	Tyler Kimball	Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Thermometer ID:	#140
PO #:	21399101	Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	Correction Factor:	-0.6%
<b>SAMPLE RECEIPT</b>		Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>	Temperature Reading:	-5.4%
Received In tact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Total Containers:	29	Corrected Temperature:	-10.0%

Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	Sample Comments
H-3	0-5"	9/5/2024	9:23	X		Grab	1	BTEX 8021B	
H-4	0-5"	9/5/2024	9:24	X		Grab	1	TPH 8015M ( GRO + DRO + MRO)	
H-5	0-5"	9/5/2024	9:25	X		Grab	1	Chloride 4500	
H-6	0-5"	9/5/2024	9:26	X		Grab	1		
H-7	0-5"	9/5/2024	9:27	X		Grab	1		
H-8	0-5"	9/5/2024	9:28	X		Grab	1		
H-9	0-5"	9/5/2024	9:29	X		Grab	1		
H-10	0-5"	9/5/2024	9:30	X		Grab	1		
H-11	0-5"	9/5/2024	9:31	X		Grab	1		
V-1	3-3.5'								9/6/24

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Tyler Kimball		9-6-24 10:40			10:40



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 29, 2024

ETHAN SESSUMS

NTG ENVIRONMENTAL

701 TRADEWINDS BLVD. SUITE C

MIDLAND, TX 79706

RE: TAIPAN 10 STATE COM 1

Enclosed are the results of analyses for samples received by the laboratory on 10/23/24 14:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 3' (H246460-01)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/24/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/24/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/24/2024	ND					

Surrogate: 1-Chlorooctane 94.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 79.4 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 4' (H246460-02)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/24/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/24/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/24/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 5' (H246460-03)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	656	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 6' (H246460-04)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	640	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 98.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 82.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 7' (H246460-05)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	736	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 89.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 8' (H246460-06)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1310	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 89.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 9' (H246460-07)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1260	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 93.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 81.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 10' (H246460-08)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	624	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 84.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 71.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 1 11' (H246460-09)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 2 3' (H246460-12)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2040	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 92.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 78.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 2 4' (H246460-13)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1070	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 95.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 81.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 2 5' (H246460-14)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	864	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 94.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 78.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 2 6' (H246460-15)**

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49		
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77		
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96		
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84		
Total BTEX	<0.300	0.300	10/24/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	720	16.0	10/24/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91		
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82		
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND						

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 2 7' (H246460-16)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1120	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 95.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 80.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 2 8' (H246460-17)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.93	96.3	2.00	6.49	
Toluene*	<0.050	0.050	10/24/2024	ND	1.86	93.0	2.00	5.77	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	4.96	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.59	93.2	6.00	4.84	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1360	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 96.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 80.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 2 9' (H246460-18)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	2.13	
Toluene*	<0.050	0.050	10/24/2024	ND	1.93	96.5	2.00	3.00	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.95	97.5	2.00	3.26	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.80	96.6	6.00	3.16	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1330	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 2 10' (H246460-19)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	2.13	
Toluene*	<0.050	0.050	10/24/2024	ND	1.93	96.5	2.00	3.00	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.95	97.5	2.00	3.26	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.80	96.6	6.00	3.16	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 108 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 3 3' (H246460-21)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	2.13	
Toluene*	<0.050	0.050	10/24/2024	ND	1.93	96.5	2.00	3.00	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.95	97.5	2.00	3.26	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.80	96.6	6.00	3.16	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 99.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 3 4' (H246460-22)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	2.13	
Toluene*	<0.050	0.050	10/24/2024	ND	1.93	96.5	2.00	3.00	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.95	97.5	2.00	3.26	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.80	96.6	6.00	3.16	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	10/24/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/25/2024	ND	218	109	200	4.91	
DRO >C10-C28*	<10.0	10.0	10/25/2024	ND	202	101	200	3.82	
EXT DRO >C28-C36	<10.0	10.0	10/25/2024	ND					

Surrogate: 1-Chlorooctane 95.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 82.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 4 3' (H246460-25)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	2.13	
Toluene*	<0.050	0.050	10/24/2024	ND	1.93	96.5	2.00	3.00	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.95	97.5	2.00	3.26	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.80	96.6	6.00	3.16	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	10/24/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/24/2024	ND	214	107	200	2.27	
DRO >C10-C28*	<10.0	10.0	10/24/2024	ND	202	101	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	10/24/2024	ND					

Surrogate: 1-Chlorooctane 89.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 79.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

NTG ENVIRONMENTAL  
 ETHAN SESSUMS  
 701 TRADEWINDS BLVD. SUITE C  
 MIDLAND TX, 79706  
 Fax To:

Received:	10/23/2024	Sampling Date:	10/22/2024
Reported:	10/29/2024	Sampling Type:	Soil
Project Name:	TAIPAN 10 STATE COM 1	Sampling Condition:	** (See Notes)
Project Number:	249090	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO, NM		

**Sample ID: TP - 4 4' (H246460-26)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/24/2024	ND	1.88	94.2	2.00	2.13	
Toluene*	<0.050	0.050	10/24/2024	ND	1.93	96.5	2.00	3.00	
Ethylbenzene*	<0.050	0.050	10/24/2024	ND	1.95	97.5	2.00	3.26	
Total Xylenes*	<0.150	0.150	10/24/2024	ND	5.80	96.6	6.00	3.16	
Total BTEX	<0.300	0.300	10/24/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	10/24/2024	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/24/2024	ND	214	107	200	2.27	
DRO >C10-C28*	<10.0	10.0	10/24/2024	ND	202	101	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	10/24/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 90.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Notes and Definitions**

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- \*\* Samples not received at proper temperature of 6°C or below.
- \*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager







Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 454480

**QUESTIONS**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 454480
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

**QUESTIONS**

<b>Prerequisites</b>	
Incident ID (n#)	nAPP2424048501
Incident Name	NAPP2424048501 TAIPAN 10 STATE COM #001H @ 30-025-40743
Incident Type	Oil Release
Incident Status	Remediation Plan Approved
Incident Well	[30-025-40743] TAIPAN 10 STATE COM #001H

<b>Location of Release Source</b>	
<i>Please answer all the questions in this group.</i>	
Site Name	TAIPAN 10 STATE COM #001H
Date Release Discovered	08/26/2024
Surface Owner	State

<b>Incident Details</b>	
<i>Please answer all the questions in this group.</i>	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

<b>Nature and Volume of Release</b>	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Equipment Failure   Well   Crude Oil   Released: 5 BBL   Recovered: 4 BBL   Lost: 1 BBL.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Well   Produced Water   Released: 6 BBL   Recovered: 0 BBL   Lost: 6 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Combination of oil and produced water released on pad at wellhead due to a damaged baird on wellhead. 10 bbls released. 4 bbls recovered.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 454480

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 454480
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	<b>No, according to supplied volumes this does not appear to be a "gas only" report.</b>
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	<b>No</b>
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

**Initial Response**

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.*

The source of the release has been stopped	<b>True</b>
The impacted area has been secured to protect human health and the environment	<b>True</b>
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	<b>True</b>
All free liquids and recoverable materials have been removed and managed appropriately	<b>True</b>
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

*Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 04/23/2025
--	--

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 454480

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 454480
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

**QUESTIONS**

**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Between 1000 (ft.) and ½ (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1000 (ft.) and ½ (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

**Remediation Plan**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

**Soil Contamination Sampling:** (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	6800
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	7743
GRO+DRO (EPA SW-846 Method 8015M)	6683
BTEX (EPA SW-846 Method 8021B or 8260B)	121
Benzene (EPA SW-846 Method 8021B or 8260B)	1

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	05/05/2025
On what date will (or did) the final sampling or liner inspection occur	05/12/2025
On what date will (or was) the remediation complete(d)	05/19/2025
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	3001
What is the estimated volume (in cubic yards) that will be remediated	111

*These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.*

*The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.*

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 454480

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 454480
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

**QUESTIONS**

**Remediation Plan (continued)**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

**This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:**

(Select all answers below that apply.)

(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	HALFWAY DISPOSAL AND LANDFILL [FEEM0112334510]
<b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state	No
<b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 04/23/2025
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 5

Action 454480

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 454480
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

**QUESTIONS**

<b>Deferral Requests Only</b>	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 454480

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 454480
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

**QUESTIONS**

**Sampling Event Information**

Last sampling notification (C-141N) recorded	{Unavailable.}
--	----------------

**Remediation Closure Request**

*Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.*

Requesting a remediation closure approval with this submission	No
--	----

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 454480

**CONDITIONS**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 454480
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

**CONDITIONS**

Created By	Condition	Condition Date
rhamlet	The Remediation Plan is Conditionally Approved. Collect 5-point confirmation samples every 200 ft2 throughout the entire release area and not just at delineation sample point locations that show contaminants over closure criteria standards. Samples must be analyzed for all constituents listed in Table I of 19.15.29.12 NMAC. Floor confirmation samples should be delineated/excavated to meet closure criteria standards from Table 1 of the OCD Spill Rule for site assessment/characterization/depth to water determination. Confirmation samples should be collected every 200 ft2. Sidewall samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. Please make sure that the edge of the release extent is accurately defined, especially around equipment. The work will need to occur in 90 days after the Remediation Plan has been approved.	4/23/2025