



## RECLAMATION CLOSURE REPORT

---

PREPARED FOR:  
DEVON ENERGY PRODUCTION, LP.

PREPARED BY:  
PIMA ENVIRONMENTAL SERVICES, LLC.

May 15<sup>th</sup>, 2025  
PIMA ENVIRONMENTAL SERVICES, LLC.  
5614 N LOVINGTON HWY, HOBBS, NM 88240



NMOCD District 1  
1625 N. French Drive  
Hobbs, NM 88240

Bureau of Land Management  
620 E Green St.  
Carlsbad, NM 88220

**RE:** RECLAMATION CLOSURE REPORT

**LOCATION:** Green Wave 20 CTB 3

**FACILITY ID:** fAPP2130250168

**GPS:** 32.03175646, -103.4937875

**INCIDENT LOCATION:** UL- K. Section 28, T27N, R13W

**COUNTY:** Lea

**NMOCD REF. NO.** NAPP2331731081

Pima Environmental Services, LLC (Pima) has been contracted by Devon Energy Production Company, LP (Devon) to prepare the Reclamation Closure Report for the Green Wave 20 CTB 3 site (hereafter referred to as the "Green Wave"). This report provides a comprehensive overview of the site's history, details the reclamation activities that have been undertaken to date, and outlines a proposed plan for ongoing vegetation monitoring.

## **SITE CHARACTERIZATION**

The Green Wave is located approximately sixteen (16) miles southwest of Bennett, NM. This spill site is in Unit K, Section 28, Township 27N, Range 13W, Latitude 32.03175646 Longitude -103.4937875, Lea County, NM. Figure 1 references a Location Map.

Per the New Mexico Bureau of Geology and Mineral Resources, the geology is made up interlayered eolian sands and piedmont-slope deposits along the eastern flank of the Pecos River valley, primarily between Roswell and Carlsbad. Typically capped by thin eolian deposits. The soil in this area is made up of Pyote and Maljamar fine sands, according to the United States Department of Agriculture Natural Resources Conservation Service soil survey (Appendix B). The drainage class in this area is well drained. There is a low potential for karst geology to be present around the Green Wave (Figure 3). A Topographic Map can be referenced in Figure 2.

Based on the well water data from the New Mexico Office of the State Engineer water well (C-04836- POD 1), the depth to the nearest groundwater in this vicinity measures 105 feet below grade surface (BGS), positioned 1.63 miles away from the Green Wave, drilled, June 5, 2024. Conversely, as per the United States Geological Survey well water data (USGS362714103071201), the nearest groundwater depth in this region is recorded at 177 feet BGS, situated approximately 11.93 miles away from the Green Wave, with the last gauge conducted in 2024. The nearest water feature is a Salt Playa located approximately 19.12 miles to the northeast of this site. For detailed references to water surveys and the precise locations of water wells, please refer to Appendix A, inclusive of the relevant maps.



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

**Green Wave 20 CTB 3 | NAPP2331731081**

Page 1 | 4

## SITE CONDITIONS AND HISTORY

### NAPP2331731081

On November 10, 2023, A pinhole developed on a welded area on the 3" ball valve on the water side, causing a fluid to be released on the pad. The released fluids were calculated to be approximately 8.4 barrels (bbls) of produced water. A vacuum truck was able to recover 7 bbls of standing fluid.

While incident NAPP2331731081 was being addressed, depth to groundwater was classified as <50' BGS due to lack of groundwater data.

On November 15, 2023, Pima Environmental conducted a site assessment and obtained soil samples. The laboratory results of this sampling event can be found in Figure 4. Analytical Laboratory Reports can be found in Appendix D. Photographic Documentation can be found in Appendix C.

On February 5, 2024, the Devon Construction Department mobilized personnel and equipment to begin immediate remediation activities. They began by excavating the area to a depth of 3' BGS. The contaminated soil (8 cubic yards) was hauled to an approved, lined disposal facility and clean backfill material was brought in.

On February 12, 2024, after sending a 48-hour notification, application ID: 312496, Pima returned to the site to collect confirmation samples of the excavation. The results of this sampling event can be found in Figure 4. Analytical Laboratory Reports can be found in Appendix D. Photographic Documentation can be found in Appendix C.

The sample results were below NMOCD Closure Criteria 19.15.29 NMAC. Based on these findings, no additional remediation activities were required at this location.

A Remediation Closure Report (Application ID: 316339), was submitted to the NMOCD on February 21, 2024, for approval.

On March 12, 2024, Incident ID: NAPP2331731081, was approved by the NMOCD.

## RECLAMATION ACTIVITIES

On May 1, 2025, Pima personnel returned to the site to collect samples from backfilled areas. The results of this sampling event can be found in Figure 4. Analytical Laboratory Reports can be found in Appendix D. Photographic Documentation can be found in Appendix C.

The areas of concern do not require reclamation at this time as the conditions of the areas that were reported to have been affected were non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg and TPH concentrations less than 100 mg/kg. To support this the Laboratory Analytical Reports are available in Appendix D. Furthermore, Photographic Documentation to prove that the ground has not been affected is available in Appendix C.

## RECLAMATION OF THE SITE

Devon Energy will carry out reclamation activities and seeding of the site within 25 years or immediately after the site is no longer needed for production and/or subsequent drilling operations, whichever comes sooner.



## REQUEST OF APPROVAL

After careful review, Pima requests that this Reclamation Closure Report for the Green Wave 20 CTB 3, incident ID NAPP2331731081, be approved.

Should you have any questions or need additional information, please feel free to contact:

Devon Energy Production – Jim Raley at 575-689-7597 or [jim.raley@dnv.com](mailto:jim.raley@dnv.com).

Pima Environmental – Lynsey Coons at 575-318-7532 or [lynsey@pimaoil.com](mailto:lynsey@pimaoil.com).

Respectfully,



Lynsey Coons

Project Manager

Pima Environmental Services, LLC

## ATTACHMENTS



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

Green Wave 20 CTB 3 | NAPP2331731081

Page 3 | 4

## FIGURES:

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Data Tables
- 5- Site Map
- 6- Confirmation Sample Map

## APPENDICES:

Appendix A – Water Surveys, Surface Water Map

Appendix B – Soil Survey, Geological Data, FEMA Flood Map, Wetlands Map

Appendix C –Photographic Documentation

Appendix D – Laboratory Results



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

Green Wave 20 CTB 3 | NAPP2331731081

Page 4 | 4

## FIGURES

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Data Tables
- 5- Site Map
- 6- Confirmation Sample Map





Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)


DEVON ENERGY PRODUCTION, LP.

# GREEN WAVE 20 CTB 3

Devon energy  
Facility ID: fAPP2130250168  
Lea County, NM  
NAPP2331731081  
Location Map

## Legend

-  16.87 miles southwest of Bennett
-  GREEN WAVE 20 CTB 3




Google Earth


Image © 2025 Airbus

# GREEN WAVE 20 CTB 3

Devon energy  
Facility ID: fAPP2130250168  
Lea County, NM  
NAPP2331731081

## Legend

 GREEN WAVE 20 CTB 3








Google Earth

# GREEN WAVE 20 CTB 3

Devon energy  
Facility ID: fAPP2130250168  
Lea County, NM  
NAPP2331731081  
Karst Map

## Legend

-  GREEN WAVE 20 CTB 3
-  High Karst
-  Low Karst
-  Medium Karst



Google Earth

# Assessment Data Tables



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

DEVON ENERGY PRODUCTION, LP.

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is <50')								
DEVON ENERGY Green Wave 20 CTB 3								
Date: 11-15-23		NM Approved Laboratory Results						
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	CI mg/kg
S1	1'	ND	ND	ND	86.5	ND	86.5	53.8
	2'	ND	ND	ND	ND	ND	0	ND
	3'	ND	ND	ND	ND	ND	0	1120
	4'	ND	ND	ND	ND	ND	0	ND
SW1	6"	ND	ND	ND	ND	ND	0	28
SW2	6"	ND	ND	ND	ND	ND	0	35.2
SW3	6"	ND	ND	ND	ND	ND	0	25.6
SW4	6"	ND	ND	ND	ND	ND	0	28.5
BG1	6"	ND	ND	ND	ND	ND	0	30.1

# Confirmation Data Tables



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

DEVON ENERGY PRODUCTION, LP.

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is <50')								
DEVON ENERGY Green Wave 20 CTB 3								
Date: 2-12-24		NM Approved Laboratory Results						
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	CI mg/kg
CS1-Bottom	3'	ND	ND	ND	ND	ND	0	ND
CSW1	3'	ND	ND	ND	ND	ND	0	ND
CSW2	3'	ND	ND	ND	ND	ND	0	ND
CSW3	3'	ND	ND	ND	ND	ND	0	ND
CSW4	3'	ND	ND	ND	ND	ND	0	ND

# Backfill Data Tables



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)





DEVON ENERGY PRODUCTION, LP.


NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is <50')								
DEVON ENERGY Green Wave 20 CTB 3								
Date: 5-1-25		NM Approved Laboratory Results						
Sample ID	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Cl mg/kg
BACKFILL 1	COMP	ND	ND	ND	ND	ND	0	ND

## Green Wave 20 CTB 3


Devon Energy  
API: N/A  
Lea County, NM  
Site Map

### Legend

-  Greenwave 20 CTB 3
-  Sample
-  Sidewalls
-  Spill Area 200 sq ft

 Greenwave 20 CTB 3

SW2 S1 SW1  
SW3 SW4



90 ft

Google Earth

## Green Wave 20 CTB 3




Devon Energy


API: N/A

Lea County, NM

Confirmation Sample Map

### Legend

-  Confirmation Sample Bottom
-  Confirmation Sample Sidewalls
-  Greenwave 20 CTB 3

 Greenwave 20 CTB 3

CSW2 CSW1  
CSW3 CS1  
CSW4



# APPENDIX A

OSE Water Survey  
USGS Water Survey  
Surface Water Map




Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

DEVON ENERGY PRODUCTION, LP.

# Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE  
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
NA	C 04836 POD1	SE	SE	SE	21	26S	34E	644618.7	3543853.3	

\* UTM location was derived from PLSS - see Help

Driller License:	1188	Driller Company:	SCARBOROUGH DRILLING INC.		
Driller Name:	SCOTT SCARBOROUGH				
Drill Start Date:	2024-06-05	Drill Finish Date:	2024-06-05	Plug Date:	
Log File Date:	2024-07-01	PCW Rcv Date:		Source:	
Pump Type:		Pipe Discharge Size:		Estimated Yield:	0
Casing Size:		Depth Well:	105	Depth Water:	

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

# GREEN WAVE 20 CTB 3

Devon energy  
Facility ID: fAPP2130250168  
Lea County, NM  
NAPP2331731081  
OSE Pod Map

## Legend

- 1.63 miles
- C 04836 POD1
- GREEN WAVE 20 CTB 3

GREEN WAVE 20 CTB 3

C 04836 POD1

Google Earth

Image © 2025 Airbus

Released to Imaging: 7/15/2025 2:08:25 PM



1 mi



[USGS Home](#)  
[Contact USGS](#)  
[Search USGS](#)

## National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.

Groundwater levels for the Nation



Important: [Next Generation Monitoring Location Page](#)

### Search Results -- 1 sites found

site\_no list =

- 362714103071201

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

### USGS 362714103071201 26S.36E.29.314412 J-4

Available data for this site

Groundwater: Field measurements



GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°00'41.38", Longitude 103°17'31.10" NAD83

Land-surface elevation 2,916.00 feet above NGVD29

The depth of the well is 604 feet below land surface.

This well is completed in the Pecos River Basin alluvial aquifer (N100PCSRVR) national aquifer.

This well is completed in the Alluvium, Bolson Deposits and Other Surface Deposits (110AVMB) local aquifer.


#### Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions or Comments](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[Accessibility](#)    [FOIA](#)    [Privacy](#)    [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

**Title: Groundwater for USA: Water Levels**

**URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>**

Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2025-05-12 13:15:11 EDT




0.65 0.43 nadww01



# GREEN WAVE 20 CTB 3

Devon energy  
Facility ID: fAPP2130250168  
Lea County, NM  
NAPP2331731081  
USGS Map

## Legend

-  11.93 miles
-  GREEN WAVE 20 CTB 3
-  USGS 362714103071201

GREEN WAVE 20 CTB 3

Andrews Place

Bennett

USGS 362714103071201

NEW MEXICO

TEXAS

Google Earth

Image © 2025 Airbus

Released to Imaging: 7/15/2025 2:08:25 PM

7 mi




# GREEN WAVE 20 CTB 3

Devon energy  
Facility ID: fAPP2130250168  
Lea County, NM  
NAPP2331731081  
Surface Water Map

## Legend

- 19.12 miles
- GREEN WAVE 20 CTB 3
- Salt Playa



Google Earth

10 mi

## APPENDIX B

Soil Survey & Geological Data

Geologic Unit Map

FEMA Flood Map

Wetlands Map



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

DEVON ENERGY PRODUCTION, LP.

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

---

## Lea County, New Mexico

### PU—Pyote and Maljamar fine sands

#### Map Unit Setting

*National map unit symbol:* dmqq

*Elevation:* 3,000 to 3,900 feet

*Mean annual precipitation:* 10 to 12 inches

*Mean annual air temperature:* 60 to 62 degrees F

*Frost-free period:* 190 to 205 days

*Farmland classification:* Not prime farmland

#### Map Unit Composition

*Pyote and similar soils:* 46 percent

*Maljamar and similar soils:* 44 percent

*Minor components:* 10 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

#### Description of Pyote

##### Setting

*Landform:* Plains

*Landform position (three-dimensional):* Rise

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Parent material:* Sandy eolian deposits derived from sedimentary rock

##### Typical profile

*A - 0 to 30 inches:* fine sand

*Bt - 30 to 60 inches:* fine sandy loam

##### Properties and qualities

*Slope:* 0 to 3 percent

*Depth to restrictive feature:* More than 80 inches

*Drainage class:* Well drained

*Runoff class:* Negligible

*Capacity of the most limiting layer to transmit water (Ksat):* High  
(2.00 to 6.00 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum content:* 5 percent

*Gypsum, maximum content:* 1 percent

*Maximum salinity:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

*Sodium adsorption ratio, maximum:* 2.0

*Available water supply, 0 to 60 inches:* Low (about 5.1 inches)

##### Interpretive groups

*Land capability classification (irrigated):* 6e

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

---

*Land capability classification (nonirrigated): 7s*  
*Hydrologic Soil Group: A*  
*Ecological site: R070BD003NM - Loamy Sand*  
*Hydric soil rating: No*

## **Description of Maljamar**

### **Setting**

*Landform: Plains*  
*Landform position (three-dimensional): Rise*  
*Down-slope shape: Linear*  
*Across-slope shape: Linear*  
*Parent material: Sandy eolian deposits derived from sedimentary rock*

### **Typical profile**

*A - 0 to 24 inches: fine sand*  
*Bt - 24 to 50 inches: sandy clay loam*  
*Bkm - 50 to 60 inches: cemented material*

### **Properties and qualities**

*Slope: 0 to 3 percent*  
*Depth to restrictive feature: 40 to 60 inches to petrocalcic*  
*Drainage class: Well drained*  
*Runoff class: Very low*  
*Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)*  
*Depth to water table: More than 80 inches*  
*Frequency of flooding: None*  
*Frequency of ponding: None*  
*Calcium carbonate, maximum content: 5 percent*  
*Gypsum, maximum content: 1 percent*  
*Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)*  
*Sodium adsorption ratio, maximum: 2.0*  
*Available water supply, 0 to 60 inches: Low (about 5.6 inches)*

### **Interpretive groups**

*Land capability classification (irrigated): 6e*  
*Land capability classification (nonirrigated): 7e*  
*Hydrologic Soil Group: B*  
*Ecological site: R070BD003NM - Loamy Sand*  
*Hydric soil rating: No*

## **Minor Components**

### **Kermit**

*Percent of map unit: 10 percent*  
*Ecological site: R070BC022NM - Sandhills*

Map Unit Description: Pyote and Maljamar fine sands---Lea County, New Mexico

---


*Hydric soil rating:* No

## Data Source Information

Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 21, Sep 3, 2024

Soil Map—Lea County, New Mexico




Natural Resources  
Conservation Service

Web Soil Survey  
National Cooperative Soil Survey

5/12/2025  
Page 1 of 3

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service  
Web Soil Survey URL:  
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico  
Survey Area Data: Version 21, Sep 3, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PU	Pyote and Maljamar fine sands	6.7	100.0%
Totals for Area of Interest		6.7	100.0%

(<https://www.usgs.gov/>)

Mineral Resources (<https://www.usgs.gov/energy-and-minerals/mineral-resources-program>)

/ Online Spatial Data (/) / Geology (/geology/) / by state (/geology/state/)

/ New Mexico (/geology/state/state.php?state=NM)

## Eolian and piedmont deposits

XML (/geology/state/xml/NMQep;0)

JSON (/geology/state/json/NMQep;0)

Shapefile (/geology/state/unit-shape.php?unit=NMQep;0)

*Interlayered eolian sands and piedmont-slope deposits along the eastern flank of the Pecos River valley, primarily between Roswell and Carlsbad. Typically capped by thin eolian deposits.*

**State** New Mexico (/geology/state/state.php?state=NM)

**Name** Eolian and piedmont deposits

**Geologic age** Holocene to middle Pleistocene

**Lithologic constituents** Major  
Unconsolidated (Eolian) Interlayered eolian sands and piedmont-slope deposits

**References** New Mexico Bureau of Geology and Mineral Resources, 2003, Geologic Map of New Mexico, scale 1:500,000 (includes some new polygons, faults, and attributes not in NM001 - heads up digitizing by JHorton).

**NGMDB product** NGMDB product page for 22974  
([https://ngmdb.usgs.gov/Prodesc/proddesc\\_22974.htm](https://ngmdb.usgs.gov/Prodesc/proddesc_22974.htm))

**Counties** Chaves (/geology/state/fips-unit.php?code=f35005) - DeBaca (/geology/state/fips-unit.php?code=f35011) - Eddy (/geology/state/fips-unit.php?code=f35015) - Lea (/geology/state/fips-unit.php?code=f35025) - Roosevelt (/geology/state/fips-unit.php?code=f35041)

DOI Privacy Policy (<https://www.doi.gov/privacy>) | Legal ([https://www.usgs.gov/laws/policies\\_notices.html](https://www.usgs.gov/laws/policies_notices.html)) |

Accessibility (<https://www2.usgs.gov/laws/accessibility.html>) | Site Map (<https://www.usgs.gov/sitemap.html>) |

Contact USGS (<https://answers.usgs.gov/>)

U.S. Department of the Interior (<https://www.doi.gov/>) | DOI Inspector General (<https://www.doiig.gov/>) |




White House (<https://www.whitehouse.gov/>) | E-gov (<https://www.whitehouse.gov/omb/management/egov/>) |


No Fear Act (<https://www.doi.gov/pmb/eeo/no-fear-act>) | FOIA (<https://www2.usgs.gov/foia>)

# GREEN WAVE 20 CTB 3

Devon energy  
Facility ID: fAPP2130250168  
Lea County, NM  
NAPP2331731081  
Geological Map

## Legend

-  Eolian and piedmont deposits
-  GREEN WAVE 20 CTB 3
-  Ogallala Formation



Google Earth


Image © 2025 Airbus

2 mi

# National Flood Hazard Layer FIRMette



103°29'56"W 32°2'10"N



1:6,000

103°29'19"W 32°1'39"N

Basemap Imagery Source: USGS National Map 2023

### Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone X
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Area of Undetermined Flood Hazard Zone D
		Channel, Culvert, or Storm Sewer
OTHER FEATURES		Levee, Dike, or Floodwall
		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards


The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **5/12/2025 at 5:17 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 7/15/2025 2:08:25 PM

Received by OCD: 5/12/2025 7:39:28 AM

Page 35 of 98



May 12, 2025

Wetlands

- |  |   |  |
|--|---|--|
|  Estuarine and Marine Deepwater |  Freshwater Emergent Wetland       |  Lake     |
|  Estuarine and Marine Wetland   |  Freshwater Forested/Shrub Wetland |  Other    |
|  |  Freshwater Pond                   |  Riverine |

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

# APPENDIX C

## Photographic Documentation



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

DEVON ENERGY PRODUCTION, LP.



## SITE PHOTOGRAPHS

### DEVON ENERGY


#### Green Wave 20 CTB 3

#### Assessment





Excavation





## Post Excavation



# APPENDIX D

## Laboratory Results



Pima Environmental Services, LLC  
5614 N Lovington Hwy, Hobbs, NM 88240  
575-964-7740 | [www.pimaoil.com](http://www.pimaoil.com)

DEVON ENERGY PRODUCTION, LP.

Report to:  
Tom Bynum



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Green Wave 20 CTB 3

Work Order: E311143

Job Number: 01058-0007

Received: 11/17/2023

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
11/28/23

5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 11/28/23

Tom Bynum  
PO Box 247  
Plains, TX 79355-0247



Project Name: Green Wave 20 CTB 3  
Workorder: E311143  
Date Received: 11/17/2023 7:00:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 11/17/2023 7:00:00AM, under the Project Name: Green Wave 20 CTB 3.

The analytical test results summarized in this report with the Project Name: Green Wave 20 CTB 3 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

**Alexa Michaels**  
Sample Custody Officer  
Office: 505-632-1881  
[labadmin@envirotech-inc.com](mailto:labadmin@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Golzales**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzales@envirotech-inc.com](mailto:mgonzales@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
S1-1'	5
S1-2'	6
S1-3'	7
S1-4'	8
SW 1	9
SW 2	10
SW 3	11
SW 4	12
BG 1	13
QC Summary Data	14
QC - Volatile Organics by EPA 8021B	14
QC - Nonhalogenated Organics by EPA 8015D - GRO	15
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	16
QC - Anions by EPA 300.0/9056A	17
Definitions and Notes	18
Chain of Custody etc.	19

Sample Summary

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	11/28/23 10:11

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
S1-1'	E311143-01A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.
S1-2'	E311143-02A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.
S1-3'	E311143-03A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.
S1-4'	E311143-04A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.
SW 1	E311143-05A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.
SW 2	E311143-06A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.
SW 3	E311143-07A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.
SW 4	E311143-08A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.
BG 1	E311143-09A	Soil	11/15/23	11/17/23	Glass Jar, 2 oz.



## Sample Data

Pima Environmental Services-Carlsbad PO Box 247 Plains TX, 79355-0247	Project Name: Green Wave 20 CTB 3 Project Number: 01058-0007 Project Manager: Tom Bynum	<b>Reported:</b> 11/28/2023 10:11:53AM
---	---	---

**S1-1'**

**E311143-01**

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: RKS		Batch: 2346119	
Benzene	ND	0.0250	1	11/17/23	11/27/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/27/23	
Toluene	ND	0.0250	1	11/17/23	11/27/23	
o-Xylene	ND	0.0250	1	11/17/23	11/27/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/27/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/27/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	94.3 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: RKS		Batch: 2346119	
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/27/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	95.0 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: JL		Batch: 2347080	
Diesel Range Organics (C10-C28)	86.5	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>	89.4 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2347089	
Chloride	53.8	20.0	1	11/22/23	11/22/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
11/28/2023 10:11:53AM

S1-2'

E311143-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Benzene	ND	0.0250	1	11/17/23	11/27/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/27/23	
Toluene	ND	0.0250	1	11/17/23	11/27/23	
o-Xylene	ND	0.0250	1	11/17/23	11/27/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/27/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/27/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.4 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/27/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.4 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: JL		Batch: 2347080
Diesel Range Organics (C10-C28)	ND	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>						
	90.8 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2347089
Chloride	ND	20.0	1	11/22/23	11/22/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
11/28/2023 10:11:53AM

S1-3'

E311143-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Benzene	ND	0.0250	1	11/17/23	11/27/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/27/23	
Toluene	ND	0.0250	1	11/17/23	11/27/23	
o-Xylene	ND	0.0250	1	11/17/23	11/27/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/27/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/27/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.6 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/27/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	96.1 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: JL		Batch: 2347080
Diesel Range Organics (C10-C28)	ND	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>						
	94.7 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2347089
Chloride	ND	20.0	1	11/22/23	11/22/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
11/28/2023 10:11:53AM

S1-4'

E311143-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Benzene	ND	0.0250	1	11/17/23	11/27/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/27/23	
Toluene	ND	0.0250	1	11/17/23	11/27/23	
o-Xylene	ND	0.0250	1	11/17/23	11/27/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/27/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/27/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.3 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/27/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	96.7 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: JL		Batch: 2347080
Diesel Range Organics (C10-C28)	ND	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>						
	93.0 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2347089
Chloride	ND	20.0	1	11/22/23	11/22/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
11/28/2023 10:11:53AM

## SW 1

## E311143-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Benzene	ND	0.0250	1	11/17/23	11/27/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/27/23	
Toluene	ND	0.0250	1	11/17/23	11/27/23	
o-Xylene	ND	0.0250	1	11/17/23	11/27/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/27/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/27/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	96.0 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/27/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	96.0 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: JL		Batch: 2347080
Diesel Range Organics (C10-C28)	ND	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>						
	93.7 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2347089
Chloride	28.0	20.0	1	11/22/23	11/22/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
11/28/2023 10:11:53AM

## SW 2

## E311143-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Benzene	ND	0.0250	1	11/17/23	11/27/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/27/23	
Toluene	ND	0.0250	1	11/17/23	11/27/23	
o-Xylene	ND	0.0250	1	11/17/23	11/27/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/27/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/27/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	97.7 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/27/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	95.7 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: JL		Batch: 2347080
Diesel Range Organics (C10-C28)	ND	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>						
	97.4 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2347089
Chloride	35.2	20.0	1	11/22/23	11/22/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
11/28/2023 10:11:53AM

## SW 3

## E311143-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Benzene	ND	0.0250	1	11/17/23	11/27/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/27/23	
Toluene	ND	0.0250	1	11/17/23	11/27/23	
o-Xylene	ND	0.0250	1	11/17/23	11/27/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/27/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/27/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.9 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/27/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.2 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: JL		Batch: 2347080
Diesel Range Organics (C10-C28)	ND	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>						
	94.4 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2347089
Chloride	25.6	20.0	1	11/22/23	11/22/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
11/28/2023 10:11:53AM

## SW 4

## E311143-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Benzene	ND	0.0250	1	11/17/23	11/27/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/27/23	
Toluene	ND	0.0250	1	11/17/23	11/27/23	
o-Xylene	ND	0.0250	1	11/17/23	11/27/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/27/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/27/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	95.1 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/27/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.4 %	70-130		11/17/23	11/27/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: JL		Batch: 2347080
Diesel Range Organics (C10-C28)	ND	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>						
	96.3 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2347089
Chloride	28.5	20.0	1	11/22/23	11/23/23	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
11/28/2023 10:11:53AM

## BG 1

## E311143-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Benzene	ND	0.0250	1	11/17/23	11/22/23	
Ethylbenzene	ND	0.0250	1	11/17/23	11/22/23	
Toluene	ND	0.0250	1	11/17/23	11/22/23	
o-Xylene	ND	0.0250	1	11/17/23	11/22/23	
p,m-Xylene	ND	0.0500	1	11/17/23	11/22/23	
Total Xylenes	ND	0.0250	1	11/17/23	11/22/23	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.2 %	70-130		11/17/23	11/22/23	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RKS		Batch: 2346119
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/17/23	11/22/23	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	92.3 %	70-130		11/17/23	11/22/23	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: JL		Batch: 2347080
Diesel Range Organics (C10-C28)	ND	25.0	1	11/22/23	11/22/23	
Oil Range Organics (C28-C36)	ND	50.0	1	11/22/23	11/22/23	
<i>Surrogate: n-Nonane</i>						
	98.6 %	50-200		11/22/23	11/22/23	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: BA		Batch: 2347089
Chloride	30.1	20.0	1	11/22/23	11/23/23	



## QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	11/28/2023 10:11:53AM

## Volatile Organics by EPA 8021B

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2346119-BLK1)

Prepared: 11/17/23 Analyzed: 11/22/23

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.28		8.00		91.0	70-130			

## LCS (2346119-BS1)

Prepared: 11/17/23 Analyzed: 11/22/23

Benzene	5.02	0.0250	5.00		100	70-130			
Ethylbenzene	5.22	0.0250	5.00		104	70-130			
Toluene	5.32	0.0250	5.00		106	70-130			
o-Xylene	5.40	0.0250	5.00		108	70-130			
p,m-Xylene	10.7	0.0500	10.0		107	70-130			
Total Xylenes	16.1	0.0250	15.0		108	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.41		8.00		92.6	70-130			

## Matrix Spike (2346119-MS1)

Source: E311143-09

Prepared: 11/17/23 Analyzed: 11/22/23

Benzene	4.07	0.0250	5.00	ND	81.3	54-133			
Ethylbenzene	4.25	0.0250	5.00	ND	85.0	61-133			
Toluene	4.32	0.0250	5.00	ND	86.4	61-130			
o-Xylene	4.39	0.0250	5.00	ND	87.7	63-131			
p,m-Xylene	8.78	0.0500	10.0	ND	87.8	63-131			
Total Xylenes	13.2	0.0250	15.0	ND	87.8	63-131			
Surrogate: 4-Bromochlorobenzene-PID	7.74		8.00		96.8	70-130			

## Matrix Spike Dup (2346119-MSD1)

Source: E311143-09

Prepared: 11/17/23 Analyzed: 11/22/23

Benzene	3.72	0.0250	5.00	ND	74.4	54-133	8.98	20	
Ethylbenzene	3.87	0.0250	5.00	ND	77.4	61-133	9.36	20	
Toluene	3.94	0.0250	5.00	ND	78.7	61-130	9.32	20	
o-Xylene	4.00	0.0250	5.00	ND	80.0	63-131	9.18	20	
p,m-Xylene	8.00	0.0500	10.0	ND	80.0	63-131	9.28	20	
Total Xylenes	12.0	0.0250	15.0	ND	80.0	63-131	9.25	20	
Surrogate: 4-Bromochlorobenzene-PID	7.79		8.00		97.4	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:  11/28/2023 10:11:53AM
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: RKS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2346119-BLK1) Prepared: 11/17/23 Analyzed: 11/22/23

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.29		8.00		91.1	70-130			

LCS (2346119-BS2) Prepared: 11/17/23 Analyzed: 11/22/23

Gasoline Range Organics (C6-C10)	43.6	20.0	50.0		87.3	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.45		8.00		93.2	70-130			

Matrix Spike (2346119-MS2) Source: E311143-09 Prepared: 11/17/23 Analyzed: 11/22/23

Gasoline Range Organics (C6-C10)	36.6	20.0	50.0	ND	73.2	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.53		8.00		94.1	70-130			

Matrix Spike Dup (2346119-MSD2) Source: E311143-09 Prepared: 11/17/23 Analyzed: 11/22/23

Gasoline Range Organics (C6-C10)	36.4	20.0	50.0	ND	72.7	70-130	0.637	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.42		8.00		92.7	70-130			



## QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	<b>Reported:</b>
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	11/28/2023 10:11:53AM

## Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: JL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2347080-BLK1)

Prepared: 11/22/23 Analyzed: 11/22/23

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: <i>n</i> -Nonane	50.3		50.0		101	50-200			

## LCS (2347080-BS1)

Prepared: 11/22/23 Analyzed: 11/22/23

Diesel Range Organics (C10-C28)	250	25.0	250		100	38-132			
Surrogate: <i>n</i> -Nonane	49.2		50.0		98.4	50-200			

## Matrix Spike (2347080-MS1)

Source: E311143-07

Prepared: 11/22/23 Analyzed: 11/22/23

Diesel Range Organics (C10-C28)	284	25.0	250	ND	114	38-132			
Surrogate: <i>n</i> -Nonane	47.5		50.0		94.9	50-200			

## Matrix Spike Dup (2347080-MSD1)

Source: E311143-07

Prepared: 11/22/23 Analyzed: 11/22/23

Diesel Range Organics (C10-C28)	271	25.0	250	ND	109	38-132	4.57	20	
Surrogate: <i>n</i> -Nonane	44.4		50.0		88.8	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	11/28/2023 10:11:53AM

Anions by EPA 300.0/9056A

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2347089-BLK1)					Prepared: 11/22/23 Analyzed: 11/22/23				
Chloride	ND	20.0							
LCS (2347089-BS1)					Prepared: 11/22/23 Analyzed: 11/22/23				
Chloride	246	20.0	250		98.4	90-110			
Matrix Spike (2347089-MS1)					Source: E311142-03		Prepared: 11/22/23 Analyzed: 11/22/23		
Chloride	390	200	250	ND	156	80-120			M5
Matrix Spike Dup (2347089-MSD1)					Source: E311142-03		Prepared: 11/22/23 Analyzed: 11/22/23		
Chloride	374	200	250	ND	150	80-120	4.18	20	M5

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Tom Bynum	11/28/23 10:11

- M5      The analysis of the MS sample required a dilution such that the spike recovery calculation does not provide useful information. The accociated LCS spike recovery was acceptable.
- ND      Analyte NOT DETECTED at or above the reporting limit
- NR      Not Reported
- RPD      Relative Percent Difference
- DNI      Did Not Ignite
- DNR      Did not react with the addition of acid or base.

Note (1): Methods marked with \*\* are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



## Project Information

## Chain of Custody

Page 1 of 1

Client: Pima Environmental Services				Bill To		Lab Use Only		TAT				EPA Program						
Project: Greenway 20 CTB3				Attention: Devon		Lab WO# E 31143		Job Number 01058-0007		1D	2D	3D	Standard	CWA	SDWA			
Project Manager: Tom Bynum				Address:		Analysis and Method												
Address: 5614 N. Lovington Hwy.				City, State, Zip												RCRA		
City, State, Zip Hobbs, NM, 88240				Phone:														
Phone: 580-748-1613				Email:										State				
Email: tom@pimaoil.com				Pima Project # 321-3										NM	CO	UT	AZ	TX
Report due by:																		Remarks
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0		BGDOC NM	BGDOC TX				
11:04	11/15	S		S1-1'	1								X					
11:10				S1-2'	2													
11:16				S1-3'	3													
11:18				S1-4'	4													
11:25				SW1	5													
11:29				SW2	6													
11:31				SW3	7													
11:36				SW4	8													
11:37				BG1	9													
Additional Instructions: B# 21244237																		
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action.												Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.						
Relinquished by: (Signature) Karine Adams												Received by: (Signature) Michelle Gayle						
Date 11/16/23 Time 12:40												Date 11-16-23 Time 1240						
Relinquished by: (Signature) Michelle Gayle												Received by: (Signature) Andrew M. 4.23						
Date 11-16-23 Time 1700												Date 11-16-23 Time 1800						
Relinquished by: (Signature) Andrew M. 4.23												Received by: (Signature) J. Mentano						
Date 11-16-23 Time 2330												Date 11/17/23 Time 7:00						
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other												Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA						
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																		


**envirotech**

## Envirotech Analytical Laboratory

Printed: 11/17/2023 9:57:38AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	11/17/23 00:00	Work Order ID:	E311143
Phone:	(575) 631-6977	Date Logged In:	11/16/23 16:01	Logged In By:	Jordan Montano
Email:	tom@pimaoil.com	Due Date:	11/27/23 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction


Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:  
Tom Bynum



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Green Wave 20 CTB 3

Work Order: E402099

Job Number: 01058-0007

Received: 2/13/2024

Revision: 2

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
2/14/24

5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 2/14/24

Tom Bynum  
PO Box 247  
Plains, TX 79355-0247



Project Name: Green Wave 20 CTB 3  
Workorder: E402099  
Date Received: 2/13/2024 5:30:00AM

Tom Bynum,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 2/13/2024 5:30:00AM, under the Project Name: Green Wave 20 CTB 3.

The analytical test results summarized in this report with the Project Name: Green Wave 20 CTB 3 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

**Alexa Michaels**  
Sample Custody Officer  
Office: 505-632-1881  
[labadmin@envirotech-inc.com](mailto:labadmin@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Golzaes**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzales@envirotech-inc.com](mailto:mgonzales@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
CS1-Bottom	5
CSW1	6
CSW2	7
CSW3	8
CSW4	9
QC Summary Data	10
QC - Volatile Organics by EPA 8021B	10
QC - Nonhalogenated Organics by EPA 8015D - GRO	11
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	12
QC - Anions by EPA 300.0/9056A	13
Definitions and Notes	14
Chain of Custody etc.	15

Sample Summary

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:  02/14/24 16:55
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
CS1-Bottom	E402099-01A	Soil	02/12/24	02/13/24	Glass Jar, 2 oz.
CSW1	E402099-02A	Soil	02/12/24	02/13/24	Glass Jar, 2 oz.
CSW2	E402099-03A	Soil	02/12/24	02/13/24	Glass Jar, 2 oz.
CSW3	E402099-04A	Soil	02/12/24	02/13/24	Glass Jar, 2 oz.
CSW4	E402099-05A	Soil	02/12/24	02/13/24	Glass Jar, 2 oz.



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
2/14/2024 4:55:18PM

### CS1-Bottom

#### E402099-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2407024
Benzene	ND	0.0250	1	02/13/24	02/13/24	
Ethylbenzene	ND	0.0250	1	02/13/24	02/13/24	
Toluene	ND	0.0250	1	02/13/24	02/13/24	
o-Xylene	ND	0.0250	1	02/13/24	02/13/24	
p,m-Xylene	ND	0.0500	1	02/13/24	02/13/24	
Total Xylenes	ND	0.0250	1	02/13/24	02/13/24	
Surrogate: 4-Bromochlorobenzene-PID	91.0 %	70-130		02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2407024
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/13/24	02/13/24	
Surrogate: 1-Chloro-4-fluorobenzene-FID	91.0 %	70-130		02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2407022
Diesel Range Organics (C10-C28)	ND	25.0	1	02/13/24	02/13/24	
Oil Range Organics (C28-C36)	ND	50.0	1	02/13/24	02/13/24	
Surrogate: n-Nonane	105 %	50-200		02/13/24	02/13/24	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2407032
Chloride	ND	20.0	1	02/13/24	02/13/24	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
2/14/2024 4:55:18PM

## CSW1

## E402099-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2407024	
Benzene	ND	0.0250	1	02/13/24	02/13/24	
Ethylbenzene	ND	0.0250	1	02/13/24	02/13/24	
Toluene	ND	0.0250	1	02/13/24	02/13/24	
o-Xylene	ND	0.0250	1	02/13/24	02/13/24	
p,m-Xylene	ND	0.0500	1	02/13/24	02/13/24	
Total Xylenes	ND	0.0250	1	02/13/24	02/13/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		91.5 %	70-130	02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: RAS		Batch: 2407024	
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/13/24	02/13/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		90.3 %	70-130	02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: NV		Batch: 2407022	
Diesel Range Organics (C10-C28)	ND	25.0	1	02/13/24	02/13/24	
Oil Range Organics (C28-C36)	ND	50.0	1	02/13/24	02/13/24	
<i>Surrogate: n-Nonane</i>		108 %	50-200	02/13/24	02/13/24	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: DT		Batch: 2407032	
Chloride	ND	20.0	1	02/13/24	02/13/24	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
2/14/2024 4:55:18PM

## CSW2

## E402099-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2407024
Benzene	ND	0.0250	1	02/13/24	02/13/24	
Ethylbenzene	ND	0.0250	1	02/13/24	02/13/24	
Toluene	ND	0.0250	1	02/13/24	02/13/24	
o-Xylene	ND	0.0250	1	02/13/24	02/13/24	
p,m-Xylene	ND	0.0500	1	02/13/24	02/13/24	
Total Xylenes	ND	0.0250	1	02/13/24	02/13/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.5 %	70-130		02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2407024
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/13/24	02/13/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	90.5 %	70-130		02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2407022
Diesel Range Organics (C10-C28)	ND	25.0	1	02/13/24	02/13/24	
Oil Range Organics (C28-C36)	ND	50.0	1	02/13/24	02/13/24	
<i>Surrogate: n-Nonane</i>						
	108 %	50-200		02/13/24	02/13/24	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2407032
Chloride	ND	20.0	1	02/13/24	02/13/24	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
2/14/2024 4:55:18PM

## CSW3

## E402099-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2407024
Benzene	ND	0.0250	1	02/13/24	02/13/24	
Ethylbenzene	ND	0.0250	1	02/13/24	02/13/24	
Toluene	ND	0.0250	1	02/13/24	02/13/24	
o-Xylene	ND	0.0250	1	02/13/24	02/13/24	
p,m-Xylene	ND	0.0500	1	02/13/24	02/13/24	
Total Xylenes	ND	0.0250	1	02/13/24	02/13/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	93.3 %	70-130		02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2407024
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/13/24	02/13/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	91.1 %	70-130		02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2407022
Diesel Range Organics (C10-C28)	ND	25.0	1	02/13/24	02/13/24	
Oil Range Organics (C28-C36)	ND	50.0	1	02/13/24	02/13/24	
<i>Surrogate: n-Nonane</i>						
	95.3 %	50-200		02/13/24	02/13/24	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2407032
Chloride	ND	20.0	1	02/13/24	02/13/24	



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Tom Bynum

**Reported:**  
2/14/2024 4:55:18PM

## CSW4

## E402099-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2407024
Benzene	ND	0.0250	1	02/13/24	02/13/24	
Ethylbenzene	ND	0.0250	1	02/13/24	02/13/24	
Toluene	ND	0.0250	1	02/13/24	02/13/24	
o-Xylene	ND	0.0250	1	02/13/24	02/13/24	
p,m-Xylene	ND	0.0500	1	02/13/24	02/13/24	
Total Xylenes	ND	0.0250	1	02/13/24	02/13/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.8 %	70-130		02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>						
	mg/kg	mg/kg		Analyst: RAS		Batch: 2407024
Gasoline Range Organics (C6-C10)	ND	20.0	1	02/13/24	02/13/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	90.8 %	70-130		02/13/24	02/13/24	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>						
	mg/kg	mg/kg		Analyst: NV		Batch: 2407022
Diesel Range Organics (C10-C28)	ND	25.0	1	02/13/24	02/13/24	
Oil Range Organics (C28-C36)	ND	50.0	1	02/13/24	02/13/24	
<i>Surrogate: n-Nonane</i>						
	100 %	50-200		02/13/24	02/13/24	
<b>Anions by EPA 300.0/9056A</b>						
	mg/kg	mg/kg		Analyst: DT		Batch: 2407032
Chloride	ND	20.0	1	02/13/24	02/13/24	



## QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2024 4:55:18PM

## Volatile Organics by EPA 8021B

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

## Blank (2407024-BLK1)

Prepared: 02/13/24 Analyzed: 02/13/24

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.00		8.00		100	70-130			

## LCS (2407024-BS1)

Prepared: 02/13/24 Analyzed: 02/13/24

Benzene	4.87	0.0250	5.00		97.4	70-130			
Ethylbenzene	4.78	0.0250	5.00		95.5	70-130			
Toluene	4.89	0.0250	5.00		97.7	70-130			
o-Xylene	4.85	0.0250	5.00		97.0	70-130			
p,m-Xylene	9.76	0.0500	10.0		97.6	70-130			
Total Xylenes	14.6	0.0250	15.0		97.4	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.03		8.00		100	70-130			

## Matrix Spike (2407024-MS1)

Source: E402100-01

Prepared: 02/13/24 Analyzed: 02/13/24

Benzene	4.72	0.0250	5.00	ND	94.3	54-133			
Ethylbenzene	4.62	0.0250	5.00	ND	92.4	61-133			
Toluene	4.73	0.0250	5.00	ND	94.6	61-130			
o-Xylene	4.71	0.0250	5.00	ND	94.1	63-131			
p,m-Xylene	9.44	0.0500	10.0	ND	94.4	63-131			
Total Xylenes	14.1	0.0250	15.0	ND	94.3	63-131			
Surrogate: 4-Bromochlorobenzene-PID	7.98		8.00		99.8	70-130			

## Matrix Spike Dup (2407024-MSD1)

Source: E402100-01

Prepared: 02/13/24 Analyzed: 02/13/24

Benzene	4.94	0.0250	5.00	ND	98.8	54-133	4.64	20	
Ethylbenzene	4.84	0.0250	5.00	ND	96.9	61-133	4.69	20	
Toluene	4.96	0.0250	5.00	ND	99.2	61-130	4.72	20	
o-Xylene	4.92	0.0250	5.00	ND	98.5	63-131	4.53	20	
p,m-Xylene	9.89	0.0500	10.0	ND	98.9	63-131	4.60	20	
Total Xylenes	14.8	0.0250	15.0	ND	98.7	63-131	4.58	20	
Surrogate: 4-Bromochlorobenzene-PID	7.93		8.00		99.1	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:  2/14/2024 4:55:18PM
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: RAS

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2407024-BLK1) Prepared: 02/13/24 Analyzed: 02/13/24

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.23		8.00		90.4	70-130			

LCS (2407024-BS2) Prepared: 02/13/24 Analyzed: 02/13/24

Gasoline Range Organics (C6-C10)	45.9	20.0	50.0		91.8	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.35		8.00		91.9	70-130			

Matrix Spike (2407024-MS2) Source: E402100-01 Prepared: 02/13/24 Analyzed: 02/13/24

Gasoline Range Organics (C6-C10)	45.3	20.0	50.0	ND	90.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.42		8.00		92.8	70-130			

Matrix Spike Dup (2407024-MSD2) Source: E402100-01 Prepared: 02/13/24 Analyzed: 02/13/24

Gasoline Range Organics (C6-C10)	47.0	20.0	50.0	ND	94.0	70-130	3.57	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.43		8.00		92.9	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2024 4:55:18PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: NV

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2407022-BLK1)					Prepared: 02/13/24 Analyzed: 02/13/24				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	59.2		50.0		118	50-200			

LCS (2407022-BS1)					Prepared: 02/13/24 Analyzed: 02/13/24				
Diesel Range Organics (C10-C28)	236	25.0	250		94.5	38-132			
Surrogate: n-Nonane	58.7		50.0		117	50-200			

Matrix Spike (2407022-MS1)					Source: E402100-05		Prepared: 02/13/24 Analyzed: 02/13/24		
Diesel Range Organics (C10-C28)	255	25.0	250	ND	102	38-132			
Surrogate: n-Nonane	54.3		50.0		109	50-200			

Matrix Spike Dup (2407022-MSD1)					Source: E402100-05		Prepared: 02/13/24 Analyzed: 02/13/24		
Diesel Range Organics (C10-C28)	240	25.0	250	ND	95.8	38-132	6.18	20	
Surrogate: n-Nonane	58.8		50.0		118	50-200			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Tom Bynum	2/14/2024 4:55:18PM

Anions by EPA 300.0/9056A

Analyst: DT

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2407032-BLK1)					Prepared: 02/13/24 Analyzed: 02/13/24				
Chloride	ND	20.0							
LCS (2407032-BS1)					Prepared: 02/13/24 Analyzed: 02/13/24				
Chloride	250	20.0	250		100	90-110			
Matrix Spike (2407032-MS1)					Source: E402099-04		Prepared: 02/13/24 Analyzed: 02/13/24		
Chloride	250	20.0	250	ND	100	80-120			
Matrix Spike Dup (2407032-MSD1)					Source: E402099-04		Prepared: 02/13/24 Analyzed: 02/13/24		
Chloride	251	20.0	250	ND	101	80-120	0.401	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Tom Bynum	02/14/24 16:55

- ND Analyte NOT DETECTED at or above the reporting limit
  - NR Not Reported
  - RPD Relative Percent Difference
  - DNI Did Not Ignite
  - DNR Did not react with the addition of acid or base.
- Note (1): Methods marked with \*\* are non-accredited methods.
- Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





## Envirotech Analytical Laboratory

Printed: 2/13/2024 8:00:26AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	02/13/24 05:30	Work Order ID:	E402099
Phone:	(575) 631-6977	Date Logged In:	02/12/24 15:24	Logged In By:	Alexa Michaels
Email:	tom@pimaoil.com	Due Date:	02/13/24 17:00 (0 day TAT)		

Chain of Custody (COC)

- |  |     |                         |
|--|-----|-------------------------|
| 1. Does the sample ID match the COC?   | Yes |                         |
| 2. Does the number of samples per sampling site location match the COC   | Yes |                         |
| 3. Were samples dropped off by client or carrier?  | Yes | Carrier: <u>Courier</u> |
| 4. Was the COC complete, i.e., signatures, dates/times, requested analyses?  | Yes |                         |
| 5. Were all samples received within holding time?  | Yes |                         |
| Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion. |     |                         |

Sample Turn Around Time (TAT)

- |   |     |
|---|-----|
| 6. Did the COC indicate standard TAT, or Expedited TAT? | Yes |
|---|-----|

Sample Cooler

- |  |     |
|--|-----|
| 7. Was a sample cooler received?   | Yes |
| 8. If yes, was cooler received in good condition?  | Yes |
| 9. Was the sample(s) received intact, i.e., not broken?  | Yes |
| 10. Were custody/security seals present?   | No  |
| 11. If yes, were custody/security seals intact?  | NA  |
| 12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C             | Yes |
| Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling |     |
| 13. If no visible ice, record the temperature. Actual sample temperature: <u>4°C</u>           |     |

Sample Container

- |  |     |
|--|-----|
| 14. Are aqueous VOC samples present?   | No  |
| 15. Are VOC samples collected in VOA Vials?                                    | NA  |
| 16. Is the head space less than 6-8 mm (pea sized or less)?                    | NA  |
| 17. Was a trip blank (TB) included for VOC analyses?                           | NA  |
| 18. Are non-VOC samples collected in the correct containers?                   | Yes |
| 19. Is the appropriate volume/weight or number of sample containers collected? | Yes |

Field Label

- |   |     |
|---|-----|
| 20. Were field sample labels filled out with the minimum information: |     |
| Sample ID?  | Yes |
| Date/Time Collected?  | Yes |
| Collectors name?  | Yes |

Sample Preservation

- |   |    |
|---|----|
| 21. Does the COC or field labels indicate the samples were preserved? | No |
| 22. Are sample(s) correctly preserved?                                | NA |
| 24. Is lab filtration required and/or requested for dissolved metals? | No |

Multiphase Sample Matrix

- |  |    |
|--|----|
| 26. Does the sample have more than one phase, i.e., multiphase?    | No |
| 27. If yes, does the COC specify which phase(s) is to be analyzed? | NA |

Subcontract Laboratory

- |   |                        |
|---|------------------------|
| 28. Are samples required to get sent to a subcontract laboratory?       | No                     |
| 29. Was a subcontract laboratory specified by the client and if so who? | NA Subcontract Lab: NA |

Client InstructionComments/Resolution


Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:  
Lynsey Coons



# envirotech

*Practical Solutions for a Better Tomorrow*

## Analytical Report

Pima Environmental Services-Carlsbad

Project Name: Green Wave 20 CTB 3

Work Order: E505039

Job Number: 01058-0007

Received: 5/5/2025

Revision: 1

Report Reviewed By:

Walter Hinchman  
Laboratory Director  
5/8/25

5796 U.S. Hwy 64  
Farmington, NM 87401

Phone: (505) 632-1881  
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.  
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.  
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.  
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.  
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 5/8/25

Lynsey Coons  
PO Box 247  
Plains, TX 79355-0247



Project Name: Green Wave 20 CTB 3  
Workorder: E505039  
Date Received: 5/5/2025 7:45:00AM

Lynsey Coons,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 5/5/2025 7:45:00AM, under the Project Name: Green Wave 20 CTB 3.

The analytical test results summarized in this report with the Project Name: Green Wave 20 CTB 3 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

**Walter Hinchman**  
Laboratory Director  
Office: 505-632-1881  
Cell: 775-287-1762  
[whinchman@envirotech-inc.com](mailto:whinchman@envirotech-inc.com)

**Raina Schwanz**  
Laboratory Administrator  
Office: 505-632-1881  
[rainaschwanz@envirotech-inc.com](mailto:rainaschwanz@envirotech-inc.com)

Field Offices:

**Southern New Mexico Area**

**Lynn Jarboe**  
Laboratory Technical Representative  
Office: 505-421-LABS(5227)  
Cell: 505-320-4759  
[ljjarboe@envirotech-inc.com](mailto:ljjarboe@envirotech-inc.com)

**Michelle Gonzales**  
Client Representative  
Office: 505-421-LABS(5227)  
Cell: 505-947-8222  
[mgonzales@envirotech-inc.com](mailto:mgonzales@envirotech-inc.com)

Envirotech Web Address: [www.envirotech-inc.com](http://www.envirotech-inc.com)

## Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
BACKFILL 1	5
QC Summary Data	6
QC - Volatile Organics by EPA 8021B	6
QC - Nonhalogenated Organics by EPA 8015D - GRO	7
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	8
QC - Anions by EPA 300.0/9056A	9
Definitions and Notes	10
Chain of Custody etc.	11

Sample Summary

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Lynsey Coons	05/08/25 15:32

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BACKFILL 1	E505039-01A	Soil	05/01/25	05/05/25	Glass Jar, 2 oz.



## Sample Data

Pima Environmental Services-Carlsbad  
PO Box 247  
Plains TX, 79355-0247

Project Name: Green Wave 20 CTB 3  
Project Number: 01058-0007  
Project Manager: Lynsey Coons

**Reported:**  
5/8/2025 3:32:56PM

### BACKFILL 1

#### E505039-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
<b>Volatile Organics by EPA 8021B</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2519025	
Benzene	ND	0.0250	1	05/05/25	05/07/25	
Ethylbenzene	ND	0.0250	1	05/05/25	05/07/25	
Toluene	ND	0.0250	1	05/05/25	05/07/25	
o-Xylene	ND	0.0250	1	05/05/25	05/07/25	
p,m-Xylene	ND	0.0500	1	05/05/25	05/07/25	
Total Xylenes	ND	0.0250	1	05/05/25	05/07/25	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		114 %	70-130	05/05/25	05/07/25	
<b>Nonhalogenated Organics by EPA 8015D - GRO</b>	mg/kg	mg/kg	Analyst: BA		Batch: 2519025	
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/05/25	05/07/25	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		98.6 %	70-130	05/05/25	05/07/25	
<b>Nonhalogenated Organics by EPA 8015D - DRO/ORO</b>	mg/kg	mg/kg	Analyst: KH		Batch: 2519037	
Diesel Range Organics (C10-C28)	ND	25.0	1	05/06/25	05/06/25	
Oil Range Organics (C28-C36)	ND	50.0	1	05/06/25	05/06/25	
<i>Surrogate: n-Nonane</i>		96.6 %	61-141	05/06/25	05/06/25	
<b>Anions by EPA 300.0/9056A</b>	mg/kg	mg/kg	Analyst: IY		Batch: 2519056	
Chloride	ND	20.0	1	05/06/25	05/06/25	



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Lynsey Coons	5/8/2025 3:32:56PM

Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2519025-BLK1) Prepared: 05/05/25 Analyzed: 05/06/25

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.90		8.00		111	70-130			

LCS (2519025-BS1) Prepared: 05/05/25 Analyzed: 05/06/25

Benzene	5.16	0.0250	5.00		103	70-130			
Ethylbenzene	5.19	0.0250	5.00		104	70-130			
Toluene	5.21	0.0250	5.00		104	70-130			
o-Xylene	5.11	0.0250	5.00		102	70-130			
p,m-Xylene	10.4	0.0500	10.0		104	70-130			
Total Xylenes	15.5	0.0250	15.0		104	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.84		8.00		111	70-130			

Matrix Spike (2519025-MS1) Source: E505038-02 Prepared: 05/05/25 Analyzed: 05/07/25

Benzene	5.37	0.0250	5.00	ND	107	70-130			
Ethylbenzene	5.38	0.0250	5.00	ND	108	70-130			
Toluene	5.40	0.0250	5.00	ND	108	70-130			
o-Xylene	5.30	0.0250	5.00	ND	106	70-130			
p,m-Xylene	10.8	0.0500	10.0	ND	108	70-130			
Total Xylenes	16.1	0.0250	15.0	ND	107	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.92		8.00		112	70-130			

Matrix Spike Dup (2519025-MSD1) Source: E505038-02 Prepared: 05/05/25 Analyzed: 05/07/25

Benzene	5.17	0.0250	5.00	ND	103	70-130	3.74	27	
Ethylbenzene	5.18	0.0250	5.00	ND	104	70-130	3.75	26	
Toluene	5.20	0.0250	5.00	ND	104	70-130	3.76	20	
o-Xylene	5.13	0.0250	5.00	ND	103	70-130	3.37	25	
p,m-Xylene	10.4	0.0500	10.0	ND	104	70-130	3.56	23	
Total Xylenes	15.6	0.0250	15.0	ND	104	70-130	3.50	26	
Surrogate: 4-Bromochlorobenzene-PID	8.90		8.00		111	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Lynsey Coons	5/8/2025 3:32:56PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2519025-BLK1) Prepared: 05/05/25 Analyzed: 05/06/25

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.81		8.00		97.6	70-130			

LCS (2519025-BS2) Prepared: 05/05/25 Analyzed: 05/06/25

Gasoline Range Organics (C6-C10)	47.3	20.0	50.0		94.6	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.97		8.00		99.6	70-130			

Matrix Spike (2519025-MS2) Source: E505038-02 Prepared: 05/05/25 Analyzed: 05/07/25

Gasoline Range Organics (C6-C10)	45.0	20.0	50.0	ND	90.0	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.91		8.00		98.9	70-130			

Matrix Spike Dup (2519025-MSD2) Source: E505038-02 Prepared: 05/05/25 Analyzed: 05/07/25

Gasoline Range Organics (C6-C10)	39.0	20.0	50.0	ND	78.0	70-130	14.2	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.98		8.00		99.8	70-130			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Lynsey Coons	5/8/2025 3:32:56PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2519037-BLK1)					Prepared: 05/06/25 Analyzed: 05/06/25				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	49.2		50.0		98.4	61-141			

LCS (2519037-BS1)					Prepared: 05/06/25 Analyzed: 05/06/25				
Diesel Range Organics (C10-C28)	263	25.0	250		105	66-144			
Surrogate: n-Nonane	49.1		50.0		98.2	61-141			

Matrix Spike (2519037-MS1)					Source: E505034-01		Prepared: 05/06/25 Analyzed: 05/06/25		
Diesel Range Organics (C10-C28)	260	25.0	250	ND	104	56-156			
Surrogate: n-Nonane	48.7		50.0		97.4	61-141			

Matrix Spike Dup (2519037-MSD1)					Source: E505034-01		Prepared: 05/06/25 Analyzed: 05/06/25		
Diesel Range Organics (C10-C28)	264	25.0	250	ND	106	56-156	1.64	20	
Surrogate: n-Nonane	49.1		50.0		98.2	61-141			



QC Summary Data

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	Reported:
PO Box 247	Project Number:	01058-0007	
Plains TX, 79355-0247	Project Manager:	Lynsey Coons	5/8/2025 3:32:56PM

Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2519056-BLK1)					Prepared: 05/06/25 Analyzed: 05/06/25				
Chloride	ND	20.0							
LCS (2519056-BS1)					Prepared: 05/06/25 Analyzed: 05/06/25				
Chloride	252	20.0	250		101	90-110			
Matrix Spike (2519056-MS1)					Source: E505042-02		Prepared: 05/06/25 Analyzed: 05/06/25		
Chloride	257	20.0	250	ND	103	80-120			
Matrix Spike Dup (2519056-MSD1)					Source: E505042-02		Prepared: 05/06/25 Analyzed: 05/06/25		
Chloride	258	20.0	250	ND	103	80-120	0.645	20	

QC Summary Report Comment:  
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.  
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Pima Environmental Services-Carlsbad	Project Name:	Green Wave 20 CTB 3	
PO Box 247	Project Number:	01058-0007	Reported:
Plains TX, 79355-0247	Project Manager:	Lynsey Coons	05/08/25 15:32

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with \*\* are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Client Information				Invoice Information				Lab Use Only				TAT				State			
Client: Pima Environmental Services, LLC				Company:				Lab WO#				1D 2D 3D Std				NM CO UT TX			
Project Name: Greenwave 20 CTB 3				Address:				E 5050 3A				Job Number				01058-0007			
Project Manager: Lynsey Coons				City, State, Zip:															
Address: 5614 North Lovington Hwy				Phone:															
City, State, Zip: Hobbs NM, 88260				Email:															
Phone: 575-318-7532				Miscellaneous: PROJECT# 1-321-3															
Email: Lynsey@pimaoil.com																			
Sample Information												Analysis and Method				EPA Program			
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filtered	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TEQ 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA	
9:12	5/1/2025	S		BACKFILL 1		1								X					
Additional Instructions: 21244237																			
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																			
Sampled by:																			
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. <b>Lab Use Only</b> Received on ice: CYN			
Andreau Franco				5/1/25		10:00		Karime Adame				5/2/25		8:25					
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time					
Karime Adame				5/2/25		8:40		Michelle Gonzales				5-2-25		1410					
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time					
Michelle Gonzales				5-2-25		1745		L. M.				5.2.25		1745					
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time					
L. M.				5.2.25		2345		Caitie Ma				5.5.25		745					
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time					
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																			
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																			
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																			

## Envirotech Analytical Laboratory

Printed: 5/5/2025 11:17:13AM

## Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Pima Environmental Services-Carlsbad	Date Received:	05/05/25 07:45	Work Order ID:	E505039
Phone:	(575) 631-6977	Date Logged In:	05/05/25 11:12	Logged In By:	Noe Soto
Email:	lynsey@pimaoil.com	Due Date:	05/09/25 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? No
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
  - Sample ID? Yes
  - Date/Time Collected? Yes
  - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client InstructionComments/Resolution

No. of containers and sampled by not provided on COC.

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 464394

**QUESTIONS**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 464394
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Prerequisites</b>	
Incident ID (n#)	nAPP2331731081
Incident Name	NAPP2331731081 GREEN WAVE 20 CTB 3 @ 0
Incident Type	Produced Water Release
Incident Status	Reclamation Report Received
Incident Facility	[fAPP2130250168] GREEN WAVE 20 CTB 3

**Location of Release Source***Please answer all the questions in this group.*

Site Name	GREEN WAVE 20 CTB 3
Date Release Discovered	11/10/2023
Surface Owner	Federal

**Incident Details***Please answer all the questions in this group.*

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

**Nature and Volume of Release***Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Valve   Produced Water   Released: 8 BBL   Recovered: 7 BBL   Lost: 1 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	A pinhole developed on a welded area on the 3" ball valve on the water side. The well was shut in and the leak was isolated. 8.4 bbls released. 7 bbls recovered.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 464394

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 464394
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

**Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Dale Woodall Title: EHS Professional Email: Dale.Woodall@dmn.com Date: 02/07/2024
--	--

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 464394

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 464394
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Site Characterization</b>	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Between ½ and 1 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

<b>Remediation Plan</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
<b>Soil Contamination Sampling:</b> (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	1120
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	87
GRO+DRO (EPA SW-846 Method 8015M)	87
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	02/07/2024
On what date will (or did) the final sampling or liner inspection occur	01/12/2024
On what date will (or was) the remediation complete(d)	02/08/2024
What is the estimated surface area (in square feet) that will be reclaimed	78
What is the estimated volume (in cubic yards) that will be reclaimed	22
What is the estimated surface area (in square feet) that will be remediated	78
What is the estimated volume (in cubic yards) that will be remediated	22
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 464394

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 464394
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Remediation Plan (continued)</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
<b>This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:</b>	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	R360 ARTESIA LLC LANDFARM [EEM0112340644]
<b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state	No
<b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Dale Woodall Title: EHS Professional Email: Dale.Woodall@dmn.com Date: 02/07/2024
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 464394

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 464394
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 464394

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 464394
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

Sampling Event Information	
Last sampling notification (C-141N) recorded	312496
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	02/12/2024
What was the (estimated) number of samples that were to be gathered	5
What was the sampling surface area in square feet	200

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	200
What was the total volume (cubic yards) remediated	8
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	200
What was the total volume (in cubic yards) reclaimed	8
Summarize any additional remediation activities not included by answers (above)	Remediation Complete
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 05/19/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 464394

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 464394
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Reclamation Report</b>	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	200
What was the total volume of replacement material (in cubic yards) for this site	8
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	12/01/2040
Summarize any additional reclamation activities not included by answers (above)	Initial Sampling was completed; Excavated to 3', collected confirmation samples. Collected backfill samples.
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeding plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dmv.com Date: 05/19/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 8  
  
Action 464394

QUESTIONS (continued)

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:  6137
	Action Number:  464394
	Action Type:  [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

<b>Revegetation Report</b>	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 464394

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 464394
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	The reclamation report has been approved pursuant to 19.15.29.13 E. NMAC. The acceptance of this report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment; or if the location fails to revegetate properly. In addition, the OCD approval does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.	7/15/2025