

**REVIEWED**

By NVelez at 1:07 pm, Aug 28, 2025



**ENSOLUM**

1. Continue with O & M schedule.
2. Submit next quarterly report by October 15, 2025.

August 28, 2025

**New Mexico Oil Conservation Division**

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

**Re: Second Quarter 2025 – Remediation System Quarterly Report**

Federal 18 #1T  
San Juan County, New Mexico  
Hilcorp Energy Company  
NMOCD Incident Number: NCS2103335776

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Second Quarter 2025 – Remediation System Quarterly Report* summarizing second quarter 2025 activities at the former Federal 18 #1T coalbed methane gas well (Site), located in Unit M, Section 18, Township 30 North, Range 12 West in the City of Farmington, New Mexico. The casing of the original gas well has been modified to vent gas and purge water from the Ojo Alamo and Nacimiento Formations. Since initiation of the remediation system in 2010, quarterly reports have been submitted to the New Mexico Oil Conservation Division (NMOCD) to record activities performed at the Site, as well as document well-casing pressures from nearby domestic water well SJ-01737, the volume of gas vented from the Site's well, and groundwater analytical results collected from the Site's well.

**SITE BACKGROUND**

As part of an ongoing effort between the NMOCD and Hilcorp (Site originally owned and operated by XTO Energy, Inc. [XTO]), the agreed upon remedial option for the Site was to install a vacuum system at the Site to vent gas from the Nacimiento formation, which overlies the Ojo Alamo Formation. Gas found in the Nacimiento formation could have originated from several contributing sources in the area including existing and/or abandoned gas wells near the Site. In agreement with the NMOCD, XTO modified the Site's production well to vent gas and recover contaminated groundwater by setting a plug at a depth of approximately 513 feet below ground surface (bgs). Perforations were made in the casing at 437 feet to 452 feet bgs and 457 feet to 473 feet bgs in order to monitor groundwater and vent gas from the Nacimiento Formation. Based on initial groundwater sampling results, XTO recommended pumping the aquifer until groundwater results were below the New Mexico Water Quality Control Commission (NMWQCC) standards for applicable chemicals of concern (COCs).

A submersible water pump was installed in the Site's well in November 2010 at a depth of approximately 485 feet bgs in order to recover impacted groundwater. Based on aquifer tests performed by XTO, the water pump was set to maintain a static water level of approximately 473 feet bgs. The water pump is plumbed into the existing water lines and stored in the on-Site 210-barrel (bbl) water tank, which is regularly emptied for off-Site disposal. A vacuum pump was

subsequently installed at the Site's well to also remove gas entrained in the formation. A portable generator was originally placed at the Site to power both the vacuum and water pumps. Generator maintenance issues led to the system being electrified on February 3, 2011.

Operation and maintenance (O&M) inspections are conducted by Hilcorp personnel regularly to check the system and verify proper water and vacuum pump operation, record water meter volumes, and verify no other Site conditions dictate system maintenance and/or adjustment. Possible pressure variations in the subsurface due to the vacuum pump are monitored using nearby water well SJ-01737. Casing pressure measurements from the SJ-01737 well are included in Table 1.

## SECOND QUARTER 2025 SITE ACTIVITIES AND RESULTS

Approximately 52,604 gallons (1,252 bbls) of water were removed from the Site's well between the first quarter and second quarter of 2025 sampling events. To date, approximately 1,449,826 gallons (34,520 bbls) of impacted water have been removed from the Site. A water sample from the well was collected on April 14, 2025 and submitted to Eurofins Environment Testing for laboratory analysis. Specifically, the water sample was analyzed for the following COCs: volatile organic compounds (VOCs), including benzene, toluene, ethylbenzene, and xylenes (BTEX), following Environmental Protection Agency (EPA) Method 8260B, specific conductance (or electrical conductivity) following Standard Method (SM) 2510B, pH following Method SM4500-H+B, and total dissolved solids (TDS) following Method SM2540C.

Based on results from the April 2025 sampling event, benzene and TDS remain at concentrations exceeding the applicable NMWQCC standards and appear to be similar to historical results. Analytical results are summarized in Table 2, with complete laboratory reports attached as Appendix A.

The Site vacuum pump has been operating based on a setting of 690 minutes on and 30 minutes off (totaling 23 hours runtime per day). During the second quarter of 2025, the pump operated at an average flow rate of 4.2 actual cubic feet per minute (ACFM). Approximately 36,708 thousand cubic feet (MCF) of gas/air have been emitted from the Site's well since the system began operating in 2010. There were no deviations from the regular operation and maintenance activities for the system during the second quarter of 2025. Gas/air volumes vented by the system are summarized in Table 3.

## RECOMMENDATIONS


O&M visits will continue to be performed by Hilcorp personnel to verify the system is operating as designed. Deviations from regular operations will be noted on field logs and included in the following quarterly report. Hilcorp will continue to remove and monitor water from the Site until benzene and TDS concentrations are compliant with NMWQCC standards for eight consecutive quarters.

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this proposal, please contact the undersigned.

## Ensolum, LLC



Stuart Hyde, PG (licensed in TX, WY, & WA)  
Senior Managing Geologist  
(970) 903-1607  
shyde@ensolum.com



Daniel R. Moir, PG (licensed in WY & TX)  
Senior Managing Geologist  
(303) 887-2946  
dmoir@ensolum.com

### Attachments:

Table 1	Well SJ-01737 Casing Pressure Readings
Table 2	Water Analytical Results
Table 3	Gas and Air Vented
Appendix A	Laboratory Analytical Reports



TABLES



**TABLE 1**  
**WELL SJ-01737 CASING PRESSURE READINGS**  
 Federal 18 #1T  
 Hilcorp Energy Company  
 San Juan County, New Mexico

Sample Date	Casing Pressure (ounces)	Average
4/6/2023	0	0.000
4/18/2023	0	0.000
4/28/2023	0	0.000
5/4/2023	0	0.000
5/10/2023	0	0.000
5/19/2023	0	0.000
6/6/2023	0	0.000
6/23/2023	0	0.000
7/7/2023	0	0.000
7/13/2023	0	0.000
7/24/2023	0	0.000
8/4/2023	0	0.000
8/10/2023	0	0.000
8/21/2023	0	0.000
9/7/2023	0	0.000
9/27/2023	0	0.000
10/14/2023	0	0.000
10/27/2023	0	0.000
11/9/2023	0	0.000
12/11/2023	0	0.000
12/27/2023	0	0.000
1/9/2024	0	0.000
1/18/2024	0	0.000
1/25/2024	0	0.000
1/31/2024	0	0.000
2/22/2024	0	0.000
3/7/2024	0	0.000
3/26/2024	0	0.000
6/10/2024	0	0.000
9/18/2024	0	0.000
10/10/2024	0	0.000
10/23/2024	0	0.000
11/11/2024	0	0.000
12/4/2024	0	0.000
12/19/2024	0	0.000
1/11/2025	0	0.000
1/16/2025	0	0.000
2/7/2025	0	0.000
2/20/2025	0	0.000
3/10/2025	0	0.000
3/29/2025	0	0.000
4/14/2025	0	0.000
4/24/2025	0	0.000
5/15/2025	0	0.000
5/20/2025	0	0.000
6/9/2025	0	0.000
6/27/2025	0	0.000



<b>TABLE 2</b> <b>WATER ANALYTICAL RESULTS</b> Federal 18 #1T Hilcorp Energy Company San Juan County, New Mexico								
Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	TDS (mg/L)	Electrical Conductivity (µmhos/cm)	pH	Purge Water Volume (gallons)
<b>NMWQCC Standards</b>	<b>5.0</b>	<b>1,000</b>	<b>700</b>	<b>620</b>	<b>1,000</b>	--	<b>6 thru 9</b>	--
11/5/2010	ND	5.2	ND	ND	1,400	2,600	7.2	NM
9/24/2010	150	ND	76	670	--	--	--	NM
9/24/2010	190	170	24	210	13,000	18,000	6.1	NM
9/24/2010	143	221	63.6	950	--	--	--	NM
9/24/2010	320	377	31.8	568	11,100	16,000	5.84	NM
12/10/2011	--	--	--	--	7,610	8,900	6.36	3,033
1/5/2011	67	93	7.9	25	--	--	--	7,798
1/5/2011	73	99	10	39	4,800	6,000	6.6	7,798
1/29/2011	60	93	10	33	--	4,900	6.4	10,791
2/28/2011	42	60	6.1	20	3,400	4,000	6.7	14,795
4/1/2011	23	27	1.8	6.8	2,700	3,100	6.8	31,238
4/29/2011	29	28	2.4	7.3	2,600	2,900	6.9	50,217
5/31/2011	14	19	1.4	4.9	2,500	2,800	6.7	76,513
6/14/2011	55	81	2.8	15	2,500	2,700	6.7	88,120
6/30/2011	52	67	2.6	12	2,500	2,700	6.9	101,209
8/15/2011	21	25	1.2	5.8	2,500	2,600	6.8	140,267
9/2/2011	10	12	0.64	3.2	2,500	2,600	7.2	155,801
9/16/2011	9.6	11	0.64	3	2,400	2,500	7.2	168,040
9/30/2011	7.2	8.7	0.64	2.5	2,500	2,600	7	180,393
10/28/2011	5.1	ND	1.8	2.7	2,300	2,600	6.9	205,220
11/30/2011	4	ND	3.9	2	2,500	2,600	7.1	233,488
12/30/2011	3.4	ND	ND	2.9	2,500	2,500	7.5	261,391
4/3/2012	6	ND	ND	1.6	--	--	--	351,300
4/9/2012	--	--	--	--	2,400	2,400	7.4	NM
7/3/2012	5.3	ND	ND	ND	2,300	2,400	7.4	NM
7/6/2012	--	--	--	--	--	--	--	441,053
9/19/2012	--	--	--	--	--	--	--	521,271
9/27/2012	6.2	ND	ND	ND	2,300	2,500	7.1	NM
12/14/2012	--	--	--	--	--	--	--	598,540
12/31/2012	13.9	1.1	ND	3.3	2,690	2,440	7.05	604,689
1/23/2013	160	190	ND	26	2,400	2,500	8	NM
2/22/2013	7.1	77	ND	1.8	2,100	2,500	7.1	605,860
5/2/2013	9	6.9	ND	ND	2,400	2,600	7.5	612,601
8/19/2013	20	11	ND	2.3	2,200	2,600	7.2	NM
9/23/2013	13	11	ND	2.2	2,300	2,500	7.1	621,744
11/25/2013	4.6	5.2	ND	ND	2,200	2,700	7.7	631,430
2/4/2014	15	17	0.72	3.1	2,200	2,500	7.3	636,120
10/1/2015	54.2	57	1.37	9.77	2,260	2,640	6.98	639,410
10/20/2015	42.3	39.9	0.964	7.06	2,330	1,460	7.09	642,650
3/28/2016	38	34.1	0.835	4.82	2,230	2,570	6.86	650,850
6/14/2016	78.3	58.4	1.16	7.22	2,890	2,600	6.89	704,371
8/29/2016	19	ND	ND	2.18	2,410	2,590	7.02	763,261
11/18/2016	13.2	5.61	ND	2.33	2,470	2,580	7.03	842,610
3/31/2017	9.61	7.87	ND	ND	2,300	2,570	7.28	858,190
6/16/2017	64.6	29.2	0.781	5.4	2,360	2,570	7.05	927,854
9/7/2017	4.61	1.73	ND	ND	2,030	2,450	7.14	997,330
12/5/2017	138	51.5	1.65	9.378	2,230	2,590	7.2	1,080,550
3/6/2018	19.9	14.8	0.543	2.71	2,290	2,620	7.13	1,080,840
8/7/2018	7.9	8.06	<0.5	<1.5	2,200	2,300	7.19	1,082,751
1/3/2019	7.07	3.29	0.177	1.08	2,080	6,750	6.35	1,120,220
2/22/2019	19.8	11.1	<0.5	3.97	2,270	2,710	7.46	1,120,366
5/24/2019	11.9	10.8	ND	ND	2,380	2,760	7.15	1,123,853
9/10/2019	23.2	18.8	ND	ND	2,260	2,600	7.37	1,125,478
10/29/2019	5.41	5.68	ND	ND	2,300	2,530	7.09	1,127,076
2/27/2020	20.7	19.3	ND	ND	2,280	2,580	7.06	1,128,506
5/15/2020	10.3	8.91	ND	ND	2,460	2,570	7.27	1,131,033
8/25/2020	3.9	3.5	ND	ND	2,190	2,640	7.62	1,131,100
10/27/2020	31.1	24.4	ND	ND	2,240	2,530	7.43	1,131,119
2/17/2021	73	<1	<1	<1.5	2,200	2,400	7.42	1,131,123
6/29/2021 (2)	--	--	--	--	--	--	--	1,134,031
9/30/2021	130	87	<5.0	8.1	2,300	2,500	7.20	1,134,167
12/6/2021	33	20	<1.0	6.0	2,430	2,500	7.15	1,143,239
2/17/2022	25	3.1	<1.0	2.7	2,380	2,600	7.17	1,156,355
4/12/2022	27	4.3	<1.0	2.0	2,360	2,500	7.13	1,169,456
7/15/2022	33	4.3	<1.0	1.3	2,480	2,600	7.13	1,191,754
10/11/2022	47	4.6	<1.0	2.0	2,320	2,600	7.24	1,210,479
1/12/2023	40	1.7	<1.0	<1.5	2,330	2,600	7.17	1,229,525
5/10/2023	32	1.7	<1.0	<1.5	2,320	2,600	6.73	1,253,497
7/24/2023	34	1.3	<1.0	<1.5	2,360	2,600	7.18	1,269,880
10/27/2023	31	<1.0	<1.0	<1.5	2,360	2,600	7.17	1,288,677
1/18/2024	47	<1.0	<1.0	<1.5	2,330	2,600	7.19	1,304,447
4/11/2024	42	<1.0	<1.0	<1.5	2,300	2,600	7.20	1,316,350
7/15/2024	46	1.1	<1.0	<1.5	2,400	2,500	7.40	1,331,838
10/24/2024	22	7.5	<1.0	<1.5	2,400	2,600	7.30	1,368,720
1/16/2025	12	1.2	<1.0	<1.5	2,400	2,500	7.3 HF	1,397,222
4/14/2025	7.9	<1.0	<1.0	<1.5	2,300	2,500	7.2 HF	1,449,826

## Notes:

(1): initial water sample

(2): water pump not functioning

µg/L: micrograms per liter

µmhos/cm: micromhos per centimeter

mg/L: milligrams per liter

ND: not detected, practical quantitation limit unknown

NMWQCC: New Mexico Water Quality Control Commission

--: not analyzed

&lt;: indicates result less than the stated laboratory reporting limit (RL)

HF: Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample analyzed outside of hold time.

Concentrations in **bold** and shaded exceed the New Mexico Water Quality Control Commission Standards, 20.6.2 of the New Mexico Administrative Code



<b>TABLE 3</b> <b>GAS AND AIR VENTED</b> <b>Federal 18 #1T</b> <b>Hilcorp Energy Company</b> <b>San Juan County, New Mexico</b>			
Date	SCFM	ACFM	Total Vented Gas and Air (MCF)
9/17/2019	3	6	26,677
10/7/2019	3	6	26,849
10/21/2019	3	6	26,969
10/28/2019	3	6	27,030
12/5/2019	3	6	27,356
12/19/2019	3	6	27,477
1/7/2020	3	6	27,954
1/17/2020	3	6	28,040
1/30/2020	3	6	28,153
2/12/2020	3	6	28,265
2/25/2020	3	6	28,377
4/3/2020	3	6	28,705
4/9/2020	3	6	28,756
4/15/2020	3	6	28,808
4/23/2020	3	6	28,877
4/30/2020	3	6	28,937
5/15/2020	3	6	29,067
5/21/2020	3	6	29,118
5/29/2020	3	6	29,179
6/5/2020	3	6	29,239
6/29/2020	0	0	Hot, not running
7/8/2020	0	0	Unit Down
8/11/2020	0	0	Unit Down
8/25/2020	0	0	Unit Down
9/16/2020	0	0	Unit Down
9/22/2020	0	0	Unit Down
10/26/2020	0	0	Unit Down
11/9/2020	0	0	Unit Down
12/8/2020	0	0	Unit Down
1/5/2021	0	0	Unit Down
1/20/2021	0	0	Unit Down
2/11/2021	0	0	Unit Down
2/17/2021	0	0	Unit Down
3/22/2021	0	0	Unit Down
*3/31/2021	5.6	7	29,241
6/29/2021	5.6	7	29,262
9/30/2021	5.6	7	29,281
12/31/2021	5.6	7	29,320
1/19/2022	5.6	7	29,328
1/24/2022	5.6	7	29,353
3/31/2022	5.6	7	29,991
6/14/2022	5.6	7	30,715
9/30/2022	5.6	7	31,759
12/31/2022	5.6	7	32,647
3/31/2023	3.1	3.9	33,132
6/30/2023	2.5	3.1	33,527
9/27/2023	2.25	2.8	33,874
12/27/2023	2.05	2.6	34,198
3/26/2024	2.75	3.5	34,628
6/10/2024	2.5	3.1	34,958
9/18/2024	2.25	2.8	35,348
12/19/2024	1.75	2.2	35,628
3/29/2025	3.25	4.1	36,192
6/27/2025	3.3	4.2	36,708

**Notes:**

ACFM - flow rate in actual cubic feet per minute

MCF - thousand cubic feet

SCFM - flow rate in standard cubic feet per minute

\* - Pump operated from 3/23 - 3/31/2021.

SCFM per day based on manufacture specifications.

ACFM is estimated based on site elevation and/or observed vacuum



## APPENDIX A

### Laboratory Analytical Reports





Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mitch Killough  
Hilcorp Energy  
PO BOX 4700  
Farmington, New Mexico 87499

Generated 4/23/2025 5:32:30 PM

## JOB DESCRIPTION

Federal 18 1T

## JOB NUMBER

885-23210-1

Eurofins Albuquerque  
4901 Hawkins NE  
Albuquerque NM 87109

# Eurofins Albuquerque

## Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

## Authorization



Generated  
4/23/2025 5:32:30 PM

Authorized for release by  
Michelle Garcia, Project Manager  
[michelle.garcia@et.eurofinsus.com](mailto:michelle.garcia@et.eurofinsus.com)  
(505)345-3975

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Laboratory Job ID: 885-23210-1

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	8
QC Association Summary . . . . .	11
Lab Chronicle . . . . .	12
Certification Summary . . . . .	13
Chain of Custody . . . . .	15
Receipt Checklists . . . . .	16



Definitions/Glossary

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

## Case Narrative

Client: Hilcorp Energy  
Project: Federal 18 1T

Job ID: 885-23210-1

**Job ID: 885-23210-1**

**Eurofins Albuquerque**

### Job Narrative 885-23210-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The sample was received on 4/15/2025 7:15 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.3°C.

#### Receipt Exceptions

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed : Sample ID was not on the COC. Used ID listed on the sample label.

#### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

## Client Sample Results

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

Client Sample ID: MW-1

Lab Sample ID: 885-23210-1

Date Collected: 04/14/25 13:00

Matrix: Water

Date Received: 04/15/25 07:15

## Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			04/19/25 00:37	1
1,1,1-Trichloroethane	ND		1.0	ug/L			04/19/25 00:37	1
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			04/19/25 00:37	1
1,1,2-Trichloroethane	ND		1.0	ug/L			04/19/25 00:37	1
1,1-Dichloroethane	ND		1.0	ug/L			04/19/25 00:37	1
1,1-Dichloroethene	ND		1.0	ug/L			04/19/25 00:37	1
1,1-Dichloropropene	ND		1.0	ug/L			04/19/25 00:37	1
1,2,3-Trichlorobenzene	ND		1.0	ug/L			04/19/25 00:37	1
1,2,3-Trichloropropane	ND		2.0	ug/L			04/19/25 00:37	1
1,2,4-Trichlorobenzene	ND		1.0	ug/L			04/19/25 00:37	1
1,2,4-Trimethylbenzene	ND		1.0	ug/L			04/19/25 00:37	1
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			04/19/25 00:37	1
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			04/19/25 00:37	1
1,2-Dichlorobenzene	ND		1.0	ug/L			04/19/25 00:37	1
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			04/19/25 00:37	1
1,2-Dichloropropane	ND		1.0	ug/L			04/19/25 00:37	1
1,3,5-Trimethylbenzene	ND		1.0	ug/L			04/19/25 00:37	1
1,3-Dichlorobenzene	ND		1.0	ug/L			04/19/25 00:37	1
1,3-Dichloropropane	ND		1.0	ug/L			04/19/25 00:37	1
1,4-Dichlorobenzene	ND		1.0	ug/L			04/19/25 00:37	1
1-Methylnaphthalene	ND		4.0	ug/L			04/19/25 00:37	1
2,2-Dichloropropane	ND		2.0	ug/L			04/19/25 00:37	1
2-Butanone	ND		10	ug/L			04/19/25 00:37	1
2-Chlorotoluene	ND		1.0	ug/L			04/19/25 00:37	1
2-Hexanone	ND		10	ug/L			04/19/25 00:37	1
2-Methylnaphthalene	ND		4.0	ug/L			04/19/25 00:37	1
4-Chlorotoluene	ND		1.0	ug/L			04/19/25 00:37	1
4-Isopropyltoluene	ND		1.0	ug/L			04/19/25 00:37	1
4-Methyl-2-pentanone	ND		10	ug/L			04/19/25 00:37	1
Acetone	ND		10	ug/L			04/19/25 00:37	1
<b>Benzene</b>	<b>7.9</b>		1.0	ug/L			04/19/25 00:37	1
Bromobenzene	ND		1.0	ug/L			04/19/25 00:37	1
Bromodichloromethane	ND		1.0	ug/L			04/19/25 00:37	1
Dibromochloromethane	ND		1.0	ug/L			04/19/25 00:37	1
Bromoform	ND		1.0	ug/L			04/19/25 00:37	1
Bromomethane	ND		3.0	ug/L			04/19/25 00:37	1
Carbon disulfide	ND		10	ug/L			04/19/25 00:37	1
Carbon tetrachloride	ND		1.0	ug/L			04/19/25 00:37	1
Chlorobenzene	ND		1.0	ug/L			04/19/25 00:37	1
Chloroethane	ND		2.0	ug/L			04/19/25 00:37	1
Chloroform	ND		1.0	ug/L			04/19/25 00:37	1
Chloromethane	ND		3.0	ug/L			04/19/25 00:37	1
cis-1,2-Dichloroethene	ND		1.0	ug/L			04/19/25 00:37	1
cis-1,3-Dichloropropene	ND		1.0	ug/L			04/19/25 00:37	1
Dibromomethane	ND		1.0	ug/L			04/19/25 00:37	1
Dichlorodifluoromethane	ND		1.0	ug/L			04/19/25 00:37	1
Ethylbenzene	ND		1.0	ug/L			04/19/25 00:37	1
Hexachlorobutadiene	ND		1.0	ug/L			04/19/25 00:37	1
Isopropylbenzene	ND		1.0	ug/L			04/19/25 00:37	1

Eurofins Albuquerque

## Client Sample Results

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

Client Sample ID: MW-1

Lab Sample ID: 885-23210-1

Date Collected: 04/14/25 13:00

Matrix: Water

Date Received: 04/15/25 07:15

## Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			04/19/25 00:37	1
Methylene Chloride	ND		2.5	ug/L			04/19/25 00:37	1
n-Butylbenzene	ND		3.0	ug/L			04/19/25 00:37	1
N-Propylbenzene	ND		1.0	ug/L			04/19/25 00:37	1
Naphthalene	ND		2.0	ug/L			04/19/25 00:37	1
sec-Butylbenzene	ND		1.0	ug/L			04/19/25 00:37	1
Styrene	ND		1.0	ug/L			04/19/25 00:37	1
tert-Butylbenzene	ND		1.0	ug/L			04/19/25 00:37	1
Tetrachloroethene (PCE)	ND		1.0	ug/L			04/19/25 00:37	1
Toluene	ND		1.0	ug/L			04/19/25 00:37	1
trans-1,2-Dichloroethene	ND		1.0	ug/L			04/19/25 00:37	1
trans-1,3-Dichloropropene	ND		1.0	ug/L			04/19/25 00:37	1
Trichloroethene (TCE)	ND		1.0	ug/L			04/19/25 00:37	1
Trichlorofluoromethane	ND		1.0	ug/L			04/19/25 00:37	1
Vinyl chloride	ND		1.0	ug/L			04/19/25 00:37	1
Xylenes, Total	ND		1.5	ug/L			04/19/25 00:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 130		04/19/25 00:37	1
Toluene-d8 (Surr)	87		70 - 130		04/19/25 00:37	1
4-Bromofluorobenzene (Surr)	106		70 - 130		04/19/25 00:37	1
Dibromofluoromethane (Surr)	91		70 - 130		04/19/25 00:37	1

## General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	2300		250	mg/L			04/17/25 13:21	1
Specific Conductance (SM 2510B)	2500		10	umhos/cm			04/16/25 17:39	1
pH (SM 4500 H+ B)	7.2	HF	0.1	SU			04/16/25 17:39	1

Eurofins Albuquerque

## QC Sample Results

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-24602/4

Matrix: Water

Analysis Batch: 24602

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			04/18/25 11:36	1
1,1,1-Trichloroethane	ND		1.0	ug/L			04/18/25 11:36	1
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			04/18/25 11:36	1
1,1,2-Trichloroethane	ND		1.0	ug/L			04/18/25 11:36	1
1,1-Dichloroethane	ND		1.0	ug/L			04/18/25 11:36	1
1,1-Dichloroethene	ND		1.0	ug/L			04/18/25 11:36	1
1,1-Dichloropropene	ND		1.0	ug/L			04/18/25 11:36	1
1,2,3-Trichlorobenzene	ND		1.0	ug/L			04/18/25 11:36	1
1,2,3-Trichloropropane	ND		2.0	ug/L			04/18/25 11:36	1
1,2,4-Trichlorobenzene	ND		1.0	ug/L			04/18/25 11:36	1
1,2,4-Trimethylbenzene	ND		1.0	ug/L			04/18/25 11:36	1
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			04/18/25 11:36	1
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			04/18/25 11:36	1
1,2-Dichlorobenzene	ND		1.0	ug/L			04/18/25 11:36	1
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			04/18/25 11:36	1
1,2-Dichloropropane	ND		1.0	ug/L			04/18/25 11:36	1
1,3,5-Trimethylbenzene	ND		1.0	ug/L			04/18/25 11:36	1
1,3-Dichlorobenzene	ND		1.0	ug/L			04/18/25 11:36	1
1,3-Dichloropropane	ND		1.0	ug/L			04/18/25 11:36	1
1,4-Dichlorobenzene	ND		1.0	ug/L			04/18/25 11:36	1
1-Methylnaphthalene	ND		4.0	ug/L			04/18/25 11:36	1
2,2-Dichloropropane	ND		2.0	ug/L			04/18/25 11:36	1
2-Butanone	ND		10	ug/L			04/18/25 11:36	1
2-Chlorotoluene	ND		1.0	ug/L			04/18/25 11:36	1
2-Hexanone	ND		10	ug/L			04/18/25 11:36	1
2-Methylnaphthalene	ND		4.0	ug/L			04/18/25 11:36	1
4-Chlorotoluene	ND		1.0	ug/L			04/18/25 11:36	1
4-Isopropyltoluene	ND		1.0	ug/L			04/18/25 11:36	1
4-Methyl-2-pentanone	ND		10	ug/L			04/18/25 11:36	1
Acetone	ND		10	ug/L			04/18/25 11:36	1
Benzene	ND		1.0	ug/L			04/18/25 11:36	1
Bromobenzene	ND		1.0	ug/L			04/18/25 11:36	1
Bromodichloromethane	ND		1.0	ug/L			04/18/25 11:36	1
Dibromochloromethane	ND		1.0	ug/L			04/18/25 11:36	1
Bromoform	ND		1.0	ug/L			04/18/25 11:36	1
Bromomethane	ND		3.0	ug/L			04/18/25 11:36	1
Carbon disulfide	ND		10	ug/L			04/18/25 11:36	1
Carbon tetrachloride	ND		1.0	ug/L			04/18/25 11:36	1
Chlorobenzene	ND		1.0	ug/L			04/18/25 11:36	1
Chloroethane	ND		2.0	ug/L			04/18/25 11:36	1
Chloroform	ND		1.0	ug/L			04/18/25 11:36	1
Chloromethane	ND		3.0	ug/L			04/18/25 11:36	1
cis-1,2-Dichloroethene	ND		1.0	ug/L			04/18/25 11:36	1
cis-1,3-Dichloropropene	ND		1.0	ug/L			04/18/25 11:36	1
Dibromomethane	ND		1.0	ug/L			04/18/25 11:36	1
Dichlorodifluoromethane	ND		1.0	ug/L			04/18/25 11:36	1
Ethylbenzene	ND		1.0	ug/L			04/18/25 11:36	1
Hexachlorobutadiene	ND		1.0	ug/L			04/18/25 11:36	1

Eurofins Albuquerque



## QC Sample Results

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-24602/4

Matrix: Water

Analysis Batch: 24602

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		1.0	ug/L			04/18/25 11:36	1
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			04/18/25 11:36	1
Methylene Chloride	ND		2.5	ug/L			04/18/25 11:36	1
n-Butylbenzene	ND		3.0	ug/L			04/18/25 11:36	1
N-Propylbenzene	ND		1.0	ug/L			04/18/25 11:36	1
Naphthalene	ND		2.0	ug/L			04/18/25 11:36	1
sec-Butylbenzene	ND		1.0	ug/L			04/18/25 11:36	1
Styrene	ND		1.0	ug/L			04/18/25 11:36	1
tert-Butylbenzene	ND		1.0	ug/L			04/18/25 11:36	1
Tetrachloroethene (PCE)	ND		1.0	ug/L			04/18/25 11:36	1
Toluene	ND		1.0	ug/L			04/18/25 11:36	1
trans-1,2-Dichloroethene	ND		1.0	ug/L			04/18/25 11:36	1
trans-1,3-Dichloropropene	ND		1.0	ug/L			04/18/25 11:36	1
Trichloroethene (TCE)	ND		1.0	ug/L			04/18/25 11:36	1
Trichlorofluoromethane	ND		1.0	ug/L			04/18/25 11:36	1
Vinyl chloride	ND		1.0	ug/L			04/18/25 11:36	1
Xylenes, Total	ND		1.5	ug/L			04/18/25 11:36	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 130		04/18/25 11:36	1
Toluene-d8 (Surr)	88		70 - 130		04/18/25 11:36	1
4-Bromofluorobenzene (Surr)	105		70 - 130		04/18/25 11:36	1
Dibromofluoromethane (Surr)	90		70 - 130		04/18/25 11:36	1

Lab Sample ID: LCS 885-24602/3

Matrix: Water

Analysis Batch: 24602

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	18.9		ug/L		95	70 - 130
Benzene	20.0	22.6		ug/L		113	70 - 130
Chlorobenzene	20.0	18.6		ug/L		93	70 - 130
Toluene	20.0	18.7		ug/L		93	70 - 130
Trichloroethene (TCE)	20.0	17.6		ug/L		88	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		70 - 130
Toluene-d8 (Surr)	89		70 - 130
4-Bromofluorobenzene (Surr)	104		70 - 130
Dibromofluoromethane (Surr)	91		70 - 130

Eurofins Albuquerque

## QC Sample Results

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

## Method: 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 885-24483/1

Matrix: Water

Analysis Batch: 24483

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		50	mg/L			04/17/25 13:21	1

Lab Sample ID: LCS 885-24483/2

Matrix: Water

Analysis Batch: 24483

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	1010		mg/L		101	80 - 120

## Method: SM 2510B - Conductivity, Specific Conductance

Lab Sample ID: LCS 885-24474/4

Matrix: Water

Analysis Batch: 24474

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Specific Conductance	99.2	101		umhos/cm		101	85 - 115

Lab Sample ID: MRL 885-24474/3

Matrix: Water

Analysis Batch: 24474

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Specific Conductance	9.83	ND		umhos/cm		96	50 - 150

Lab Sample ID: 885-23210-1 DU

Matrix: Water

Analysis Batch: 24474

Client Sample ID: MW-1

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Specific Conductance	2500		2550		umhos/cm		1	20

## Method: SM 4500 H+ B - pH

Lab Sample ID: 885-23210-1 DU

Matrix: Water

Analysis Batch: 24475

Client Sample ID: MW-1

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	7.2	HF	7.3		SU		0.3	20

Eurofins Albuquerque

## QC Association Summary

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

## GC/MS VOA

## Analysis Batch: 24602

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-23210-1	MW-1	Total/NA	Water	8260B	
MB 885-24602/4	Method Blank	Total/NA	Water	8260B	
LCS 885-24602/3	Lab Control Sample	Total/NA	Water	8260B	

## General Chemistry

## Analysis Batch: 24474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-23210-1	MW-1	Total/NA	Water	SM 2510B	
LCS 885-24474/4	Lab Control Sample	Total/NA	Water	SM 2510B	
MRL 885-24474/3	Lab Control Sample	Total/NA	Water	SM 2510B	
885-23210-1 DU	MW-1	Total/NA	Water	SM 2510B	

## Analysis Batch: 24475

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-23210-1	MW-1	Total/NA	Water	SM 4500 H+ B	
885-23210-1 DU	MW-1	Total/NA	Water	SM 4500 H+ B	

## Analysis Batch: 24483

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-23210-1	MW-1	Total/NA	Water	2540C	
MB 885-24483/1	Method Blank	Total/NA	Water	2540C	
LCS 885-24483/2	Lab Control Sample	Total/NA	Water	2540C	

Eurofins Albuquerque

Lab Chronicle

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

**Client Sample ID: MW-1**  
**Date Collected: 04/14/25 13:00**  
**Date Received: 04/15/25 07:15**

**Lab Sample ID: 885-23210-1**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260B		1	24602	JP	EET ALB	04/19/25 00:37
Total/NA	Analysis	2540C		1	24483	KS	EET ALB	04/17/25 13:21
Total/NA	Analysis	SM 2510B		1	24474	KB	EET ALB	04/16/25 17:39
Total/NA	Analysis	SM 4500 H+ B		1	24475	KB	EET ALB	04/16/25 17:39

**Laboratory References:**  
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

## Accreditation/Certification Summary

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

## Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-27-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
2540C		Water	Total Dissolved Solids
8260B		Water	1,1,1,2-Tetrachloroethane
8260B		Water	1,1,1-Trichloroethane
8260B		Water	1,1,2,2-Tetrachloroethane
8260B		Water	1,1,2-Trichloroethane
8260B		Water	1,1-Dichloroethane
8260B		Water	1,1-Dichloroethene
8260B		Water	1,1-Dichloropropene
8260B		Water	1,2,3-Trichlorobenzene
8260B		Water	1,2,3-Trichloropropane
8260B		Water	1,2,4-Trichlorobenzene
8260B		Water	1,2,4-Trimethylbenzene
8260B		Water	1,2-Dibromo-3-Chloropropane
8260B		Water	1,2-Dibromoethane (EDB)
8260B		Water	1,2-Dichlorobenzene
8260B		Water	1,2-Dichloroethane (EDC)
8260B		Water	1,2-Dichloropropane
8260B		Water	1,3,5-Trimethylbenzene
8260B		Water	1,3-Dichlorobenzene
8260B		Water	1,3-Dichloropropane
8260B		Water	1,4-Dichlorobenzene
8260B		Water	1-Methylnaphthalene
8260B		Water	2,2-Dichloropropane
8260B		Water	2-Butanone
8260B		Water	2-Chlorotoluene
8260B		Water	2-Hexanone
8260B		Water	2-Methylnaphthalene
8260B		Water	4-Chlorotoluene
8260B		Water	4-Isopropyltoluene
8260B		Water	4-Methyl-2-pentanone
8260B		Water	Acetone
8260B		Water	Benzene
8260B		Water	Bromobenzene
8260B		Water	Bromodichloromethane
8260B		Water	Bromoform
8260B		Water	Bromomethane
8260B		Water	Carbon disulfide
8260B		Water	Carbon tetrachloride
8260B		Water	Chlorobenzene
8260B		Water	Chloroethane
8260B		Water	Chloroform
8260B		Water	Chloromethane
8260B		Water	cis-1,2-Dichloroethene
8260B		Water	cis-1,3-Dichloropropene
8260B		Water	Dibromochloromethane

Eurofins Albuquerque

## Accreditation/Certification Summary

Client: Hilcorp Energy  
Project/Site: Federal 18 1T

Job ID: 885-23210-1

## Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260B		Water	Dibromomethane
8260B		Water	Dichlorodifluoromethane
8260B		Water	Ethylbenzene
8260B		Water	Hexachlorobutadiene
8260B		Water	Isopropylbenzene
8260B		Water	Methylene Chloride
8260B		Water	Methyl-tert-butyl Ether (MTBE)
8260B		Water	Naphthalene
8260B		Water	n-Butylbenzene
8260B		Water	N-Propylbenzene
8260B		Water	sec-Butylbenzene
8260B		Water	Styrene
8260B		Water	tert-Butylbenzene
8260B		Water	Tetrachloroethene (PCE)
8260B		Water	Toluene
8260B		Water	trans-1,2-Dichloroethene
8260B		Water	trans-1,3-Dichloropropene
8260B		Water	Trichloroethene (TCE)
8260B		Water	Trichlorofluoromethane
8260B		Water	Vinyl chloride
8260B		Water	Xylenes, Total
SM 2510B		Water	Specific Conductance
SM 4500 H+ B		Water	pH
Oregon	NELAP	NM100001	02-26-26

Eurofins Albuquerque



## Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-23210-1

Login Number: 23210

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	False	Refer to Job Narrative for details.
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 500246

CONDITIONS

Operator:  HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:  372171
	Action Number:  500246
	Action Type:  [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
nvez	1. Continue with O & M schedule. 2. Submit next quarterly report by October 15, 2025.	8/28/2025