

Certificate of Analysis

Number: 6030-23050173-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Lee Weatherford Steward Energy 2600 Dallas Pkwy Suite 400 Frisco, TX 75034

Meter Run

Comments: H2S Field Content 11484 ppm

03/03/2023 9:31 AM

6030_GC2 (Agilent GC-7890B)

05/15/2023 10:37:10 by EBH

Station Name: Dog Bar Battery

Station Number: 1462131

Station Location: Steward

Sample Point:

Last Inst. Cal.:

Instrument:

Analyzed:

Sampled By: CW

Sample Of: Gas Spot

Sample Date: 05/10/2023

Sample Conditions: 56.3 psig, @ 127.7 °F Ambient: 90.0 °F

May 15, 2023

Effective Date: 05/10/2023
Method: GPA 2286
Cylinder No: 5030-01264

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.73 psia		
Hydrogen Sulfide	0.000	1.14800	1.586		GPM TOTAL C2+	6.902
Nitrogen	4.586	4.51900	5.132		GPM TOTAL C3+	3.558
Methane	65.970	65.00100	42.279		GPM TOTAL iC5+	0.991
Carbon Dioxide	5.542	5.46100	9.744			
Ethane	12.638	12.45200	15.180	3.344		
Propane	6.190	6.09900	10.904	1.687		
Iso-butane	0.841	0.82900	1.953	0.273		
n-Butane	1.948	1.91900	4.522	0.607		
Iso-pentane	0.605	0.59600	1.743	0.219		
n-Pentane	0.605	0.59600	1.743	0.216		
Hexanes Plus	1.401	1.38000	5.214	0.556		
	100.326	100.00000	100.000	6.902		
Calculated Physical Properties		Tota		C6+		
Relative Density Real	l Gas	0.8551		3.2249		
Calculated Molecular	Weight	24.67	7	93.40		
Compressibility Factor		0.9956	6			
GPA 2172 Calculation						
Calculated Gross B	sia & 60°F					
Real Gas Dry BTU		1252	<u> </u>	4975		
Water Sat. Gas Base	BTU	1230)	4888		
Ideal, Gross HV - Dry	at 14.73 psia	1246.3	3	4974.6		
Ideal, Gross HV - We	t	1224.6	6	0.000		

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Quality Assurance:



Certificate of Analysis

Number: 6030-23050173-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Lee Weatherford Steward Energy 2600 Dallas Pkwy Suite 400 Frisco, TX 75034

Station Name: Dog Bar Battery

Station Number: 1462131 Station Location: Steward Sample Point: Meter Run

05/15/2023 10:34:57 by EBH Analyzed:

Sampled By: CW

Sample Of: Gas Spot

May 15, 2023

Sample Date: 05/10/2023 Sample Conditions: 56.3 psig, @ 127.7 °F

Method: GPA 2286 Cylinder No: 5030-01264

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.73 psia
Hydrogen Sulfide	1.148	1.586	
Nitrogen	4.519	5.132	
Methane	65.001	42.279	
Carbon Dioxide	5.461	9.744	
Ethane	12.452	15.180	3.344
Propane	6.099	10.904	1.687
Iso-Butane	0.829	1.953	0.273
n-Butane	1.919	4.522	0.607
Iso-Pentane	0.596	1.743	0.219
n-Pentane	0.596	1.743	0.216
i-Hexanes	0.306	1.044	0.122
n-Hexane	0.178	0.613	0.073
Benzene	0.162	0.514	0.045
Cyclohexane	0.076	0.260	0.026
i-Heptanes	0.227	0.852	0.092
n-Heptane	0.060	0.243	0.028
Toluene	0.081	0.301	0.027
i-Octanes	0.130	0.563	0.060
n-Octane	0.019	0.090	0.010
Ethylbenzene	0.027	0.118	0.010
Xylenes	0.017	0.082	0.007
i-Nonanes	0.040	0.185	0.019
n-Nonane	0.012	0.058	0.007
Decanes Plus	0.045	0.291	0.030
	100.000	100.000	6.902



Certificate of Analysis

Number: 6030-23050173-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Lee Weatherford Steward Energy 2600 Dallas Pkwy Suite 400 Frisco, TX 75034

Station Name: Dog Bar Battery

Station Number: 1462131 Station Location: Steward Sample Point: Meter Run

Analyzed: 05/15/2023 10:34:57 by EBH Sampled By: CW

Sample Of: Gas Spot

Sample Date: 05/10/2023

Sample Conditions: 56.3 psig, @ 127.7 °F

May 15, 2023

GPA 2286 Method: Cylinder No: 5030-01264

Calculated Physical Properties	Total	C10+
Calculated Molecular Weight	24.67	154.82
GPA 2172 Calculation:		
Calculated Gross BTU per ft ³ @ 14.73 p	sia & 60°F	
Real Gas Dry BTU	1251.8	8369.4
Water Sat. Gas Base BTU	1230.0	8187.9
Relative Density Real Gas	0.8551	5.3454
Compressibility Factor	0.9956	
Ideal, Gross HV - Wet	1224.6	
Ideal, Gross HV - Dry at 14.73 psia	1246.3	
Net BTU Dry Gas - real gas	1139	
Net BTU Wet Gas - real gas	1119	

Comments: H2S Field Content 11484 ppm

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Calculations for the total Mcf flared
End Meter Volume – the Begin Meter Volume.

***Composition for the gas has been entered into the question portion of the C-129. If further back up is needed please let us know and will provide requested data.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 502169

DEFINITIONS

ı	Operator:	OGRID:
ı	BURK ROYALTY CO., LTD.	3053
ı	P.O. Box 94903	Action Number:
ı	Wichita Falls, TX 76308	502169
ı		Action Type:
ı		[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 502169

QL	JESTIONS	
Operator: BURK ROYALTY CO., LTD. P.O. Box 94903 Wichita Falls, TX 76308		OGRID: 3053 Action Number: 502169
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve the	hese issues before continuing with	h the rest of the questions.
Incident Well	Unavailable.	
Incident Facility	[fAPP2305745823] DOG BA	R TANK BATTERY
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers and	d may provide addional quidance	
Was this vent or flare caused by an emergency or malfunction	Yes	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or f	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during ve	enting and/or flaring that is or may	he a major or minor release under 19 15 29 7 NMAC
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	and a major or minor rotates and a rotate an
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Not answered.	
Additional details for Equipment Involved. Please specify	Not answered.	
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.		
Methane (CH4) percentage	65	
Nitrogen (N2) percentage, if greater than one percent	5	
Hydrogen Sulfide (H2S) PPM, rounded up	11,480	
Carbon Dioxide (C02) percentage, if greater than one percent	5	
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required specif	fications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	

Not answered.

Oxygen (02) percentage quality requirement

General Information
Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 502169

OUESTI	ONS (continued)
Operator:	OGRID:
BURK ROYALTY CO., LTD.	3053
P.O. Box 94903 Wichita Falls, TX 76308	Action Number: 502169
Wolling Carlot	Action Type:
	[C-129] Venting and/or Flaring (C-129)
QUESTIONS	
Date(s) and Time(s)	
Date vent or flare was discovered or commenced	08/30/2025
Time vent or flare was discovered or commenced	12:00 AM
Time vent or flare was terminated	11:59 PM
Cumulative hours during this event	6
Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Power Failure Gas Plant Natural Gas Flared Released: 118 Mcf Recovered: 0 Mcf Lost: 118 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	No No
Downstream OGRID that should have notified this operator	[712133] STAKEHOLDER MIDSTREAM LLC
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.
	THE GROUP OF THE STATE OF THE S
Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	Stakeholder Midstream Campo Viejo experienced a total power outage resulting in both plants to be down.
Steps taken to limit the duration and magnitude of vent or flare	Stakeholder Midstream Campo Viejo experienced a total power outage resulting in both plants to be down.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Stakeholder Midstream Campo Viejo experienced a total power outage resulting in both plants to be down.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 502169

ACKNOWLEDGMENTS

ı	Operator:	OGRID:
ı	BURK ROYALTY CO., LTD.	3053
ı	P.O. Box 94903	Action Number:
ı	Wichita Falls, TX 76308	502169
ı		Action Type:
ı		[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 502169

CONDITIONS

Operator:	OGRID:
BURK ROYALTY CO., LTD.	3053
P.O. Box 94903	Action Number:
Wichita Falls, TX 76308	502169
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By		Condition Date
nwhite01	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	9/3/2025