



November 4, 2025

**New Mexico Oil Conservation Division**

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

**Re: Revegetation Report and Restoration Complete Request  
Llama Mall 26 35 Federal Com #311H  
Incident Number nAPP2401247161  
Lea County, New Mexico**

To Whom It May Concern:

Ensolum, LLC (Ensolum), on behalf of Oxy USA Inc. (Oxy), has prepared the following *Revegetation Report and Restoration Complete Request (Report)* for the Llama Mall 26 35 Federal Com #311H (Site). The *Report* documents the Site history, reclamation activities, and vegetation assessment activities completed at the Site. Based on the findings included in this *Report*, Oxy is respectfully requesting Restoration Complete Status for this Site.

**BACKGROUND**

The Site is located in Unit C, Section 26, Township 22 South, Range 32 East, in Lea County, New Mexico (32.3681°, -103.6505°) and is associated with oil and gas exploration and production operations on Federal land managed by the Bureau of Land Management (BLM).

On January 5, 2024, a produced water release occurred at the Site due to a water transfer flow line rupture. The flow line was isolated, depressurized, locked, and tagged out. Approximately 45 barrels (bbls) of produced water were released onto the ground surface, with approximately 15 bbls recovered. Oxy reported the release to the New Mexico Oil Conservation Division (NMOCD) via email on January 6, 2024, and subsequently via the NMOCD online portal Notification of Release (NOR) form on January 12, 2024. The release was assigned Incident Number nAPP2401247161.

Delineation and excavation of impacted soil was completed at the Site between January and August 2024. The final excavation extent measured approximately 9,647 square feet. A total of approximately 1,171 cubic yards of impacted soil were removed during excavation activities. Based on the delineation and excavation soil sample analytical results, a *Closure Report* was submitted to the NMOCD on October 4, 2024. The NMOCD approved the *Closure Report* on December 26, 2024. Additional details regarding the release, Site Characterization, delineation and excavation activities, and soil sample analytical results can be referenced in the approved *Closure Report* included as Attachment I in this Report. Remediation of the release was completed in accordance with Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC).

Oxy USA Inc.  
 Revegetation Report and Restoration Complete Request  
 Llama Mall 26 35 Federal Com #311H

## RECLAMATION ACTIVITIES

Upon completion of excavation activities and receipt of final laboratory analytical results, the excavation was backfilled with locally procured soil and the disturbed area was restored to its original condition. The excavation extent and reclamation area are shown on the attached Figure 1.

As documented in the approved *Closure Report*, one representative 5-point composite sample (Mills Ranch Pit) was collected from the topsoil backfill material on September 30, 2024. The backfill sample was transported under strict chain-of-custody procedures to Cardinal Laboratories in Hobbs, New Mexico, for analysis of the following constituents of concern (COCs): benzene, toluene, ethylbenzene, and total xylenes (BTEX) following United States Environmental Protection Agency (EPA) Method 8021B; total petroleum hydrocarbons (TPH)—gasoline range organics (GRO), TPH-diesel range organics (DRO), and TPH-oil range organics (ORO) following EPA Method 8015M/D; and chloride following Standard Method 4500.

Laboratory analytical results for the backfill soil sample confirmed compliance with NMOC requirements for the reclaimed area to contain non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 milligrams per kilogram (mg/kg) and TPH concentrations less than 100 mg/kg. The laboratory analytical results were summarized on Table 1 of the approved *Closure Report*, included as Attachment I.

The reclaimed pasture area was drill seeded on September 18, 2024, with the below BLM seed mixture #2 for sandy sites. The seed was applied at the below rate specified in pounds of pure live seed (PLS) per acre.

Species/Cultivar	PLS/Acre
Sand dropseed ( <i>Sporobolus cryptandrus</i> )	1.0
Sand love grass ( <i>Eragrostis Trichodes</i> )	1.0
Plains bristlegrass ( <i>Setaria macrostachya</i> )	2.0

Photographs of the current Site conditions are provided in Appendix A.

## VEGETATION ASSESSMENT ACTIVITIES

On September 15, 2025, Ensolum personnel completed a Site inspection to assess revegetation progress utilizing the Line-Point Intercept (LPI) method. The LPI method was used to evaluate the vegetative cover across the reclaimed area in comparison to an adjacent undisturbed native reference area. This method was selected to determine whether the reclaimed area met or exceeded the 70 percent (%) vegetation cover threshold required for final reclamation and revegetation success, as measured against native baseline conditions. At the selected assessment location, a 50-foot transect line was established within the most representative portion of both the reclaimed area and the corresponding reference site. Vegetation presence was recorded at 1-foot intervals along the transect. If vegetation was absent at a given point, the location was recorded as bare ground (abbreviated as "S"). Global Positioning System (GPS) coordinates for each transect were collected using a GPS receiver and Field Maps application. The location of the LPI transect is presented in Figure 2.

Results from the LPI survey indicated the reclaimed area exhibited 70% vegetative cover, while the corresponding native reference site exhibited 76% cover. This results in a vegetation establishment of 92% vegetative cover, relative to the reference site. The calculated value exceeds the nominal 70 % threshold, and the Site is considered to meet reclamation success criteria based on uniform vegetative cover, the presence of native species, and compliance with the intent of 19.15.29.13.D.(3) NMAC. The vegetative cover was generally uniform across the Site, and the species present were consistent with the approved seed mix and native to the area. Five out of six target plant species (83%) were positively

Oxy USA Inc.  
Revegetation Report and Restoration Complete Request  
Llama Mall 26 35 Federal Com #311H


identified during the survey. Photographic documentation of the Site inspection is included in Appendix A. The LPI field forms are included in Appendix B.

## REVEGETATION APPROVAL REQUEST


Based on the reclamation activities and vegetation monitoring activities completed to date, Oxy respectfully requests approval of this *Report* and a status update to *Re-vegetation Report Approved, Restoration Complete* for Incident Number nAPP2401247161.

If you have any questions or comments, please contact Ms. Aimee Cole at (720) 384-7365 or [acole@ensolum.com](mailto:acole@ensolum.com).

Sincerely,  
**Ensolum, LLC**



Hadlie Green  
Project Geologist



Aimee Cole  
Senior Managing Scientist

cc: Daniel Sparks, Oxy USA Inc.  
Bureau of Land Management

### Appendices:

Figure 1 Excavation Extent / Reclamation Area  
Figure 2 LPI Transect Map

Appendix A Photographic Log  
Appendix B LPI Field Form


Attachment I *Closure Report*: Dated October 3, 2024



FIGURES



## Legend

 Excavation Extent /  
Reclamation Area



0 20 40 80  
Feet

Sources: Environmental Systems Research Institute (ESRI)



## Excavation Extent / Reclamation Area




Oxy USA Inc.  
Llama Mall 26 35 Federal Com #311H  
Incident Number: nAPP2401247161  
Unit C, Section 26, T 22S, R 32E  
Lea County, New Mexico

FIGURE

1



**Legend**

-  Reclamation Area
-  LPI Transect
-  Reference Area Transect



End: 32.367867143, -103.649327575

Start: 32.367728297, -103.649336198

**Sample Area**

Desirable Coverage: 70%  
 Undesirable Coverage: 2%  
 Noxious Weeds Coverage: 0%  
 Bare Ground Coverage: 28%

End: 32.367850051, -103.649029983

**Reference Area**

Desirable Coverage: 76%  
 Undesirable Coverage: 4%  
 Noxious Weeds Coverage: 0%  
 Bare Ground Coverage: 20%

Start: 32.367713384, -103.649019983

0 17.5 35 70  
 Feet

Sources: Environmental Systems Research Institute (ESRI)

**LPI Transect Map**

Oxy USA Inc.  
 Llama Mall 26 35 Federal Com #311H  
 Incident Number: nAPP2401247161  
 Unit C, Section 26, T 22S, R 32E  
 Lea County, New Mexico

**FIGURE****2**



## APPENDIX A

### Photographic Log

---





## Photographic Log

Oxy USA Inc.

Llama Mall 26 35 Federal Com #311H

nAPP2401247161



Photograph 1 Date: 09/15/2025

Description: Sample area transect (0-50')


View: North



Photograph 2 Date: 09/15/2025

Description: Sample area transect (50-0')


View: South



Photograph 3 Date: 09/15/2025

Description: Reference area transect (0-50')

View: North



Photograph 4 Date: 09/15/2025

Description: Reference area transect (50-0')

View: South



## APPENDIX B

### LPI Field Form

---

Llama Mall 26 35 Federal Com 311H				Line Type: Sample Area		Observer: A. Vojdani			Recorder: A. Vojdani		
Direction: N				Date: 9/15/2025		Start/End Coordinates: 32.367733, -103.649345/ 32.367873, -103.645337					
Point	Plant Code	Vegetation Class			Noxious Weed Class	Point	Plant Code	Vegetation Class			Noxious Weed Class
		Desirable	Undesirable	Noxious				Desirable	Undesirable	Noxious	
1	S					26	BOGR2	X			
2	TILA2	X				27	SEMA5	X			
3	TILA2	X				28	SEMA5	X			
4	SEMA5	X				29	S				
5	BOGR2	X				30	SEMA5	X			
6	S					31	SEMA5	X			
7	SEMA5	X				32	SEMA5	X			
8	SATR12		X			33	SEMA5	X			
9	BOBA2	X				34	SPCR	X			
10	SPCR	X				35	S				
11	BOBA2	X				36	TILA2	X			
12	S					37	TILA2	X			
13	R					38	TILA2	X			
14	SEMA5	X				39	S				
15	SEMA5	X				40	TILA2	X			
16	TILA2	X				41	TILA2	X			
17	TILA2	X				42	BOBA2	X			
18	SEMA5	X				43	BOBA2	X			
19	S					44	TILA2	X			
20	S					45	TILA2	X			
21	S					46	TILA2	X			
22	S					47	S				
23	BOBA2	X				48	TILA2	X			
24	TILA2	X				49	TILA2	X			
25	S					50	S				

Plant Code	Comon Name (Scientific Name )
TILA2	WOOLLY TIDESTROMIA
BOBA2	SIXWEEKS GRAMA
SEMA5	LONGSPIKE BRISTLEGRASS
SPCR	DROPSEED
SATR12	TUMBLEWEED
BOGR2	BLUE GRAMA

Calculations		
Types of Coverage	Points	Percentage
Desirable Coverage	35	70%
Undesirable Coverage	1	2%
Noxious Weeds Coverage	0	0%
Bare Ground Coverage	14	28%

Llama Mall 26 35 Federal Com 311H				Line Type: Reference Area		Observer: A. Vojdani			Recorder: A. Vojdani			
Direction: N				Date: 9/15/2025		Start/End Coordinates: 32.367719, -103.649029 / 32.367855, -103.649039						
Point	Plant Code	Vegetation Class			Noxious Weed Class	Point	Plant Code	Vegetation Class			Noxious Weed Class	
		Desirable	Undesirable	Noxious				Desirable	Undesirable	Noxious		
1	S					26	BOGR2	X				
2	S					27	BOGR2	X				
3	S					28	CRDI6	X				
4	ARPU9	X				29	PORTU	X				
5	SPCR	X				30	SEMA5	X				
6	SPCR	X				31	S					
7	SPCR	X				32	S					
8	CRDI6	X				33	SPCR	X				
9	S					34	SEMA5	X				
10	SEMA5	X				35	ARPU9	X				
11	BOGR2	X				36	S					
12	BOGR2	X				37	SCBR2	X				
13	CRDI6	X				38	SPCR	X				
14	CRDI6	X				39	SATR12		X			
15	CRDI6	X				40	SPORO	X				
16	SCBR2	X				41	ARPU9	X				
17	ARPU9	X				42	ARPU9	X				
18	GUSA2	X				43	MUAR2	X				
19	SCBR2	X				44	S					
20	SCBR2	X				45	S					
21	BOGR2	X				46	S					
22	BOGR2	X				47	BOGR2	X				
23	BOGR2	X				48	BOGR2	X				
24	BOGR2	X				49	SATR12		X			
25	BOGR2	X				50	YUGL	X				

Plant Code	Comon Name (Scientific Name )
S	SOIL
CRDI6	GRASSLAND CROTON
GUSA2	BROOM SNAKE WEED
ARPU9	PURPLE LOVE GRASS
SPORO	SEED DROPSEED
SEMA5	LONGSPIKE BRISTLEGRASS
MUAR2	SAND MUHLY
SCBR2	SPIKE GRASS
PORTU	PURSLANE
YUGL	SOAPTREE YUCCA

Calculations		
Types of Coverage	Points	Percentage
Desirable Coverage	38	76%
Undesirable Coverage	2	4%
Noxious Weeds Coverage	0	0%
Bare Ground Coverage	10	20%

Calculations		
Sample Area		
Types of Coverage	Points	Percentage
Desirable Coverage	35	70%
Undesirable Coverage	1	2%
Noxious Weeds Coverage	0	0%
Bare Ground Coverage	14	28%
Total Coverage percentage=		70%
Reference Area		
Types of Coverage	Points	Percentage
Desirable Coverage	38	76%
Undesirable Coverage	2	4%
Noxious Weeds Coverage	0	0%
Bare Ground Coverage	10	20%
Total Coverage percentage=		76%
Sample Area %/Reference Area %		92%
Does the Site Pass?		Yes





Attachment I

*Closure Report:*  
Dated October 3, 2024

---



## CLOSURE REPORT

Property:

**Llama Mall 26 35 Federal Com #311H**

**Unit D, S26, T22S, R32E  
32.3681° N, 103.6505° W  
Lea County, New Mexico  
NMOCD Incident ID: nAPP2401247161**

October 3, 2024


Ensolum Project No. 03B1417139


Prepared for:

**Oxy USA, Inc.  
PO Box 4324  
Houston, Texas 77210**

**Attn: Wade Dittrich**

Prepared by:

  
\_\_\_\_\_  
Kelly Lowery  
Project Geologist

  
\_\_\_\_\_  
Heather Holthaus  
Senior Project Manager



## TABLE OF CONTENTS

<b>1.0</b>	<b>INTRODUCTION .....</b>	<b>1</b>
<b>1.1</b>	<b>SITE DESCRIPTION &amp; BACKGROUND .....</b>	<b>1</b>
<b>1.2</b>	<b>PROJECT OBJECTIVE .....</b>	<b>1</b>
<b>2.0</b>	<b>CLOSURE CRITERIA .....</b>	<b>1</b>
<b>3.0</b>	<b>SOIL REMEDIATION ACTIVITIES.....</b>	<b>3</b>
<b>4.0</b>	<b>SOIL SAMPLING PROGRAM.....</b>	<b>3</b>
<b>5.0</b>	<b>SOIL LABORATORY ANALYTICAL METHODS.....</b>	<b>4</b>
<b>6.0</b>	<b>DATA EVALUATION .....</b>	<b>4</b>
<b>7.0</b>	<b>RECLAMATION AND RE-VEGETATION .....</b>	<b>4</b>
<b>8.0</b>	<b>FINDINGS AND RECOMMENDATION .....</b>	<b>5</b>
<b>9.0</b>	<b>STANDARDS OF CARE, LIMITATIONS, AND RELIANCE.....</b>	<b>6</b>
<b>9.1</b>	<b>STANDARD OF CARE .....</b>	<b>6</b>
<b>9.2</b>	<b>LIMITATIONS .....</b>	<b>6</b>
<b>9.3</b>	<b>RELIANCE.....</b>	<b>6</b>

## LIST OF APPENDICES

**Appendix A: Figures**

**Appendix B: Supporting Documentation**

**Appendix C: Photographic Documentation**

**Appendix D: Table(s)**

**Appendix E: Laboratory Analytical Reports & Chain-of-Custody Documentation**



## CLOSURE REPORT

**Llama Mall 26 35 Federal Com #311H**

**Unit D, S26, T22S, R32E  
32.3681° N, 103.6505° W  
Lea County, New Mexico  
NMOCD Incident ID: nAPP2401247161**

**Ensolum Project No. 03B1417139**

### 1.0 INTRODUCTION

#### 1.1 Site Description & Background

<b>Operator:</b>	OXY USA, Inc. (Oxy)
<b>Site Name:</b>	Llama Mall 26 35 Federal Com #311H
<b>Location:</b>	Unit D, Section 26, Township 22 South, Range 32 East 32.3681° N, 103.6505° W Lea County, New Mexico
<b>Property:</b>	Federal land managed by the Bureau of Land Management (BLM)
<b>Regulatory:</b>	New Mexico Energy, Minerals and Natural Resources Department (EMNRD) Oil Conservation Division (OCD)

On January 5, 2024, Oxy had a release of produced water at the Site due to a water transfer flow line rupture. The flow line was isolated, depressurized, locked, and tagged out. Approximately 45 barrels (bbls) of produced water were released onto the ground surface, with approximately 15 bbls recovered. Oxy reported the release to the New Mexico EMNRD OCD via email on January 6, 2024, and subsequently to the New Mexico EMNRD OCD online portal notification of release (NOR) form on January 12, 2024. The release was assigned Incident Number nAPP2401247161.

The **Topographic Map** depicting the location of the Site is included as **Figure 1**, and the **Site Vicinity Map** is included as **Figure 2** in **Appendix A**.

#### 1.2 Project Objective

The primary objective of the closure activities was to reduce chemicals of concern (COC) concentrations in the on-Site soil to be in compliance with the applicable New Mexico EMNRD OCD closure criteria concentrations.

### 2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the New Mexico EMNRD OCD. In order to address activities related to exempt oil and gas releases, the New Mexico EMNRD OCD references New Mexico Administrative Code (NMAC) 19.15.29 *Releases*, which establishes investigation and abatement action requirements for sites subject to reporting and/or corrective action. Ensolum, LLC (Ensolum) utilized information provided by Oxy, the general Site characteristics, and information available from the New Mexico Office of the State Engineer (OSE) and the New Mexico EMNRD OCD Imaging database to determine the appropriate closure criteria for the Site. Supporting documentation and figures associated with the following bullets are provided in **Appendix B**, and included as **Figure 4** in **Appendix A**.

Closure Report  
**Llama Mall 26 35 Federal Com. #311H**

October 3, 2024

- No exploratory water wells were identified within a 0.5-mile radius of the Site on the OSE Water Rights Reporting System (WRRS) database. However, there is one well record reported within 0.61-miles of the Site (C-02302) that was permitted in 1993 to a depth of 650 feet below ground surface (bgs) and was listed as a dry hole. In addition, two USGS groundwater well records were identified within 1.5-miles of the Site (322314103383601 and 322314103384301) with recorded depths to groundwater at 370.4 feet bgs and 367.8 feet bgs in 1972.
- The Site is not located within 300 feet of a New Mexico ENMRD OCD-defined continuously flowing watercourse or significant watercourse.
- The Site is not located within 200 feet of a lakebed, sinkhole, or playa lake.
- The Site is not located within 300 feet from a permanent residence, school, hospital, institution, or church.
- According to the OSE WRSS database there are no private, domestic freshwater wells used by less than five households for domestic or stock water purposes identified within 500 feet of the Site.
- According to the OSE WRSS database there are no freshwater wells identified within 1,000 feet of the Site.
- The Site is not located within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to New Mexico Statute Annotated (NMSA) 1978, Section 3-27-3.
- The Site is not located within 300 feet of a wetland.
- Based on information identified on the New Mexico Mining and Minerals Division's Geographical Information System (GIS), Maps and Mine Data database, the Site is not located within an area overlying a subsurface mine.
- Based on the Karst Occurrence Potential (.kmz) provided by the BLM, the Site is not located within an unstable area, also referred to as high karst potential.
- The Site is not located within a 100-year floodplain.

Based on the identified siting criteria, cleanup goals for soils remaining in place at the Site include:

Closure Criteria for Soils Impacted by a Release			
Minimum depth below any point within horizontal boundary of the release to groundwater less than 10,000 mg/l TDS	Constituent	Method	Limit
≤ 50 feet	Chloride	EPA 300.0 or SM4500 Cl B	600 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

### 3.0 SOIL REMEDIATION ACTIVITIES

On January 5, 2024, Oxy had a release of produced water at the Site due to a water transfer flow line rupture. The flow line was isolated, depressurized, locked, and tagged out. Approximately 45 bbls of produced water released onto the ground surface, with approximately 15 bbls recovered.

From January 5 through August 7, 2024, delineation and excavation activities were conducted at the Site.

On April 29, 2024, Ensolum arrived on-Site to collect 48 composite soil samples from the excavation floor (FS-01 through FS-48) and six composite soil samples from the excavation sidewalls (SW-01 through SW-06). The excavation floor samples were collected at a depth of 2 feet bgs and the excavation sidewall samples were collected at a depth of 0-2 feet bgs. Based on laboratory analytical data, additional excavation and/or remediation was necessary.

On July 23, 2024, subsequent to completion of additional excavation activities, Ensolum arrived on-Site to collect 30 composite soil samples from the excavation floor (FS-01 through FS-06, FS-08, FS-10, FS-11, FS-14, FS-16, FS-17, FS-19, FS-21, FS-23, FS-25 through FS-28, FS-34 through FS-38, FS-40, FS-41, FS-43, FS-45, FS-46, and FS-47) at a depth of 4 feet bgs, and five composite soil samples from the excavation sidewalls (SW-02 through SW-06) at a depth of 2-4 feet bgs. Based on laboratory analytical data, additional excavation and/or remediation was necessary.

On August 7, 2024, subsequent to completion of additional excavation activities, Ensolum arrived on-Site to collect two composite soil re-samples from the excavation floor (FS-17 and FS-42) at a depth of 4 feet bgs, and three composite soil samples from two locations on the excavation sidewalls (SW-01 and SW-02) at depths ranging from 0-2 and 2-4 feet bgs. Based on laboratory analytical data, no additional excavation activities or remediation activities were necessary.

The composite soil samples were analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX), total petroleum hydrocarbons (TPH), gasoline range organics (GRO), diesel range organics (DRO), motor oil/lube oil range organics (MRO), and chloride in accordance with the New Mexico EMNRD OCD Closure Criteria for Soils Impacted by a Release (NMOCD Closure Criteria).

The final excavation area measured approximately 255 feet long and 35 feet to 65 feet wide at the maximum extents, with a depth ranging from 2-4 feet bgs.

The excavation measured approximately 9,647 square feet in areal extent. A total of 1,171 cubic yards (cy) of impacted soil was removed during the excavation activities. The impacted soil was transported and properly disposed of at the Lea Land Facility located in Hobbs, New Mexico. After completion of confirmation sampling, the excavation was secured with fencing. Backfill of excavation was completed utilizing material purchased locally from the Mills Ranch Pit and recontoured to match pre-existing conditions. A BLM-approved seed mixture was sown into the surface area of the backfill for re-vegetation.

**Figure 3** is a map that identifies approximate soil sample locations and depicts the approximate dimensions of the impacted soil and excavation extent with respect to the release (**Appendix A**). Photographic documentation of the field activities is included in **Appendix C**.

### 4.0 SOIL SAMPLING PROGRAM

Ensolum's soil sampling program from April 29, 2024 through August 7, 2024 included the collection of a total of 80 composite soil samples from 40 locations from the excavation floor (FS-01 through FS-48) and 14 composite soil samples from six locations from the excavation sidewalls (SW-01 through SW-06) for laboratory analysis. Additionally, one composite soil sample was collected from the backfill material prior to use at the Site (Mills Ranch Pit).

The soil samples were collected and placed in laboratory prepared glassware, labeled/sealed using laboratory supplied labels and custody seals, and stored on ice in a cooler. The samples were relinquished to Cardinal Laboratories in Hobbs, New Mexico, under proper chain-of-custody procedures.

## 5.0 SOIL LABORATORY ANALYTICAL METHODS

The composite soil samples were analyzed for BTEX following United States Environmental Protection Agency (EPA) SW-846 Method 8021B, TPH GRO/DRO/MRO following EPA SW-846 Method 8015M/D, and chloride using SM4500Cl-B.

Laboratory analytical results are summarized in **Table 1** in **Appendix D**. The executed chain-of-custody forms and laboratory data sheets are provided in **Appendix E**.

## 6.0 DATA EVALUATION

Ensolum compared the benzene, total BTEX, TPH-GRO/DRO/MRO, and chloride concentrations or laboratory sample detection limits (SDLs) associated with the final composite excavation soil samples (FS-01 through FS-48 and SW-01 through SW-06) for soils left in place at the Site and the backfill material (Mills Ranch Pit) to the NMOCD Closure Criteria.

- Laboratory analytical results indicate benzene concentrations for the final composite soil samples collected from the excavation area and the backfill material do not exceed the laboratory SDLs, which are below the NMOCD Closure Criteria of 10 milligrams per kilogram (mg/kg).
- Laboratory analytical results indicated that total BTEX concentrations for the final composite soil samples collected from the excavation area and the backfill material do not exceed the laboratory SDLs, which are below the NMOCD Closure Criteria of 50 mg/kg.
- Laboratory analytical results indicated combined TPH-GRO/DRO/MRO concentrations for the final composite soil samples collected from the excavation area and the backfill material do not exceed the laboratory SDLs and/or the applicable NMOCD Closure Criteria of 100 mg/kg.
- Laboratory analytical results indicated chloride concentrations for the final composite soil samples collected from the excavation area and the backfill material do not exceed the applicable NMOCD Closure Criteria of 600 mg/kg.

Laboratory analytical results are summarized in **Table 1** in **Appendix D**.

## 7.0 RECLAMATION AND RE-VEGETATION

The release occurred off pad and as such, a reclamation requirement of 600 mg/kg chloride and 100 mg/kg TPH was applied to the top 4 feet of the off pad area that was impacted by the release per 19.15.29.13.D (1) NMAC for the top 4 feet of areas that will be reclaimed following remediation. The following Reclamation Plan addresses reclamation of the off-pad area: Soil in the vicinity of the release include: predominately fine sand and sandy clay loam;

- The backfilled areas were seeded utilizing a weed-free seed mix designed by the BLM to meet reclamation standards for this region, which was: Pecos District BLM Seed Mix for Sandy Plains CP-2 Ecological Site;
- The seed mixture was distributed with one of the following methods: push broadcaster seed spreader / tractor operated broadcast seed spreader / drill seeding / other means;
- Application of the seed mixture was at a coverage of either 10 pounds of seeds per acre of reclaimed pasture with distribution by a drilling method, or 20 pounds of seeds per acre of reclaimed pasture with distribution by a broadcast method, whichever was more applicable;
- Erosion control management will potentially include:
  - The placement of waddles in areas with a propensity for high run off rates;

- Straw cover if high winds are anticipated to support moisture retention and limit wind from blowing seeds away before they have had time to germinate; and/or
- Other erosional control best management practices (BMP) as necessary to support timely and healthy regrowth of vegetation in disturbed areas;
- Backfilling of the excavation utilized locally purchased material from the Mills Ranch Pit and recontoured to pre-existing conditions;
- The backfill material was sampled to comply with the above reclamation requirement. The laboratory analytical results are summarized in **Table 3** in **Appendix D**.
- Seeding was completed during the month of September 2024, during the month(s) when temperatures and precipitation is/are most conducive for vegetation growth. In general, seeding should occur approximately one month after the last frost in the Spring up until approximately one month prior to the first fall frost.
- Annual inspections (at a minimum), will take place on the location until revegetation is consistent with local natural vegetation density. The Site will be inspected the following Spring/Fall to assess the success of regrowth. If necessary, an additional application of the BLM-approved pure live seed mixture will be applied as well as any needed BMPs will be installed to support growth and limit erosion.

## 8.0 FINDINGS AND RECOMMENDATION

- On January 5, 2024, Oxy had a release of produced water at the Site due to a water transfer flow line rupture. The flow line was isolated, depressurized, locked, and tagged out. Approximately 45 bbls of produced water released onto the ground surface, with approximately 15 bbls recovered.
- Ensolum's soil sampling program from April 29, 2024 through August 7, 2024 included the collection of a total of 80 composite soil samples from 48 soil sample locations from the excavation floor (FS-01 through FS-48), and 13 sidewall soil samples from six soil sample locations (SW-01 through SW-06) for laboratory analysis. The composite floor samples were collected at depths ranging from 2 to 4 feet bgs and the sidewall samples were collected at depths ranging from 0-2 and 2-4 feet bgs. Additionally, one composite soil sample was collected from the backfill material prior to use at the Site (Mills Ranch Pit).
- The primary objective of the closure activities was to reduce COC concentrations in the on-Site soil to be in compliance with applicable NMOCD Closure Criteria for Soils Impacted by a Release using the New Mexico EMNRD OCD's NMAC 19.15.29 *Releases* as guidance.
- The final excavation area measured approximately 255 feet long and 35 feet to 65 feet wide at the maximum extents, with depths ranging from 2 to 4 feet bgs.
- Based on laboratory analytical results, the final composite soil samples collected from the excavation floor, sidewalls and the backfill material did not exhibit benzene, total BTEX, TPH GRO/DRO/MRO or chloride concentrations above the applicable NMOCD Closure Criteria.
- Once the areas were brought back to original grade, a BLM-approved seed mixture was sown into the surface of the backfill for re-vegetation per the above stated Reclamation Plan.

**Based on field observations and laboratory analytical results, no additional investigation or corrective action appears warranted at this time.**



## 9.0 STANDARDS OF CARE, LIMITATIONS, AND RELIANCE

### 9.1 Standard of Care

Ensolum's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Ensolum makes no warranties, express or implied, as to the services performed hereunder. Additionally, Ensolum does not warrant the work of third parties supplying information used in the report (e.g., laboratories, regulatory agencies, or other third parties). This scope of services was performed in accordance with the scope of work agreed with the client, as detailed in our proposal.

### 9.2 Limitations

Findings, conclusions, and recommendations resulting from these services are based upon information derived from the on-site activities and other services performed under this scope of work and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Ensolum cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during the investigation. Environmental conditions in other areas or portions of the Site may vary from those encountered at actual sample locations. Ensolum's findings and recommendations are based solely upon data available to Ensolum at the time of these services.

### 9.3 Reliance


This report has been prepared for the exclusive use of Oxy USA, Inc, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization Oxy USA, Inc and Ensolum. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in the Closure Report, and Ensolum's Master Services Agreement. The limitation of liability defined in the agreement is the aggregate limit of Ensolum's liability to the client.



## APPENDIX A

### Figures

---



## Topographic Map

Oxy USA Inc.  
Llama Mall 26 35 Federal Com. #311H  
32.3681°N, 103.6505°W  
Lea County, New Mexico

PROJECT NUMBER: 03B1417139

**FIGURE**  
**1**





## Site Vicinity Map

Oxy USA Inc.  
Llama Mall 26 35 Federal Com. #311H  
32.3681°N, 103.6505°W  
Lea County, New Mexico

PROJECT NUMBER: 03B1417139

**FIGURE**  
**2**



## Legend

- Confirmation Floor  
Sample in Compliance  
with Closure Criteria
- ▲ Confirmation Sidewall  
Sample in Compliance  
with Closure Criteria
- ▨ Release Extent
- - - Composite Soil Sample
- - - Boundaries



0 30 60  
Feet

Sources: Environmental Systems Research Institute (ESRI)



## Site Map


Oxy USA Inc.  
Llama Mall 26 35 Federal Com. #311H  
32.3681° N, 103.6505° W  
Isla County, New Mexico

PROJECT NUMBER: 03B1417139

**FIGURE**

**3**





## Closure Criteria Map

Oxy USA Inc.  
Llama Mall 26 35 Federal Com. #311H  
32.3681° N, 103.6505° W  
Lea County, New Mexico

PROJECT NUMBER: 03B1417139

**FIGURE**  
**4**

### Legend

- Composite Sample Location



Mills Ranch Pit  
Soil Sample Location

0 1,000 2,000  
Feet

Sources: Environmental Systems Research Institute (ESRI)



## Backfill Site Map

Mills Ranch Pit  
32.422889° N, 104.653139° W  
Eddy County, New Mexico

ATTACHMENT

A



## APPENDIX B

### Supporting Documentation

---



**Beaux Jennings**

---

**From:** Dittrich, John W <Wade\_Dittrich@oxy.com>  
**Sent:** Saturday, January 6, 2024 2:25 PM  
**To:** OCD.Enviro@emnrd.nm.gov; BLM\_NM\_CFO\_Spill@blm.gov  
**Cc:** Beaux Jennings; Pierce, Tyson (The Bergaila Company)  
**Subject:** Initial Notification-Llama Mall 26 35 Fed. Com 311H

[ \*\*EXTERNAL EMAIL\*\* ]

All,

This is to inform you that Oxy Permian had a **Reportable** release in **Lea County** at the **Llama Mall 26 35 Fed. Com 311H** on 1/5/2024.

- **Release Location:** Legal -26-22S-32E-
- **Release Volume:** 0 bbls of Oil and 45 bbls of Produced Water.
- **Recovered:** 0 bbls of Oil recovered and 15 bbls of PW recovered
- **Cause of Release:** Water Transfer Line rupture
- **Approximate Area impacted by release:** TBD-**Leak is on location** (measurements are subject to change with GPS tracking)
- **GPS Coordinates of Leak and Driving Directions:** **32.265815, -103.74239287**- Int. of C29 and Mills Ranch Road, go 5.1 miles to Y in road, go Right for .6 miles, turn left and go 1 mile to location on Right.
- Please let me know if you have any questions.

**Kelly Lowery**

---

**From:** Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>  
**Sent:** Tuesday, July 2, 2024 2:29 PM  
**To:** Kelly Lowery  
**Cc:** Wade Dittrich; Tyson Pierce; Beaux Jennings; Bratcher, Michael, EMNRD  
**Subject:** Re: [EXTERNAL] Extension Request: Llama Mall 26 35 Federal Com. #311H (Incident ID: nAPP2401247161)

[ \*\*EXTERNAL EMAIL\*\* ]

Good afternoon Kelly,

Thank you for your request. Your 90-day time extension is approved. Remediation Due date has been updated to October 1, 2024.

This is the second 90-day extension approved by OCD.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

Regards,

**Nelson Velez** • Environmental Specialist - Adv  
Environmental Bureau | EMNRD - Oil Conservation Division  
1000 Rio Brazos Road | Aztec, NM 87410  
(505) 469-6146 | [nelson.velez@emnrd.nm.gov](mailto:nelson.velez@emnrd.nm.gov)  
<http://www.emnrd.nm.gov/oed>



---

**From:** Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>  
**Sent:** Tuesday, July 2, 2024 1:10 PM  
**To:** Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>  
**Cc:** Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>  
**Subject:** FW: [EXTERNAL] Extension Request: Llama Mall 26 35 Federal Com. #311H (Incident ID: nAPP2401247161)

---

**From:** Kelly Lowery <klowery@ensolum.com>  
**Sent:** Tuesday, July 2, 2024 12:15 PM  
**To:** Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>  
**Cc:** Dittrich, John W <Wade\_Dittrich@oxy.com>; Pierce, Tyson (Legacy Safety & Consulting LLC)

<tyson\_pierce@oxy.com>; Beaux Jennings <bjennings@ensolum.com>

**Subject:** [EXTERNAL] Extension Request: Llama Mall 26 35 Federal Com. #311H (Incident ID: nAPP2401247161)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good afternoon,

On behalf of Oxy USA, Inc, Ensolum, LLC would like to request a 90-day extension for the Llama Mall 26 35 Federal Com. #311H (Incident ID: nAPP2401247161). Excavation and remediation activities are currently on-going at the Site but have been delayed due to scheduling challenges with personnel and contractors. We ask that you please approve this extension request for future sampling and subsequent reporting.

Please let us know if you have any questions.

Thank you,



**Kelly Lowery, GIT**

Project Geologist

214-733-3165

Ensolum, LLC



**Kelly Lowery**

---

**From:** Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>  
**Sent:** Wednesday, March 27, 2024 11:14 AM  
**To:** Kelly Lowery  
**Cc:** Wade Dittrich; tyson\_pierce@oxy.com; Beaux Jennings; Bratcher, Michael, EMNRD  
**Subject:** Re: [EXTERNAL] Llama Mall 26 35 Federal Com. #311H (nAPP2401247161)

[ \*\*EXTERNAL EMAIL\*\*]

Good morning Kelly,

Thank you for the correspondence. Your 90-day time extension request is approved. Remediation Due date has been updated to July 3, 2024.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

Regards,

**Nelson Velez** • Environmental Specialist - Adv  
Environmental Bureau | EMNRD - Oil Conservation Division  
1000 Rio Brazos Road | Aztec, NM 87410  
(505) 469-6146 | [nelson.velez@emnrd.nm.gov](mailto:nelson.velez@emnrd.nm.gov)  
<http://www.emnrd.state.nm.us/OCD/>



---

**From:** Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>  
**Sent:** Friday, March 22, 2024 2:56 PM  
**To:** Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>  
**Cc:** Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>  
**Subject:** FW: [EXTERNAL] Llama Mall 26 35 Federal Com. #311H (nAPP2401247161)

---

**From:** Kelly Lowery <klowery@ensolum.com>  
**Sent:** Friday, March 22, 2024 2:46 PM  
**To:** Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>  
**Cc:** Dittrich, John W <Wade\_Dittrich@oxy.com>; Pierce, Tyson (Legacy Safety & Consulting LLC) <tyson\_pierce@oxy.com>; Beaux Jennings <bjenning@ensolum.com>  
**Subject:** [EXTERNAL] Llama Mall 26 35 Federal Com. #311H (nAPP2401247161)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good Afternoon,

On behalf of Oxy USA Inc, Ensolum, LLC would like to request a 90-day extension for the Llama Mall 26 35 Federal Com. #311H (nAPP2401247161). Due to on-going drilling activities at the Site, remediation of the release was delayed until drilling was completed and the area was safe for entry. Around the week of February 21, 2024, drilling ceased, and remediation activities were able to begin. Excavation activities are currently being conducted at the Site; attached are a few representative photos of the area. Please let us know if you have any questions.

Thank you,



**Kelly Lowery, GIT**  
Project Geologist  
214-733-3165  
**Ensolum, LLC**  
in f

READ INSTRUCTIONS ON BACK

Revised June 1991

**APPLICATION TO APPROPRIATE UNDERGROUND WATERS  
IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES**

465390

204119

1. Name and mailing address of applicant:

File No. C-2302

Pogo Producing Company  
c/o Jeffrey L. Fornaciari  
Hinkle, Cox, Eaton, Coffield & Hensley  
Post Office Box 2068  
Santa Fe, New Mexico 87504-2068

2. Describe well location under one of the following subheadings:

a. NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  NE  $\frac{1}{4}$  of Sec. 26 Twp. 22S Rge. 32E NMPM  
 in Lea County.

b. X = \_\_\_\_\_ feet, Y = \_\_\_\_\_ feet, New Mexico Coordinate System  
 \_\_\_\_\_ Zone in the \_\_\_\_\_ Grant.

3. Approximate depth (if known) 650 feet; outside diameter of casing 8 inches.Name of driller (if known) Not yet known

4. Use of water (check use applied for):

☐ One household, non-commercial trees, lawn and garden not to exceed one acre.☐ Livestock watering.☐ More than one household, non-commercial trees, lawns and gardens not to exceed a total of \_\_\_\_\_ acres.☐ Drill and test a well intended to be used for domestic, drinking and sanitary or stock water purposes in conjunction with the building or dwelling unit.☐ Drinking and sanitary purposes and the irrigation of non-commercial trees, shrubs and lawns in conjunction with a commercial operation.☒ Prospecting, mining or drilling operations to discover or develop natural resources.☐ Construction of public works, highways and roads.

If any of the last three items were marked, give name and nature of business under Remarks (Item 5).

5. Remarks: Application is also being made to drill and test this  
well under an exploratory well permit, resulting in  
request for 8" casing. Applicant is an oil development  
and production company.

I, Jeffrey L. Fornaciari affirm that the foregoing statements are true to the best of my knowledge and belief and that development shall not commence until approval of the permit has been obtained.

Pogo Producing Company, Applicant

By: Jeffrey L. FornaciariDate: 3/15/93

**ACTION OF STATE ENGINEER**

This application is approved for the use indicated, subject to all general conditions and to specific conditions numbered 3, 5(a) & 5(d) on the reverse side hereof. This permit will automatically expire unless this well is drilled or driven and the well record filed on or before March 15, 1994.

Eluid L. Martinez, State Engineer

By: D.N. Stone

D.N. Stone, Chief, Water Rights Division

Date: March 16, 1993File No. C-2302

WR Filed: 04-09-93  
 "Dry Hole"

STATE ENGINEER OFFICE  
 ROBERT L. NEW MEXICO  
 93 MAR 19  
 AM 10 58

STATE ENGINEER OFFICE  
 SANTA FE, NEW MEXICO  
 93 MAR 15  
 PM 1 48

## GENERAL CONDITIONS OF APPROVAL

- A. The maximum amount of water that may be appropriated under this permit is 3 acre-feet in any year.
- B. The well shall be drilled by a driller licensed in the State of New Mexico in accordance with Section 72-12-12 New Mexico Statutes Annotated. A licensed driller shall not be required for the construction of a driven well; provided, that the casing shall not exceed two and three-eighths (2 3/8) inches outside diameter (Section 72-12-12).
- C. Driller's well record must be filed with the State Engineer within 10 days after the well is drilled or driven. Failure to file the well record within that time shall result in automatic cancellation of the permit. Well record forms will be provided by the State Engineer upon request.
- D. The casing shall not exceed 7 inches outside diameter except under specific conditions in which reasons satisfactory to the State Engineer are shown.
- E. If the well under this permit is used at any time to serve more than one household or livestock in a commercial feed lot operation, or for drinking and sanitation purposes in conjunction with a commercial operation, the permittee shall comply with Specific Conditions of Approval number 5(b).
- F. In the event this well is combined with other wells permitted under Section 72-12-1 New Mexico Statutes Annotated, the total outdoor use shall not exceed the irrigation of one acre of non-commercial trees, lawn, and garden, or the equivalent outside consumptive use, and the total appropriation for household and outdoor use from the entire water distribution system shall not exceed 3 acre-feet in any year.
- G. If artesian water is encountered, all rules and regulations pertaining to the drilling and casing of artesian wells shall be complied with.

## SPECIFIC CONDITIONS OF APPROVAL

(Applicable only when so indicated on the other side of this form.)

1. Depth of the well shall not exceed the thickness of the (a) valley fill or (b) Ogallala formation.
2. The well shall be constructed to artesian well specifications and the State Engineer shall be notified before casing is landed or cemented.
3. Appropriation and use of water under this permit shall not exceed a period of one year from the date of approval.
4. Use shall be limited to household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.
5. A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water; pumping records shall be submitted to the District Supervisor: (a) for each calendar month, on or before the 10th day of the following month (b) on or before the 10th of January, April, July and October of each year for the three preceding calendar months (c) for each calendar year on or before the 10th day of January of the following year (d) or upon completion of project if less than 30 days.
6. The well shall be plugged upon completion of the permitted use, and a plugging report shall be filed with the State Engineer within 10 days.
7. Final approval for the use of the well shall be dependent upon a leakage test made by the State Engineer.
8. Use shall be limited strictly to household, drinking and sanitary purposes; water shall be conveyed from the well to the place of use in closed conduit and the effluent returned to the underground so that it will not appear on the surface. No irrigation of lawns, gardens, trees or use in any type of pool or pond is authorized under this permit.
9. No water shall be used from this well unless and until a permit has been issued to an applicant who intends to use the water for any of the purposes described in § 72-12-1.

## INSTRUCTIONS

The application shall be made in the name of the actual user of the well for the purpose specified in the application.

The application shall be filed in triplicate and forwarded with a \$5.00 filing fee to the State Engineer.

A separate application must be filed for each well to be drilled or used.

If well to be used is an existing well, an explanation (and the file number, if possible) should be given under Remarks (Item 5).

Applications for appropriation, well records and requests for information in the following basins should be addressed to the State Engineer at the location indicated.

Bluewater, Estancia, Rio Grande, Sandia, Gallup and San Juan Basins  
District No. 1, 3311 Candelaria, NE, Suite A, Albuquerque, NM 87107

Capitan, Carlsbad, Curry County, Fort Sumner, Hondo, Jal, Lea County, Penasco, Portales, Roswell, Tucumcari and Upper Pecos Basins District No. 2, 1900 West Second Street, Roswell, NM 88201

Animas, Gila-San Francisco, Lordsburg, Mimbres, Nutt-Hockett, Playas, San Simon and Virden Valley Basins  
District No. 3, P.O. Box 844, Deming, NM 88031

Lower Rio Grande, Tularosa, Hueco, Las Animas Creek and Hot Springs Basins  
District No. 4, 133 Wyatt Drive, Suite 3, Las Cruces, NM 88005

Canadian River Basin  
State Engineer Office, P.O. Box 25102, Santa Fe, NM 87504-5102





STATE OF NEW MEXICO  
STATE ENGINEER OFFICE  
SANTA FE

ELUID L. MARTINEZ  
State Engineer

BATAAN MEMORIAL BUILDING, ROOM 101  
POST OFFICE BOX 25102  
SANTA FE, NEW MEXICO 87504-5102

March 16, 1993

STATE ENGINEER'S OFFICE  
ROOM 101  
MAR 19 AM 10 58  
SANTA FE, NEW MEXICO

Pogo Producing Company  
c/o Jeffrey L. Fornaciari  
Hinkle, Cox, Eaton, Coffield  
& Hensley  
P.O. Box 2068  
Santa Fe, New Mexico 87504-2068

Re: File No. C-2302

Dear Mr. Fornaciari:

Enclosed is your client's copy of Application to Appropriate Underground Waters in Accordance with Section 72-12-1 New Mexico Statutes, as numbered above, which has been approved subject to the conditions on the permit. Please note the following:

Appropriation and use of water under this permit shall not exceed a period of one year from the date of approval.

A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the State Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water and pumping records shall be submitted to the District Supervisor for each calendar month, on or before the 30th day of the following month, or upon completion of the project if less than 30 days.

Please see that the well driller files well record in this office within 10 days after completion of drilling. Your rights under



C-2302  
Page 2  
March 16, 1993

this permit will expire on March 15, 1994, unless the well is drilled and well record is filed on or before the above date.

Sincerely,

Eluid L. Martinez  
State Engineer

By: D.N. Stone  
D.N. Stone, Chief  
Water Rights Division

DNS:kb  
encl.  
cc: Roswell Office

STATE ENGINEER OFFICE  
ROSWELL NEW MEXICO  
93 MAR 19 AM 10 58

HINKLE, COX, EATON, COFFIELD & HENSLEY

LEWIS C. COX  
PAUL W. EATON  
CONRAD E. COFFIELD  
HAROLD L. HENSLEY, JR.  
STUART D. SHANOR  
ERIC D. LANPHERE  
C. D. MARTIN  
ROBERT P. TINNIN, JR.  
MARSHALL G. MARTIN  
OWEN M. LOPEZ  
DOUGLAS L. LUNSFORD  
JOHN J. KELLY  
NICHOLAS J. NOEDING  
T. CALDER EZZELL, JR.  
WILLIAM B. BURFORD\*  
RICHARD E. OLSON  
RICHARD R. WILFONG\*  
THOMAS J. MCBRIDE  
JAMES J. WECHSLER  
NANCY S. CUSACK  
JEFFREY L. FORNACIARI  
JEFFREY D. HEWETT  
JAMES BRUCE  
JERRY F. SHACKELFORD\*  
JEFFREY W. HELLBERG\*  
ALBERT L. PITTS  
THOMAS M. HNASKO  
JOHN C. CHAMBERS\*  
GARY D. COMPTON\*  
MICHAEL A. GROSS  
THOMAS D. HAINES, JR.  
GREGORY J. NIBERT  
DAVID T. MARKETTE\*  
MARK C. DOW

FRED W. SCHWENDIMANN  
JAMES M. HUDSON  
JEFFREY S. BAIRD\*  
REBECCA NICHOLS JOHNSON  
WILLIAM P. JOHNSON  
STANLEY K. KOTOVSKY, JR.  
H. R. THOMAS  
ELLEN S. CASEY  
MARGARET CARTER LUDEWIG  
S. BARRY PAISNER  
STEPHEN M. CRAMPTON  
MARTIN MEYERS  
GREGORY S. WHEELER  
ANDREW J. CLOUTIER  
JAMES A. GILLESPIE  
GARY W. LARSON  
STEPHANIE LANDRY  
JOHN R. KULSETH, JR.  
MARGARET R. MCNETT  
BRIAN T. CARTWRIGHT\*  
LISA K. SMITH\*  
ROBERT H. BETHEA\*  
BRADLEY W. HOWARD  
CHARLES A. SUTTON  
NORMAN D. EWART  
DARREN T. GROCE\*  
MOLLY MCINTOSH  
MARCIA B. LINCOLN  
SCOTT A. SHUART\*  
DARREN L. BROOKS  
CHRISTINE E. LALE  
PAUL G. NASON  
DARLA M. SILVA

ATTORNEYS AT LAW  
218 MONTEZUMA  
POST OFFICE BOX 2068  
SANTA FE, NEW MEXICO 87504-2068  
(505) 982-4554  
FAX (505) 982-8623

CLARENCE E. HINKLE (1901-1985)  
W. E. BONDURANT, JR. (1913-1973)  
ROY C. SNOODGRASS, JR. (1914-1987)

OF COUNSEL  
O. M. CALHOUN\*  
MACK EASLEY  
JOE W. WOOD  
RICHARD S. MORRIS

WASHINGTON, D.C.  
SPECIAL COUNSEL  
ALAN J. STATMAN\*

March 15, 1993

\*NOT LICENSED IN NEW MEXICO

HAND DELIVERED

Mr. Paul Saavedra, Deputy Chief  
Water Rights Division  
State Engineer Office  
Bataan Memorial Building  
Santa Fe, New Mexico 87503

Re: Pogo Producing Company

Dear Mr. Saavedra:

I am enclosing for filing three (3) applications on behalf of Pogo Producing Company as follows:

1. Application to appropriate a total of 200 acre-feet (consumptive use).
2. Application to appropriate 3.0 acre-feet for one (1) year under 72-12-1.
3. Application to drill and test an exploratory well.

All three (3) applications apply to one well which will be drilled in the NW $\frac{1}{4}$ , NE $\frac{1}{4}$ , NE $\frac{1}{4}$  of Section 26, Township 22 South, Range 23 East, NMPM. I am also enclosing the Hinkle law firm's check in the amount of \$35.00 for the filing fees. As before, I am requesting either a letter of authorization to proceed with the exploratory well, or expedited approval of the exploratory well application, whichever you prefer. Pogo has a driller on site and hopes to proceed with the drilling as soon as possible.

700 UNITED BANK PLAZA  
POST OFFICE BOX 10  
ROSWELL, NEW MEXICO 88202  
(505) 622-6510  
FAX (505) 623-9332  
2800 CLAYDESTA CENTER  
6 DESTA DRIVE  
POST OFFICE BOX 3560  
MIDLAND, TEXAS 79702  
(915) 683-4891  
FAX (915) 683-6548  
1700 TEAM BANK BUILDING  
POST OFFICE BOX 9238  
AMARILLO, TEXAS 79105  
(806) 372-5569  
FAX (806) 372-9761  
500 MARQUETTE N.W., SUITE 800  
POST OFFICE BOX 2043  
ALBUQUERQUE, NEW MEXICO 87103  
(505) 768-1500  
FAX (505) 768-1529

93 MAR 15 PM 1 50  
STATE ENGINEER OFFICE  
SANTA FE NEW MEXICO

Mr. Paul Saavedra  
March 15, 1993  
Page 2


STATE ENGINEER OFFICE  
ROSWELL NEW MEXICO  
'93 MAR 19 AM 10 58

I am also writing to withdraw all three (3) applications associated with C-2269, in the name of Pogo Producing Company. The hole was drilled, but no water was encountered, and, therefore, Pogo is abandoning its application and permits for that particular location. The failure to find water prompted the applications I am enclosing today.

Please let me know if I can provide additional information. Thank you for your assistance in this matter.

Very truly yours,

HINKLE, COX, EATON,  
COFFIELD & HENSLEY

  
Jeffrey L. Fornaciari

JLF:jr  
Enclosures  
cc: Terry Gant  
Dennis R. Cooper

'93 MAR 15 PM 1 50  
STATE ENGINEER OFFICE  
SANTA FE NEW MEXICO

HINKLE, COX, EATON, COFFIELD & HENSLEY



## APPENDIX C

### Photographic Documentation

---



Project: Llama Mall 26 35 Federal Com. #311H  
Entity: Oxy USA, Inc  
Incident ID: nAPP2401247161



Impacted soil in release footprint prior to remediation activities, facing north (January 10, 2024).



Impacted soil in release footprint prior to remediation activities, facing south (January 10, 2024).



Project: Llama Mall 26 35 Federal Com. #311H

Entity: Oxy USA, Inc

Incident ID: nAPP2401247161



Date & Time: Wed, Aug 07, 2024 at 10:35:21 MDT  
Position: +032.367492° / -103.649330° (±11.6ft)  
Altitude: 3704ft (±9.8ft)  
Datum: WGS-84  
Azimuth/Bearing: 338° N22W 6009mils True (±18°)  
Elevation Angle: -13.7°  
Horizon Angle: -02.4°  
Zoom: 0.5X



View of excavated release area during remediation activities, facing northwest (August 07, 2024).

Date & Time: Wed, Aug 07, 2024 at 10:36:17 MDT  
Position: +032.367801° / -103.649323° (±15.5ft)  
Altitude: 3700ft (±11.1ft)  
Datum: WGS-84  
Azimuth/Bearing: 358° N02W 6364mils True (±15°)  
Elevation Angle: -09.7°  
Horizon Angle: -02.3°  
Zoom: 0.5X



View of excavated release area during remediation activities, facing north (August 07, 2024).



Project: Llama Mall 26 35 Federal Com. #311H

Entity: Oxy USA, Inc

Incident ID: nAPP2401247161



Date & Time: Wed, Aug 07, 2024 at 10:37:03 MDT  
Position: +032.368031° / -103.649215° (±15.6ft)  
Altitude: 3698ft (±11.0ft)  
Datum: WGS-84  
Azimuth/Bearing: 236° S56W 4196mils True (±15°)  
Elevation Angle: -10.7°  
Horizon Angle: -01.5°  
Zoom: 0.5X



View of excavated release area during remediation activities, facing southwest (August 07, 2024).

Date & Time: Wed, Aug 07, 2024 at 10:38:01 MDT  
Position: +032.368265° / -103.649288° (±15.6ft)  
Altitude: 3701ft (±11.1ft)  
Datum: WGS-84  
Azimuth/Bearing: 191° S11W 3396mils True (±15°)  
Elevation Angle: -15.1°  
Horizon Angle: -01.8°  
Zoom: 0.5X



View of excavated release area during remediation activities, facing southwest (August 07, 2024).



Project: Llama Mall 26 35 Federal Com. #311H  
Entity: Oxy USA, Inc  
Incident ID: nAPP2401247161



View of backfilled and reseeded area post remediation activities, facing west (September 18, 2024).



View of backfilled and reseeded area post remediation activities, facing north (September 18, 2024).



## APPENDIX D

Table(s)

---

**TABLE 1**  
**SAMPLE ANALYTICAL RESULTS**  
 Llama Mall 26 35 Federal Com. #311H  
 Oxy USA, Inc.  
 Lea County, New Mexico  
 Ensolum Project No. 03B1417139

Sample Designation	Date	Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total TPH (GRO+DRO+MRO) (mg/kg)	Chloride (mg/kg)
New Mexico Oil Conservation Division Closure Criteria for Soils Impacted by a Release (≤ 50 feet)			10	NE	NE	NE	50	NE	NE	NE	100	600
Composite Floor Sample Analytical Results												
FS-01	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	27.4	<10.0	27.4	1,280
	07/23/2024	4	NS					NS				32.0
FS-02	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	175	<10.0	175	2,040
	07/23/2024	4	NS					<10.0	<10.0	<10.0	<10.0	64.0
FS-03	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	98.3	<10.0	98.3	1,490
	07/23/2024	4	NS					NS				32.0
FS-04	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	78.3	<10.0	78.3	1,170
	07/23/2024	4	NS					NS				96.0
FS-05	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	100	<10.0	100	1,340
	07/23/2024	4	NS					<10.0	<10.0	<10.0	<10.0	64.0
FS-06	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	62.8	<10.0	62.8	1,070
	07/23/2024	4	NS					NS				32.0
FS-07	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176
FS-08	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	44.7	<10.0	44.7	944
	07/23/2024	4	NS					NS				80.0
FS-09	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	19.9	<10.0	19.9	352
FS-10	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	112	14.8	127	1,570
	07/23/2024	4	NS					<10.0	<10.0	<10.0	<10.0	48.0
FS-11	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	55.1	<10.0	55.1	976
	07/23/2024	4	NS					NS				32.0
FS-12	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	20.1	<10.0	20.1	448
FS-13	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	17.4	<10.0	17.4	592
FS-14	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	42.1	<10.0	42.1	832
	07/23/2024	4	NS					NS				192
FS-15	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	19.8	<10.0	19.8	368
FS-16	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	70.8	<10.0	70.8	1,220
	07/23/2024	4	NS					NS				256
FS-17	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	98.6	12.2	111	1,260
	07/23/2024	4	NS					<10.0	<10.0	<10.0	<10.0	672
	08/07/2024	4	NS					NS				80.0
FS-18	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	19.9	<10.0	19.9	400
FS-19	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	31.0	<10.0	31.0	1,600
	07/23/2024	4	NS					NS				240
FS-20	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	19.4	<10.0	19.4	496


**TABLE 1**  
**SAMPLE ANALYTICAL RESULTS**  
 Llama Mall 26 35 Federal Com. #311H  
 Oxy USA, Inc.  
 Lea County, New Mexico  
 Ensolum Project No. 03B1417139

Sample Designation	Date	Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total TPH (GRO+DRO+MRO) (mg/kg)	Chloride (mg/kg)
New Mexico Oil Conservation Division Closure Criteria for Soils Impacted by a Release (≤ 50 feet)			10	NE	NE	NE	50	NE	NE	NE	100	600
FS-21	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	640
	07/23/2024	4	NS					NS				320
FS-22	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	272
FS-23	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	34.9	<10.0	34.9	1,090
	07/23/2024	4	NS					NS				64.0
FS-24	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	21.0	<10.0	21.0	528
FS-25	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	35.8	<10.0	35.8	912
	07/23/2024	4	NS					NS				32.0
FS-26	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	18.3	<10.0	18.3	736
	07/23/2024	4	NS					NS				32.0
FS-27	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	15.6	<10.0	15.6	928
	07/23/2024	4	NS					NS				32.0
FS-28	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	816
	07/23/2024	4	NS					NS				48.0
FS-29	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	464
FS-30	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	448
FS-31	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	288
FS-32	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	14.0	<10.0	14.0	544
FS-33	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	304
FS-34	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	800
	07/23/2024	4	NS					NS				96.0
FS-35	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	1,680
	07/23/2024	4	NS					NS				128
FS-36	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	720
	07/23/2024	4	NS					NS				128
FS-37	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	720
	07/23/2024	4	NS					NS				240
FS-38	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	1,070
	07/23/2024	4	NS					NS				80.0
FS-39	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	304
FS-40	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	1,380
	07/23/2024	4	NS					NS				320
FS-41	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	992
	07/23/2024	4	NS					NS				240

**TABLE 1**  
**SAMPLE ANALYTICAL RESULTS**  
 Llama Mall 26 35 Federal Com. #311H  
 Oxy USA, Inc.  
 Lea County, New Mexico  
 Ensolum Project No. 03B1417139

Sample Designation	Date	Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total TPH (GRO+DRO+MRO) (mg/kg)	Chloride (mg/kg)
New Mexico Oil Conservation Division Closure Criteria for Soils Impacted by a Release (≤ 50 feet)			10	NE	NE	NE	50	NE	NE	NE	100	600
FS-42	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	912
	08/07/2024	4	NS					NS				48.0
FS-43	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	27.9	<10.0	27.9	2,840
	07/23/2024	4	NS					NS				32.0
FS-44	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0
FS-45	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	8,260
	07/23/2024	4	NS					NS				96.0
FS-46	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	46.8	10.3	57.1	1,020
	07/23/2024	4	NS					NS				32.0
FS-47	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	1,330
	07/23/2024	4	NS					NS				112
FS-48	04/29/2024	2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	23.0	<10.0	23.0	496
Composite Sidewall Sample Analytical Results												
SW-01	04/29/2024	0-2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192
	08/07/2024	2-4	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0
SW-02	04/29/2024	0-2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	3,680
	08/07/2024	0-2	NS					NS				208
	07/23/2024	2-4	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	688
	08/07/2024	2-4	NS					NS				48.0
SW-03	04/29/2024	0-2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112
	07/23/2024	2-4	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144
SW-04	04/29/2024	0-2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48.0
	07/23/2024	2-4	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80.0
SW-05	04/29/2024	0-2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
	07/23/2024	2-4	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144
SW-06	04/29/2024	0-2	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224
	07/23/2024	2-4	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176

Concentrations in **bold** and yellow exceed the New Mexico Oil Conservation Division Closure Criteria for Soils Impacted by a Release (≤ 50 feet)

 Additional Excavation and/or Re-Sample

bgs: below ground surface

mg/kg: milligrams per kilogram

NE: Not Established

NS: Not Sampled

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

MRO: Motor Oil/Lube Oil Range Organics

TPH: Total Petroleum Hydrocarbon





**TABLE 2**  
**BACKFILL SOIL SAMPLE ANALYTICAL RESULTS**  
 Mills Ranch Pit  
 Oxy USA, Inc.  
 Lea County, New Mexico  
 Ensolum Project No. NA

Sample Designation	Date	Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total TPH (GRO+DRO+MRO) (mg/kg)	Chloride (mg/kg)
New Mexico Oil Conservation Division Closure Criteria for Soils Impacted by a Release (≤ 50 feet)			10	NE	NE	NE	50	NE	NE	NE	100	600
Composite Background Soil Sample Analytical Result												
Mills Ranch Pit	09/30/2024	NA	<0.050	0.060	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0

bgs: below ground surface

mg/kg: milligrams per kilogram

NA: Not Applicable

NE: Not Established

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

MRO: Motor Oil/Lube Oil Range Organics

TPH: Total Petroleum Hydrocarbon



## APPENDIX E

### Laboratory Analytical Reports & Chain-of-Custody Documentation

---



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

May 06, 2024

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: LLAMA MALL 26 35 FEDERAL COM #311H

Enclosed are the results of analyses for samples received by the laboratory on 04/30/24 13:34.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #311I	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 01 2' (H242300-01)**

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.11	106	2.00	5.61	
Toluene*	<0.050	0.050	05/02/2024	ND	2.20	110	2.00	5.41	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	5.74	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.72	112	6.00	4.92	
Total BTX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1280	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	212	106	200	4.40	
DRO >C10-C28*	27.4	10.0	05/02/2024	ND	203	101	200	1.77	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 95.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 104 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 02 2' (H242300-02)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.11	106	2.00	5.61	
Toluene*	<0.050	0.050	05/02/2024	ND	2.20	110	2.00	5.41	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	5.74	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.72	112	6.00	4.92	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2040	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	212	106	200	4.40	
DRO >C10-C28*	175	10.0	05/02/2024	ND	203	101	200	1.77	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 89.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 03 2' (H242300-03)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.11	106	2.00	5.61	
Toluene*	<0.050	0.050	05/02/2024	ND	2.20	110	2.00	5.41	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	5.74	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.72	112	6.00	4.92	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1490	16.0	05/02/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	212	106	200	4.40	
DRO >C10-C28*	98.3	10.0	05/02/2024	ND	203	101	200	1.77	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 94.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 04 2' (H242300-04)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41		
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75		
Total BTEX	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1170	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	212	106	200	4.40	
DRO >C10-C28*	78.3	10.0	05/02/2024	ND	203	101	200	1.77	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 80.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 05 2' (H242300-05)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1340	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	212	106	200	4.40	
DRO >C10-C28*	100	10.0	05/02/2024	ND	203	101	200	1.77	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 98.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 06 2' (H242300-06)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1070	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	212	106	200	4.40	
DRO >C10-C28*	62.8	10.0	05/02/2024	ND	203	101	200	1.77	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 85.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 90.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 07 2' (H242300-07)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	212	106	200	4.40	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	203	101	200	1.77	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 95.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 102 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 08 2' (H242300-08)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	944	16.0	05/02/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	212	106	200	4.40	
DRO >C10-C28*	44.7	10.0	05/02/2024	ND	203	101	200	1.77	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 90.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 90.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 09 2' (H242300-09)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	352	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	19.9	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 110 % 48.2-134

Surrogate: 1-Chlorooctadecane 112 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 10 2' (H242300-10)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1570	16.0	05/02/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	112	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	14.8	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 11 2' (H242300-11)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	976	16.0	05/02/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	55.1	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 106 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 12 2' (H242300-12)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	448	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	20.1	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 112 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 13 2' (H242300-13)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	592	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	17.4	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 14 2' (H242300-14)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	832	16.0	05/02/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	42.1	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 103 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 15 2' (H242300-15)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	368	16.0	05/02/2024	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	19.8	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 107 % 48.2-134

Surrogate: 1-Chlorooctadecane 107 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 16 2' (H242300-16)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1220	16.0	05/02/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	70.8	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 17 2' (H242300-17)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1260	16.0	05/02/2024	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	98.6	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	12.2	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 105 % 48.2-134

Surrogate: 1-Chlorooctadecane 102 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 18 2' (H242300-18)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	400	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	19.9	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 79.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 73.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 19 2' (H242300-19)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1600	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	31.0	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 97.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 20 2' (H242300-20)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	496	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	19.4	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 93.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 21 2' (H242300-21)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	640	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 91.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 83.4 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 22 2' (H242300-22)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	05/02/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 88.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 23 2' (H242300-23)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.00	100	2.00	6.41	
Toluene*	<0.050	0.050	05/02/2024	ND	2.01	101	2.00	5.59	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	4.87	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.93	98.8	6.00	4.75	
Total BTEx	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1090	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	34.9	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 96.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 92.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 24 2' (H242300-24)**

BTEx 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 71.5-134

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AC				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	05/02/2024	ND	432	108	400	3.64	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	21.0	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 92.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.4 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 25 2' (H242300-25)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	912	16.0	05/02/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	213	106	200	2.35	
DRO >C10-C28*	35.8	10.0	05/01/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 91.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 26 2' (H242300-26)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	736	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	213	106	200	2.35	
DRO >C10-C28*	18.3	10.0	05/02/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 96.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 96.4 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 27 2' (H242300-27)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	928	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	213	106	200	2.35	
DRO >C10-C28*	15.6	10.0	05/02/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 99.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 28 2' (H242300-28)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	816	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	213	106	200	2.35	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	221	110	200	8.46	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 89.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 88.9 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 29 2' (H242300-29)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	464	16.0	05/02/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 117 % 48.2-134

Surrogate: 1-Chlorooctadecane 108 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 30 2' (H242300-30)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617		
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334		
Total BTEX	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	448	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 108 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.5 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 31 2' (H242300-31)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 98.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 90.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 32 2' (H242300-32)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	544	16.0	05/02/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	14.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 89.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 33 2' (H242300-33)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 98.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 94.1 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 34 2' (H242300-34)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	800	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 94.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 35 2' (H242300-35)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617		
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334		
Total BTEX	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1680	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 82.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 78.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 36 2' (H242300-36)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617		
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334		
Total BTEX	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	720	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 102 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 37 2' (H242300-37)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	720	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 93.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 38 2' (H242300-38)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617		
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334		
Total BTEX	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1070	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 77.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 74.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 39 2' (H242300-39)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617		
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334		
Total BTEX	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 86.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 80.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 40 2' (H242300-40)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617		
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334		
Total BTEX	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1380	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 101 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.0 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 41 2' (H242300-41)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	992	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 91.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 42 2' (H242300-42)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617	
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	912	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 89.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 43 2' (H242300-43)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.02	101	2.00	0.617		
Toluene*	<0.050	0.050	05/02/2024	ND	2.03	101	2.00	0.900		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.04	102	2.00	0.400		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	5.91	98.5	6.00	0.334		
Total BTEX	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2840	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	195	97.7	200	0.558		
DRO >C10-C28*	27.9	10.0	05/02/2024	ND	199	99.5	200	4.50		
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND						

Surrogate: 1-Chlorooctane 115 % 48.2-134

Surrogate: 1-Chlorooctadecane 112 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 44 2' (H242300-44)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88	
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37	QM-07
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82	QM-07
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7	QM-07
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 119 % 48.2-134

Surrogate: 1-Chlorooctadecane 117 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 45 2' (H242300-45)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88	
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	8260	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 77.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 72.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 46 2' (H242300-46)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88	
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7	
Total BTEx	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1020	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	46.8	10.0	05/02/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	10.3	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 117 % 48.2-134

Surrogate: 1-Chlorooctadecane 115 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 47 2' (H242300-47)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88	
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1330	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 106 % 48.2-134

Surrogate: 1-Chlorooctadecane 102 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 48 2' (H242300-48)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88	
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	496	16.0	05/02/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	195	97.7	200	0.558	
DRO >C10-C28*	23.0	10.0	05/02/2024	ND	199	99.5	200	4.50	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 98.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 64.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW - 01 0-2' (H242300-49)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88		
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7		
Total BTEx	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	205	102	200	3.38	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	202	101	200	3.25	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 103 % 48.2-134

Surrogate: 1-Chlorooctadecane 125 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW - 02 0-2' (H242300-50)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88		
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7		
Total BTEx	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	3680	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/01/2024	ND	205	102	200	3.38	
DRO >C10-C28*	<10.0	10.0	05/01/2024	ND	202	101	200	3.25	
EXT DRO >C28-C36	<10.0	10.0	05/01/2024	ND					

Surrogate: 1-Chlorooctane 96.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 109 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW - 03 0-2' (H242300-51)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88		
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7		
Total BTEx	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	205	102	200	3.38	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	202	101	200	3.25	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 89.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 98.7 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW - 04 0-2' (H242300-52)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88	
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7	
Total BTEx	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	205	102	200	3.38	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	202	101	200	3.25	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 97.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 115 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW - 05 0-2' (H242300-53)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88	
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37	
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82	
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7	
Total BTEX	<0.300	0.300	05/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	205	102	200	3.38	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	202	101	200	3.25	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 96.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 115 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	04/30/2024	Sampling Date:	04/29/2024
Reported:	05/06/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW - 06 0-2' (H242300-54)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/02/2024	ND	2.12	106	2.00	7.88		
Toluene*	<0.050	0.050	05/02/2024	ND	2.16	108	2.00	9.37		
Ethylbenzene*	<0.050	0.050	05/02/2024	ND	2.22	111	2.00	9.82		
Total Xylenes*	<0.150	0.150	05/02/2024	ND	6.79	113	6.00	10.7		
Total BTEx	<0.300	0.300	05/02/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	05/02/2024	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/02/2024	ND	205	102	200	3.38	
DRO >C10-C28*	<10.0	10.0	05/02/2024	ND	202	101	200	3.25	
EXT DRO >C28-C36	<10.0	10.0	05/02/2024	ND					

Surrogate: 1-Chlorooctane 91.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 111 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

### Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager



### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

[illegible]

† Cardinal cannot accept verbal changes. Please email changes to [celey.keene@cardinallabsnm.com](mailto:celey.keene@cardinallabsnm.com)



# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC				<b>BILL TO</b>				<b>ANALYSIS REQUEST</b>											
Project Manager: Kelly Lowery				P.O. #:															
Address: 601 N. Marienfeld St. STE 400				Company: Ensolum															
City: Midland State: TX Zip: 79701				Attn: Wgdc S. Hirsch															
Phone #: 214-733-3165 Email: klowery@ensolum.com				Address:															
Project #: 03B1417139 Project Owner: Oxy USA, Inc.				City:															
Project Name: Llama Mall 26 35 Federal Cor. #311H				State: Zip:															
Project Location: Eddy County, New Mexico				Phone #: (575) 390-2828															
Sampler Name: Kelly Lowery				Email:															
FOR LAB USE ONLY																			
Lab I.D.	Sample I.D.	Sample Depth (feet)	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.	SAMPLING		TPH 8015M	BTX 8021B	Chloride 4500				
					GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE/COOL:				OTHER:	DATE	TIME	
H242300	FS-11	2'	C	1		X					X	4/29/24	1351	X	X	X			
12	FS-12	2'	C	1		X					X	↑	1350	X	X	X			
13	FS-13	2'	C	1		X					X		1352	X	X	X			
14	FS-14	2'	C	1		X					X		1353	X	X	X			
15	FS-15	2'	C	1		X					X		1354	X	X	X			
16	FS-16	2'	C	1		X					X		1355	X	X	X			
17	FS-17	2'	C	1		X					X		1356	X	X	X			
18	FS-18	2'	C	1		X					X		1357	X	X	X			
19	FS-19	8'	C	1		X					X	↓	1357	X	X	X			
20	FS-20	2'	C	1		X					X	4/29/24	1358	X	X	X			

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses.

All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service.

In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Kelly	Date: 4/30/24	Received By: S.H. D. K.	Verbal Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Relinquished By: S.H. D. K.	Date: 4/30/24	Received By: APOUPO	All Results are emailed. Please provide Email address: klowery@ensolum.com / Bjennings@ensolum.com	
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C Corrected Temp. °C	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	REMARKS: Paykey/AFE/NonAFE:	
	3-6.2		Pg 2/5/6	
	# 140	CHECKED BY: (Initials) AP	Thermometer ID #113 RP Correction Factor -0.3°C	

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com





CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC										<b>BILL TO</b>										<b>ANALYSIS REQUEST</b>									
Project Manager: Kelly Lowery										P.O. #:																			
Address: 601 N. Marienfeld St. STE 400										Company: Ensolum																			
City: Midland State: TX Zip: 79701										Attn: Wade Dittoch																			
Phone #: 214-733-3165 Email: klowery@ensolum.com										Address:																			
Project #: 03B1417139 Project Owner: Oxy USA, Inc.										City:																			
Project Name: Llama Mall 26 35 Federal Cor. #311H										State: Zip:																			
Project Location: Eddy County, New Mexico										Phone #: (575) 390-2828																			
Sampler Name: Kelly Lowery										Email:																			
FOR LAB USE ONLY																													
Lab I.D.	Sample I.D.	Sample Depth (feet)	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.		SAMPLING		TPH 801.5M	BTX 802.1B	Chloride 4500													
					GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER:				DATE	TIME											
4242300	21 FS-21	2'	C	1			X				X		4/29/24	1359	X	X	X												
22	FS-22	2'	C	1			X				X		↑	1400	X	X	X												
23	FS-23	2'	C	1			X				X			1401	X	X	X												
24	FS-24	2'	C	1			X				X			1403	X	X	X												
25	FS-25	2'	C	1			X				X			1415	X	X	X												
26	FS-26	2'	C	1			X				X			1416	X	X	X												
27	FS-27	2'	C	1			X				X			1409	X	X	X												
28	FS-28	2'	C	1			X				X			1411	X	X	X												
29	FS-29	2'	C	1			X				X			1417	X	X	X												
30	FS-30	2'	C	1			X				X		↓	1419	X	X	X												
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses.																													
All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service.																													
In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.																													
Relinquished By: Kelly					Date: 4/30/24					Received By: [Signature]					Verbal Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Add'l Phone #:														
Relinquished By: [Signature]					Time: 1130					Received By: [Signature]					All Results are emailed. Please provide Email address: klowery@ensolum.com / Bjennings@ensolum.com														
Delivered By: (Circle One) Sampler - UPS - Bus - Other:					Observed Temp. °C Corrected Temp. °C 30.2					Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No					CHECKED BY: (Initials) AD														
					Turnaround Time: Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/> Bacteria (only) Sample Condition					Thermometer ID #113 Correction Factor -0.2					Pg 3/5														

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Mariand, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC				<b>BILL TO</b>				<b>ANALYSIS REQUEST</b>											
Project Manager: Kelly Lowery				P.O. #:				<div style="display: flex; flex-direction: column; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">TPH 8015M</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">BTEX 8021B</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Chloride 4500</div> </div>											
Address: 601 N. Marienfeld St. STE 400				Company: <del>Ensolum, LLC</del> Oxy USA, Inc.															
City: Midland State: TX Zip: 79701				Attn: Wade Dittich															
Phone #: 214-733-3165 Email: klowery@ensolum.com				Address:															
Project #: 03B147139 Project Owner: Oxy USA, Inc.				City:															
Project Name: Llama Mill 24 35 Federal Corn. #311H				State: Zip:															
Project Location: Eddy County New Mexico				Phone #: (575) 390-2828															
Sampler Name: Kelly Lowery				Email:															
FOR LAB USE ONLY																			
Lab I.D.	Sample I.D.	Sample Depth (feet)	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.	SAMPLING								
					GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL :	OTHER :	DATE	TIME				
H242300																			
31	FS-31	2'	C	1		X					X			4/29/24	1421	X			
32	FS-32	2'	C	1		X					X			↑	1423	X			
33	FS-33	2'	C	1		X					X			↑	1425	X			
34	FS-34	2'	C	1		X					X			↑	1427	X			
35	FS-35	2'	C	1		X					X			↑	1429	X			
36	FS-36	2'	C	1		X					X			↑	1431	X			
37	FS-37	2'	C	1		X					X			↑	1433	X			
38	FS-38	2'	C	1		X					X			↑	1435	X			
39	FS-39	2'	C	1		X					X			↓	1437	X			
40	FS-40	2'	C	1		X					X			↓	1439	X			

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses.  
All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service.  
In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 4/30/24 Time: 1130	Received By:	Verbal Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date: 4-30-24 Time: 1334	Received By:	All Results are emailed. Please provide Email address: klowery@ensolum.com / mdonsway@eprod.com	
Delivered By: (Circle One) Sampler - UPS - Bus - Other:			REMARKS: Paykey/AFE/NonAFE:	
Observed Temp. °C	Corrected Temp. °C	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Turnaround Time: Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>	
		CHECKED BY: (Initials) AP	Bacteria (only) Sample Condition <input type="checkbox"/> Cool Intact <input type="checkbox"/> Observed Temp. °C	
			Thermometer ID: 8843 APV Correction Factor: 0.50C	

FORM-006 R 3.2 10/07/21






† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com





### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC Project Manager: Kelly Lowery Address: 601 N. Marinfeld St. STE 400 City: Midland State: TX Zip: 79701 Phone #: 214-733-3165 Email: klowery@ensolum.com Project #: 03B1417139 Project Owner: Oxy USA, Inc. Project Name: Llama Mall 26 35 Federal Com. #311H Project Location: Eddy County, New Mexico Sampler Name: Kelly Lowery										<b>BILL TO</b> P.O. #: Company: Ensolum Attn: Wade D. Houch Address: City: State: Zip: Phone #: (575) 390-2828 Email:										<b>ANALYSIS REQUEST</b>																																																																																																																																																																																																																									
FOR LAB USE ONLY <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Lab I.D.</th> <th rowspan="2">Sample I.D.</th> <th rowspan="2">Sample Depth (feet)</th> <th rowspan="2">GIRAB OR (C)OMP.</th> <th rowspan="2"># CONTAINERS</th> <th colspan="5">MATRIX</th> <th colspan="2">PRESERV.</th> <th colspan="2">SAMPLING</th> <th rowspan="2">TPH 8015M</th> <th rowspan="2">BTX 8021B</th> <th rowspan="2">Chloride 4500</th> </tr> <tr> <th>GROUNDWATER</th> <th>WASTEWATER</th> <th>SOIL</th> <th>OIL</th> <th>SLUDGE</th> <th>OTHER :</th> <th>ACID/BASE:</th> <th>ICE / COOL</th> <th>OTHER :</th> <th>DATE</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>H242300</td> <td>21/FS-41</td> <td>2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>4/29/24</td> <td>1441</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>42</td> <td>FS-42</td> <td>2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>↑</td> <td>1443</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>43</td> <td>FS-43</td> <td>2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>1445</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>44</td> <td>FS-44</td> <td>2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>1447</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>45</td> <td>FS-45</td> <td>2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>1449</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>46</td> <td>FS-46</td> <td>2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>1451</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>47</td> <td>FS-47</td> <td>2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>1453</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>48</td> <td>FS-48</td> <td>2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>1455</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>49</td> <td>SW-01</td> <td>0-2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>1457</td> <td>X</td> <td>X</td> <td>X</td> </tr> <tr> <td>50</td> <td>SW-02</td> <td>0-2'</td> <td>C</td> <td>1</td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td>X</td> <td></td> <td></td> <td>↓</td> <td>1459</td> <td>X</td> <td>X</td> <td>X</td> </tr> </tbody> </table>										Lab I.D.	Sample I.D.	Sample Depth (feet)	GIRAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.		SAMPLING		TPH 8015M	BTX 8021B	Chloride 4500	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	H242300	21/FS-41	2'	C	1			X				X			4/29/24	1441	X	X	X	42	FS-42	2'	C	1			X				X			↑	1443	X	X	X	43	FS-43	2'	C	1			X				X				1445	X	X	X	44	FS-44	2'	C	1			X				X				1447	X	X	X	45	FS-45	2'	C	1			X				X				1449	X	X	X	46	FS-46	2'	C	1			X				X				1451	X	X	X	47	FS-47	2'	C	1			X				X				1453	X	X	X	48	FS-48	2'	C	1			X				X				1455	X	X	X	49	SW-01	0-2'	C	1			X				X				1457	X	X	X	50	SW-02	0-2'	C	1			X				X			↓	1459	X	X	X	PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.									
Lab I.D.	Sample I.D.	Sample Depth (feet)	GIRAB OR (C)OMP.	# CONTAINERS	MATRIX										PRESERV.		SAMPLING		TPH 8015M	BTX 8021B	Chloride 4500																																																																																																																																																																																																																								
					GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME																																																																																																																																																																																																																														
H242300	21/FS-41	2'	C	1			X				X			4/29/24	1441	X	X	X																																																																																																																																																																																																																											
42	FS-42	2'	C	1			X				X			↑	1443	X	X	X																																																																																																																																																																																																																											
43	FS-43	2'	C	1			X				X				1445	X	X	X																																																																																																																																																																																																																											
44	FS-44	2'	C	1			X				X				1447	X	X	X																																																																																																																																																																																																																											
45	FS-45	2'	C	1			X				X				1449	X	X	X																																																																																																																																																																																																																											
46	FS-46	2'	C	1			X				X				1451	X	X	X																																																																																																																																																																																																																											
47	FS-47	2'	C	1			X				X				1453	X	X	X																																																																																																																																																																																																																											
48	FS-48	2'	C	1			X				X				1455	X	X	X																																																																																																																																																																																																																											
49	SW-01	0-2'	C	1			X				X				1457	X	X	X																																																																																																																																																																																																																											
50	SW-02	0-2'	C	1			X				X			↓	1459	X	X	X																																																																																																																																																																																																																											
Relinquished By: 			Date: 4/30/24 Time: 11:30		Received By: 			Verbal Result: <input type="checkbox"/> Yes <input type="checkbox"/> No		Add'l Phone #:																																																																																																																																																																																																																																			
Relinquished By: 			Date: 4/30/24 Time: 1:32		Received By: 			All Results are emailed. Please provide Email address: klowery@ensolum.com / Bjenning@ensolum.com		REMARKS: Paykey/AFE/NonAFE:																																																																																																																																																																																																																																			
Delivered By: (Circle One) Sampler - UPS - Bus - Other:			Observed Temp. °C Corrected Temp. °C 30.2		Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			CHECKED BY: (Initials) 		Turnaround Time: Standard <input checked="" type="checkbox"/> Bacteria (only) Sample Condition Rush <input type="checkbox"/> Cool Intact Observed Temp. °C Thermometer ID 8150 Correction Factor -0.00																																																																																																																																																																																																																																			

† Cardinal cannot accept verbal changes. Please email changes to [celey.keene@cardinallabsnm.com](mailto:celey.keene@cardinallabsnm.com)





### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

[illegible]

† Cardinal cannot accept verbal changes. Please email changes to [celey.keene@cardinallabsnm.com](mailto:celey.keene@cardinallabsnm.com)



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 31, 2024

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: LLAMA MALL 26 35 FEDERAL COM #311H

Enclosed are the results of analyses for samples received by the laboratory on 07/25/24 14:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #311I	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS 01 4' (H244459-01)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>32.0</b>	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 02 4' (H244459-02)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>64.0</b>	16.0	07/29/2024	ND	448	112	400	3.64	
TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	187	93.5	200	4.49	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	174	87.1	200	0.581	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 85.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 88.1 % 49.1-148

**Sample ID: FS 03 4' (H244459-03)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>32.0</b>	16.0	07/29/2024	ND	448	112	400	3.64	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS 04 4' (H244459-04)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	07/29/2024	ND	448	112	400	3.64		

**Sample ID: FS 05 4' (H244459-05)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	07/29/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	187	93.5	200	4.49	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	174	87.1	200	0.581	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 91.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.4 % 49.1-148

**Sample ID: FS 06 4' (H244459-06)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	07/29/2024	ND	448	112	400	3.64		

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #311I	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS 08 4' (H244459-07)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	07/29/2024	ND	448	112	400	3.64		

**Sample ID: FS 10 4' (H244459-08)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	07/29/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	187	93.5	200	4.49	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	174	87.1	200	0.581	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 82.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.5 % 49.1-148

**Sample ID: FS 11 4' (H244459-09)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	07/29/2024	ND	448	112	400	3.64		

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS 14 4' (H244459-10)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	07/30/2024	ND	448	112	400	3.64		

**Sample ID: FS 16 4' (H244459-11)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 17 4' (H244459-12)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	672	16.0	07/29/2024	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	187	93.5	200	4.49	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	174	87.1	200	0.581	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 85.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS 19 4' (H244459-13)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 21 4' (H244459-14)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 23 4' (H244459-15)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 25 4' (H244459-16)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 26 4' (H244459-17)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/29/2024	ND	448	112	400	3.64	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received: 07/25/2024  
 Reported: 07/31/2024  
 Project Name: LLAMA MALL 26 35 FEDERAL COM #3111  
 Project Number: 03B1417139  
 Project Location: OXY ( 32.3681-103.6505 )

Sampling Date: 07/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: FS 27 4' (H244459-18)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 28 4' (H244459-19)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 34 4' (H244459-20)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 35 4' (H244459-21)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 36 4' (H244459-22)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	07/29/2024	ND	448	112	400	3.64	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received: 07/25/2024  
 Reported: 07/31/2024  
 Project Name: LLAMA MALL 26 35 FEDERAL COM #3111  
 Project Number: 03B1417139  
 Project Location: OXY ( 32.3681-103.6505 )

Sampling Date: 07/23/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: FS 37 4' (H244459-23)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 38 4' (H244459-24)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 40 4' (H244459-25)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 41 4' (H244459-26)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 43 4' (H244459-27)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/29/2024	ND	448	112	400	3.64	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS 45 4' (H244459-28)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	07/29/2024	ND	448	112	400	3.64		

**Sample ID: FS 46 4' (H244459-29)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/29/2024	ND	448	112	400	3.64	

**Sample ID: FS 47 4' (H244459-30)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	07/29/2024	ND	448	112	400	3.64	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW 02 2-4' (H244459-31)**

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2024	ND	2.00	100	2.00	7.14	
Toluene*	<0.050	0.050	07/29/2024	ND	1.95	97.6	2.00	7.53	
Ethylbenzene*	<0.050	0.050	07/29/2024	ND	1.98	99.2	2.00	8.31	
Total Xylenes*	<0.150	0.150	07/29/2024	ND	5.83	97.2	6.00	8.80	
Total BTX	<0.300	0.300	07/29/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	688	16.0	07/29/2024	ND	464	116	400	7.14	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	187	93.5	200	4.49	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	174	87.1	200	0.581	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 80.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 84.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW 03 2-4' (H244459-32)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2024	ND	2.00	100	2.00	7.14		
Toluene*	<0.050	0.050	07/29/2024	ND	1.95	97.6	2.00	7.53		
Ethylbenzene*	<0.050	0.050	07/29/2024	ND	1.98	99.2	2.00	8.31		
Total Xylenes*	<0.150	0.150	07/29/2024	ND	5.83	97.2	6.00	8.80		
Total BTEX	<0.300	0.300	07/29/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	07/29/2024	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	187	93.5	200	4.49	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	174	87.1	200	0.581	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 90.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.6 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW 04 2-4' (H244459-33)**

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/29/2024	ND	2.00	100	2.00	7.14	
Toluene*	<0.050	0.050	07/29/2024	ND	1.95	97.6	2.00	7.53	
Ethylbenzene*	<0.050	0.050	07/29/2024	ND	1.98	99.2	2.00	8.31	
Total Xylenes*	<0.150	0.150	07/29/2024	ND	5.83	97.2	6.00	8.80	
Total BTEX	<0.300	0.300	07/29/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	07/29/2024	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	187	93.5	200	4.49	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	174	87.1	200	0.581	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 91.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.8 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW 05 2-4' (H244459-34)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2024	ND	2.00	100	2.00	7.14		
Toluene*	<0.050	0.050	07/29/2024	ND	1.95	97.6	2.00	7.53		
Ethylbenzene*	<0.050	0.050	07/29/2024	ND	1.98	99.2	2.00	8.31		
Total Xylenes*	<0.150	0.150	07/29/2024	ND	5.83	97.2	6.00	8.80		
Total BTEX	<0.300	0.300	07/29/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	07/29/2024	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	185	92.3	200	0.519	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	182	91.0	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 116 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	07/25/2024	Sampling Date:	07/23/2024
Reported:	07/31/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Tamara Oldaker
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW 06 2-4' (H244459-35)**

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/29/2024	ND	1.96	97.8	2.00	3.43		
Toluene*	<0.050	0.050	07/29/2024	ND	2.08	104	2.00	3.65		
Ethylbenzene*	<0.050	0.050	07/29/2024	ND	2.17	108	2.00	3.69		
Total Xylenes*	<0.150	0.150	07/29/2024	ND	6.66	111	6.00	3.42		
Total BTEX	<0.300	0.300	07/29/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	07/29/2024	ND	464	116	400	7.14		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/29/2024	ND	185	92.3	200	0.519	
DRO >C10-C28*	<10.0	10.0	07/29/2024	ND	182	91.0	200	2.81	
EXT DRO >C28-C36	<10.0	10.0	07/29/2024	ND					

Surrogate: 1-Chlorooctane 90.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.2 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

### Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



† Cardinal cannot accept verbal changes. Please email changes to [celey.keene@cardinallabsnm.com](mailto:celey.keene@cardinallabsnm.com)



† Cardinal cannot accept verbal changes. Please email changes to [celey.keene@cardinallabsnm.com](mailto:celey.keene@cardinallabsnm.com)





# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC				BILL TO		ANALYSIS REQUEST																			
Project Manager: Kelly Lowery				P.O. #:		<div>Chloride / 4500</div>																			
Address: 601 N. Marlenfeld St. STE 400				Company: Oxy USA, Inc.																					
City: Midland State: TX Zip: 79701				Attn: Wade Ditrch																					
Phone #: 214-733-3165 Email: klowery@ensolum.com				Address:																					
Project #: 0381417139 Project Owner: OXY				City:																					
Project Name: Laguna Mall 26 35 Fld Conn #311H				State: Zip:																					
Project Location: 32-3681, -103-1650				Phone #: (575) 390-2826																					
Sampler Name: Israel Estrella				Email: wade_ditrch@oxy.com																					
Lab I.D.		Sample I.D.		Sample Depth (feet)		MATRIX		PRESERV.		SAMPLING															
						CONTAINERS						DATE		TIME											
H24 4450		S5 35		4		GROUNDWATER		X		X		7/25/24		1150		X									
21		36				WASTEWATER								1443		X									
22		37				SOIL								1442		X									
23		38				OIL								1150		X									
24		40				SILT/CLAY								1156		X									
25		41				OTHER								1152		X									
26		43				ACID/BASE								1157		X									
27		45				ICE / COOL								1201		X									
28		46				OTHER								1159		X									
29		47												1200		X									
30																									

PLEASE NOTE: Samples are analyzed by Cardinal's facility and the results are subject to change based on the results of the analysis. All claims, including those for negligence and any other cause of action, shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for personal or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services furnished by Cardinal, regardless of whether such claim is based upon any of the above stated aspects or otherwise.

Relinquished By:	Date: 7/25/24	Received By:	Verbal Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
	Time: 1435		AS Results are emailed. Please provide Email address: klowery@ensolum.com / wade_ditrch@oxy.com	
Relinquished By:	Date:	Received By:	REMARKS: Paykey/AFE/NonAFE:	
	Time:			
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C Corrected Temp. °C: 24	Sample Condition Cool - <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Dry - <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	CHECKED BY: (Initials) 	Exposure Time: Standard <input checked="" type="checkbox"/> <input type="checkbox"/> Flash: <input type="checkbox"/> Cool - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Thermometer ID: #113 #140 Correction Factor: -0.5°C 7/25/24

FORM-058 R 3.2 10/21/01

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

3/4





## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC				<b>BILL TO</b>				<b>ANALYSIS REQUEST</b>											
Project Manager: Kelly Lowery				P.O. #:				<div style="display: flex; flex-direction: column; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">5754/8021 B</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Chloride / 14500</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">TPH / 8015</div> </div>											
Address: 601 N. Marlenfeld St STE 400				Company: Oxy USA, Inc.															
City: Midland State: TX Zip: 79701				Attn: Wade Ditrich															
Phone #: 214-733-3165 Email: klowery@ensolum.com				Address:															
Project #: 0381417139 Project Owner: OXY				City:															
Project Name: Llano Mall 26.35 Fed Com #3111				State: Zip:															
Project Location: 32-3681-103-6505				Phone #: (575) 390-2826															
Sampler Name: Israel G. Spiller				Email: wade_ditrich@oxy.com															
FOR LAB USE ONLY																			
Lab I.D.	Sample I.D.	Sample Depth (feet)	GIRAB OR (C)OUP	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACIDBASE	ICE/COOL	OTHER	DATE	TIME				
A244459	SW02	2-4'	1	1										7/24/24	1517				
31	03														1207				
32	04														1215				
33	05														1214				
34	06														1523				

\*Addt NOTE: Liability and Damages: Cardinal's liability and client's damages resulting from any chain custody violation based in contract or tort, shall be limited to the amount paid by the client for the analysis.  
All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service.  
In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services rendered by Cardinal, regardless of whether such claim is based upon any of the above stated events or otherwise.

Relinquished By: <i>dl</i>	Date: 7-25-24	Received By: <i>Wade Ditrich</i>	Verbal Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
Time: 4:35			All Results are emailed. Please provide Email address: klowery@ensolum.com / wade_ditrich@oxy.com	
Relinquished By:	Date:	Received By:	REMARKS: Payhwy/AF/NonAF:	
Time:				
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C Corrected Temp. °C: 26	Sample Condition Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/> <input type="checkbox"/> No <input type="checkbox"/> Yes	CHECKED BY: (Initials) <i>W.D.</i>	Turnaround Time: Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/> Thermometer ID: 6113 Correction Factor: -0.02
				Backlog (add'l Sample Condition) Observed Temp. °C Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

4/4





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

August 13, 2024

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: LLAMA MALL 26 35 FEDERAL COM #311H

Enclosed are the results of analyses for samples received by the laboratory on 08/07/24 15:06.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	08/07/2024	Sampling Date:	08/07/2024
Reported:	08/13/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #311I	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Alyssa Parras
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: FS - 17 4' (H244765-01)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	08/09/2024	ND	416	104	400	0.00	

**Sample ID: FS - 42 4' (H244765-02)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	08/09/2024	ND	416	104	400	0.00	

**Sample ID: SW - 01 2-4' (H244765-03)**

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/08/2024	ND	2.40	120	2.00	3.52	
Toluene*	<0.050	0.050	08/08/2024	ND	2.38	119	2.00	7.43	
Ethylbenzene*	<0.050	0.050	08/08/2024	ND	2.46	123	2.00	8.17	
Total Xylenes*	<0.150	0.150	08/08/2024	ND	7.40	123	6.00	7.78	
Total BTEX	<0.300	0.300	08/08/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	08/09/2024	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received:	08/07/2024	Sampling Date:	08/07/2024
Reported:	08/13/2024	Sampling Type:	Soil
Project Name:	LLAMA MALL 26 35 FEDERAL COM #3111	Sampling Condition:	Cool & Intact
Project Number:	03B1417139	Sample Received By:	Alyssa Parras
Project Location:	OXY ( 32.3681-103.6505 )		

**Sample ID: SW - 01 2-4' (H244765-03)**

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/08/2024	ND	222	111	200	1.54	
DRO >C10-C28*	<10.0	10.0	08/08/2024	ND	210	105	200	0.283	
EXT DRO >C28-C36	<10.0	10.0	08/08/2024	ND					
Surrogate: 1-Chlorooctane	80.1 %	48.2-134							
Surrogate: 1-Chlorooctadecane	93.6 %	49.1-148							

**Sample ID: SW - 02 0-2' (H244765-04)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	08/09/2024	ND	416	104	400	0.00	

**Sample ID: SW - 02 2-4' (H244765-05)**

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	08/09/2024	ND	416	104	400	0.00		

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

### Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Ensolum, LLC				<b>BILL TO</b>				<b>ANALYSIS REQUEST</b>											
Project Manager: <del>Beeux Jennings</del> Kelly Lowery				P.O. #:				<div style="display: flex; flex-direction: column; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">ESTEX 8021 B</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">TPH 805M</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Chlorides 4500</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">NFE</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">8/7/24</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Sam</div> </div>											
Address: 601 N Marienfeld Street, Suite 400				Company: Oxy USA Inc.															
City: Midland State: TX Zip: 79701				Attn: Wade Dittrich															
Phone #: 210-240-8858 214-733-5165 Fax #:				Address:															
Project #: 0381417139 Project Owner:				City:															
Project Name: Llama Mall 2635 Federal Con. #311H				State: Zip:															
Project Location: Lea County, NM				Phone #: 575-390-2828															
Sampler Name: Samantha Mackenzie				Fax #:															
FOR LAB USE ONLY																			
Lab I.D.	Sample I.D.	Depth (feet)	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX				PRESERV.		SAMPLING								
					GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE/COOL	OTHER:	DATE	TIME				
1244705																			
1	FS-17	4	C	1			X				X			8/7/24	1200				
2	FS-42	4	C	1			X				X			8/7/24	1025				
3	SW-01	2-4	C	1			X				X			8/7/24	1220	X X X			
4	SW-02	0-2	C	1			X				X			8/7/24	1035	X			
5	SW-02	2-4	C	1			X				X			8/7/24	1040	X			
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.																			
Relinquished By:		Date: 8-7-24		Received By:		Verbal Result: <input type="checkbox"/> Yes <input type="checkbox"/> No		Add'l Phone #:											
		Time: 1:50p				All Results are emailed. Please provide Email address:													
Relinquished By:		Date:		Received By:		REMARKS:													
		Time:																	
Delivered By: (Circle One)		Observed Temp. °C		Sample Condition		CHECKED BY: (Initials)		Turnaround Time: Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>		Bacteria (only) Sample Condition									
Sampler - UPS - Bus - Other:		Corrected Temp. °C		Cool Intact <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No		AD		Thermometer ID #443		Cool Intact <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No		Observed Temp. °C							
		522						140											
		4.0°C						-0.4°C				Corrected Temp. °C							

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

October 03, 2024

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: MILLS RANCH PIT

Enclosed are the results of analyses for samples received by the laboratory on 09/30/24 13:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

ENSOLUM, LLC  
 KELLY LOWERY  
 705 W WADLEY AVE.  
 MIDLAND TX, 79705  
 Fax To:

Received: 09/30/2024  
 Reported: 10/03/2024  
 Project Name: MILLS RANCH PIT  
 Project Number: 03B1417139  
 Project Location: OXY - LEA COUNTY, NM

Sampling Date: 09/30/2024  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Alyssa Parras

**Sample ID: MILLS RANCH PIT 0.25' (H245925-01)**

BTEX 8021B			mg/kg		Analyzed By: JH				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/02/2024	ND	1.99	99.6	2.00	6.75	
<b>Toluene*</b>	<b>0.060</b>	0.050	10/02/2024	ND	2.05	103	2.00	6.79	
Ethylbenzene*	<0.050	0.050	10/02/2024	ND	2.07	104	2.00	7.11	
Total Xylenes*	<0.150	0.150	10/02/2024	ND	6.16	103	6.00	7.03	
Total BTEX	<0.300	0.300	10/02/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500Cl-B			mg/kg		Analyzed By: HM				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/01/2024	ND	432	108	400	7.14	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/01/2024	ND	205	103	200	1.17	
DRO >C10-C28*	<10.0	10.0	10/01/2024	ND	183	91.5	200	3.28	
EXT DRO >C28-C36	<10.0	10.0	10/01/2024	ND					

Surrogate: 1-Chlorooctane 72.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 62.3 % 49.1-148

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





---

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

### Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

---

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Ensolum, LLC				BILL TO				ANALYSIS REQUEST											
Project Manager: Kelly Lowery				P.O. #:															
Address: 601 N Marienfeld Street, Suite 400				Wade Pittman															
City: Midland		State: TX		Zip: 79701															
Phone #: 214-273-3165		Fax #:		Address:															
Project #: 03B147139		Project Owner:		City:															
Project Name: Mills Ranch Pit				State:		Zip:													
Project Location: Lea County, NM				Phone #:															
Sampler Name: NKD				Fax #:															
FOR LAB USE ONLY				MATRIX				PRESERV.				SAMPLING							
Lab I.D.	Sample I.D.	Depth (feet)	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL	OTHER:	DATE	TIME	BTEX TPH (NM) Chlorides 4500			
12K595	Mills Ranch Pit	0.25					X					X		9/30/24	1230				

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 9/30/24 Time: 1:45	Received By:	Verbal Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Add'l Phone #:
Relinquished By:	Date:	Received By:	REMARKS:
Delivered By: (Circle One)	Observed Temp. °C: 5.0°C	Sample Condition: Cool <input type="checkbox"/> Intact <input type="checkbox"/>	Turnaround Time: Standard <input type="checkbox"/> Rush <input checked="" type="checkbox"/>
Sampler - UPS - Bus - Other:	Corrected Temp. °C: 4.4°C	Checked By: (Initials)	Bacteria (only) Sample Condition: Cool <input type="checkbox"/> Intact <input type="checkbox"/>
			Thermometer ID: #113
			Correction Factor: 0.5°C - 0.2 day

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS

Action 389940

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 389940
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2401247161
Incident Name	NAPP2401247161 LLAMA MALL 26 35 FEDERAL COM. #311H @ 0
Incident Type	Produced Water Release
Incident Status	Reclamation Report Received

Location of Release Source	
Please answer all the questions in this group.	
Site Name	LLAMA MALL 26 35 FEDERAL COM. #311H
Date Release Discovered	01/05/2024
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Other (Specify)   Produced Water   Released: 45 BBL   Recovered: 15 BBL   Lost: 30 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Leak in lay flat hose.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 389940

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 389940
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

**Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Wade Dittrich Title: Environmental Coordinator Email: wade_dittrich@oxy.com Date: 10/04/2024
--	---

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 389940

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 389940
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Site Characterization</b>	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	None
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

<b>Remediation Plan</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
<b>Soil Contamination Sampling:</b> (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	8260
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	175
GRO+DRO (EPA SW-846 Method 8015M)	175
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	01/05/2024
On what date will (or did) the final sampling or liner inspection occur	08/07/2024
On what date will (or was) the remediation complete(d)	08/07/2024
What is the estimated surface area (in square feet) that will be reclaimed	9647
What is the estimated volume (in cubic yards) that will be reclaimed	1171
What is the estimated surface area (in square feet) that will be remediated	9647
What is the estimated volume (in cubic yards) that will be remediated	1171
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 389940

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 389940
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Remediation Plan (continued)</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
<b>This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:</b>	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	LEA LAND LANDFILL [FEEM0112342028]
<b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Wade Dittrich Title: Environmental Coordinator Email: wade_dittrich@oxy.com Date: 10/04/2024
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 5  
  
Action 389940

QUESTIONS (continued)

Operator:  OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:  16696
	Action Number:  389940
	Action Type:  [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 389940

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 389940
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

Sampling Event Information	
Last sampling notification (C-141N) recorded	369648
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	08/07/2024
What was the (estimated) number of samples that were to be gathered	5
What was the sampling surface area in square feet	1000

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	9647
What was the total volume (cubic yards) remediated	1171
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	9647
What was the total volume (in cubic yards) reclaimed	1171
Summarize any additional remediation activities not included by answers (above)	NA
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Wade Dittrich Title: Environmental Coordinator Email: <a href="mailto:wade_dittrich@oxy.com">wade_dittrich@oxy.com</a> Date: 10/04/2024

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 389940

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 389940
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

**QUESTIONS**

<b>Reclamation Report</b>	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	9647
What was the total volume of replacement material (in cubic yards) for this site	1171
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	09/18/2024
Summarize any additional reclamation activities not included by answers (above)	NA
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeded plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Wade Dittrich Title: Environmental Coordinator Email: wade_dittrich@oxy.com Date: 10/04/2024

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 8  
  
Action 389940

QUESTIONS (continued)

Operator:  OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:  16696
	Action Number:  389940
	Action Type:  [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

<b>Revegetation Report</b>	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 389940

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 389940
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
bhall	Remediation closure and reclamation report approved.	12/26/2024
bhall	A revegetation report will not be accepted until revegetation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.	12/26/2024
bhall	All revegetation activities will need to be documented and included in the revegetation report. The revegetation report will need to include: An executive summary of the revegetation activities including: Seed mix, Method of seeding, dates of when the release area was reseeded, information pertinent to inspections, information about any amendments added to the soil, information on how the vegetative cover established meets the life-form ratio of plus or minus fifty percent of pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC, and any additional information; a scaled Site Map including area that was revegetated in square feet; and pictures of the revegetated areas during reseeding activities, inspections, and final pictures when revegetation is achieved.	12/26/2024

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 529459

**QUESTIONS**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 529459
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

**QUESTIONS**

Prerequisites	
Incident ID (n#)	nAPP2401247161
Incident Name	NAPP2401247161 LLAMA MALL 26 35 FEDERAL COM. #311H @ D-26-22S-32E 25N 25E
Incident Type	Produced Water Release
Incident Status	Re-vegetation Report Received

**Location of Release Source***Please answer all the questions in this group.*

Site Name	LLAMA MALL 26 35 FEDERAL COM. #311H
Date Release Discovered	01/05/2024
Surface Owner	Federal

**Incident Details***Please answer all the questions in this group.*

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

**Nature and Volume of Release***Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Other (Specify)   Produced Water   Released: 45 BBL   Recovered: 15 BBL   Lost: 30 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Leak in lay flat hose.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 529459

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 529459
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

**Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Ensolum Company Email: Oxy_Midland@ensolum.com Date: 11/24/2025
--	---

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 529459

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:
	16696
	Action Number: 529459
Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)	

**QUESTIONS****Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	None
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

**Remediation Plan**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

**Soil Contamination Sampling:** (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	8260
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	175
GRO+DRO (EPA SW-846 Method 8015M)	175
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	01/05/2024
On what date will (or did) the final sampling or liner inspection occur	08/07/2024
On what date will (or was) the remediation complete(d)	08/07/2024
What is the estimated surface area (in square feet) that will be reclaimed	9647
What is the estimated volume (in cubic yards) that will be reclaimed	1171
What is the estimated surface area (in square feet) that will be remediated	9647
What is the estimated volume (in cubic yards) that will be remediated	1171

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 529459

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 529459
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

**QUESTIONS**

<b>Remediation Plan (continued)</b>	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
<b>This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:</b>	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	<a href="#">fEEM0112342028 LEA LAND LANDFILL</a>
<b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state	No
<b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Ensolum Company Email: <a href="mailto:Oxy_Midland@ensolum.com">Oxy_Midland@ensolum.com</a> Date: 11/24/2025
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 529459

QUESTIONS (continued)

Operator:  OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:  16696
	Action Number:  529459
	Action Type:  [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 529459

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 529459
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

**QUESTIONS**

Sampling Event Information	
Last sampling notification (C-141N) recorded	369648
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	08/07/2024
What was the (estimated) number of samples that were to be gathered	5
What was the sampling surface area in square feet	1000

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	9647
What was the total volume (cubic yards) remediated	1171
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	9647
What was the total volume (in cubic yards) reclaimed	1171
Summarize any additional remediation activities not included by answers (above)	NA
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Ensolum Company Email: Oxy_Midland@ensolum.com Date: 11/24/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 529459

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 529459
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

**QUESTIONS**

<b>Reclamation Report</b>	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	9647
What was the total volume of replacement material (in cubic yards) for this site	1171
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseedling commence(d)	09/18/2024
Summarize any additional reclamation activities not included by answers (above)	NA
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseedling plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Ensolum Company Email: Oxy_Midland@ensolum.com Date: 11/24/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 8

Action 529459

**QUESTIONS (continued)**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 529459
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

**QUESTIONS**

<b>Revegetation Report</b>	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	Yes
What was the total revegetation surface area (in square feet) for this site	9647
<i>Per Paragraph (2) of Subsection D of 19.15.29.13 NMAC the responsible party must reseed disturbed area in the first favorable growing season following closure of the site.</i>	
On what date did the reseeded commence	09/18/2024
On what date was the vegetative cover inspected	09/15/2025
What was the life form ratio compared to pre-disturbance levels	83
What was the total percent plant cover compared to pre-disturbance levels	92
Summarize any additional revegetation activities not included by answers (above)	NA
<i>The responsible party must attach information demonstrating they have complied with all applicable re-vegetation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any life form ratio and percent plant cover sampling diagrams or other relevant field notes, photographs of re-vegetated areas, and a narrative of the re-vegetation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Ensolum Company Email: Oxy_Midland@ensolum.com Date: 11/24/2025
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 529459

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 529459
	Action Type: [C-141] Revegetation Report C-141 (C-141-v-Revegetation)

CONDITIONS

Created By	Condition	Condition Date
nvez	Re-vegetation report approved, restoration complete.	12/5/2025