### Western Midstream

### Liquid Release Volume Calculator - E&P Exempt Material

11/17/2025

 Facility/Pipeline Name:
 Corazon 4 State SWD #2
 Dat

 Product Released:
 Crude Oil
 ✓
 Produced Water
 ✓
 Condensate

 Region:
 Inside/Outside of Containment:
 INSIDE CONTAINMENT

Total Area Calculations - Rectangle							
Total Surface Area	Length			Width		Wet Soil Depth	Area Covered (%)
Rectangle Area 1		ft.	х	ft.	Х	in.	100.00%
Rectangle Area 2		ft.	х	ft.	х	in.	100.00%
Rectangle Area 3						in.	100.00%
Rectangle Area 4						in.	100.00%
Rectangle Area 5						in.	100.00%

\*Soil Type: Containment

Liquid Holding Factor: 1

\*Oil Cut %: 0.00%

Satura	Saturated Soil Volume Calculation - Rectangle					
Total Surface Area	Volume					
Rectangle Area 1	0.00	sq. ft.	0.00	cu.ft		
Rectangle Area 2	0.00	sq. ft.	0.00	cu.ft		
Rectangle Area 3	0.00	sq. ft.	0.00	cu.ft		
Rectangle Area 4	0.00	sq. ft.	0.00	cu.ft		
Rectangle Area 5	0.00	sq. ft.	0.00	cu.ft		
Total Volume:	0.00	sq. ft.	0.00	cu. ft		

Satu	Saturated Soil Volume Calculation - Circle					
Total Surface Area	Volume					
Circle 1	0.00	cu.	. ft.			
Circle 2	0.00	cu.	. ft.			
Circle 3	0.00	cu.	. ft.			
Circle 4	0.00	cu.	. ft.			
Circle 5	0.00	cu.	. ft.			
Total Volume:	0.00	CII.	. ft.			

	Approximate Volume Released - Rectangle						
	Hydrocarbon Lost:	REPORTABLE?	Produced Water Lost:				
Liquid in Soil:	0.00 BBL		0.00 BBL				
Standing Liquid:	0.00 BBL		16.70 BBL				
Total:	0.00 BBL	NO	16.70 BBL				
Displacement:	0.00 BBL						
TOTAL RELEASED:	16.70 BBL		701.25 GAL				
RECOVERED VOLUME:	16.70 BBL						

Standing Liquid Calculations - Rectangle						
Total Standing Liquid	Length		Width	Depth	Area Covered (%)	
Rectangle Area 1	45 ft.	х	50 ft. x	0.5 in.	100.00%	
Rectangle Area 2	0 ft.	х	0 ft. x	0 in.	0.00%	
Rectangle Area 3	0 ft.	х	0 ft. x	0 in.	0.00%	
Rectangle Area 4	0 ft.	х	0 ft. x	0 in.	0.00%	
Rectangle Area 5	0 ft	¥	0 ft v	0 in	0.00%	

\*Fluid Recovered: 16.7 BBL

Did release enter water?

Standing Satura	Standing Saturated Soil Volume Calculation - Rectangle					
Total Surface Area	Volume					
Rectangle Area 1	2,250.00	sq. ft.	93.75	cu.ft		
Rectangle Area 2	0.00	sq. ft.	0.00	cu.ft		
Rectangle Area 3	0.00	sq. ft.	0.00	cu.ft		
Rectangle Area 4	0.00	sq. ft.	0.00	cu.ft		
Rectangle Area 5	0.00	sq. ft.	0.00	cu.ft		
Total Volume:	2,250.00	sq. ft.	93.75	cu. ft		

Standing :	Standing Saturated Volume Calculation- Circle				
Total Surface Area	Volume				
Circle 1	0.00	cu. ft.			
Circle 2	0.00	cu. ft.			
Circle 3	0.00	cu. ft.			
Circle 4	0.00	cu. ft.			
Circle 5	0.00	cu. ft.			
Total Volume:	0.00	cu. ft.			

Tank Displacement (Circle or Rectangle; In Containment)						
	Tank Diameter	Depth	# of Tanks	Displacement	į.	
	ft	in		0.00	BBL	
	ft	in		0.00	BBL	
	0 ft	0 in	0	0.00	BBL	
	0 ft	0 in	0	0.00	BBL	
	0 ft	0 in	0	0.00	BBL	
			Total Displacement:	0.0	00 BBL	

HINTS:					
•Oil cut is the percentage of hydrocarbons in the fluid mixture i.e., produced water may have a 0.3% oil cut.					
DEPTH CONVERSIONS:					
• 1/16th of an inch = 0.0625 inches = 0.0052 feet	• 3 inches = 0.25 feet				
• 1/8th of an inch = 0.125 inches = 0.01041 feet	• 4 inches = 0.333 feet				
• 1/4th of an inch = 0.25 inches = 0.2083 feet	• 5 inches = 0.4166 feet				
• 1/2 of an inch = 0.5 inches = 0.0416 feet	• 6 inches = 0.5 feet				
• 1 inch = 0.0833 feet	• 12 inches = 1 foot				
• 1 1/2 inches = 1.5 inches = 0.125 feet	• 24 inches = 2 feet				
• 2 inches = 0.1666 feet					

### SOIL TYPES:

• Sand: Sandy soil has large, gritty particles that feel rough and drain water quickly, often appearing light in color, like pale yellow or light brown. Examples of where you might find this would be the beach, or non-pad areas in West Texas.
• Sandy Clay Loam: Sandy Clay Loam has a crumbly texture with a balance of sand and clay, appearing brown or dark tan, and retains moisture while draining well. Examples of where you might find this would be???????

Sante Fe Main Office Phone: (505) 476-3441 General Information

Surface Owner

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 530725

#### QUESTIONS

	QUESTIONS
Operator: SOLARIS WATER MIDSTREAM, LLC 9950 WOODLOCH FOREST DR THE WOODLANDS, TX 77380	OGRID:
QUESTIONS	
Prerequisites	
Incident ID (n#)	nAPP2532140449
Incident Name	NAPP2532140449 CORAZON 4 STATE SWD #2 @ L-04-21S-33E
Incident Type	Oil Release
Incident Status	Initial C-141 Received
Location of Release Source Please answer all the questions in this group.	
Site Name	Corazon 4 State SWD #2
Date Release Discovered	11/17/2025

ncident Details					
Please answer all the questions in this group.					
Incident Type	Oil Release				
Did this release result in a fire or is the result of a fire	No				
Did this release result in any injuries	No				
Has this release reached or does it have a reasonable probability of reaching a watercourse	No				
Has this release endangered or does it have a reasonable probability of endangering public health	No				
Has this release substantially damaged or will it substantially damage property or the environment	No				
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No				

State

Nature and Volume of Release					
Material(s) released, please answer all that apply below. Any calculations or specific justifications for	r the volumes provided should be attached to the follow-up C-141 submission.				
Crude Oil Released (bbls) Details	Cause: Human Error   Tank (Any)   Crude Oil   Released: 17 BBL   Recovered: 17 BBL   Lost: 0 BBL.				
Produced Water Released (bbls) Details	Not answered.				
Is the concentration of chloride in the produced water >10,000 mg/l	No				
Condensate Released (bbls) Details	Not answered.				
Natural Gas Vented (Mcf) Details	Not answered.				
Natural Gas Flared (Mcf) Details	Not answered.				
Other Released Details	Not answered.				
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.				

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

### State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 530725

QUESTIONS (d	continued)
--------------	------------

Operator:	OGRID:
SOLARIS WATER MIDSTREAM, LLC	371643
9950 WOODLOCH FOREST DR	Action Number:
THE WOODLANDS, TX 77380	530725
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)
QUESTIONS	
Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (	i.e. gas only) are to be submitted on the C-129 form.
Initial Response	
The responsible party must undertake the following actions immediately unless they could create a	cofety hazard that would result in injury
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	diation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative o eted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of evaluation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for rele the OCD does not relieve the operator of liability should their operations have failed to	knowledge and understand that pursuant to OCD rules and regulations all operators are required eases which may endanger public health or the environment. The acceptance of a C-141 report by a adequately investigate and remediate contamination that pose a threat to groundwater, surface out does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: Melissa Tull Title: Environmental Representative Email: Melissa.Tull@westernmidstream.com Date: 12/02/2025

Sante Fe Main Office Phone: (505) 476-3441

QUESTIONS

General Information
Phone: (505) 629-6116
Online Phone Directory
<a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 530725

QUESTIONS (continued)

Operator		OGRID:
	SOLARIS WATER MIDSTREAM, LLC	371643
	9950 WOODLOCH FOREST DR	Action Number:
	THE WOODLANDS, TX 77380	530725
		Action Type:
		[C-141] Initial C-141 (C-141-v-Initial)

### Site Characterization Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date. What is the shallowest depth to groundwater beneath the area affected by the

release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)	
What method was used to determine the depth to ground water	U.S. Geological Survey	
Did this release impact groundwater or surface water	No	
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:		
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)	
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)	
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)	
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)	
Any other fresh water well or spring	Between 1 and 5 (mi.)	
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)	
A wetland	Between 1000 (ft.) and ½ (mi.)	
A subsurface mine	Greater than 5 (mi.)	
An (non-karst) unstable area	Greater than 5 (mi.)	
Categorize the risk of this well / site being in a karst geology	Low	
A 100-year floodplain	Greater than 5 (mi.)	
Did the release impact areas not on an exploration, development, production, or storage site	No	

Remediation Plan	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
Requesting a remediation plan approval with this submission	No
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 530725

#### **CONDITIONS**

Operator:	OGRID:
SOLARIS WATER MIDSTREAM, LLC	371643
9950 WOODLOCH FOREST DR	Action Number:
THE WOODLANDS, TX 77380	530725
	Action Type:
	[C-141] Initial C-141 (C-141-v-Initial)

### CONDITIONS

Created By	Condition	Condition Date
nvelez	None	12/5/2025