

Stephanie Garcia Richard, Commissioner of Public Lands State of New Mexico

NMSLO Cultural Resources Cover Sheet Exhibit

NMCRIS Activity Number:

Exhibit Type (select one)

(if applicable)

ARMS Inspection/Review - Summarize the results (select one):

- (A) The entire area of potential effect or project area has been previously surveyed to current standards and **no cultural properties** were found within the survey area.
- (B) The entire area of potential effect or project area has been previously surveyed to current standards and **cultural properties were found** within the survey area.
- (C) The entire area of potential effect or project area has not been previously surveyed or has not been surveyed to current standards. A complete archaeological survey will be conducted and submitted for review.

Archaeological Survey

Findings:

Negative - No further archaeological review is required.

Positive - Have avoidance and protection measures been devised? Select one:

Comments:

ect		

NMSLO Lease Number (if available):

Cultural Resources Consultant:

Project Proponent (Applicant):

Project Title/Description:

Project Location:

County(ies):

PLSS/Section/Township/Range):

For NMSLO Agency Use Only:

NMSLO Lease Number:

Acknowledgment-Only:

Lease Analyst:

Date Exhibit Routed to Cultural Resources Office:

No person may alter the wording of the questions or layout of the cover sheet. The completion of this cover sheet by itself does not authorize anyone to engage in new surface disturbing activity before the review and approvals required by the Cultural Properties Protections Rule.

Form Revised 12 22

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Latitude 32.83575

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2331245162
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Cross Timbers Energy, LLC	OGRID 298299	
Contact Name SAMANNTHA AVARELLO	Contact Telephone 817-334-7747	
Contact email SAVARELLO@TXOPARTNERS.COM	Incident # (assigned by OCD) nAPP2331245162	
Contact mailing address 400 W. 7th St. Fort Worth, TX 76102		

Location of Release Source

(NAD 83 in decimal degrees to 5 decimal places)

Longitude _-103.53354

Site Name NVA 296 flowline #2 Site T		Site Type	WE	ELL		
Date Release Discovered 11/04/2023 API# (if ap		API# (if app	licable) 30-	025-29562		
Unit Letter	Section	Township	Range	Coun	ty	7
F	14	17S	34E	Lea	1	
Surface Owner: X State Federal Private (Name:						
	. [2] State					
			Nature and	l Volume of I	Release	
	Material	(s) Released (Select all	that apply and attach	calculations or specific	justification for the	e volumes provided below)
Crude Oil		Volume Release	d (bbls) 13		Volume Reco	overed (bbls) 13
X Produced	Produced Water Volume Released (bbls) 7		Volume Recovered (bbls) 7			
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?		☐ Yes ☐ N	No		
Condensat	te	Volume Release			Volume Reco	overed (bbls)
☐ Natural Ga	as	Volume Release	d (Mcf)		Volume Reco	overed (Mcf)
Other (describe) Volume/Weight Released (provide units)		Volume/Wei	ght Recovered (provide units)			
Cause of Rele	ease					
			CORROSIC	ANI		
			CORROSIC	VIN		

Received by OCD: 12/8/2025 10:34:00 AM
State of New Mexico
Page 2
Oil Conservation Division

Page 3eof 123

Incident ID NAPP2331245162
District RP
Facility ID
Application ID

Was this a major	If YES, for what reason(s) does the response	onsible party consider this a major release?
release as defined by		
19.15.29.7(A) NMAC?	<	25 BBLS
Yes X No		20 2525
If YES, was immediate no	Lotice given to the OCD? By whom? To w	hom? When and by what means (phone, email, etc)?
,	,	, a , , , ,
	Initial R	esponse
The responsible	party must undertake the following actions immediate	ely unless they could create a safety hazard that would result in injury
X The source of the rele	ease has been stopped.	
	s been secured to protect human health and	the environment.
1	•	dikes, absorbent pads, or other containment devices.
	ecoverable materials have been removed as	•
	d above have <u>not</u> been undertaken, explain	
If all the actions described	d above have <u>not</u> been undertaken, explain	wily.
D 10.15.20 0 D (4) ND		
		remediation immediately after discovery of a release. If remediation efforts have been successfully completed or if the release occurred
		please attach all information needed for closure evaluation.
I hereby certify that the info	rmation given above is true and complete to the	best of my knowledge and understand that pursuant to OCD rules and
regulations all operators are	required to report and/or file certain release no	ifications and perform corrective actions for releases which may endanger
		OCD does not relieve the operator of liability should their operations have eat to groundwater, surface water, human health or the environment. In
addition, OCD acceptance o		f responsibility for compliance with any other federal, state, or local laws
and/or regulations.		
Printed Name: SAMA	NNTHA AVARELLO	Title: _ EHS COORDINATOR
Signature: Sam	anntha Avarello	Date: _ 11/08/2023
email: SAVAR	RELLO@TXOPARTNERS.COM	Telephone: 817-334-7747
	_	-
OCD Only		
Received by: Shelly We	ells	Date: 11/8/2023
J Sileny W		

e of New Mexico

Incident ID	NAPP2331245162
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)	
Did this release impact groundwater or surface water?	☐ Yes ☑ No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☑ No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☑ No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☑ No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☑ No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☑ No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☑ No	
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☑ No	
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☑ No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☑ No	
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☑ No	
Did the release impact areas not on an exploration, development, production, or storage site?	✓ Yes ☐ No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.		
Characterization Report Checklist: Each of the following items must be included in the report.		
 ✓ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. ✓ Field data ✓ Data table of soil contaminant concentration data ✓ Depth to water determination ✓ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release ✓ Boring or excavation logs ✓ Photographs including date and GIS information ✓ Topographic/Aerial maps ✓ Laboratory data including chain of custody 		

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 12/8/2025 10:34:00 AM Form C-141 State of New Mexico Oil Conservation Division Page 4

Received by:

Page 5 of 123

Incident ID	NAPP2331245162
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. Printed Name: SAMANNTHA AVARELLO Title: EHS COORDINATOR Signature: Samanntha Avarello Date: 05/07/2024 email: SAVARELLO@TXOPARTNERS.COM Telephone: 817-334-7747 **OCD Only**

Date: _____

	Page 6 of 1.	23
Incident ID	NAPP2331245162	
District RP		
Facility ID		
Application ID		

Remediation Plan

Remediation Plan Checklist: Each of the following items must be	included in the plan.	
 ☑ Detailed description of proposed remediation technique ☑ Scaled sitemap with GPS coordinates showing delineation points ☑ Estimated volume of material to be remediated ☑ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC ☑ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required) 		
Deferral Requests Only: Each of the following items must be conf	irmed as part of any request for deferral of remediation.	
Contamination must be in areas immediately under or around prodeconstruction.	duction equipment where remediation could cause a major facility	
Extents of contamination must be fully delineated.		
Contamination does not cause an imminent risk to human health,	the environment, or groundwater.	
I hereby certify that the information given above is true and complete rules and regulations all operators are required to report and/or file ce which may endanger public health or the environment. The acceptan liability should their operations have failed to adequately investigate surface water, human health or the environment. In addition, OCD are sponsibility for compliance with any other federal, state, or local later than the state of the	rtain release notifications and perform corrective actions for releases ce of a C-141 report by the OCD does not relieve the operator of and remediate contamination that pose a threat to groundwater, eceptance of a C-141 report does not relieve the operator of	
Printed Name: SAMANNTHA AVARELLO	Title: EHS COORDINATOR	
Signature: Samanntha Avarello	Date: 05/07/2024	
email: SAVARELLO@TXOPARTNERS.COM	Telephone: 817-334-7747	
OCD Only		
Received by:	Date:	
☐ Approved ☐ Approved with Attached Conditions of A	pproval Denied Deferral Approved	
Signature: I	Date:	

State of New Mexico Incident ID NAPP23

Incident ID	NAPP2331245162
District RP	
Facility ID	
Application ID	

Page 7 of 123

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following	ng items must be included in the closure report.
A scaled site and sampling diagram as described in 19.15.2	29.11 NMAC
Photographs of the remediated site prior to backfill or phomust be notified 2 days prior to liner inspection)	otos of the liner integrity if applicable (Note: appropriate OCD District office
☐ Laboratory analyses of final sampling (Note: appropriate C	DDC District office must be notified 2 days prior to final sampling)
Description of remediation activities	
and regulations all operators are required to report and/or file cermay endanger public health or the environment. The acceptance should their operations have failed to adequately investigate and human health or the environment. In addition, OCD acceptance compliance with any other federal, state, or local laws and/or reg	rtain release notifications and perform corrective actions for releases which e of a C-141 report by the OCD does not relieve the operator of liability remediate contamination that pose a threat to groundwater, surface water, of a C-141 report does not relieve the operator of responsibility for gulations. The responsible party acknowledges they must substantially e conditions that existed prior to the release or their final land use in the OCD when reclamation and re-vegetation are complete.
Printed Name: SAMANNTHA AVARELLO	Title: EHS COORDINATOR
	Date: 05/07/2024
email: SAVARELLO@TXOPARTNERS.COM	Telephone: 817-334-7747
OCD Only	
Received by:	Date:
	arty of liability should their operations have failed to adequately investigate and ace water, human health, or the environment nor does not relieve the responsible ind/or regulations.
Closure Approved by:	Date:
Printed Name:	Title:

Trinity Oilfield Services & Rentals, LLC



December 4th, 2025

Oil Conservation Division, District I 1625 N. French Drive Hobbs, NM 88240

Re: Reclamation Request North Vacuum Abo 296 Tracking #: NAPP2331245162

Trinity Oilfield Services (Trinity), on behalf of Cross Timbers Energy, LLC, hereby submits the following Reclamation Report in response to a release that occurred at the above-referenced location, and further described below.

Site Information							
Incident ID	NAPP2331245162						
Site Name	North Vacuum Abo 296						
Well API	30-025-29562						
Lease ID	B015200004						
Company	Cross Timbers Energy, LLC						
Contact Name	Samanntha Avarello						
Contact Email	SAVARELLO@TXOPARTNERS.COM						
Contact Telephone	817-334-7747						
County	Lea						
ULSTR	F-14-17S-34E						
GPS Coordinates (NAD 83)	32.835776, -103.533446						
Landowne-	State						

RELEASE BACKGROUND

On 11/08/2023, Cross Timbers Energy, LLC reported a release at the North Vacuum Abo 296. The release was caused by corrosion. Approximately 5,247 sqft. of the Pasture was found to be damp upon initial inspection.

Release Information							
Date of Release	11/04/2023						
Type of Release	Crude Oil and Produced Water						
Source of Release	Corrosion						
Volume Released – Produced Water	7 bbls						
Volume Recovered – Produced Water	7 bbls						
Volume Released – Crude Oil	13 bbls						
Volume Recovered – Crude Oil	13 bbls						
Affected Area – Damp Soil	Pasture - Approximately 5,247 sqft.						
Site Location Map	Attached						

SITE LOCATION

The site can be accessed starting at the intersection of NM 238 and Mescalero Road (32.8280156, -103.5143419). Head west on Mescalero Road for 0.82 miles. Turn north onto caliche road (32.827854, -103.528351) and continue for 0.67 miles. Walk southwest into pasture for 208' to arrive at the site.

CULTURAL AND BIOLOGICAL COMPLIANCE

A comprehensive analysis was conducted to ensure both cultural and biological parameters are fully addressed and appropriate for proposed activities at the site location.

Cultural Properties Protection:

An ARMS inspection and survey request was submitted to a state-permitted third-party archaeological consultant. The subject site underwent a Class III Archaeological Survey and concluded with negative results reported on 12/08/2023.

Biological Compliance:

A desktop review of the site location was conducted using two key environmental assessment tools: the New Mexico Department of Game and Fish Environmental Review Tool (ERT) and the U.S. Fish and Wildlife Service's Information for Planning and Consultation (IPaC).

The review analyzed environmental factors within the area of interest. The evaluation results indicate that there are no critical habitats, important plant areas, or important bird areas located within the boundaries of the site. This suggests that the site does not host significant ecological features or sensitive species that would require special consideration or protection under current environmental regulations.

Critical habitats refer to areas essential for the conservation of species defined in the Endangered Species Act. Important plant areas in New Mexico are designated sites that either harbor a significant variety of vulnerable plant species or represent the last known habitats of the state's most endangered plants. Important bird areas are habitats that provide essential resources or support significant populations of bird species, particularly those of conservation concern. The absence of these critical ecological features in the site location implies that the proposed activities or developments can proceed with a lower risk of negatively impacting important natural resources.

Environmental Assessment								
NM Riparian Habitat Map	Negative							
NMDGF Fish Management Plan Waters	Negative							
Riparian Corridors	Negative							
NM SWAP Conservation Opportunity Areas	Negative							
NM Audubon Important Bird Areas	Negative							
NM Important Plant Areas	Negative							
USFWS Critical Habitat	Negative							
USFWS Refuges	Negative							
NM State Forestry Priority Landscapes	Negative							

The IPaC report identifies the following species as potentially susceptible to impacts from activities proposed at this location.

Species	Status
Lesser Prairie-chicken	Endangered
Northern Aplomado Falcon	Experimental Population, Non-essential
Monarch Butterfly	Proposed Threatened

The report indicates that no critical habitats for these species are present within the site. The report further highlights that no migratory Bird of Conservation Concern (BBC) in the United States is expected within the area of interest.

Additional analysis utilizing mapping services from the Bureau of Land Management (BLM) reinforces that the habitats of the Lesser Prairie-Chicken and the Dunes Sagebrush Lizard are not affected by the release area. This cross-referenced data from BLM serves to validate the initial findings and ensures that significant habitats for these species remain undisturbed by the planned activities.

SITE CHARACTERIZATION AND CLOSURE CRITERIA

Depth to Groundwater/Wellhead Protection:

Data Source	Well Number	Data Date	Depth (ft.)
NM OSE	NA	NA	NA
USGS	324956103314001	03/06/2023	132'
Soil Bore	NA	NA	NA

A search of the groundwater well databases maintained by the New Mexico Office of the State Engineer (NMOSE) and the United States Geological Survey (USGS) was conducted to determine if any registered groundwater wells are located within a $^{1}/_{2}$ mile of the release site. The search revealed that one (1) well occurred in the databases that meet the NMOCD criteria for the age of data, the distance of the data point well from the release point, and a data point well having a diagram of construction.

On 03/06/2023, Trinity was on-site to gauge USGS 324956103314001 located within a ½ mile radius of the incident location. Groundwater was verified at a depth of 132'. The groundwater gauging log is attached for reference.

General Site Characterization:

Site Assessment							
Karst Potential	Low						
Distance to Watercourse	> 1,000 ft.						
Within 100 yr Floodplain	No						
Pasture Impact	Yes						

A risk-based site assessment/characterization was performed following the New Mexico Oil Conservation Division (NMOCD) Rule (Title 19 Chapter 15 Part 29) for releases on oil and gas development and production in New Mexico (effective August 14, 2018). To summarize the site assessment/characterization evaluation, the affected area has Low potential for cave and karst, and no other receptors (residence, school, hospital, institution, church, mining, municipal, or other ordinance boundaries) were located within the regulatorily promulgated distances from the site.

Soil Assessment							
Soil Series	Kimbrough-Lea						
Fragile Soil Interpretive Class	Fragile						
Erodibility Value	0.32						
Wind Erodibility Group	5						
Badland Soils	No						
Gypsum Soils	No						
Representative Slope	0.01						
Depth to Restrictive Feature	25 cm						
Depth to Bedrock	> 200 cm						
Severe Wildland Burn	No						

A soil assessment/characterization was performed following the New Mexico State Land Office Environmental Compliance Office (ECO) Spill and Release Reporting Guidelines (Part 2 Letter D). To summarize, the affected area is classified as a sensitive soil.

Closure Criteria:

On-Site & Off-Site 4ft bgs Recommended Remedial Action Levels (RRALs)								
Chlorides	20,000 mg/kg							
TPH (GRO and DRO and MRO)	2,500 mg/kg							
TPH (GRO and DRO)	1,000 mg/kg							
BTEX	50 mg/kg							

On-Site & Off-Site 4ft bgs Recommended Remedial Action Levels (RRALs)						
Benzene	10 mg/kg					

A reclamation standard of 600 mg/kg chloride and 100 mg/kg TPH was applied to the top four feet of the pasture area if impacted by the release, per NMAC 19.15.29.13.D (1) for the top four feet of areas that will be reclaimed following remediation.

INITIAL ASSESSMENT AND REMEDIATION ACTIVITIES

Initial Sample Activities:

Delineation Summary						
Delineation Dates	12/05/2023 - 03/05/2024					
Depths Sampled	0.5' - 4'					
Delineation Map	Attached					
Laboratory Results	Table 1					

Confirmation Activities:

Remediation Summary							
Remediation Dates	12/15/2023 - 03/05/2024						
Workplan Approval	At Risk						
Remediation Closure Approval	05/29/2024						
Liner Variance Request	None						
Deferral Request	None						
Depths Excavated	1' - 4'						
Area Represented by the required 5-point Confirmation Samples – Floors and Walls	200 sqft.						
Total Volume of Excavated Soil	844 yards						
Total Volume of Backfill Material	892 yards						
Remediation Map	Attached						
Laboratory Results	Table 2 and Table 3						

All soil samples were placed into laboratory-supplied glassware, labeled, and maintained on ice until delivery to an NMOCD-approved laboratory (Cardinal Laboratories of Hobbs, NM) for the analysis of chloride using Method SM4500 Cl-B, Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX) by EPA Method 8021 B and Total Petroleum Hydrocarbon (TPH) constituents the by EPA 8015M.

SITE RECLAMATION AND RESTORATION

Areas affected by the release and the associated remediation activities were backfilled and are being restored to a condition that existed before the release to the extent practicable. One representative 5-point composite sample was collected from the backfill material used for the reclamation. Affected areas were contoured to provide erosion control, stability, and preservation of surface water flow.

On 08/11/2025, the site was hand seeded with the prescribed NMSLO seed mixture (SLO Seed Mix Version 1-200808 for Coarse (CS) Sites). Following distribution, the seed was incorporated into the soil surface by raking to promote proper seed-to-soil contact.

The site will be monitored and documented for successful vegetation growth and invasive/noxious weed populations. Annual inspections will occur until the vegetative cover established meets the life-form ratio of plus or minus fifty percent pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC.

Field surveys will be conducted to detect any early infestations and weed density. Upon identification, regulating agencies will be contacted to determine and employ appropriate eradication methods. If the site does not

revegetate in 36 months after the reclamation report is submitted and the site has been reseeded, additional remediation of the site will be undertaken.

REQUEST FOR RECLAMATION APPROVAL

In alignment with our shared commitment to environmental stewardship, Trinity Oilfield Services, on behalf of Cross Timbers Energy, LLC, respectfully requests that the New Mexico Oil Conservation Division grant reclamation approval for the referenced release.

Sincerely,

Josh Halcomb

Environmental Manager

Josh Halcomb

Cynthia Jordan

Cynthia Jordan

Environmental Project Manager

Received by OCD: 12/8/2025 10:34:00 AM

TABLE 1 CONCENTRATIONS OF BENZENE, BTEX, TPH & CHLORIDE IN SOIL

CROSS TIMBERS ENERGY, LLC NORTH VACUUM ABO 296 LEA COUNTY, NEW MEXICO NMOCD REFERENCE #: NAPP2331245162



SAMPLE LOCATION	SAMPLE DEPTH (BGS)	SAMPLE DATE	VERTICAL/ HORIZONTAL	OFF-SITE/ ON-SITE	SAMPLE TYPE	SOIL STATUS	CHLORIDE (mg/Kg)	TPH C6-C36 (mg/Kg)	GRO+ DRO (mg/kg)	GRO C6-C10 (mg/Kg)	DRO C10-C28 (mg/Kg)	MRO C28-C36 (mg/Kg)	TOTAL BTEX (mg/Kg)	BENZENE (mg/Kg)
	•	On-Site, & De	eper than 4' Past	ıre			20000	2500	1000	NE	NE	NE	50	10
Deline	ation Special	Circumstance	, NMOCD Delinea	tion Limits Pa	sture to 4'		600	100	NE	NE	NE	NE	50	10
Vertical C							elineation							
DV-001.0-00.5-P	0.5	12/5/2023	Vertical	Off-Site	Grab	In-Situ	2,560.0	15,921.0	13,321.0	321.0	13,000.0	2,600.0	11.20	0.11
DV-001.0-02.5-P	2.5	12/15/2023	Vertical	Off-Site	Grab	In-Situ	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
DV-002.0-00.5-P	0.5	12/5/2023	Vertical	Off-Site	Grab	In-Situ	1,310.0	7,837.0	6,547.0	117.0	6,430.0	1,290.0	4.55	<10.0
DV-002.0-03.0-P	3	12/15/2023	Vertical	Off-Site	Grab	In-Situ	880.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
DV-002.0-04.0-P	4	3/5/2024	Vertical	Off-Site	Grab	In-Situ	192.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
						Horizontal	Delineation							
DH-001.0-01.0-P	1	12/5/2023	Horizontal	Off-Site	Grab	In-Situ	1,740.0	6,990.0	5,690.0	<10.0	5,690.0	1,300.0	<10.0	<10.0
DH-001.1-01.0-P	1	12/15/2023	Horizontal	Off-Site	Grab	In-Situ	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
DH-002.0-01.0-P	1	12/5/2023	Horizontal	Off-Site	Grab	In-Situ	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
DH-003.0-01.0-P	1	12/5/2023	Horizontal	Off-Site	Grab	In-Situ	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
DH-004.0-01.0-P	1	12/5/2023	Horizontal	Off-Site	Grab	In-Situ	64.0	135.7	117.0	<10.0	117.0	18.7	<10.0	<10.0
DH-004.1-01.0-P	1	12/15/2023	Horizontal	Off-Site	Grab	In-Situ	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0

TRINITY OILFIELD SERVICES

TABLE 2 CONCENTRATIONS OF BENZENE, BTEX, TPH & CHLORIDE IN SOIL

CROSS TIMBERS ENERGY, LLC NORTH VACUUM ABO 296 LEA COUNTY, NEW MEXICO NMOCD REFERENCE #: NAPP2331245162

Released to Imaging: 12/8/2025 3:07:03 PM

SAMPLE LOCATION	SAMPLE DEPTH (BGS)	SAMPLE DATE	FLOOR/ WALL	OFF-SITE/ ON-SITE	SAMPLE TYPE	SOIL STATUS	CHLORIDE (mg/Kg)	TPH C6-C36 (mg/Kg)	GRO+ DRO (mg/kg)	GRO C6-C10 (mg/Kg)	DRO C10-C28 (mg/Kg)	MRO C28-C36 (mg/Kg)	TOTAL BTEX (mg/Kg)	BENZENE (mg/Kg)
	•	On-Site, & Dee	per than 4' Past	ure			20000	2500	1000	NE	NE	NE	50	10
NMOCD Closure Limits Pasture to 4'								100	NE	NE	NE	NE	50	10
						Remedi	ation Floors							
CF-001.0-01.5-P	1.5	1/3/2024	Floor	Off-Site	Composite	Excavated	80.0	231.8	203.0	<10.0	203.0	28.8	<.300	<0.50
CF-001.0-04.0-P	4	2/12/2024	Floor	Off-Site	Composite	In-Situ	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-002.0-01.5-P	1.5	12/15/2023	Floor	Off-Site	Composite	Excavated	224.0	210.0	159.0	<10.0	159.0	51.0	<.300	<0.50
CF-002.0-04.0-P	4	2/12/2024	Floor	Off-Site	Composite	In-Situ	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-003.0-01.5-P	1.5	12/15/2023	Floor	Off-Site	Composite	In-Situ	416.0	49.9	49.9	<10.0	49.9	<10.0	<.300	<0.50
CF-004.0-01.5-P	1.5	1/3/2024	Floor	Off-Site	Composite	In-Situ	48.0	69.6	69.6	<10.0	69.6	<10.0	<.300	<0.50
CF-005.0-01.5-P	1.5	1/3/2024	Floor	Off-Site	Composite	Excavated	64.0	131.5	117.0	<10.0	117.0	14.5	<.300	<0.50
CF-005.0-04.0-P	4	2/12/2024	Floor	Off-Site	Composite	In-Situ	<16.0	62.9	51.1	<10.0	51.1	11.8	<.300	<0.50
CF-006.0-01.5-P	1.5	12/15/2023	Floor	Off-Site	Composite	In-Situ	416.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-007.0-01.5-P	1.5	12/15/2023	Floor	Off-Site	Composite	Excavated	240.0	154.8	124.0	<10.0	124.0	30.8	<.300	<0.50
CF-007.0-02.5-P	2.5	2/12/2024	Floor	Off-Site	Composite	In-Situ	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-008.0-01.5-P	1.5	12/15/2023	Floor	Off-Site	Composite	In-Situ	480.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-009.0-03.0-P	3	12/15/2023	Floor	Off-Site	Composite	Excavated	704.0	332.3	282.0	<10.0	282.0	50.3	<.300	<0.50
CF-009.0-04.0-P	4	2/12/2024	Floor	Off-Site	Composite	In-Situ	272.0	17.1	17.1	<10.0	17.1	<10.0	<.300	<0.50
CF-010.0-01.5-P	1.5	1/3/2024	Floor	Off-Site	Composite	Excavated	64.0	152.7	133.0	<10.0	133.0	19.7	<.300	<0.50
CF-010.0-04.0-P	4	2/20/2024	Floor	Off-Site	Composite	In-Situ	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-011.0-01.5-P	1.5	1/3/2024	Floor	Off-Site	Composite	In-Situ	48.0	14.5	14.5	<10.0	14.5	<10.0	<.300	<0.50
CF-012.0-01.5-P	1.5	12/15/2023	Floor	Off-Site	Composite	Excavated	256.0	202.1	177.0	<10.0	177.0	25.1	<.300	<0.50
CF-012.0-04.0-P	4	2/12/2024	Floor	Off-Site	Composite	In-Situ	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-013.0-01.5-P	1.5	12/15/2023	Floor	Off-Site	Composite	In-Situ	400.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-014.0-01.5-P	1.5	1/3/2024	Floor	Off-Site	Composite	Excavated	64.0	104.0	104.0	<10.0	104.0	<10.0	<.300	<0.50
CF-014.0-04.0-P	4	2/12/2024	Floor	Off-Site	Composite	In-Situ	<16.0	505.9	417.0	<10.0	417.0	88.9	<.300	<0.50
CF-015.0-01.5-P	1.5	1/3/2024	Floor	Off-Site	Composite	In-Situ	80.0	61.2	61.2	<10.0	61.2	<10.0	<.300	<0.50
CF-016.0-01.5-P	1.5	2/20/2024	Floor	Off-Site	Composite	Excavated	<16.0	427.0	324.0	<10.0	324.0	103.0	<.300	<0.50
CF-016.0-04.0-P	4	3/5/2024	Floor	Off-Site	Composite	In-Situ	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-017.0-01.0-P	1	12/15/2023	Floor	Off-Site	Composite	In-Situ	384.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-018.0-01.0-P	1	12/15/2023	Floor	Off-Site	Composite	In-Situ	416.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-019.0-01.0-P	1	12/15/2023	Floor	Off-Site	Composite	Excavated	272.0	232.6	199.0	<10.0	199.0	33.6	<.300	<0.50
CF-019.0-04.0-P	4	2/20/2024	Floor	Off-Site	Composite	In-Situ	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-020.0-02.0-P	2	1/18/2024	Floor	Off-Site	Composite	Excavated	240.0	1,475.0	962.0	<10.0	962.0	513.0	<.300	<0.50
CF-020.0-04.0-P	4	2/20/2024	Floor	Off-Site	Composite	In-Situ	<16.0	30.5	30.5	<10.0	30.5	<10.0	<.300	<0.50
CF-021.0-02.0-P	2	1/18/2024	Floor	Off-Site	Composite	Excavated	288.0	918.0	517.0	<10.0	517.0	401.0	<.300	<0.50
CF-021.0-04.0-P	4	2/12/2024	Floor	Off-Site	Composite	In-Situ	<16.0	67.6	45.6	<10.0	45.6	22.0	<.300	<0.50
CF-022.0-02.0-P	2	1/18/2024	Floor	Off-Site	Composite	Excavated	240.0	964.0	545.0	<10.0	545.0	419.0	<.300	<0.50
CF-022.0-04.0-P	4	2/20/2024	Floor	Off-Site	Composite	In-Situ	<16.0	34.3	34.3	<10.0	34.3	<10.0	<.300	<0.50
CF-023.0-02.0-P	2	1/18/2024	Floor	Off-Site	Composite	Excavated	208.0	1,174.0	688.0	<10.0	688.0	486.0	<.300	<0.50
CF-023.0-04.0-P	4	2/20/2024	Floor	Off-Site	Composite	In-Situ	<16.0	34.3	34.3	<10.0	34.3	<10.0	<.300	<0.50

Received by OCD: 12/8/2025 10:34:00 AM

TABLE 2 CONCENTRATIONS OF BENZENE, BTEX, TPH & CHLORIDE IN SOIL

CROSS TIMBERS ENERGY, LLC NORTH VACUUM ABO 296 LEA COUNTY, NEW MEXICO NMOCD REFERENCE #: NAPP2331245162



SAMPLE LOCATION	SAMPLE DEPTH (BGS)	SAMPLE DATE	FLOOR/ WALL	OFF-SITE/ ON-SITE	SAMPLE TYPE	SOIL STATUS	CHLORIDE (mg/Kg)	TPH C6-C36 (mg/Kg)	GRO+ DRO (mg/kg)	GRO C6-C10 (mg/Kg)	DRO C10-C28 (mg/Kg)	MRO C28-C36 (mg/Kg)	TOTAL BTEX (mg/Kg)	BENZENE (mg/Kg)
	•	On-Site, & Dee	per than 4' Pas	ture			20000	2500	1000	NE	NE	NE	50	10
NMOCD Closure Limits Pasture to 4'								100	NE	NE	NE	NE	50	10
CF-024.0-02.0-P	2	1/18/2024	Floor	Off-Site	Composite	Excavated	272.0	2,563.0	2,030.0	<10.0	2,030.0	533.0	<.300	<0.50
CF-024.0-04.0-P	4	2/20/2024	Floor	Off-Site	Composite	In-Situ	<16.0	161.9	131.0	<10.0	131.0	30.9	<.300	<0.50
CF-025.0-01.0-P	1	12/15/2023	Floor	Off-Site	Composite	In-Situ	368.0	<10.0	<10.0	<10.0	<10.0	<10.0	<.300	<0.50
CF-026.0-02.0-P	2	2/20/2024	Floor	Off-Site	Composite	Excavated	<16.0	470.0	352.0	<10.0	352.0	118.0	<.300	<0.50
CF-026.0-04.0-P	4	3/5/2024	Floor	Off-Site	Composite	In-Situ	<16.0	24.0	24.0	<10.0	24.0	<10.0	<.300	<0.50
CF-027.0-02.0-P	2	1/18/2024	Floor	Off-Site	Composite	Excavated	160.0	995.0	559.0	<10.0	559.0	436.0	<.300	<0.50
CF-027.0-04.0-P	4	2/20/2024	Floor	Off-Site	Composite	In-Situ	<16.0	262.6	218.0	<10.0	218.0	44.6	<.300	<0.50
	•	•		•		Remed	ation Walls		•	•		•	•	
CW-001.0-01.0-P	1	1/18/2024	Wall	Off-Site	Composite	Excavated	160.0	623.0	486.0	<10.0	486.0	137.0	<.300	<0.50
CW-001.1-01.0-P	1	2/20/2024	Wall	Off-Site	Composite	In-Situ	<16.0	25.6	25.6	<10.0	25.6	<10.0	<.300	<0.50
CW-002.0-01.0-P	1	1/18/2024	Wall	Off-Site	Composite	Excavated	128.0	395.5	311.0	<10.0	311.0	84.5	<.300	<0.50
CW-002.1-01.0-P	1	2/20/2024	Wall	Off-Site	Composite	In-Situ	<16.0	12.9	12.9	<10.0	12.9	<10.0	<.300	<0.50
CW-003.0-01.0-P	1	1/18/2024	Wall	Off-Site	Composite	Excavated	144.0	434.0	336.0	<10.0	336.0	98.0	<.300	<0.50
CW-003.1-01.0-P	1	2/20/2024	Wall	Off-Site	Composite	In-Situ	<16.0	22.0	22.0	<10.0	22.0	<10.0	<.300	<0.50


TABLE 3 CONCENTRATIONS OF BENZENE, BTEX, TPH & CHLORIDE IN SOIL

CROSS TIMBERS ENERGY, LLC NORTH VACUUM ABO 296 LEA COUNTY, NEW MEXICO NMOCD REFERENCE #: NAPP2331245162



SAMPLE LOCATION	SAMPLE DEPTH (BGS)	SAMPLE DATE	SAMPLE TYPE	SOIL STATUS	CHLORIDE (mg/Kg)	TPH C6-C36 (mg/Kg)	GRO+ DRO (mg/kg)	GRO C6-C10 (mg/Kg)	DRO C10-C28 (mg/Kg)	MRO C28-C36 (mg/Kg)	TOTAL BTEX (mg/Kg)	BENZENE (mg/Kg)
	600	100	NE	NE	NE	NE	50	10				
Backfill Material												
BF-001.0-00.0-P	·	6/6/2024	Composite	In-Situ	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.300	< 0.050

Received by OCD: 12/8/2025 10:34:00 AM DH-002.0 DH-001.1 DH-001.0 DV-001 DV-002 OH-003.0 DH-004.0 DH-004.1 Legend: 30 60 120 Feet **Delineation Map Cross Timbers Energy, LLC** Vertical Delineation North Vacuum Abo 296 Horizontal Delineation Lea County, New Mexico 32.835776, -103.533446 Release Area NMOCD Reference # NAPP2331245162




Received by OCD: 12/8/2025 10:34:00 AM_ Page 20 of 123 Microsoft, Vantor 160 Feet 40 80 Legend: Reclamation Map Cross Timbers Energy, LLC North Vacuum Abo 296 Reseeding Area 32.835776, -103.533446 Lea County, New Mexico NMOCD Reference # NAPP2331245162 Released to Imaging: 12/8/2025 3:07:03 PM




































































































Received by OCD: 12/8/2025 10:34:00 AM ________ Page 36 of 12





Groundwater Gauging Log

 Project Name: NVA 120 BTY
 Latitude: 32.835278

 Incident ID: NAPP2300551151
 Longitude: -103.531389


Well ID	Date Measured	Top of Casing Elevation	Depth to Product	Depth to Water	PSH Thickness	Corrected Groundwater Elevation
USGS 324956103314001	03/06/2023	=	N/A	132	N/A	-

^{- =} Not measured


Disclaimer This gauging log is intended to verify depth to groundwater.

N/A = Not applicable

NAPP2331245162 | NORTH VACUUM ABO 296




NAPP2331245162 | NORTH VACUUM ABO 296




High Resolution 60cm Imagery









U.S. Fish & Wildlife Service

IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

Location

Lea County, New Mexico



Local office

New Mexico Ecological Services Field Office

(505) 346-2525

(505) 346-2542

2105 Osuna Road Ne Albuquerque, NM 87113-1001

Endangered species

This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

- 1. Draw the project location and click CONTINUE.
- 2. Click DEFINE PROJECT.
- 3. Log in (if directed to do so).
- 4. Provide a name and description for your project.
- 5. Click REQUEST SPECIES LIST.

Listed species and their critical habitats are managed by the <u>Ecological Services Program</u> of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries 2).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact <u>NOAA Fisheries</u> for <u>species under their jurisdiction</u>.

- 1. Species listed under the <u>Endangered Species Act</u> are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the <u>listing status page</u> for more information. IPaC only shows species that are regulated by USFWS (see FAQ).
- 2. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

Birds

NAME	STATUS
Lesser Prairie-chicken Tympanuchus pallidicinctus No critical habitat has been designated for this species. https://ecos.fws.gov/ecp/species/1924	Endangered
Northern Aplomado Falcon Falco femoralis septentrionalis No critical habitat has been designated for this species. https://ecos.fws.gov/ecp/species/1923	<u>EXPN</u>

Insects

NAME	STATUS	
Monarch Butterfly Danaus plexippus	Proposed Threatened	
Wherever found		
There is proposed critical habitat for this species.	Your location does not overlap the critical	
habitat.		
https://ecos.fws.gov/ecp/species/9743		

Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

Receiped by QCD: 12/8/2025 10:34:00 AM Page 44 of 123

You are still required to determine if your project(s) may have effects on all above listed species.

Bald & Golden Eagles

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act ² and the Migratory Bird Treaty Act (MBTA) ¹. Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their nests, should follow appropriate regulations and implement required avoidance and minimization measures, as described in the various links on this page.

The <u>data</u> in this location indicates that no eagles have been observed in this area. This does not mean eagles are not present in your project area, especially if the area is difficult to survey. Please review the 'Steps to Take When No Results Are Returned' section of the <u>Supplemental Information on Migratory Birds and Eagles document</u> to determine if your project is in a poorly surveyed area. If it is, you may need to rely on other resources to determine if eagles may be present (e.g. your local FWS field office, state surveys, your own surveys).

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds
- Nationwide avoidance and minimization measures for birds https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf
- Supplemental Information for Migratory Birds and Eagles in IPaC https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action

Bald & Golden Eagles FAQs

What does IPaC use to generate the potential presence of bald and golden eagles in my specified location?

The potential for eagle presence is derived from data provided by the <u>Avian Knowledge Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey, banding, and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are an eagle (<u>Bald and Golden Eagle Protection Act</u> requirements may apply).

Proper interpretation and use of your eagle report

On the graphs provided, please look carefully at the survey effort (indicated by the black vertical line) and for the existence of the "no data" indicator (a red horizontal line). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort line or no data line (red horizontal) means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list and associated information help you know what to look for to confirm presence and helps guide you in knowing when to implement avoidance and minimization measures to eliminate or reduce potential impacts from your project activities or get the appropriate permits should presence be confirmed.

How do I know if eagles are breeding, wintering, or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating, or resident), you may query your location using the RAIL Tool and view the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If an eagle on your IPaC migratory bird species list has a breeding season associated with it (indicated by yellow vertical bars on the phenology graph in your "IPaC PROBABILITY OF PRESENCE SUMMARY" at the top of your results list), there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

Interpreting the Probability of Presence Graphs

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. A taller bar indicates a higher probability of species presence. The survey effort can be used to establish a level of confidence in the presence score.

How is the probability of presence score calculated? The calculation is done in three steps:

The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.

To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.

The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

Breeding Season ()

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

No Data ()

A week is marked as having no data if there were no survey events for that week.

Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

Migratory birds

The Migratory Bird Treaty Act (MBTA) ¹ prohibits the take (including killing, capturing, selling, trading, and transport) of protected migratory bird species without prior <u>authorization</u> by the Department of Interior U.S. Fish and Wildlife Service (FWS).

- 1. The Migratory Birds Treaty Act of 1918.
- 2. The Bald and Golden Eagle Protection Act of 1940.

Additional information can be found using the following links:

- Eagle Management https://www.fws.gov/program/eagle-management
- Measures for avoiding and minimizing impacts to birds https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds
- Nationwide avoidance and minimization measures for birds
- Supplemental Information for Migratory Birds and Eagles in IPaC https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action

The <u>data</u> in this location indicates that no migratory birds of concern have been observed in this area. This does not mean <u>birds of concern</u> are not present in your project area, especially if the area is difficult to survey. Please review the 'Steps to Take When No Results Are Returned' section of the <u>Supplemental Information on Migratory Birds and Eagles document</u> to determine if your project is in a poorly surveyed area. If it is, you may need to rely on other resources to determine what migratory birds of concern may be present (e.g. your local FWS field office, state surveys, your own surveys).

Migratory Bird FAQs

Tell me more about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds.

Nationwide Avoidance & Minimization Measures for Birds describes measures that can help avoid and minimize impacts to all birds at any location year-round. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is one of the most effective ways to minimize impacts. To see when birds are most likely to occur and breed in your project area, view the Probability of Presence Summary. Additional measures or permits may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of <u>Birds of Conservation Concern (BCC)</u> and other species that may warrant special attention in your project location, such as those listed under the Endangered Species Act or the <u>Bald and Golden Eagle Protection Act</u> and those species marked as "Vulnerable". See the FAQ "What are the levels of concern for migratory birds?" for more information on the levels of concern covered in the IPaC migratory bird species list.

The migratory bird list generated for your project is derived from data provided by the <u>Avian Knowledge Network (AKN)</u>. The AKN data is based on a growing collection of <u>survey, banding, and citizen science datasets</u> and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) with which your project intersects. These species have been identified as warranting special attention because they are BCC species in that area, an eagle (<u>Bald and Golden Eagle Protection Act</u> requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, and to verify survey effort when no results present, please visit the Rapid Avian Information Locator (RAIL) Tool.

Why are subspecies showing up on my list?

Subspecies profiles are included on the list of species present in your project area because observations in the AKN for **the species** are being detected. If the species are present, that means that the subspecies may also be present. If a subspecies shows up on your list, you may need to rely on other resources to determine if that subspecies may be present (e.g. your local FWS field office, state surveys, your own surveys).

What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the <u>Avian Knowledge Network (AKN)</u>. This data is derived from a growing collection of <u>survey, banding, and citizen science datasets</u>.

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go to the Probability of Presence Summary and then click on the "Tell me about these graphs" link

How do I know if a bird is breeding, wintering, or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating, or resident), you may query your location using the RAIL Tool and view the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If a bird on your IPaC migratory bird species list has a breeding season associated with it (indicated by yellow vertical bars on the phenology graph in your "IPaC PROBABILITY OF PRESENCE SUMMARY" at the top of your results list), there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

- 1. "BCC Rangewide" birds are <u>Birds of Conservation Concern</u> (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
- 2. "BCC BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
- 3. "Non-BCC Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the <u>Bald and Golden Eagle Protection</u>

 <u>Act</u> requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially BCC species. For more information on avoidance and minimization measures you can implement to help avoid and minimize migratory bird impacts, please see the FAQ "Tell me more about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds".

Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the Northeast Ocean Data Portal. The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic Outer Continental Shelf project webpage.

Proper interpretation and use of your migratory bird report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please look carefully at the survey effort (indicated by the black vertical line) and for the existence of the "no data" indicator (a red horizontal line). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list does not represent all birds present in your project area. It is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list and associated information help you know what to look for to confirm presence and helps guide implementation of avoidance and minimization measures to eliminate or reduce potential impacts from your project activities, should presence be confirmed. To learn more about avoidance and minimization measures, visit the FAQ "Tell me about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds"

Interpreting the Probability of Presence Graphs

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. A taller bar indicates a higher probability of species presence. The survey effort can be used to establish a level of confidence in the presence score.

How is the probability of presence score calculated? The calculation is done in three steps:

The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.

To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is 0.25/0.25 = 1; at week 20 it is 0.05/0.25 = 0.2.

The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

Breeding Season ()

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

No Data ()

A week is marked as having no data if there were no survey events for that week.

Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

Facilities

National Wildlife Refuge lands

Any activity proposed on lands managed by the <u>National Wildlife Refuge</u> system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

There are no refuge lands at this location.

Fish hatcheries

There are no fish hatcheries at this location.

Wetlands in the National Wetlands Inventory (NWI)

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of Engineers District.</u>

This location did not intersect any wetlands mapped by NWI.

NOTE: This initial screening does **not** replace an on-site delineation to determine whether wetlands occur. Additional information on the NWI data is provided below.

Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.


Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.


Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate Federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

NAPP2331245162 | NORTH VACUUM ABO 296



GIS WATERS PODs Pending Capped
Active



Esri, HERE, iPC, Esri, HERE, Garmin, iPC, Maxar

U.S. Fish and Wildlife Service **National Wetlands Inventory**



April 25, 2024

Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake

Other



Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Received by OCD: 12/8/2025 10:34:00 AM National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR SPECIAL FLOOD HAZARD AREAS Regulatory Floodway 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average

> **Future Conditions 1% Annual** Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X

depth less than one foot or with drainage areas of less than one square mile Zone X

Area with Flood Risk due to Levee Zone D FLOOD HAZARD NO SCREEN Area of Minimal Flood Hazard Zone X

Effective LOMRs OTHER AREAS Area of Undetermined Flood Hazard Zone D

- -- - Channel, Culvert, or Storm Sewer **GENERAL** STRUCTURES | LILLIL Levee, Dike, or Floodwall

> 20.2 Cross Sections with 1% Annual Chance 17.5 Water Surface Elevation **Coastal Transect** ---- 513---- Base Flood Elevation Line (BFE) Limit of Study **Jurisdiction Boundary** -- Coastal Transect Baseline

Profile Baseline FEATURES Hydrographic Feature Digital Data Available

OTHER

MAP PANELS

No Digital Data Available


Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards


The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/25/2024 at 6:38 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



2,000


NAPP2331245162 | NORTH VACUUM ABO 296



4/25/2024, 4:35:24 PM

Karst Occurrence Potential





BLM, OCD, New Mexico Tech, Earthstar Geographics



VRCS

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Lea County, New Mexico

NAPP2331245162 | NORTH VACUUM ABO 296



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2 053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	
Soil Map	
Soil Map	
Legend	10
Map Unit Legend	11
Map Unit Descriptions	11
Lea County, New Mexico	13
KO—Kimbrough gravelly loam, dry, 0 to 3 percent slopes	13
KU—Kimbrough-Lea complex, dry, 0 to 3 percent slopes	14
Soil Information for All Uses	17
Suitabilities and Limitations for Use	17
Soil Health	17
Fragile Soil Index	17
Soil Properties and Qualities	26
Soil Chemical Properties	26
Gypsum	26
Soil Erosion Factors	30
K Factor, Whole Soil	30
Wind Erodibility Group	35
Wind Erodibility Index	39
Soil Qualities and Features	43
Depth to Bedrock	43
Depth to Any Soil Restrictive Layer	48
Representative Slope	52
References	57

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



MAP LEGEND

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons

Soil Map Unit Lines

Soil Map Unit Points

Special Point Features

ဖ

Blowout

Borrow Pit

Clay Spot

Closed Depression

Gravel Pit **Gravelly Spot**

Landfill Lava Flow

Marsh or swamp

Mine or Quarry

Miscellaneous Water Perennial Water

Rock Outcrop

Saline Spot

Sandy Spot Severely Eroded Spot

Sinkhole

Sodic Spot

Slide or Slip

å

Spoil Area Stony Spot

Very Stony Spot

Ŷ

Wet Spot Other

Δ

Special Line Features

Water Features

Streams and Canals

Transportation

Rails

Interstate Highways

US Routes

Major Roads

00

Local Roads

Background

Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico Survey Area Data: Version 20, Sep 6, 2023

Soil map units are labeled (as space allows) for map scales 1:50.000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12. 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
ко	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	1.9	21.9%
ки	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	6.6	78.1%
Totals for Area of Interest	1	8.5	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however,

onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Lea County, New Mexico

KO—Kimbrough gravelly loam, dry, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 2tw43 Elevation: 2,500 to 4,800 feet

Mean annual precipitation: 14 to 16 inches Mean annual air temperature: 57 to 63 degrees F

Frost-free period: 180 to 220 days

Farmland classification: Not prime farmland

Map Unit Composition

Kimbrough, dry, and similar soils: 80 percent

Minor components: 20 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kimbrough, Dry

Setting

Landform: Playa rims, plains
Down-slope shape: Convex, linear
Across-slope shape: Concave, linear

Parent material: Loamy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 3 inches: gravelly loam Bw - 3 to 10 inches: loam

Bkkm1 - 10 to 16 inches: cemented material Bkkm2 - 16 to 80 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 4 to 18 inches to petrocalcic

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.01 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 95 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Minor Components

Eunice

Percent of map unit: 10 percent

Landform: Plains

Down-slope shape: Linear Across-slope shape: Convex

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Spraberry

Percent of map unit: 6 percent Landform: Playa rims, plains Down-slope shape: Convex, linear

Across-slope shape: Linear

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Kenhill

Percent of map unit: 4 percent

Landform: Plains

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R077DY038TX - Clay Loam 12-17" PZ

Hydric soil rating: No

KU—Kimbrough-Lea complex, dry, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 2tw46 Elevation: 2,500 to 4,800 feet

Mean annual precipitation: 14 to 16 inches Mean annual air temperature: 57 to 63 degrees F

Frost-free period: 180 to 220 days

Farmland classification: Not prime farmland

Map Unit Composition

Kimbrough and similar soils: 45 percent Lea and similar soils: 25 percent Minor components: 30 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kimbrough

Setting

Landform: Playa rims, plains Down-slope shape: Convex, linear Across-slope shape: Concave, linear

Parent material: Loamy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 3 inches: gravelly loam Bw - 3 to 10 inches: loam

Bkkm1 - 10 to 16 inches: cemented material Bkkm2 - 16 to 80 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 4 to 18 inches to petrocalcic

Drainage class: Well drained Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.01 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 95 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Description of Lea

Setting

Landform: Plains

Down-slope shape: Convex Across-slope shape: Linear

Parent material: Calcareous, loamy eolian deposits from the blackwater draw formation of pleistocene age over indurated caliche of pliocene age

Typical profile

A - 0 to 10 inches: loam Bk - 10 to 18 inches: loam

Bkk - 18 to 26 inches: gravelly fine sandy loam Bkkm - 26 to 80 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 22 to 30 inches to petrocalcic

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately

low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 90 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 3.0

Available water supply, 0 to 60 inches: Very low (about 2.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R077DY047TX - Sandy Loam 12-17" PZ

Hydric soil rating: No

Minor Components

Kenhill

Percent of map unit: 12 percent

Landform: Plains

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R077DY038TX - Clay Loam 12-17" PZ

Hydric soil rating: No

Douro

Percent of map unit: 12 percent

Landform: Plains

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R077DY047TX - Sandy Loam 12-17" PZ Other vegetative classification: Unnamed (G077DH000TX)

Hydric soil rating: No

Spraberry

Percent of map unit: 6 percent Landform: Playa rims, plains Down-slope shape: Convex, linear

Across-slope shape: Linear

Ecological site: R077DY049TX - Very Shallow 12-17" PZ Other vegetative classification: Unnamed (G077DH000TX)

Hydric soil rating: No

Soil Information for All Uses

Suitabilities and Limitations for Use

The Suitabilities and Limitations for Use section includes various soil interpretations displayed as thematic maps with a summary table for the soil map units in the selected area of interest. A single value or rating for each map unit is generated by aggregating the interpretive ratings of individual map unit components. This aggregation process is defined for each interpretation.

Soil Health

Soil health interpretations are designed to be used as tools for evaluating and managing a soil's capacity to function as a vital living ecosystem that sustains plants, animals, and humans. Example interpretations include compaction, surface sealing, carbon sequestration, resistance and resilience, management systems and practices, and cover crops.

Fragile Soil Index

SOH - Soil Health

Soils can be rated based on their susceptibility to degradation in the "Fragile Soil Index" interpretation. Fragile soils are those that are most vulnerable to degradation. In other words, they can be easily degradedthey have a low resistance to degradation processes. They tend to be highly susceptible to erosion and can have a low capacity to recover after degradation has occurred (low resilience). Fragile soils are generally characterized by a low content of organic matter, low aggregate stability, and weak soil structure. They are generally located on sloping ground, have sparse plant cover, and tend to be in arid or semiarid regions. The index can be used for conservation and watershed planning to assist in identifying soils and areas highly vulnerable to degradation.

Depending on inherent soil characteristics and the climate, soils can vary from highly resistant, or stable, to vulnerable and extremely sensitive to degradation. Under stress, fragile soils can degrade to a new altered state, which may be less favorable or unfavorable for plant growth and less capable of performing soil functions. To assess the fragility of the soil, indicators of vulnerability to degradation

processes are used. They include organic matter, soil structure, rooting depth, vegetative cover, slope, and aridity.

The organic matter content indicates the capacity of the soil to resist and/or recover from degradation processes. Organic matter improves the soil pore structure, increases water infiltration, and reduces soil compaction and soil erosion. Soil structure indicates the capacity of the soil to resist degradation from accelerated water erosion (by increasing the amount of infiltration). Pore structure is the most important aspect of soil structure as pores provide habitat for organism. Shallow soils are more vulnerable to degradation processes because they have limited rooting depth and have a reduced amount of material from which to form new soil. As erosion removes the upper soil profile, productivity will decline if the subsoil is limiting for crop growth. Vegetative cover is very important as uncovered soil is most vulnerable to the processes of soil erosion, both by wind and water. Slope (a measure of the steepness or the degree of inclination) indicates the degree of vulnerability to erosion and mass movement. Aridity is defined by the shortage of moisture. Lack of water is a main factor limiting biological processes and the ability of the soil to resist and/or recover from degradation.

Soils are placed into interpretive classes based on their index rating, which ranges from 0 to 1. An index rating of 1 is the most fragile, while a rating of zero is the least fragile. Interpretative classes are as follows:

Not Fragile (index rating less than or equal to 0.009) These soils have a very high potential to resist degradation and be highly resilient. They are highly structured with an organic matter content greater than 5.7%, are nearly level, are deep or very deep, have greater than 85% vegetative cover, and are in a climate that is wet or very wet.

Slightly Fragile (index rating less than 0.009 and less than or equal to 0.209) These soils have a high potential to resist degradation and be resilient. They are:

- Poorly structured to weakly structured soils that have an extremely low to moderate content of organic matter, are very deep, have high vegetative cover, occur on nearly level ground, and are in wet or very wet climates;
- Highly structured soils that have a very high content of organic matter, are very shallow to moderately deep, have high vegetative cover, occur on nearly level ground, and are in wet or very wet climates;
- Highly structured soils that have a very high content of organic matter, are very deep, have low to moderately high vegetative cover, occur on nearly level ground, and are in wet or very wet climates;
- Highly structured soils that have a very high content of organic matter, are very deep, have high vegetative cover; are on slopes greater than 3%, and are in wet or very wet climates; or
- Highly structured soils that have a very high content of organic matter, are very deep, have high vegetative cover; occur on nearly level ground, and in semi-dry to mildly wet climates;

Moderately Fragile (index rating greater than 0.209 and less than or equal to 0.409) These soils have a moderate potential to resist degradation and be moderately resilient. They are:

- Highly structured soils that have a very high content of organic matter, are very shallow, have high vegetative cover, occur in nearly level to moderately sloping areas, and are in semi-dry climates;
- Poorly structured soils that have an extremely low content of organic matter, are deep, have low vegetative cover, occur in nearly level areas, and are in wet or very wet climates;
- Poorly structured soils that have an extremely low content of organic matter, occur on gentle to very steep slopes, have high vegetative cover, and are in wet or very wet climates;
- Weakly structured soils that have a very low content of organic matter, are deep, occur in nearly level to gently sloping areas, have high vegetative cover, and are in semi-dry climates; or
- Weakly structured soils that have a very low content of organic matter, are very shallow to very deep, occur in nearly level to strongly sloping areas, have high vegetative cover, and are in mildly wet climates.

Fragile (index rating greater than 0.409 and less than or equal to 0.609) These soils have a low potential to resist degradation and low resilience. They are:

- Well structured soils that have a low content of organic matter, are shallow to very deep, have moderate to moderately high vegetative cover, occur on steep slopes, and are in dry climates;
- Well structured soils that have a low content of organic matter, are shallow to very deep, have a low vegetative cover, occur in nearly level to gently sloping areas, and are in dry climates;
- Well structured soils that have a low content of organic matter, are deep, have low vegetative cover, occur on nearly level to very steep slopes, and are in a semi-dry climate;
- Moderately structured soils that have a very low content of organic matter, are deep, have moderately high vegetative cover, occur on moderately steep to very steep slopes, and are in semi-dry climates; or
- Weakly structured soils that have a low content of organic matter, occur on moderately steep to very steep slopes, have low vegetative cover, and are in wet or very wet climates.

Very Fragile (index rating greater than 0.609 and less than or equal to 0.809) These soils have a very low potential to resist degradation and very low resilience. They are:

- Weakly structured soils that have an extremely low content of organic matter, are deep, have low vegetative cover, occur on nearly level to very steep slopes, and are in dry climates;
- Weakly structured soils that have an extremely low content of organic matter, are shallow to very deep, have low vegetative cover, occur on nearly level to very steep slopes, and are in very dry climates; or
- Poorly structured soils that have an extremely low content of organic matter, are very shallow, have no vegetative cover, occur on steep slopes, and are in mildly wet to wet climates.

Extremely Fragile (index rating greater than 0.809 and less than or equal to 1.0) These soils can have no potential to resist degradation and no resilience. They are:

- Poorly structured soils that have an extremely low content of organic matter, are very shallow, have low vegetative cover, occur on very steep slopes, and are in dry or very dry climates;
- Weakly structured soils that have a very low content of organic matter, are nearly level to very deep, have low vegetative cover, occur on very steep slopes, and are in dry climates; or
- Very shallow soils on steep slopes.

The interpretive rating is based on soils that occur in the dominant land use for the map unit component and may not represent soils that occur in site-specific land uses.



MAP LEGEND MAP INFORMATION Area of Interest (AOI) The soil surveys that comprise your AOI were mapped at Not rated or not available 1:20.000. Area of Interest (AOI) **Water Features** Soils Streams and Canals Warning: Soil Map may not be valid at this scale. Soil Rating Polygons Transportation Extremely fragile Rails +++ Enlargement of maps beyond the scale of mapping can cause Highly fragile misunderstanding of the detail of mapping and accuracy of soil Interstate Highways line placement. The maps do not show the small areas of Fragile **US Routes** contrasting soils that could have been shown at a more detailed Moderately fragile scale. Major Roads Slightly fragile Local Roads Please rely on the bar scale on each map sheet for map Not fragile measurements. Background Aerial Photography Not rated or not available Source of Map: Natural Resources Conservation Service Soil Rating Lines Web Soil Survey URL: Extremely fragile Coordinate System: Web Mercator (EPSG:3857) Highly fragile Maps from the Web Soil Survey are based on the Web Mercator Fragile projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Moderately fragile Albers equal-area conic projection, should be used if more Slightly fragile accurate calculations of distance or area are required. Not fragile This product is generated from the USDA-NRCS certified data as Not rated or not available of the version date(s) listed below. **Soil Rating Points** Soil Survey Area: Lea County, New Mexico Extremely fragile Survey Area Data: Version 20, Sep 6, 2023 Highly fragile Soil map units are labeled (as space allows) for map scales Fragile 1:50.000 or larger. Moderately fragile Date(s) aerial images were photographed: Feb 7, 2020—May Slightly fragile 12. 2020 Not fragile The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Tables—Fragile Soil Index

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI	
(0	Kimbrough gravelly loam,	avelly loam, y, 0 to 3		Kimbrough, dry (80%)	Poor structure (1.00)	1.9	21.9%
	percent slopes			Dry (0.70)			
				Low organic matter (0.69)			
				Shallow (0.65)			
				High vegetative cover (0.07)			
			Eunice (10%)	Extremely low organic matter (0.96)			
				Weakly structured (0.75)			
		Spraberry (6%)		Dry (0.70)			
				Shallow (0.60)			
				High vegetative cover (0.07)			
			Spraberry (6%)	Extremely low organic matter (0.97)			
				Weakly structured (0.75)			
				Dry (0.70)			
				Moderately deep (0.45)			
			High vegetative cover (0.07)				
			Kenhill (4%)	Poor structure (1.00)			
				Very low organic matter (0.91)			
				Dry (0.70)			
				Moderately deep (0.27)			
			Moderately-high vegetative cover (0.14)				
KU	Kimbrough-Lea complex, dry, 0	Fragile	Kimbrough (45%)	Poor structure (1.00)	6.6	78.1%	
	to 3 percent slopes			Dry (0.70)			
	-			Low organic matter (0.69)			

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AC
				Shallow (0.65)		
				High vegetative cover (0.07)		
			Kenhill (12%)	Poor structure (1.00)		
				Very low organic matter (0.91)		
				Dry (0.70)		
				Moderately deep (0.27)		
				Moderately-high vegetative cover (0.14)		
			Douro (12%)	Extremely low organic matter (0.95)		
				Weakly structured (0.75)		
				Dry (0.70)		
				Moderately deep (0.25)		
				Nearly level (0.02)		
			Spraberry (6%)	Extremely low organic matter (0.97)		
				Weakly structured (0.75)		
				Dry (0.70)		
				Moderately deep (0.45)		
				High vegetative cover (0.07)		

Rating	Acres in AOI	Percent of AOI
Fragile	8.5	100.0%
Totals for Area of Interest	8.5	100.0%

Rating Options—Fragile Soil Index

Aggregation Method: Dominant Condition

Aggregation is the process by which a set of component attribute values is reduced to a single value that represents the map unit as a whole.

A map unit is typically composed of one or more "components". A component is either some type of soil or some nonsoil entity, e.g., rock outcrop. For the attribute being aggregated, the first step of the aggregation process is to derive one attribute value for each of a map unit's components. From this set of component attributes, the next step of the aggregation process derives a single value that represents the map unit as a whole. Once a single value for each map unit is derived, a thematic map for soil map units can be rendered. Aggregation must be done because, on any soil map, map units are delineated but components are not.

For each of a map unit's components, a corresponding percent composition is recorded. A percent composition of 60 indicates that the corresponding component typically makes up approximately 60% of the map unit. Percent composition is a critical factor in some, but not all, aggregation methods.

The aggregation method "Dominant Condition" first groups like attribute values for the components in a map unit. For each group, percent composition is set to the sum of the percent composition of all components participating in that group. These groups now represent "conditions" rather than components. The attribute value associated with the group with the highest cumulative percent composition is returned. If more than one group shares the highest cumulative percent composition, the corresponding "tie-break" rule determines which value should be returned. The "tie-break" rule indicates whether the lower or higher group value should be returned in the case of a percent composition tie. The result returned by this aggregation method represents the dominant condition throughout the map unit only when no tie has occurred.

Component Percent Cutoff: None Specified

Components whose percent composition is below the cutoff value will not be considered. If no cutoff value is specified, all components in the database will be considered. The data for some contrasting soils of minor extent may not be in the database, and therefore are not considered.

Tie-break Rule: Higher

The tie-break rule indicates which value should be selected from a set of multiple candidate values, or which value should be selected in the event of a percent composition tie.

Soil Properties and Qualities

The Soil Properties and Qualities section includes various soil properties and qualities displayed as thematic maps with a summary table for the soil map units in the selected area of interest. A single value or rating for each map unit is generated by aggregating the interpretive ratings of individual map unit components. This aggregation process is defined for each property or quality.


Soil Chemical Properties

Soil Chemical Properties are measured or inferred from direct observations in the field or laboratory. Examples of soil chemical properties include pH, cation exchange capacity, calcium carbonate, gypsum, and electrical conductivity.

Gypsum

The content of gypsum is the percent, by weight, of hydrated calcium sulfates in the fraction of the soil less than 20 millimeters in size. Gypsum is partially soluble in water. Soils high in content of gypsum, such as those with more than 10 percent gypsum, may collapse if the gypsum is removed by percolating water. Gypsum is corrosive to concrete.

For each soil layer, this attribute is actually recorded as three separate values in the database. A low value and a high value indicate the range of this attribute for the soil component. A "representative" value indicates the expected value of this attribute for the component. For this soil property, only the representative value is used.



MAP LEGEND

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Rating Polygons



Not rated or not available

Soil Rating Lines

Not rated or not available

Soil Rating Points

Not rated or not available

Water Features

Streams and Canals

Transportation

Rails ---

Interstate Highways

US Routes

Major Roads

Local Roads \sim

Background

Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico Survey Area Data: Version 20, Sep 6, 2023

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12. 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Table—Gypsum

Map unit symbol	Map unit name	Rating (percent)	Acres in AOI	Percent of AOI
ко	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	0	1.9	21.9%
ки	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	0	6.6	78.1%
Totals for Area of Interest			8.5	100.0%

Rating Options—Gypsum

Units of Measure: percent

Aggregation Method: Dominant Component

Aggregation is the process by which a set of component attribute values is reduced to a single value that represents the map unit as a whole.

A map unit is typically composed of one or more "components". A component is either some type of soil or some nonsoil entity, e.g., rock outcrop. For the attribute being aggregated, the first step of the aggregation process is to derive one attribute value for each of a map unit's components. From this set of component attributes, the next step of the aggregation process derives a single value that represents the map unit as a whole. Once a single value for each map unit is derived, a thematic map for soil map units can be rendered. Aggregation must be done because, on any soil map, map units are delineated but components are not.

For each of a map unit's components, a corresponding percent composition is recorded. A percent composition of 60 indicates that the corresponding component typically makes up approximately 60% of the map unit. Percent composition is a critical factor in some, but not all, aggregation methods.

The aggregation method "Dominant Component" returns the attribute value associated with the component with the highest percent composition in the map unit. If more than one component shares the highest percent composition, the corresponding "tie-break" rule determines which value should be returned. The "tie-break" rule indicates whether the lower or higher attribute value should be returned in the case of a percent composition tie. The result returned by this aggregation method may or may not represent the dominant condition throughout the map unit.

Component Percent Cutoff: None Specified

Components whose percent composition is below the cutoff value will not be considered. If no cutoff value is specified, all components in the database will be considered. The data for some contrasting soils of minor extent may not be in the database, and therefore are not considered.

Tie-break Rule: Higher

The tie-break rule indicates which value should be selected from a set of multiple candidate values, or which value should be selected in the event of a percent composition tie.

Interpret Nulls as Zero: Yes

This option indicates if a null value for a component should be converted to zero before aggregation occurs. This will be done only if a map unit has at least one component where this value is not null.

Layer Options (Horizon Aggregation Method): Surface Layer (Not applicable)

For an attribute of a soil horizon, a depth qualification must be specified. In most cases it is probably most appropriate to specify a fixed depth range, either in centimeters or inches. The Bottom Depth must be greater than the Top Depth, and the Top Depth can be greater than zero. The choice of "inches" or "centimeters" only applies to the depth of soil to be evaluated. It has no influence on the units of measure the data are presented in.

When "Surface Layer" is specified as the depth qualifier, only the surface layer or horizon is considered when deriving a value for a component, but keep in mind that the thickness of the surface layer varies from component to component.

When "All Layers" is specified as the depth qualifier, all layers recorded for a component are considered when deriving the value for that component.

Whenever more than one layer or horizon is considered when deriving a value for a component, and the attribute being aggregated is a numeric attribute, a weighted average value is returned, where the weighting factor is the layer or horizon thickness.

Soil Erosion Factors


Soil Erosion Factors are soil properties and interpretations used in evaluating the soil for potential erosion. Example soil erosion factors can include K factor for the whole soil or on a rock free basis, T factor, wind erodibility group and wind erodibility index.


K Factor, Whole Soil

Erosion factor K indicates the susceptibility of a soil to sheet and rill erosion by water. Factor K is one of six factors used in the Universal Soil Loss Equation (USLE) and the Revised Universal Soil Loss Equation (RUSLE) to predict the average annual rate of soil loss by sheet and rill erosion in tons per acre per year. The estimates are based primarily on percentage of silt, sand, and organic matter and on soil structure and saturated hydraulic conductivity (Ksat). Values of K range from 0.02 to 0.69. Other factors being equal, the higher the value, the more susceptible the soil is to sheet and rill erosion by water.

"Erosion factor Kw (whole soil)" indicates the erodibility of the whole soil. The estimates are modified by the presence of rock fragments.

Factor K does not apply to organic horizons and is not reported for those layers.





Table—K Factor, Whole Soil

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
ко	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	.32	1.9	21.9%
KU	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	.32	6.6	78.1%
Totals for Area of Interest			8.5	100.0%

Rating Options—K Factor, Whole Soil

Aggregation Method: Dominant Condition

Aggregation is the process by which a set of component attribute values is reduced to a single value that represents the map unit as a whole.

A map unit is typically composed of one or more "components". A component is either some type of soil or some nonsoil entity, e.g., rock outcrop. For the attribute being aggregated, the first step of the aggregation process is to derive one attribute value for each of a map unit's components. From this set of component attributes, the next step of the aggregation process derives a single value that represents the map unit as a whole. Once a single value for each map unit is derived, a thematic map for soil map units can be rendered. Aggregation must be done because, on any soil map, map units are delineated but components are not.

For each of a map unit's components, a corresponding percent composition is recorded. A percent composition of 60 indicates that the corresponding component typically makes up approximately 60% of the map unit. Percent composition is a critical factor in some, but not all, aggregation methods.

The aggregation method "Dominant Condition" first groups like attribute values for the components in a map unit. For each group, percent composition is set to the sum of the percent composition of all components participating in that group. These groups now represent "conditions" rather than components. The attribute value associated with the group with the highest cumulative percent composition is returned. If more than one group shares the highest cumulative percent composition, the corresponding "tie-break" rule determines which value should be returned. The "tie-break" rule indicates whether the lower or higher group value should be returned in the case of a percent composition tie. The result returned by this aggregation method represents the dominant condition throughout the map unit only when no tie has occurred.

Component Percent Cutoff: None Specified

Components whose percent composition is below the cutoff value will not be considered. If no cutoff value is specified, all components in the database will be considered. The data for some contrasting soils of minor extent may not be in the database, and therefore are not considered.

Tie-break Rule: Higher

The tie-break rule indicates which value should be selected from a set of multiple candidate values, or which value should be selected in the event of a percent composition tie.

Layer Options (Horizon Aggregation Method): Surface Layer (Not applicable)

For an attribute of a soil horizon, a depth qualification must be specified. In most cases it is probably most appropriate to specify a fixed depth range, either in centimeters or inches. The Bottom Depth must be greater than the Top Depth, and the Top Depth can be greater than zero. The choice of "inches" or "centimeters" only applies to the depth of soil to be evaluated. It has no influence on the units of measure the data are presented in.


When "Surface Layer" is specified as the depth qualifier, only the surface layer or horizon is considered when deriving a value for a component, but keep in mind that the thickness of the surface layer varies from component to component.


When "All Layers" is specified as the depth qualifier, all layers recorded for a component are considered when deriving the value for that component.

Whenever more than one layer or horizon is considered when deriving a value for a component, and the attribute being aggregated is a numeric attribute, a weighted average value is returned, where the weighting factor is the layer or horizon thickness.

Wind Erodibility Group

A wind erodibility group (WEG) consists of soils that have similar properties affecting their susceptibility to wind erosion in cultivated areas. The soils assigned to group 1 are the most susceptible to wind erosion, and those assigned to group 8 are the least susceptible.





Table—Wind Erodibility Group

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
ко	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	5	1.9	21.9%
ки	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	5	6.6	78.1%
Totals for Area of Interest			8.5	100.0%

Rating Options—Wind Erodibility Group

Aggregation Method: Dominant Condition

Aggregation is the process by which a set of component attribute values is reduced to a single value that represents the map unit as a whole.

A map unit is typically composed of one or more "components". A component is either some type of soil or some nonsoil entity, e.g., rock outcrop. For the attribute being aggregated, the first step of the aggregation process is to derive one attribute value for each of a map unit's components. From this set of component attributes, the next step of the aggregation process derives a single value that represents the map unit as a whole. Once a single value for each map unit is derived, a thematic map for soil map units can be rendered. Aggregation must be done because, on any soil map, map units are delineated but components are not.

For each of a map unit's components, a corresponding percent composition is recorded. A percent composition of 60 indicates that the corresponding component typically makes up approximately 60% of the map unit. Percent composition is a critical factor in some, but not all, aggregation methods.

The aggregation method "Dominant Condition" first groups like attribute values for the components in a map unit. For each group, percent composition is set to the sum of the percent composition of all components participating in that group. These groups now represent "conditions" rather than components. The attribute value associated with the group with the highest cumulative percent composition is returned. If more than one group shares the highest cumulative percent composition, the corresponding "tie-break" rule determines which value should be returned. The "tie-break" rule indicates whether the lower or higher group value should be returned in the case of a percent composition tie. The result returned by this aggregation method represents the dominant condition throughout the map unit only when no tie has occurred.

Component Percent Cutoff: None Specified


Components whose percent composition is below the cutoff value will not be considered. If no cutoff value is specified, all components in the database will be considered. The data for some contrasting soils of minor extent may not be in the database, and therefore are not considered.


Tie-break Rule: Lower

The tie-break rule indicates which value should be selected from a set of multiple candidate values, or which value should be selected in the event of a percent composition tie.

Wind Erodibility Index

The wind erodibility index is a numerical value indicating the susceptibility of soil to wind erosion, or the tons per acre per year that can be expected to be lost to wind erosion. There is a close correlation between wind erosion and the texture of the surface layer, the size and durability of surface clods, rock fragments, organic matter, and a calcareous reaction. Soil moisture and frozen soil layers also influence wind erosion.





Table—Wind Erodibility Index

Map unit symbol	Map unit name	Rating (tons per acre per year)	Acres in AOI	Percent of AOI
ко	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	56	1.9	21.9%
ки	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	56	6.6	78.1%
Totals for Area of Intere	st		8.5	100.0%

Rating Options—Wind Erodibility Index

Units of Measure: tons per acre per year
Aggregation Method: Dominant Condition

Aggregation is the process by which a set of component attribute values is reduced to a single value that represents the map unit as a whole.

A map unit is typically composed of one or more "components". A component is either some type of soil or some nonsoil entity, e.g., rock outcrop. For the attribute being aggregated, the first step of the aggregation process is to derive one attribute value for each of a map unit's components. From this set of component attributes, the next step of the aggregation process derives a single value that represents the map unit as a whole. Once a single value for each map unit is derived, a thematic map for soil map units can be rendered. Aggregation must be done because, on any soil map, map units are delineated but components are not.

For each of a map unit's components, a corresponding percent composition is recorded. A percent composition of 60 indicates that the corresponding component typically makes up approximately 60% of the map unit. Percent composition is a critical factor in some, but not all, aggregation methods.

The aggregation method "Dominant Condition" first groups like attribute values for the components in a map unit. For each group, percent composition is set to the sum of the percent composition of all components participating in that group. These groups now represent "conditions" rather than components. The attribute value associated with the group with the highest cumulative percent composition is returned. If more than one group shares the highest cumulative percent composition, the corresponding "tie-break" rule determines which value should be returned. The "tie-break" rule indicates whether the lower or higher group value should be returned in the case of a percent composition tie. The result returned by this aggregation method represents the dominant condition throughout the map unit only when no tie has occurred.

Component Percent Cutoff: None Specified

Components whose percent composition is below the cutoff value will not be considered. If no cutoff value is specified, all components in the database will be

considered. The data for some contrasting soils of minor extent may not be in the database, and therefore are not considered.

Tie-break Rule: Higher

The tie-break rule indicates which value should be selected from a set of multiple candidate values, or which value should be selected in the event of a percent composition tie.

Soil Qualities and Features

Soil qualities are behavior and performance attributes that are not directly measured, but are inferred from observations of dynamic conditions and from soil properties. Example soil qualities include natural drainage, and frost action. Soil features are attributes that are not directly part of the soil. Example soil features include slope and depth to restrictive layer. These features can greatly impact the use and management of the soil.

Depth to Bedrock

The term bedrock in soil survey refers to a continuous root and water restrictive layer of rock that occurs within the soil profile.

There are many types of restrictions that can occur within the soil profile but this theme only includes the three restrictions that use the term bedrock. These are:


- 1) Lithic Bedrock
- 2) Paralithic Bedrock
- 3) Densic Bedrock

Lithic bedrock and paralithic bedrock are comprised of igneous, metamorphic, and sedimentary rocks, which are coherent and consolidated into rock through pressure, heat, cementation, or fusion. Lithic bedrock represents the hardest type of bedrock, with a hardness of strongly coherent to indurated. Paralithic bedrock has a hardness of extremely weakly coherent to moderately coherent. It can occur as a thin layer of weathered bedrock above harder lithic bedrock. Paralithic bedrock can also be much thicker, extending well below the soil profile.

Densic bedrock represents a unique kind of bedrock recognized within the soil survey. It is non-coherent and consolidated, dense root restrictive material, formed by pressure, heat, and dewatering of earth materials or sediments. Densic bedrock differs from densic materials, which formed under the compaction of glaciers, mudflows, and or human-caused compaction.

If more than one type of bedrock is described for an individual soil type, the depth to the shallowest one is given. If no bedrock is described in a map unit, it is represented by the "greater than 200" depth class.

Depth to bedrock is actually recorded as three separate values in the database. A low value and a high value indicate the range of this attribute for the soil component. A "representative" value indicates the expected value of this attribute for the component. For this soil property, only the representative value is used.



MAP LEGEND MAP INFORMATION Area of Interest (AOI) The soil surveys that comprise your AOI were mapped at Not rated or not available 1:20.000. Area of Interest (AOI) **Water Features** Soils Streams and Canals Warning: Soil Map may not be valid at this scale. Soil Rating Polygons Transportation 0 - 25 Rails +++ Enlargement of maps beyond the scale of mapping can cause 25 - 50 misunderstanding of the detail of mapping and accuracy of soil Interstate Highways line placement. The maps do not show the small areas of 50 - 100 **US Routes** contrasting soils that could have been shown at a more detailed 100 - 150 scale. Major Roads 150 - 200 Local Roads Please rely on the bar scale on each map sheet for map > 200 measurements. Background Aerial Photography Not rated or not available Source of Map: Natural Resources Conservation Service Soil Rating Lines Web Soil Survey URL: 0 - 25 Coordinate System: Web Mercator (EPSG:3857) 25 - 50 Maps from the Web Soil Survey are based on the Web Mercator 50 - 100 projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the 100 - 150 Albers equal-area conic projection, should be used if more 150 - 200 accurate calculations of distance or area are required. > 200 This product is generated from the USDA-NRCS certified data as Not rated or not available of the version date(s) listed below. **Soil Rating Points** Soil Survey Area: Lea County, New Mexico 0 - 25 Survey Area Data: Version 20, Sep 6, 2023 25 - 50 Soil map units are labeled (as space allows) for map scales 50 - 100 1:50.000 or larger. 100 - 150 Date(s) aerial images were photographed: Feb 7, 2020—May 150 - 200 12. 2020 > 200 The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Table—Depth to Bedrock

Map unit symbol	Map unit name	Rating (centimeters)	Acres in AOI	Percent of AOI
ко	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	>200	1.9	21.9%
ки	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	>200	6.6	78.1%
Totals for Area of Interest			8.5	100.0%

Rating Options—Depth to Bedrock

Units of Measure: centimeters

Aggregation Method: Dominant Component

Aggregation is the process by which a set of component attribute values is reduced to a single value that represents the map unit as a whole.

A map unit is typically composed of one or more "components". A component is either some type of soil or some nonsoil entity, e.g., rock outcrop. For the attribute being aggregated, the first step of the aggregation process is to derive one attribute value for each of a map unit's components. From this set of component attributes, the next step of the aggregation process derives a single value that represents the map unit as a whole. Once a single value for each map unit is derived, a thematic map for soil map units can be rendered. Aggregation must be done because, on any soil map, map units are delineated but components are not.

For each of a map unit's components, a corresponding percent composition is recorded. A percent composition of 60 indicates that the corresponding component typically makes up approximately 60% of the map unit. Percent composition is a critical factor in some, but not all, aggregation methods.

The aggregation method "Dominant Component" returns the attribute value associated with the component with the highest percent composition in the map unit. If more than one component shares the highest percent composition, the corresponding "tie-break" rule determines which value should be returned. The "tie-break" rule indicates whether the lower or higher attribute value should be returned in the case of a percent composition tie. The result returned by this aggregation method may or may not represent the dominant condition throughout the map unit.

Component Percent Cutoff: None Specified

Components whose percent composition is below the cutoff value will not be considered. If no cutoff value is specified, all components in the database will be considered. The data for some contrasting soils of minor extent may not be in the database, and therefore are not considered.

Tie-break Rule: Lower

The tie-break rule indicates which value should be selected from a set of multiple candidate values, or which value should be selected in the event of a percent composition tie.

Interpret Nulls as Zero: No


This option indicates if a null value for a component should be converted to zero before aggregation occurs. This will be done only if a map unit has at least one component where this value is not null.

Depth to Any Soil Restrictive Layer

A "restrictive layer" is a nearly continuous layer that has one or more physical, chemical, or thermal properties that significantly impede the movement of water and air through the soil or that restrict roots or otherwise provide an unfavorable root environment. Examples are bedrock, cemented layers, dense layers, and frozen layers.

This theme presents the depth to any type of restrictive layer that is described for each map unit. If more than one type of restrictive layer is described for an individual soil type, the depth to the shallowest one is presented. If no restrictive layer is described in a map unit, it is represented by the "greater than 200" depth class.

This attribute is actually recorded as three separate values in the database. A low value and a high value indicate the range of this attribute for the soil component. A "representative" value indicates the expected value of this attribute for the component. For this soil property, only the representative value is used.



MAP LEGEND MAP INFORMATION Area of Interest (AOI) The soil surveys that comprise your AOI were mapped at Not rated or not available 1:20.000. Area of Interest (AOI) **Water Features** Soils Streams and Canals Warning: Soil Map may not be valid at this scale. Soil Rating Polygons Transportation 0 - 25 Rails +++ Enlargement of maps beyond the scale of mapping can cause 25 - 50 misunderstanding of the detail of mapping and accuracy of soil Interstate Highways line placement. The maps do not show the small areas of 50 - 100 **US Routes** contrasting soils that could have been shown at a more detailed 100 - 150 scale. Major Roads 150 - 200 Local Roads Please rely on the bar scale on each map sheet for map > 200 measurements. Background Aerial Photography Not rated or not available Source of Map: Natural Resources Conservation Service Soil Rating Lines Web Soil Survey URL: 0 - 25 Coordinate System: Web Mercator (EPSG:3857) 25 - 50 Maps from the Web Soil Survey are based on the Web Mercator 50 - 100 projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the 100 - 150 Albers equal-area conic projection, should be used if more 150 - 200 accurate calculations of distance or area are required. > 200 This product is generated from the USDA-NRCS certified data as Not rated or not available of the version date(s) listed below. **Soil Rating Points** Soil Survey Area: Lea County, New Mexico 0 - 25 Survey Area Data: Version 20, Sep 6, 2023 25 - 50 Soil map units are labeled (as space allows) for map scales 50 - 100 1:50.000 or larger. 100 - 150 Date(s) aerial images were photographed: Feb 7, 2020—May 150 - 200 12. 2020 > 200 The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Table—Depth to Any Soil Restrictive Layer

	_			
Map unit symbol	Map unit name	Rating (centimeters)	Acres in AOI	Percent of AOI
ко	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	25	1.9	21.9%
ки	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	25	6.6	78.1%
Totals for Area of Interest			8.5	100.0%

Rating Options—Depth to Any Soil Restrictive Layer

Units of Measure: centimeters

Aggregation Method: Dominant Component

Aggregation is the process by which a set of component attribute values is reduced to a single value that represents the map unit as a whole.

A map unit is typically composed of one or more "components". A component is either some type of soil or some nonsoil entity, e.g., rock outcrop. For the attribute being aggregated, the first step of the aggregation process is to derive one attribute value for each of a map unit's components. From this set of component attributes, the next step of the aggregation process derives a single value that represents the map unit as a whole. Once a single value for each map unit is derived, a thematic map for soil map units can be rendered. Aggregation must be done because, on any soil map, map units are delineated but components are not.

For each of a map unit's components, a corresponding percent composition is recorded. A percent composition of 60 indicates that the corresponding component typically makes up approximately 60% of the map unit. Percent composition is a critical factor in some, but not all, aggregation methods.

The aggregation method "Dominant Component" returns the attribute value associated with the component with the highest percent composition in the map unit. If more than one component shares the highest percent composition, the corresponding "tie-break" rule determines which value should be returned. The "tie-break" rule indicates whether the lower or higher attribute value should be returned in the case of a percent composition tie. The result returned by this aggregation method may or may not represent the dominant condition throughout the map unit.

Component Percent Cutoff: None Specified

Components whose percent composition is below the cutoff value will not be considered. If no cutoff value is specified, all components in the database will be considered. The data for some contrasting soils of minor extent may not be in the database, and therefore are not considered.

Tie-break Rule: Lower

The tie-break rule indicates which value should be selected from a set of multiple candidate values, or which value should be selected in the event of a percent composition tie.


Interpret Nulls as Zero: No

This option indicates if a null value for a component should be converted to zero before aggregation occurs. This will be done only if a map unit has at least one component where this value is not null.

Representative Slope

Slope gradient is the difference in elevation between two points, expressed as a percentage of the distance between those points.

The slope gradient is actually recorded as three separate values in the database. A low value and a high value indicate the range of this attribute for the soil component. A "representative" value indicates the expected value of this attribute for the component. For this soil property, only the representative value is used.



MAP LEGEND MAP INFORMATION The soil surveys that comprise your AOI were mapped at Area of Interest (AOI) Transportation 1:20.000. Area of Interest (AOI) Rails Soils Interstate Highways Warning: Soil Map may not be valid at this scale. Soil Rating Polygons **US Routes** 0 - 5 Enlargement of maps beyond the scale of mapping can cause Major Roads 5 - 15 misunderstanding of the detail of mapping and accuracy of soil Local Roads \sim line placement. The maps do not show the small areas of 15 - 45 contrasting soils that could have been shown at a more detailed Background 45 - 60 scale. Aerial Photography 60 - 100 Please rely on the bar scale on each map sheet for map Not rated or not available measurements. Soil Rating Lines Source of Map: Natural Resources Conservation Service 0 - 5 Web Soil Survey URL: 5 - 15 Coordinate System: Web Mercator (EPSG:3857) 15 - 45 Maps from the Web Soil Survey are based on the Web Mercator 45 - 60 projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the 60 - 100 Albers equal-area conic projection, should be used if more Not rated or not available accurate calculations of distance or area are required. **Soil Rating Points** This product is generated from the USDA-NRCS certified data as 0 - 5 of the version date(s) listed below. 5 - 15 Soil Survey Area: Lea County, New Mexico 15 - 45 Survey Area Data: Version 20, Sep 6, 2023 45 - 60 Soil map units are labeled (as space allows) for map scales 60 - 100 1:50.000 or larger. Not rated or not available Date(s) aerial images were photographed: Feb 7, 2020—May **Water Features** 12. 2020 Streams and Canals The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Table—Representative Slope

			,	
Map unit symbol	Map unit name	Rating (percent)	Acres in AOI	Percent of AOI
КО	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	1.0	1.9	21.9%
ки	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	1.0	6.6	78.1%
Totals for Area of Interes	st	8.5	100.0%	

Rating Options—Representative Slope

Units of Measure: percent

Aggregation Method: Dominant Component

Aggregation is the process by which a set of component attribute values is reduced to a single value that represents the map unit as a whole.

A map unit is typically composed of one or more "components". A component is either some type of soil or some nonsoil entity, e.g., rock outcrop. For the attribute being aggregated, the first step of the aggregation process is to derive one attribute value for each of a map unit's components. From this set of component attributes, the next step of the aggregation process derives a single value that represents the map unit as a whole. Once a single value for each map unit is derived, a thematic map for soil map units can be rendered. Aggregation must be done because, on any soil map, map units are delineated but components are not.

For each of a map unit's components, a corresponding percent composition is recorded. A percent composition of 60 indicates that the corresponding component typically makes up approximately 60% of the map unit. Percent composition is a critical factor in some, but not all, aggregation methods.

The aggregation method "Dominant Component" returns the attribute value associated with the component with the highest percent composition in the map unit. If more than one component shares the highest percent composition, the corresponding "tie-break" rule determines which value should be returned. The "tie-break" rule indicates whether the lower or higher attribute value should be returned in the case of a percent composition tie. The result returned by this aggregation method may or may not represent the dominant condition throughout the map unit.

Component Percent Cutoff: None Specified

Components whose percent composition is below the cutoff value will not be considered. If no cutoff value is specified, all components in the database will be considered. The data for some contrasting soils of minor extent may not be in the database, and therefore are not considered.

Tie-break Rule: Higher

The tie-break rule indicates which value should be selected from a set of multiple candidate values, or which value should be selected in the event of a percent composition tie.

Interpret Nulls as Zero: No

This option indicates if a null value for a component should be converted to zero before aggregation occurs. This will be done only if a map unit has at least one component where this value is not null.

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2 053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

NMSLO Seed Mix

Coarse (CS)

COARSE (CS) SITES SEED MIXTURE:

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX	
Grasses:				
Sand bluestem	VNS, Southern	2.0	\mathbf{F}	
Sideoats grama	Vaughn, El Reno	2.0	\mathbf{F}	
Blue grama	Hachita, Lovington	1.5	D	
Little bluestem	Cimmaron, Pastura	1.5	\mathbf{F}	
Sand dropseed	VNS, Southern	1.0	\mathbf{S}	
Plains bristlegrass	VNS, Southern	0.75	D	
Forbs:				
Parry penstemon	VNS, Southern	1.0	D	
Desert globemallow	VNS, Southern	1.0	D	
White prairieclover	Kaneb, VNS	0.5	D	
Sulfur buckwheat	VNS, Southern	0.5	D	
Shrubs:				
Fourwing saltbush	VNS, Southern	1.0	D	
Skunkbush sumac	VNS, Southern	1.0	D	
Common winterfat	VNS, Southern	1.0	F	
Fringed sagewort	VNS, Southern	0.5	F	
	Total PLS/acr	e 18.25		

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box

- VNS, Southern No Variety Stated, seed should be from a southern latitude collection of this species.
- Double above seed rates for broadcast or hydroseeding.
- If Parry is not available, substitute firecracker penstemon.
- If desert globemallow is not available, substitute scarlet globemallow.
- If one species is not available, provide a suggested substitute to the New Mexico Land Office for approval. Increasing all other species proportionately may be acceptable.





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

June 18, 2024

DAN DUNKELBERG
TRINITY OILFIELD SERVICES & RENTALS, LLC
P. O. BOX 2587
HOBBS, NM 88241

RE: NVA 296 FLOWLINE 2

Enclosed are the results of analyses for samples received by the laboratory on 06/12/24 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TRINITY OILFIELD SERVICES & RENTALS, LLC DAN DUNKELBERG P. O. BOX 2587 HOBBS NM, 88241 Fax To: NONE

Received: 06/12/2024 Sampling Date: 06/06/2024 Reported: 06/18/2024 Sampling Type: Soil

Project Name: NVA 296 FLOWLINE 2 Sampling Condition: Cool & Intact Project Number: NONE GIVEN Sample Received By: Shari Cisneros

Project Location: CROSS TIMBERS-LEA CO., NM

Sample ID: BF-001.0-00.0-P (H243399-01)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/14/2024	ND	1.94	96.8	2.00	7.43	
Toluene*	<0.050	0.050	06/14/2024	ND	1.94	96.8	2.00	5.41	
Ethylbenzene*	<0.050	0.050	06/14/2024	ND	2.00	100	2.00	3.00	
Total Xylenes*	<0.150	0.150	06/14/2024	ND	5.81	96.9	6.00	2.56	
Total BTEX	<0.300	0.300	06/14/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	90.1	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/14/2024	ND	432	108	400	3.77	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/13/2024	ND	194	97.1	200	6.21	
DRO >C10-C28*	<10.0	10.0	06/13/2024	ND	210	105	200	3.92	
EXT DRO >C28-C36	<10.0	10.0	06/13/2024	ND					
Surrogate: 1-Chlorooctane	101 5	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	114 9	% 49.1-14	8						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

Celey D. Keene, Lab Director/Quality Manager

Company Name: Trinity Olifield Services Project Manager: Dan Dunkelberg Address: 8426 N Dal Paso City: Hobbs Phone #: Project Name: NVA 296 FLOWLINE 2 Project Location: Sampler Name: JC FORUS USE ONLY BF-001.0-00.0-P Lab I.D. BF-001.0-00.0-P	101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476 Project Owner: (see below) 2 dan@trinityoiffieldservices.com Project Owner: (see below) 2 dan@trinityoiffieldservices.com ATRIX Project Owner: (see below) C 1 GRADUNDERS GROUNDWATER WASTEWATER SOIL SLUDGE	DOTHER: PRESERV. PRESERV. PRESERV. PRESERV. PRESERV. PAGID/BASE: ICE / COOL OTHER: ACID/BASE: ICE / COOL OTHER: ACID/BASE: ICE / COOL OTHER: PRESERV. SAMPLING DATE 1	TIMBERS BENNET BENNET Chloride	× TPH	× BTEX	ANALYS	ANALYSIS REQUEST ANALYSIS REQUEST	LYSIS RI	EQUEST	
BF-001.0-00.0-) (() / ()		+	+	В					
-		0,0,2024	>	+	×		_			
***						-	1	-		
***				1						
man .				+	_					
		+		+		-				
				<u> </u>		-	_			
***				-						
-					_					
PLEASE NOTE: Liability and Damages, Cardinal's liabil	PLEASE NOTE: Liability and Damages, Cardinal's liability and diserts exclusive annuals for an object of the second							+		
analyses. All claims including those for negligence and uservice. In no event shall Cardinal be liable for incidental affiliates or successors arising out of or related to the pe	arialyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without firmitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliation or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise,	and received by Cardinal within 30 days, loss of use, or loss of profits incurn in is based upon any of the above str	is after completion of the applicable by dient, its subsidiaries, ted reasons or otherwise.							
Nemiduland BY	Date: Received By:		Verbal Result:	Yes		Add'l Phone #:				
A	13:35 MW W	ON WHO	All Results are emailed. Please provide Email address:	Please provide						
Relinquished By:	Date: Received By:		REMARKS:							
	Time:									
Delivered By: (Circle One)	Observed Temp. Sample Condition	CHECKED BY:	Turnaround Time:	Standard	dard X	Bach	Bacteria (only) Sample Condition	e Condition		
Sampler - UPS - Bus - Other:	Corrected Temp. °C Yes Yes	(Initials)	Thermometer ID #140	Rush		Cool	Intact Yes Yes	Observed Temp. °C	femp. °C	
	† Cardinal cannot acco	Correction Factor 0 °C	Correction Factor 0 °C		:		No No	Corrected Temp. °C	emp. °C	
	I Cardinal cannot acce	ept verbal changes. Ple	ase email changes to	and Language	and in all all and					

Sante Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 532382

QUESTIONS

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2331245162
Incident Name	NAPP2331245162 NORTH VACUUM ABO 296 @ 30-025-29562
Incident Type	Oil Release
Incident Status	Reclamation Report Received
Incident Well	[30-025-29562] NORTH VACUUM ABO UNIT #296

Location of Release Source	
Please answer all the questions in this group.	
Site Name	NORTH VACUUM ABO 296
Date Release Discovered	11/04/2023
Surface Owner	State

Incident Details	
Please answer all the questions in this group.	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for	or the volumes provided should be attached to the follow-up C-141 submission.
Crude Oil Released (bbls) Details	Cause: Corrosion Flow Line - Production Crude Oil Released: 13 BBL Recovered: 13 BBL Lost: 0 BBL.
Produced Water Released (bbls) Details	Cause: Corrosion Flow Line - Production Produced Water Released: 7 BBL Recovered: 7 BBL Lost: 0 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 532382

QUESTIONS (continued)

	- 1/
Operator: CROSS TIMBERS ENERGY, LLC	OGRID: 298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)
QUESTIONS	
Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the C-129 form.
Initial Response	
The responsible party must undertake the following actions immediately unless they could create a s	afety hazard that would result in injury
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative o ed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of valuation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for releating the OCD does not relieve the operator of liability should their operations have failed to a	knowledge and understand that pursuant to OCD rules and regulations all operators are required asses which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: Samanntha Avarello Title: EHS Coordinator Email: savarello@txoenergy.com Date: 12/05/2025

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 3

Action 532382

QUESTIONS (continued)

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approva release discovery date.	l and beyond). This information must be provided to the appropriate district office no later than 90 days after the
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	Direct Measurement
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release ar	nd the following surface areas:
A continuously flowing watercourse or any other significant watercourse	Between ½ and 1 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between ½ and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan	
Please answer all the questions that apply or are indicated. This information must be provided	to the appropriate district office no later than 90 days after the release discovery date.
Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contaminal	tion associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in	milligrams per kilograms.)
Chloride (EPA 300.0 or SM4500 Cl B)	2560
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	15921
GRO+DRO (EPA SW-846 Method 8015M)	13321
BTEX (EPA SW-846 Method 8021B or 8260B)	11.2
Benzene (EPA SW-846 Method 8021B or 8260B)	0.1
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes comple which includes the anticipated timelines for beginning and completing the remediation.	eted efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC
On what estimated date will the remediation commence	12/15/2023
On what date will (or did) the final sampling or liner inspection occur	12/15/2023
On what date will (or was) the remediation complete(d)	03/05/2024
What is the estimated surface area (in square feet) that will be reclaimed	5247
What is the estimated volume (in cubic yards) that will be reclaimed	844
What is the estimated surface area (in square feet) that will be remediated	5247
What is the estimated volume (in cubic yards) that will be remediated	844
These estimated dates and measurements are recognized to be the best guess or calculation of	t the time of submission and may (be) change(d) over time as more remediation efforts are completed.

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 532382

QUESTIONS (continued)

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fKJ1600527371 SUNDANCE SERVICES, INC
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
0 0 1 11 0 140 45 00 44 11140 1 11 11 1 1 1 1 1 1 1 1 1 1	

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC. which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Name: Samanntha Avarello Title: EHS Coordinator I hereby agree and sign off to the above statement Email: savarello@txoenergy.com Date: 12/05/2025

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 5

Action 532382

QUESTIONS (continued)

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 532382

QUESTIONS (continued)

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded 319291	
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	03/05/2024
What was the (estimated) number of samples that were to be gathered	2
What was the sampling surface area in square feet	400

Remediation Closure Request		
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.		
Requesting a remediation closure approval with this submission	Yes	
Have the lateral and vertical extents of contamination been fully delineated	Yes	
Was this release entirely contained within a lined containment area	No	
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes	
What was the total surface area (in square feet) remediated	5247	
What was the total volume (cubic yards) remediated	844	
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes	
What was the total surface area (in square feet) reclaimed	0	
What was the total volume (in cubic yards) reclaimed	0	
Summarize any additional remediation activities not included by answers (above)	Upon remediation closure approval, the excavation will be backfilled and reclaimed in accordance with 19.15.29.13 NMAC.	

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Name: Samanntha Avarello
Title: EHS Coordinator
Email: savarello@txoenergy.com
Date: 12/05/2025

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 7

Action 532382

QUESTIONS (continued)

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)
QUESTIONS	
Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	5247
What was the total volume of replacement material (in cubic yards) for this site	844
	four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 over must include a top layer, which is either the background thickness of topsoil or one foot of suitable material
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeding commence(d)	08/11/2025
Summarize any additional reclamation activities not included by answers (above)	On 08/11/2025, the site was hand seeded with the prescribed NMSLO seed mixture (SLO Seed Mix Version 1- 200808 for Coarse (CS) Sites). Following distribution, the seed was incorporated into the soil surface by raking to promote proper seed-to-soil contact.
	eclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form t field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13
	knowledge and understand that pursuant to OCD rules and regulations all operators are required ses which may endanger public health or the environment. The acceptance of a C-141 report by

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Name: Samanntha Avarello
Title: EHS Coordinator
Email: savarello@txoenergy.com
Date: 12/05/2025

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 8

Action 532382

QUESTIONS (continued)

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.	
Requesting a restoration complete approval with this submission	No
Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.	

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 532382

CONDITIONS

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	532382
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Create By	d Condition	Condition Date
nvel	None None	12/8/2025