



# Certificate of Analysis

Number: 6030-21110085-010A

**Artesia Laboratory**  
 200 E Main St.  
 Artesia, NM 88210  
 Phone 575-746-3481

Zach LaCount  
 Mewbourne Oil Company  
 4801 Business Park Blvd  
 Hobbs, NM 88240

Nov. 16, 2021

Station Name: Ibex 15/10 Battery VRU	Sampled By: Michael Mirabal
Station Location: Mewbourne	Sample Of: Gas Spot
Sample Point: Meter Run	Sample Date: 10/29/2021 03:55
Instrument: 6030_GC2 (Agilent GC-7890B)	Sample Conditions: 65 psig Ambient: 73 °F
Last Inst. Cal.: 09/13/2021 14:05 PM	Effective Date: 10/29/2021 03:55
Analyzed: 11/12/2021 10:59:30 by EJР	Method: GPA 2286
	Cylinder No: 5030-03699

## Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.696 psia	
Hydrogen Sulfide	0.000	0.02000	0.022		GPM TOTAL C2+ 14.202
Nitrogen	0.459	0.46200	0.419		GPM TOTAL C3+ 9.029
Methane	49.174	49.54200	25.709		GPM TOTAL iC5+ 2.571
Carbon Dioxide	1.811	1.82500	2.598		
Ethane	19.086	19.23000	18.704	5.173	
Propane	14.471	14.58000	20.796	4.040	
Iso-butane	1.974	1.98900	3.739	0.655	
n-Butane	5.517	5.55900	10.451	1.763	
Iso-pentane	1.550	1.56200	3.645	0.575	
n-Pentane	2.060	2.07600	4.845	0.757	
Hexanes Plus	3.131	3.15500	9.072	1.239	
	99.233	100.00000	100.000	14.202	

<b>Calculated Physical Properties</b>	<b>Total</b>	<b>C6+</b>
Relative Density Real Gas	1.0753	3.0492
Calculated Molecular Weight	30.91	88.31
Compressibility Factor	0.9917	
<b>GPA 2172 Calculation:</b>		
<b>Calculated Gross BTU per ft³ @ 14.696 psia &amp; 60°F</b>		
Real Gas Dry BTU	1764	4750
Water Sat. Gas Base BTU	1733	4667
Ideal, Gross HV - Dry at 14.696 psia	1749.3	4749.7
Ideal, Gross HV - Wet	1718.7	0.000

**Comments:** H2S Field Content 200 ppm

Data reviewed by: Eric Ramirez, Analyst

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 6030-21110085-010A

**Artesia Laboratory**  
 200 E Main St.  
 Artesia, NM 88210  
 Phone 575-746-3481

Zach LaCount  
 Mewbourne Oil Company  
 4801 Business Park Blvd  
 Hobbs, NM 88240

Nov. 16, 2021

Station Name: Ibex 15/10 Battery VRU  
 Station Location: Mewbourne  
 Sample Point: Meter Run  
 Cylinder No: 5030-03699  
 Analyzed: 11/15/2021 10:41:21 by EJR

Sampled By: Michael Mirabal  
 Sample Of: Gas Spot  
 Sample Date: 10/29/2021 03:55  
 Sample Conditions: 65 psig  
 Method: GPA 2286

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia
Hydrogen Sulfide	0.020	0.022	
Nitrogen	0.462	0.419	
Methane	49.542	25.709	
Carbon Dioxide	1.825	2.598	
Ethane	19.230	18.704	5.173
Propane	14.580	20.796	4.040
Iso-Butane	1.989	3.739	0.655
n-Butane	5.559	10.451	1.763
Iso-Pentane	1.562	3.645	0.575
n-Pentane	2.076	4.845	0.757
i-Hexanes	1.019	2.780	0.409
n-Hexane	0.550	1.539	0.228
Benzene	0.233	0.589	0.066
Cyclohexane	0.347	0.951	0.119
i-Heptanes	0.550	1.614	0.218
n-Heptane	0.081	0.267	0.038
Toluene	0.076	0.225	0.026
i-Octanes	0.206	0.697	0.089
n-Octane	0.017	0.057	0.009
Ethylbenzene	0.003	0.014	0.001
Xylenes	0.015	0.055	0.005
i-Nonanes	0.029	0.120	0.014
n-Nonane	0.011	0.045	0.006
Decanes Plus	0.018	0.119	0.011
	<u>100.000</u>	<u>100.000</u>	<u>14.202</u>



# Certificate of Analysis

Number: 6030-21110085-010A

**Artesia Laboratory**  
200 E Main St.  
Artesia, NM 88210  
Phone 575-746-3481

Zach LaCount  
Mewbourne Oil Company  
4801 Business Park Blvd  
Hobbs, NM 88240

Nov. 16, 2021

Station Name: Ibex 15/10 Battery VRU  
Station Location: Mewbourne  
Sample Point: Meter Run  
Cylinder No: 5030-03699  
Analyzed: 11/15/2021 10:41:21 by EJR

Sampled By: Michael Mirabal  
Sample Of: Gas Spot  
Sample Date: 10/29/2021 03:55  
Sample Conditions: 65 psig  
Method: GPA 2286

Calculated Physical Properties	Total	C10+
Calculated Molecular Weight	30.91	158.65
<b>GPA 2172 Calculation:</b>		
<b>Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia &amp; 60°F</b>		
Real Gas Dry BTU	1763.9	8685.7
Water Sat. Gas Base BTU	1733.1	8463.4
Relative Density Real Gas	1.0753	5.4777
Compressibility Factor	0.9917	
Ideal, Gross HV - Wet	1718.7	
Ideal, Gross HV - Dry at 14.696 psia	1749.3	
Net BTU Dry Gas - real gas	1614	
Net BTU Wet Gas - real gas	1586	

**Comments:** H2S Field Content 200 ppm

Data reviewed by: Eric Ramirez, Analyst

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Mewbourne Oil Company

Natural Gas Flared Calculation Methodology

Metering low-pressure gas diverted from the Vapor Recovery Unit ("VRU") to backup flare is not technologically feasible. Gas volumes for VRU downtime events will be calculated using an average metered VRU gas to oil production ratio. This GOR is derived from available relevant data.

Average Metered VRU Gas to Oil Production GOR = 0.18 Mcf/BBL

Flared gas volume = GOR \* Oil Production Volume (BBL)

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

DEFINITIONS

Action 559742

**DEFINITIONS**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 559742
	Action Type: [C-129] Venting and/or Flaring (C-129)

**DEFINITIONS**

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 559742

**QUESTIONS**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 559742
	Action Type: [C-129] Venting and/or Flaring (C-129)

**QUESTIONS**

<b>Prerequisites</b>	
<i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Unavailable.
Incident Facility	[fAPP2125746114] IBEX 15/10 B3PA FED COM 1H BATTERY

<b>Determination of Reporting Requirements</b>	
<i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there <b>at least 50 MCF</b> of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

<b>Equipment Involved</b>	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	VRU

<b>Representative Compositional Analysis of Vented or Flared Natural Gas</b>	
<i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	50
Nitrogen (N2) percentage, if greater than one percent	0
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	2
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 559742

**QUESTIONS (continued)**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 559742
	Action Type: [C-129] Venting and/or Flaring (C-129)

**QUESTIONS**

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	02/28/2026
Time vent or flare was discovered or commenced	03:00 AM
Time vent or flare was terminated	11:59 PM
Cumulative hours during this event	21

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	<i>Not answered.</i>
Natural Gas Flared (Mcf) Details	Cause: Equipment Failure   Other (Specify)   Natural Gas Flared   Released: 192 Mcf   Recovered: 0 Mcf   Lost: 192 Mcf.
Other Released Details	<i>Not answered.</i>
Additional details for Measured or Estimated Volume(s). Please specify	Volume calculated
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	<i>Not answered.</i>
Downstream OGRID that should have notified this operator	<i>Not answered.</i>
Date notified of downstream activity requiring this vent or flare	<i>Not answered.</i>
Time notified of downstream activity requiring this vent or flare	<i>Not answered.</i>

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	VRU malfunctioned
Steps taken to limit the duration and magnitude of vent or flare	Repaired VRU
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Continued routine preventive maintenance and daily operational inspections





Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 559742

**ACKNOWLEDGMENTS**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 559742
	Action Type: [C-129] Venting and/or Flaring (C-129)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a <b>complete</b> C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
<input checked="" type="checkbox"/>	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
<input checked="" type="checkbox"/>	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
<input checked="" type="checkbox"/>	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 559742

**CONDITIONS**

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88240	OGRID: 14744
	Action Number: 559742
	Action Type: [C-129] Venting and/or Flaring (C-129)

**CONDITIONS**

Created By	Condition	Condition Date
zlacount	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	3/5/2026