

2135 S. Loop 250 W.  
Midland, Texas 79703  
United States  
www.ghd.com

Our Ref.: 12670741 – NMOCD – 1

May 18, 2026

New Mexico Oil Conservation Division  
1625 N. French Drive  
Hobbs, New Mexico 88240

Closure Report  
Devon Energy Production Company, LP  
Stray Cat 8 CTB 5  
Unit Letter P, Section 08, T23S, R32E  
GPS: 32.31449095, -103.6916407  
Lea County, New Mexico

## 1. Introduction

GHD Services Inc. (GHD), on behalf of Devon Energy Production Company, LP (Devon Energy), has prepared this *Closure Report* to document Site assessment activities at Stray Cat 8 CTB 5 (Site). The purpose of the assessment was to determine the presence or absence of impacts to soil following a release of produced water within a lined containment at the Site. Based on field observations, Devon Energy is submitting this *Closure Report*, describing Site assessment activities that have occurred and requesting closure for Incident Numbers nAPP2512958745, nAPP2517625977, nAPP2525127878, nAPP2530943424, nAPP2602142305, nAPP2602830228, nAPP2604024432, and nAPP2606124303.

## 2. Site Descriptions and Release Summaries

The Site is in Unit P, Section 08, Township 23 South, Range 32 East, in Lea County, New Mexico (32.31449095° N, 103.6916407° W) and is associated with oil and gas exploration and production operations on Federal Land managed by the Bureau of Land Management (BLM).

On May 9, 2025, a Pinhole leak on the water dump line allowed produced water to leak into secondary containment. Approximately 205 barrels (bbls) of produced water were released into the lined secondary containment. A vacuum truck was dispatched to the Site to recover free-standing fluids; all 205 bbls of released produced water was recovered from within the lined containment. The release was reported to the New Mexico Oil Conservation Division (NMOCD) on May 9, 2025, and was subsequently assigned Incident Number nAPP2512958745.

On June 24, 2025, a pinhole leak on the water dump line allowed produced water to leak into secondary containment. Approximately 18 bbls of produced water were released into the lined secondary containment due to corrosion on a produced water dump line. A vacuum truck was dispatched to the Site to recover free-standing fluids; all 18 bbls of released produced water were recovered from within the lined containment.

The release was reported to the NMOCD on June 25, 2025, and was subsequently assigned Incident Number nAPP2517625977.

On September 7, 2025, a pinhole leak on the water leg of a separator allowed produced water to leak into secondary containment. Approximately 74 bbls of produced water were released into the lined secondary containment due to corrosion on a separator water line. A vacuum truck was dispatched to the Site to recover free-standing fluids; all 74 bbls of released produced water was recovered from within the lined containment. The release was reported to the NMOCD on September 8, 2025, and was subsequently assigned Incident Number nAPP2525127878.

On November 4, 2025, a pinhole leak allowed produced water to leak into secondary containment. Approximately 28 bbls of produced water were released into the lined secondary containment. A vacuum truck was dispatched to the Site to recover free-standing fluids; approximately 28 bbls of produced water were recovered from within the lined containment. The release was reported to the NMOCD on November 5, 2025, and was subsequently assigned Incident Number nAPP2530943424.

On January 21, 2026, a pinhole leak on piping allowed produced water to leak into secondary containment. Approximately 59 bbls of produced water were released into the lined secondary containment. A vacuum truck was dispatched to the Site to recover free-standing fluids; approximately 59 bbls of produced water were recovered from within the lined containment. The release was reported to the NMOCD on January 21, 2026, and was subsequently assigned Incident Number nAPP2602142305.

On January 27, 2026, a sight glass failure allowed produced water to leak into secondary containment. Approximately 18 bbls of produced water were released into the lined secondary containment. A vacuum truck was dispatched to the Site to recover free-standing fluids; approximately 18 bbls of produced water were recovered from within the lined containment. The release was reported to the New Mexico Oil Conservation Division (NMOCD) on January 28, 2026, and was subsequently assigned Incident Number nAPP2602830228.

On February 7, 2026, a leak on water transfer pump fitting allowed produced water to leak into secondary containment. Approximately 11 bbls of produced water were released into the lined secondary containment. A vacuum truck was dispatched to the Site to recover free-standing fluids; approximately 11 bbls of produced water were recovered from within the lined containment. The release was reported to the NMOCD on February 9, 2026, and was subsequently assigned Incident Number nAPP2604024432.

On February 27, 2026, a pinhole leak on a separator piping allowed produced water to leak into secondary containment. Approximately 10 bbls of produced water were released into the lined secondary containment. A vacuum truck was dispatched to the Site to recover free-standing fluids; approximately 10 bbls of produced water were recovered from within the lined containment. The release was reported to the NMOCD on March 2, 2026, and was subsequently assigned Incident Number nAPP2606124303.

### 3. Site Characterization and Closure Criteria

The Site was characterized to assess applicability of Table I, Closure Criteria for Soils Impacted by a Release, of Title 19, Chapter 15, Part 29 (NMAC 19.15.29) of the New Mexico Administrative Code (NMAC). Results from the characterization desktop review are summarized below and a Site Map is presented on **Figure 1**.

According to the soil survey provided by the United States Department of Agriculture National Resources Conservation Services, the soil type present at the Site is Maljamar and Palomas fine sands, with a slope of 0-3 percent, well-drained. The New Mexico Bureau of Geology and Mineral Resources show the geology in the Site area is comprised of Eolian and piedmont deposits, Holocene to middle Pleistocene in age. The Site is located within an area of low karst potential.

Depth to groundwater at the Site is estimated to be greater than 55 feet below ground surface (ft bgs) based on the nearest groundwater well data. Groundwater was determined utilizing the New Mexico Office of the State Engineers (NMOSE) database for registered water wells. The nearest permitted groundwater well with depth to groundwater data is NMOSE well POD 1-C-04815 located approximately 0.48 west of the Site. The well was completed to a depth of 55 ft bgs on April 16, 2024; no groundwater was encountered during drilling activities and was considered a dry hole after completion activities. A copy of the referenced well record is included in **Attachment A**.

The Site is greater than 200 feet (ft) from a lakebed, sinkhole, or playa lake and greater than 300 ft from an occupied residence, school, hospital, institution, church, or wetland. Based on information provided by the National Wetland Inventory (NWI) database, a riverine wetland is located approximately 3.94 miles northwest of the Site. The Site is greater than 1,000 ft to a freshwater well or spring and is greater than 5 miles to a 100-year floodplain; and the nearest subsurface mine is greater than 5 miles away from the Site. The Site is not underlain by unstable geology. The location of the Site is depicted on **Figure 1**. A detailed map of the Site is provided in **Figure 2**. The Site Characterization Documentation is included in **Attachment B**.

Based on the results of the Site Characterization desktop review, the following NMOCD Table 3.1 Closure Criteria (Closure Criteria) apply:

Table 3.1 Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29.12)

Regulatory Standard	Benzene (mg/kg)	BTEX (mg/kg)	TPH (GRO+DRO) (mg/kg)	TPH (GRO+DRO+MRO) (mg/kg)	Chloride (mg/kg)
19.15.29.12 NMAC Table I Closure Criteria for Soils Impacted by a Release.	10	50	1,000	2,500	10,000
Notes: mg/kg = milligrams per kilogram. TPH = total petroleum hydrocarbons. GRO+DRO+MRO = Gasoline Range Organics + Diesel Range Organics + Motor Oil/Lube Range Organics. BTEX = benzene, toluene, ethylbenzene, and xylene.					

## 4. Site Assessment Activities

The liner inspection notice for Incident Numbers nAPP2512958745, nAPP2517625977, nAPP2525127878, nAPP2530943424, nAPP2602142305, nAPP2602830228, nAPP2604024432, and nAPP2606124303 were provided on April 21, 2026. A liner integrity inspection was performed on April 30, 2026. The liner was visually inspected and no rips, tears, holes, or damage in the liner was observed. The liner was determined to be intact with no integrity issues. Photographic documentation of the liner inspection is presented in **Attachment C**.

## 5. Closure Request

Based on the liner inspection and assessment activities at the Site, Devon Energy respectfully requests that no further actions be required, and requests closure for Incident Numbers nAPP2512958745, nAPP2517625977, nAPP2525127878, nAPP2530943424, nAPP2602142305, nAPP2602830228, nAPP2604024432, and nAPP2606124303 be granted.

Should you have any questions or require further information regarding this report, please do not hesitate to contact the undersigned.

Regards,



**Kayla Taylor**  
Senior Project Manager

+1 432 210-5443  
kayla.taylor@ghd.com




KT/mss/1/S4



**Scott Foord**  
Project Director

+1 281 725-7477  
william.foord@ghd.com

Encl.: Figure 1 - Site Location Map  
Figure 2 - Site Layout  
Attachment A - Referenced Well Records  
Attachment B - Site Characterization Documentation  
Attachment C - Photographic Documentation



DEVON ENERGY PRODUCTION COMPANY, LP  
LEA COUNTY, NEW MEXICO  
STRAY CAT 8 CTB 5


Project No. 12670741  
Revision No. -  
Date May 15, 2026


Map Projection: Transverse Mercator  
Horizontal Datum: North American 1983  
Grid: NAD 1983 StatePlane New Mexico East FIPS 3001 Feet

**SITE LOCATION MAP**


**FIGURE 1**

Legend

 Site Boundary



Paper Size ANSI A  
 0 10 20 30 40  
 US Feet



DEVON ENERGY PRODUCTION COMPANY, LP  
 LEA COUNTY, NEW MEXICO  
 STRAY CAT 8 CTB 5

Project No. 12670741  
 Revision No. -  
 Date May 15, 2026

Map Projection: Transverse Mercator  
 Horizontal Datum: North American 1983  
 Grid: NAD 1983 StatePlane New Mexico East FIPS 3001 Feet

SITE LAYOUT

FIGURE 2

# Attachments

# Attachment A

## Referenced Well Records



# WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) <b>C-04815</b> <span style="margin-left: 50px;"><b>POD 1</b></span>		WELL TAG ID NO.		OSE FILE NO(S) <b>C-4815-POD1</b>			
	WELL OWNER NAME(S) <b>Devon Energy Resources</b>				PHONE (OPTIONAL)			
	WELL OWNER MAILING ADDRESS <b>205 E. Bender Road #150</b>				CITY <b>Hobbs</b>	STATE <b>NM</b>	ZIP <b>88240</b>	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE	MINUTES 32	SECONDS 18	51.8	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
		LONGITUDE	-103	41	59.4	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE								
2. DRILLING & CASING INFORMATION	LICENSE NO. <b>1833</b>		NAME OF LICENSED DRILLER <b>Jason Maley</b>			NAME OF WELL DRILLING COMPANY <b>Vision Resources</b>		
	DRILLING STARTED <b>4-16-24</b>	DRILLING ENDED <b>4-16-24</b>	DEPTH OF COMPLETED WELL (FT) <b>55'</b>	BORE HOLE DEPTH (FT) <b>55'</b>	DEPTH WATER FIRST ENCOUNTERED (FT) <b>N/A</b>			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) <b>0'</b>	DATE STATIC MEASURED <b>4-16-24</b>		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0	45	6"	PVC 2" SCH40	Thread	2"	SCH40	N/A
	45	55	6"	PVC 2" SCH40	Thread	2"	SCH40	.02
	OSE DTI APR 25 2024 PM 2:37							
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						
				None pulled and plugged				

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO. <b>C-04815</b>	POD NO. <b>1</b>	TRN NO. <b>757440</b>
LOCATION <b>236.32E.08.143</b>	WELL TAG ID NO.	PAGE 1 OF 2



Mike A. Hamman, P.E.  
State Engineer



Roswell Office  
1900 WEST SECOND STREET  
ROSWELL, NM 88201

**STATE OF NEW MEXICO  
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 757440  
File Nbr: C 04815  
Well File Nbr: C 04815 POD1

Apr. 25, 2024

CHANCE DIXON  
VERTEX RESOURCE SERVICES INC  
3101 BOYD DRIVE  
CARLSBAD, NM 88220

Greetings:

The above numbered permit was issued in your name on 03/14/2024.

The Well Record was received in this office on 04/25/2024, stating that it had been completed on 04/16/2024, and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 03/14/2025.

If you have any questions, please feel free to contact us.

Sincerely,

A handwritten signature in cursive script that reads "Rodolfo Chavez".

Rodolfo Chavez  
(575) 622-6521

drywell


# Attachment B

## Site Characterization Documentation

# National Flood Hazard Layer FIRMette



103°41'49"W 32°19'7"N



## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D

OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D

GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall

OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Profile Baseline
		Hydrographic Feature

MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 10/3/2025 at 8:40 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.


This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



1:6,000

103°41'11"W 32°18'37"N

# Stray Cat 8 CTB 5




4/18/2025, 7:19:56 PM

1:144,448

### Lithologic Units

- Playa—Alluvium and evaporite deposits (Holocene)
- Water—Perennial standing water
- Qa—Alluvium (Holocene to upper Pleistocene)
- Ql—Landslide deposits and colluvium (Holocene to Pleistocene) — Landslide deposits on western flanks of Socorro Mountains not shown for clarity
- Qpl—Lacustrine and playa deposits (Holocene) — Includes associated alluvial and eolian deposits of major lake basins
- Qp—Piedmont alluvial deposits (Holocene to lower Pleistocene)
- Qe—Eolian deposits (Holocene to middle Pleistocene)

Qeg—Gypsiferous eolian deposits (Holocene to middle Pleistocene)



Texas Parks & Wildlife, CONANP, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, USDA, USFWS, Earthstar Geographics, NMBGMR


# Karst Potential Map



10/7/2025, 2:39:14 PM

Karst Occurrence Potential

Low



BLM, OCD, New Mexico Tech, Maxar

Map Unit Description: Maljamar and Palomas fine sands, 0 to 3 percent slopes---Lea County,  
New Mexico

Soil Description

## Lea County, New Mexico

### MF—Maljamar and Palomas fine sands, 0 to 3 percent slopes

#### Map Unit Setting

*National map unit symbol:* dmqb

*Elevation:* 3,000 to 3,900 feet

*Mean annual precipitation:* 10 to 15 inches

*Mean annual air temperature:* 60 to 62 degrees F

*Frost-free period:* 190 to 205 days

*Farmland classification:* Farmland of statewide importance

#### Map Unit Composition

*Maljamar and similar soils:* 46 percent

*Palomas and similar soils:* 44 percent

*Minor components:* 10 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

#### Description of Maljamar

##### Setting

*Landform:* Plains

*Landform position (three-dimensional):* Rise

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Parent material:* Sandy eolian deposits derived from sedimentary rock

##### Typical profile

*A - 0 to 24 inches:* fine sand

*Bt - 24 to 50 inches:* sandy clay loam

*Bkm - 50 to 60 inches:* cemented material

##### Properties and qualities

*Slope:* 0 to 3 percent

*Depth to restrictive feature:* 40 to 60 inches to petrocalcic

*Drainage class:* Well drained

*Runoff class:* Very low

*Capacity of the most limiting layer to transmit water (Ksat):* Very low to moderately low (0.00 to 0.06 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum content:* 5 percent

*Maximum salinity:* Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

*Sodium adsorption ratio, maximum:* 2.0

*Available water supply, 0 to 60 inches:* Low (about 5.6 inches)

##### Interpretive groups

*Land capability classification (irrigated):* 7e

Map Unit Description: Maljamar and Palomas fine sands, 0 to 3 percent slopes---Lea County,  
New Mexico

Soil Description

*Land capability classification (nonirrigated): 7e*  
*Hydrologic Soil Group: B*  
*Ecological site: R070BD003NM - Loamy Sand*  
*Hydric soil rating: No*

### Description of Palomas

#### Setting

*Landform: Plains*  
*Landform position (three-dimensional): Rise*  
*Down-slope shape: Linear*  
*Across-slope shape: Linear*  
*Parent material: Alluvium derived from sandstone*

#### Typical profile

*A - 0 to 16 inches: fine sand*  
*Bt - 16 to 60 inches: sandy clay loam*  
*Bk - 60 to 66 inches: sandy loam*

#### Properties and qualities

*Slope: 0 to 3 percent*  
*Depth to restrictive feature: More than 80 inches*  
*Drainage class: Well drained*  
*Runoff class: Low*  
*Capacity of the most limiting layer to transmit water*  
*(Ksat): Moderately high to high (0.60 to 2.00 in/hr)*  
*Depth to water table: More than 80 inches*  
*Frequency of flooding: None*  
*Frequency of ponding: None*  
*Calcium carbonate, maximum content: 45 percent*  
*Gypsum, maximum content: 1 percent*  
*Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0*  
*mmhos/cm)*  
*Sodium adsorption ratio, maximum: 2.0*  
*Available water supply, 0 to 60 inches: Moderate (about 7.5*  
*inches)*

#### Interpretive groups

*Land capability classification (irrigated): None specified*  
*Land capability classification (nonirrigated): 7e*  
*Hydrologic Soil Group: B*  
*Ecological site: R070BD003NM - Loamy Sand*  
*Hydric soil rating: No*

### Minor Components

#### Kermit

*Percent of map unit: 5 percent*  
*Ecological site: R070BC022NM - Sandhills*  
*Hydric soil rating: No*

#### Wink

*Percent of map unit: 5 percent*  
*Ecological site: R070BD003NM - Loamy Sand*

Map Unit Description: Maljamar and Palomas fine sands, 0 to 3 percent slopes---Lea County,  
New Mexico

Soil Description


---

*Hydric soil rating:* No

## Data Source Information


Soil Survey Area: Lea County, New Mexico  
Survey Area Data: Version 22, Sep 9, 2025

Soil Map—Lea County, New Mexico  
(Soil Map)



Soil Map may not be valid at this scale.

Map Scale: 1:1,450 if printed on A landscape (11" x 8.5") sheet.




Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84

Soil Map—Lea County, New Mexico  
(Soil Map)

**MAP LEGEND**

**Area of Interest (AOI)**

 Area of Interest (AOI)




















**Soils**






 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

**Special Point Features**





-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features

**Water Features**

 Streams and Canals

**Transportation**

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

**Background**

 Aerial Photography

**MAP INFORMATION**

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service  
Web Soil Survey URL:  
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico  
Survey Area Data: Version 22, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
MF	Maljamar and Palomas fine sands, 0 to 3 percent slopes	10.5	100.0%
<b>Totals for Area of Interest</b>		<b>10.5</b>	<b>100.0%</b>



# Stray Cat 8 CTB 5



October 7, 2025

### Wetlands

- Estuarine and Marine Deepwater
- Freshwater Emergent Wetland
- Lake
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

# Attachment C

## Photographic Documentation



Devon Energy Production Company, LP

Stray Cat 8 CTB 5

Incident No. nAPP2512958745, nAPP2525127878, nAPP2517625977, nAPP2530943424,

nAPP2602142305, nAPP2602830228, nAPP2604024432, nAPP2606124303

Lea County, New Mexico



Photo 1 View of facility sign.



Photo 2 View of north-northeast side of containment.



Photo 3 View of containment towards east.



Photo 4 View of containment towards south.



Devon Energy Production Company, LP

Stray Cat 8 CTB 5

Incident No. nAPP2512958745, nAPP2525127878, nAPP2517625977, nAPP2530943424,

nAPP2602142305, nAPP2602830228, nAPP2604024432, nAPP2606124303

Lea County, New Mexico



Photo 5 View of central containment towards north-northwest.



Photo 6 View of east side of containment towards south.



Photo 7 View of containment towards east-southeast.



Photo 8 View of containment towards east.



Devon Energy Production Company, LP

Stray Cat 8 CTB 5

Incident No. nAPP2512958745, nAPP2525127878, nAPP2517625977, nAPP2530943424,

nAPP2602142305, nAPP2602830228, nAPP2604024432, nAPP2606124303

Lea County, New Mexico



Photo 9 View of northwest corner of containment.



Photo 10 View of containment towards west.



Photo 11 View of containment towards north.



Photo 12 View of the central area of the secondary containment towards west.



Devon Energy Production Company, LP

Stray Cat 8 CTB 5

Incident No. nAPP2512958745, nAPP2525127878, nAPP2517625977, nAPP2530943424,

nAPP2602142305, nAPP2602830228, nAPP2604024432, nAPP2606124303

Lea County, New Mexico



Photo 13 View of central containment towards north.



Photo 13 View of the secondary containment towards west.



Photo 15 View of containment towards west.



Photo 16 View of the central area towards south.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 586676

**QUESTIONS**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 586676
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Prerequisites</b>	
Incident ID (n#)	nAPP2512958745
Incident Name	NAPP2512958745 STRAY CAT 8 CTB 5 @ FAPP2329744383
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Facility	[fAPP2329744383] STRAY CAT 8 CTB 5

**Location of Release Source**

Please answer all the questions in this group.

Site Name	STRAY CAT 8 CTB 5
Date Release Discovered	05/09/2025
Surface Owner	Federal

**Incident Details**

Please answer all the questions in this group.

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

**Nature and Volume of Release**

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Corrosion   Separator   Produced Water   Released: 205 BBL   Recovered: 205 BBL   Lost: 0 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Pinhole leak on water dump line. Released to lined secondary containment. Fluid volumes are including rainwater which we estimate to be 195 bbls, based on other containments in area effected by recent heavy rains.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 586676

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 586676
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	<b>No, according to supplied volumes this does not appear to be a "gas only" report.</b>
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	<b>Yes</b>
Reasons why this would be considered a submission for a notification of a major release	<b>From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.</b>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

**Initial Response**

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.*

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

*Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.ralej@dvn.com Date: 05/19/2026
--	--

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 586676

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 586676
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

**Remediation Plan**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	Yes
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	04/28/2026
On what date will (or did) the final sampling or liner inspection occur	04/30/2026
On what date will (or was) the remediation complete(d)	04/29/2026
What is the estimated surface area (in square feet) that will be remediated	16000
What is the estimated volume (in cubic yards) that will be remediated	0

*These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.*

*The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.*

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 586676

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 586676
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

**Remediation Plan (continued)**

*Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

**This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:**

*(Select all answers below that apply.)*

Is (or was) there affected material present needing to be removed	Yes
Is (or was) there a power wash of the lined containment area (to be) performed	Yes
OTHER (Non-listed remedial process)	Not answered.

*Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvsn.com Date: 05/19/2026
--	---

*The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.*

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 586676

**QUESTIONS (continued)**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 586676
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Liner Inspection Information</b>	
Last liner inspection notification (C-141L) recorded	577623
Liner inspection date pursuant to Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC	04/30/2026
Was all the impacted materials removed from the liner	Yes
What was the liner inspection surface area in square feet	16000

<b>Remediation Closure Request</b>	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	Yes
What was the total surface area (in square feet) remediated	16000
What was the total volume (cubic yards) remediated	0
Summarize any additional remediation activities not included by answers (above)	Liner Inspection

*The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dmv.com Date: 05/19/2026
--	--

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 586676

**CONDITIONS**

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 586676
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**CONDITIONS**

Created By	Condition	Condition Date
rhamlet	We have received your Remediation Closure Report for Incident #nAPP2512958745 STRAY CAT 8 CTB 5, thank you. This Remediation Closure Report is approved.	5/20/2026