

1755 Wittington Place, Suite 500
Dallas, Texas 75234
United States
ghd.com

Your ref.: Incident Number nAUTOfCS000707
Our ref.: 12660612-NMOCD-2

May 12, 2026

State of New Mexico
Energy, Minerals, and Natural Resources Department
New Mexico Oil Conservation Division
811 South First Street
Artesia, New Mexico 88210

Pueblo of Laguna
Environmental Program
22 Bay Tree Road Building B
Paraje, New Mexico 87007


2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Transwestern Pipeline Company, LLC
Cibola County, New Mexico
New Mexico Oil Conservation Division Abatement Plan-103
Incident Number nAUTOfCS000707

Dear Sir or Madame:

On behalf of Transwestern Pipeline Company, LLC, GHD Services Inc. (GHD) is submitting the *2025 Annual Groundwater Monitoring Report* (Report) for the above-referenced property (Site) to the New Mexico Oil Conservation Division (NMOCD). The Report summarizes activities performed at the Site during 2025.

Should you have any questions or comments regarding this submittal, please do not hesitate to contact the undersigned.

Regards,



Kayla Taylor
Project Manager
+1 432 699-2096
kayla.taylor@ghd.com
KT/jlf/2/S4



Scott Foord
Project Director
+1 281 657-0808
william.foord@ghd.com

Encl.: 2025 Annual Groundwater Monitoring Report

Copy to: Stacy Boultinghouse, Energy Transfer





2025 Annual Groundwater Monitoring Report

**Laguna Compressor Station No. 6
Cibola County, New Mexico NMOCD
AP-103 Incident Number nAUTOfCS000707**

Transwestern Pipeline Company, LLC

May 12, 2026

→ **The Power of Commitment**

Project name		ET - Laguna Compressor Station No. 6					
Document title		2025 Annual Groundwater Monitoring Report Laguna Compressor Station No. 6 Cibola County, New Mexico NMOCD AP-103 Incident Number nAUTOCS000707					
Project number		12660612 (2)					
File name		12660612-RPT-2-2025 Annual GWM Report					
Status Code	Revision	Author	Reviewer		Approved for issue		
			Name	Signature	Name	Signature	Date
S0		Kaitlyn Joy	Kayla Taylor		Kayla Taylor		3-27-26
S3		Kaitlyn Joy	Scott Foord		Scott Foord		4-27-26
S4		Kaitlyn Joy	Scott Foord		Scott Foord		5-12-26
[Status code]							
[Status code]							

GHD 340

Contact: Scott Foord, Science Leader II | GHD
 11451 Katy Freeway, Suite 400
 Houston, Texas 77079, United States
T +1 713 734 3090 | **F** +1 713 734 3391 | **E** info-northamerica@ghd.com | **GHD.com**

© GHD 2026

This document is and shall remain the property of GHD. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission. Unauthorised use of this document in any form whatsoever is prohibited.

Contents

1.	Introduction	1
1.1	Site Description Background	1
1.2	Geology and Hydrology	2
2.	Groundwater Monitoring	2
2.1	Monitoring Well Gauging	3
2.2	Groundwater Sampling	3
2.3	Quality Assurance/Quality Control	3
2.4	Analytical Results	4
3.	Summary and Recommendations	5
3.1	Summary	5
3.2	Recommendations	5
4.	Scope and Limitations	5

Table index

Table 1	Summary of Groundwater Elevation Data
Table 2	Summary of Groundwater Quality Field Parameters
Table 3	Summary of Groundwater Analytical Results - VOCs
Table 4	Summary of Groundwater Analytical Results - PCBs
Table 5	Summary of Groundwater Analytical Results - ISEB Monitoring Wells

Figure index

Figure 1	Site Location Map
Figure 2	Site Details Map
Figure 3	Potentiometric Surface Map (March 2025)
Figure 4	Potentiometric Surface Map (September 2025)
Figure 5	COC Concentrations in Groundwater (2025)
Figure 6	PCB Concentrations in Groundwater (2025)

Appendices

Appendix A	Laboratory Analytical Reports
------------	-------------------------------

1. Introduction

This report presents the results of groundwater monitoring activities performed during 2025 by GHD Services Inc. (GHD) at the Transwestern Pipeline Company, LLC (Transwestern) Laguna Compressor Station No. 6 (Site). The Site is located on the Pueblo of Laguna (PoL), approximately 1.5 miles southwest of Laguna, Cibola County, New Mexico, shown on Figure 1. Geographical coordinates for the Site are 35.0174167° North and 107.4043944° West. The Site is regulated by PoL Department of Environment and Natural Resources (DENR) and the New Mexico Oil Conservation Division (NMOCD) under Abatement Plan (AP)-103 and is associated with NMOCD incident number nAUTOfCS000707.

1.1 Site Description Background

The Site consists of an active compressor station and associated equipment. The Site has been in active assessment and remediation since 1989 in response to a Consent Decree issued by the United States Environmental Protection Agency (EPA). A total of 63 injection and/or groundwater monitoring wells have been installed at the Site between 1992 and 2000, 16 of which have since been plugged and abandoned. Figure 2 shows the well locations and other Site features.

In the 1980s, the EPA issued a Consent Decree to Transwestern due to the potential release of polychlorinated biphenyls (PCBs) to soils at several Transwestern facilities. Transwestern utilized synthetic lubricating oil containing Aroclor-1242 in a gas turbine at Station 8, which is upstream of the Site. The EPA asserted that PCBs that entered the pipeline during the period Aroclor-1242 was used may have impacted downstream Transwestern facilities. The potential releases of PCBs at the Site may have occurred from natural gas condensate liquid waste generated during pipeline cleaning (pigging) operations. Historically, when the liquids were removed from the pipeline at the Site, they were placed in a concrete-lined impoundment on the eastern side of the Site.

In March 1989, Daniel B. Stephens & Associates (DBS&A) was retained by Transwestern to investigate the hydrogeology at four compressor stations, which included the Site. The results of this investigation revealed the presence of PCBs and halogenated volatile organic compounds (VOCs) within a shallow perched aquifer, 10 to 15 feet below ground surface (ft bgs) at the Site. However, impacts to the regional water table, approximately 40 to 60 ft bgs, were not found.

In October 1990, five continuously cored holes (6-CH1 to 6-CH5) were completed by DBS&A to verify reports of fractures and shallow ground water in the upper and middle Bluff Sandstone. Using fracture information, geophysical electromagnetic surveys, and anion/cation analysis and radioisotope dating, DBS&A determined that the shallow perched aquifer and the deeper regional water table had little correlation with each other and infiltration from the shallow perched zone to the deeper regional water table would be very slow due to the low permeability of the bedrock between the two water-bearing zones. Analytical data and radioisotope dating information also determined that the perched groundwater was indeed characteristically different from groundwater in the deeper aquifer and had likely been influenced by precipitation, waterline leaks at the Site, and infiltration from leaking drain tile fields.

The Consent Decree was terminated in late 1992 when the EPA concluded that Transwestern had met the terms and conditions. Following the termination of the Consent Decree, Transwestern came under the regulatory authority of the PoL DENR and NMOCD for Site monitoring and remediation activities.

Through these initial investigations, it was determined that the primary constituents of concern (COCs) at the Site include PCBs, benzene, tetrachloroethene (PCE), 1,1-dichloroethane (1,1-DCA), 1,2-DCA, 1,1-dichloroethene (1,1-DCE), vinyl chloride, carbon tetrachloride, and chloroform. Between 1992 and 2014, groundwater monitoring continued at the Site to monitor the natural attenuation of the COCs.

A request to plug and abandon the five core holes located at the Site and perform bench scale testing to enhance natural attenuation at the Site was submitted to the PoL DENR and NMOCD in a work plan dated April 8, 2015, which was approved by the PoL DENR via email on September 17, 2015.

In late 2015, a treatability study was conducted by GHD's Innovative Technologies Group using representative samples of soil and groundwater collected from the Site. A representative soil sample consisting of 2 gallons of soil and a representative groundwater sample consisting of 3 gallons of groundwater were collected in October 2015 to conduct the laboratory treatability study. The results of this 12-week study showed that chlorinated VOCs (CVOC) can be treated by enhanced anaerobic biodegradation; however, the data suggested that complete biodegradation will occur but that longer than 12 weeks would be required. It was recommended that anaerobic conditions be enhanced at the Site by the addition of emulsified vegetable oil (EVO) and nutrients. The recommended dosage for the Site per cubic yard (yd³) of saturated matrix was approximately 3 pounds of EVO, 0.09 pounds of Accelerite (a B12 nutrient similar to yeast extract), 0.03 pounds of ammonium sulfate, and 0.003 pounds of sodium phosphate.

A pilot study injection program was initiated by GHD to test the effectiveness of in-situ enhanced biodegradation (ISEB) at the Site. On September 7, 2016, monitoring well 6-54 was installed between existing wells 6-09 and 6-21 to serve as an injection well for the pilot study. Based on the results of the treatability study, EVO, yeast extract, and nutrients were injected into groundwater via monitoring wells on September 8, 9, 14, and 16, 2016, to enhance the biodegradation of select COCs at the Site. Approximately 900 gallons of solution were injected during the initial study. The solution was injected into monitoring wells 6-09 and 6-54 using a small pump. Monitoring wells used to assess the effectiveness of the injection included wells 6-09, 6-13, 6-21B, 6-21C, 6-22B, and 6-22C. Additional injections were performed in 2017, 2018, 2020, 2021, and 2023.

The semi-annual groundwater monitoring events performed in 2025 are discussed in this report.

1.2 Geology and Hydrology

The Site is underlain by unconsolidated aeolian and alluvial deposits, which are approximately 6 to 11 ft thick and underlain by the Jurassic age Bluff Sandstone. The Bluff Sandstone can be divided into three sandstone zones based on the degree of weathering and fracturing. The upper zone is comprised of weathered sandstone that is weakly cemented, contains iron staining, and is roughly 1 ft thick. The middle sandstone is moderately to heavily fractured and approximately 10 to 15 ft thick. The lower sandstone zone is relatively unfractured, well-cemented, and massive and is about 110 ft thick.

A shallow perched aquifer exists within the upper two weathered and fractured zones in the Bluff Sandstone. Depths to perched water are generally 11 to 31 ft bgs and the perched aquifer is approximately 15 ft thick across the Site. All groundwater impacts that have been discovered at the Site are present in this perched aquifer. Generally, perched groundwater flow is toward the northeast. The hydraulic gradient is relatively flat on the western portion of the Site and steepens slightly on the eastern side.

The regional water table lies approximately 60 ft below the Site in the lower, well-cemented Bluff Sandstone. No impacts to the regional aquifer were indicated by previous investigations.

2. Groundwater Monitoring

GHD performed monitoring events in March, April, and September 2025. The sampling program included gauging, collecting groundwater samples, and bailing EVO, where necessary, from the monitoring wells. The April event included only seven wells that had to be resampled due to shipping issues during the March event.

The entire network of 47 wells shown on Figure 2, including the ISEB injection monitoring wells, were monitored semi-annually in March, April, and September 2025. Of the 47 wells, 32 wells were selected to be sampled as part of

each semi-annual event. The nine monitoring wells underlined in the table below were used to assess the effectiveness of the ISEB injections and were included in each semi-annual event.

Monitoring Wells Sampled During Semi-Annual Groundwater Monitoring Events

Monitoring Well IDs						
6-07	<u>6-12*</u>	6-17	<u>6-21B*</u>	6-33	6-45*	6-50
6-08	<u>6-13*</u>	6-18*	<u>6-21C</u>	<u>6-40*</u>	6-46*	<u>6-54*</u>
<u>6-09*</u>	<u>6-14*</u>	6-19	<u>6-22B*</u>	6-41*	6-47	
6-10*	6-15*	6-20B*	<u>6-22C*</u>	6-42*	6-48B	
6-11*	6-16*	6-20C*	6-28	6-44	6-49B	
Note: *Injection wells are underlined, wells for polychlorinated biphenyls analysis marked with a *.						

2.1 Monitoring Well Gauging

GHD personnel measured the depth to groundwater and EVO thickness, if present, in the wells indicated above using an electronic oil/water interface probe (IP). EVO was observed only in well 6-14 in March 2025. The IP was cleaned with laboratory-grade soap and purified water prior to gauging each monitoring well. Depth to groundwater, EVO measurements/observations, and calculated groundwater elevations are summarized in Table 1.

Based on the data collected in 2025, groundwater flow is generally east-northeast and is consistent with historical data for the Site. Groundwater potentiometric surface maps for the March and September 2025 monitoring events are presented as Figure 3 and Figure 4, respectively. The groundwater gradient was calculated at 0.036 feet per foot (ft/ft) in March 2025 and 0.041 ft/ft in September 2025.

2.2 Groundwater Sampling

Following gauging during each 2025 event, GHD personnel utilized dedicated polyethylene bailers to purge a minimum of three well volumes of groundwater or until the well was dry. Purge water generated during gauging and sampling events was placed into dedicated and labeled 55-gallon drums, as well as a 275-gallon poly tote within secondary containment at the Site and allowed to evaporate. Any EVO impacted groundwater was placed into dedicated and labeled 55-gallon drums within secondary containment at the Site for eventual disposal off-Site. After purging, groundwater quality field parameters of temperature, pH, oxidation reduction potential, and conductivity were collected with a field-calibrated multi-parameter groundwater quality meter to confirm stabilization of the groundwater prior to the collection of groundwater samples. A summary of groundwater field parameters is presented in Table 2.

Following purging, the monitoring wells were given time to recover prior to collecting a groundwater sample. Upon confirmation of groundwater stabilization, samples were collected via dedicated polyethylene bailers, placed in laboratory-prepared sample containers, labeled, packed in a cooler with ice, and transported under chain-of-custody documentation to ALS Life Sciences Division, Environmental Laboratory in Houston, Texas. All samples were analyzed for VOCs by EPA SW-846 Method 8260. Samples collected from monitoring wells 6-09, 6-10, 6-11, 6-12 through 6-16, 6-18, 6-20B, 6-20C, 6-41, 6-42, 6-45, 6-46 were also analyzed for PCBs by EPA SW-846 Method 8082A. Samples from monitoring well 6-13 were also analyzed for total organic carbon (TOC) by EPA Method SW-846 9060A and for sulfate and nitrate by EPA Method 300.0.

2.3 Quality Assurance/Quality Control

During each groundwater monitoring event, a field duplicate was collected for every 10 samples as a quality assurance/quality control (QA/QC) sample and subsequently submitted for laboratory analysis. A trip blank was also submitted for each shipment of samples as a QA/QC sample for each groundwater monitoring event.

2.4 Analytical Results

The New Mexico Water Quality Control Commission (NMWQCC) mandates that groundwater quality in New Mexico be protected, and has issued groundwater quality standards in Title 20, Chapter 6, Part 2, Section 3103 of the New Mexico Administrative Code (20.6.2.3103 NMAC). However, the PoL DENR requires that groundwater quality standards follow the National Primary and Secondary Drinking Water Standards set by the EPA based on the Safe Drinking Water Act; therefore, analytical results from the Site are compared to the EPA Maximum Contaminant Levels (MCLs).

The groundwater analytical results for 2025 are summarized in Table 3 (VOCs), Table 4 (PCBs), and Table 5 (ISEB Monitoring Wells), and the corresponding laboratory analytical reports are included in Appendix A. A cumulative summary of analytical results for the Site is presented in each table. Concentrations detected of the primary COCs for the monitoring events are presented on Figure 5 and Figure 6.

Results of the 2025 groundwater sampling event MCL exceedances are discussed below:

- **Benzene:** The EPA MCL for benzene is 0.005 milligrams per liter (mg/L). Most samples were non-detect except for wells 6-13 (0.0051 mg/L) and 6-22C (0.007 mg/L) in September 2025. Laboratory detection limits for wells 6-09, 6-14, 6-21C, 6-40 and 6-54 were above the EPA MCL value of 0.005 mg/L.
- **Tetrachloroethene (PCE):** The EPA MCL for PCE is 0.005 mg/L. A detection was documented at well 6-49B (0.0014 mg/L) in April 2025, and the only exceedance was well 6-19 (0.0057 mg/L) in March 2025. All other samples were non-detect for PCE concentrations. Laboratory detection limits for wells 6-09, 6-14, 6-19, 6-21C, 6-40, 6-44, and 6-54 were above the EPA MCL value of 0.005 mg/L.
- **Carbon Tetrachloride:** The EPA MCL for carbon tetrachloride is 0.005 mg/L. Most samples were non-detect except for wells 6-19 (0.024 mg/L) and 6-54 (0.077 mg/L), both above the EPA MCL, in March 2025. In September 2025, most samples were non-detect, except for well 6-19 (0.034 mg/L), which is above the EPA MCL. Laboratory detection limits for wells 6-09, 6-14, 6-21C, 6-40, 6-44, and 6-54 were above the EPA MCL value of 0.005 mg/L.
- **Chloroform:** The New Mexico Water Quality Control Commission standard for chloroform is 0.100 mg/L. Most samples were non-detect except for well 6-19, which registers a concentration of 0.280 mg/L in March 2025 and of 0.340 mg/L in September 2025, both values above the EPA MCL. Laboratory detection limits for wells 6-09, 6-14, and 6-21C were above the EPA MCL value of 0.100 mg/L.
- **1,1 DCA:** The EPA MCL for 1,1-DCA is 0.025 mg/L. Exceedances of the EPA MCL were detected in wells 6-12 (0.037 mg/L), 6-13 (0.026 mg/L), 6-20B (0.026 mg/L), 6-46 (primary sample and duplicate; 0.061 mg/L/0.062 mg/L) and 6-47 (0.290 mg/L) in March/April 2025 and in wells 6-12 (0.059 mg/L), 6-13 (0.066 mg/L), 6-20B (0.039 mg/L), 6-20C (0.042 mg/L), 6-40 (primary sample and duplicate; 0.027 mg/L/0.200 mg/L), 6-46 (0.075 mg/L), and 6-47 (0.380 mg/L) in September 2025. Laboratory detection limits for wells 6-09, 6-14, and 6-21C were above the EPA MCL value of 0.025 mg/L.
- **1,2 DCA:** The EPA MCL for 1,2 DCA is 0.005 mg/L. Most samples were non-detect except for wells 6-44 (0.0073 mg/L), which is above the EPA MCL, in March 2025. In September 2025, only wells 6-13 (0.0075 mg/L) and 6-44 (0.01 mg/L) showed concentrations above the EPA MCL. Laboratory detection limits for wells 6-09, 6-14, 6-19, 6-21C, 6-40, and 6-54 were above the EPA MCL value of 0.005 mg/L.
- **1,1-DCE:** The EPA MCL for 1,1-DCE is 0.007 mg/L. Exceedances of the EPA MCL were detected in wells 6-07 (0.012 mg/L), 6-12 (0.015 mg/L), 6-13 (0.05 mg/L), 6-21B (0.0083 mg/L), 6-40 (0.0095 mg/L), 6-44 (0.099 mg/L), 6-45 (0.039 mg/L), 6-46 (primary sample and duplicate; 0.015 mg/L/0.015 mg/L), 6-47 (0.084 mg/L), and 6-49B (0.017 mg/L) in March/April 2025 and in wells 6-07 (0.031 mg/L), 6-12 (0.026 mg/L), 6-13 (0.12 mg/L), 6-20C (0.014 mg/L), 6-21B (0.017 mg/L), 6-40 (primary sample and duplicate; 0.014 mg/L/0.100 mg/L), 6-41 (0.008 mg/L), 6-42 (0.0079 mg/L), 6-44 (0.33 mg/L), 6-45 (0.11 mg/L), 6-46 (0.022 mg/L), 6-47 (0.140 mg/L), and 6-49B (0.024 mg/L) in September 2025. Laboratory detection limits for wells 6-09, 6-14, 6-21C, and 6-54 were above the EPA MCL value of 0.007 mg/L.

- **Vinyl Chloride:** The EPA MCL for vinyl chloride is 0.002 mg/L. All samples were non-detect in March/April and September 2025. Laboratory detection limits for wells 6-09, 6-14, 6-19, 6-21C, 6-40, 6-44, 6-47, and 6-54 were above the EPA MCL value of 0.002 mg/L.
- **PCBs:** The EPA MCL for PCBs is 0.0005 mg/L. Groundwater samples collected from monitoring wells 6-10, 6-18, 6-21B, 6-22B, 6-22C, 6-40, and 6-54 contained PCBs at concentrations exceeding the MCL during at least one monitoring event in 2025. Concentrations ranged from 0.00107 mg/L to 0.398 mg/L in March 2025 and from 0.000835 mg/L to 0.553 mg/L in September 2025.
- **Sulfate:** The EPA Secondary Drinking Water Standard MCL for sulfate is 250 mg/L. Sulfate was detected during the March and September 2025 sampling events for wells 6-13, 6-21B, 6-21C, 6-22B, 6-40, and 6-54. The only exceedances of the MCL were documented in wells 6-21B (421 mg/L) and 6-22B (758 mg/L) in March 2025, and 6-21B (411 mg/L) and 6-22B (841 mg/L) in September 2025.

3. Summary and Recommendations

3.1 Summary

The following summarizes the information and data presented in this report:

- Benzene, PCE, 1,1-DCA, 1,2-DCA, 1,1-DCE, carbon tetrachloride, chloroform, and PCBs are present in the groundwater at the Site, in concentrations that exceed the EPA MCLs at several well locations.
- Generally, concentrations of VOCs have increased since 2024, indicating the impacts of the ISEB injections are wearing off.
- Concentrations of sulfate present in the groundwater at the Site are either decreasing or consistent with 2024 concentrations. Two wells exceeded the EPA Secondary Drinking Water Standard MCL for sulfate during the 2025 sampling events.

3.2 Recommendations

Based on the results of the 2025 groundwater monitoring events, GHD recommends the following for 2026:

- Conduct Site-wide semi-annual groundwater monitoring events in 2026.
- Continue sampling monitoring wells 6-48, 6-48B, 6-49, and 6-49B when water is present to monitor delineation of COCs.
- Further data evaluation is planned for 2026, including the digitization of data for three-dimensional (3D) model development to help identify potential data gaps and assess the effectiveness of ISEB and the potential for continuation or modification of in-situ remediation.

4. Scope and Limitations

This report has been prepared by GHD for Transwestern Pipeline Company, LLC and may only be used and relied on by Transwestern Pipeline Company, LLC for the purpose agreed between GHD and Transwestern Pipeline Company, LLC, as set out in this report.

GHD otherwise disclaims responsibility to any person other than Transwestern Pipeline Company, LLC, arising in connection with this report. GHD also excludes implied warranties and conditions, to the extent legally permissible.

The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.

The opinions, conclusions and any recommendations in this report are based on conditions encountered and information reviewed at the date of preparation of the report. GHD has no responsibility or obligation to update this report to account for events or changes occurring subsequent to the date that the report was prepared.

The opinions, conclusions and any recommendations in this report are based on assumptions made by GHD described in this report. GHD disclaims liability arising from any of the assumptions being incorrect.

Accessibility of Documents

If this report is required to be accessible in any other format, this can be provided by GHD upon request and at an additional cost, if necessary.

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-06	03/20/17	5911.77		12.79	5898.98	
6-06	04/16/18	5911.77		15.01	5896.76	
6-06	04/02/19	5911.77		13.42	5898.35	
6-06	09/23/19	5911.77		13.91	5897.86	
6-06	06/15/20	5911.77		14.07	5897.70	
6-06	06/01/21	5911.77		15.85	5895.92	
6-06	11/30/22	5911.77		12.75	5899.02	dup
6-06	03/25/25	5911.77	--	14.59	5897.08	--
6-06	09/08/25	5911.77	--	14.38	5897.39	--
6-07	05/05/15	5901.96		17.44	5884.52	
6-07	08/02/16	5901.96		17.09	5884.87	
6-07	03/20/17	5901.96		16.29	5885.67	
6-07	04/16/18	5901.96		16.69	5885.27	
6-07	04/02/19	5901.96		15.70	5886.26	
6-07	09/23/19	5901.96		15.26	5886.70	
6-07	06/15/20	5901.96		16.04	5885.92	
6-07	11/30/20	5901.96		15.55	5886.41	
6-07	06/01/21	5901.96		16.32	5885.64	
6-07	12/06/21	5901.96		15.74	5886.22	
6-07	06/13/22	5901.96		16.36	5885.60	
6-07	11/30/22	5901.96		15.79	5886.17	
6-07	06/23/23	5901.96	--	16.94	5885.02	--
6-07	12/04/23	5901.96	--	15.85	5886.11	--
6-07	03/11/24	5901.96	--	16.44	5885.52	--
6-07	09/03/24	5901.96	--	16.04	5885.92	--
6-07	03/25/25	5901.96	--	16.70	5885.26	--
6-07	09/08/25	5901.96	--	16.15	5885.81	--
6-08	05/05/15	5896.27		9.47	5886.80	
6-08	08/02/16	5896.27		9.04	5887.23	
6-08	03/22/17	5896.27		8.54	5887.73	
6-08	04/16/18	5896.27		9.65	5886.62	
6-08	04/02/19	5896.27		10.22	5886.05	
6-08	09/23/19	5896.27		11.50	5884.77	
6-08	06/15/20	5896.27		10.49	5885.78	
6-08	11/30/20	5896.27		12.71	5883.56	
6-08	06/01/21	5896.27		11.21	5885.06	
6-08	12/06/21	5896.27		13.03	5883.24	
6-08	06/13/22	5896.27		11.62	5884.65	
6-08	11/30/22	5896.27		11.19	5885.08	
6-08	06/23/23	5896.27	--	9.60	5886.67	--
6-08	12/04/23	5896.27	--	9.33	5886.94	--
6-08	03/11/24	5896.27	--	8.96	5887.31	--
6-08	09/03/24	5896.27	--	10.05	5886.22	--
6-08	03/25/25	5896.27	--	9.73	5886.54	--
6-08	09/08/25	5896.27	--	11.11	5885.16	--
6-09	05/05/15	5902.77		11.09	5891.68	
6-09	08/02/16	5902.77		11.38	5891.39	
6-09	12/13/16	5902.77		12.28	5890.49	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-09	03/20/17	5902.77		11.91	5890.86	EVO
6-09	06/05/17	5902.77		11.70	5891.07	
6-09	09/06/17	5902.77		11.83	5890.94	
6-09	12/05/17	5902.77		12.64	5890.13	
6-09	04/16/18	5902.77		12.63	5890.14	
6-09	06/04/18	5902.77		10.64	5892.13	EVO
6-09	07/10/18	5902.77		9.97	5892.80	
6-09	08/13/18	5902.77		10.03	5892.74	
6-09	12/12/18	5902.77		12.51	5890.26	
6-09	04/02/19	5902.77		14.07	5888.70	
6-09	09/23/19	5902.77		13.50	5889.27	
6-09	06/15/20	5902.77		13.25	5889.52	
6-09	09/15/20	5902.77		14.11	5888.66	
6-09	11/30/20	5902.77		12.78	5889.99	
6-09	03/08/21	5902.77		--	--	EVO
6-09	06/01/21	5902.77		--	--	EVO
6-09	09/07/21	5902.77	12.92	--	--	EVO
6-09	12/06/21	5902.77	15.00	--	--	EVO
6-09	06/13/22	5902.77		16.06	5886.71	--
6-09	09/12/22	5902.77		--	--	Only EVO
6-09	11/30/22	5902.77		15.03	5887.74	--
6-09	06/23/23	5902.77	--	26.64	5876.13	--
6-09	09/20/23	5902.77	--	14.89	5887.88	--
6-09	12/04/23	5902.77	5.17	17.39	5895.28	--
6-09	03/11/24	5902.77	--	15.32	5887.45	--
6-09	09/03/24	5902.77	--	--	--	--
6-09	03/25/25	5902.77	--	13.97	5888.80	--
6-09	09/08/25	5902.77	--	16.04	5886.73	--
6-10	05/05/15	5901.81		9.46	5892.35	
6-10	08/02/16	5901.81		10.71	5891.10	
6-10	03/20/17	5901.81		10.02	5891.79	
6-10	04/16/18	5901.81		11.20	5890.61	
6-10	04/02/19	5901.81		11.30	5890.51	
6-10	09/23/19	5901.81		12.36	5889.45	
6-10	06/15/20	5901.81		11.70	5890.11	
6-10	11/30/20	5901.81		12.18	5889.63	
6-10	06/01/21	5901.81		12.18	5889.63	
6-10	12/06/21	5901.81		12.36	5889.45	
6-10	06/13/22	5901.81		11.97	5889.84	
6-10	11/30/22	5901.81		11.67	5890.14	
6-10	06/23/23	5901.81	--	10.03	5891.78	--
6-10	12/04/23	5901.81	--	10.06	5891.75	--
6-10	03/11/24	5901.81	--	9.93	5891.88	--
6-10	09/03/24	5901.81	--	11.21	5890.60	--
6-10	10/09/24	5901.81	--	11.82	5889.99	--
6-10	03/25/25	5901.81	--	10.93	5890.88	--
6-10	09/08/25	5901.81	--	11.74	5890.07	--
6-11	05/05/15	5901.49		DRY	--	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-11	08/02/16	5901.49		15.08	5886.41	
6-11	03/20/17	5901.49		15.86	5885.63	
6-11	04/16/18	5901.49		15.86	5885.63	
6-11	04/02/19	5901.49		16.72	5884.77	
6-11	09/23/19	5901.49		15.80	5885.69	
6-11	06/15/20	5901.49		16.40	5885.09	
6-11	11/30/20	5901.49		16.30	5885.19	
6-11	06/01/21	5901.49		17.33	5884.16	
6-11	12/06/21	5901.49		16.88	5884.61	
6-11	06/13/22	5901.49		17.85	5883.64	
6-11	11/30/22	5901.49		16.96	5884.53	
6-11	06/23/23	5901.49	--	17.76	5883.73	--
6-11	12/04/23	5901.49	--	16.21	5885.28	--
6-11	03/11/24	5901.49	--	16.47	5885.02	--
6-11	09/03/24	5901.49	--	15.50	5885.99	--
6-11	03/25/25	5901.49	--	16.45	5885.04	--
6-11	09/08/25	5901.49	--	15.91	5885.58	--
6-12	05/05/15	5898.85		13.63	5885.22	
6-12	08/02/16	5898.85		12.79	5886.06	
6-12	03/20/17	5898.85		12.51	5886.34	
6-12	04/16/18	5898.85		13.35	5885.50	
6-12	04/02/19	5898.85		13.97	5884.88	
6-12	09/23/19	5898.85		14.94	5883.91	
6-12	06/15/20	5898.85		14.26	5884.59	
6-12	11/30/20	5898.85		16.27	5882.58	
6-12	06/01/21	5898.85		14.92	5883.93	
6-12	12/06/21	5898.85		16.97	5881.88	
6-12	06/13/22	5898.85		15.98	5882.87	
6-12	11/30/22	5898.85		15.51	5883.34	
6-12	06/23/23	5898.85	--	13.94	5884.91	--
6-12	12/04/23	5898.85	--	13.35	5885.50	--
6-12	03/11/24	5898.85	--	12.87	5885.98	--
6-12	09/03/24	5898.85	--	14.43	5884.42	--
6-12	03/25/25	5898.85	--	13.54	5885.31	--
6-12	09/08/25	5898.85	--	14.03	5884.82	--
6-13	05/05/15	5900.76		11.89	5888.87	
6-13	08/02/16	5900.76		10.43	5890.33	
6-13	12/13/16	5900.76		10.63	5890.13	
6-13	03/20/17	5900.76		11.25	5889.51	
6-13	06/05/17	5900.76		10.73	5890.03	
6-13	09/06/17	5900.76		10.63	5890.13	
6-13	12/05/17	5900.76		11.10	5889.66	
6-13	04/16/18	5900.76		11.31	5889.45	
6-13	06/04/18	5900.76		11.44	5889.32	
6-13	07/10/18	5900.76		11.12	5889.64	
6-13	08/13/18	5900.76		10.91	5889.85	
6-13	12/12/18	5900.76		11.21	5889.55	
6-13	04/02/19	5900.76		11.85	5888.91	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-13	09/23/19	5900.76		10.79	5889.97	
6-13	06/15/20	5900.76		11.64	5889.12	
6-13	09/15/20	5900.76		11.45	5889.31	
6-13	11/30/20	5900.76		11.13	5889.63	
6-13	03/08/21	5900.76		11.85	5888.91	
6-13	06/01/21	5900.76		11.80	5888.96	
6-13	09/07/21	5900.76		11.14	5889.62	
6-13	12/06/21	5900.76		11.52	5889.24	
6-13	06/13/22	5900.76		11.58	5889.18	
6-13	09/12/22	5900.76		11.08	5889.68	
6-13	11/30/22	5900.76		10.99	5889.77	
6-13	03/09/23	5900.76	11.46	11.47	5889.30	--
6-13	06/23/23	5900.76	--	11.92	5888.84	--
6-13	09/20/23	5900.76	--	10.22	5890.54	--
6-13	12/04/23	5900.76	--	10.42	5890.34	--
6-13	03/11/24	5900.76	--	10.74	5890.02	--
6-13	09/03/24	5900.76	--	10.30	5890.46	--
6-13	03/25/25	5900.76	--	11.11	5889.65	--
6-13	09/08/25	5900.76	--	10.61	5890.15	--
6-14	05/05/15	5901.34		15.03	5886.31	
6-14	08/02/16	5901.34		12.68	5888.66	
6-14	12/13/16	5901.34		13.44	5887.90	
6-14	03/20/17	5901.34		12.94	5888.40	
6-14	06/05/17	5901.34		12.32	5889.02	
6-14	09/06/17	5901.34		13.47	5887.87	
6-14	12/05/17	5901.34		14.15	5887.19	
6-14	04/16/18	5901.34		13.70	5887.64	
6-14	06/04/18	5901.34		13.80	5887.54	
6-14	07/10/18	5901.34		14.36	5886.98	
6-14	08/13/18	5901.34		14.76	5886.58	
6-14	12/12/18	5901.34		15.41	5885.93	
6-14	04/02/19	5901.34		14.86	5886.48	
6-14	09/23/19	5901.34		14.95	5886.39	
6-14	06/15/20	5901.34		14.34	5887.00	
6-14	09/15/20	5901.34		16.30	5885.04	
6-14	11/30/20	5901.34		20.13	5881.21	
6-14	03/08/21	5901.34	14.78	--	--	EVO
6-14	06/01/21	5901.34	14.61	17.28	5884.06	EVO
6-14	09/07/21	5901.34	14.49	22.18	5879.16	EVO
6-14	12/06/21	5901.34	14.90	17.65	5883.69	EVO
6-14	06/13/22	5901.34	14.71	14.81	5886.53	
6-14	09/12/22	5901.34		14.25	5887.09	
6-14	11/30/22	5901.34		15.32	5886.02	
6-14	03/09/23	5901.34	--	14.66	5886.68	--
6-14	06/23/23	5901.34	--	17.28	5884.06	--
6-14	09/20/23	5901.34	--	13.20	5888.14	--
6-14	12/04/23	5901.34	--	12.91	5888.43	--
6-14	03/11/24	5901.34	--	13.12	5888.22	--

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-14	09/03/24	5901.34	--	12.91	5888.43	--
6-14	03/25/25	5901.34	--	14.73	5886.61	--
6-14	09/08/25	5901.34	--	13.86	5887.48	--
6-15	05/05/15	5901.08		10.68	5890.40	
6-15	08/02/16	5901.08		10.72	5890.36	
6-15	03/20/17	5901.08		10.06	5891.02	
6-15	04/16/18	5901.08		11.34	5889.74	
6-15	04/02/19	5901.08		11.27	5889.81	
6-15	09/23/19	5901.08		12.03	5889.05	
6-15	06/15/20	5901.08		11.72	5889.36	
6-15	11/30/20	5901.08		12.24	5888.84	
6-15	06/01/21	5901.08		12.07	5889.01	
6-15	12/06/21	5901.08		12.12	5888.96	
6-15	06/13/22	5901.08		11.95	5889.13	
6-15	11/30/22	5901.08		11.49	5889.59	
6-15	06/23/23	5901.08	--	10.52	5890.56	--
6-15	12/04/23	5901.08	--	10.42	5890.66	--
6-15	03/11/24	5901.08	--	10.16	5890.92	--
6-15	09/03/24	5901.08	--	11.53	5889.55	--
6-15	03/25/25	5901.08	--	11.30	5889.78	--
6-15	09/08/25	5901.08	--	11.70	5889.38	--
6-16	05/05/15	5894.32		21.08	5873.24	
6-16	08/02/16	5894.32		13.44	5880.88	
6-16	03/20/17	5894.32		13.24	5881.08	
6-16	04/16/18	5894.32		13.38	5880.94	
6-16	04/02/19	5894.32		15.75	5878.57	
6-16	09/23/19	5894.32		15.50	5878.82	
6-16	06/15/20	5894.32		16.36	5877.96	
6-16	11/30/20	5894.32		16.31	5878.01	
6-16	06/01/21	5894.32		17.27	5877.05	
6-16	12/06/21	5894.32		17.40	5876.92	
6-16	06/13/22	5894.32		18.50	5875.82	
6-16	11/30/22	5894.32		17.93	5876.39	
6-16	06/23/23	5894.32	--	23.82	5870.50	--
6-16	12/04/23	5894.32	--	19.51	5874.81	--
6-16	03/11/24	5894.32	--	17.82	5876.50	--
6-16	09/03/24	5894.32	--	14.27	5880.05	--
6-16	03/25/25	5894.32	--	15.79	5878.53	--
6-16	09/08/25	5894.32	--	15.11	5879.21	--
6-17	05/05/15	5898.26		19.18	5879.08	
6-17	08/02/16	5898.26		19.19	5879.07	
6-17	03/20/17	5898.26		19.20	5879.06	
6-17	04/16/18	5898.26		19.01	5879.25	
6-17	04/02/19	5898.26		18.79	5879.47	
6-17	09/23/19	5898.26		18.30	5879.96	
6-17	06/15/20	5898.26		19.43	5878.83	
6-17	11/30/20	5898.26		17.91	5880.35	
6-17	06/01/21	5898.26		18.09	5880.17	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-17	12/06/21	5898.26		17.64	5880.62	
6-17	06/13/22	5898.26		17.80	5880.46	
6-17	11/30/22	5898.26		17.30	5880.96	
6-17	06/23/23	5898.26	--	17.82	5880.44	--
6-17	12/04/23	5898.26	--	17.32	5880.94	--
6-17	03/11/24	5898.26	--	17.66	5880.60	--
6-17	09/03/24	5898.26	--	17.56	5880.70	--
6-17	03/25/25	5898.26	--	17.65	5880.61	--
6-17	04/22/25	5898.26	--	17.85	5880.41	--
6-17	09/08/25	5898.26	--	17.45	5880.81	--
6-18	05/05/15	5904.70		9.20	5895.50	
6-18	08/02/16	5904.70		9.58	5895.12	
6-18	03/20/17	5904.70		9.02	5895.68	
6-18	04/16/18	5904.70		10.68	5894.02	
6-18	04/02/19	5904.70		9.89	5894.81	
6-18	09/23/19	5904.70		11.28	5893.42	
6-18	06/15/20	5904.70		10.80	5893.90	
6-18	11/30/20	5904.70		11.57	5893.13	
6-18	06/01/21	5904.70		11.86	5892.84	
6-18	12/06/21	5904.70		11.27	5893.43	
6-18	06/13/22	5904.70		11.36	5893.34	
6-18	11/30/22	5904.70		10.26	5894.44	
6-18	06/23/23	5904.70	--	8.91	5895.79	--
6-18	12/04/23	5904.70	--	9.43	5895.27	--
6-18	03/11/24	5904.70	--	9.39	5895.31	--
6-18	09/03/24	5904.70	--	10.81	5893.89	--
6-18	03/25/25	5904.70	--	10.49	5894.21	--
6-18	09/08/25	5904.70	--	10.99	5893.71	--
6-19	05/05/15	5906.62		15.48	5891.14	
6-19	08/02/16	5906.62		14.43	5892.19	
6-19	03/20/17	5906.62		14.23	5892.39	
6-19	04/16/18	5906.62		15.25	5891.37	
6-19	04/02/19	5906.62		14.71	5891.91	
6-19	09/23/19	5906.62		14.75	5891.87	
6-19	06/15/20	5906.62		14.91	5891.71	
6-19	11/30/20	5906.62		15.79	5890.83	
6-19	06/01/21	5906.62		15.80	5890.82	
6-19	12/06/21	5906.62		16.02	5890.60	
6-19	06/13/22	5906.62		16.06	5890.56	
6-19	11/30/22	5906.62		15.70	5890.92	
6-19	06/23/23	5906.62	--	15.82	5890.80	--
6-19	12/04/23	5906.62	--	17.90	5888.72	--
6-19	03/11/24	5906.62	--	17.10	5889.52	--
6-19	09/03/24	5906.62	--	17.39	5889.23	--
6-19	03/25/25	5906.62	--	17.86	5888.76	--
6-19	09/08/25	5906.62	--	17.91	5888.71	--
6-20A	05/05/15	5900.57		31.26	5869.31	
6-20A	08/02/16	5900.57		NM	--	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-20A	03/20/17	5900.57		31.09	5869.48	
6-20A	04/16/18	5900.57		DRY	--	
6-20A	04/02/19	5900.57		DRY	--	
6-20A	09/23/19	5900.57		NM	--	
6-20A	06/15/20	5900.57		--	--	
6-20A	11/30/20	5900.57		30.56	5870.01	
6-20A	12/06/21	5900.57		30.08	5870.49	
6-20A	06/13/22	5900.57		30.51	5870.06	
6-20A	06/23/23	5900.57	--	30.45	5870.12	--
6-20A	12/04/23	5900.57	--	30.36	5870.21	--
6-20A	03/11/24	5900.57	--	30.34	5870.23	--
6-20A	09/03/24	5900.57	--	31.83	5868.74	--
6-20A	03/25/25	5900.57	--	31.73	5868.84	--
6-20A	09/08/25	5900.57	--	31.72	5868.85	--
6-20B	05/05/15	5900.67		11.49	5889.18	
6-20B	08/02/16	5900.67		10.57	5890.10	
6-20B	03/20/17	5900.67		11.36	5889.31	
6-20B	04/16/18	5900.67		11.86	5888.81	
6-20B	04/02/19	5900.67		12.53	5888.14	
6-20B	09/23/19	5900.67		12.12	5888.55	
6-20B	06/15/20	5900.67		11.52	5889.15	
6-20B	11/30/20	5900.67		13.30	5887.37	
6-20B	06/01/21	5900.67		12.75	5887.92	
6-20B	12/06/21	5900.67		13.16	5887.51	
6-20B	06/13/22	5900.67		12.67	5888.00	--
6-20B	11/30/22	5900.67		12.48	5888.19	EVO
6-20B	06/23/23	5900.67	--	19.68	5880.99	--
6-20B	12/04/23	5900.67	--	10.66	5890.01	--
6-20B	03/11/24	5900.67	--	10.74	5889.93	--
6-20B	09/03/24	5900.67	--	10.92	5889.75	--
6-20B	10/09/24	5900.67	--	11.33	5889.34	--
6-20B	03/25/25	5900.67	--	11.88	5888.79	--
6-20B	09/08/25	5900.67	--	11.94	5888.73	--
6-20C	05/05/15	5900.70		11.07	5889.63	
6-20C	08/02/16	5900.70		DRY	--	
6-20C	03/20/17	5900.70		10.75	5889.95	
6-20C	04/16/18	5900.70		11.69	5889.01	
6-20C	04/02/19	5900.70		12.02	5888.68	
6-20C	09/23/19	5900.70		12.83	5887.87	
6-20C	06/15/20	5900.70		12.26	5888.44	
6-20C	11/30/20	5900.70		13.30	5887.40	
6-20C	06/01/21	5900.70	12.66	12.98	5887.72	EVO
6-20C	12/06/21	5900.70		13.36	5887.34	
6-20C	06/13/22	5900.70		12.73	5887.97	
6-20C	11/30/22	5900.70		12.46	5888.24	
6-20C	06/23/23	5900.70	--	10.81	5889.89	--
6-20C	12/04/23	5900.70	--	10.65	5890.05	--
6-20C	03/11/24	5900.70	--	10.42	5890.28	--

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-20C	09/03/24	5900.70	--	11.81	5888.89	--
6-20C	10/09/24	5900.70	--	12.04	5888.66	--
6-20C	03/25/25	5900.70	--	11.61	5889.09	--
6-20C	09/08/25	5900.70	--	12.50	5888.20	--
6-21A	05/05/15	5901.50		30.75	5870.75	
6-21A	08/02/16	5901.50		NM	--	
6-21A	03/20/17	5901.50		30.54	5870.96	
6-21A	04/16/18	5901.50		31.11	5870.39	
6-21A	04/02/19	5901.50		31.90	5869.60	
6-21A	09/23/19	5901.50		NM	--	
6-21A	06/15/20	5901.50		31.62	5869.88	
6-21A	11/30/20	5901.50		31.72	5869.78	
6-21A	12/06/21	5901.50		31.61	5869.89	
6-21A	06/13/22	5901.50		31.51	5869.99	
6-21A	06/23/23	5901.50	--	31.48	5870.02	--
6-21A	12/04/23	5901.50	--	31.43	5870.07	--
6-21A	03/11/24	5901.50	--	31.37	5870.13	--
6-21A	09/03/24	5901.50	--	32.04	5869.46	--
6-21A	03/25/25	5901.50	--	31.91	5869.59	--
6-21A	09/08/25	5901.50	--	31.91	5869.59	--
6-21B	05/05/15	5901.51		12.72	5888.79	
6-21B	08/02/16	5901.51		11.90	5889.61	
6-21B	12/13/16	5901.51		12.89	5888.62	
6-21B	03/20/17	5901.51		12.81	5888.70	
6-21B	06/05/17	5901.51		12.20	5889.31	
6-21B	09/06/17	5901.51		12.71	5888.80	
6-21B	12/05/17	5901.51		13.29	5888.22	
6-21B	04/16/18	5901.51		13.24	5888.27	
6-21B	06/04/18	5901.51		13.29	5888.22	
6-21B	07/10/18	5901.51		13.63	5887.88	
6-21B	08/13/18	5901.51		13.90	5887.61	
6-21B	12/12/18	5901.51		14.69	5886.82	
6-21B	04/02/19	5901.51		14.67	5886.84	
6-21B	09/23/19	5901.51		13.98	5887.53	
6-21B	06/15/20	5901.51		13.92	5887.59	
6-21B	09/15/20	5901.51		14.27	5887.24	
6-21B	11/30/20	5901.51		14.52	5886.99	
6-21B	03/08/21	5901.51		15.41	5886.10	
6-21B	06/01/21	5901.51	14.91	15.72	5885.79	EVO
6-21B	09/07/21	5901.51		14.53	5886.98	
6-21B	12/06/21	5901.51		15.08	5886.43	
6-21B	06/13/22	5901.51		15.07	5886.44	
6-21B	09/12/22	5901.51		14.78	5886.73	
6-21B	11/30/22	5901.51		14.87	5886.64	
6-21B	03/09/23	5901.51	15.11	15.12	5886.40	--
6-21B	06/23/23	5901.51	--	16.57	5884.94	--
6-21B	09/20/23	5901.51	--	13.17	5888.34	--
6-21B	12/04/23	5901.51	--	14.28	5887.23	--

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-21B	03/11/24	5901.51	--	16.63	5884.88	--
6-21B	09/03/24	5901.51	--	12.94	5888.57	--
6-21B	03/25/25	5901.51	--	14.28	5887.23	--
6-21B	09/08/25	5901.51	--	13.92	5887.59	--
6-21C	05/05/15	5901.73		12.40	5889.33	
6-21C	08/02/16	5901.73		12.29	5889.44	
6-21C	12/13/16	5901.73		13.04	5888.69	
6-21C	03/20/17	5901.73		12.51	5889.22	
6-21C	06/05/17	5901.73		12.09	5889.64	
6-21C	09/07/17	5901.73		13.02	5888.71	
6-21C	12/05/17	5901.73		13.50	5888.23	
6-21C	04/16/18	5901.73		13.02	5888.71	
6-21C	06/04/18	5901.73		13.21	5888.52	
6-21C	07/10/18	5901.73		13.76	5887.97	
6-21C	08/13/18	5901.73		13.98	5887.75	
6-21C	12/12/18	5901.73		14.70	5887.03	
6-21C	04/02/19	5901.73		14.04	5887.69	
6-21C	09/23/19	5901.73		14.05	5887.68	
6-21C	06/15/20	5901.73		13.71	5888.02	
6-21C	09/15/20	5901.73		14.43	5887.30	
6-21C	11/30/20	5901.73		13.68	5888.05	
6-21C	03/08/21	5901.73	17.76	--	--	EVO
6-21C	06/01/21	5901.73	14.50	16.06	5885.67	EVO
6-21C	09/07/21	5901.73	14.45	15.85	5885.88	EVO
6-21C	12/06/21	5901.73	14.92	15.82	5885.91	EVO
6-21C	06/13/22	5901.73		14.75	5886.98	
6-21C	09/12/22	5901.73		14.65	5887.08	
6-21C	11/30/22	5901.73		14.89	5886.84	
6-21C	03/09/23	5901.73	--	14.86	5886.87	--
6-21C	06/23/23	5901.73	--	15.45	5886.28	--
6-21C	09/20/23	5901.73	--	13.39	5888.34	--
6-21C	12/04/23	5901.73	--	13.36	5888.37	--
6-21C	03/11/24	5901.73	--	13.32	5888.41	--
6-21C	09/03/24	5901.73	--	12.90	5888.83	--
6-21C	03/25/25	5901.73	--	13.90	5887.83	--
6-21C	09/08/25	5901.73	--	13.88	5887.85	--
6-22A	05/05/15	5902.32		DRY	--	
6-22A	08/02/16	5902.32		NM	--	
6-22A	03/20/17	5902.32		DRY	--	
6-22A	04/16/18	5902.32		DRY	--	
6-22A	04/02/19	5902.32		30.85	5871.47	
6-22A	09/23/19	5902.32		NM	--	
6-22A	06/15/20	5902.32		--	--	
6-22A	11/30/20	5902.32		--	--	
6-22A	12/06/21	5902.32		DRY	--	
6-22A	06/23/23	5902.32	--	--	--	--
6-22A	12/04/23	5902.32	--	--	--	--
6-22A	03/11/24	5902.32	--	--	--	--

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-22A	09/03/24	5902.32	--	--	--	--
6-22A	03/25/25	5902.32	--	DRY	--	--
6-22A	09/08/25	5902.32	--	DRY	--	--
6-22B	05/05/15	5902.38		13.00	5889.38	
6-22B	08/02/16	5902.38		11.17	5891.21	
6-22B	12/13/16	5902.38		11.55	5890.83	
6-22B	03/20/17	5902.38		12.49	5889.89	
6-22B	06/05/17	5902.38		12.54	5889.84	
6-22B	09/07/17	5902.38		12.19	5890.19	
6-22B	12/05/17	5902.38		12.76	5889.62	
6-22B	04/16/18	5902.38		12.77	5889.61	
6-22B	06/04/18	5902.38		14.95	5887.43	
6-22B	07/10/18	5902.38		16.63	5885.75	
6-22B	08/13/18	5902.38		17.64	5884.74	
6-22B	12/12/18	5902.38		13.42	5888.96	
6-22B	04/02/19	5902.38		13.49	5888.89	
6-22B	09/23/19	5902.38		12.53	5889.85	
6-22B	06/15/20	5902.38		12.54	5889.84	
6-22B	11/30/20	5902.38		13.20	5889.18	
6-22B	03/08/21	5902.38		13.55	5888.83	
6-22B	06/01/21	5902.38		13.43	5888.95	
6-22B	09/07/21	5902.38		12.92	5889.46	
6-22B	12/06/21	5902.38		13.09	5889.29	
6-22B	06/13/22	5902.38		13.30	5889.08	
6-22B	09/12/22	5902.38		14.85	5887.53	
6-22B	11/30/22	5902.38		12.82	5889.56	
6-22B	03/09/23	5902.38	--	12.93	5889.45	--
6-22B	06/23/23	5902.38	--	18.88	5883.50	--
6-22B	09/20/23	5902.38	--	11.45	5890.93	--
6-22B	12/04/23	5902.38	--	11.64	5890.74	--
6-22B	03/11/24	5902.38	--	11.78	5890.60	--
6-22B	09/03/24	5902.38	--	11.28	5891.10	--
6-22B	03/25/25	5902.38	--	11.70	5890.68	--
6-22B	09/08/25	5902.38	--	11.45	5890.93	--
6-22C	05/05/15	5902.10		11.06	5891.04	
6-22C	08/02/16	5902.10		11.28	5890.82	
6-22C	12/13/16	5902.10		11.65	5890.45	
6-22C	03/20/17	5902.10		10.77	5891.33	
6-22C	06/05/17	5902.10		10.57	5891.53	
6-22C	09/07/17	5902.10		11.80	5890.30	
6-22C	12/05/17	5902.10		12.10	5890.00	
6-22C	04/16/18	5902.10		11.76	5890.34	
6-22C	06/04/18	5902.10		12.26	5889.84	
6-22C	07/10/18	5902.10		12.61	5889.49	
6-22C	08/13/18	5902.10		12.88	5889.22	
6-22C	12/12/18	5902.10		12.62	5889.48	
6-22C	04/02/19	5902.10		11.77	5890.33	
6-22C	09/23/19	5902.10		12.50	5889.60	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-22C	06/15/20	5902.10		12.10	5890.00	
6-22C	09/15/20	5902.10		13.03	5889.07	
6-22C	11/30/20	5902.10		12.75	5889.35	
6-22C	03/08/21	5902.10		12.48	5889.62	
6-22C	06/01/21	5902.10		12.32	5889.78	
6-22C	09/07/21	5902.10	12.81	--	--	EVO
6-22C	12/06/21	5902.10	12.29	13.30	5888.80	EVO
6-22C	09/12/22	5902.10		11.93	5890.17	
6-22C	11/30/22	5902.10		11.53	5890.57	
6-22C	06/23/23	5902.10	--	10.22	5891.88	--
6-22C	09/20/23	5902.10	--	10.13	5891.97	--
6-22C	12/04/23	5902.10	--	10.26	5891.84	--
6-22C	03/11/24	5902.10	--	10.21	5891.89	--
6-22C	09/03/24	5902.10	--	10.94	5891.16	--
6-22C	03/25/25	5902.10	--	11.09	5891.01	--
6-22C	09/08/25	5902.10	--	11.64	5890.46	--
6-23	05/05/15	5890.05		DRY	--	
6-23	08/02/16	5890.05		DRY	--	
6-23	03/20/17	5890.05		DRY	--	
6-23	04/16/18	5890.05		DRY	--	
6-23	04/02/19	5890.05		DRY	--	
6-23	09/23/19	5890.05		DRY	--	
6-23	06/15/20	5890.05		--	--	
6-23	11/30/20	5890.05		--	--	
6-23	06/01/21	5890.05		24.95	5865.10	DRY
6-23	12/06/21	5890.05		--	--	DRY
6-23	11/30/22	5890.05		--	--	
6-23	06/23/23	5890.05	--	--	--	--
6-23	12/04/23	5890.05	--	--	--	--
6-23	03/11/24	5890.05	--	--	--	--
6-23	09/03/24	5890.05	--	--	--	--
6-23	03/25/25	5890.05	--	DRY	--	--
6-23	09/08/25	5890.05	--	DRY	--	--
6-28	05/05/15	5884.74		25.81	5858.93	
6-28	08/02/16	5884.74		24.80	5859.94	
6-28	03/20/17	5884.74		24.20	5860.54	
6-28	04/16/18	5884.74		25.92	5858.82	
6-28	04/02/19	5884.74		25.13	5859.61	
6-28	09/23/19	5884.74		24.93	5859.81	
6-28	06/15/20	5884.74		24.55	5860.19	
6-28	11/30/20	5884.74		26.17	5858.57	
6-28	06/01/21	5884.74		26.60	5858.14	
6-28	12/06/21	5884.74		26.50	5858.24	
6-28	06/13/22	5884.74		26.70	5858.04	
6-28	11/30/22	5884.74		26.55	5858.19	
6-28	06/23/23	5884.74	--	26.94	5857.80	--
6-28	12/04/23	5884.74	--	26.63	5858.11	--
6-28	03/11/24	5884.74	--	26.71	5858.03	--

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-28	09/03/24	5884.74	--	26.71	5858.03	--
6-28	03/25/25	5884.74	--	26.49	5858.25	--
6-28	09/08/25	5884.74	--	26.45	5858.29	--
6-30	05/05/15	5893.84		DRY	--	
6-30	08/02/16	5893.84		NM	--	
6-30	03/20/17	5893.84		DRY	--	
6-30	04/16/18	5893.84		20.30	--	
6-30	04/02/19	5893.84		DRY	--	
6-30	09/23/19	5893.84		NM	--	
6-30	06/15/20	5893.84		--	--	
6-30	11/30/20	5893.84		--	--	
6-30	06/01/21	5893.84		DRY	--	DRY
6-30	11/30/22	5893.84		--	--	
6-30	12/04/23	5893.84	--	--	--	--
6-30	03/11/24	5887.60	--	--	--	--
6-30	09/03/24	5887.60	--	--	--	--
6-30	03/25/25	5887.60	--	DRY	--	--
6-30	09/08/25	5887.60	--	DRY	--	--
6-33	05/05/15	5887.60		25.21	5862.39	
6-33	08/02/16	5887.60		24.23	5863.37	
6-33	03/20/17	5887.60		23.93	5863.67	
6-33	04/16/18	5887.60		24.77	5862.83	
6-33	04/02/19	5887.60		24.07	5863.53	
6-33	09/23/19	5887.60		23.96	5863.64	
6-33	06/15/20	5887.60		23.90	5863.70	
6-33	11/30/20	5887.60		24.93	5862.67	
6-33	06/01/21	5887.60		25.41	5862.19	
6-33	12/06/21	5887.60		24.96	5862.64	
6-33	06/13/22	5887.60		25.11	5862.49	
6-33	11/30/22	5887.60		24.82	5862.78	
6-33	06/23/23	5887.60	--	25.67	5861.93	--
6-33	12/04/23	5887.60	--	25.03	5862.57	--
6-33	03/11/24	5902.12	--	25.78	5876.34	--
6-33	09/03/24	5902.12	--	25.44	5876.68	--
6-33	03/25/25	5902.12	--	24.89	5877.23	--
6-33	04/22/25	5902.12	--	25.20	5876.92	--
6-33	09/08/25	5902.12	--	25.09	5877.03	--
6-34	03/20/17	5927.11		8.20	5918.91	
6-34	03/25/25	5927.11	--	--	--	Unable to locate
6-34	09/08/25	5927.11	--	8.92	5918.19	--
6-36	05/05/15	5902.12		13.37	5888.75	
6-36	08/02/16	5902.12		12.00	5890.12	
6-36	03/20/17	5902.12		12.15	5889.97	
6-36	04/16/18	5902.12		11.75	5890.37	
6-36	09/23/19	5902.12		10.78	5891.34	
6-36	06/15/20	5902.12		11.95	5890.17	
6-36	11/30/20	5902.12		11.16	5890.96	
6-36	06/01/21	5902.12		11.81	5890.31	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-36	12/06/21	5902.12		11.18	5890.94	
6-36	06/13/22	5902.12		11.82	5890.30	
6-36	11/30/22	5902.12		11.04	5891.08	
6-36	06/23/23	5902.12	--	11.90	5890.22	--
6-36	12/04/23	5902.12	--	10.69	5891.43	--
6-36	03/11/24	5899.10	--	11.46	5887.64	--
6-36	09/03/24	5899.10	--	10.87	5888.23	--
6-36	03/25/25	5899.10	--	DRY	--	--
6-36	09/08/25	5899.10	--	11.00	5888.10	--
6-37	08/02/16	5914.77		9.98	5904.79	
6-37	03/20/17	5914.77		8.91	5905.86	
6-37	04/16/18	5914.77		12.05	5902.72	
6-37	04/02/19	5914.77		9.76	5905.01	
6-37	09/23/19	5914.77		10.32	5904.45	
6-37	06/15/20	5914.77		10.40	5904.37	
6-37	06/01/21	5914.77		11.85	5902.92	
6-37	11/30/22	5914.77		8.83	5905.94	
6-37	03/25/25	5914.77	--	11.66	5903.11	--
6-37	09/08/25	5914.77	--	10.45	5904.32	--
6-38	03/20/17	5920.89		9.81	5911.08	
6-38	03/25/25	5920.89	--	--	--	Unable to locate
6-38	09/08/25	5920.89	--	11.70	5909.19	--
6-39	03/20/17	5920.86		10.14	5910.72	
6-39	03/25/25	5920.86	--	--	--	Unable to locate
6-39	09/08/25	5920.86	--	11.30	5909.56	--
6-40	05/05/15	5899.10		11.56	5887.54	
6-40	08/02/16	5899.10		11.02	5888.08	
6-40	12/13/16	5899.10		11.85	5887.25	
6-40	03/20/17	5899.10		11.37	5887.73	
6-40	06/05/17	5899.10		10.88	5888.22	
6-40	09/07/17	5899.10		11.69	5887.41	
6-40	12/05/17	5899.10		12.39	5886.71	
6-40	04/16/18	5899.10		11.98	5887.12	
6-40	06/04/18	5899.10		12.11	5886.99	
6-40	07/10/18	5899.10		12.49	5886.61	
6-40	08/13/18	5899.10		12.64	5886.46	
6-40	12/12/18	5899.10		13.73	5885.37	
6-40	04/02/19	5899.10		13.30	5885.80	
6-40	09/23/19	5899.10		13.20	5885.90	
6-40	06/15/20	5899.10		12.68	5886.42	
6-40	09/15/20	5899.10		13.87	5885.23	
6-40	11/30/20	5899.10		14.65	5884.45	
6-40	03/08/21	5899.10		15.52	5883.58	
6-40	06/01/21	5899.10		15.05	5884.05	
6-40	09/07/21	5899.10		14.71	5884.39	
6-40	12/06/21	5899.10		16.46	5882.64	
6-40	06/13/22	5899.10		15.09	5884.01	
6-40	09/12/22	5899.10		14.61	5884.49	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-40	11/30/22	5899.10		14.44	5884.66	
6-40	03/09/23	5899.10	--	14.25	5884.85	--
6-40	06/23/23	5899.10	--	12.98	5886.12	--
6-40	09/20/23	5899.10	--	12.29	5886.81	--
6-40	12/04/23	5899.10	--	12.28	5886.82	--
6-40	03/11/24	5896.50	--	12.12	5884.38	--
6-40	09/03/24	5896.50	--	11.93	5884.57	--
6-40	10/09/24	5899.10	--	12.24	5886.86	--
6-40	03/25/25	5896.50	--	13.01	5883.49	--
6-40	09/08/25	5896.50	--	12.93	5883.57	--
6-41	05/05/15	5896.50		11.32	5885.18	
6-41	08/02/16	5896.50		10.47	5886.03	
6-41	03/20/17	5896.50		10.11	5886.39	
6-41	04/16/18	5896.50		10.90	5885.60	
6-41	04/02/19	5896.50		12.23	5884.27	
6-41	09/23/19	5896.50		12.94	5883.56	
6-41	06/15/20	5896.50		12.25	5884.25	
6-41	11/30/20	5896.50		14.19	5882.31	
6-41	06/01/21	5896.50		12.81	5883.69	
6-41	12/06/21	5896.50		14.52	5881.98	
6-41	06/13/22	5896.50		13.20	5883.30	
6-41	11/30/22	5896.50		12.95	5883.55	
6-41	06/23/23	5896.50	--	11.71	5884.79	--
6-41	12/04/23	5896.50	--	11.29	5885.21	--
6-41	03/11/24	5895.79	--	10.76	5885.03	--
6-41	09/03/24	5895.79	--	11.36	5884.43	--
6-41	10/09/24	5896.50	--	11.36	5885.14	--
6-41	03/25/25	5895.79	--	11.53	5884.26	--
6-41	09/08/25	5895.79	--	12.32	5883.47	--
6-42	05/05/15	5895.79		11.37	5884.42	
6-42	08/02/16	5895.79		10.22	5885.57	
6-42	03/20/17	5895.79		10.06	5885.73	
6-42	04/16/18	5895.79		10.91	5884.88	
6-42	04/02/19	5895.79		11.86	5883.93	
6-42	09/23/19	5895.79		12.36	5883.43	
6-42	06/15/20	5895.79		12.00	5883.79	
6-42	11/30/20	5895.79		14.21	5881.58	
6-42	06/01/21	5895.79		12.75	5883.04	
6-42	12/06/21	5895.79		15.19	5880.60	
6-42	06/13/22	5895.79		13.91	5881.88	
6-42	11/30/22	5895.79		12.98	5882.81	
6-42	06/23/23	5895.79	--	11.81	5883.98	--
6-42	12/04/23	5895.79	--	11.31	5884.48	--
6-42	03/11/24	5899.39	--	10.85	5888.54	--
6-42	09/03/24	5899.39	--	11.08	5888.31	--
6-42	03/25/25	5899.39	--	11.45	5887.94	--
6-42	09/08/25	5899.39	--	11.96	5887.43	--
6-43	05/05/15	5899.39		15.00	5884.39	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-43	08/02/16	5899.39		13.89	5885.50	
6-43	03/20/17	5899.39		14.01	5885.38	
6-43	04/16/18	5899.39		13.64	5885.75	
6-43	04/02/19	5899.39		13.70	5885.69	
6-43	09/23/19	5899.39		13.03	5886.36	
6-43	06/15/20	5899.39		13.69	5885.70	
6-43	11/30/20	5899.39		13.20	5886.19	
6-43	06/01/21	5899.39		13.89	5885.50	
6-43	12/06/21	5899.39		12.30	5887.09	
6-43	06/13/22	5899.39		13.69	5885.70	
6-43	11/30/22	5899.39		13.41	5885.98	
6-43	06/23/23	5899.39	--	14.48	5884.91	--
6-43	12/04/23	5899.39	--	13.60	5885.79	--
6-43	03/11/24	5902.28	--	13.98	5888.30	--
6-43	09/03/24	5902.28	--	13.66	5888.62	--
6-43	03/25/25	5902.28	--	13.67	5888.61	--
6-43	09/08/25	5902.28	--	13.25	5889.03	--
6-44	05/05/15	5902.28		17.36	5884.92	
6-44	08/02/16	5902.28		16.19	5886.09	
6-44	03/20/17	5902.28		15.96	5886.32	
6-44	04/16/18	5902.28		14.59	5887.69	
6-44	04/02/19	5902.28		14.74	5887.54	
6-44	09/23/19	5902.28		13.80	5888.48	
6-44	06/15/20	5902.28		14.23	5888.05	
6-44	11/30/20	5902.28		14.06	5888.22	
6-44	06/01/21	5902.28		14.89	5887.39	
6-44	12/06/21	5902.28		14.36	5887.92	
6-44	06/13/22	5902.28		14.02	5888.26	
6-44	11/30/22	5902.28		14.39	5887.89	
6-44	06/23/23	5902.28	--	14.95	5887.33	--
6-44	12/04/23	5902.28	--	13.47	5888.81	--
6-44	03/11/24	5896.15	--	15.00	5881.15	--
6-44	09/03/24	5896.15	--	14.63	5881.52	--
6-44	03/25/25	5896.15	--	15.44	5880.71	--
6-44	09/08/25	5896.15	--	14.85	5881.30	--
6-45	05/05/15	5896.15		21.09	5875.06	
6-45	08/02/16	5896.15		13.97	5882.18	
6-45	03/20/17	5896.15		13.61	5882.54	
6-45	04/16/18	5896.15		14.05	5882.10	
6-45	04/02/19	5896.15		16.59	5879.56	
6-45	09/23/19	5896.15		15.79	5880.36	
6-45	06/15/20	5896.15		17.65	5878.50	
6-45	11/30/20	5896.15		17.52	5878.63	
6-45	06/01/21	5896.15		18.86	5877.29	
6-45	12/06/21	5896.15		18.71	5877.44	
6-45	06/13/22	5896.15		19.73	5876.42	
6-45	11/30/22	5896.15		19.41	5876.74	
6-45	06/23/23	5896.15	--	21.56	5874.59	--

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-45	12/04/23	5896.15	--	19.52	5876.63	--
6-45	03/11/24	5895.31	--	18.65	5876.66	--
6-45	09/03/24	5895.31	--	14.24	5881.07	--
6-45	03/25/25	5895.31	--	15.11	5880.20	--
6-45	04/22/25	5895.31	--	14.71	5880.60	--
6-45	09/08/25	5895.31	--	14.80	5880.51	--
6-46	05/05/15	5895.31		13.92	5881.39	
6-46	08/02/16	5895.31		12.46	5882.85	
6-46	03/20/17	5895.31		12.32	5882.99	
6-46	04/16/18	5895.31		12.61	5882.70	
6-46	04/02/19	5895.31		14.25	5881.06	
6-46	09/23/19	5895.31		14.14	5881.17	
6-46	06/15/20	5895.31		14.06	5881.25	
6-46	11/30/20	5895.31		15.48	5879.83	
6-46	06/01/21	5895.31		16.20	5879.11	
6-46	12/06/21	5895.31		16.26	5879.05	
6-46	06/13/22	5895.31		16.95	5878.36	
6-46	11/30/22	5895.31		17.01	5878.30	
6-46	06/23/23	5895.31	--	20.99	5874.32	--
6-46	12/04/23	5895.31	--	16.44	5878.87	--
6-46	03/11/24	5897.10	--	14.57	5882.53	--
6-46	09/03/24	5897.10	--	13.20	5883.90	--
6-46	03/25/25	5897.10	--	13.61	5883.49	--
6-46	04/22/25	5897.10	--	13.55	5883.55	--
6-46	09/08/25	5897.10	--	13.45	5883.65	--
6-47	05/05/15	5897.10		16.61	5880.49	
6-47	08/02/16	5897.10		15.55	5881.55	
6-47	03/20/17	5897.10		15.99	5881.11	
6-47	04/16/18	5897.10		16.06	5881.04	
6-47	04/02/19	5897.10		16.71	5880.39	
6-47	09/23/19	5897.10		15.59	5881.51	
6-47	06/15/20	5897.10		16.40	5880.70	
6-47	11/30/20	5897.10		16.80	5880.30	
6-47	06/01/21	5897.10		17.83	5879.27	
6-47	12/06/21	5897.10		17.55	5879.55	
6-47	06/13/22	5897.10		18.00	5879.10	
6-47	11/30/22	5897.10		17.83	5879.27	
6-47	06/23/23	5897.10	--	18.47	5878.63	--
6-47	12/04/23	5897.10	--	17.36	5879.74	--
6-47	03/11/24	5895.77	--	17.48	5878.29	--
6-47	09/03/24	5895.77	--	16.32	5879.45	--
6-47	03/25/25	5895.77	--	16.80	5878.97	--
6-47	04/22/25	5895.77	--	16.90	5878.87	--
6-47	09/08/25	5895.77	--	16.06	5879.71	--
6-48	08/02/16	5895.77		19.88	5875.89	
6-48	03/20/17	5895.77		19.86	5875.91	
6-48	04/16/18	5895.77		19.51	5876.26	
6-48	04/02/19	5895.77		19.35	5876.42	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-48	09/23/19	5895.77		19.18	5876.59	
6-48	06/15/20	5895.77		19.34	5876.43	
6-48	11/30/20	5895.77		19.17	5876.60	
6-48	06/01/21	5895.77		19.45	5876.32	
6-48	12/06/21	5895.77		19.27	5876.50	
6-48	06/13/22	5895.77		19.50	5876.27	
6-48	11/30/22	5895.77		19.55	5876.22	
6-48	06/23/23	5895.77	--	20.39	5875.38	--
6-48	12/04/23	5895.77	--	19.62	5876.15	--
6-48	03/11/24	5896.49	--	19.23	5877.26	--
6-48	09/03/24	5896.49	--	19.84	5876.65	--
6-48	03/25/25	5896.49	--	19.95	5876.54	--
6-48	09/08/25	5896.49	--	19.70	5876.79	--
6-48B	05/05/15	5896.49		20.18	5876.31	
6-48B	08/02/16	5896.49		19.81	5876.68	
6-48B	03/20/17	5896.49		19.76	5876.73	
6-48B	04/16/18	5896.49		19.42	5877.07	
6-48B	04/02/19	5896.49		19.33	5877.16	
6-48B	09/23/19	5896.49		19.07	5877.42	
6-48B	06/15/20	5896.49		19.41	5877.08	
6-48B	11/30/20	5896.49		19.26	5877.23	
6-48B	06/01/21	5896.49		19.48	5877.01	
6-48B	12/06/21	5896.49		19.41	5877.08	
6-48B	06/13/22	5896.49		19.14	5877.35	
6-48B	11/30/22	5896.49		19.54	5876.95	
6-48B	06/23/23	5896.49	--	25.17	5871.32	--
6-48B	12/04/23	5896.49	--	19.89	5876.60	--
6-48B	03/11/24	5894.38	--	20.20	5874.18	--
6-48B	09/03/24	5894.38	--	20.00	5874.38	--
6-48B	03/25/25	5894.38	--	20.05	5874.33	--
6-48B	04/22/25	5894.38	--	19.96	5874.42	--
6-48B	09/08/25	5894.38	--	19.70	5874.68	--
6-49	05/05/15	5894.38		20.73	5873.65	
6-49	08/02/16	5894.38		21.54	5872.84	
6-49	03/20/17	5894.38		DRY	--	
6-49	04/16/18	5894.38		21.17	5873.21	
6-49	04/02/19	5894.38		DRY	--	
6-49	09/23/19	5894.38		DRY	--	
6-49	06/15/20	5894.38		21.60	5872.78	
6-49	11/30/20	5894.38		21.80	5872.58	
6-49	06/01/21	5894.38		21.41	5872.97	
6-49	12/06/21	5894.38		21.40	5872.98	
6-49	06/13/22	5894.38		21.65	5872.73	
6-49	11/30/22	5894.38		21.32	5873.06	
6-49	06/23/23	5894.38	--	21.50	5872.88	--
6-49	12/04/23	5894.38	--	21.78	5872.60	--
6-49	03/11/24	5895.10	--	21.55	5873.55	--
6-49	09/03/24	5895.10	--	21.89	5873.21	--

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-49	03/25/25	5895.10	--	21.72	5873.38	--
6-49	09/08/25	5895.10	--	22.01	5873.09	--
6-49B	05/05/15	5895.10		25.60	5869.50	
6-49B	08/02/16	5895.10		24.57	5870.53	
6-49B	03/20/17	5895.10		26.74	5868.36	
6-49B	04/16/18	5895.10		19.39	5875.71	
6-49B	04/02/19	5895.10		18.74	5876.36	
6-49B	09/23/19	5895.10		18.49	5876.61	
6-49B	06/15/20	5895.10		19.00	5876.10	
6-49B	11/30/20	5895.10		21.70	5873.40	
6-49B	06/01/21	5895.10		24.30	5870.80	
6-49B	12/06/21	5895.10		23.60	5871.50	
6-49B	06/13/22	5895.10		24.30	5870.80	
6-49B	11/30/22	5895.10		25.29	5869.81	
6-49B	06/23/23	5895.10	--	30.16	5864.94	--
6-49B	12/04/23	5895.10	--	26.71	5868.39	--
6-49B	03/11/24	5893.70	--	28.34	5865.36	--
6-49B	09/03/24	5893.70	--	27.03	5866.67	--
6-49B	03/25/25	5893.70	--	24.06	5869.64	--
6-49B	04/22/25	5893.70	--	26.99	5866.71	--
6-49B	09/08/25	5893.70	--	25.46	5868.24	--
6-50	05/05/15	5893.70		DRY	--	
6-50	08/02/16	5893.70		DRY	--	
6-50	03/20/17	5893.70		DRY	--	
6-50	04/16/18	5893.70		DRY	--	
6-50	04/02/19	5893.70		DRY	--	
6-50	09/23/19	5893.70		DRY	--	
6-50	06/15/20	5893.70		--	--	
6-50	11/30/20	5893.70		--	--	
6-50	06/01/21	5893.70		DRY	--	
6-50	12/06/21	5893.70		DRY	--	
6-50	11/30/22	5893.70		--	--	
6-50	06/23/23	5893.70	--	--	--	--
6-50	12/04/23	5893.70	--	--	--	--
6-50	03/11/24	5894.10	--	--	--	--
6-50	09/03/24	5894.10	--	--	--	--
6-50	03/25/25	5894.10	--	22.60	5871.50	--
6-50	09/08/25	5894.10	--	DRY	--	--
6-50B	05/05/15	5894.10		DRY	--	
6-50B	08/02/16	5894.10		DRY	--	
6-50B	03/20/17	5894.10		DRY	--	
6-50B	04/16/18	5894.10		DRY	--	
6-50B	04/02/19	5894.10		DRY	--	
6-50B	09/23/19	5894.10		DRY	--	
6-50B	06/15/20	5894.10		DRY	--	
6-50B	11/30/20	5894.10		DRY	--	
6-50B	12/06/21	5894.10		DRY	--	
6-50B	11/30/22	5894.10		--	--	

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-50B	06/23/23	5894.10	--	30.66	5863.44	--
6-50B	12/04/23	5894.10	--	--	--	--
6-50B	03/25/25	5894.10	--	31.62	5862.48	--
6-50B	09/08/25	5894.10	--	DRY	--	--
5-54	03/20/17	--		13.01	--	
5-54	04/16/18	--		13.55	--	
5-54	06/04/18	--		14.61	--	EVO
5-54	07/10/18	--		14.08	--	
5-54	08/13/18	--		14.01	--	
5-54	12/12/18	--		14.77	--	
5-54	04/02/19	--		13.35	--	
5-54	09/23/19	--		13.46	--	
5-54	06/15/20	--		13.21	--	
5-54	09/15/20	--		13.57	--	
5-54	11/30/20	--		13.78	--	
6-54	03/08/21	--		13.72	--	
6-54	06/01/21	--		13.51	--	
6-54	09/07/21	--		14.53	--	
6-54	12/06/21	--		13.67	--	
6-54	06/13/22	--		13.31	--	
6-54	09/12/22	--		13.30	--	
6-54	11/30/22	--		13.03	--	
6-54	03/09/23	--	--	12.63	--	--
6-54	06/23/23	--	--	11.78	--	--
6-54	09/20/23	--	--	11.75	--	--
6-54	12/04/23	--	--	11.94	--	--
6-54	03/11/24	5893.84	--	11.89	5881.95	--
6-54	09/03/24	5893.84	--	12.37	5881.47	--
6-54	03/25/25	5893.84	--	12.71	5881.13	--
6-54	09/08/25	5893.84	--	13.09	5880.75	--
6-CH1	02/20/15	5915.10		46.81	5868.29	
6-CH2	02/20/15	5915.46		41.71	5873.75	
6-CH3	02/20/15	5916.21		15.03	5901.18	
6-CH4	02/20/15	5916.75		15.32	5901.43	
6-CH5	02/20/15	5916.20		57.16	5859.04	
6-PW1	03/20/17	5916.22		10.81	5905.41	
6-PW1	03/25/25	5916.22	--	12.56	5903.66	--
6-PW1	09/08/25	5916.22	--	10.25	5905.97	--
6-PW2	03/20/17	5920.04		13.41	5906.63	
6-PW2	03/25/25	5920.04	--	14.52	5901.70	--
6-PW2	09/08/25	5920.04	--	13.37	5906.67	--
6-PW3	03/20/17	5923.95		9.19	5914.76	
6-PW3	03/25/25	5923.95	--	11.85	5912.10	--
6-PW3	09/08/25	5923.95	--	10.26	5913.69	--
6-PW4	08/02/16	5917.13		14.52	5902.61	
6-PW4	03/20/17	5917.13		13.89	5903.24	
6-PW4	04/16/18	5917.13		15.84	5901.29	
6-PW4	03/25/25	5917.13	--	14.49	5901.73	--

Table 1

**Summary of Groundwater Elevation Data
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	TOC Elevation (feet amsl)	Depth to LNAPL (feet below MP)	Depth to Ground Water (feet below TOC)	Ground Water Elevation (feet amsl)	WL Notes
6-PW4	09/08/25	5917.13	--	13.78	5903.35	--
6-PW5	03/20/17	5931.44		15.35	5916.09	
6-PW5	03/25/25	5931.44	--	DRY	--	--
6-PW5	09/08/25	5931.44	--	DRY	--	--
6-PW6	03/20/17	5923.19		8.99	5914.20	
6-PW6	03/25/25	5923.19	--	12.70	5910.49	--
6-PW6	09/08/25	5923.19	--	10.71	5912.48	--
6-PW7	03/20/17	5928.86		14.24	5914.62	
6-PW7	03/25/25	5928.86	--	14.06	5914.80	--
6-PW7	09/08/25	5928.86	--	DRY	--	--
6-PW8	03/20/17	5930.34		10.76	5919.58	
6-PW8	03/25/25	5930.34	--	--	--	Unable to locate
6-PW8	09/08/25	5930.34	--	13.20	5917.14	--

Notes:

Only the last 10 years of groundwater elevation data are presented in this table.

amsl = above mean sea level.

TOC = top-of-casing.

NM = not measured.

-- = not applicable.

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)	
6-06	03/23/17	5.14	7.46	12.43	2217*	
6-07	05/05/15	8.82	7.69	14.30	297*	
6-07	08/04/16	6.18	7.73	15.86	1327*	
6-07	03/23/17	7.93	8.01	12.53	1195*	
6-07	04/16/18	7.38	8.03	15.06	--	
6-07	04/04/19	6.46	8.14	13.77	1014*	
6-07	09/25/19	8.60	8.42	16.24	1460*	
6-07	06/19/20	8.66	8.73	14.69	2,331	
6-07	12/01/20	6.91	7.88	14.22	2,564	
6-07	06/02/21	6.89	7.65	15.17	2,359	
6-07	12/07/21	6.35	8.59	15.03	2,739.4	
6-07	06/14/22	7.5	8.23	16.37	2,099	
6-07	11/30/22	7.52105	8.0225	15.17001	2,503.9	
6-07	06/23/23	6.10191	8.26828	21.95875	1,955.79	
6-07	12/06/23	7.03581	8.82418	18.24419	2,190.22	
6-07	03/13/24	14.08	7.66	12.88	2,550	
6-07	09/05/24	4.5788	--	25.74142	2,563.3623	
6-07	03/27/25	6.6551	7.08014	22.78714	2,244.8079	
6-08	05/05/15	8.72	7.65	13.35	2296*	
6-08	08/03/16	5.42	7.69	14.33	1961*	
6-08	03/22/17	5.08	7.75	11.95	1810*	
6-08	04/17/18	6.72	7.55	13.38	--	
6-08	04/04/19	5.90	7.63	13.34	1666*	
6-08	09/25/19	7.50	8.14	17.01	1717*	
6-08	06/19/20	8.56	8.34	13.26	1,876	
6-08	12/01/20	5.50	7.77	14.68	2,203	
6-08	06/03/21	2.05	7.34	14.0	1,820	
6-08	12/07/21	5.87	8.57	14.87	2,275.7	
6-08	11/30/22	6.79981	7.67275	15.14331	2,082.454	
6-08	06/15/23	5.64872	7.93464	23.61195	1,277.788	
6-08	12/06/23	5.75793	9.46418	22.86981	1,341.146	
6-08	03/15/24	6.92	7.24	10.53	1,700	
6-08	09/04/24	1.87581	--	24.8205	1,559.7815	
6-08	03/26/25	4.96164	7.85821	23.05512	1,485.239	
6-08	09/11/25	2.04	6.86	14.2	2,140	
6-09	05/06/15	6.63	6.99	14.23	2288*	
6-09	08/03/16	3.02	7.50	16.37	3133*	
6-09	03/20/17	Not Sampled Due to Presence of EVO				
6-09	06/06/17	2.41	6.69	14.77	2919*	
6-09	09/06/17	4.11	7.96	14.53	2758*	
6-09	12/05/17	2.24	7.01	15.95	2907*	
6-09	04/17/18	4.30	7.00	13.07	--	
6-09	06/05/18	2.09	6.55	16.94	2156*	
6-09	07/10/18	--	5.78	19.30	2236*	
6-09	08/13/18	0.54	5.21	21.20	1420*	
6-09	12/13/18	2.44	7.10	13.56	2348*	
6-09	04/04/19	0.65	5.46	14.66	2279*	
6-09	09/25/19	1.81	6.36	16.54	1914*	
6-09	06/19/20	10.67	8.35	13.32	2,426	
6-09	09/16/20	1.68	5.67	16.80	2,480	
6-09	03/08/21	Not Sampled Due to Presence of EVO				
6-09	06/01/21	Not Sampled Due to Presence of EVO				

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-09	09/07/21	Not Sampled Due to Presence of EVO			
6-09	12/06/21	Not Sampled Due to Presence of EVO			
6-09	11/30/22	0.05112	4.48515	16.39496	3,677.286
6-09	09/21/23	1.97248	4.82043	19.80876	3,840.3418
6-09	12/06/23	0.22973	4.41315	19.68173	3,111.1516
6-09	03/13/24	20.23	5.24	14.00	3,620
6-09	03/27/25	2.68811	5.20637	14.85314	3,115.9482
6-09	09/10/25	6.002	6.99	12.76	4,688
6-10	05/06/15	6.59	7.23	13.34	2458*
6-10	08/04/16	3.67	8.11	14.25	2477*
6-10	03/22/17	4.85	7.57	12.60	2398*
6-10	04/17/18	5.91	7.42	13.22	--
6-10	04/04/19	3.97	7.46	12.86	1452*
6-10	09/25/19	6.97	7.85	16.66	1467*
6-10	06/19/20	7.32	8.46	13.12	1,646
6-10	12/01/20	6.40	7.64	12.53	1,641
6-10	06/03/21	1.43	7.17	14.8	1,410
6-10	12/07/21	5.35	8.34	15.12	1,484.1
6-10	11/30/22	5.3387	7.13809	14.76246	1,377.874
6-10	06/15/23	--	7.91599	30.99464	978.9735
6-10	12/06/23	4.02909	1.08338	18.00359	1,188.4854
6-10	03/15/24	5.50	7.10	10.93	1,290
6-10	09/05/24	1.78541	--	26.43761	1,325.9716
6-10	10/09/24	10.05	3.98	19.2	1.56
6-10	03/26/25	2.47026	6.45411	30.49086	945.7873
6-10	09/10/25	3.938	6.1	11.6	2,328
6-11	03/21/17	3.47	7.55	12.72	5903*
6-11	03/26/25	4.12684	7.1698	20.15228	5,690.22
6-11	09/10/25	0.4266	6.7183	13.283	9,538.3
6-12	05/06/15	4.33	7.15	14.99	3851*
6-12	08/03/16	2.79	7.24	14.41	2932*
6-12	03/22/17	2.70	7.35	13.44	2991*
6-12	04/17/18	6.31	7.35	14.07	--
6-12	04/04/19	4.44	7.34	14.99	1907*
6-12	09/25/19	7.26	7.97	16.93	2177*
6-12	06/19/20	7.02	8.27	13.89	2,403
6-12	12/01/20	6.27	7.81	13.35	2,643
6-12	12/08/21	6.82	7.62	14.74	2,737.4
6-12	11/30/22	6.83519	7.42779	14.66837	2,397.663
6-12	06/16/23	3.19288	8.12241	27.01298	1,430.439
6-12	12/06/23	5.48463	7.38325	21.01807	1,220.7032
6-12	03/15/24	6.09	7.17	11.48	1,590
6-12	09/06/24	3.27441	--	20.08128	1,950.038
6-12	03/27/25	2.2273	7.24419	19.9071	2,007.943
6-12	09/10/25	0.748	6.702	12.58	3,170
6-13	12/13/16	6.3	7.09	15.0	3969*
6-13	03/21/17	4.05	7.15	12.85	4589*
6-13	06/06/17	4.55	7.03	14.78	4065*
6-13	09/06/17	2.52	6.96	15.17	3690*
6-13	12/05/17	2.77	7.28	16.13	3457*

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-13	04/17/18	No Parameters Collected Due to Low Volume			
6-13	06/04/18	4.10	7.01	16.84	4036
6-13	07/10/18	--	6.20	18.60	3999**
6-13	08/13/18	3.73	7.17	19.26	3949*
6-13	12/13/18	1.83	8.29	15.03	3767*
6-13	04/04/19	3.19	7.31	14.17	3557*
6-13	09/25/19	5.14	7.78	16.02	4096*
6-13	06/19/20	7.13	8.36	13.18	4,046
6-13	09/16/20	5.04	6.64	17.30	4,040
6-13	12/01/20	4.03	7.48	14.07	3,924
6-13	03/09/21	3.01	7.19	13.31	2,747
6-13	06/03/21	2.74	6.97	14.9	3,200
6-13	09/08/21	2.35	7.11	18.35	2,260
6-13	12/07/21	3.03	8.17	15.50	3,548.8
6-13	03/23/22	7.65	7.04	13.11	3,640
6-13	06/14/22	3.64	7.66	16.52	2,841
6-13	09/13/22	4.86	6.93	18.18	3,271
6-13	11/30/22	5.49122	7.61954	14.4446	3,298.133
6-13	03/10/23	5.15785	6.9565	14.59132	1,955.023
6-13	03/10/23	5.15785	6.9565	14.59132	1,955.023
6-13	09/21/23	5.067	6.64818	17.72127	3,643.0146
6-13	12/06/23	2.73053	7.48463	23.42396	2,559.5217
6-13	03/13/24	1,414	7.3	12.68	3,280
6-13	09/04/24	0.1481	--	24.5601	3,105.2463
6-13	03/27/25	2.07051	6.86102	19.76478	2,913.6628
6-13	09/09/25	1.506	--	11.94	4,140
6-14	05/06/15	2.57	7.22	13.79	2486*
6-14	08/03/16	2.30	8.15	14.59	2247*
6-14	12/13/16	6.97	7.10	14.58	2043*
6-14	03/22/17	2.90	7.47	12.76	2353*
6-14	06/06/17	7.78	7.29	14.83	2108*
6-14	09/06/17	2.40	7.23	15.46	1835*
6-14	12/05/17	2.80	7.27	15.04	1709*
6-14	04/17/18	5.84	7.17	13.83	--
6-14	06/04/18	5.23	7.00	15.21	2016*
6-14	07/10/18	--	6.95	16.80	2106*
6-14	08/13/18	4.36	7.27	18.08	2141*
6-14	12/13/18	4.89	8.23	14.97	2352*
6-14	04/04/19	3.70	7.16	13.87	1925*
6-14	09/25/19	4.84	7.64	17.38	1852*
6-14	06/19/20	4.93	8.22	13.45	1,941
6-14	09/16/20	1.51	5.76	17.30	2,590
6-14	03/08/21	Not Sampled Due to Presence of EVO			
6-14	06/01/21	Not Sampled Due to Presence of EVO			
6-14	09/07/21	Not Sampled Due to Presence of EVO			
6-14	12/08/21	No Parameters Collected Due to Low Volume			
6-14	03/23/22	2.92	5.32	13.57	6,080
6-14	09/13/22	12.63	5.6	17.26	4,179
6-14	11/30/22	0.3416	6.10769	16.14796	3,946.652

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-14	03/10/23	1.83605	5.7315	15.51482	--
6-14	06/15/23	6.33649	6.74906	32.20044	2,802.605
6-14	09/21/23	0.6728	5.79365	19.06513	4,595.0405
6-14	12/06/23	1.49505	3.43334	21.92819	3,396.1538
6-14	03/13/24	10.75	6.37	13.09	270
6-14	09/04/24	0.01751	--	23.31536	3,083.8938
6-15	03/22/17	6.02	7.33	11.67	4222*
6-15	04/17/18	6.79	7.40	13.46	--
6-15	04/04/19	5.21	7.49	12.86	1559*
6-15	09/25/19	7.21	7.90	17.34	1825*
6-15	06/19/20	7.50	8.36	13.31	1,985
6-15	12/01/20	5.93	7.65	14.08	2,522
6-15	06/03/21	2.38	7.25	14.5	1,690
6-15	12/07/21	5.90	8.38	14.49	2,538.8
6-15	06/15/23	3.12335	7.36084	38.08104	995.67
6-15	12/06/23	4.7368	5.08792	19.77289	1,322.4983
6-15	03/15/24	7.09	7.05	10.51	1,380
6-15	09/06/24	2.77768	--	19.87332	2,696.9666
6-15	09/06/24	2.77768	--	19.87332	2,696.9666
6-15	03/27/25	3.1486	6.02564	14.67496	4,077.6953
6-15	09/10/25	0.638	6.492	12.78	7,620
6-16	05/05/15	--	7.11	15.43	--
6-16	08/04/16	6.31	6.90	15.30	8140*
6-16	03/23/17	No Parameters Collected Due to Low Volume			
6-16	04/16/17	4.10	7.77	16.45	--
6-16	04/04/19	2.69	7.24	14.25	4899*
6-16	09/24/19	5.90	7.90	15.95	4544*
6-16	12/01/20	5.67	7.63	14.69	5,178
6-16	06/02/21	3.57	7.26	15.61	4,543
6-16	12/08/21	3.76	7.29	15.09	5,228.9
6-16	12/06/23	4.8026	7.35741	20.7648	6,096.1206
6-16	12/06/23	4.8026	7.35741	20.7648	6,096.1206
6-16	03/15/24	4.33	6.88	12.78	6,870
6-16	09/06/24	6.20577	--	20.68757	2,700.0679
6-16	03/27/25	2.01762	7.27106	25.99044	5,241.131
6-16	09/11/25	2.68	7.454	10.46	7,226
6-17	03/22/17	No Parameters Collected Due to Low Volume			
6-17	04/22/25	8.37492	7.45755	17.80796	4,336.852
6-17	09/11/25	8.54	7.53	12.4	6,190
6-18	03/22/17	4.09	7.49	10.61	1581*
6-18	04/17/18	5.63	7.50	12.84	--
6-18	04/04/19	3.94	7.49	12.54	1499*
6-18	09/24/19	6.78	7.26	17.47	1316*
6-18	06/19/20	6.57	8.52	13.56	1,639
6-18	12/01/20	4.97	7.66	13.71	1,852
6-18	06/03/21	4.20	7.22	14.9	1,240
6-18	12/07/21	5.99	8.39	14.61	1,299.9
6-18	11/30/22	5.54994	7.29806	13.99417	1,208.994
6-18	06/16/23	5.1238	8.15828	22.76443	890.6277

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-18	12/06/23	5.38231	9.46343	18.1473	832.9148
6-18	03/15/24	3.71	7.21	10.30	1,340
6-18	09/04/24	3.27667	--	29.32659	1,615.6305
6-18	03/27/25	5.67382	7.42251	20.10731	694.2076
6-18	09/10/25	3.682	6.872	11.6	2,462
6-19	05/05/15	7.97	6.59	14.71	12631*
6-19	08/04/16	5.67	7.16	15.24	11352*
6-19	03/23/17	No Parameters Collected Due to Low Volume			
6-19	04/16/18	6.93	7.12	16.74	--
6-19	04/04/19	6.43	7.28	13.36	3152*
6-19	09/24/19	8.06	7.58	17.19	4708*
6-19	06/19/20	9.19	8.79	14.27	4,709
6-19	12/01/20	7.67	7.37	13.20	5,991
6-19	06/02/21	6.96	7.22	14.90	3,807
6-19	12/07/21	6.61	8.09	15.01	3,993.2
6-19	06/14/22	7.78	7.83	17.36	3,533
6-19	11/30/22	8.03999	7.83324	11.34839	3,249.59
6-19	06/15/23	6.904	6.6628	20.74416	3,043.515
6-19	12/06/23	7.18761	7.72591	17.80518	3,796.2969
6-19	12/06/23	7.18761	7.72591	17.80518	3,796.2969
6-19	03/13/24	14.62	6.84	13.38	4,880
6-19	03/13/24	14.62	6.84	13.38	4,880
6-19	09/05/24	5.50547	--	25.601	4,966.543
6-19	03/27/25	7.84104	6.86867	19.45898	5,495.5537
6-20B	05/06/15	8.30	7.49	14.16	6359*
6-20B	08/04/16	8.25	7.70	14.73	5698*
6-20B	03/23/17	6.89	8.02	13.27	6309*
6-20B	04/17/18	7.24	7.52	13.75	--
6-20B	04/04/19	5.97	7.60	14.22	5072*
6-20B	09/25/19	7.92	7.92	16.71	4383*
6-20B	06/19/20	7.63	8.51	13.16	5,501
6-20B	12/01/20	6.67	7.70	14.26	5,610
6-20B	06/03/21	5.41	7.29	14.7	4,740
6-20B	12/07/21	6.13	8.28	15.04	5,213.4
6-20B	12/06/23	5.82081	7.3825	18.61233	4,191.359
6-20B	03/13/24	15.16	7.09	11.60	5,260
6-20B	09/05/24	3.96994	--	27.66561	4,919.708
6-20B	10/09/24	12.92	5.51	20	5.94
6-20B	03/27/25	7.63046	6.63031	14.93468	4,111.7964
6-20B	03/27/25	7.63046	6.63031	14.93468	4,111.7964
6-20B	09/10/25	6.326	6.474	11.16	6,220
6-20C	05/06/15	4.98	7.02	14.03	2887*
6-20C	08/04/16	1.45	7.80	14.80	2208*
6-20C	03/21/17	1.08	7.31	11.62	2202*
6-20C	04/17/18	3.33	7.24	13.34	--
6-20C	04/04/19	2.20	7.27	13.72	1863*
6-20C	09/25/19	2.79	7.74	16.35	1761*
6-20C	06/19/20	3.28	8.58	13.24	1,884
6-20C	12/01/20	2.10	7.40	14.44	2,150

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-20C	11/30/22	0.79479	6.60019	15.26253	2,049.508
6-20C	12/06/23	1.42302	7.4348	18.1257	1,687.2091
6-20C	03/13/24	19.35	6.86	13.79	2,070
6-20C	09/05/24	1.48907	--	20.4458	2,718.2183
6-20C	10/09/24	9.62	6.11	20.3	4.7
6-20C	09/10/25	0.692	5.962	11.36	2,668
6-21A	03/21/17	6.41	7.45	13.81	4252*
6-21B	05/06/15	8.24	7.32	14.03	3542*
6-21B	08/04/16	6.45	7.75	17.17	3285*
6-21B	12/13/16	5.73	6.97	14.57	3415*
6-21B	03/23/17	6.14	7.67	13.21	3430*
6-21B	06/06/17	7.74	7.21	14.61	3014*
6-21B	09/06/17	7.01	6.98	15.06	3083*
6-21B	12/05/17	4.82	7.53	15.50	2931*
6-21B	04/17/18	4.93	7.35	14.06	--
6-21B	06/04/18	6.67	7.17	15.21	2960*
6-21B	07/10/18	--	7.09	16.8	3437*
6-21B	08/13/18	6.66	7.45	18.79	3313*
6-21B	12/13/18	4.51	8.10	14.22	3819*
6-21B	04/04/19	4.59	7.43	14.13	3505*
6-21B	09/25/19	6.52	7.90	15.71	3295*
6-21B	06/19/20	7.68	8.81	13.69	3,598
6-21B	09/16/20	5.25	6.45	16.5	3,720
6-21B	12/01/20	5.18	7.60	13.72	3,931
6-21B	03/09/21	4.44	7.31	13.59	1,943
6-21B	06/01/21	Not Sampled Due to Presence of EVO			
6-21B	09/08/21	0.31	7.11	22.36	1,621
6-21B	12/06/21	Not Sampled Due to Presence of EVO			
6-21B	03/23/22	2.34	7.27	14.14	3,440
6-21B	06/14/22	1.33	7.43	17.51	2,603
6-21B	09/23/22	5.59	6.91	17.3	2,097
6-21B	11/30/22	2.0453	7.10938	16.02187	3,449.673
6-21B	03/10/23	2.56828	6.76469	14.67296	--
6-21B	09/21/23	2.44702	6.77408	19.63266	3,870.4404
6-21B	12/06/23	3.01622	7.5372	15.3895	3,072.679
6-21B	03/13/24	8.45	6.64	13.22	3,650
6-21B	09/04/24	0.06817	--	21.00082	4,139.3325
6-21B	03/26/25	2.9254	7.12653	17.82621	3,611.9731
6-21B	09/09/25	0.548	6.466	13.1	4,938
6-21C	05/06/15	7.10	6.94	13.64	2258*
6-21C	08/04/16	3.97	7.47	15.66	2160*
6-21C	12/13/16	4.89	6.32	14.32	1916*
6-21C	03/21/17	2.73	7.24	12.11	2279*
6-21C	06/06/17	1.60	6.95	14.57	2067*
6-21C	09/07/17	2.63	7.25	17.76	3138*
6-21C	12/05/17	1.85	7.28	16.87	1724*
6-21C	04/17/18	3.17	7.13	14.50	--
6-21C	06/04/18	2.84	5.51	15.75	2112
6-21C	07/10/18	--	5.82	18.2	2904
6-21C	08/13/18	1.76	6.29	20.05	2925
6-21C	12/13/18	No Parameters Collected Due to Low Volume			

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-21C	04/04/19	1.56	7.05	14.13	2671
6-21C	09/25/19	No Parameters Collected Due to Low Volume			
6-21C	09/16/20	1.63	6.45	18.5	2,840
6-21C	03/08/21	Not Sampled Due to Presence of EVO			
6-21C	06/01/21	Not Sampled Due to Presence of EVO			
6-21C	09/07/21	Not Sampled Due to Presence of EVO			
6-21C	12/06/21	Not Sampled Due to Presence of EVO			
6-21C	09/21/23	3.45782	5.06515	19.72336	3,274.074
6-21C	12/06/23	3.27785	5.78231	18.05085	2,184.1162
6-21C	03/13/24	11.24	5.14	11.74	3
6-21C	09/04/24	1.41573	--	20.22967	2,224.9917
6-21C	03/26/25	1.7932	5.45743	20.78328	2,661.5583
6-22B	05/06/15	9.27	7.21	14.01	6676*
6-22B	08/04/16	3.79	7.23	17.90	6340*
6-22B	12/13/16	4.29	7.01	14.66	5849*
6-22B	03/23/17	No Parameters Collected Due to Low Volume			
6-22B	06/06/17	No Parameters Collected Due to Low Volume			
6-22B	09/07/17	No Parameters Collected Due to Low Volume			
6-22B	12/05/17	No Parameters Collected Due to Low Volume			
6-22B	04/17/18	4.41	7.22	13.75	--
6-22B	06/04/18	2.41	6.80	18.17	5899
6-22B	07/10/18	No Parameters Collected Due to Low Volume			
6-22B	08/13/18	No Parameters Collected Due to Low Volume			
6-22B	12/13/18	5.01	8.95	10.70	6475
6-22B	04/04/19	2.59	7.20	14.54	5518
6-22B	09/25/19	No Parameters Collected Due to Low Volume			
6-22B	03/09/21	No Parameters Collected Due to Low Volume			
6-22B	06/03/21	No Parameters Collected Due to Low Volume			
6-22B	09/08/21	No Parameters Collected Due to Low Volume			
6-22B	12/07/21	No Parameters Collected Due to Low Volume			
6-22B	11/30/22	6.51216	6.69775	15.70983	5,013.353
6-22B	03/10/23	3.85263	6.82393	18.56223	--
6-22B	09/21/23	1.51629	5.99499	18.44931	4,532.327
6-22B	12/06/23	2.45829	8.13555	18.66414	4,854.4546
6-22B	09/05/24	4.8615	--	20.57186	4,661.8223
6-22B	03/26/25	2.71418	7.11627	19.68397	5,457.0566
6-22B	03/26/25	2.71418	7.11627	19.68397	5,457.0566
6-22B	09/09/25	0.903	6.355	13.366	6,628.3
6-22C	05/06/15	4.90	6.95	13.48	2363*
6-22C	08/03/16	3.02	7.29	15.58	3207*
6-22C	12/13/16	3.35	7.06	14.05	2005*
6-22C	03/22/17	2.51	7.18	11.89	2756*
6-22C	06/06/17	3.25	7.00	14.72	2093*
6-22C	09/07/17	2.04	8.19	16.02	2004*
6-22C	12/05/17	1.57	7.23	15.17	1693*
6-22C	04/17/18	3.11	7.14	13.58	--
6-22C	06/04/18	2.85	7.06	16.53	2180*
6-22C	07/10/18	--	6.60	18.80	2087*
6-22C	08/13/18	1.11	7.18	20.84	2025*

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-22C	12/13/18	4.03	8.15	13.68	2348*
6-22C	04/04/19	0.60	7.17	14.50	2069*
6-22C	09/25/19	7.65	7.65	17.83	1850*
6-22C	06/19/20	3.25	8.49	13.71	2,089
6-22C	09/16/20	0.52	5.81	17.90	1,930
6-22C	03/09/21	1.15	6.41	13.84	1,952
6-22C	06/03/21	1.94	6.24	15.2	2,210
6-22C	09/07/21	Not Sampled Due to Presence of EVO			
6-22C	12/06/21	Not Sampled Due to Presence of EVO			
6-22C	06/14/22	0.35	6.74	18.04	2,119
6-22C	09/23/22	9.15	6.32	19.87	2,456
6-22C	11/30/22	0.8458	6.80876	15.43961	2,179.151
6-22C	06/15/23	1.05021	6.69728	25.46338	1,345.38
6-22C	09/21/23	1.15434	5.7907	18.81167	1,900.6755
6-22C	12/06/23	1.61722	6.43229	16.42958	1,678.1868
6-22C	09/05/24	0.77247	--	22.61284	2,691.0032
6-22C	03/26/25	2.58623	6.70738	18.66816	2,732.6602
6-22C	09/09/25	0.536	6.282	14.66	4,182
6-28	03/21/17	6.85	7.83	14.27	3494*
6-28	09/11/25	7.48	7.66	12.9	3,560
6-33	03/23/17	5.16	7.67	13.62	3877*
6-33	06/16/23	5.49805	8.14563	22.22717	2,133.07
6-33	09/11/25	4.78	12.5	6.4	5,510
6-34	03/21/17	2.68	7.41	12.25	1246*
6-36	05/06/15	--	--	--	--
6-36	08/04/16	3.49	7.41	16.31	3477*
6-36	03/23/17	2.88	7.43	13.32	3645*
6-36	04/16/18	6.85	7.58	15.82	--
6-36	04/04/19	5.85	7.54	14.19	4191*
6-36	09/25/19	7.67	7.84	16.71	3749*
6-36	06/15/20	7.96	8.83	13.50	4,199
6-36	12/01/20	6.63	7.64	14.37	4,458
6-36	06/03/21	3.75	6.85	15.1	3,890
6-36	12/07/21	6.20	8.27	15.35	4,567.2
6-36	06/14/22	7.46	8.2	16.46	3,316
6-36	11/30/22	7.35859	7.57283	14.41043	4,208.584
6-36	06/15/23	6.87185	7.37406	21.35663	3,479.265
6-36	12/06/23	7.44306	7.7412	17.36291	4,053.3323
6-37	03/21/17	4.43	7.65	12.45	1844*
6-38	03/21/17	1.82	8.11	13.68	1234*
6-39	03/21/17	2.43	7.65	13.69	2906*
6-40	05/06/15	5.98	7.04	14.18	2288*
6-40	08/03/16	4.41	7.39	14.93	2189*
6-40	12/13/16	6.49	7.11	15.04	2007*
6-40	03/22/17	5.10	7.46	13.22	2350*
6-40	06/06/17	5.26	7.16	15.61	2089*
6-40	09/07/17	4.26	7.34	16.60	1787*
6-40	12/05/17	3.17	7.35	14.76	1656*
6-40	04/17/18	3.70	7.17	14.09	--
6-40	06/04/18	6.91	7.06	15.75	1978*

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-40	07/10/18	--	7.18	17.00	2039*
6-40	08/13/18	5.87	7.26	18.93	1985*
6-40	12/13/18	5.00	8.08	14.81	2047*
6-40	04/04/19	3.66	7.26	15.98	1928*
6-40	09/25/19	5.56	7.71	17.90	1829*
6-40	06/19/20	3.90	8.46	14.29	1,974
6-40	09/16/20	3.88	6.44	17.30	2,080
6-40	12/01/20	2.12	7.45	13.54	2,255
6-40	03/09/21	2.15	7.33	13.24	1,596
6-40	06/02/21	3.73	7.23	15.27	2,034
6-40	09/08/21	2.18	7.20	18.61	1,510
6-40	12/07/21	4.64	8.19	14.99	2,138.7
6-40	03/23/22	6.75	7.19	13.61	2,270
6-40	06/14/22	5.31	7.8	17.52	1,696
6-40	09/23/22	11.29	6.72	18.87	2,097
6-40	11/30/22	3.73571	6.87099	15.90835	2,105.193
6-40	03/10/23	8.4465	7.1973	12.41099	--
6-40	06/15/23	2.84534	7.27358	21.483	1,504.64
6-40	09/21/23	2.90366	5.85298	17.74095	1,961.947
6-40	12/06/23	3.20659	6.72109	19.83315	1,531.6066
6-40	03/13/24	25.47	6.93	13.42	1,780
6-40	09/05/24	1.87627	--	25.52662	1,555.5074
6-40	10/09/24	7.8	6.69	21.6	1.07
6-40	03/26/25	2.57462	7.27947	25.2559	1,801.5067
6-40	09/09/25	1.694	6.654	13.4	2,146
6-41	05/05/15	6.86	7.19	13.89	2275*
6-41	08/03/16	3.62	7.20	14.55	2030*
6-41	03/22/17	4.38	7.36	12.79	2244*
6-41	04/17/18	4.69	7.32	13.77	--
6-41	04/04/19	4.64	7.36	14.30	1763*
6-41	09/25/19	7.18	7.92	17.76	1691*
6-41	06/19/20	8.00	8.31	13.70	1,755
6-41	12/01/20	6.17	7.75	14.75	2,205
6-41	12/08/21	6.99	7.60	15.08	2,272.7
6-41	11/30/22	6.67497	7.53278	13.73206	1,686.598
6-41	06/16/23	4.86343	8.26537	21.38109	1,174.201
6-41	12/06/23	3.33009	4.66246	23.38539	1,208.0083
6-41	03/15/24	4.07	7.09	12.32	1,510
6-41	09/05/24	1.57173	--	25.176	1,678.4828
6-41	10/09/24	8.34	7.03	19.9	1.39
6-41	10/09/24	8.34	7.03	19.9	1.39
6-41	03/27/25	2.38094	7.34348	21.38172	1,271.554
6-41	09/10/25	1.722	6.718	11.84	2,162
6-42	05/05/15	7.76	7.58	14.16	2112*
6-42	08/04/16	6.94	7.98	15.15	1977*
6-42	03/22/17	7.40	7.83	12.88	2201*
6-42	04/17/18	7.14	7.63	14.05	--
6-42	04/04/19	4.74	7.52	14.13	1844*
6-42	09/25/19	7.63	8.17	16.58	1859*
6-42	06/19/20	8.84	8.31	13.57	2,042
6-42	12/01/20	6.55	7.84	14.81	2,204

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-42	12/07/21	6.9	8.70	14.58	2,072.5
6-42	11/30/22	6.79296	7.48342	15.05977	1,858.837
6-42	06/16/23	7.13743	8.11998	20.83215	1,434.993
6-42	12/06/23	6.49404	7.63635	21.43667	1,621.8086
6-42	03/15/24	6.59	7.23	11.75	1,750
6-42	09/05/24	4.75776	--	25.91182	1,531.1991
6-42	03/27/25	5.79132	7.4028	25.34624	1,695.4832
6-42	09/10/25	6.24	7.176	12.16	2,304
6-43	03/21/17	4.23	7.41	12.82	5895*
6-44	05/05/15	8.18	7.60	14.78	4227*
6-44	08/04/16	8.15	8.11	15.08	4052*
6-44	03/21/17	7.90	7.76	13.67	4302*
6-44	04/16/18	7.41	7.84	16.14	--
6-44	04/04/19	6.85	7.77	14.45	3419*
6-44	09/25/19	8.88	8.07	16.49	3271*
6-44	06/19/20	8.85	8.88	13.72	3,610
6-44	12/01/20	7.43	7.91	13.44	3,733
6-44	06/02/21	7.44	7.63	15.14	3,289
6-44	12/07/21	7.12	8.54	15.66	3,404.8
6-44	06/14/22	7.72	8.58	17.56	2,661
6-44	11/30/22	7.77605	7.79622	15.06143	3,008.858
6-44	06/15/23	7.54831	8.18236	21.09058	2,678.013
6-44	12/06/23	7.58731	8.31553	19.64076	2,959.4648
6-44	03/13/24	17.43	7.53	12.99	3,360
6-44	09/04/24	4.47574	--	35.30173	2,907.0815
6-44	03/27/25	7.83905	7.19391	16.20747	2,786.9028
6-45	08/03/16	7.46	6.92	14.5	3374*
6-45	03/21/17	7.40	7.48	13.19	3854*
6-45	04/16/18	No Parameters Collected Due to Low Volume			
6-45	06/04/18	No Parameters Collected Due to Low Volume			
6-45	04/04/19	5.88	7.54	14.49	3737*
6-45	09/24/19	8.49	8.06	16.33	3702*
6-45	06/19/20	9.14	8.89	14.82	4,215
6-45	12/01/20	6.82	7.84	14.53	4,375
6-45	06/02/21	5.84	7.56	15.35	3,891
6-45	12/08/21	6.14	7.47	15.30	4,449.6
6-45	12/06/23	5.92975	6.81581	19.05116	6,199.62
6-45	03/15/24	5.68	7.25	12.55	5,970
6-45	09/06/24	3.87908	--	20.83415	2,160.6157
6-45	09/06/24	3.87908	--	20.83415	2,160.6157
6-45	04/22/25	3.81733	7.59414	22.0053	2,618.2678
6-45	09/11/25	1.08	7.36	10.56	4,956
6-46	05/06/15	5.38	7.23	14.01	2661*
6-46	08/02/16	11.80	6.72	15.34	2169*
6-46	03/21/17	3.20	7.39	13.39	2458*
6-46	04/16/18	No Parameters Collected Due to Low Volume			
6-46	04/04/19	4.06	7.61	14.53	2139*
6-46	09/24/19	7.20	8.29	17.45	2034*
6-46	06/19/20	6.40	8.55	13.45	2,489

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-46	12/01/20	5.22	7.82	13.75	2,376
6-46	06/02/21	3.65	7.58	15.24	2,232
6-46	12/08/21	5.34	7.48	15.30	2,585.2
6-46	12/06/23	5.40857	6.54936	19.59234	2,440.1165
6-46	03/15/24	5.88	7.33	12.66	2,470
6-46	09/06/24	1.80139	--	20.63604	1,747.0082
6-46	04/22/25	4.07989	7.58832	24.72124	2,054.371
6-46	04/22/25	4.07989	7.58832	24.72124	2,054.371
6-46	09/11/25	0.518	7.33	11.5	2,652
6-47	05/06/15	9.01	7.29	14.98	3704*
6-47	08/03/16	15.22	6.96	16.19	2745*
6-47	03/21/17	3.91	7.21	13.03	3500*
6-47	04/16/18	No Parameters Collected Due to Low Volume			
6-47	04/04/19	6.12	7.60	14.12	2495*
6-47	09/24/19	7.41	7.96	21.20	2172*
6-47	06/16/20	8.58	8.48	13.21	2,608
6-47	12/01/20	6.80	7.85	14.57	2,758
6-47	06/02/21	5.67	7.56	15.30	2,711
6-47	12/08/21	8.09	7.43	13.43	2,931.0
6-47	11/30/22	5.84128	7.52867	14.64404	2,845.855
6-47	06/16/23	5.61585	8.35764	27.43292	2,015.138
6-47	12/06/23	3.27453	6.63317	21.79492	2,787.8013
6-47	03/15/24	5.39	7.13	12.59	3,160
6-47	09/06/24	4.08985	--	28.62499	2,753.2993
6-47	04/22/25	4.51639	7.44888	15.59913	2,360.1367
6-47	09/11/25	9.4	7.36	12.9	3,920
6-48	03/21/17	6.93	7.63	13.51	4644*
6-48	06/16/23	4.88364	8.20247	29.6228	2,610.371
6-48	12/06/23	7.26301	6.33615	16.90037	3,602.7043
6-48	03/15/24	7.09	7.3	11.66	3,950
6-48	09/06/24	2.8541	--	22.96868	5,161.3003
6-48B	05/06/15	8.16	7.65	14.68	4338*
6-48B	03/22/17	6.23	7.62	13.84	4431*
6-48B	06/19/20	7.61	8.72	13.34	4,006
6-48B	12/01/20	7.10	8.07	14.62	3,672
6-48B	06/02/21	7.02	7.74	15.62	3,372
6-48B	12/08/21	7.73	7.82	15.35	3,459.6
6-48B	11/30/22	7.12323	7.68036	14.80797	3,313.881
6-48B	06/16/23	6.12682	8.17805	23.78133	2,456.519
6-48B	12/06/23	6.54093	4.59334	18.67342	3,176.773
6-48B	03/15/24	6.26	7.41	13.40	3,610
6-48B	09/06/24	5.45615	--	23.81709	3,144.5974
6-48B	04/22/25	8.21049	7.41488	15.45837	2,734.3547
6-48B	09/11/25	8.42	7.81	11.8	3,990
6-49	03/20/17	Not Sampled Well Was Dry			
6-49B	05/06/15	8.07	7.47	14.71	4258*
6-49B	08/04/16	7.49	7.48	14.80	3849*
6-49B	03/22/17	6.81	7.62	14.26	4221*
6-49B	06/19/20	8.21	8.79	13.58	3,644

Table 2

**Summary of Groundwater Quality Field Parameters
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Dissolved Oxygen (mg/L)	pH	Temperature (°C)	Electrical Conductivity (uS/cm)
6-49B	12/01/20	6.62	7.99	14.27	3,649
6-49B	06/02/21	7.04	7.65	15.80	3,305
6-49B	12/08/21	7.43	7.69	15.21	3,588.4
6-49B	06/16/23	6.55966	8.44032	23.72065	2,704.438
6-49B	12/06/23	7.32235	6.40924	15.50941	3,068.11
6-49B	09/06/24	5.36128	--	23.10113	3,044.8457
6-49B	04/22/25	7.66	7.50429	19.92313	3,010.6711
6-49B	09/11/25	8.8	7.71	11.5	4,410
6-54	04/17/18	3.55	6.89	13.56	--
6-54	07/10/18	No Parameters Collected Due to Low Volume			
6-54	08/03/18	No Sample Collected			
6-54	12/13/18	No Sample Collected			
6-54	04/04/19	No Parameters Collected Due to Low Volume			
6-54	09/25/19	No Parameters Collected Due to Low Volume			
6-54	03/09/21	No Parameters Collected Due to Low Volume			
6-54	06/03/21	No Parameters Collected Due to Low Volume			
6-54	09/08/21	No Parameters Collected Due to Low Volume			
6-54	12/08/21	No Parameters Collected Due to Low Volume			
6-54	03/10/23	3.71973	6.64471	16.73883	--
6-54	06/15/23	3.06869	7.69447	19.55454	1,538.783
6-54	09/21/23	0.6354	6.41334	20.31129	1,909.7885
6-54	12/06/23	1.78394	5.7295	21.06747	1,471.5072
6-54	03/13/24	15.20	7.19	12.04	1,840
6-54	09/04/24	0.78592	--	32.57856	1,695.3408
6-54	09/04/24	0.78592	--	32.57856	1,695.3408
6-54	09/09/25	0.54	6.815	15.65	1,950
6-PW6	03/20/17	Not Sampled			
6-CH1	02/20/15	7.6	7.9	17.0	3567*
6-CH2	02/20/15	8.32	8.33	17.55	2252*
6-CH3	02/20/15	--	--	--	--
6-CH4	02/20/15	1.53	6.11	16.84	7589*
6-CH5	02/20/15	4.66	6.79	16.64	8494*

Notes:

°C = degrees Celsius.

mg/L = milligrams per liter.

mmhos/cm = millimhos per centimeter.

* = conductivity measured in microsiemens per centimeter.

** = over instrument range.

-- = data not available.

Only the last 10 years of groundwater elevation data are presented in this table.

EVO = Emulsified vegetable oil.

Table 3

Groundwater Analytical Results Summary – VOCs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Benzene (mg/L)	PCE (mg/L)	1,1,1-TCA (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	cis-1,2-DCE (mg/L)	Carbon Tetrachloride (mg/L)	Chloroform (mg/L)	Vinyl Chloride (mg/L)
EPA SDWA MCL:		0.005	0.005	0.2	0.025	0.005	0.007	0.07	0.005	0.1	0.002
6-07	03/27/25	<0.001	<0.001	<0.001	0.0057	<0.001	0.012	<0.001	<0.001	<0.001	<0.001
6-07	09/09/25	<0.001	<0.002	<0.001	0.011	0.002	0.031	<0.002	<0.002	<0.002	<0.001
6-08	03/26/25	<0.001	<0.001	<0.001	0.0011	<0.001	<0.001	<0.001	<0.001	--	<0.001
6-08	09/11/25	<0.001	<0.002	<0.001	0.0024	<0.002	<0.001	<0.002	<0.002	<0.002	<0.001
6-09	03/27/25	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
6-09	09/10/25	<0.1	<0.2	<0.1	<0.2	<0.2	<0.1	<0.2	<0.2	<0.2	<0.1
6-10	03/26/25	<0.001	<0.001	<0.001	0.0014	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-10	09/10/25	<0.001	<0.002	<0.001	0.0094	<0.002	0.002	<0.002	<0.002	<0.002	<0.001
6-11	03/26/25	<0.001	<0.001	<0.001	0.0044	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-11	03/26/25	<0.001	<0.001	<0.001	0.0011	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-11	09/10/25	<0.001	<0.002	<0.001	0.0057	<0.002	<0.001	<0.002	<0.002	<0.002	<0.001
6-12	03/27/25	<0.001	<0.001	<0.001	0.037	<0.001	0.015	<0.001	<0.001	<0.001	<0.001
6-12	09/10/25	<0.001	<0.002	<0.001	0.059	<0.002	0.026	<0.002	<0.002	<0.002	<0.001
6-13	03/27/25	0.0023	<0.001	<0.001	0.026	0.0034	0.05	0.0022	<0.001	<0.001	<0.001
6-13	09/09/25	0.0051	<0.002	<0.001	0.066	0.0075	0.12	0.0054	<0.002	<0.002	<0.001
6-14	09/09/25	<0.1	<0.2	<0.1	<0.2	<0.2	<0.1	<0.2	<0.2	<0.2	<0.1
6-15	03/27/25	<0.001	<0.001	<0.001	0.0039	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-15	09/10/25	<0.001	<0.002	<0.001	0.0061	<0.002	0.0019	<0.002	<0.002	<0.002	<0.001
6-16	03/27/25	<0.001	<0.001	<0.001	0.0031	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-16	09/11/25	<0.001	<0.002	<0.001	0.0034	<0.002	<0.001	<0.002	<0.002	<0.002	<0.001
6-17	04/22/25	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-17	09/11/25	<0.001	<0.002	<0.001	<0.002	<0.002	<0.001	<0.002	<0.002	<0.002	<0.001
6-17	09/11/25	<0.001	<0.002	<0.001	<0.002	<0.002	<0.001	<0.002	<0.002	<0.002	<0.001
6-18	03/27/25	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-18	09/10/25	<0.001	<0.002	<0.001	<0.002	<0.002	<0.001	<0.002	<0.002	0.0021	<0.001
6-19	03/27/25	<0.002	0.0057	<0.002	<0.002	<0.002	<0.002	<0.002	0.024	0.28	<0.002
6-19	09/09/25	<0.005	<0.01	<0.005	<0.01	<0.01	<0.005	<0.01	0.034	0.34	<0.005
6-20B	03/27/25	<0.001	<0.001	<0.001	0.026	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-20B	03/27/25	<0.001	<0.001	<0.001	0.025	<0.001	0.004	<0.001	<0.001	<0.001	<0.001
6-20B	09/10/25	<0.001	<0.002	<0.001	0.039	<0.002	0.0066	<0.002	<0.002	<0.002	<0.001
6-20C	03/27/25	<0.001	<0.001	<0.001	0.0032	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-20C	09/10/25	0.0011	<0.002	<0.001	0.042	<0.002	0.014	<0.002	<0.002	<0.002	<0.001
6-21B	03/26/25	<0.001	<0.001	<0.001	0.023	<0.001	0.0083	<0.001	<0.001	<0.001	<0.001
6-21B	09/09/25	0.0022	<0.002	<0.001	0.019	<0.002	0.017	<0.002	<0.002	<0.002	<0.001
6-21C	03/26/25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
6-21C	09/09/25	<0.1	<0.2	<0.1	<0.2	<0.2	<0.1	<0.2	<0.2	<0.2	<0.1
6-22B	03/26/25	0.0019	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-22B	03/26/25	0.0017	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-22B	09/09/25	0.0028	<0.002	<0.001	<0.002	<0.002	<0.001	<0.002	<0.002	<0.002	<0.001
6-22C	03/26/25	0.0026	<0.001	<0.001	<0.001	<0.001	0.0014	<0.001	<0.001	<0.001	<0.001
6-22C	09/09/25	0.007	<0.002	<0.001	<0.002	<0.002	0.0065	<0.002	<0.002	<0.002	<0.001
6-28	09/11/25	<0.001	<0.002	<0.001	<0.002	<0.002	<0.001	<0.002	<0.002	<0.002	<0.001

Table 3

Groundwater Analytical Results Summary – VOCs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Benzene (mg/L)	PCE (mg/L)	1,1,1-TCA (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	cis-1,2-DCE (mg/L)	Carbon Tetrachloride (mg/L)	Chloroform (mg/L)	Vinyl Chloride (mg/L)
EPA SDWA MCL:		0.005	0.005	0.2	0.025	0.005	0.007	0.07	0.005	0.1	0.002
6-33	04/22/25	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-33	09/11/25	<0.001	<0.002	<0.001	<0.002	<0.002	<0.001	<0.002	<0.001	<0.002	<0.001
6-40	03/26/25	<0.001	<0.001	<0.001	<i>0.024</i>	<0.001	0.0095	<0.001	<0.001	<0.001	<0.001
6-40	09/09/25	<0.001	<0.002	<0.001	0.027	<0.002	0.014	<0.002	<0.002	<0.002	<0.001
6-40	09/09/25	<0.01	<0.02	<0.01	0.2	<0.02	0.1	<0.02	<0.02	<0.02	<0.01
6-41	03/27/25	<0.001	<0.001	<0.001	<i>0.0065</i>	<0.001	<i>0.0027</i>	<0.001	<0.001	<0.001	<0.001
6-41	09/10/25	<0.001	<0.002	<0.001	<i>0.021</i>	<0.002	0.008	<0.002	<0.002	<0.002	<0.001
6-42	03/27/25	<0.001	<0.001	<0.001	<i>0.014</i>	<0.001	<i>0.0042</i>	<0.001	<0.001	<0.001	<0.001
6-42	09/10/25	<0.001	<0.002	<0.001	<i>0.022</i>	<0.002	0.0079	<0.002	<0.002	<0.002	<0.001
6-44	03/27/25	<0.002	<0.002	<i>0.0035</i>	<i>0.0069</i>	0.0073	0.099	<0.002	<0.002	<0.002	<0.002
6-44	09/09/25	<0.005	<0.01	<i>0.0074</i>	<i>0.012</i>	0.01	0.33	<0.01	<0.01	<0.01	<0.005
6-45	04/22/25	<0.001	<0.001	<0.001	<i>0.01</i>	<0.001	0.039	<0.001	<0.001	<0.001	<0.001
6-45	09/11/25	<0.001	<0.002	<i>0.0011</i>	<i>0.022</i>	<0.002	0.11	<0.002	<0.002	<0.002	<0.001
6-46	04/22/25	<0.001	<0.001	<0.001	0.061	<0.001	0.015	<0.001	<0.001	<0.001	<0.001
6-46	04/22/25	<0.001	<0.001	<0.001	0.062	<0.001	0.015	<0.001	<0.001	<0.001	<0.001
6-46	09/11/25	<0.001	<0.002	<0.001	0.075	<0.002	0.022	<0.002	<0.002	<0.002	<0.001
6-47	04/22/25	<0.005	<0.005	<0.005	0.29	<0.005	0.084	<0.005	<0.005	<0.005	<0.005
6-47	09/11/25	<0.001	<0.002	<0.001	0.38	<i>0.0023</i>	0.14	<i>0.0031</i>	<0.002	<0.002	<0.001
6-48B	04/22/25	<0.001	<0.001	<0.001	<i>0.0055</i>	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6-48B	09/11/25	<0.001	<0.002	<0.001	<i>0.0066</i>	<0.002	<0.001	<0.002	<0.002	<0.002	<0.001
6-49B	04/22/25	<0.001	<i>0.0014</i>	<0.001	<i>0.01</i>	<0.001	0.017	<0.001	<0.001	<0.001	<0.001
6-49B	09/11/25	<0.001	<0.002	<0.001	<i>0.013</i>	<0.002	0.024	<0.002	<0.002	<0.002	<0.001
6-54	03/26/25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.077	<0.01	<0.01
6-54	09/09/25	<0.01	<0.02	<0.01	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.01

Notes:

BOLD = Concentration greater than the EPA / SDWA MCL.

ITALICIZE = Laboratory Detection.

ER = Enseco (Rocky Mountain Analytical).

ATI-P = Analytical Technologies, Inc. (Phoenix, Arizona).

ATI-A = Analytical Technologies, Inc. (Albuquerque, New Mexico).

HEAL = Hall Environmental Analysis Laboratory (Albuquerque, New Mexico).

OAL = Oregon Analytical Laboratory (Portland, Oregon).

NCA = North Creek Analytical (Portland, Oregon).

TAI = Trace Analysis, Inc. (Lubbock, Texas).

PCE = Tetrachloroethylene = Trichloroethane.

DCA = Dichloroethane.

DCE = Dichloroethene.

ND = Not detected.

NA = Not Available.

* = Sample labeled as 6-48B as indicated in the field however has been historically referenced as 6-51 on-site figures.

** = Sample labeled as 6-49B as indicated in the field however has been historically referenced as 6-52 on-site figures.

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-06	04/24/91	ND	--
6-06	05/30/91	ND	--
6-06	06/20/91	ND	--
6-06	07/22/91	ND	--
6-06	08/07/91	ND	--
6-06	09/05/91	ND	--
6-06	09/30/91	ND	--
6-06	11/07/91	ND	--
6-06	12/06/91	ND	--
6-06	01/14/92	0.0015	1242
6-06	01/29/92	ND	--
6-06	02/27/92	ND	--
6-06	03/23/92	ND	--
6-06	04/22/92	ND	--
6-06	06/03/92	ND	--
6-06	03/23/17	ND	--
6-07	04/25/91	ND	--
6-07	05/29/91	ND	--
6-07	06/19/91	ND	--
6-07	09/05/91	ND	--
6-07	09/30/91	ND	--
6-07	11/07/91	ND	--
6-07	12/06/91	ND	--
6-07	01/15/92	ND	--
6-07	01/30/92	ND	--
6-07	02/27/92	ND	--
6-07	03/24/92	ND	--
6-07	04/23/92	ND	--
6-07	06/05/92	ND	--
6-07	03/23/17	ND	--
6-08	04/26/91	ND	--
6-08	05/29/91	ND	--
6-08	06/20/91	ND	--
6-08	09/05/91	ND	--
6-08	09/30/91	ND	--
6-08	11/07/91	ND	--
6-08	12/06/91	ND	--
6-08	01/14/92	ND	--
6-08	01/29/92	ND	--
6-08	02/27/92	ND	--
6-08	03/23/92	ND	--
6-08	04/22/92	ND	--
6-08	06/05/92	ND	--
6-08	03/22/17	ND	--
6-09	07/22/91	0.37	1242
6-09	08/06/91	2	1242
6-09	09/07/91	4.5	1242
6-09	10/01/91	4.2	1242
6-09	11/08/91	1.5	1242
6-09	12/06/91	8	1242
6-09	01/16/92	23	1242

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-09	01/31/92	31	1242
6-09	02/28/92	1.7	1242
6-09	03/25/92	0.93	1242
6-09	04/24/92	0.51	1232
6-09	04/24/92	1.1	1242
6-09	06/09/92	23	1242
6-09	12/17/92	0.53	1242
6-09	06/23/93	5.5	1242
6-09	12/08/93	0.88	1242
6-09	06/13/94	0.41	1242
6-09	12/16/94	0.68	1242
6-09	06/20/95	2.8	1242
6-09	11/13/95	0.635	1242
6-09	06/05/96	0.441	1242
6-09	11/13/96	1.1074	1242
6-09	05/30/97	1.67	1242
6-09	11/14/97	0.974	1242
6-09	06/18/98	0.82	1232
6-09	06/09/99	1.6	1242
6-09	06/29/00	1.3	1242
6-09	06/27/01	2.18	1242
6-09	04/24/02	5.04	1242
6-09	05/27/03	0.24	1232
6-09	06/10/04	0.4	1232
6-09	05/25/05	0.4	1232
6-09	07/13/06	1.4	1232
6-09	07/27/07	0.25	1016
6-09	09/26/08	0.092	1016
6-09	08/07/09	0.11	1016
6-09	05/20/10	0.16	1016
6-09	09/09/11	0.24	1016
6-09	06/14/12	0.047	1242
6-09	07/25/13	0.072	1242
6-09	04/23/14	0.25	1242
6-09	05/07/15	0.45	1016
6-09	08/03/16	0.45	1016
6-09	06/06/17	0.29	1016
6-09	09/07/17	0.2	1016
6-09	12/06/17	0.13	1016
6-09	04/18/18	0.18	1016
6-09	06/05/18	0.38	1242
6-09	07/10/18	0.76	1242
6-09	08/14/18	0.07	1242
6-09	12/13/18	0.028	1242
6-09	04/04/19	0.013	1016
6-09	09/25/19	0.0048	1242
6-09	06/19/20	0.051	1242
6-09	09/16/20	0.03	1242
6-09	12/02/20	NS	--
6-09	03/08/21	NS	--
6-09	06/01/21	NS	--

Table 4

**Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-09	09/07/21	NS	--
6-09	12/06/21	NS	--
6-09	11/30/22	0.055	1242
6-09	06/15/23	0.116	
6-09	09/21/23	<0.0005	
6-09	12/06/23	<0.00114	
6-09	03/13/24	<0.0005	
6-09	03/27/25	<0.0005	
6-09	09/10/25	<0.0005	
6-10	07/22/91	0.034	1242
6-10	08/06/91	0.160	1242
6-10	09/06/91	0.270	1242
6-10	10/01/91	0.290	1242
6-10	11/08/91	0.110	1242
6-10	12/06/91	0.200	1242
6-10	01/16/92	0.094	1242
6-10	01/31/92	0.140	1242
6-10	02/28/92	0.170	1242
6-10	03/25/92	0.150	1221
6-10	03/25/92	0.180	1242
6-10	04/24/92	0.190	1221
6-10	04/24/92	0.045	1242
6-10	06/09/92	0.410	1221
6-10	12/17/92	0.400	1242
6-10	06/23/93	0.430	1242
6-10	12/08/93	0.074	1221
6-10	12/08/93	0.056	1242
6-10	06/13/94	0.130	1242
6-10	06/20/95	0.110	1242
6-10	05/29/96	0.116	1242
6-10	05/30/97	2.260	1242
6-10	06/18/98	1.100	1232
6-10	06/09/99	0.140	1221
6-10	06/09/99	0.130	1242
6-10	06/29/00	0.110	1242
6-10	06/27/01	0.179	1242
6-10	04/24/02	0.057	1242
6-10	05/27/03	0.090	1016/1221
6-10	06/10/04	0.049	1016
6-10	05/25/05	0.065	1016
6-10	07/12/06	0.035	1016
6-10	07/27/07	0.055	1016
6-10	09/26/08	0.018	1016
6-10	08/07/09	0.063	1016
6-10	05/20/10	0.073	1016
6-10	09/09/11	0.065	1016
6-10	06/14/12	0.040	1242
6-10	07/25/13	0.026	1242
6-10	04/23/14	0.036	1242
6-10	05/07/15	0.007	1016
6-10	08/04/16	0.029	1016

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-10	03/23/17	0.012	1016
6-10	04/18/18	0.009	1016
6-10	04/04/19	0.012	1016
6-10	09/25/19	0.027	1242
6-10	06/19/20	0.032	1242
6-10	12/02/20	0.024	1242
6-10	06/03/21	0.030	1242
6-10	12/07/21	0.025	1242
6-10	06/14/22	0.022	1242
6-10	11/30/22	0.023	1242
6-10	06/15/23	<0.0005	
6-10	12/06/23	<0.0005	
6-10	03/15/24	<0.0005	
6-10	10/09/24	0.024	
6-10	03/26/25	0.0231	
6-10	09/10/25	<0.0005	
6-11	09/06/91	ND	--
6-11	10/01/91	ND	--
6-11	11/07/91	ND	--
6-11	12/06/91	ND	--
6-11	01/15/92	ND	--
6-11	01/30/92	ND	--
6-11	02/28/92	ND	--
6-11	03/24/92	ND	--
6-11	04/23/92	ND	--
6-11	06/04/92	ND	--
6-11	06/02/94	ND	--
6-11	06/15/95	ND	--
6-11	05/15/96	ND	--
6-11	05/27/97	ND	--
6-11	06/17/98	ND	--
6-11	06/30/00	ND	--
6-11	11/20/00	ND	--
6-11	06/24/01	0.0495	1242
6-11	10/24/01	ND	--
6-11	10/24/01	ND	--
6-11	04/24/02	ND	--
6-11	11/20/02	ND	--
6-11	05/27/03	ND	--
6-11	11/14/03	ND	--
6-11	06/09/04	ND	--
6-11	03/23/17	ND	--
6-11	03/26/25	<0.0005	
6-11	09/10/25	<0.0005	
6-12	09/07/91	ND	--
6-12	10/01/91	ND	--
6-12	11/07/91	ND	--
6-12	12/06/91	ND	--
6-12	01/15/92	ND	--
6-12	01/31/92	ND	--
6-12	02/28/92	ND	--

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-12	03/24/92	ND	--
6-12	04/23/92	ND	--
6-12	06/08/92	ND	--
6-12	06/09/94	ND	--
6-12	06/20/95	ND	--
6-12	05/17/96	ND	--
6-12	05/30/97	ND	--
6-12	11/14/98	ND	--
6-12	06/18/98	ND	--
6-12	12/09/98	0.017	1232
6-12	06/09/99	ND	--
6-12	10/18/99	ND	--
6-12	06/29/00	ND	--
6-12	11/20/00	ND	--
6-12	06/24/01	ND	--
6-12	10/25/01	ND	--
6-12	04/24/02	ND	--
6-12	11/20/02	ND	--
6-12	05/26/03	ND	--
6-12	11/14/03	ND	--
6-12	06/10/04	ND	--
6-12	05/26/05	ND	--
6-12	07/13/06	ND	--
6-12	10/27/07	ND	--
6-12	09/26/08	0.0012	1016
6-12	08/07/09	ND	--
6-12	05/20/10	ND	--
6-12	09/08/11	ND	--
6-12	06/13/12	ND	--
6-12	07/25/13	ND	--
6-12	04/23/14	ND	--
6-12	05/06/15	ND	--
6-12	08/03/16	ND	--
6-12	03/22/17	ND	--
6-12	04/18/18	ND	--
6-12	04/04/19	ND	--
6-12	09/25/19	ND	--
6-12	06/19/20	NS	--
6-12	12/02/20	NS	--
6-12	12/8/2021	ND	--
6-12	6/15/2022	ND	--
6-12	11/30/2022	ND	--
6-12	6/16/2023	<0.0005	
6-12	12/6/2023	<0.0005	
6-12	3/15/2024	<0.0005	
6-12	9/6/2024	<0.0005	
6-12	3/27/2025	<0.0005	
6-12	9/10/2025	<0.0005	
6-13	12/06/91	ND	--
6-13	01/15/92	ND	--
6-13	01/30/92	ND	--

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-13	02/28/92	ND	--
6-13	03/24/92	ND	--
6-13	04/23/92	ND	--
6-13	06/04/92	ND	--
6-13	12/16/92	ND	--
6-13	06/22/93	ND	--
6-13	06/10/94	ND	--
6-13	06/16/95	ND	--
6-13	05/16/96	ND	--
6-13	05/29/97	ND	--
6-13	06/18/98	ND	--
6-13	06/10/99	ND	--
6-13	06/29/00	ND	--
6-13	06/26/01	ND	--
6-13	04/24/02	ND	--
6-13	05/26/03	ND	--
6-13	06/09/04	ND	--
6-13	12/14/16	0.0032	1016
6-13	03/23/17	ND	--
6-13	06/06/17	ND	--
6-13	09/07/17	ND	--
6-13	12/06/17	ND	--
6-13	04/18/18	ND	--
6-13	06/05/18	0.0012	1242
6-13	07/11/18	ND	--
6-13	08/14/18	ND	--
6-13	12/13/18	ND	--
6-13	04/04/19	ND	--
6-13	09/25/19	ND	--
6-13	06/19/20	ND	--
6-13	09/16/20	ND	--
6-13	12/20/20	ND	--
6-13	03/09/21	ND	--
6-13	06/03/21	ND	--
6-13	09/08/21	ND	--
6-13	12/07/21	ND	--
6-13	03/23/22	ND	--
6-13	06/14/22	ND	--
6-13	09/13/22	ND	--
6-13	11/30/22	ND	--
6-13	03/10/23	NS	
6-13	06/15/23	<0.0005	
6-13	09/21/23	<0.0005	
6-13	12/06/23	<0.0005	
6-13	03/13/24	<0.0005	
6-13	09/04/24	<0.0005	
6-13	03/27/25	<0.0005	
6-13	09/09/25	<0.0005	
6-14	12/06/91	ND	--
6-14	01/16/92	ND	--
6-14	01/31/92	ND	--

Table 4

**Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-14	02/28/92	ND	--
6-14	03/25/92	ND	--
6-14	04/23/92	ND	--
6-14	06/09/92	ND	--
6-14	12/15/92	ND	--
6-14	06/21/93	ND	--
6-14	06/09/94	ND	--
6-14	06/20/95	ND	--
6-14	05/17/96	ND	--
6-14	05/30/97	ND	--
6-14	06/18/98	ND	--
6-14	06/09/99	0.012	1221
6-14	06/29/00	0.011	1221
6-14	11/20/00	0.00234	1221
6-14	06/25/01	0.00596	1242
6-14	10/25/01	0.00216	1016/1242
6-14	10/25/01	0.00126	1221
6-14	04/23/02	0.00131	1221
6-14	11/21/02	ND	--
6-14	05/27/03	0.001	1016/1221
6-14	11/14/03	ND	--
6-14	06/10/04	ND	--
6-14	05/26/05	ND	--
6-14	07/13/06	ND	--
6-14	07/27/07	ND	--
6-14	09/26/08	ND	--
6-14	08/07/09	ND	--
6-14	05/20/10	0.0013	--
6-14	09/08/11	0.01	1016
6-14	06/13/12	0.0064	1242
6-14	07/24/13	0.0027	1242
6-14	04/23/14	0.0037	1242
6-14	05/06/15	ND	--
6-14	08/03/16	ND	--
6-14	12/14/16	0.022	1016
6-14	03/22/17	ND	--
6-14	06/06/17	0.0071	1016
6-14	09/07/17	ND	--
6-14	12/06/17	0.012	1016
6-14	04/18/18	0.012	1016
6-14	06/05/18	0.0033	1242
6-14	07/11/18	ND	--
6-14	08/14/18	0.009	1242
6-14	12/13/18	0.0021	1242
6-14	04/04/19	0.030	1016
6-14	09/25/19	0.003	1242
6-14	06/19/20	0.040	1221
6-14	09/16/20	0.0042	1242
6-14	12/02/20	NS	--
6-14	03/08/21	NS	--
6-14	06/01/21	NS	--

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-14	09/07/21	NS	--
6-14	12/08/21	ND	--
6-14	03/23/22	ND	--
6-14	06/15/22	ND	--
6-14	09/13/22	ND	--
6-14	11/30/22	ND	--
6-14	03/10/23	NS	
6-14	06/15/23	<0.0005	
6-14	09/21/23	<0.0005	
6-14	12/06/23	<0.00556	
6-14	03/13/24	<0.0005	
6-14	09/04/24	<0.0005	
6-14	09/09/25	<0.0005	
6-15	12/06/91	ND	--
6-15	01/15/92	ND	--
6-15	01/31/92	ND	--
6-15	02/28/92	0.009	1221
6-15	03/24/92	ND	--
6-15	04/23/92	ND	--
6-15	06/08/92	ND	--
6-15	12/08/92	ND	--
6-15	06/16/93	ND	--
6-15	12/02/93	ND	--
6-15	03/22/17	ND	--
6-15	04/18/18	ND	--
6-15	04/04/19	0.00058	1016
6-15	09/25/19	ND	--
6-15	06/19/20	0.0026	1242
6-15	12/02/20	ND	--
6-15	06/03/21	0.0022	1242
6-15	12/07/21	ND	--
6-15	06/15/22	ND	--
6-15	11/30/22	ND	--
6-15	06/15/23	<0.0005	
6-15	12/06/23	<0.0005	
6-15	03/15/24	<0.0005	
6-15	09/06/24	<0.0005	
6-15	03/27/25	<0.0005	
6-15	09/10/25	<0.0005	
6-16	06/09/92	ND	--
6-16	03/23/17	ND	--
6-16	04/18/18	ND	--
6-16	04/04/19	ND	--
6-16	09/25/19	ND	--
6-16	06/19/20	ND	--
6-16	12/02/20	ND	--
6-16	06/02/21	ND	--
6-16	06/15/22	ND	--
6-16	11/30/22	ND	--
6-16	06/16/23	<0.000704	
6-16	03/15/24	<0.0005	

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-16	03/27/25	<0.0005	
6-16	09/11/25	<0.0005	
6-17	06/16/93	ND	--
6-17	03/22/17	ND	--
6-18	06/08/92	ND	--
6-18	12/08/92	ND	--
6-18	06/09/92	ND	--
6-18	03/22/17	ND	--
6-18	04/18/18	ND	--
6-18	09/25/19	ND	--
6-18	06/19/20	0.0015	1242
6-18	12/02/20	ND	--
6-18	06/03/21	0.0039	1242
6-18	12/07/21	ND	--
6-18	06/14/22	ND	--
6-18	11/30/22	ND	--
6-18	06/16/23	<0.0005	
6-18	12/06/23	<0.0005	
6-18	03/15/24	<0.0005	
6-18	09/04/24	<0.0005	
6-18	03/27/25	<0.0005	
6-18	09/10/25	0.000835	
6-19	03/23/17	ND	--
6-20B	07/28/92	ND	--
6-20B	12/15/92	ND	--
6-20B	06/18/93	ND	--
6-20B	12/03/93	ND	--
6-20B	06/07/94	ND	--
6-20B	12/08/94	ND	--
6-20B	06/15/95	ND	--
6-20B	11/07/95	ND	--
6-20B	05/16/96	ND	--
6-20B	11/12/96	0.000515	1242
6-20B	05/28/97	ND	--
6-20B	11/14/97	ND	--
6-20B	06/17/98	ND	--
6-20B	12/10/98	ND	--
6-20B	*6/9/1999	ND	--
6-20B	10/16/99	ND	--
6-20B	07/01/00	ND	--
6-20B	11/21/00	ND	--
6-20B	06/26/01	ND	--
6-20B	10/24/01	ND	--
6-20B	04/23/02	ND	--
6-20B	11/20/02	ND	--
6-20B	05/25/03	ND	--
6-20B	11/14/03	ND	--
6-20B	06/09/04	ND	--
6-20B	05/26/05	ND	--
6-20B	07/13/06	ND	--
6-20B	07/27/07	ND	--

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-20B	09/25/08	ND	--
6-20B	08/06/09	ND	--
6-20B	05/20/10	ND	--
6-20B	09/09/11	ND	--
6-20B	06/14/12	ND	--
6-20B	07/25/13	ND	--
6-20B	04/24/14	ND	--
6-20B	05/07/15	ND	--
6-20B	08/04/16	ND	--
6-20B	03/23/17	NS	--
6-20B	04/04/19	0.00096	1016
6-20B	12/07/21	ND	--
6-20B	06/14/22	ND	--
6-20B	11/30/22	ND	--
6-20B	06/15/23	<0.0005	
6-20B	12/06/23	<0.0005	
6-20B	03/13/24	<0.0005	
6-20B	10/09/24	<0.0005	
6-20B	03/27/25	<0.0005	
6-20B	09/10/25	<0.0005	
6-20C	07/27/92	0.17	1232
6-20C	12/16/92	0.035	1232
6-20C	06/22/93	0.23	1221
6-20C	12/07/93	0.13	1221
6-20C	06/10/94	0.16	1232
6-20C	12/16/94	0.14	1242
6-20C	06/20/95	0.031	1242
6-20C	11/10/95	0.0437	1242
6-20C	05/29/96	0.098	1242
6-20C	11/13/96	0.134	1242
6-20C	05/29/97	0.0659	1242
6-20C	05/29/97	0.0198	1242
6-20C	11/12/97	ND	--
6-20C	11/14/97	0.129	1221
6-20C	11/14/97	0.099	1242
6-20C	06/18/98	0.081	1232
6-20C	12/08/98	0.053	1232
6-20C	06/09/99	0.04	1016/1221
6-20C	10/18/99	0.035	1016/1221
6-20C	07/01/00	0.14	1221/1242
6-20C	11/20/00	0.106	1221/1242
6-20C	06/26/01	0.0756	1242
6-20C	10/25/01	0.144	1016/1242
6-20C	04/24/02	0.173	1221
6-20C	11/20/02	0.035	1016
6-20C	05/26/03	ND	--
6-20C	11/13/03	0.038	1016
6-20C	06/09/04	0.05	1016
6-20C	05/26/05	ND	--
6-20C	07/12/06	0.077	1232
6-20C	07/27/07	0.042	1016

**Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-20C	09/25/08	0.0082	1016
6-20C	08/06/09	0.024	1016
6-20C	05/20/10	0.087	1016
6-20C	09/08/11	0.019	1016
6-20C	06/13/12	0.024	1242
6-20C	07/24/13	0.014	1242
6-20C	04/23/14	0.028	1242
6-20C	05/06/15	0.043	1016
6-20C	08/04/16	0.0078	1016
6-20C	03/23/17	0.011	1016
6-20C	04/18/18	0.019	1016
6-20C	04/04/19	0.036	1016
6-20C	09/25/19	0.0054	1242
6-20C	06/19/20	0.055	1242
6-20C	12/02/20	0.11	1221
6-20C	12/08/21	ND	--
6-20C	06/14/22	ND	--
6-20C	11/30/22	ND	--
6-20C	06/15/23	<0.0005	
6-20C	12/06/23	<0.0005	
6-20C	03/13/24	<0.0005	
6-20C	10/09/24	0.000936	
6-20C	03/27/25	<0.0005	
6-20C	09/10/25	<0.0005	
6-21A	12/09/92	ND	--
6-21B	07/28/92	ND	--
6-21B	12/11/92	ND	--
6-21B	06/03/94	ND	--
6-21B	12/08/94	ND	--
6-21B	06/15/95	ND	--
6-21B	11/07/95	ND	--
6-21B	05/15/96	ND	--
6-21B	11/12/96	0.009697	1242
6-21B	05/28/97	ND	--
6-21B	11/14/97	ND	--
6-21B	06/17/98	ND	--
6-21B	12/09/98	ND	--
6-21B	*6/9/1999	0.0006	1260
6-21B	10/16/99	ND	--
6-21B	07/02/00	ND	--
6-21B	11/21/00	ND	--
6-21B	06/26/01	ND	--
6-21B	10/24/01	ND	--
6-21B	04/23/02	0.00176	1242
6-21B	11/21/02	ND	--
6-21B	05/27/03	ND	--
6-21B	11/14/03	ND	--
6-21B	06/09/04	ND	--
6-21B	05/26/05	ND	--
6-21B	07/13/06	ND	--
6-21B	07/27/07	ND	--

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-21B	09/25/08	ND	--
6-21B	08/06/09	ND	--
6-21B	05/20/10	ND	--
6-21B	09/09/11	ND	--
6-21B	06/14/12	ND	--
6-21B	07/25/13	ND	--
6-21B	04/24/14	ND	--
6-21B	05/07/15	ND	--
6-21B	08/04/16	ND	--
6-21B	12/14/16	0.055	1016
6-21B	03/23/17	ND	--
6-21B	06/06/17	ND	--
6-21B	09/07/17	ND	--
6-21B	12/06/17	ND	--
6-21B	04/18/18	ND	--
6-21B	06/05/18	0.00029	1242
6-21B	07/11/18	ND	--
6-21B	08/14/18	ND	--
6-21B	12/13/18	0.00029	1242
6-21B	04/04/19	ND	--
6-21B	09/25/19	ND	--
6-21B	06/19/20	0.0011	1242
6-21B	09/16/20	ND	--
6-21B	12/02/20	ND	--
6-21B	03/09/21	ND	--
6-21B	06/01/21	NS	--
6-21B	09/08/21	ND	--
6-21B	12/06/21	ND	--
6-21B	03/23/22	ND	--
6-21B	06/14/22	ND	--
6-21B	09/13/22	ND	--
6-21B	11/30/22	ND	--
6-21B	03/10/23	NS	--
6-21B	06/15/23	<0.0005	--
6-21B	09/21/23	<0.0005	--
6-21B	12/06/23	<0.0005	--
6-21B	03/13/24	<0.0005	--
6-21B	09/05/24	<0.0005	--
6-21B	03/26/25	0.00107	--
6-21B	09/09/25	<0.0005	--
6-21C	07/28/92	ND	--
6-21C	12/16/92	ND	--
6-21C	06/22/93	0.3	1221
6-21C	12/07/93	0.12	1221
6-21C	06/10/94	0.14	1232
6-21C	12/16/94	0.13	1242
6-21C	06/21/95	0.051	1242
6-21C	11/10/95	0.0258	1242
6-21C	05/30/96	0.091	1242
6-21C	11/13/96	0.1129	1242
6-21C	05/29/97	0.0543	1242

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-21C	05/30/97	0.075	1242
6-21C	11/12/97	0.0794	1221
6-21C	11/12/97	0.0716	1242
6-21C	11/14/97	0.128	1221
6-21C	11/14/97	0.115	1242
6-21C	06/18/98	0.12	1232
6-21C	12/09/98	0.065	1232
6-21C	*6/10/1999	0.05	1016/1221
6-21C	10/19/99	0.053	1016/1221
6-21C	07/02/00	0.15	1221/1242
6-21C	11/21/00	0.268	1221/1242
6-21C	06/27/01	0.0901	1242
6-21C	10/24/01	0.14	1016/1242
6-21C	04/24/02	0.217	1221
6-21C	11/21/02	0.091	1061
6-21C	05/27/03	0.069	1016/1221
6-21C	11/14/03	0.085	1016
6-21C	06/10/04	0.068	1016
6-21C	05/26/05	0.13	1016
6-21C	07/13/06	0.09	1016
6-21C	07/27/07	0.099	1016
6-21C	09/25/08	0.029	1016
6-21C	08/06/09	0.12	1016
6-21C	05/20/10	0.12	1016
6-21C	09/09/11	0.065	1016
6-21C	06/13/12	0.037	1242
6-21C	07/24/13	0.039	1242
6-21C	04/23/14	0.086	1242
6-21C	05/07/15	0.094	1016
6-21C	08/04/16	0.044	1016
6-21C	12/14/16	0.076	1016
6-21C	03/23/17	0.1	1016
6-21C	06/06/17	0.15	1016
6-21C	09/07/17	0.095	1016
6-21C	12/06/17	0.091	1016
6-21C	04/18/18	0.1	1016
6-21C	06/05/18	0.0058	1242
6-21C	07/10/18	0.0036	1242
6-21C	08/14/18	ND	--
6-21C	12/13/18	0.0034	1242
6-21C	04/04/19	0.0033	1016
6-21C	09/25/19	0.019	1242
6-21C	06/19/20	0.026	1242
6-21C	09/16/20	0.0049	1242
6-21C	12/02/20	ND	--
6-21C	03/08/21	ND	--
6-21C	06/01/21	ND	--

Table 4

**Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-21C	09/07/21	ND	--
6-21C	12/06/21	ND	--
6-21C	09/21/23	<0.00161	
6-21C	12/06/23	<0.0005	
6-22B	07/28/92	ND	--
6-22B	12/11/92	ND	--
6-22B	06/17/93	ND	--
6-22B	12/02/93	ND	--
6-22B	06/07/94	ND	--
6-22B	12/08/94	ND	--
6-22B	06/15/95	ND	--
6-22B	11/07/95	ND	--
6-22B	05/16/96	ND	--
6-22B	11/12/96	ND	--
6-22B	05/28/97	ND	--
6-22B	11/14/97	ND	--
6-22B	06/17/98	ND	--
6-22B	12/09/98	ND	--
6-22B	*6/10/1999	0.0006 0.5	12421260
6-22B	10/16/99	ND	--
6-22B	07/01/00	ND	--
6-22B	11/21/00	ND	--
6-22B	06/26/01	ND	--
6-22B	10/24/01	ND	--
6-22B	04/23/02	ND	--
6-22B	11/20/02	ND	--
6-22B	05/25/03	ND	--
6-22B	11/14/03	ND	--
6-22B	06/09/04	ND	--
6-22B	05/26/05	ND	--
6-22B	07/13/06	ND	--
6-22B	07/26/07	ND	--
6-22B	09/25/08	ND	--
6-22B	08/06/09	ND	--
6-22B	05/20/10	ND	--
6-22B	09/09/11	ND	--
6-22B	06/14/12	ND	--
6-22B	07/25/13	ND	--
6-22B	04/24/14	ND	--
6-22B	05/07/15	ND	--
6-22B	08/04/16	ND	--
6-22B	12/14/16	0.033	1016
6-22B	03/23/17	ND	--
6-22B	06/06/17	0.0	1016
6-22B	09/07/17	0.0015	1016
6-22B	12/06/17	0.0013	1016
6-22B	04/18/18	0.0011	1016
6-22B	06/05/18	0.0014	1242
6-22B	07/11/18	0.0015	1242
6-22B	08/14/18	0.0051	1242
6-22B	12/13/18	0.0026	1242

Table 4

**Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-22B	04/04/19	0.00076	1016
6-22B	09/25/19	0.00077	1242
6-22B	06/19/20	0.02	1242
6-22B	09/16/20	0.00075	1242
6-22B	12/02/20	0.0018	1242
6-22B	03/09/21	0.003	1242
6-22B	06/03/21	0.002	1242
6-22B	09/08/21	0.0024	1242
6-22B	12/07/21	0.0013	1242
6-22B	03/23/22	0.0021	1242
6-22B	06/14/22	0.0014	1242
6-22B	09/13/22	0.0016	1242
6-22B	11/30/22	0.002	1242
6-22B	06/15/23	<0.00098	
6-22B	09/21/23	<0.000806	
6-22B	12/06/23	<0.0005	
6-22B	03/13/24	<0.0005	
6-22B	09/05/24	<0.0005	
6-22B	03/26/25	<0.0005	
6-22B	09/09/25	0.000872	
6-22C	07/28/92	0.31	1232
6-22C	12/17/92	0.063	1232
6-22C	06/22/93	0.11	1242
6-22C	06/10/94	0.35	1232
6-22C	12/16/94	0.24	1242
6-22C	06/20/95	0.149	1242
6-22C	11/10/95	0.0434	1242
6-22C	05/29/96	0.118	1242
6-22C	11/13/96	0.0905	1242
6-22C	05/29/97	0.149	1242
6-22C	05/29/97	0.0563	1242
6-22C	11/12/97	ND	--
6-22C	11/14/97	0.332	1242
6-22C	06/18/98	1.1	1232
6-22C	12/18/98	0.093	1232
6-22C	*6/10/1999	1.9	1242
6-22C	10/19/99	1.3	1242
6-22C	07/02/00	1.4	1242
6-22C	11/22/00	2.07	1242
6-22C	06/27/01	1.7	1242
6-22C	10/24/01	0.545	1016/1242
6-22C	04/24/02	5.1	1242
6-22C	11/21/02	0.47	1232
6-22C	05/27/03	0.45	1232
6-22C	11/14/03	0.56	1232
6-22C	06/10/04	0.42	1232
6-22C	05/26/05	1.9	1232
6-22C	07/13/06	1.3	1016
6-22C	07/27/07	0.55	1016
6-22C	09/25/08	0.55	1016
6-22C	08/06/09	0.15	1016

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-22C	05/20/10	0.42	1016
6-22C	09/09/11	0.35	1016
6-22C	06/13/12	0.42	1242
6-22C	07/24/13	0.19	1242
6-22C	04/23/14	0.45	1242
6-22C	05/07/15	0.42	1016
6-22C	08/03/16	0.17	1016
6-22C	12/14/16	0.5	1016
6-22C	03/23/17	0.41	1016
6-22C	06/06/17	0.97	1016
6-22C	09/07/17	0.44	1016
6-22C	12/06/17	0.35	1016
6-22C	04/18/18	0.69	1016
6-22C	06/05/18	0.51	1242
6-22C	07/11/18	0.35	1242
6-22C	08/14/18	2.2	1242
6-22C	12/13/18	4.7	1242
6-22C	04/04/19	0.44	1016
6-22C	09/25/19	1.4	1242
6-22C	06/19/20	1.5	1242
6-22C	09/16/20	1.1	1242
6-22C	12/02/20	0.96	1242
6-22C	03/09/21	2.9	1242
6-22C	06/03/21	2.1	1242
6-22C	09/07/21	NS	--
6-22C	12/06/21	NS	--
6-22C	06/14/22	1	1242
6-22C	09/13/22	0.24	1242
6-22C	11/30/22	0.25	1242
6-22C	06/15/23	0.077	
6-22C	09/21/23	0.0611	
6-22C	12/06/23	0.169	
6-22C	03/13/24	0.0612	
6-22C	09/05/24	0.455	
6-22C	03/26/25	0.398	
6-22C	09/09/25	0.553	
6-23	07/28/92	ND	--
6-28	03/22/17	ND	--
6-30	06/23/93	ND	--
6-30	12/01/93	ND	--
6-33	03/23/17	ND	--
6-34	03/23/17	ND	--
6-36	03/23/17	ND	--
6-37	03/23/17	ND	--
6-38	03/23/17	ND	--
6-39	03/23/17	ND	--
6-40	07/02/00	0.051	1221
6-40	07/26/00	0.011	1221
6-40	11/21/00	0.0311	1221
6-40	06/26/01	0.00163	1242
6-40	10/24/01	0.0286	1016/1242

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-40	10/24/01	0.0355	1221
6-40	04/24/02	0.046	1221
6-40	11/21/02	0.011	1016
6-40	05/27/03	0.0092	1016/1221
6-40	11/14/03	0.0073	1016
6-40	06/10/04	0.01	1016
6-40	05/24/05	0.029	1016
6-40	07/13/06	0.019	1232
6-40	07/26/07	0.048	1232
6-40	09/25/08	0.0035	1016
6-40	08/06/09	0.013	1016
6-40	05/20/10	0.0094	1016
6-40	09/09/11	0.016	1016
6-40	06/14/12	0.01	1242
6-40	07/25/13	0.011	1242
6-40	04/23/14	0.012	1242
6-40	05/07/15	0.03	1016
6-40	08/03/16	0.013	1016
6-40	12/14/16	0.021	1016
6-40	03/23/17	0.013	1016
6-40	06/06/17	0.028	1016
6-40	09/07/17	0.038	1016
6-40	12/06/17	0.0092	1016
6-40	04/18/18	0.012	1016
6-40	06/05/18	0.063	1242
6-40	07/11/18	0.0072	1242
6-40	08/14/18	0.0092	1242
6-40	12/13/18	0.0077	1242
6-40	04/04/19	0.022	1016
6-40	09/25/19	0.0042	1242
6-40	06/19/20	0.054	1221
6-40	09/16/20	0.0072	1242
6-40	12/02/20	0.0028	1242
6-40	03/09/21	0.02	1242
6-40	06/02/21	0.02	1221
6-40	09/08/21	0.014	1221
6-40	12/07/21	0.0092	1242
6-40	03/23/22	0.0026	1016
6-40	06/14/22	0.0051	1221
6-40	09/13/22	0.016	1221
6-40	11/30/22	0.0082	1016
6-40	03/10/23	NS	
6-40	06/15/23	<0.0005	
6-40	09/21/23	0.00649	
6-40	12/06/23	<0.0005	
6-40	03/13/24	<0.0005	
6-40	10/09/24	0.00675	
6-40	03/26/25	0.00154	
6-40	09/09/25	0.00477	
6-40	09/09/25	0.00262	
6-41	12/10/98	ND	--

Table 4

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-41	03/23/17	0.015	1016
6-41	04/18/18	0.015	1016
6-41	4/4/2019	0.015	1016
6-41	9/25/2019	0.0013	1242
6-41	6/19/2020	0.0028	1221
6-41	12/2/2020	0.0062	1221
6-41	12/8/2021	ND	--
6-41	6/15/2022	0.0077	1221
6-41	11/30/2022	0.0021	1016
6-41	6/16/2023	<0.0005	
6-41	12/6/2023	<0.0005	
6-41	3/15/2024	0.00413	
6-41	10/9/2024	<0.0005	
6-41	3/27/2025	<0.0005	
6-41	9/10/2025	<0.0005	
6-42	06/10/99	ND	--
6-42	03/23/17	ND	--
6-42	03/27/25	<0.0005	
6-42	09/10/25	<0.0005	
6-43	12/10/98	ND	--
6-43	03/23/17	ND	--
6-44	12/10/98	ND	--
6-44	03/23/17	ND	--
6-45	11/19/00	ND	--
6-45	06/23/01	0.0413	1242
6-45	10/23/01	ND	--
6-45	10/23/01	ND	--
6-45	04/23/02	ND	--
6-45	11/20/02	ND	--
6-45	05/24/03	ND	--
6-45	11/12/03	ND	--
6-45	06/09/04	ND	--
6-45	05/23/05	ND	--
6-45	07/12/06	ND	--
6-45	07/27/07	ND	--
6-45	09/25/08	ND	--
6-45	08/06/09	ND	--
6-45	05/20/10	ND	--
6-45	09/09/11	ND	--
6-45	06/14/12	ND	--
6-45	07/25/13	ND	--
6-45	03/22/17	ND	--
6-45	06/19/20	ND	--
6-45	12/02/20	ND	--
6-45	06/02/21	ND	--
6-45	12/08/21	ND	--
6-45	06/15/22	ND	--
6-45	11/30/22	ND	--
6-45	06/16/23	<0.000962	
6-45	03/15/24	<0.0005	
6-45	09/06/24	<0.0005	

Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-45	09/11/25	<0.0005	
6-46	11/19/00	ND	--
6-46	06/23/01	ND	--
6-46	10/24/01	ND	--
6-46	04/23/02	ND	--
6-46	11/20/02	ND	--
6-46	05/25/03	ND	--
6-46	11/13/03	ND	--
6-46	06/09/04	ND	--
6-46	05/24/05	ND	--
6-46	07/13/06	ND	--
6-46	07/27/07	ND	--
6-46	09/25/08	ND	--
6-46	08/06/09	ND	--
6-46	05/20/10	ND	--
6-46	09/09/11	ND	--
6-46	06/14/12	ND	--
6-46	07/26/13	ND	--
6-46	04/24/14	ND	--
6-46	05/06/15	ND	--
6-46	08/02/16	ND	--
6-46	03/22/17	ND	--
6-46	06/19/20	ND	--
6-46	12/02/20	ND	--
6-46	06/02/21	ND	--
6-46	12/08/21	ND	--
6-46	06/15/22	ND	--
6-46	11/30/22	ND	--
6-46	06/16/23	<0.0005	
6-46	03/15/24	<0.0005	
6-46	09/06/24	<0.0005	
6-46	04/22/25	<0.0005	
6-46	09/11/25	<0.0005	
6-47	11/19/00	ND	--
6-47	06/23/01	ND	--
6-47	10/24/01	ND	--
6-47	04/23/02	ND	--
6-47	11/20/02	ND	--
6-47	05/25/03	ND	--
6-47	11/13/03	ND	--
6-47	06/09/04	ND	--
6-47	05/24/05	ND	--
6-47	07/13/06	ND	--
6-47	07/27/07	ND	--
6-47	09/25/08	ND	--
6-47	08/06/09	ND	--
6-47	05/20/10	ND	--
6-47	09/09/11	ND	--
6-47	06/14/12	ND	--
6-47	07/26/13	ND	--
6-47	04/24/14	ND	--

**Summary of Groundwater Analytical Results – PCBs
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well ID	Date	Total PCB Concentration (mg/L)	Aroclor Reported
EPA SDWA MCL		0.0005	
6-47	05/07/15	ND	--
6-47	08/03/16	ND	--
6-47	03/22/17	ND	--
6-48	03/22/17	ND	--
6-48B	03/22/17	ND	--
6-49B	03/22/17	ND	--
6-54	04/18/18	1.3	1016
6-54	06/19/20	NS	--
6-54	09/16/20	0.47	1242
6-54	12/02/20	0.077	1242
6-54	03/09/21	0.021	1242
6-54	06/03/21	1.7	1242
6-54	09/08/21	1.3	1242
6-54	12/08/21	0.52	1242
6-54	03/23/22	0.16	1242
6-54	06/15/22	0.068	1242
6-54	09/13/22	0.11	1242
6-54	11/30/22	0.034	1242
6-54	03/10/23	NS	
6-54	06/15/23	0.0373	
6-54	09/21/23	0.0257	
6-54	12/06/23	0.103	
6-54	03/13/24	0.0209	
6-54	09/05/24	0.0238	
6-54	09/09/25	0.0955	
6-PW6	06/05/92	ND	--
6-CH1	02/20/15	ND	--
6-CH2	02/20/15	ND	--
6-CH2	Plugged and Abandoned 2015		
6-CH3	06/05/92	ND	--
6-CH3	02/20/15	ND	--
6-CH3	Plugged and Abandoned 2015		
6-CH4	06/05/92	ND	--
6-CH4	02/20/15	ND	--
6-CH4	Plugged and Abandoned 2015		
6-CH5	2/20/2015	ND	--
6-CH5	Plugged and Abandoned 2015		

Notes:

PCB = polychlorinated biphenyl.

ug/L = micrograms per liter.

EPA SDWA MCL = Environmental Protection Agency Safe Drinking Water Act Maximum

BOLD = concentration exceeds EPA SDWA MCL.

ND = not detected.

NS = not sampled.

-- = not applicable.

Table 5

**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-07	09/09/25	<0.001	0.011	0.031	NA	NA	NA	NA	NA	NA	NA
6-08	09/11/25	<0.001	0.0024	<0.001	NA	NA	NA	NA	NA	NA	NA
6-9	12/14/16	Not sampled due to presence of EVO in well									
6-9	03/22/17	Not sampled due to presence of EVO in well									
6-9	06/06/17	0.0013	0.034	0.015	0.29	--	--	630	2.6	< 0.0010	< 0.0010
6-9	09/07/17	0.002	0.043	0.019	0.2	--	--	170	7.88	< 0.0130	< 0.0130
6-9	12/06/17	0.0021	0.043	0.014	0.13	--	--	430	3.9	< 0.0010	< 0.0010
6-9	04/18/18	0.0021	0.041	0.013	0.18	< 0.50	4.4	280	NA	NA	NA
6-9	06/05/18	0.0014	0.02	0.0074	0.38	< 0.50	3.6	350	NA	NA	NA
6-9	07/11/18	<0.002	<0.002	<0.002	0.76	< 0.50	20	1300	NA	NA	NA
6-9	08/14/18	<0.002	<0.002	<0.002	0.07	< 0.50	NA	1300	NA	NA	NA
6-9	12/13/18	<0.002	0.0064	0.0032	0.028	<0.10	< 0.50	1200	NA	NA	NA
6-9	04/04/19	0.0018	0.017	0.0067	0.013	< 0.50	< 2.5	1700	NA	NA	NA
6-9	09/25/19	0.0021	0.022	0.0067	0.0048	< 0.50	< 2.5	1000	NA	NA	NA
6-9	06/19/20	0.002	0.0039	0.0053	0.051	NA	< 5.0	350	NA	NA	NA
6-9	09/16/20	0.0022	0.0051	0.0056	0.03	< 0.50	< 2.5	470	NA	NA	NA
6-9	12/02/20	Not sampled due to presence of EVO in well									
6-9	03/08/21	Not sampled due to presence of EVO in well									
6-9	06/01/21	Not sampled due to presence of EVO in well									
6-9	09/07/21	Not sampled due to presence of EVO in well									
6-9	12/06/21	Not sampled due to presence of EVO in well									
6-9	11/30/22	<0.05	<0.05	<0.05	0.055	<0.5	31	NA	NA	NA	NA
6-9	06/15/23	<0.001	0.0038	0.0017	0.116	NA	NA	NA	NA	NA	NA
6-9	09/21/23	<0.05	<0.05	<0.05	<0.0005	2.45	58.2	1810	NA	NA	NA
6-9	12/06/23	<0.025	<0.025	<0.025	<0.00114	NA	NA	NA	NA	NA	NA
6-9	03/13/24	<0.001	0.0084	0.0028	<0.0005	NA	NA	NA	NA	NA	NA
6-09	09/10/25	<0.1	<0.2	<0.1	<0.0005	NA	NA	NA	NA	NA	NA
6-10	09/10/25	<0.001	0.0094	0.002	<0.0005	NA	NA	NA	NA	NA	NA
6-11	09/10/25	<0.001	0.0057	<0.001	<0.0005	NA	NA	NA	NA	NA	NA
6-12	09/10/25	<0.001	0.059	0.026	<0.0005	NA	NA	NA	NA	NA	NA
6-13	12/14/16	0.003	0.0098	0.01	0.0032	--	--	55	NA	NA	NA
6-13	03/23/17	0.0021	0.0093	0.0098	<0.00025	--	--	49	0.0063	< 0.0010	< 0.0010
6-13	06/06/17	0.0023	0.012	0.011	<0.001	--	--	46	0.007	< 0.0010	< 0.0010

Table 5

**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-13	09/07/17	0.003	0.014	0.012	<0.001	--	--	50	0.025	< 0.0130	< 0.0130
6-13	12/06/17	0.0026	0.013	0.01	<0.001	--	--	44	0.0052	< 0.0010	< 0.0010
6-13	04/17/18	0.0019	0.01	0.0086	<0.001	< 0.10	220	41	NA	NA	NA
6-13	06/05/18	0.0021	0.012	0.012	0.0012	0.5	210	44	NA	NA	NA
6-13	07/11/18	0.0017	0.012	0.01	<0.00025	< 2.0	210	210	NA	NA	NA
6-13	08/14/18	0.0022	0.018	0.017	<0.00025	0.57	NA	46	NA	NA	NA
6-13	12/13/18	0.0029	0.017	0.021	<0.00025	< 0.10	170	50	NA	NA	NA
6-13	04/04/19	0.0022	0.013	0.011	<0.00025	< 0.50	220	46	NA	NA	NA
6-13	09/25/19	0.0028	0.014	0.012	<0.00025	< 0.50	200	54	NA	NA	NA
6-13	06/19/20	0.0025	0.017	0.01	<0.001	NA	230	45	NA	NA	NA
6-13	09/16/20	0.0028	0.021	0.014	<0.00025	<0.50	280	49	NA	NA	NA
6-13	12/02/20	0.0029	0.022	0.015	<0.00025	0.34	210	46	NA	NA	NA
6-13	03/09/21	0.0016	0.013	0.013	ND	<0.50	230	39	NA	NA	NA
6-13	03/09/21	0.0024	0.019	0.022	ND	NA	NA	NA	NA	NA	NA
6-13	06/03/21	0.0025	0.018	0.019	ND	<0.50	180	41	NA	NA	NA
6-13	09/08/21	0.0033	0.027	0.025	ND	<1.0	140	NA	NA	NA	NA
6-13	12/07/21	0.002	0.016	0.013	ND	0.086	180	NA	NA	NA	NA
6-13	03/23/22	0.0022	0.022	0.017	NA	<1.0	170	37	NA	NA	NA
6-13	06/14/22	0.0024	0.022	0.018	NA	NA	190	NA	NA	NA	NA
6-13	09/13/22	0.0027	0.024	0.022	NA	<0.50	200	41	NA	NA	NA
6-13	11/30/22	0.0032	0.034	0.031	NA	<0.50	240	NA	NA	NA	NA
6-13	03/10/23	0.0022	0.027	0.025	NA	<0.50	220	NA	NA	NA	NA
6-13	03/10/23	0.0023	0.029	0.026	NA	NA	NA	NA	NA	NA	NA
6-13	06/15/23	0.0026	0.03	0.034	<0.0005	0.154	157	37.9	NA	NA	NA
6-13	09/21/23	<0.05	<0.05	<0.05	<0.0005	<0.100	154	42.6	NA	NA	NA
6-13	09/21/23	<0.05	<0.05	<0.05	NA	NA	NA	NA	NA	NA	NA
6-13	12/06/23	0.0033	0.034	0.043	<0.0005	<1.00	183	38.8	NA	NA	NA
6-13	03/13/24	0.0033	0.033	0.041	<0.0005	<0.100	196	32.8	NA	NA	NA
6-13	09/04/24	0.0049	0.062	0.11	<0.0005	<0.100	86.5	50.4	NA	NA	NA
6-13	03/27/25	0.0023	0.026	0.05	<0.0005	<0.100	147	42.5	NA	NA	NA
6-13	09/09/25	0.0051	0.066	0.12	<0.0005	<0.100	93.1	55.4	NA	NA	NA
6-14	12/14/16	0.0014	0.053	0.02	0.022	--	--	15	NA	NA	NA
6-14	03/22/17	<0.001	0.02	0.0047	<0.00025	--	--	11	0.56	< 0.0010	< 0.0010
6-14	06/06/17	<0.001	0.018	0.0071	0.0071	--	--	12	0.096	< 0.0010	< 0.0010
6-14	09/07/17	0.0016	0.054	0.021	<0.001	--	--	16	0.69	< 0.0130	< 0.0130
6-14	12/06/17	0.0017	0.061	0.024	0.012	--	--	17	0.85	< 0.0010	< 0.0010
6-14	04/18/18	0.0014	0.053	0.02	0.012	< 0.10	380	14	NA	NA	NA
6-14	06/05/18	0.0016	0.058	0.023	0.0033	< 0.10	350	17	NA	NA	NA
6-14	07/11/18	0.0015	0.057	0.025	0.004	< 0.10	350	16	NA	NA	NA

Table 5

**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-14	08/14/18	0.002	0.08	0.029	0.009	< 0.10	NA	19	NA	NA	NA
6-14	12/13/18	<0.001	0.047	0.011	0.0021	< 0.10	390	18	NA	NA	NA
6-14	04/04/19	0.0015	0.056	0.021	0.03	< 0.50	380	17	NA	NA	NA
6-14	09/25/19	0.0018	0.052	0.017	0.003	< 0.50	360	17	NA	NA	NA
6-14	06/19/20	0.0012	0.042	0.018	0.04	NA	350	14	NA	NA	NA
6-14	09/16/20	<0.001	0.01	0.0013	0.0042	< 0.50	8.9	820	NA	NA	NA
6-14	12/02/20	Not sampled due to presence of EVO in well									
6-14	03/08/21	Not sampled due to presence of EVO in well									
6-14	06/01/21	Not sampled due to presence of EVO in well									
6-14	09/07/21	Not sampled due to presence of EVO in well									
6-14	12/08/21	0.00088	0.0055	0.0012	ND	<2.0	2.6	NA	NA	NA	NA
6-14	03/23/22	0.0012	0.0046	0.0024	NA	0.19	4.5	5,300	NA	NA	NA
6-14	06/15/22	<0.005	0.0082	<0.01	NA	NA	3.7	NA	NA	NA	NA
6-14	09/13/22	0.0013	0.0047	0.0016	NA	<0.50	4.3	2700	NA	NA	NA
6-14	11/30/22	0.0015	0.0068	0.002	NA	<0.50	<2.5	NA	NA	NA	NA
6-14	03/10/23	0.0015	0.0063	0.0017	NA	<0.50	2.8	NA	NA	NA	NA
6-14	06/15/23	0.0011	0.0063	0.0017	<0.0005	0.793	16.3	1,390	NA	NA	NA
6-14	09/21/23	<0.05	<0.05	<0.05	<0.0005	<0.100	21.9	897	NA	NA	NA
6-14	12/06/23	0.0011	0.01	<0.001	<0.00556	7.19	25.1	2,030	NA	NA	NA
6-14	03/13/24	0.0016	0.0071	0.0042	<0.0005	<0.100	5.42	585	NA	NA	NA
6-14	09/04/24	<0.025	<0.025	<0.025	<0.0005	<0.100	2.70	1,320	NA	NA	NA
6-14	09/09/25	<0.1	<0.2	<0.1	<0.0005	<0.100	<0.500	1,500	NA	NA	NA
<hr/>											
6-15	09/10/25	<0.001	0.0061	0.0019	<0.0005	NA	NA	NA	NA	NA	NA
<hr/>											
6-16	09/11/25	<0.001	0.0034	<0.001	<0.0005	NA	NA	NA	NA	NA	NA
<hr/>											
6-17	04/22/25	<0.001	<0.001	<0.001	NA	NA	NA	NA	NA	NA	NA
6-17	09/11/25	<0.001	<0.002	<0.001	NA	NA	NA	NA	NA	NA	NA
6-17	09/11/25	<0.001	<0.002	<0.001	NA	NA	NA	NA	NA	NA	NA
<hr/>											
6-18	09/10/25	<0.001	<0.002	<0.001	0.000835	NA	NA	NA	NA	NA	NA
<hr/>											
6-19	09/09/25	<0.005	<0.01	<0.005	NA	NA	NA	NA	NA	NA	NA
<hr/>											
6-20B	09/10/25	<0.001	0.039	0.0066	<0.0005	NA	NA	NA	NA	NA	NA
<hr/>											
6-20C	09/10/25	0.0011	0.042	0.014	<0.0005	NA	NA	NA	NA	NA	NA

Table 5

**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-21B	12/14/16	0.0022	0.052	0.014	0.055	--	--	24	NA	NA	NA
6-21B	03/23/17	0.0026	0.072	0.021	<0.00025	--	17	19	0.002	< 0.0010	< 0.0010
6-21B	06/06/17	0.0023	0.074	0.021	<0.001	--	--	20	0.0081	< 0.0010	< 0.0010
6-21B	09/07/17	0.0019	0.073	0.021	<0.001	--	--	19	0.0288	< 0.0130	< 0.0130
6-21B	12/06/17	<0.001	0.046	0.014	<0.001	--	--	16	0.0032	< 0.0010	< 0.0010
6-21B	04/18/18	0.001	0.058	0.014	<0.001	2.2	450	17	NA	NA	NA
6-21B	06/05/18	0.0016	0.08	0.026	0.00029	1.4	320	19	NA	NA	NA
6-21B	07/11/18	<0.001	0.046	0.011	<0.00025	2.7	590	18	NA	NA	NA
6-21B	08/14/18	<0.001	0.071	0.018	<0.00025	3.0	NA	18	NA	NA	NA
6-21B	12/13/18	0.0013	0.068	0.024	0.00029	1.9	650	18	NA	NA	NA
6-21B	04/04/19	<0.001	0.039	0.011	<0.00025	3.3	880	16	NA	NA	NA
6-21B	09/25/19	<0.001	0.04	0.0091	<0.00025	3.3	650	19	NA	NA	NA
6-21B	06/19/20	<0.001	0.041	0.011	0.0011	NA	540	17	NA	NA	NA
6-21B	09/16/20	<0.001	0.05	0.011	<0.00025	2.1	390	21	NA	NA	NA
6-21B	12/02/20	<0.001	0.041	0.011	<0.00025	4.3	820	17	NA	NA	NA
6-21B	03/09/21	0.00031	0.031	0.011	ND	4.8	810	16	NA	NA	NA
6-21B	06/01/21	Not sampled due to presence of EVO in well									
6-21B	09/08/21	<0.004	0.01	0.0044	ND	<1.0	130	NA	NA	NA	NA
6-21B	12/06/21	Not sampled due to presence of EVO in well									
6-21B	03/23/22	0.0021	0.011	0.0038	NA	0.19	290	110	NA	NA	NA
6-21B	06/14/22	0.002	0.012	0.0039	NA	NA	660	NA	NA	NA	NA
6-21B	09/13/22	0.0017	0.01	0.0046	NA	<0.50	480	49	NA	NA	NA
6-21B	11/30/22	0.0014	0.01	0.0038	NA	<0.50	660	NA	NA	NA	NA
6-21B	03/10/23	0.0013	0.012	0.0046	NA	<0.50	640 *	NA	NA	NA	NA
6-21B	06/15/23	0.0017	0.0072	0.0066	<0.0005	<0.100	398	52.4	NA	NA	NA
6-21B	09/21/23	<0.05	<0.05	<0.05	<0.0005	<0.100	164	48.0	NA	NA	NA
6-21B	12/06/23	0.0016	0.01	0.0073	<0.0005	<1.00	341	44.6	NA	NA	NA
6-21B	03/13/24	0.0017	0.016	0.009	<0.0005	0.114	774	30.5	NA	NA	NA
6-21B	09/04/24	0.0017	0.021	0.012	NA	<0.100	434	75.9	NA	NA	NA
6-21B	09/05/24	NA	NA	NA	<0.0005	NA	NA	NA	NA	NA	NA
6-21B	03/26/25	<0.001	0.023	0.0083	0.00107	<0.100	421	39.9	NA	NA	NA
6-21B	09/09/25	0.0022	0.019	0.017	<0.0005	<0.100	411	39.9	NA	NA	NA
6-21C	12/14/16	0.0025	0.082	0.054	0.076	--	--	17	NA	NA	NA
6-21C	03/23/17	0.0018	0.073	0.044	0.1	--	--	17	1.2	< 0.0010	< 0.0010
6-21C	06/06/17	0.002	0.082	0.056	0.15	--	--	17	3.4	< 0.0010	< 0.0010
6-21C	09/07/17	0.0023	0.089	0.062	0.095	--	--	17	5.37	< 0.0130	< 0.0130
6-21C	12/06/17	0.0021	0.094	0.063	0.091	--	--	18	3.9	< 0.0010	< 0.0010
6-21C	04/18/18	0.002	0.082	0.056	0.1	< 0.10	220	16	NA	NA	NA
6-21C	06/05/18	0.0012	0.022	0.0084	0.0058	0.22	1.7	670	NA	NA	NA

Table 5

**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-21C	07/11/18	0.0017	0.037	0.013	0.0036	< 0.10	4.7	820	NA	NA	NA
6-21C	08/14/18	0.003	0.065	0.023	<0.0012	0.32	NA	870	NA	NA	NA
6-21C	12/13/18	<0.002	0.0051	0.0037	0.0034	< 0.50	< 2.5	510	NA	NA	NA
6-21C	04/04/19	<0.002	0.0029	0.0058	0.0033	< 0.50	< 2.5	150	NA	NA	NA
6-21C	09/25/19	0.0015	<0.001	0.0021	0.019	< 0.50	< 2.5	100	NA	NA	NA
6-21C	06/19/20	0.0016	<0.001	0.0046	0.026	NA	< 5.0	87	NA	NA	NA
6-21C	09/16/20	0.0013	<0.001	0.0025	0.0049	< 0.50	4.9	87	NA	NA	NA
6-21C	12/02/20	Not sampled due to presence of EVO in well									
6-21C	03/08/21	Not sampled due to presence of EVO in well									
6-21C	06/01/21	Not sampled due to presence of EVO in well									
6-21C	09/07/21	Not sampled due to presence of EVO in well									
6-21C	12/06/21	Not sampled due to presence of EVO in well									
6-21C	09/13/22	<0.05	<0.05	<0.05	NA	<0.50	18	9400	NA	NA	NA
6-21C	11/30/22	<0.05	<0.05	<0.05	NA	<0.50	5.9	NA	NA	NA	NA
6-21C	03/10/23	<20 D	<20 D	<20 D	NA	NA	NA	NA	NA	NA	NA
6-21C	06/15/23	<0.01	<0.01	<0.01	NA	1.19	33.8	2,840	NA	NA	NA
6-21C	09/21/23	<0.1	<0.1	<0.1	<0.00161	5.03	17.5	2,420	NA	NA	NA
6-21C	12/06/23	<1	<1	<1	<0.0005	9.95	9.68	1,020	NA	NA	NA
6-21C	03/13/24	0.0017	<0.001	0.0031	NA	<0.100	4.34	1,510	NA	NA	NA
6-21C	09/04/24	<0.025	<0.025	<0.025	NA	<0.100	<0.500	1,710	NA	NA	NA
6-21C	03/26/25	<0.01	<0.01	<0.01	NA	<0.100	2.13	1,590	NA	NA	NA
6-21C	09/09/25	<0.1	<0.2	<0.1	NA	<0.100	0.960	1,610	NA	NA	NA
<hr/>											
6-22B	12/14/16	0.01	<0.001	<0.001	0.033	--	--	22	NA	NA	NA
6-22B	03/23/17	0.0095	<0.001	<0.001	<0.00025	--	--	21	< 0.0010	< 0.0010	< 0.0010
6-22B	06/06/17	0.0068	<0.001	<0.001	0.004	--	--	24	0.34	< 0.0010	< 0.0010
6-22B	09/07/17	0.0039	<0.001	<0.001	0.0015	--	--	20	0.825	< 0.0130	< 0.0130
6-22B	12/06/17	0.0026	<0.001	<0.001	0.0013	--	--	17	0.21	< 0.0010	< 0.0010
6-22B	04/18/18	0.0013	<0.001	<0.001	0.0011	< 0.10	1000	19	NA	NA	NA
6-22B	06/05/18	0.001	<0.001	<0.001	0.0014	< 0.10	1000	19	NA	NA	NA
6-22B	07/11/18	<0.001	<0.001	<0.001	0.0015	< 0.10	1100	22	NA	NA	NA
6-22B	08/14/18	0.0011	<0.001	<0.001	0.0051	< 2.0	NA	22	NA	NA	NA
6-22B	12/13/18	0.0011	<0.001	<0.001	0.0026	< 0.10	1100	20	NA	NA	NA
6-22B	04/04/19	0.0011	<0.001	<0.001	0.00076	< 0.10	1000	23	NA	NA	NA
6-22B	09/25/19	0.0014	<0.001	<0.001	0.00077	< 0.50	900	23	NA	NA	NA
6-22B	06/19/20	0.0012	<0.001	<0.001	0.02	NA	790.0	22.0	NA	NA	NA
6-22B	09/16/20	0.0035	<0.001	<0.001	0.00075	< 0.50	990	22	NA	NA	NA
6-22B	12/02/20	0.0019	<0.001	<0.001	0.0018	0.29	1000	20	NA	NA	NA
6-22B	03/09/21	0.00082	<0.001	<0.001	0.003	0.79	910	24	NA	NA	NA
6-22B	06/03/21	0.0012	<0.001	<0.001	0.002	<0.50	970	24	NA	NA	NA

Table 5

**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-22B	09/08/21	0.0014	0.00051	<0.001	0.0024	<1.0	980	NA	NA	NA	NA
6-22B	12/07/21	0.0012	<0.001	<0.001	0.0013	<0.50	940	NA	NA	NA	NA
6-22B	03/23/22	0.00068	0.00044	<0.001	NA	0.18	980	21	NA	NA	NA
6-22B	06/14/22	0.002	<0.005	<0.005	NA	NA	NA	NA	NA	NA	NA
6-22B	09/13/22	0.0013	0.00057	<0.001	NA	<0.10	1,100	20	NA	NA	NA
6-22B	11/30/22	0.0013	<0.001	<0.001	NA	<0.50	1,100	NA	NA	NA	NA
6-22B	03/10/23	0.0011	<0.001	<0.001	NA	0.16	900	NA	NA	NA	NA
6-22B	06/15/23	0.0017	<0.001	<0.001	<0.00098	<0.100	841	36.1	NA	NA	NA
6-22B	09/21/23	<0.05	<0.05	<0.05	<0.000806	<0.500	1,090	26.1	NA	NA	NA
6-22B	12/06/23	<0.001	<0.001	<0.001	<0.0005	<1.00	573	20.6	NA	NA	NA
6-22B	03/13/24	0.0015	<0.001	<0.001	<0.0005	NA	NA	26.9	NA	NA	NA
6-22B	09/05/24	0.0028	<0.001	<0.001	<0.0005	<0.100	716	33.1	NA	NA	NA
6-22B	03/26/25	0.0019	<0.001	<0.001	<0.0005	<0.100	758	34.5	NA	NA	NA
6-22B	03/26/25	0.0017	<0.001	<0.001	--	--	--	--	NA	NA	NA
6-22B	09/09/25	0.0028	<0.002	<0.001	0.000872	<0.100	841	25.0	NA	NA	NA
6-22C	12/14/16	0.0024	0.066	0.037	0.5	--	--	16	NA	NA	NA
6-22C	03/23/17	0.0019	0.053	0.024	0.41	--	--	17	1.2	< 0.0010	< 0.0010
6-22C	06/06/17	0.0019	0.052	0.028	0.97	--	--	17	3.3	< 0.0010	< 0.0010
6-22C	09/07/17	0.0019	0.05	0.026	0.44	--	--	17	4.65	< 0.0130	< 0.0130
6-22C	12/06/17	0.0024	0.054	0.033	0.35	--	--	18	3.8	< 0.0010	< 0.0010
6-22C	04/18/18	0.0027	0.052	0.028	0.69	< 0.50	420	16	NA	NA	NA
6-22C	06/05/18	0.0023	0.044	0.021	0.51	< 0.50	390	17	NA	NA	NA
6-22C	07/11/18	0.0018	0.043	0.025	0.35	< 0.50	420	16	NA	NA	NA
6-22C	08/14/18	0.0028	0.058	0.032	2.2	< 0.50	NA	18	NA	NA	NA
6-22C	12/13/18	<0.005	0.046	0.023	4.7	< 2.0	370	17	NA	NA	NA
6-22C	04/04/19	0.0038	0.046	0.022	0.44	< 0.50	350	19	NA	NA	NA
6-22C	09/25/19	0.0039	0.033	0.017	1.4	< 0.50	380	17	NA	NA	NA
6-22C	06/19/20	0.0041	0.033	0.018	1.5	NA	350	16	NA	NA	NA
6-22C	09/16/20	0.002	0.012	0.0052	1.1	< 0.50	9.8	1500	NA	NA	NA
6-22C	12/02/20	0.0055	0.017	0.0066	0.96	< 0.50	3.5	890	NA	NA	NA
6-22C	03/09/21	0.003	0.014	0.0075	2.9	<0.10	29	380	NA	NA	NA
6-22C	06/03/21	0.0026	0.0043	0.0019	2.1	<0.50	<2.5	580	NA	NA	NA
6-22C	09/07/21	Not sampled due to presence of EVO in well									
6-22C	12/06/21	Not sampled due to presence of EVO in well									
6-22C	06/14/22	0.0077	0.0055	<0.01	NA	NA	<2.5	NA	NA	NA	NA
6-22C	09/13/22	0.007	0.0014	0.0012	NA	<0.50	<2.5	320	NA	NA	NA
6-22C	11/30/22	0.0062	0.0016	0.0017	NA	<0.50	27	NA	NA	NA	NA
6-22C	06/15/23	0.0048	0.0017	0.0024	0.077	0.464	15.8	183	NA	NA	NA
6-22C	09/21/23	<0.05	<0.05	<0.05	0.0611	0.776	26.9	317	NA	NA	NA

Table 5

**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-22C	12/06/23	0.0066	0.0016	0.0038	0.169	<0.100	1.48	205	NA	NA	NA
6-22C	03/13/24	0.0037	0.0027	0.003	0.0612	<0.100	47.1	101	NA	NA	NA
6-22C	09/05/24	0.0078	0.0038	0.0067	0.455	<0.100	<0.500	435	NA	NA	NA
6-22C	03/26/25	0.0026	<0.001	0.0014	0.398	<0.100	<0.500	423	NA	NA	NA
6-22C	09/09/25	0.007	<0.002	0.0065	0.553	<0.100	<0.500	313	NA	NA	NA
6-28	09/11/25	<0.001	<0.002	<0.001	NA	NA	NA	NA	NA	NA	NA
6-33	04/22/25	<0.001	<0.001	<0.001	NA	NA	NA	NA	NA	NA	NA
6-33	09/11/25	<0.001	<0.002	<0.001	NA	NA	NA	NA	NA	NA	NA
6-40	12/14/16	0.0013	0.067	0.029	0.021	--	--	15	NA	NA	NA
6-40	03/23/17	0.001	0.049	0.018	0.013	--	--	15	< 0.0010	< 0.0010	< 0.0010
6-40	06/06/17	<0.001	0.051	0.019	0.028	--	--	15	0.059	< 0.0010	< 0.0010
6-40	09/07/17	<0.001	0.053	0.018	0.038	--	--	15	0.294	< 0.0130	< 0.0130
6-40	12/06/17	0.0012	0.064	0.024	0.0092	--	--	16	0.18	< 0.0010	< 0.0010
6-40	04/18/18	<0.001	0.057	0.023	0.012	< 0.10	380	15	NA	NA	NA
6-40	06/05/18	<0.001	0.051	0.018	0.063	< 0.10	310	16	NA	NA	NA
6-40	07/11/18	<0.001	0.051	0.02	0.0072	< 0.10	330	16	NA	NA	NA
6-40	08/14/18	0.0012	0.078	0.029	0.0092	< 0.10	NA	16	NA	NA	NA
6-40	12/13/18	<0.001	0.075	0.025	0.0077	< 0.10	340	17	NA	NA	NA
6-40	04/04/19	0.0012	0.061	0.023	0.022	NA	NA	NA	NA	NA	NA
6-40	09/25/19	0.0014	0.054	0.021	0.0042	< 0.50	350	17	NA	NA	NA
6-40	06/19/20	0.0011	0.045	0.021	0.054	NA	360	14	NA	NA	NA
6-40	09/16/20	0.001	0.063	0.02	0.0072	< 0.50	150	95	NA	NA	NA
6-40	12/02/20	<0.001	0.068	0.021	0.0028	< 0.50	140	18	NA	NA	NA
6-40	03/09/21	0.00095	0.07	0.022	0.02	<0.50	230	19	NA	NA	NA
6-40	06/02/21	0.0017	0.071	0.026	0.02	0.46	110	NA	NA	NA	NA
6-40	09/08/21	0.0015	0.077	0.027	0.014	<1.0	100	NA	NA	NA	NA
6-40	12/07/21	0.0011	0.07	0.021	0.0092	0.074	120	NA	NA	NA	NA
6-40	03/23/22	0.001	0.081	0.019	NA	0.24	180	18	NA	NA	NA
6-40	03/23/22	0.00093	0.08	0.019	NA	NA	NA	NA	NA	NA	NA
6-40	06/14/22	0.0011	0.087	0.019	NA	NA	110	NA	NA	NA	NA
6-40	09/13/22	0.0017	0.06	0.026	NA	<0.50	53	20	NA	NA	NA
6-40	09/13/22	0.0016	0.06	0.026	NA	NA	NA	NA	NA	NA	NA
6-40	11/30/22	0.0017	0.075	0.029	NA	<0.50	50	NA	NA	NA	NA
6-40	03/10/23	0.0012	0.04	0.015	NA	<0.50	69	NA	NA	NA	NA
6-40	06/15/23	<0.001	0.024	0.012	<0.0005	0.123	129	14.7	NA	NA	NA
6-40	06/15/23	<0.001	0.024	0.013	NA	NA	NA	NA	NA	NA	NA
6-40	09/21/23	<0.05	<0.05	<0.05	0.00649	<0.100	161	15.0	NA	NA	NA

Table 5

**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-40	12/06/23	<0.001	0.017	0.0094	<0.0005	<0.100	182	14.1	NA	NA	NA
6-40	03/13/24	<0.001	0.015	0.0084	<0.0005	<0.100	201	14.1	NA	NA	NA
6-40	10/09/24	<0.001	0.022	0.01	0.00675	<0.100	222	20.7	NA	NA	NA
6-40	03/26/25	<0.001	0.024	0.0095	0.00154	<0.100	165	17.0	NA	NA	NA
6-40	09/09/25	<0.001	0.027	0.014	0.00477	<0.100	141	13.5	NA	NA	NA
6-40	09/09/25	<0.01	0.2	0.1	0.00262	<0.100	134	15.8	NA	NA	NA
6-41	09/10/25	<0.001	0.021	0.008	<0.0005	NA	NA	NA	NA	NA	NA
6-42	09/10/25	<0.001	0.022	0.0079	<0.0005	NA	NA	NA	NA	NA	NA
6-44	09/09/25	<0.005	0.012	0.33	NA	NA	NA	NA	NA	NA	NA
6-45	04/22/25	<0.001	0.01	0.039	NA	NA	NA	NA	NA	NA	NA
6-45	09/11/25	<0.001	0.022	0.11	<0.0005	NA	NA	NA	NA	NA	NA
6-46	04/22/25	<0.001	0.061	0.015	<0.0005	NA	NA	NA	NA	NA	NA
6-46	04/22/25	<0.001	0.062	0.015	NA	NA	NA	NA	NA	NA	NA
6-46	09/11/25	<0.001	0.075	0.022	<0.0005	NA	NA	NA	NA	NA	NA
6-47	04/22/25	<0.005	0.29	0.084	NA	NA	NA	NA	NA	NA	NA
6-47	09/11/25	<0.001	0.38	0.14	NA	NA	NA	NA	NA	NA	NA
6-48B	04/22/25	<0.001	0.0055	<0.001	NA	NA	NA	NA	NA	NA	NA
6-48B	09/11/25	<0.001	0.0066	<0.001	NA	NA	NA	NA	NA	NA	NA
6-49B	04/22/25	<0.001	0.01	0.017	NA	NA	NA	NA	NA	NA	NA
6-49B	09/11/25	<0.001	0.013	0.024	NA	NA	NA	NA	NA	NA	NA
6-54	04/18/18	<0.001	0.028	0.025	1.3	< 0.50	34	60	NA	NA	NA
6-54	06/05/18	<0.001	<0.001	<0.001	NA	< 0.50	< 2.5	1000	NA	NA	NA
6-54	04/04/19	<0.002	0.0048	0.0069	NA	NA	NA	NA	NA	NA	NA
6-54	09/25/19	0.0015	0.0016	0.0044	NA	< 1.0	2.9	980	NA	NA	NA
6-54	06/19/20	0.0011	0.0056	0.008	NA	NA	37	380	NA	NA	NA
6-54	09/16/20	0.0012	0.0027	0.005	0.47	< 0.50	31	1100	NA	NA	NA
6-54	12/02/20	<0.001	0.0074	0.011	0.077	NA	NA	460	NA	NA	NA
6-54	03/09/21	0.00076	0.0014	0.0019	0.021	<0.50 H	2.9	730	NA	NA	NA
6-54	06/03/21	0.001	0.0037	0.0065	1.7	NA	NA	1,200	NA	NA	NA

Table 5



**Summary of Groundwater Analytical Results – ISEB Monitoring Wells
2025 Annual Groundwater Monitoring Report
Laguna Compressor Station No. 6
Laguna, New Mexico**

Well	Date	Benzene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	PCBs (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)
EPA SDWA MCL		0.005	0.025	0.007	0.0005	10	250*	NE	NE	NE	NE
6-54	09/08/21	<0.004	0.0077	0.0072	1.3	<1.0	50	NA	NA	NA	NA
6-54	12/08/21	0.0005	0.0009	0.0025	0.52	<1.0	<2.5	NA	NA	NA	NA
6-54	03/23/22	<0.005	0.0078	0.011	NA	<1.0	110	210	NA	NA	NA
6-54	06/15/22	<0.005	0.0035	0.0038	NA	NA	20	NA	NA	NA	NA
6-54	09/13/22	0.0008	0.0078	0.016	NA	<0.50	120	170	NA	NA	NA
6-54	11/30/22	<0.002	0.0032	0.0057	NA	<0.50	37	NA	NA	NA	NA
6-54	03/10/23	0.00064	0.0098	0.01	NA	<0.50	110	NA	NA	NA	NA
6-54	06/15/23	<0.01	<0.01	0.015	0.0373	<0.100	162	160	NA	NA	NA
6-54	09/21/23	<0.05	<0.05	<0.05	0.0257	<0.100	143	63.9	NA	NA	NA
6-54	12/06/23	<0.001	0.0059	0.011	0.103	<1.00	169	80.1	NA	NA	NA
6-54	03/13/24	<0.001	0.011	0.024	0.0209	<0.100	142	37.8	NA	NA	NA
6-54	09/04/24	<0.01	<0.01	<0.01	NA	<0.100	2.56	59.8	NA	NA	NA
6-54	09/04/24	<0.001	0.0041	0.007	NA	NA	NA	NA	NA	NA	NA
6-54	09/05/24	NA	NA	NA	0.0238	NA	NA	NA	NA	NA	NA
6-54	03/26/25	<0.01	<0.01	<0.01	NA	<0.100	66.3	25.4	NA	NA	NA
6-54	09/09/25	<0.01	<0.02	<0.01	0.0955	<0.100	21.0	34.0	NA	NA	NA

Notes:

ug/L = micrograms per liter.
mg/L = milligrams per liter.
PCE = Tetrachloroethylene.
TCA = Trichloroethane.
DCA = Dichloroethane.

DCE = Dichloroethene.
EPA SDWA MCL = Environmental Protection Agency Safe Drinking Water Act Maximum Contaminate Level.
BOLD = concentration exceeds EPA SDWA MCL or NMWQCC standard.
* = EPA SDWA Secondary Drinking Water Standard MCL.
Italicize = Laboratory Detection.



Coordinate System:
 NAD 1983 (2011) StatePlane-
 New Mexico West (US Feet)




TRANSWESTERN PIPELINE COMPANY, LLC
CIBOLA COUNTY, NEW MEXICO
LAGUNA COMPRESSOR STATION No. 6
NMOCD AP-103

Project No. **12660612**
 Date **January 2026**

SITE LOCATION MAP

FIGURE 1




LEGEND

- PERCHED ZONE MONITOR WELL
- PERCHED ZONE WELL CLUSTER
- COREHOLE PLUGGED IN 2015
- NOT LOCATED
- LEACH FIELD
- FENCE LINE
- 5905.00 GROUNDWATER POTENTIOMETRIC CONTOUR (INTERVAL = 5 FT)
- (5912.10) ELEVATION OF GROUNDWATER (FT AMSL)
- DIRECTION OF GROUNDWATER FLOW

NOTE:

- 6-09, 6-20A, 6-20B, 6-21A, 6-21B, 6-33, 6-42, 6-48B, 6-49B, 6-49, 6-50B AND 6-54 WERE NOT USED TO CONSTRUCT CONTOURS.
- GROUNDWATER ELEVATIONS INDICATED ARE FROM MEASUREMENTS OBTAINED ON MARCH 25, 2025




	TRANSWESTERN PIPELINE COMPANY, LLC CIBOLA COUNTY, NEW MEXICO LAGUNA COMPRESSOR STATION No. 6 NMOCD AP-103	Project No. 12660612 Date April 2026
	POTENTIOMETRIC SURFACE MAP (MARCH 2025)	FIGURE 3

LEGEND

- PERCHED ZONE MONITOR WELL
- PERCHED ZONE WELL CLUSTER
- COREHOLE PLUGGED IN 2015
- LEACH FIELD
- FENCE LINE
- 5910.00 GROUNDWATER POTENTIOMETRIC CONTOUR (INTERVAL = 5 FT)
- (5918.19) ELEVATION OF GROUNDWATER (FT AMSL)
- DIRECTION OF GROUNDWATER FLOW

NOTE:

1. 6-48B AND 6-54 WERE NOT USED TO CONSTRUCT CONTOURS
2. GROUNDWATER ELEVATIONS INDICATED ARE FROM MEASUREMENTS OBTAINED ON SEPTEMBER 9-11, 2025



0 40 80 ft

Coordinate System:
NAD 1983 (2011) StatePlane-
New Mexico West (US Feet)



TRANSWESTERN PIPELINE COMPANY, LLC
CIBOLA COUNTY, NEW MEXICO
LAGUNA COMPRESSOR STATION No. 6
NMOC AP-103

**POTENTIOMETRIC SURFACE MAP
(SEPTEMBER 2025)**

Project No. 12660612
Date April 2026

FIGURE 4

LEGEND

- PERCHED ZONE MONITOR WELL
- PERCHED ZONE WELL CLUSTER
- SOIL BORING LOCATION
- COREHOLE PLUGGED IN 2015
- LEACH FIELD
- FENCE LINE



SAMPLE LOCATION

6-22C	3/26/2025	9/9/2025	SAMPLE DATE (mm/dd/yyyy)
Benzene	0.0026	0.0070	
1,1 DCE	0.0014	0.0065	RESULT (mg/L)
TOC	423	313	

PARAMETER

NOTE:

- GROUNDWATER SAMPLES COLLECTED ON MARCH 26-27 AND SEPTEMBER 9-10, 2025
- BOLD INDICATES LABORATORY DETECTION.
- YELLOW SHADED CELLS INDICATE NMWQCC CRITERIA EXCEEDANCE.
- ANALYTICAL RESULTS ARE PRESENTED IN MILLIGRAMS PER LITER (mg/L).
- TOC = TOTAL ORGANIC CARBONS
- CT = CARBON TETRACHLORIDE
- DCA = DICHLOROETHANE
- DCE = DICHLOROETHENE
- PCE = TETRACHLOROETHENE



TRANSWESTERN PIPELINE COMPANY, LLC
 CIBOLA COUNTY, NEW MEXICO
 LAGUNA COMPRESSOR STATION No. 6
 NMOC AP-103

COC CONCENTRATIONS IN GROUNDWATER (2025)

Project No. 12660612
 Date March 2026

FIGURE 5

LEGEND


- PERCHED ZONE MONITOR WELL
- PERCHED ZONE WELL CLUSTER
- SOIL BORING LOCATION
- COREHOLE PLUGGED IN 2015
- LEACH FIELD
- FENCE LINE

SAMPLE LOCATION

6-54	9/9/2025	SAMPLE DATE (mm/dd/yyyy)
PCB	0.0955	RESULT (mg/L)
		PARAMETER

NOTE:

- GROUNDWATER SAMPLES COLLECTED ON MARCH 26-27 AND SEPTEMBER 9-10, 2025
- BOLD INDICATES LABORATORY DETECTION.
- YELLOW SHADED CELLS INDICATE NMWQCC CRITERIA EXCEEDANCE.
- ANALYTICAL RESULTS ARE PRESENTED IN MILLIGRAMS PER LITER (mg/L).
- PCB = POLYCHLORINATED BIPHENYLS



0 75 150 ft

Coordinate System:
NAD 1983 (2011) StatePlane-
New Mexico East (US Feet)

TRANSWESTERN PIPELINE COMPANY, LLC
CIBOLA COUNTY, NEW MEXICO
LAGUNA COMPRESSOR STATION No. 6
NMOC AP-103

**PCB CONCENTRATIONS IN
GROUNDWATER (2025)**

Project No. 12660612
Date March 2026

Appendices

Appendix A

Laboratory Analytical Reports



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

April 04, 2025

Deedee Whittington
GHDHouston
11451 Katy Freeway
Suite 400
Houston, TX 77079

Work Order: **HS25031321**

Laboratory Results for: **12660612 Laguna Compressor Station No. 6**

Dear Deedee Whittington ,

ALS Environmental received 5 sample(s) on Mar 28, 2025 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,



Generated By: DAYNA.FISHER
Alexis Dorenbosch

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
Work Order: HS25031321

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25031321-01	6-13-20250327	Water		27-Mar-2025 12:20	28-Mar-2025 08:55	<input type="checkbox"/>
HS25031321-02	6-18-20250327	Water		27-Mar-2025 12:45	28-Mar-2025 08:55	<input type="checkbox"/>
HS25031321-03	6-12-20250327	Water		27-Mar-2025 13:45	28-Mar-2025 08:55	<input type="checkbox"/>
HS25031321-04	6-41-20250327	Water		27-Mar-2025 13:30	28-Mar-2025 08:55	<input type="checkbox"/>
HS25031321-05	Trip Blank	Water	cg-010825-628	27-Mar-2025 00:00	28-Mar-2025 08:55	<input type="checkbox"/>

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
Work Order: HS25031321

CASE NARRATIVE

Work Order Comments

- Login notes:
Received Trip Blank not listed on Chain of Custody. Logged in for analysis per client email.

ECD Organics by Method SW8082

Batch ID: 226255

Sample ID: MBLK-226255

- Insufficient sample received to perform MS/MSD. LCS/LCSD provided as batch quality control.

GCMS Volatiles by Method SW8260

Batch ID: R510289

Sample ID: HS25031384-01MS

- MS and MSD are for an unrelated sample

Batch ID: R510248

Sample ID: LCS-250402

- Insufficient sample received to perform MS/MSD. An LCS/LCSD was performed as batch quality control.

WetChemistry by Method SW9060

Batch ID: R510357

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method E300

Batch ID: R509909

Sample ID: HS25031217-02MS

- MS and MSD are for an unrelated sample (Sulfate)

Sample ID: HS25031280-01MS

- MS and MSD are for an unrelated sample (Nitrogen, Nitrite (As N))

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-13-20250327
 Collection Date: 27-Mar-2025 12:20

ANALYTICAL REPORT

WorkOrder:HS25031321
 Lab ID:HS25031321-01
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: DP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,1,2,2-Tetrachloroethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	02-Apr-2025 18:56
1,1,2-Trichloroethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,1-Dichloroethane	0.026		0.0010	mg/L	1	02-Apr-2025 18:56
1,1-Dichloroethene	0.050		0.0010	mg/L	1	02-Apr-2025 18:56
1,2,4-Trichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,2-Dibromo-3-chloropropane		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,2-Dibromoethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,2-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,2-Dichloroethane	0.0034		0.0010	mg/L	1	02-Apr-2025 18:56
1,2-Dichloropropane		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,3-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 18:56
1,4-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 18:56
2-Butanone		U	0.0020	mg/L	1	02-Apr-2025 18:56
2-Hexanone		U	0.0020	mg/L	1	02-Apr-2025 18:56
4-Methyl-2-pentanone		U	0.0020	mg/L	1	02-Apr-2025 18:56
Acetone		U	0.0020	mg/L	1	02-Apr-2025 18:56
Benzene	0.0023		0.0010	mg/L	1	02-Apr-2025 18:56
Bromodichloromethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
Bromoform		U	0.0010	mg/L	1	02-Apr-2025 18:56
Bromomethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
Carbon disulfide		U	0.0020	mg/L	1	02-Apr-2025 18:56
Carbon tetrachloride		U	0.0010	mg/L	1	02-Apr-2025 18:56
Chlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 18:56
Chloroethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
Chloroform		U	0.0010	mg/L	1	02-Apr-2025 18:56
Chloromethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
cis-1,2-Dichloroethene	0.0022		0.0010	mg/L	1	02-Apr-2025 18:56
cis-1,3-Dichloropropene		U	0.0010	mg/L	1	02-Apr-2025 18:56
Cyclohexane		U	0.0010	mg/L	1	02-Apr-2025 18:56
Dibromochloromethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
Dichlorodifluoromethane		U	0.0010	mg/L	1	02-Apr-2025 18:56
Ethylbenzene		U	0.0010	mg/L	1	02-Apr-2025 18:56
Isopropylbenzene		U	0.0010	mg/L	1	02-Apr-2025 18:56
m,p-Xylene		U	0.0020	mg/L	1	02-Apr-2025 18:56
Methyl acetate		U	0.0020	mg/L	1	02-Apr-2025 18:56
Methyl tert-butyl ether		U	0.0010	mg/L	1	02-Apr-2025 18:56
Methylcyclohexane		U	0.0010	mg/L	1	02-Apr-2025 18:56

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-13-20250327
 Collection Date: 27-Mar-2025 12:20

ANALYTICAL REPORT

WorkOrder:HS25031321
 Lab ID:HS25031321-01
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: DP		
Methylene chloride	U		0.0020	mg/L	1	02-Apr-2025 18:56
o-Xylene	U		0.0010	mg/L	1	02-Apr-2025 18:56
Styrene	U		0.0010	mg/L	1	02-Apr-2025 18:56
Tetrachloroethene	U		0.0010	mg/L	1	02-Apr-2025 18:56
Toluene	U		0.0010	mg/L	1	02-Apr-2025 18:56
trans-1,2-Dichloroethene	U		0.0010	mg/L	1	02-Apr-2025 18:56
trans-1,3-Dichloropropene	U		0.0010	mg/L	1	02-Apr-2025 18:56
Trichloroethene	U		0.0010	mg/L	1	02-Apr-2025 18:56
Trichlorofluoromethane	U		0.0010	mg/L	1	02-Apr-2025 18:56
Vinyl chloride	U		0.0010	mg/L	1	02-Apr-2025 18:56
Xylenes, Total	U		0.0030	mg/L	1	02-Apr-2025 18:56
Surr: 1,2-Dichloroethane-d4	97.3		70-126	%REC	1	02-Apr-2025 18:56
Surr: 4-Bromofluorobenzene	100		77-113	%REC	1	02-Apr-2025 18:56
Surr: Dibromofluoromethane	94.9		77-123	%REC	1	02-Apr-2025 18:56
Surr: Toluene-d8	98.4		82-127	%REC	1	02-Apr-2025 18:56
PCBS BY SW8082A		Method:SW8082		Prep:SW3510C/3665A / 03-Apr-2025 Analyst: DLB		
Aroclor 1016	U		0.000500	mg/L	1	03-Apr-2025 19:50
Aroclor 1221	U		0.000500	mg/L	1	03-Apr-2025 19:50
Aroclor 1232	U		0.000500	mg/L	1	03-Apr-2025 19:50
Aroclor 1242	U		0.000500	mg/L	1	03-Apr-2025 19:50
Aroclor 1248	U		0.000500	mg/L	1	03-Apr-2025 19:50
Aroclor 1254	U		0.000500	mg/L	1	03-Apr-2025 19:50
Aroclor 1260	U		0.000500	mg/L	1	03-Apr-2025 19:50
PCBs (Total)	U		0.000500	mg/L	1	03-Apr-2025 19:50
Surr: Decachlorobiphenyl	113		54-140	%REC	1	03-Apr-2025 19:50
Surr: Tetrachloro-m-xylene	86.6		53-137	%REC	1	03-Apr-2025 19:50
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: TH		
Nitrogen, Nitrate (As N)	U		0.100	mg/L	1	28-Mar-2025 16:47
Nitrogen, Nitrite (As N)	U		0.100	mg/L	1	28-Mar-2025 16:47
Sulfate	147		10.0	mg/L	20	28-Mar-2025 16:52
Nitrate/Nitrite (as N)	U		0.200	mg/L	1	28-Mar-2025 16:47
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060		Analyst: DH		
Organic Carbon, Total	42.5		5.00	mg/L	5	04-Apr-2025 08:52

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-18-20250327
 Collection Date: 27-Mar-2025 12:45

ANALYTICAL REPORT
 WorkOrder:HS25031321
 Lab ID:HS25031321-02
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: DP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,1,2,2-Tetrachloroethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	02-Apr-2025 19:17
1,1,2-Trichloroethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,1-Dichloroethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,1-Dichloroethene	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,2,4-Trichlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,2-Dibromo-3-chloropropane	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,2-Dibromoethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,2-Dichlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,2-Dichloroethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,2-Dichloropropane	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,3-Dichlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 19:17
1,4-Dichlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 19:17
2-Butanone	U		0.0020	mg/L	1	02-Apr-2025 19:17
2-Hexanone	U		0.0020	mg/L	1	02-Apr-2025 19:17
4-Methyl-2-pentanone	U		0.0020	mg/L	1	02-Apr-2025 19:17
Acetone	U		0.0020	mg/L	1	02-Apr-2025 19:17
Benzene	U		0.0010	mg/L	1	02-Apr-2025 19:17
Bromodichloromethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
Bromoform	U		0.0010	mg/L	1	02-Apr-2025 19:17
Bromomethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
Carbon disulfide	U		0.0020	mg/L	1	02-Apr-2025 19:17
Carbon tetrachloride	U		0.0010	mg/L	1	02-Apr-2025 19:17
Chlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 19:17
Chloroethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
Chloroform	U		0.0010	mg/L	1	02-Apr-2025 19:17
Chloromethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
cis-1,2-Dichloroethene	U		0.0010	mg/L	1	02-Apr-2025 19:17
cis-1,3-Dichloropropene	U		0.0010	mg/L	1	02-Apr-2025 19:17
Cyclohexane	U		0.0010	mg/L	1	02-Apr-2025 19:17
Dibromochloromethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
Dichlorodifluoromethane	U		0.0010	mg/L	1	02-Apr-2025 19:17
Ethylbenzene	U		0.0010	mg/L	1	02-Apr-2025 19:17
Isopropylbenzene	U		0.0010	mg/L	1	02-Apr-2025 19:17
m,p-Xylene	U		0.0020	mg/L	1	02-Apr-2025 19:17
Methyl acetate	U		0.0020	mg/L	1	02-Apr-2025 19:17
Methyl tert-butyl ether	U		0.0010	mg/L	1	02-Apr-2025 19:17
Methylcyclohexane	U		0.0010	mg/L	1	02-Apr-2025 19:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-18-20250327
 Collection Date: 27-Mar-2025 12:45

ANALYTICAL REPORT

WorkOrder:HS25031321
 Lab ID:HS25031321-02
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: DP		
Methylene chloride		U	0.0020	mg/L	1	02-Apr-2025 19:17
o-Xylene		U	0.0010	mg/L	1	02-Apr-2025 19:17
Styrene		U	0.0010	mg/L	1	02-Apr-2025 19:17
Tetrachloroethene		U	0.0010	mg/L	1	02-Apr-2025 19:17
Toluene		U	0.0010	mg/L	1	02-Apr-2025 19:17
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	02-Apr-2025 19:17
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	02-Apr-2025 19:17
Trichloroethene		U	0.0010	mg/L	1	02-Apr-2025 19:17
Trichlorofluoromethane		U	0.0010	mg/L	1	02-Apr-2025 19:17
Vinyl chloride		U	0.0010	mg/L	1	02-Apr-2025 19:17
Xylenes, Total		U	0.0030	mg/L	1	02-Apr-2025 19:17
Surr: 1,2-Dichloroethane-d4	94.8		70-126	%REC	1	02-Apr-2025 19:17
Surr: 4-Bromofluorobenzene	92.7		77-113	%REC	1	02-Apr-2025 19:17
Surr: Dibromofluoromethane	94.4		77-123	%REC	1	02-Apr-2025 19:17
Surr: Toluene-d8	94.6		82-127	%REC	1	02-Apr-2025 19:17
PCBS BY SW8082A		Method:SW8082		Prep:SW3510C/3665A / 03-Apr-2025 Analyst: DLB		
Aroclor 1016		U	0.000500	mg/L	1	03-Apr-2025 20:01
Aroclor 1221		U	0.000500	mg/L	1	03-Apr-2025 20:01
Aroclor 1232		U	0.000500	mg/L	1	03-Apr-2025 20:01
Aroclor 1242		U	0.000500	mg/L	1	03-Apr-2025 20:01
Aroclor 1248		U	0.000500	mg/L	1	03-Apr-2025 20:01
Aroclor 1254		U	0.000500	mg/L	1	03-Apr-2025 20:01
Aroclor 1260		U	0.000500	mg/L	1	03-Apr-2025 20:01
PCBs (Total)		U	0.000500	mg/L	1	03-Apr-2025 20:01
Surr: Decachlorobiphenyl	117		54-140	%REC	1	03-Apr-2025 20:01
Surr: Tetrachloro-m-xylene	95.7		53-137	%REC	1	03-Apr-2025 20:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-12-20250327
 Collection Date: 27-Mar-2025 13:45

ANALYTICAL REPORT

WorkOrder:HS25031321
 Lab ID:HS25031321-03
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: DP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,1,2,2-Tetrachloroethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	02-Apr-2025 19:38
1,1,2-Trichloroethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,1-Dichloroethane	0.037		0.0010	mg/L	1	02-Apr-2025 19:38
1,1-Dichloroethene	0.015		0.0010	mg/L	1	02-Apr-2025 19:38
1,2,4-Trichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,2-Dibromo-3-chloropropane		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,2-Dibromoethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,2-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,2-Dichloroethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,2-Dichloropropane		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,3-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 19:38
1,4-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 19:38
2-Butanone		U	0.0020	mg/L	1	02-Apr-2025 19:38
2-Hexanone		U	0.0020	mg/L	1	02-Apr-2025 19:38
4-Methyl-2-pentanone		U	0.0020	mg/L	1	02-Apr-2025 19:38
Acetone		U	0.0020	mg/L	1	02-Apr-2025 19:38
Benzene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Bromodichloromethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
Bromoform		U	0.0010	mg/L	1	02-Apr-2025 19:38
Bromomethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
Carbon disulfide		U	0.0020	mg/L	1	02-Apr-2025 19:38
Carbon tetrachloride		U	0.0010	mg/L	1	02-Apr-2025 19:38
Chlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Chloroethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
Chloroform		U	0.0010	mg/L	1	02-Apr-2025 19:38
Chloromethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
cis-1,2-Dichloroethene		U	0.0010	mg/L	1	02-Apr-2025 19:38
cis-1,3-Dichloropropene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Cyclohexane		U	0.0010	mg/L	1	02-Apr-2025 19:38
Dibromochloromethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
Dichlorodifluoromethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
Ethylbenzene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Isopropylbenzene		U	0.0010	mg/L	1	02-Apr-2025 19:38
m,p-Xylene		U	0.0020	mg/L	1	02-Apr-2025 19:38
Methyl acetate		U	0.0020	mg/L	1	02-Apr-2025 19:38
Methyl tert-butyl ether		U	0.0010	mg/L	1	02-Apr-2025 19:38
Methylcyclohexane		U	0.0010	mg/L	1	02-Apr-2025 19:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-12-20250327
 Collection Date: 27-Mar-2025 13:45

ANALYTICAL REPORT

WorkOrder:HS25031321
 Lab ID:HS25031321-03
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: DP		
Methylene chloride		U	0.0020	mg/L	1	02-Apr-2025 19:38
o-Xylene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Styrene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Tetrachloroethene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Toluene		U	0.0010	mg/L	1	02-Apr-2025 19:38
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	02-Apr-2025 19:38
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Trichloroethene		U	0.0010	mg/L	1	02-Apr-2025 19:38
Trichlorofluoromethane		U	0.0010	mg/L	1	02-Apr-2025 19:38
Vinyl chloride		U	0.0010	mg/L	1	02-Apr-2025 19:38
Xylenes, Total		U	0.0030	mg/L	1	02-Apr-2025 19:38
Surr: 1,2-Dichloroethane-d4	93.0		70-126	%REC	1	02-Apr-2025 19:38
Surr: 4-Bromofluorobenzene	94.7		77-113	%REC	1	02-Apr-2025 19:38
Surr: Dibromofluoromethane	92.6		77-123	%REC	1	02-Apr-2025 19:38
Surr: Toluene-d8	97.8		82-127	%REC	1	02-Apr-2025 19:38
PCBS BY SW8082A		Method:SW8082		Prep:SW3510C/3665A / 03-Apr-2025 Analyst: DLB		
Aroclor 1016		U	0.000500	mg/L	1	03-Apr-2025 20:12
Aroclor 1221		U	0.000500	mg/L	1	03-Apr-2025 20:12
Aroclor 1232		U	0.000500	mg/L	1	03-Apr-2025 20:12
Aroclor 1242		U	0.000500	mg/L	1	03-Apr-2025 20:12
Aroclor 1248		U	0.000500	mg/L	1	03-Apr-2025 20:12
Aroclor 1254		U	0.000500	mg/L	1	03-Apr-2025 20:12
Aroclor 1260		U	0.000500	mg/L	1	03-Apr-2025 20:12
PCBs (Total)		U	0.000500	mg/L	1	03-Apr-2025 20:12
Surr: Decachlorobiphenyl	112		54-140	%REC	1	03-Apr-2025 20:12
Surr: Tetrachloro-m-xylene	89.7		53-137	%REC	1	03-Apr-2025 20:12

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-41-20250327
 Collection Date: 27-Mar-2025 13:30

ANALYTICAL REPORT
 WorkOrder:HS25031321
 Lab ID:HS25031321-04
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: DP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,1,2,2-Tetrachloroethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	02-Apr-2025 20:00
1,1,2-Trichloroethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,1-Dichloroethane	0.0065		0.0010	mg/L	1	02-Apr-2025 20:00
1,1-Dichloroethene	0.0027		0.0010	mg/L	1	02-Apr-2025 20:00
1,2,4-Trichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,2-Dibromo-3-chloropropane		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,2-Dibromoethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,2-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,2-Dichloroethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,2-Dichloropropane		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,3-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 20:00
1,4-Dichlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 20:00
2-Butanone		U	0.0020	mg/L	1	02-Apr-2025 20:00
2-Hexanone		U	0.0020	mg/L	1	02-Apr-2025 20:00
4-Methyl-2-pentanone		U	0.0020	mg/L	1	02-Apr-2025 20:00
Acetone		U	0.0020	mg/L	1	02-Apr-2025 20:00
Benzene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Bromodichloromethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
Bromoform		U	0.0010	mg/L	1	02-Apr-2025 20:00
Bromomethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
Carbon disulfide		U	0.0020	mg/L	1	02-Apr-2025 20:00
Carbon tetrachloride		U	0.0010	mg/L	1	02-Apr-2025 20:00
Chlorobenzene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Chloroethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
Chloroform		U	0.0010	mg/L	1	02-Apr-2025 20:00
Chloromethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
cis-1,2-Dichloroethene		U	0.0010	mg/L	1	02-Apr-2025 20:00
cis-1,3-Dichloropropene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Cyclohexane		U	0.0010	mg/L	1	02-Apr-2025 20:00
Dibromochloromethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
Dichlorodifluoromethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
Ethylbenzene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Isopropylbenzene		U	0.0010	mg/L	1	02-Apr-2025 20:00
m,p-Xylene		U	0.0020	mg/L	1	02-Apr-2025 20:00
Methyl acetate		U	0.0020	mg/L	1	02-Apr-2025 20:00
Methyl tert-butyl ether		U	0.0010	mg/L	1	02-Apr-2025 20:00
Methylcyclohexane		U	0.0010	mg/L	1	02-Apr-2025 20:00

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-41-20250327
 Collection Date: 27-Mar-2025 13:30

ANALYTICAL REPORT

WorkOrder:HS25031321
 Lab ID:HS25031321-04
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: DP
Methylene chloride		U	0.0020	mg/L	1	02-Apr-2025 20:00
o-Xylene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Styrene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Tetrachloroethene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Toluene		U	0.0010	mg/L	1	02-Apr-2025 20:00
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	02-Apr-2025 20:00
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Trichloroethene		U	0.0010	mg/L	1	02-Apr-2025 20:00
Trichlorofluoromethane		U	0.0010	mg/L	1	02-Apr-2025 20:00
Vinyl chloride		U	0.0010	mg/L	1	02-Apr-2025 20:00
Xylenes, Total		U	0.0030	mg/L	1	02-Apr-2025 20:00
Surr: 1,2-Dichloroethane-d4	95.9		70-126	%REC	1	02-Apr-2025 20:00
Surr: 4-Bromofluorobenzene	96.2		77-113	%REC	1	02-Apr-2025 20:00
Surr: Dibromofluoromethane	98.5		77-123	%REC	1	02-Apr-2025 20:00
Surr: Toluene-d8	98.2		82-127	%REC	1	02-Apr-2025 20:00
PCBS BY SW8082A		Method:SW8082				Prep:SW3510C/3665A / 03-Apr-2025 Analyst: DLB
Aroclor 1016		U	0.000500	mg/L	1	03-Apr-2025 20:23
Aroclor 1221		U	0.000500	mg/L	1	03-Apr-2025 20:23
Aroclor 1232		U	0.000500	mg/L	1	03-Apr-2025 20:23
Aroclor 1242		U	0.000500	mg/L	1	03-Apr-2025 20:23
Aroclor 1248		U	0.000500	mg/L	1	03-Apr-2025 20:23
Aroclor 1254		U	0.000500	mg/L	1	03-Apr-2025 20:23
Aroclor 1260		U	0.000500	mg/L	1	03-Apr-2025 20:23
PCBs (Total)		U	0.000500	mg/L	1	03-Apr-2025 20:23
Surr: Decachlorobiphenyl	114		54-140	%REC	1	03-Apr-2025 20:23
Surr: Tetrachloro-m-xylene	85.9		53-137	%REC	1	03-Apr-2025 20:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: Trip Blank
 Collection Date: 27-Mar-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25031321
 Lab ID:HS25031321-05
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: DP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,1,2,2-Tetrachloroethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	02-Apr-2025 20:12
1,1,2-Trichloroethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,1-Dichloroethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,1-Dichloroethene	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,2,4-Trichlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,2-Dibromo-3-chloropropane	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,2-Dibromoethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,2-Dichlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,2-Dichloroethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,2-Dichloropropane	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,3-Dichlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 20:12
1,4-Dichlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 20:12
2-Butanone	U		0.0020	mg/L	1	02-Apr-2025 20:12
2-Hexanone	U		0.0020	mg/L	1	02-Apr-2025 20:12
4-Methyl-2-pentanone	U		0.0020	mg/L	1	02-Apr-2025 20:12
Acetone	U		0.0020	mg/L	1	02-Apr-2025 20:12
Benzene	U		0.0010	mg/L	1	02-Apr-2025 20:12
Bromodichloromethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
Bromoform	U		0.0010	mg/L	1	02-Apr-2025 20:12
Bromomethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
Carbon disulfide	U		0.0020	mg/L	1	02-Apr-2025 20:12
Carbon tetrachloride	U		0.0010	mg/L	1	02-Apr-2025 20:12
Chlorobenzene	U		0.0010	mg/L	1	02-Apr-2025 20:12
Chloroethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
Chloroform	U		0.0010	mg/L	1	02-Apr-2025 20:12
Chloromethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
cis-1,2-Dichloroethene	U		0.0010	mg/L	1	02-Apr-2025 20:12
cis-1,3-Dichloropropene	U		0.0010	mg/L	1	02-Apr-2025 20:12
Cyclohexane	U		0.0010	mg/L	1	02-Apr-2025 20:12
Dibromochloromethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
Dichlorodifluoromethane	U		0.0010	mg/L	1	02-Apr-2025 20:12
Ethylbenzene	U		0.0010	mg/L	1	02-Apr-2025 20:12
Isopropylbenzene	U		0.0010	mg/L	1	02-Apr-2025 20:12
Methyl acetate	U		0.0020	mg/L	1	02-Apr-2025 20:12
Methyl tert-butyl ether	U		0.0010	mg/L	1	02-Apr-2025 20:12
Methylcyclohexane	U		0.0010	mg/L	1	02-Apr-2025 20:12
Methylene chloride	U		0.0020	mg/L	1	02-Apr-2025 20:12

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: Trip Blank
 Collection Date: 27-Mar-2025 00:00

ANALYTICAL REPORT
 WorkOrder:HS25031321
 Lab ID:HS25031321-05
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: DP
Styrene		U	0.0010	mg/L	1	02-Apr-2025 20:12
Tetrachloroethene		U	0.0010	mg/L	1	02-Apr-2025 20:12
Toluene		U	0.0010	mg/L	1	02-Apr-2025 20:12
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	02-Apr-2025 20:12
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	02-Apr-2025 20:12
Trichloroethene		U	0.0010	mg/L	1	02-Apr-2025 20:12
Trichlorofluoromethane		U	0.0010	mg/L	1	02-Apr-2025 20:12
Vinyl chloride		U	0.0010	mg/L	1	02-Apr-2025 20:12
Xylenes, Total		U	0.0030	mg/L	1	02-Apr-2025 20:12
Surr: 1,2-Dichloroethane-d4	98.8		70-126	%REC	1	02-Apr-2025 20:12
Surr: 4-Bromofluorobenzene	94.6		77-113	%REC	1	02-Apr-2025 20:12
Surr: Dibromofluoromethane	99.8		77-123	%REC	1	02-Apr-2025 20:12
Surr: Toluene-d8	102		82-127	%REC	1	02-Apr-2025 20:12

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 04-Apr-25

Weight / Prep Log

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

Batch ID: 226255 Start Date: 03 Apr 2025 08:06 End Date: 03 Apr 2025 08:06
Method: PCB AQ SEP FUN EXTRACT-SW3510C Prep Code: 3510_PCB

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor	
HS25031321-01	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25031321-02	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25031321-03	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25031321-04	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 226255 (0)		Test Name : PCBS BY SW8082A			Matrix: Water	
HS25031321-01	6-13-20250327	27 Mar 2025 12:20		03 Apr 2025 08:06	03 Apr 2025 19:50	1
HS25031321-02	6-18-20250327	27 Mar 2025 12:45		03 Apr 2025 08:06	03 Apr 2025 20:01	1
HS25031321-03	6-12-20250327	27 Mar 2025 13:45		03 Apr 2025 08:06	03 Apr 2025 20:12	1
HS25031321-04	6-41-20250327	27 Mar 2025 13:30		03 Apr 2025 08:06	03 Apr 2025 20:23	1
Batch ID: R509909 (0)		Test Name : ANIONS BY E300.0, REV 2.1, 1993			Matrix: Water	
HS25031321-01	6-13-20250327	27 Mar 2025 12:20			28 Mar 2025 16:52	20
HS25031321-01	6-13-20250327	27 Mar 2025 12:20			28 Mar 2025 16:47	1
Batch ID: R510248 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25031321-01	6-13-20250327	27 Mar 2025 12:20			02 Apr 2025 18:56	1
HS25031321-02	6-18-20250327	27 Mar 2025 12:45			02 Apr 2025 19:17	1
HS25031321-03	6-12-20250327	27 Mar 2025 13:45			02 Apr 2025 19:38	1
HS25031321-04	6-41-20250327	27 Mar 2025 13:30			02 Apr 2025 20:00	1
Batch ID: R510289 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25031321-05	Trip Blank	27 Mar 2025 00:00			02 Apr 2025 20:12	1
Batch ID: R510357 (0)		Test Name : TOTAL ORGANIC CARBON BY SW9060A			Matrix: Water	
HS25031321-01	6-13-20250327	27 Mar 2025 12:20			04 Apr 2025 08:52	5

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: 226255 (0) **Instrument:** ECD_17 **Method:** PCBS BY SW8082A

MBLK		Sample ID: MBLK-226255		Units: ug/L		Analysis Date: 03-Apr-2025 22:22				
Client ID:		Run ID: ECD_17_510347		SeqNo: 8765349		PrepDate: 03-Apr-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	U	0.500								
Aroclor 1221	U	0.500								
Aroclor 1232	U	0.500								
Aroclor 1242	U	0.500								
Aroclor 1248	U	0.500								
Aroclor 1254	U	0.500								
Aroclor 1260	U	0.500								
PCBs (Total)	U	0.500								
Surr: Decachlorobiphenyl	0.189	0.0500	0.2	0	94.5	54 - 140				
Surr: Tetrachloro-m-xylene	0.1886	0.0500	0.2	0	94.3	53 - 137				

LCS		Sample ID: LCS-226255		Units: ug/L		Analysis Date: 03-Apr-2025 22:00				
Client ID:		Run ID: ECD_17_510347		SeqNo: 8765347		PrepDate: 03-Apr-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	4.863	0.500	5	0	97.3	54 - 138				
Aroclor 1260	5.047	0.500	5	0	101	57 - 136				
PCBs (Total)	9.91	0.500	10	0	99.1	57 - 136				
Surr: Decachlorobiphenyl	0.193	0.0500	0.2	0	96.5	54 - 140				
Surr: Tetrachloro-m-xylene	0.1908	0.0500	0.2	0	95.4	53 - 137				

LCSD		Sample ID: LCSD-226255		Units: ug/L		Analysis Date: 03-Apr-2025 22:11				
Client ID:		Run ID: ECD_17_510347		SeqNo: 8765348		PrepDate: 03-Apr-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	4.894	0.500	5	0	97.9	54 - 138	4.863	0.639	20	
Aroclor 1260	5.012	0.500	5	0	100	57 - 136	5.047	0.698	20	
PCBs (Total)	9.906	0.500	10	0	99.1	57 - 136	9.91	0.0394		
Surr: Decachlorobiphenyl	0.19	0.0500	0.2	0	95.0	54 - 140	0.193	1.57	20	
Surr: Tetrachloro-m-xylene	0.1905	0.0500	0.2	0	95.2	53 - 137	0.1908	0.168	20	

The following samples were analyzed in this batch: HS25031321-01 HS25031321-02 HS25031321-03 HS25031321-04

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510248 (0) **Instrument:** VOA6 **Method:** LOW LEVEL VOLATILES BY SW8260C

MBLK Sample ID: **MBLK-250402** Units: **ug/L** Analysis Date: **02-Apr-2025 16:36**
 Client ID: Run ID: **VOA6_510248** SeqNo: **8762470** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit Qual**

1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	1.0								
1,1,2-Trichlor-1,2,2-trifluoroethane	U	2.0								
1,1,2-Trichloroethane	U	1.0								
1,1-Dichloroethane	U	1.0								
1,1-Dichloroethene	U	1.0								
1,2,4-Trichlorobenzene	U	1.0								
1,2-Dibromo-3-chloropropane	U	1.0								
1,2-Dibromoethane	U	1.0								
1,2-Dichlorobenzene	U	1.0								
1,2-Dichloroethane	U	1.0								
1,2-Dichloropropane	U	1.0								
1,3-Dichlorobenzene	U	1.0								
1,4-Dichlorobenzene	U	1.0								
2-Butanone	U	2.0								
2-Hexanone	U	2.0								
4-Methyl-2-pentanone	U	2.0								
Acetone	U	2.0								
Benzene	U	1.0								
Bromodichloromethane	U	1.0								
Bromoform	U	1.0								
Bromomethane	U	1.0								
Carbon disulfide	U	2.0								
Carbon tetrachloride	U	1.0								
Chlorobenzene	U	1.0								
Chloroethane	U	1.0								
Chloroform	U	1.0								
Chloromethane	U	1.0								
cis-1,2-Dichloroethene	U	1.0								
cis-1,3-Dichloropropene	U	1.0								
Cyclohexane	U	1.0								
Dibromochloromethane	U	1.0								
Dichlorodifluoromethane	U	1.0								
Ethylbenzene	U	1.0								

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510248 (0) **Instrument:** VOA6 **Method:** LOW LEVEL VOLATILES BY SW8260C

MBLK Sample ID: **MBLK-250402** Units: **ug/L** Analysis Date: **02-Apr-2025 16:36**
 Client ID: Run ID: **VOA6_510248** SeqNo: **8762470** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Isopropylbenzene	U	1.0								
m,p-Xylene	U	2.0								
Methyl acetate	U	2.0								
Methyl tert-butyl ether	U	1.0								
Methylcyclohexane	U	1.0								
Methylene chloride	U	2.0								
o-Xylene	U	1.0								
Styrene	U	1.0								
Tetrachloroethene	U	1.0								
Toluene	U	1.0								
trans-1,2-Dichloroethene	U	1.0								
trans-1,3-Dichloropropene	U	1.0								
Trichloroethene	U	1.0								
Trichlorofluoromethane	U	1.0								
Vinyl chloride	U	1.0								
Xylenes, Total	U	3.0								
Surr: 1,2-Dichloroethane-d4	47.46	1.0	50	0	94.9	70 - 123				
Surr: 4-Bromofluorobenzene	50.14	1.0	50	0	100	77 - 113				
Surr: Dibromofluoromethane	48.42	1.0	50	0	96.8	73 - 126				
Surr: Toluene-d8	50.52	1.0	50	0	101	81 - 120				

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510248 (0)		Instrument: VOA6		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS	Sample ID: LCS-250402	Units: ug/L			Analysis Date: 02-Apr-2025 15:32					
Client ID:	Run ID: VOA6_510248	SeqNo: 8762468	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.75	1.0	20	0	98.7	70 - 130				
1,1,2,2-Tetrachloroethane	20.48	1.0	20	0	102	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	24.74	2.0	20	0	124	70 - 130				
1,1,2-Trichloroethane	20.42	1.0	20	0	102	77 - 113				
1,1-Dichloroethane	20.19	1.0	20	0	101	71 - 122				
1,1-Dichloroethene	20.04	1.0	20	0	100	70 - 130				
1,2,4-Trichlorobenzene	20.81	1.0	20	0	104	77 - 126				
1,2-Dibromo-3-chloropropane	21.15	1.0	20	0	106	70 - 130				
1,2-Dibromoethane	20.54	1.0	20	0	103	76 - 123				
1,2-Dichlorobenzene	21.22	1.0	20	0	106	77 - 113				
1,2-Dichloroethane	19.49	1.0	20	0	97.5	70 - 124				
1,2-Dichloropropane	19.98	1.0	20	0	99.9	72 - 119				
1,3-Dichlorobenzene	21.98	1.0	20	0	110	78 - 118				
1,4-Dichlorobenzene	21.3	1.0	20	0	107	79 - 113				
2-Butanone	93.6	2.0	100	0	93.6	70 - 130				
2-Hexanone	100.8	2.0	100	0	101	70 - 130				
4-Methyl-2-pentanone	100.7	2.0	100	0	101	70 - 130				
Acetone	89.7	2.0	100	0	89.7	70 - 130				
Benzene	20.01	1.0	20	0	100	74 - 120				
Bromodichloromethane	20.14	1.0	20	0	101	74 - 122				
Bromoform	21.17	1.0	20	0	106	73 - 128				
Bromomethane	15.56	1.0	20	0	77.8	70 - 130				
Carbon disulfide	43.14	2.0	40	0	108	70 - 130				
Carbon tetrachloride	20.44	1.0	20	0	102	71 - 125				
Chlorobenzene	20.99	1.0	20	0	105	76 - 113				
Chloroethane	20.18	1.0	20	0	101	70 - 130				
Chloroform	19.86	1.0	20	0	99.3	71 - 121				
Chloromethane	17.7	1.0	20	0	88.5	70 - 129				
cis-1,2-Dichloroethene	19.63	1.0	20	0	98.2	75 - 122				
cis-1,3-Dichloropropene	20.42	1.0	20	0	102	73 - 127				
Cyclohexane	21.57	1.0	20	0	108	70 - 130				
Dibromochloromethane	20.43	1.0	20	0	102	77 - 122				
Dichlorodifluoromethane	19.01	1.0	20	0	95.0	70 - 130				
Ethylbenzene	21.67	1.0	20	0	108	77 - 117				

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510248 (0)		Instrument: VOA6		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS	Sample ID: LCS-250402	Units: ug/L			Analysis Date: 02-Apr-2025 15:32					
Client ID:	Run ID: VOA6_510248	SeqNo: 8762468		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	21.45	1.0	20	0	107	73 - 127				
m,p-Xylene	42.13	2.0	40	0	105	77 - 122				
Methyl acetate	19.3	2.0	20	0	96.5	76 - 122				
Methyl tert-butyl ether	20.86	1.0	20	0	104	70 - 130				
Methylcyclohexane	23.51	1.0	20	0	118	61 - 157				
Methylene chloride	20.34	2.0	20	0	102	70 - 127				
o-Xylene	20.9	1.0	20	0	104	75 - 119				
Styrene	21.36	1.0	20	0	107	72 - 126				
Tetrachloroethene	22.14	1.0	20	0	111	76 - 119				
Toluene	21.03	1.0	20	0	105	77 - 118				
trans-1,2-Dichloroethene	20.24	1.0	20	0	101	72 - 127				
trans-1,3-Dichloropropene	21.1	1.0	20	0	106	77 - 119				
Trichloroethene	21.21	1.0	20	0	106	77 - 121				
Trichlorofluoromethane	20.65	1.0	20	0	103	70 - 130				
Vinyl chloride	20.52	1.0	20	0	103	70 - 130				
Xylenes, Total	63.02	3.0	60	0	105	75 - 122				
Surr: 1,2-Dichloroethane-d4	46.14	1.0	50	0	92.3	70 - 123				
Surr: 4-Bromofluorobenzene	48.86	1.0	50	0	97.7	77 - 113				
Surr: Dibromofluoromethane	46.2	1.0	50	0	92.4	73 - 126				
Surr: Toluene-d8	49.52	1.0	50	0	99.0	81 - 120				

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510248 (0)		Instrument: VOA6		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: LCSD-250402		Units: ug/L		Analysis Date: 02-Apr-2025 15:53				
Client ID:		Run ID: VOA6_510248		SeqNo: 8762469		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	18.42	1.0	20	0	92.1	70 - 130	19.75	6.99	20	
1,1,2,2-Tetrachloroethane	18.42	1.0	20	0	92.1	70 - 120	20.48	10.6	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	21.85	2.0	20	0	109	70 - 130	24.74	12.4	20	
1,1,2-Trichloroethane	19.22	1.0	20	0	96.1	77 - 113	20.42	6.06	20	
1,1-Dichloroethane	18.89	1.0	20	0	94.4	71 - 122	20.19	6.66	20	
1,1-Dichloroethene	19.11	1.0	20	0	95.6	70 - 130	20.04	4.72	20	
1,2,4-Trichlorobenzene	17.98	1.0	20	0	89.9	77 - 126	20.81	14.6	20	
1,2-Dibromo-3-chloropropane	18.42	1.0	20	0	92.1	70 - 130	21.15	13.8	20	
1,2-Dibromoethane	19.47	1.0	20	0	97.4	76 - 123	20.54	5.35	20	
1,2-Dichlorobenzene	18.34	1.0	20	0	91.7	77 - 113	21.22	14.6	20	
1,2-Dichloroethane	18.68	1.0	20	0	93.4	70 - 124	19.49	4.27	20	
1,2-Dichloropropane	19.24	1.0	20	0	96.2	72 - 119	19.98	3.77	20	
1,3-Dichlorobenzene	18.77	1.0	20	0	93.8	78 - 118	21.98	15.7	20	
1,4-Dichlorobenzene	18.4	1.0	20	0	92.0	79 - 113	21.3	14.6	20	
2-Butanone	97.32	2.0	100	0	97.3	70 - 130	93.6	3.89	20	
2-Hexanone	104.1	2.0	100	0	104	70 - 130	100.8	3.24	20	
4-Methyl-2-pentanone	101.4	2.0	100	0	101	70 - 130	100.7	0.68	20	
Acetone	92.67	2.0	100	0	92.7	70 - 130	89.7	3.25	20	
Benzene	18.89	1.0	20	0	94.4	74 - 120	20.01	5.76	20	
Bromodichloromethane	19.44	1.0	20	0	97.2	74 - 122	20.14	3.56	20	
Bromoform	20.06	1.0	20	0	100	73 - 128	21.17	5.38	20	
Bromomethane	15.78	1.0	20	0	78.9	70 - 130	15.56	1.37	20	
Carbon disulfide	40.03	2.0	40	0	100	70 - 130	43.14	7.48	20	
Carbon tetrachloride	19.44	1.0	20	0	97.2	71 - 125	20.44	5	20	
Chlorobenzene	19.34	1.0	20	0	96.7	76 - 113	20.99	8.16	20	
Chloroethane	18.68	1.0	20	0	93.4	70 - 130	20.18	7.73	20	
Chloroform	18.48	1.0	20	0	92.4	71 - 121	19.86	7.2	20	
Chloromethane	15.75	1.0	20	0	78.8	70 - 129	17.7	11.7	20	
cis-1,2-Dichloroethene	18.45	1.0	20	0	92.3	75 - 122	19.63	6.19	20	
cis-1,3-Dichloropropene	19.48	1.0	20	0	97.4	73 - 127	20.42	4.72	20	
Cyclohexane	19.07	1.0	20	0	95.4	70 - 130	21.57	12.3	20	
Dibromochloromethane	19.34	1.0	20	0	96.7	77 - 122	20.43	5.45	20	
Dichlorodifluoromethane	17.2	1.0	20	0	86.0	70 - 130	19.01	9.98	20	
Ethylbenzene	19.87	1.0	20	0	99.4	77 - 117	21.67	8.66	20	

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510248 (0) **Instrument:** VOA6 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCSD	Sample ID: LCSD-250402	Units: ug/L			Analysis Date: 02-Apr-2025 15:53					
Client ID:	Run ID: VOA6_510248	SeqNo: 8762469	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	19.6	1.0	20	0	98.0	73 - 127	21.45	8.98	20	
m,p-Xylene	38.9	2.0	40	0	97.2	77 - 122	42.13	7.98	20	
Methyl acetate	19.87	2.0	20	0	99.4	76 - 122	19.3	2.9	20	
Methyl tert-butyl ether	20.44	1.0	20	0	102	70 - 130	20.86	2.04	20	
Methylcyclohexane	20.76	1.0	20	0	104	61 - 157	23.51	12.4	20	
Methylene chloride	19.24	2.0	20	0	96.2	70 - 127	20.34	5.6	20	
o-Xylene	19.36	1.0	20	0	96.8	75 - 119	20.9	7.61	20	
Styrene	19.89	1.0	20	0	99.5	72 - 126	21.36	7.08	20	
Tetrachloroethene	19.88	1.0	20	0	99.4	76 - 119	22.14	10.7	20	
Toluene	19.15	1.0	20	0	95.7	77 - 118	21.03	9.35	20	
trans-1,2-Dichloroethene	18.76	1.0	20	0	93.8	72 - 127	20.24	7.56	20	
trans-1,3-Dichloropropene	19.78	1.0	20	0	98.9	77 - 119	21.1	6.45	20	
Trichloroethene	19.8	1.0	20	0	99.0	77 - 121	21.21	6.92	20	
Trichlorofluoromethane	18.9	1.0	20	0	94.5	70 - 130	20.65	8.85	20	
Vinyl chloride	18.41	1.0	20	0	92.1	70 - 130	20.52	10.8	20	
Xylenes, Total	58.26	3.0	60	0	97.1	75 - 122	63.02	7.85	20	
Surr: 1,2-Dichloroethane-d4	46.14	1.0	50	0	92.3	70 - 123	46.14	0	20	
Surr: 4-Bromofluorobenzene	45.48	1.0	50	0	91.0	77 - 113	48.86	7.16	20	
Surr: Dibromofluoromethane	46.45	1.0	50	0	92.9	73 - 126	46.2	0.529	20	
Surr: Toluene-d8	48.13	1.0	50	0	96.3	81 - 120	49.52	2.84	20	

The following samples were analyzed in this batch: HS25031321-01 HS25031321-02 HS25031321-03 HS25031321-04

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0) **Instrument:** VOA14 **Method:** LOW LEVEL VOLATILES BY SW8260C

MBLK Sample ID: **MBLK-250402** Units: **ug/L** Analysis Date: **02-Apr-2025 16:30**
 Client ID: Run ID: **VOA14_510289** SeqNo: **8763550** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit Qual**

1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	1.0								
1,1,2-Trichlor-1,2,2-trifluoroethane	U	2.0								
1,1,2-Trichloroethane	U	1.0								
1,1-Dichloroethane	U	1.0								
1,1-Dichloroethene	U	1.0								
1,2,4-Trichlorobenzene	U	1.0								
1,2-Dibromo-3-chloropropane	U	1.0								
1,2-Dibromoethane	U	1.0								
1,2-Dichlorobenzene	U	1.0								
1,2-Dichloroethane	U	1.0								
1,2-Dichloropropane	U	1.0								
1,3-Dichlorobenzene	U	1.0								
1,4-Dichlorobenzene	U	1.0								
2-Butanone	U	2.0								
2-Hexanone	U	2.0								
4-Methyl-2-pentanone	U	2.0								
Acetone	U	2.0								
Benzene	U	1.0								
Bromodichloromethane	U	1.0								
Bromoform	U	1.0								
Bromomethane	U	1.0								
Carbon disulfide	U	2.0								
Carbon tetrachloride	U	1.0								
Chlorobenzene	U	1.0								
Chloroethane	U	1.0								
Chloroform	U	1.0								
Chloromethane	U	1.0								
cis-1,2-Dichloroethene	U	1.0								
cis-1,3-Dichloropropene	U	1.0								
Cyclohexane	U	1.0								
Dibromochloromethane	U	1.0								
Dichlorodifluoromethane	U	1.0								
Ethylbenzene	U	1.0								

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0)		Instrument: VOA14		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-250402	Units: ug/L			Analysis Date: 02-Apr-2025 16:30					
Client ID:	Run ID: VOA14_510289	SeqNo: 8763550		PrepDate:			DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Isopropylbenzene	U	1.0								
Methyl acetate	U	2.0								
Methyl tert-butyl ether	U	1.0								
Methylcyclohexane	U	1.0								
Methylene chloride	U	2.0								
Styrene	U	1.0								
Tetrachloroethene	U	1.0								
Toluene	U	1.0								
trans-1,2-Dichloroethene	U	1.0								
trans-1,3-Dichloropropene	U	1.0								
Trichloroethene	U	1.0								
Trichlorofluoromethane	U	1.0								
Vinyl chloride	U	1.0								
Xylenes, Total	U	3.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>49.13</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>98.3</i>	<i>70 - 123</i>				
<i>Surr: 4-Bromofluorobenzene</i>	<i>51</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>102</i>	<i>77 - 113</i>				
<i>Surr: Dibromofluoromethane</i>	<i>50.36</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>73 - 126</i>				
<i>Surr: Toluene-d8</i>	<i>50.42</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>81 - 120</i>				

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0)		Instrument: VOA14		Method: LOW LEVEL VOLATILES BY SW8260C						
LCS	Sample ID: LCS-250402	Units: ug/L			Analysis Date: 02-Apr-2025 15:42					
Client ID:	Run ID: VOA14_510289	SeqNo: 8763548		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	20	1.0	20	0	100	70 - 130				
1,1,2,2-Tetrachloroethane	18.31	1.0	20	0	91.6	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	24.19	2.0	20	0	121	70 - 130				
1,1,2-Trichloroethane	18.98	1.0	20	0	94.9	77 - 113				
1,1-Dichloroethane	21.23	1.0	20	0	106	71 - 122				
1,1-Dichloroethene	20.15	1.0	20	0	101	70 - 130				
1,2,4-Trichlorobenzene	18.6	1.0	20	0	93.0	77 - 126				
1,2-Dibromo-3-chloropropane	19.56	1.0	20	0	97.8	70 - 130				
1,2-Dibromoethane	18.7	1.0	20	0	93.5	76 - 123				
1,2-Dichlorobenzene	19.16	1.0	20	0	95.8	77 - 113				
1,2-Dichloroethane	20.99	1.0	20	0	105	70 - 124				
1,2-Dichloropropane	20.02	1.0	20	0	100	72 - 119				
1,3-Dichlorobenzene	18.89	1.0	20	0	94.4	78 - 118				
1,4-Dichlorobenzene	18.97	1.0	20	0	94.9	79 - 113				
2-Butanone	89.44	2.0	100	0	89.4	70 - 130				
2-Hexanone	89.1	2.0	100	0	89.1	70 - 130				
4-Methyl-2-pentanone	91.87	2.0	100	0	91.9	70 - 130				
Acetone	95.16	2.0	100	0	95.2	70 - 130				
Benzene	18.73	1.0	20	0	93.6	74 - 120				
Bromodichloromethane	20.27	1.0	20	0	101	74 - 122				
Bromoform	19.52	1.0	20	0	97.6	73 - 128				
Bromomethane	18.07	1.0	20	0	90.3	70 - 130				
Carbon disulfide	44	2.0	40	0	110	70 - 130				
Carbon tetrachloride	20.39	1.0	20	0	102	71 - 125				
Chlorobenzene	18.51	1.0	20	0	92.5	76 - 113				
Chloroethane	18.07	1.0	20	0	90.4	70 - 130				
Chloroform	19.59	1.0	20	0	97.9	71 - 121				
Chloromethane	19.53	1.0	20	0	97.7	70 - 129				
cis-1,2-Dichloroethene	19.09	1.0	20	0	95.5	75 - 122				
cis-1,3-Dichloropropene	20.97	1.0	20	0	105	73 - 127				
Cyclohexane	20.97	1.0	20	0	105	70 - 130				
Dibromochloromethane	18.64	1.0	20	0	93.2	77 - 122				
Dichlorodifluoromethane	19.55	1.0	20	0	97.8	70 - 130				
Ethylbenzene	18.16	1.0	20	0	90.8	77 - 117				

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0) **Instrument:** VOA14 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS		Sample ID: LCS-250402		Units: ug/L		Analysis Date: 02-Apr-2025 15:42				
Client ID:		Run ID: VOA14_510289		SeqNo: 8763548		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	18.92	1.0	20	0	94.6	73 - 127				
Methyl acetate	19.08	2.0	20	0	95.4	76 - 122				
Methyl tert-butyl ether	20.56	1.0	20	0	103	70 - 130				
Methylcyclohexane	21.08	1.0	20	0	105	61 - 157				
Methylene chloride	20.12	2.0	20	0	101	70 - 127				
Styrene	18.47	1.0	20	0	92.4	72 - 126				
Tetrachloroethene	20.22	1.0	20	0	101	76 - 119				
Toluene	18.22	1.0	20	0	91.1	77 - 118				
trans-1,2-Dichloroethene	20.1	1.0	20	0	100	72 - 127				
trans-1,3-Dichloropropene	20.89	1.0	20	0	104	77 - 119				
Trichloroethene	20.02	1.0	20	0	100	77 - 121				
Trichlorofluoromethane	21.49	1.0	20	0	107	70 - 130				
Vinyl chloride	18.98	1.0	20	0	94.9	70 - 130				
Xylenes, Total	55.71	3.0	60	0	92.8	75 - 122				
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>51.49</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>103</i>	<i>70 - 123</i>				
<i>Surr: 4-Bromofluorobenzene</i>	<i>50.68</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>77 - 113</i>				
<i>Surr: Dibromofluoromethane</i>	<i>51.58</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>103</i>	<i>73 - 126</i>				
<i>Surr: Toluene-d8</i>	<i>49.38</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>98.8</i>	<i>81 - 120</i>				

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0)		Instrument: VOA14		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: LCSD-250402		Units: ug/L		Analysis Date: 02-Apr-2025 16:06				
Client ID:		Run ID: VOA14_510289		SeqNo: 8763549		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual	
1,1,1-Trichloroethane	18.83	1.0	20	0	94.2	70 - 130	20	6.04	20	
1,1,2,2-Tetrachloroethane	19.3	1.0	20	0	96.5	70 - 120	18.31	5.25	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	22.89	2.0	20	0	114	70 - 130	24.19	5.53	20	
1,1,2-Trichloroethane	18.56	1.0	20	0	92.8	77 - 113	18.98	2.24	20	
1,1-Dichloroethane	20.05	1.0	20	0	100	71 - 122	21.23	5.69	20	
1,1-Dichloroethene	19.56	1.0	20	0	97.8	70 - 130	20.15	2.93	20	
1,2,4-Trichlorobenzene	19.71	1.0	20	0	98.6	77 - 126	18.6	5.84	20	
1,2-Dibromo-3-chloropropane	20.37	1.0	20	0	102	70 - 130	19.56	4.06	20	
1,2-Dibromoethane	19.66	1.0	20	0	98.3	76 - 123	18.7	5.03	20	
1,2-Dichlorobenzene	18.6	1.0	20	0	93.0	77 - 113	19.16	2.95	20	
1,2-Dichloroethane	19.51	1.0	20	0	97.5	70 - 124	20.99	7.3	20	
1,2-Dichloropropane	18.99	1.0	20	0	94.9	72 - 119	20.02	5.32	20	
1,3-Dichlorobenzene	19.15	1.0	20	0	95.7	78 - 118	18.89	1.37	20	
1,4-Dichlorobenzene	19.08	1.0	20	0	95.4	79 - 113	18.97	0.568	20	
2-Butanone	98.83	2.0	100	0	98.8	70 - 130	89.44	9.97	20	
2-Hexanone	103.3	2.0	100	0	103	70 - 130	89.1	14.7	20	
4-Methyl-2-pentanone	100.1	2.0	100	0	100	70 - 130	91.87	8.57	20	
Acetone	95.87	2.0	100	0	95.9	70 - 130	95.16	0.744	20	
Benzene	18.65	1.0	20	0	93.2	74 - 120	18.73	0.439	20	
Bromodichloromethane	19.38	1.0	20	0	96.9	74 - 122	20.27	4.47	20	
Bromoform	18.86	1.0	20	0	94.3	73 - 128	19.52	3.48	20	
Bromomethane	17.51	1.0	20	0	87.5	70 - 130	18.07	3.17	20	
Carbon disulfide	40.4	2.0	40	0	101	70 - 130	44	8.55	20	
Carbon tetrachloride	19.54	1.0	20	0	97.7	71 - 125	20.39	4.25	20	
Chlorobenzene	18.09	1.0	20	0	90.5	76 - 113	18.51	2.27	20	
Chloroethane	18.25	1.0	20	0	91.2	70 - 130	18.07	0.958	20	
Chloroform	18.64	1.0	20	0	93.2	71 - 121	19.59	4.93	20	
Chloromethane	18.34	1.0	20	0	91.7	70 - 129	19.53	6.33	20	
cis-1,2-Dichloroethene	18.37	1.0	20	0	91.8	75 - 122	19.09	3.87	20	
cis-1,3-Dichloropropene	19.45	1.0	20	0	97.3	73 - 127	20.97	7.49	20	
Cyclohexane	19.6	1.0	20	0	98.0	70 - 130	20.97	6.75	20	
Dibromochloromethane	19.26	1.0	20	0	96.3	77 - 122	18.64	3.29	20	
Dichlorodifluoromethane	18.79	1.0	20	0	94.0	70 - 130	19.55	3.96	20	
Ethylbenzene	18.03	1.0	20	0	90.1	77 - 117	18.16	0.735	20	

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0) **Instrument:** VOA14 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCSD		Sample ID: LCSD-250402		Units: ug/L		Analysis Date: 02-Apr-2025 16:06				
Client ID:		Run ID: VOA14_510289		SeqNo: 8763549		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	18.95	1.0	20	0	94.8	73 - 127	18.92	0.174	20	
Methyl acetate	18.23	2.0	20	0	91.1	76 - 122	19.08	4.59	20	
Methyl tert-butyl ether	21.19	1.0	20	0	106	70 - 130	20.56	3.04	20	
Methylcyclohexane	20.48	1.0	20	0	102	61 - 157	21.08	2.9	20	
Methylene chloride	18.83	2.0	20	0	94.1	70 - 127	20.12	6.63	20	
Styrene	18.88	1.0	20	0	94.4	72 - 126	18.47	2.2	20	
Tetrachloroethene	19.89	1.0	20	0	99.4	76 - 119	20.22	1.65	20	
Toluene	18.48	1.0	20	0	92.4	77 - 118	18.22	1.37	20	
trans-1,2-Dichloroethene	18.04	1.0	20	0	90.2	72 - 127	20.1	10.8	20	
trans-1,3-Dichloropropene	19.94	1.0	20	0	99.7	77 - 119	20.89	4.65	20	
Trichloroethene	19.77	1.0	20	0	98.8	77 - 121	20.02	1.27	20	
Trichlorofluoromethane	20.07	1.0	20	0	100	70 - 130	21.49	6.84	20	
Vinyl chloride	18.06	1.0	20	0	90.3	70 - 130	18.98	4.99	20	
Xylenes, Total	55.25	3.0	60	0	92.1	75 - 122	55.71	0.822	20	
Surr: 1,2-Dichloroethane-d4	49.64	1.0	50	0	99.3	70 - 123	51.49	3.65	20	
Surr: 4-Bromofluorobenzene	51.16	1.0	50	0	102	77 - 113	50.68	0.933	20	
Surr: Dibromofluoromethane	49.93	1.0	50	0	99.9	73 - 126	51.58	3.25	20	
Surr: Toluene-d8	50.71	1.0	50	0	101	81 - 120	49.38	2.64	20	

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0) **Instrument:** VOA14 **Method:** LOW LEVEL VOLATILES BY SW8260C

MS Sample ID: **HS25031384-01MS** Units: **ug/L** Analysis Date: **03-Apr-2025 01:01**
 Client ID: Run ID: **VOA14_510289** SeqNo: **8763555** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit** **Qual**

1,1,1-Trichloroethane	18.61	1.0	20	0.131	92.4	70 - 130				
1,1,2,2-Tetrachloroethane	20.82	1.0	20	0.119	104	70 - 123				
1,1,2-Trichlor-1,2,2-trifluoroethane	20.52	2.0	20	0.045	102	70 - 130				
1,1,2-Trichloroethane	17.46	1.0	20	0.042	87.1	70 - 117				
1,1-Dichloroethane	19.89	1.0	20	0.673	96.1	70 - 127				
1,1-Dichloroethene	20.06	1.0	20	0.064	100.0	70 - 130				
1,2,4-Trichlorobenzene	18.02	1.0	20	0.074	89.7	70 - 125				
1,2-Dibromo-3-chloropropane	17.47	1.0	20	0	87.3	70 - 130				
1,2-Dibromoethane	18.77	1.0	20	0.115	93.3	70 - 124				
1,2-Dichlorobenzene	18.65	1.0	20	0.185	92.3	70 - 115				
1,2-Dichloroethane	19.48	1.0	20	0	97.4	70 - 127				
1,2-Dichloropropane	18.84	1.0	20	0	94.2	70 - 122				
1,3-Dichlorobenzene	18.48	1.0	20	0.191	91.5	70 - 119				
1,4-Dichlorobenzene	18.18	1.0	20	0	90.9	70 - 114				
2-Butanone	85.84	2.0	100	0.109	85.7	70 - 130				
2-Hexanone	95.01	2.0	100	0.064	95.0	70 - 130				
4-Methyl-2-pentanone	90	2.0	100	0	90.0	70 - 130				
Acetone	87.72	2.0	100	0	87.7	70 - 130				
Benzene	18.78	1.0	20	0.136	93.2	70 - 127				
Bromodichloromethane	18.2	1.0	20	0.1	90.5	70 - 124				
Bromoform	17.96	1.0	20	0	89.8	70 - 129				
Bromomethane	10.68	1.0	20	0.034	53.2	70 - 130				S
Carbon disulfide	37	2.0	40	0.078	92.3	70 - 130				
Carbon tetrachloride	19.71	1.0	20	0	98.5	70 - 130				
Chlorobenzene	18.13	1.0	20	0.161	89.8	70 - 114				
Chloroethane	18.45	1.0	20	0	92.3	70 - 130				
Chloroform	17.76	1.0	20	0.159	88.0	70 - 125				
Chloromethane	19.15	1.0	20	0.045	95.5	70 - 130				
cis-1,2-Dichloroethene	17.78	1.0	20	0.075	88.5	70 - 128				
cis-1,3-Dichloropropene	17.05	1.0	20	0.048	85.0	70 - 125				
Cyclohexane	19	1.0	20	0	95.0	70 - 130				
Dibromochloromethane	18.28	1.0	20	0.097	90.9	70 - 124				
Dichlorodifluoromethane	20.17	1.0	20	0	101	70 - 130				
Ethylbenzene	19.09	1.0	20	0.077	95.1	70 - 124				

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0) **Instrument:** VOA14 **Method:** LOW LEVEL VOLATILES BY SW8260C

MS Sample ID: **HS25031384-01MS** Units: **ug/L** Analysis Date: **03-Apr-2025 01:01**
 Client ID: Run ID: **VOA14_510289** SeqNo: **8763555** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Isopropylbenzene	19.55	1.0	20	0.12	97.2	70 - 130				
Methyl acetate	8.124	2.0	20	0.132	40.0	76 - 122				S
Methyl tert-butyl ether	17.58	1.0	20	0	87.9	70 - 130				
Methylcyclohexane	20.4	1.0	20	0	102	61 - 158				
Methylene chloride	17.78	2.0	20	0	88.9	70 - 128				
Styrene	13.57	1.0	20	0.124	67.2	70 - 130				S
Tetrachloroethene	19.87	1.0	20	1.165	93.5	70 - 130				
Toluene	18.45	1.0	20	0.156	91.5	70 - 123				
trans-1,2-Dichloroethene	18.48	1.0	20	0.08	92.0	70 - 130				
trans-1,3-Dichloropropene	15.6	1.0	20	0.074	77.6	70 - 121				
Trichloroethene	17.11	1.0	20	0.128	84.9	70 - 129				
Trichlorofluoromethane	21.1	1.0	20	0.023	105	70 - 130				
Vinyl chloride	19	1.0	20	0.014	94.9	70 - 130				
Xylenes, Total	56.15	3.0	60	0	93.6	70 - 130				
Surr: 1,2-Dichloroethane-d4	49.96	1.0	50	0	99.9	70 - 126				
Surr: 4-Bromofluorobenzene	49.33	1.0	50	0	98.7	77 - 113				
Surr: Dibromofluoromethane	50.17	1.0	50	0	100	77 - 123				
Surr: Toluene-d8	50.34	1.0	50	0	101	82 - 127				

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0)		Instrument: VOA14		Method: LOW LEVEL VOLATILES BY SW8260C						
MSD	Sample ID: HS25031384-01MSD	Units: ug/L			Analysis Date: 03-Apr-2025 01:25					
Client ID:	Run ID: VOA14_510289	SeqNo: 8763556	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	18.9	1.0	20	0.131	93.9	70 - 130	18.61	1.57	20	
1,1,2,2-Tetrachloroethane	21.84	1.0	20	0.119	109	70 - 123	20.82	4.77	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	20.22	2.0	20	0.045	101	70 - 130	20.52	1.49	20	
1,1,2-Trichloroethane	18.01	1.0	20	0.042	89.8	70 - 117	17.46	3.07	20	
1,1-Dichloroethane	20.87	1.0	20	0.673	101	70 - 127	19.89	4.82	20	
1,1-Dichloroethene	20.46	1.0	20	0.064	102	70 - 130	20.06	1.99	20	
1,2,4-Trichlorobenzene	18.5	1.0	20	0.074	92.1	70 - 125	18.02	2.66	20	
1,2-Dibromo-3-chloropropane	17.51	1.0	20	0	87.5	70 - 130	17.47	0.229	20	
1,2-Dibromoethane	19.26	1.0	20	0.115	95.7	70 - 124	18.77	2.56	20	
1,2-Dichlorobenzene	18.94	1.0	20	0.185	93.8	70 - 115	18.65	1.55	20	
1,2-Dichloroethane	19.76	1.0	20	0	98.8	70 - 127	19.48	1.42	20	
1,2-Dichloropropane	19.29	1.0	20	0	96.4	70 - 122	18.84	2.35	20	
1,3-Dichlorobenzene	18.77	1.0	20	0.191	92.9	70 - 119	18.48	1.55	20	
1,4-Dichlorobenzene	18.59	1.0	20	0	92.9	70 - 114	18.18	2.21	20	
2-Butanone	88.02	2.0	100	0.109	87.9	70 - 130	85.84	2.51	20	
2-Hexanone	94.81	2.0	100	0.064	94.7	70 - 130	95.01	0.215	20	
4-Methyl-2-pentanone	92.71	2.0	100	0	92.7	70 - 130	90	2.97	20	
Acetone	94.61	2.0	100	0	94.6	70 - 130	87.72	7.56	20	
Benzene	19.78	1.0	20	0.136	98.2	70 - 127	18.78	5.22	20	
Bromodichloromethane	19.18	1.0	20	0.1	95.4	70 - 124	18.2	5.27	20	
Bromoform	18.76	1.0	20	0	93.8	70 - 129	17.96	4.4	20	
Bromomethane	12.03	1.0	20	0.034	60.0	70 - 130	10.68	11.9	20	S
Carbon disulfide	38.46	2.0	40	0.078	96.0	70 - 130	37	3.87	20	
Carbon tetrachloride	20.8	1.0	20	0	104	70 - 130	19.71	5.39	20	
Chlorobenzene	18.54	1.0	20	0.161	91.9	70 - 114	18.13	2.21	20	
Chloroethane	17.79	1.0	20	0	88.9	70 - 130	18.45	3.66	20	
Chloroform	17.62	1.0	20	0.159	87.3	70 - 125	17.76	0.775	20	
Chloromethane	20.64	1.0	20	0.045	103	70 - 130	19.15	7.44	20	
cis-1,2-Dichloroethene	17.86	1.0	20	0.075	88.9	70 - 128	17.78	0.404	20	
cis-1,3-Dichloropropene	17.71	1.0	20	0.048	88.3	70 - 125	17.05	3.76	20	
Cyclohexane	19.51	1.0	20	0	97.5	70 - 130	19	2.67	20	
Dibromochloromethane	19.09	1.0	20	0.097	95.0	70 - 124	18.28	4.32	20	
Dichlorodifluoromethane	22.14	1.0	20	0	111	70 - 130	20.17	9.31	20	
Ethylbenzene	18.75	1.0	20	0.077	93.4	70 - 124	19.09	1.8	20	

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510289 (0) **Instrument:** VOA14 **Method:** LOW LEVEL VOLATILES BY SW8260C

MSD Sample ID: **HS25031384-01MSD** Units: **ug/L** Analysis Date: **03-Apr-2025 01:25**
 Client ID: Run ID: **VOA14_510289** SeqNo: **8763556** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Isopropylbenzene	19.64	1.0	20	0.12	97.6	70 - 130	19.55	0.434	20	
Methyl acetate	8.444	2.0	20	0.132	41.6	76 - 122	8.124	3.86	20	S
Methyl tert-butyl ether	18.74	1.0	20	0	93.7	70 - 130	17.58	6.43	20	
Methylcyclohexane	20.35	1.0	20	0	102	61 - 158	20.4	0.24	20	
Methylene chloride	18.01	2.0	20	0	90.1	70 - 128	17.78	1.29	20	
Styrene	14.36	1.0	20	0.124	71.2	70 - 130	13.57	5.62	20	
Tetrachloroethene	20.72	1.0	20	1.165	97.8	70 - 130	19.87	4.15	20	
Toluene	18.55	1.0	20	0.156	92.0	70 - 123	18.45	0.508	20	
trans-1,2-Dichloroethene	19.5	1.0	20	0.08	97.1	70 - 130	18.48	5.37	20	
trans-1,3-Dichloropropene	16.33	1.0	20	0.074	81.3	70 - 121	15.6	4.59	20	
Trichloroethene	18.01	1.0	20	0.128	89.4	70 - 129	17.11	5.13	20	
Trichlorofluoromethane	21	1.0	20	0.023	105	70 - 130	21.1	0.466	20	
Vinyl chloride	19.06	1.0	20	0.014	95.2	70 - 130	19	0.3	20	
Xylenes, Total	56.65	3.0	60	0	94.4	70 - 130	56.15	0.892	20	
Surr: 1,2-Dichloroethane-d4	50.25	1.0	50	0	100	70 - 126	49.96	0.563	20	
Surr: 4-Bromofluorobenzene	50.4	1.0	50	0	101	77 - 113	49.33	2.14	20	
Surr: Dibromofluoromethane	49.23	1.0	50	0	98.5	77 - 123	50.17	1.88	20	
Surr: Toluene-d8	49.56	1.0	50	0	99.1	82 - 127	50.34	1.57	20	

The following samples were analyzed in this batch: HS25031321-05

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R509909 (0) **Instrument:** ICS-Integrion **Method:** ANIONS BY E300.0, REV 2.1, 1993

MBLK Sample ID: **MBLK** Units: **mg/L** Analysis Date: **28-Mar-2025 10:56**
 Client ID: Run ID: **ICS-Integrion_509909** SeqNo: **8754298** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Nitrogen, Nitrate (As N)	U	0.100								
Nitrogen, Nitrite (As N)	U	0.100								
Nitrate/Nitrite (as N)	U	0.200								
Sulfate	U	0.500								

LCS Sample ID: **LCS** Units: **mg/L** Analysis Date: **28-Mar-2025 11:13**
 Client ID: Run ID: **ICS-Integrion_509909** SeqNo: **8754299** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Nitrogen, Nitrate (As N)	3.906	0.100	4	0	97.6	90 - 110				
Nitrogen, Nitrite (As N)	4.208	0.100	4	0	105	90 - 110				
Nitrate/Nitrite (as N)	8.114	0.200	8	0	101	90 - 110				
Sulfate	19.33	0.500	20	0	96.7	90 - 110				

MS Sample ID: **HS25031280-01MS** Units: **mg/L** Analysis Date: **28-Mar-2025 12:35**
 Client ID: Run ID: **ICS-Integrion_509909** SeqNo: **8754311** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Nitrogen, Nitrate (As N)	1.849	0.100	2	0.0997	87.5	80 - 120				
Nitrogen, Nitrite (As N)	2.359	0.100	2	0.8782	74.0	80 - 120				S
Nitrate/Nitrite (as N)	4.208	0.200	4	0.9779	80.7	80 - 120				
Sulfate	50.76	0.500	10	42.34	84.2	80 - 120				O

MS Sample ID: **HS25031217-02MS** Units: **mg/L** Analysis Date: **28-Mar-2025 11:43**
 Client ID: Run ID: **ICS-Integrion_509909** SeqNo: **8754304** PrepDate: DF: **20**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Nitrogen, Nitrate (As N)	34.71	2.00	40	0	86.8	80 - 120				
Nitrogen, Nitrite (As N)	39.77	2.00	40	6.88	82.2	80 - 120				
Nitrate/Nitrite (as N)	74.47	4.00	80	6.88	84.5	80 - 120				
Sulfate	1411	10.0	200	1276	67.4	80 - 120				SO

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R509909 (0)	Instrument: ICS-Integrion	Method: ANIONS BY E300.0, REV 2.1, 1993
--------------------------------	----------------------------------	--

MSD	Sample ID: HS25031280-01MSD	Units: mg/L	Analysis Date: 28-Mar-2025 12:41							
Client ID:	Run ID: ICS-Integrion_509909	SeqNo: 8754312	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Nitrogen, Nitrate (As N)	1.866	0.100	2	0.0997	88.3	80 - 120	1.849	0.931	20	
Nitrogen, Nitrite (As N)	2.364	0.100	2	0.8782	74.3	80 - 120	2.359	0.241	20	S
Nitrate/Nitrite (as N)	4.231	0.200	4	0.9779	81.3	80 - 120	4.208	0.545	20	
Sulfate	51.07	0.500	10	42.34	87.4	80 - 120	50.76	0.622	20	O

MSD	Sample ID: HS25031217-02MSD	Units: mg/L	Analysis Date: 28-Mar-2025 11:48							
Client ID:	Run ID: ICS-Integrion_509909	SeqNo: 8754305	PrepDate: DF: 20							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Nitrogen, Nitrate (As N)	34.8	2.00	40	0	87.0	80 - 120	34.71	0.253	20	
Nitrogen, Nitrite (As N)	39.79	2.00	40	6.88	82.3	80 - 120	39.77	0.0654	20	
Nitrate/Nitrite (as N)	74.59	4.00	80	6.88	84.6	80 - 120	74.47	0.153	20	
Sulfate	1406	10.0	200	1276	64.9	80 - 120	1411	0.359	20	SO

The following samples were analyzed in this batch: HS25031321-01

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

QC BATCH REPORT

Batch ID: R510357 (0)	Instrument: TOC_05	Method: TOTAL ORGANIC CARBON BY SW9060A
--------------------------------	---------------------------	--

MBLK	Sample ID: MBLK-04032025	Units: mg/L	Analysis Date: 04-Apr-2025 04:23							
Client ID:	Run ID: TOC_05_510357	SeqNo: 8765495	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	RPD Qual

Organic Carbon, Total U 2.00

LCS	Sample ID: LCS-04032025	Units: mg/L	Analysis Date: 04-Apr-2025 04:36							
Client ID:	Run ID: TOC_05_510357	SeqNo: 8765496	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	RPD Qual

Organic Carbon, Total 10.03 2.00 10 0 100 85 - 115

LCSD	Sample ID: LCSD-04032025	Units: mg/L	Analysis Date: 04-Apr-2025 04:50							
Client ID:	Run ID: TOC_05_510357	SeqNo: 8765497	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	RPD Qual

Organic Carbon, Total 9.808 2.00 10 0 98.1 85 - 115 10.03 2.24 20

MS	Sample ID: HS25031196-01MS	Units: mg/L	Analysis Date: 04-Apr-2025 05:40							
Client ID:	Run ID: TOC_05_510357	SeqNo: 8765500	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	RPD Qual

Organic Carbon, Total 17.64 2.00 10 8.433 92.1 80 - 120

MSD	Sample ID: HS25031196-01MSD	Units: mg/L	Analysis Date: 04-Apr-2025 05:54							
Client ID:	Run ID: TOC_05_510357	SeqNo: 8765501	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	RPD Qual

Organic Carbon, Total 16.77 2.00 10 8.433 83.4 80 - 120 17.64 5.06 20

DUP	Sample ID: HS25031256-03DUP	Units: mg/L	Analysis Date: 04-Apr-2025 07:20							
Client ID:	Run ID: TOC_05_510357	SeqNo: 8765508	PrepDate: DF: 10							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	RPD Qual

Organic Carbon, Total 38.45 20.0 39.92 3.75 20

The following samples were analyzed in this batch: HS25031321-01

ALS Houston, US

Date: 04-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25031321

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

ALS Houston, US

Date: 04-Apr-25

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arizona	AZ0793	27-May-2025
California	2919; 2025	30-Apr-2025
Dept of Defense	L24-239	30-Apr-2026
Dept of Defense	L24-240	30-Apr-2026
Florida	E87611-38	30-Jun-2025
Illinois	2000322023-11	31-Jul-2025
Kansas	E-10352 2023-2024	31-Jul-2025
Kentucky	123043	30-Apr-2025
Louisiana	03087 2023-2024	30-Jun-2025
Maine	2024017	23-Jun-2026
Michigan	9971	30-Apr-2025
Nebraska	NE-OS-25-13	30-Apr-2025
New Jersey	TX008	30-Jun-2025
Pennsylvania	018	30-Jun-2025
Tennessee	04016	30-Apr-2025
Texas	T104704231 TX-C24-00130	30-Apr-2025
Utah	TX026932023-14	31-Jul-2025

ALS Houston, US

Date: 04-Apr-25

Sample Receipt Checklist

Work Order ID: HS25031321

Date/Time Received: 28-Mar-2025 08:55

Client Name: GHDHouston

Received by: Si Ma

Completed By: /S/ Belinda Gomez	28-Mar-2025 13:33	Reviewed by: /S/ Alexis Dorenbosch	31-Mar-2025 12:09
eSignature	Date/Time	eSignature	Date/Time

Matrices: w

Carrier name: FedEx

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes No Not Present
- Chain of custody present? Yes No 1 Page(s)
- Chain of custody signed when relinquished and received? Yes No COC IDs:338664
- Samplers name present on COC? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No

Temperature(s)/Thermometer(s):	1.5uc/1.5c	ir34
Cooler(s)/Kit(s):	53286	
Date/Time sample(s) sent to storage:	3/28/25 1330	

- Water - VOA vials have zero headspace? Yes No No VOA vials submitted
- Water - pH acceptable upon receipt? Yes No N/A
- pH adjusted? Yes No N/A

pH adjusted by:

Login Notes:

Client Contacted: _____ Date Contacted: _____ Person Contacted: _____

Contacted By: _____ Regarding: _____

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336

Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 2

COC ID: 338664

HS25031321

GHDHouston

12660612 Laguna Compressor Station No. 6



ALS Project Manager:

Customer Information		Project Information	
Purchase Order	E-19002-GS-26050007- Stacy Bou	Project Name	12603647 - Laguna 2024
Work Order		Project Number	12603647
Company Name	GHD	Bill To Company	ET Gathering & Processing LLC
Send Report To	Deedee Whittington	Invoice Attn	Stacy Boultinghouse
Address	800 Sonterra Blvd	Address	800 Sonterra Blvd
	Suite 400		Ste 400
City/State/Zip	San Antonio, TX 78258	City/State/Zip	San Antonio TX 78258
Phone	(210)-87-0-27	Phone	
Fax		Fax	
e-Mail Address	deedee.whittington@ghd.com	e-Mail Address	Stacy.Boultinghouse@energytransfer.com

A	8260_LL_W (8260 VOC TCL4.3) [3xVOA HCl]
B	PCB_W_Total (8082 PCB) [2x1L Am G Neat]
C	300_W (300 *NO3, NO2*, SO4) [120ml P Neat]
D	TOC_W 9060 (9060 TOC) [2xVOAAm H2SO4]
E	
F	
G	
H	
I	
J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	6-13-20250327	3/27	12:20	GW	1,38	8	X	X	X	X							
2	6-18-20250327	3/27	12:45	GW	4,8	5	X	X									
3	6-12-20250327	3/27	13:45	GW	2,8	5	X	X									
4	6-41-20250327	3/27	13:30	GW	2,8	5	X	X									
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign: <i>[Signature]</i>		Shipment Method: <i>Fedex</i>		Required Turnaround Time: (Check Box)				Results Due Date:				
				<input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour								
Relinquished by: <i>Hunter Johnson</i>	Date: <i>3/27</i>	Time: <i>16:15</i>	Received by:		Notes: <i>TPC Laguna NM</i>							
Relinquished by:	Date:	Time:	Received by (Laboratory): <i>SM 03/28/25 08:55</i>		Cooler ID: <i>53286</i>	Cooler Temp.: <i>1.5</i>	QC Package: (Check One Box Below)					
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):		<input checked="" type="checkbox"/> Level II Std QC <input type="checkbox"/> TRRP Checklist <input type="checkbox"/> Level III Std QC/Raw Data <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> Level IV SW/8/CLP Other:							
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035												

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse. *DRM 34*
 3. The Chain of Custody is a legal document. All information must be completed accurately. *WFO*

Copyright 2011 by ALS Environmental.

(ALS)

ORIGIN ID:SGRA (281) 530-5656 SHIP DATE: 24MAR25
 HUNTER JOHNSON ACTWTG: 1.00 LB MAN
 GHD HOUSTON CAD: 0221247/CAFE3655
 9270 EAGLE RANCH RD NW APT 225
 ALBUQUERQUE, NM 87114
 UNITED STATES US

TO - SAMPLE RECEIVING
 ALS GROUP USA
 10450 STANCLIFF RD
 SUITE 210
 HOUSTON TX 77099
 (281) 530-5656
 REF: LUGUNA COMP - B0106560 - AD

RMA: 




FedEx
 TRK# 4345 8797 2454
 0221

FRI - 28 MAR 10:30A
 PRIORITY OVERNIGHT
 77099
 TX-US IAH

XA SGRA



CUSTODY SEAL

Date: 3/27
 Name: Hunter Johnson
 Company: GHD
 Time: 6:15

Seal Broken By:
 Date:



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

April 30, 2025

Deedee Whittington
GHDHouston
11451 Katy Freeway
Suite 400
Houston, TX 77079

Work Order: **HS25041210**

Laboratory Results for: **12660612 Laguna Compressor Station No. 6**

Dear Deedee Whittington ,

ALS Environmental received 9 sample(s) on Apr 23, 2025 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,



Generated By: DAYNA.FISHER
Alexis Dorenbosch

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
Work Order: HS25041210

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25041210-01	6-17-20250422	Groundwater		22-Apr-2025 16:00	23-Apr-2025 09:00	<input type="checkbox"/>
HS25041210-02	6-33-20250422	Groundwater		22-Apr-2025 16:15	23-Apr-2025 09:00	<input type="checkbox"/>
HS25041210-03	6-45-20250422	Groundwater		22-Apr-2025 15:10	23-Apr-2025 09:00	<input type="checkbox"/>
HS25041210-04	6-46-20250422	Groundwater		22-Apr-2025 14:40	23-Apr-2025 09:00	<input type="checkbox"/>
HS25041210-05	6-47-20250422	Groundwater		22-Apr-2025 14:20	23-Apr-2025 09:00	<input type="checkbox"/>
HS25041210-06	6-48B-20250422	Groundwater		22-Apr-2025 15:45	23-Apr-2025 09:00	<input type="checkbox"/>
HS25041210-07	6-49B-20250422	Groundwater		22-Apr-2025 15:30	23-Apr-2025 09:00	<input type="checkbox"/>
HS25041210-08	Dup-01	Groundwater		22-Apr-2025 00:00	23-Apr-2025 09:00	<input type="checkbox"/>
HS25041210-09	Trip Blank	Water	cg-032625-010	22-Apr-2025 00:00	23-Apr-2025 09:00	<input checked="" type="checkbox"/>

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
Work Order: HS25041210

CASE NARRATIVE

Work Order Comments

- Login Notes:
Received 1 of 3 vials for Dup-01 broken in cooler.
Received trip blank not listed on Chain of Custody, placed on hold.

ECD Organics by Method SW8082

Batch ID: 227257

Sample ID: MBLK-227257

- Insufficient sample received to perform MS/MSD. LCS/LCSD provided as batch quality control.

GCMS Volatiles by Method SW8260

Batch ID: R511890

Sample ID: HS25041235-09MS

- MS and MSD are for an unrelated sample

Batch ID: R511914

Sample ID: VLCSDW-250426

- The RPD between the LCS and LCSD was outside of the control limit.

Batch ID: R511925

Sample ID: HS25041294-03MS

- MS and MSD are for an unrelated sample

Batch ID: R511889

Sample ID: HS25041166-02MS

- MS and MSD are for an unrelated sample

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-17-20250422
 Collection Date: 22-Apr-2025 16:00

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,1,2,2-Tetrachloroethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	26-Apr-2025 08:38
1,1,2-Trichloroethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,1-Dichloroethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,1-Dichloroethene	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,2,4-Trichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,2-Dibromo-3-chloropropane	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,2-Dibromoethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,2-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,2-Dichloroethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,2-Dichloropropane	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,3-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 08:38
1,4-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 08:38
2-Butanone	U		0.0020	mg/L	1	26-Apr-2025 08:38
2-Hexanone	U		0.0020	mg/L	1	26-Apr-2025 08:38
4-Methyl-2-pentanone	U		0.0020	mg/L	1	26-Apr-2025 08:38
Acetone	U		0.0020	mg/L	1	26-Apr-2025 08:38
Benzene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Bromodichloromethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
Bromoform	U		0.0010	mg/L	1	26-Apr-2025 08:38
Bromomethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
Carbon disulfide	U		0.0020	mg/L	1	26-Apr-2025 08:38
Carbon tetrachloride	U		0.0010	mg/L	1	26-Apr-2025 08:38
Chlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Chloroethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
Chloroform	U		0.0010	mg/L	1	26-Apr-2025 08:38
Chloromethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
cis-1,2-Dichloroethene	U		0.0010	mg/L	1	26-Apr-2025 08:38
cis-1,3-Dichloropropene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Cyclohexane	U		0.0010	mg/L	1	26-Apr-2025 08:38
Dibromochloromethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
Dichlorodifluoromethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
Ethylbenzene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Isopropylbenzene	U		0.0010	mg/L	1	26-Apr-2025 08:38
m,p-Xylene	U		0.0020	mg/L	1	26-Apr-2025 08:38
Methyl acetate	U		0.0020	mg/L	1	26-Apr-2025 08:38
Methyl tert-butyl ether	U		0.0010	mg/L	1	26-Apr-2025 08:38
Methylcyclohexane	U		0.0010	mg/L	1	26-Apr-2025 08:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-17-20250422
 Collection Date: 22-Apr-2025 16:00

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-01
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride	U		0.0020	mg/L	1	26-Apr-2025 08:38
o-Xylene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Styrene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Tetrachloroethene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Toluene	U		0.0010	mg/L	1	26-Apr-2025 08:38
trans-1,2-Dichloroethene	U		0.0010	mg/L	1	26-Apr-2025 08:38
trans-1,3-Dichloropropene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Trichloroethene	U		0.0010	mg/L	1	26-Apr-2025 08:38
Trichlorofluoromethane	U		0.0010	mg/L	1	26-Apr-2025 08:38
Vinyl chloride	U		0.0010	mg/L	1	26-Apr-2025 08:38
Xylenes, Total	U		0.0030	mg/L	1	26-Apr-2025 08:38
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	1	26-Apr-2025 08:38
Surr: 4-Bromofluorobenzene	101		77-113	%REC	1	26-Apr-2025 08:38
Surr: Dibromofluoromethane	103		77-123	%REC	1	26-Apr-2025 08:38
Surr: Toluene-d8	100		82-127	%REC	1	26-Apr-2025 08:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-33-20250422
 Collection Date: 22-Apr-2025 16:15

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-02
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,1,2,2-Tetrachloroethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	26-Apr-2025 21:38
1,1,2-Trichloroethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,1-Dichloroethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,1-Dichloroethene	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,2,4-Trichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,2-Dibromo-3-chloropropane	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,2-Dibromoethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,2-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,2-Dichloroethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,2-Dichloropropane	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,3-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 21:38
1,4-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 21:38
2-Butanone	U		0.0020	mg/L	1	26-Apr-2025 21:38
2-Hexanone	U		0.0020	mg/L	1	26-Apr-2025 21:38
4-Methyl-2-pentanone	U		0.0020	mg/L	1	26-Apr-2025 21:38
Acetone	U		0.0020	mg/L	1	26-Apr-2025 21:38
Benzene	U		0.0010	mg/L	1	26-Apr-2025 21:38
Bromodichloromethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
Bromoform	U		0.0010	mg/L	1	26-Apr-2025 21:38
Bromomethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
Carbon disulfide	U		0.0020	mg/L	1	26-Apr-2025 21:38
Carbon tetrachloride	U		0.0010	mg/L	1	26-Apr-2025 21:38
Chlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 21:38
Chloroethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
Chloroform	U		0.0010	mg/L	1	26-Apr-2025 21:38
Chloromethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
cis-1,2-Dichloroethene	U		0.0010	mg/L	1	26-Apr-2025 21:38
cis-1,3-Dichloropropene	U		0.0010	mg/L	1	26-Apr-2025 21:38
Cyclohexane	U		0.0010	mg/L	1	26-Apr-2025 21:38
Dibromochloromethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
Dichlorodifluoromethane	U		0.0010	mg/L	1	26-Apr-2025 21:38
Ethylbenzene	U		0.0010	mg/L	1	26-Apr-2025 21:38
Isopropylbenzene	U		0.0010	mg/L	1	26-Apr-2025 21:38
m,p-Xylene	U		0.0020	mg/L	1	26-Apr-2025 21:38
Methyl acetate	U		0.0020	mg/L	1	26-Apr-2025 21:38
Methyl tert-butyl ether	U		0.0010	mg/L	1	26-Apr-2025 21:38
Methylcyclohexane	U		0.0010	mg/L	1	26-Apr-2025 21:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-33-20250422
 Collection Date: 22-Apr-2025 16:15

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-02
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.0020	mg/L	1	26-Apr-2025 21:38
o-Xylene		U	0.0010	mg/L	1	26-Apr-2025 21:38
Styrene		U	0.0010	mg/L	1	26-Apr-2025 21:38
Tetrachloroethene		U	0.0010	mg/L	1	26-Apr-2025 21:38
Toluene		U	0.0010	mg/L	1	26-Apr-2025 21:38
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 21:38
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 21:38
Trichloroethene		U	0.0010	mg/L	1	26-Apr-2025 21:38
Trichlorofluoromethane		U	0.0010	mg/L	1	26-Apr-2025 21:38
Vinyl chloride		U	0.0010	mg/L	1	26-Apr-2025 21:38
Xylenes, Total		U	0.0030	mg/L	1	26-Apr-2025 21:38
Surr: 1,2-Dichloroethane-d4	99.0		70-126	%REC	1	26-Apr-2025 21:38
Surr: 4-Bromofluorobenzene	102		77-113	%REC	1	26-Apr-2025 21:38
Surr: Dibromofluoromethane	100		77-123	%REC	1	26-Apr-2025 21:38
Surr: Toluene-d8	101		82-127	%REC	1	26-Apr-2025 21:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-45-20250422
 Collection Date: 22-Apr-2025 15:10

ANALYTICAL REPORT
 WorkOrder:HS25041210
 Lab ID:HS25041210-03
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,1,2,2-Tetrachloroethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	26-Apr-2025 21:59
1,1,2-Trichloroethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,1-Dichloroethane	0.010		0.0010	mg/L	1	26-Apr-2025 21:59
1,1-Dichloroethene	0.039		0.0010	mg/L	1	26-Apr-2025 21:59
1,2,4-Trichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,2-Dibromo-3-chloropropane		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,2-Dibromoethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,2-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,2-Dichloroethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,2-Dichloropropane		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,3-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 21:59
1,4-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 21:59
2-Butanone		U	0.0020	mg/L	1	26-Apr-2025 21:59
2-Hexanone		U	0.0020	mg/L	1	26-Apr-2025 21:59
4-Methyl-2-pentanone		U	0.0020	mg/L	1	26-Apr-2025 21:59
Acetone		U	0.0020	mg/L	1	26-Apr-2025 21:59
Benzene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Bromodichloromethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
Bromoform		U	0.0010	mg/L	1	26-Apr-2025 21:59
Bromomethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
Carbon disulfide		U	0.0020	mg/L	1	26-Apr-2025 21:59
Carbon tetrachloride		U	0.0010	mg/L	1	26-Apr-2025 21:59
Chlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Chloroethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
Chloroform		U	0.0010	mg/L	1	26-Apr-2025 21:59
Chloromethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
cis-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 21:59
cis-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Cyclohexane		U	0.0010	mg/L	1	26-Apr-2025 21:59
Dibromochloromethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
Dichlorodifluoromethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
Ethylbenzene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Isopropylbenzene		U	0.0010	mg/L	1	26-Apr-2025 21:59
m,p-Xylene		U	0.0020	mg/L	1	26-Apr-2025 21:59
Methyl acetate		U	0.0020	mg/L	1	26-Apr-2025 21:59
Methyl tert-butyl ether		U	0.0010	mg/L	1	26-Apr-2025 21:59
Methylcyclohexane		U	0.0010	mg/L	1	26-Apr-2025 21:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-45-20250422
 Collection Date: 22-Apr-2025 15:10

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-03
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.0020	mg/L	1	26-Apr-2025 21:59
o-Xylene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Styrene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Tetrachloroethene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Toluene		U	0.0010	mg/L	1	26-Apr-2025 21:59
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 21:59
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Trichloroethene		U	0.0010	mg/L	1	26-Apr-2025 21:59
Trichlorofluoromethane		U	0.0010	mg/L	1	26-Apr-2025 21:59
Vinyl chloride		U	0.0010	mg/L	1	26-Apr-2025 21:59
Xylenes, Total		U	0.0030	mg/L	1	26-Apr-2025 21:59
Surr: 1,2-Dichloroethane-d4	97.2		70-126	%REC	1	26-Apr-2025 21:59
Surr: 4-Bromofluorobenzene	99.4		77-113	%REC	1	26-Apr-2025 21:59
Surr: Dibromofluoromethane	102		77-123	%REC	1	26-Apr-2025 21:59
Surr: Toluene-d8	99.8		82-127	%REC	1	26-Apr-2025 21:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-46-20250422
 Collection Date: 22-Apr-2025 14:40

ANALYTICAL REPORT
 WorkOrder:HS25041210
 Lab ID:HS25041210-04
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,1,2,2-Tetrachloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	26-Apr-2025 22:19
1,1,2-Trichloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,1-Dichloroethane	0.061		0.0010	mg/L	1	26-Apr-2025 22:19
1,1-Dichloroethene	0.015		0.0010	mg/L	1	26-Apr-2025 22:19
1,2,4-Trichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,2-Dibromo-3-chloropropane		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,2-Dibromoethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,2-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,2-Dichloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,2-Dichloropropane		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,3-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:19
1,4-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:19
2-Butanone		U	0.0020	mg/L	1	26-Apr-2025 22:19
2-Hexanone		U	0.0020	mg/L	1	26-Apr-2025 22:19
4-Methyl-2-pentanone		U	0.0020	mg/L	1	26-Apr-2025 22:19
Acetone		U	0.0020	mg/L	1	26-Apr-2025 22:19
Benzene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Bromodichloromethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
Bromoform		U	0.0010	mg/L	1	26-Apr-2025 22:19
Bromomethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
Carbon disulfide		U	0.0020	mg/L	1	26-Apr-2025 22:19
Carbon tetrachloride		U	0.0010	mg/L	1	26-Apr-2025 22:19
Chlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Chloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
Chloroform		U	0.0010	mg/L	1	26-Apr-2025 22:19
Chloromethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
cis-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 22:19
cis-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Cyclohexane		U	0.0010	mg/L	1	26-Apr-2025 22:19
Dibromochloromethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
Dichlorodifluoromethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
Ethylbenzene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Isopropylbenzene		U	0.0010	mg/L	1	26-Apr-2025 22:19
m,p-Xylene		U	0.0020	mg/L	1	26-Apr-2025 22:19
Methyl acetate		U	0.0020	mg/L	1	26-Apr-2025 22:19
Methyl tert-butyl ether		U	0.0010	mg/L	1	26-Apr-2025 22:19
Methylcyclohexane		U	0.0010	mg/L	1	26-Apr-2025 22:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-46-20250422
 Collection Date: 22-Apr-2025 14:40

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-04
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.0020	mg/L	1	26-Apr-2025 22:19
o-Xylene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Styrene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Tetrachloroethene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Toluene		U	0.0010	mg/L	1	26-Apr-2025 22:19
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 22:19
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Trichloroethene		U	0.0010	mg/L	1	26-Apr-2025 22:19
Trichlorofluoromethane		U	0.0010	mg/L	1	26-Apr-2025 22:19
Vinyl chloride		U	0.0010	mg/L	1	26-Apr-2025 22:19
Xylenes, Total		U	0.0030	mg/L	1	26-Apr-2025 22:19
Surr: 1,2-Dichloroethane-d4	97.3		70-126	%REC	1	26-Apr-2025 22:19
Surr: 4-Bromofluorobenzene	98.1		77-113	%REC	1	26-Apr-2025 22:19
Surr: Dibromofluoromethane	101		77-123	%REC	1	26-Apr-2025 22:19
Surr: Toluene-d8	99.6		82-127	%REC	1	26-Apr-2025 22:19
PCBS BY SW8082A		Method:SW8082		Prep:SW3510C/3665A / 29-Apr-2025 Analyst: CC		
Aroclor 1016		U	0.000500	mg/L	1	29-Apr-2025 17:11
Aroclor 1221		U	0.000500	mg/L	1	29-Apr-2025 17:11
Aroclor 1232		U	0.000500	mg/L	1	29-Apr-2025 17:11
Aroclor 1242		U	0.000500	mg/L	1	29-Apr-2025 17:11
Aroclor 1248		U	0.000500	mg/L	1	29-Apr-2025 17:11
Aroclor 1254		U	0.000500	mg/L	1	29-Apr-2025 17:11
Aroclor 1260		U	0.000500	mg/L	1	29-Apr-2025 17:11
PCBs (Total)		U	0.000500	mg/L	1	29-Apr-2025 17:11
Surr: Decachlorobiphenyl	95.3		54-140	%REC	1	29-Apr-2025 17:11
Surr: Tetrachloro-m-xylene	81.9		53-137	%REC	1	29-Apr-2025 17:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-47-20250422
 Collection Date: 22-Apr-2025 14:20

ANALYTICAL REPORT
 WorkOrder:HS25041210
 Lab ID:HS25041210-05
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,1,2,2-Tetrachloroethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.010	mg/L	5	26-Apr-2025 19:29
1,1,2-Trichloroethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,1-Dichloroethane	0.29		0.0050	mg/L	5	26-Apr-2025 19:29
1,1-Dichloroethene	0.084		0.0050	mg/L	5	26-Apr-2025 19:29
1,2,4-Trichlorobenzene		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,2-Dibromo-3-chloropropane		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,2-Dibromoethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,2-Dichlorobenzene		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,2-Dichloroethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,2-Dichloropropane		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,3-Dichlorobenzene		U	0.0050	mg/L	5	26-Apr-2025 19:29
1,4-Dichlorobenzene		U	0.0050	mg/L	5	26-Apr-2025 19:29
2-Butanone		U	0.010	mg/L	5	26-Apr-2025 19:29
2-Hexanone		U	0.010	mg/L	5	26-Apr-2025 19:29
4-Methyl-2-pentanone		U	0.010	mg/L	5	26-Apr-2025 19:29
Acetone		U	0.010	mg/L	5	26-Apr-2025 19:29
Benzene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Bromodichloromethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
Bromoform		U	0.0050	mg/L	5	26-Apr-2025 19:29
Bromomethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
Carbon disulfide		U	0.010	mg/L	5	26-Apr-2025 19:29
Carbon tetrachloride		U	0.0050	mg/L	5	26-Apr-2025 19:29
Chlorobenzene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Chloroethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
Chloroform		U	0.0050	mg/L	5	26-Apr-2025 19:29
Chloromethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
cis-1,2-Dichloroethene		U	0.0050	mg/L	5	26-Apr-2025 19:29
cis-1,3-Dichloropropene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Cyclohexane		U	0.0050	mg/L	5	26-Apr-2025 19:29
Dibromochloromethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
Dichlorodifluoromethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
Ethylbenzene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Isopropylbenzene		U	0.0050	mg/L	5	26-Apr-2025 19:29
m,p-Xylene		U	0.010	mg/L	5	26-Apr-2025 19:29
Methyl acetate		U	0.010	mg/L	5	26-Apr-2025 19:29
Methyl tert-butyl ether		U	0.0050	mg/L	5	26-Apr-2025 19:29
Methylcyclohexane		U	0.0050	mg/L	5	26-Apr-2025 19:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-47-20250422
 Collection Date: 22-Apr-2025 14:20

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-05
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	5	26-Apr-2025 19:29
o-Xylene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Styrene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Tetrachloroethene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Toluene		U	0.0050	mg/L	5	26-Apr-2025 19:29
trans-1,2-Dichloroethene		U	0.0050	mg/L	5	26-Apr-2025 19:29
trans-1,3-Dichloropropene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Trichloroethene		U	0.0050	mg/L	5	26-Apr-2025 19:29
Trichlorofluoromethane		U	0.0050	mg/L	5	26-Apr-2025 19:29
Vinyl chloride		U	0.0050	mg/L	5	26-Apr-2025 19:29
Xylenes, Total		U	0.015	mg/L	5	26-Apr-2025 19:29
Surr: 1,2-Dichloroethane-d4	97.4		70-126	%REC	5	26-Apr-2025 19:29
Surr: 4-Bromofluorobenzene	105		77-113	%REC	5	26-Apr-2025 19:29
Surr: Dibromofluoromethane	96.4		77-123	%REC	5	26-Apr-2025 19:29
Surr: Toluene-d8	102		82-127	%REC	5	26-Apr-2025 19:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-48B-20250422
 Collection Date: 22-Apr-2025 15:45

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-06
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,1,2,2-Tetrachloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	26-Apr-2025 22:40
1,1,2-Trichloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,1-Dichloroethane	0.0055		0.0010	mg/L	1	26-Apr-2025 22:40
1,1-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,2,4-Trichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,2-Dibromo-3-chloropropane		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,2-Dibromoethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,2-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,2-Dichloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,2-Dichloropropane		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,3-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:40
1,4-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:40
2-Butanone		U	0.0020	mg/L	1	26-Apr-2025 22:40
2-Hexanone		U	0.0020	mg/L	1	26-Apr-2025 22:40
4-Methyl-2-pentanone		U	0.0020	mg/L	1	26-Apr-2025 22:40
Acetone		U	0.0020	mg/L	1	26-Apr-2025 22:40
Benzene		U	0.0010	mg/L	1	26-Apr-2025 22:40
Bromodichloromethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
Bromoform		U	0.0010	mg/L	1	26-Apr-2025 22:40
Bromomethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
Carbon disulfide		U	0.0020	mg/L	1	26-Apr-2025 22:40
Carbon tetrachloride		U	0.0010	mg/L	1	26-Apr-2025 22:40
Chlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 22:40
Chloroethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
Chloroform		U	0.0010	mg/L	1	26-Apr-2025 22:40
Chloromethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
cis-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 22:40
cis-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 22:40
Cyclohexane		U	0.0010	mg/L	1	26-Apr-2025 22:40
Dibromochloromethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
Dichlorodifluoromethane		U	0.0010	mg/L	1	26-Apr-2025 22:40
Ethylbenzene		U	0.0010	mg/L	1	26-Apr-2025 22:40
Isopropylbenzene		U	0.0010	mg/L	1	26-Apr-2025 22:40
m,p-Xylene		U	0.0020	mg/L	1	26-Apr-2025 22:40
Methyl acetate		U	0.0020	mg/L	1	26-Apr-2025 22:40
Methyl tert-butyl ether		U	0.0010	mg/L	1	26-Apr-2025 22:40
Methylcyclohexane		U	0.0010	mg/L	1	26-Apr-2025 22:40

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-48B-20250422
 Collection Date: 22-Apr-2025 15:45

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-06
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride	U		0.0020	mg/L	1	26-Apr-2025 22:40
o-Xylene	U		0.0010	mg/L	1	26-Apr-2025 22:40
Styrene	U		0.0010	mg/L	1	26-Apr-2025 22:40
Tetrachloroethene	U		0.0010	mg/L	1	26-Apr-2025 22:40
Toluene	U		0.0010	mg/L	1	26-Apr-2025 22:40
trans-1,2-Dichloroethene	U		0.0010	mg/L	1	26-Apr-2025 22:40
trans-1,3-Dichloropropene	U		0.0010	mg/L	1	26-Apr-2025 22:40
Trichloroethene	U		0.0010	mg/L	1	26-Apr-2025 22:40
Trichlorofluoromethane	U		0.0010	mg/L	1	26-Apr-2025 22:40
Vinyl chloride	U		0.0010	mg/L	1	26-Apr-2025 22:40
Xylenes, Total	U		0.0030	mg/L	1	26-Apr-2025 22:40
Surr: 1,2-Dichloroethane-d4	100		70-126	%REC	1	26-Apr-2025 22:40
Surr: 4-Bromofluorobenzene	102		77-113	%REC	1	26-Apr-2025 22:40
Surr: Dibromofluoromethane	102		77-123	%REC	1	26-Apr-2025 22:40
Surr: Toluene-d8	100		82-127	%REC	1	26-Apr-2025 22:40

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-49B-20250422
 Collection Date: 22-Apr-2025 15:30

ANALYTICAL REPORT
 WorkOrder:HS25041210
 Lab ID:HS25041210-07
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,1,2,2-Tetrachloroethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	26-Apr-2025 23:01
1,1,2-Trichloroethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,1-Dichloroethane	0.010		0.0010	mg/L	1	26-Apr-2025 23:01
1,1-Dichloroethene	0.017		0.0010	mg/L	1	26-Apr-2025 23:01
1,2,4-Trichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,2-Dibromo-3-chloropropane	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,2-Dibromoethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,2-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,2-Dichloroethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,2-Dichloropropane	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,3-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 23:01
1,4-Dichlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 23:01
2-Butanone	U		0.0020	mg/L	1	26-Apr-2025 23:01
2-Hexanone	U		0.0020	mg/L	1	26-Apr-2025 23:01
4-Methyl-2-pentanone	U		0.0020	mg/L	1	26-Apr-2025 23:01
Acetone	U		0.0020	mg/L	1	26-Apr-2025 23:01
Benzene	U		0.0010	mg/L	1	26-Apr-2025 23:01
Bromodichloromethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
Bromoform	U		0.0010	mg/L	1	26-Apr-2025 23:01
Bromomethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
Carbon disulfide	U		0.0020	mg/L	1	26-Apr-2025 23:01
Carbon tetrachloride	U		0.0010	mg/L	1	26-Apr-2025 23:01
Chlorobenzene	U		0.0010	mg/L	1	26-Apr-2025 23:01
Chloroethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
Chloroform	U		0.0010	mg/L	1	26-Apr-2025 23:01
Chloromethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
cis-1,2-Dichloroethene	U		0.0010	mg/L	1	26-Apr-2025 23:01
cis-1,3-Dichloropropene	U		0.0010	mg/L	1	26-Apr-2025 23:01
Cyclohexane	U		0.0010	mg/L	1	26-Apr-2025 23:01
Dibromochloromethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
Dichlorodifluoromethane	U		0.0010	mg/L	1	26-Apr-2025 23:01
Ethylbenzene	U		0.0010	mg/L	1	26-Apr-2025 23:01
Isopropylbenzene	U		0.0010	mg/L	1	26-Apr-2025 23:01
m,p-Xylene	U		0.0020	mg/L	1	26-Apr-2025 23:01
Methyl acetate	U		0.0020	mg/L	1	26-Apr-2025 23:01
Methyl tert-butyl ether	U		0.0010	mg/L	1	26-Apr-2025 23:01
Methylcyclohexane	U		0.0010	mg/L	1	26-Apr-2025 23:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-49B-20250422
 Collection Date: 22-Apr-2025 15:30

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-07
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.0020	mg/L	1	26-Apr-2025 23:01
o-Xylene		U	0.0010	mg/L	1	26-Apr-2025 23:01
Styrene		U	0.0010	mg/L	1	26-Apr-2025 23:01
Tetrachloroethene	0.0014		0.0010	mg/L	1	26-Apr-2025 23:01
Toluene		U	0.0010	mg/L	1	26-Apr-2025 23:01
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 23:01
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 23:01
Trichloroethene		U	0.0010	mg/L	1	26-Apr-2025 23:01
Trichlorofluoromethane		U	0.0010	mg/L	1	26-Apr-2025 23:01
Vinyl chloride		U	0.0010	mg/L	1	26-Apr-2025 23:01
Xylenes, Total		U	0.0030	mg/L	1	26-Apr-2025 23:01
Surr: 1,2-Dichloroethane-d4	98.2		70-126	%REC	1	26-Apr-2025 23:01
Surr: 4-Bromofluorobenzene	101		77-113	%REC	1	26-Apr-2025 23:01
Surr: Dibromofluoromethane	101		77-123	%REC	1	26-Apr-2025 23:01
Surr: Toluene-d8	101		82-127	%REC	1	26-Apr-2025 23:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: Dup-01
 Collection Date: 22-Apr-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-08
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,1,2,2-Tetrachloroethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	26-Apr-2025 23:22
1,1,2-Trichloroethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,1-Dichloroethane	0.062		0.0010	mg/L	1	26-Apr-2025 23:22
1,1-Dichloroethene	0.015		0.0010	mg/L	1	26-Apr-2025 23:22
1,2,4-Trichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,2-Dibromo-3-chloropropane		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,2-Dibromoethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,2-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,2-Dichloroethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,2-Dichloropropane		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,3-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 23:22
1,4-Dichlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 23:22
2-Butanone		U	0.0020	mg/L	1	26-Apr-2025 23:22
2-Hexanone		U	0.0020	mg/L	1	26-Apr-2025 23:22
4-Methyl-2-pentanone		U	0.0020	mg/L	1	26-Apr-2025 23:22
Acetone		U	0.0020	mg/L	1	26-Apr-2025 23:22
Benzene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Bromodichloromethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
Bromoform		U	0.0010	mg/L	1	26-Apr-2025 23:22
Bromomethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
Carbon disulfide		U	0.0020	mg/L	1	26-Apr-2025 23:22
Carbon tetrachloride		U	0.0010	mg/L	1	26-Apr-2025 23:22
Chlorobenzene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Chloroethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
Chloroform		U	0.0010	mg/L	1	26-Apr-2025 23:22
Chloromethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
cis-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 23:22
cis-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Cyclohexane		U	0.0010	mg/L	1	26-Apr-2025 23:22
Dibromochloromethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
Dichlorodifluoromethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
Ethylbenzene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Isopropylbenzene		U	0.0010	mg/L	1	26-Apr-2025 23:22
m,p-Xylene		U	0.0020	mg/L	1	26-Apr-2025 23:22
Methyl acetate		U	0.0020	mg/L	1	26-Apr-2025 23:22
Methyl tert-butyl ether		U	0.0010	mg/L	1	26-Apr-2025 23:22
Methylcyclohexane		U	0.0010	mg/L	1	26-Apr-2025 23:22

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: Dup-01
 Collection Date: 22-Apr-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25041210
 Lab ID:HS25041210-08
 Matrix:Groundwater

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.0020	mg/L	1	26-Apr-2025 23:22
o-Xylene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Styrene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Tetrachloroethene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Toluene		U	0.0010	mg/L	1	26-Apr-2025 23:22
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	26-Apr-2025 23:22
trans-1,3-Dichloropropene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Trichloroethene		U	0.0010	mg/L	1	26-Apr-2025 23:22
Trichlorofluoromethane		U	0.0010	mg/L	1	26-Apr-2025 23:22
Vinyl chloride		U	0.0010	mg/L	1	26-Apr-2025 23:22
Xylenes, Total		U	0.0030	mg/L	1	26-Apr-2025 23:22
Surr: 1,2-Dichloroethane-d4	98.3		70-126	%REC	1	26-Apr-2025 23:22
Surr: 4-Bromofluorobenzene	102		77-113	%REC	1	26-Apr-2025 23:22
Surr: Dibromofluoromethane	100		77-123	%REC	1	26-Apr-2025 23:22
Surr: Toluene-d8	101		82-127	%REC	1	26-Apr-2025 23:22

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Apr-25

Weight / Prep Log

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

Batch ID: 227257 Start Date: 29 Apr 2025 09:43 End Date: 29 Apr 2025 09:43
Method: PCB AQ SEP FUN EXTRACT-SW3510C Prep Code: 3510_PCB

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor	
HS25041210-04	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 227257 (0)		Test Name : PCBS BY SW8082A			Matrix: Groundwater	
HS25041210-04	6-46-20250422	22 Apr 2025 14:40		29 Apr 2025 09:43	29 Apr 2025 17:11	1
Batch ID: R511890 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Groundwater	
HS25041210-01	6-17-20250422	22 Apr 2025 16:00			26 Apr 2025 08:38	1
Batch ID: R511914 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Groundwater	
HS25041210-02	6-33-20250422	22 Apr 2025 16:15			26 Apr 2025 21:38	1
HS25041210-03	6-45-20250422	22 Apr 2025 15:10			26 Apr 2025 21:59	1
HS25041210-04	6-46-20250422	22 Apr 2025 14:40			26 Apr 2025 22:19	1
HS25041210-06	6-48B-20250422	22 Apr 2025 15:45			26 Apr 2025 22:40	1
HS25041210-07	6-49B-20250422	22 Apr 2025 15:30			26 Apr 2025 23:01	1
HS25041210-08	Dup-01	22 Apr 2025 00:00			26 Apr 2025 23:22	1
Batch ID: R511925 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Groundwater	
HS25041210-05	6-47-20250422	22 Apr 2025 14:20			26 Apr 2025 19:29	5

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: 227257 (0) **Instrument:** ECD_17 **Method:** PCBS BY SW8082A

MBLK		Sample ID: MBLK-227257		Units: ug/L		Analysis Date: 29-Apr-2025 18:06				
Client ID:		Run ID: ECD_17_512219		SeqNo: 8807187		PrepDate: 29-Apr-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	U	0.500								
Aroclor 1221	U	0.500								
Aroclor 1232	U	0.500								
Aroclor 1242	U	0.500								
Aroclor 1248	U	0.500								
Aroclor 1254	U	0.500								
Aroclor 1260	U	0.500								
PCBs (Total)	U	0.500								
Surr: Decachlorobiphenyl	0.196	0.0500	0.2	0	98.0	54 - 140				
Surr: Tetrachloro-m-xylene	0.1742	0.0500	0.2	0	87.1	53 - 137				

LCS		Sample ID: LCS-227257		Units: ug/L		Analysis Date: 29-Apr-2025 17:44				
Client ID:		Run ID: ECD_17_512219		SeqNo: 8807185		PrepDate: 29-Apr-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	4.351	0.500	5	0	87.0	54 - 138				
Aroclor 1260	4.381	0.500	5	0	87.6	57 - 136				
PCBs (Total)	8.732	0.500	10	0	87.3	57 - 136				
Surr: Decachlorobiphenyl	0.1874	0.0500	0.2	0	93.7	54 - 140				
Surr: Tetrachloro-m-xylene	0.1677	0.0500	0.2	0	83.8	53 - 137				

LCSD		Sample ID: LCSD-227257		Units: ug/L		Analysis Date: 29-Apr-2025 17:55				
Client ID:		Run ID: ECD_17_512219		SeqNo: 8807186		PrepDate: 29-Apr-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	4.479	0.500	5	0	89.6	54 - 138	4.351	2.91	20	
Aroclor 1260	4.522	0.500	5	0	90.4	57 - 136	4.381	3.16	20	
PCBs (Total)	9.001	0.500	10	0	90.0	57 - 136	8.732	3.04		
Surr: Decachlorobiphenyl	0.1934	0.0500	0.2	0	96.7	54 - 140	0.1874	3.17	20	
Surr: Tetrachloro-m-xylene	0.171	0.0500	0.2	0	85.5	53 - 137	0.1677	1.95	20	

The following samples were analyzed in this batch: HS25041210-04

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0)	Instrument: VOA4	Method: LOW LEVEL VOLATILES BY SW8260C
--------------------------------	-------------------------	---

MBLK	Sample ID: VBLKW-250425	Units: ug/L	Analysis Date: 26-Apr-2025 03:04							
Client ID:	Run ID: VOA4_511890	SeqNo: 8799952	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	1.0								
1,1,2-Trichlor-1,2,2-trifluoroethane	U	2.0								
1,1,2-Trichloroethane	U	1.0								
1,1-Dichloroethane	U	1.0								
1,1-Dichloroethene	U	1.0								
1,2,4-Trichlorobenzene	U	1.0								
1,2-Dibromo-3-chloropropane	U	1.0								
1,2-Dibromoethane	U	1.0								
1,2-Dichlorobenzene	U	1.0								
1,2-Dichloroethane	U	1.0								
1,2-Dichloropropane	U	1.0								
1,3-Dichlorobenzene	U	1.0								
1,4-Dichlorobenzene	U	1.0								
2-Butanone	U	2.0								
2-Hexanone	U	2.0								
4-Methyl-2-pentanone	U	2.0								
Acetone	U	2.0								
Benzene	U	1.0								
Bromodichloromethane	U	1.0								
Bromoform	U	1.0								
Bromomethane	U	1.0								
Carbon disulfide	U	2.0								
Carbon tetrachloride	U	1.0								
Chlorobenzene	U	1.0								
Chloroethane	U	1.0								
Chloroform	U	1.0								
Chloromethane	U	1.0								
cis-1,2-Dichloroethene	U	1.0								
cis-1,3-Dichloropropene	U	1.0								
Cyclohexane	U	1.0								
Dibromochloromethane	U	1.0								
Dichlorodifluoromethane	U	1.0								
Ethylbenzene	U	1.0								

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: VBLKW-250425	Units: ug/L			Analysis Date: 26-Apr-2025 03:04					
Client ID:	Run ID: VOA4_511890	SeqNo: 8799952	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	U	1.0								
m,p-Xylene	U	2.0								
Methyl acetate	U	2.0								
Methyl tert-butyl ether	U	1.0								
Methylcyclohexane	U	1.0								
Methylene chloride	U	2.0								
o-Xylene	U	1.0								
Styrene	U	1.0								
Tetrachloroethene	U	1.0								
Toluene	U	1.0								
trans-1,2-Dichloroethene	U	1.0								
trans-1,3-Dichloropropene	U	1.0								
Trichloroethene	U	1.0								
Trichlorofluoromethane	U	1.0								
Vinyl chloride	U	1.0								
Xylenes, Total	U	3.0								
Surr: 1,2-Dichloroethane-d4	50.09	1.0	50	0	100	70 - 123				
Surr: 4-Bromofluorobenzene	51.05	1.0	50	0	102	77 - 113				
Surr: Dibromofluoromethane	51.3	1.0	50	0	103	73 - 126				
Surr: Toluene-d8	50.24	1.0	50	0	100	81 - 120				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS		Sample ID: LCSW-250425		Units: ug/L		Analysis Date: 26-Apr-2025 02:02				
Client ID:		Run ID: VOA4_511890		SeqNo: 8799950		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.57	1.0	20	0	97.9	70 - 130				
1,1,2,2-Tetrachloroethane	21.35	1.0	20	0	107	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	19.72	2.0	20	0	98.6	70 - 130				
1,1,2-Trichloroethane	20.47	1.0	20	0	102	77 - 113				
1,1-Dichloroethane	20.05	1.0	20	0	100	71 - 122				
1,1-Dichloroethene	18.89	1.0	20	0	94.4	70 - 130				
1,2,4-Trichlorobenzene	20.64	1.0	20	0	103	77 - 126				
1,2-Dibromo-3-chloropropane	21.44	1.0	20	0	107	70 - 130				
1,2-Dibromoethane	20.72	1.0	20	0	104	76 - 123				
1,2-Dichlorobenzene	20.69	1.0	20	0	103	77 - 113				
1,2-Dichloroethane	19.92	1.0	20	0	99.6	70 - 124				
1,2-Dichloropropane	20.84	1.0	20	0	104	72 - 119				
1,3-Dichlorobenzene	20.66	1.0	20	0	103	78 - 118				
1,4-Dichlorobenzene	20.23	1.0	20	0	101	79 - 113				
2-Butanone	105.4	2.0	100	0	105	70 - 130				
2-Hexanone	112.6	2.0	100	0	113	70 - 130				
4-Methyl-2-pentanone	108.7	2.0	100	0	109	70 - 130				
Acetone	105.7	2.0	100	0	106	70 - 130				
Benzene	19.72	1.0	20	0	98.6	74 - 120				
Bromodichloromethane	20.16	1.0	20	0	101	74 - 122				
Bromoform	21	1.0	20	0	105	73 - 128				
Bromomethane	19.41	1.0	20	0	97.0	70 - 130				
Carbon disulfide	38.67	2.0	40	0	96.7	70 - 130				
Carbon tetrachloride	19.8	1.0	20	0	99.0	71 - 125				
Chlorobenzene	20.47	1.0	20	0	102	76 - 113				
Chloroethane	19.58	1.0	20	0	97.9	70 - 130				
Chloroform	19.87	1.0	20	0	99.3	71 - 121				
Chloromethane	19.9	1.0	20	0	99.5	70 - 129				
cis-1,2-Dichloroethene	20.2	1.0	20	0	101	75 - 122				
cis-1,3-Dichloropropene	20.53	1.0	20	0	103	73 - 127				
Cyclohexane	17.54	1.0	20	0	87.7	70 - 130				
Dibromochloromethane	20.58	1.0	20	0	103	77 - 122				
Dichlorodifluoromethane	18.77	1.0	20	0	93.9	70 - 130				
Ethylbenzene	19.63	1.0	20	0	98.1	77 - 117				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS		Sample ID: LCSW-250425		Units: ug/L		Analysis Date: 26-Apr-2025 02:02				
Client ID:		Run ID: VOA4_511890		SeqNo: 8799950		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	19.82	1.0	20	0	99.1	73 - 127				
m,p-Xylene	40.03	2.0	40	0	100	77 - 122				
Methyl acetate	19.96	2.0	20	0	99.8	76 - 122				
Methyl tert-butyl ether	20.74	1.0	20	0	104	70 - 130				
Methylcyclohexane	18.66	1.0	20	0	93.3	61 - 157				
Methylene chloride	18.52	2.0	20	0	92.6	70 - 127				
o-Xylene	20.05	1.0	20	0	100	75 - 119				
Styrene	20.93	1.0	20	0	105	72 - 126				
Tetrachloroethene	18.91	1.0	20	0	94.5	76 - 119				
Toluene	19.63	1.0	20	0	98.1	77 - 118				
trans-1,2-Dichloroethene	19.58	1.0	20	0	97.9	72 - 127				
trans-1,3-Dichloropropene	20.5	1.0	20	0	102	77 - 119				
Trichloroethene	20.18	1.0	20	0	101	77 - 121				
Trichlorofluoromethane	19.02	1.0	20	0	95.1	70 - 130				
Vinyl chloride	18.85	1.0	20	0	94.2	70 - 130				
Xylenes, Total	60.08	3.0	60	0	100	75 - 122				
Surr: 1,2-Dichloroethane-d4	51.52	1.0	50	0	103	70 - 123				
Surr: 4-Bromofluorobenzene	50.79	1.0	50	0	102	77 - 113				
Surr: Dibromofluoromethane	50.24	1.0	50	0	100	73 - 126				
Surr: Toluene-d8	50.47	1.0	50	0	101	81 - 120				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: LCSDW-250425		Units: ug/L		Analysis Date: 26-Apr-2025 02:23				
Client ID:		Run ID: VOA4_511890		SeqNo: 8799951		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual	
1,1,1-Trichloroethane	19.14	1.0	20	0	95.7	70 - 130	19.57	2.22	20	
1,1,2,2-Tetrachloroethane	20.72	1.0	20	0	104	70 - 120	21.35	3.01	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	18.87	2.0	20	0	94.4	70 - 130	19.72	4.36	20	
1,1,2-Trichloroethane	19.84	1.0	20	0	99.2	77 - 113	20.47	3.15	20	
1,1-Dichloroethane	19.46	1.0	20	0	97.3	71 - 122	20.05	2.99	20	
1,1-Dichloroethene	18.23	1.0	20	0	91.2	70 - 130	18.89	3.52	20	
1,2,4-Trichlorobenzene	20.34	1.0	20	0	102	77 - 126	20.64	1.48	20	
1,2-Dibromo-3-chloropropane	20.24	1.0	20	0	101	70 - 130	21.44	5.8	20	
1,2-Dibromoethane	20.66	1.0	20	0	103	76 - 123	20.72	0.295	20	
1,2-Dichlorobenzene	20.16	1.0	20	0	101	77 - 113	20.69	2.64	20	
1,2-Dichloroethane	19.69	1.0	20	0	98.5	70 - 124	19.92	1.13	20	
1,2-Dichloropropane	20.19	1.0	20	0	101	72 - 119	20.84	3.17	20	
1,3-Dichlorobenzene	19.75	1.0	20	0	98.8	78 - 118	20.66	4.48	20	
1,4-Dichlorobenzene	19.61	1.0	20	0	98.1	79 - 113	20.23	3.1	20	
2-Butanone	98.2	2.0	100	0	98.2	70 - 130	105.4	7.09	20	
2-Hexanone	112.7	2.0	100	0	113	70 - 130	112.6	0.016	20	
4-Methyl-2-pentanone	106.8	2.0	100	0	107	70 - 130	108.7	1.71	20	
Acetone	102.7	2.0	100	0	103	70 - 130	105.7	2.85	20	
Benzene	19.24	1.0	20	0	96.2	74 - 120	19.72	2.48	20	
Bromodichloromethane	19.7	1.0	20	0	98.5	74 - 122	20.16	2.34	20	
Bromoform	20.55	1.0	20	0	103	73 - 128	21	2.18	20	
Bromomethane	18.23	1.0	20	0	91.2	70 - 130	19.41	6.24	20	
Carbon disulfide	36.18	2.0	40	0	90.4	70 - 130	38.67	6.65	20	
Carbon tetrachloride	17.98	1.0	20	0	89.9	71 - 125	19.8	9.59	20	
Chlorobenzene	19.45	1.0	20	0	97.2	76 - 113	20.47	5.11	20	
Chloroethane	18.7	1.0	20	0	93.5	70 - 130	19.58	4.57	20	
Chloroform	19.61	1.0	20	0	98.0	71 - 121	19.87	1.32	20	
Chloromethane	18.43	1.0	20	0	92.2	70 - 129	19.9	7.68	20	
cis-1,2-Dichloroethene	19.03	1.0	20	0	95.1	75 - 122	20.2	5.97	20	
cis-1,3-Dichloropropene	20.02	1.0	20	0	100	73 - 127	20.53	2.51	20	
Cyclohexane	16.77	1.0	20	0	83.8	70 - 130	17.54	4.47	20	
Dibromochloromethane	20.56	1.0	20	0	103	77 - 122	20.58	0.136	20	
Dichlorodifluoromethane	17.99	1.0	20	0	90.0	70 - 130	18.77	4.24	20	
Ethylbenzene	19.33	1.0	20	0	96.7	77 - 117	19.63	1.51	20	

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCSD	Sample ID: LCSDW-250425	Units: ug/L			Analysis Date: 26-Apr-2025 02:23					
Client ID:	Run ID: VOA4_511890	SeqNo: 8799951	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	18.96	1.0	20	0	94.8	73 - 127	19.82	4.39	20	
m,p-Xylene	38.23	2.0	40	0	95.6	77 - 122	40.03	4.6	20	
Methyl acetate	19.33	2.0	20	0	96.6	76 - 122	19.96	3.21	20	
Methyl tert-butyl ether	20.48	1.0	20	0	102	70 - 130	20.74	1.23	20	
Methylcyclohexane	16.41	1.0	20	0	82.1	61 - 157	18.66	12.8	20	
Methylene chloride	18.22	2.0	20	0	91.1	70 - 127	18.52	1.67	20	
o-Xylene	19.54	1.0	20	0	97.7	75 - 119	20.05	2.57	20	
Styrene	20.4	1.0	20	0	102	72 - 126	20.93	2.58	20	
Tetrachloroethene	18.23	1.0	20	0	91.1	76 - 119	18.91	3.65	20	
Toluene	19.04	1.0	20	0	95.2	77 - 118	19.63	3.02	20	
trans-1,2-Dichloroethene	19.18	1.0	20	0	95.9	72 - 127	19.58	2.02	20	
trans-1,3-Dichloropropene	20.38	1.0	20	0	102	77 - 119	20.5	0.597	20	
Trichloroethene	18.81	1.0	20	0	94.0	77 - 121	20.18	7.05	20	
Trichlorofluoromethane	18.43	1.0	20	0	92.1	70 - 130	19.02	3.16	20	
Vinyl chloride	18.25	1.0	20	0	91.3	70 - 130	18.85	3.2	20	
Xylenes, Total	57.77	3.0	60	0	96.3	75 - 122	60.08	3.92	20	
Surr: 1,2-Dichloroethane-d4	51.38	1.0	50	0	103	70 - 123	51.52	0.286	20	
Surr: 4-Bromofluorobenzene	50.7	1.0	50	0	101	77 - 113	50.79	0.173	20	
Surr: Dibromofluoromethane	50.19	1.0	50	0	100	73 - 126	50.24	0.0936	20	
Surr: Toluene-d8	50.66	1.0	50	0	101	81 - 120	50.47	0.376	20	

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MS Sample ID: **HS25041235-09MS** Units: **ug/L** Analysis Date: **26-Apr-2025 10:22**
 Client ID: Run ID: **VOA4_511890** SeqNo: **8799947** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit** **Qual**

1,1,1-Trichloroethane	18.6	1.0	20	0	93.0	70 - 130				
1,1,2,2-Tetrachloroethane	16.61	1.0	20	0	83.1	70 - 123				
1,1,2-Trichlor-1,2,2-trifluoroethane	19.59	2.0	20	0	98.0	70 - 130				
1,1,2-Trichloroethane	17.32	1.0	20	0	86.6	70 - 117				
1,1-Dichloroethane	17.5	1.0	20	0	87.5	70 - 127				
1,1-Dichloroethene	18.02	1.0	20	0	90.1	70 - 130				
1,2,4-Trichlorobenzene	17.39	1.0	20	0	86.9	70 - 125				
1,2-Dibromo-3-chloropropane	17.14	1.0	20	0	85.7	70 - 130				
1,2-Dibromoethane	17.92	1.0	20	0	89.6	70 - 124				
1,2-Dichlorobenzene	17.91	1.0	20	0	89.5	70 - 115				
1,2-Dichloroethane	17.03	1.0	20	0	85.1	70 - 127				
1,2-Dichloropropane	17.85	1.0	20	0	89.2	70 - 122				
1,3-Dichlorobenzene	17.88	1.0	20	0	89.4	70 - 119				
1,4-Dichlorobenzene	17.86	1.0	20	0	89.3	70 - 114				
2-Butanone	77.82	2.0	100	0	77.8	70 - 130				
2-Hexanone	90.39	2.0	100	0	90.4	70 - 130				
4-Methyl-2-pentanone	89.97	2.0	100	0	90.0	70 - 130				
Acetone	87.45	2.0	100	0	87.4	70 - 130				
Benzene	17.91	1.0	20	0	89.6	70 - 127				
Bromodichloromethane	17.41	1.0	20	0	87.0	70 - 124				
Bromoform	17.22	1.0	20	0	86.1	70 - 129				
Bromomethane	12.57	1.0	20	0	62.8	70 - 130				S
Carbon disulfide	35.84	2.0	40	0	89.6	70 - 130				
Carbon tetrachloride	19.44	1.0	20	0	97.2	70 - 130				
Chlorobenzene	17.91	1.0	20	0	89.5	70 - 114				
Chloroethane	17.8	1.0	20	0	89.0	70 - 130				
Chloroform	17.63	1.0	20	0	88.1	70 - 125				
Chloromethane	15.78	1.0	20	0	78.9	70 - 130				
cis-1,2-Dichloroethene	17.58	1.0	20	15.48	10.5	70 - 128				S
cis-1,3-Dichloropropene	16.8	1.0	20	0	84.0	70 - 125				
Cyclohexane	18.03	1.0	20	0	90.1	70 - 130				
Dibromochloromethane	17.75	1.0	20	0	88.8	70 - 124				
Dichlorodifluoromethane	13.62	1.0	20	0	68.1	70 - 130				S
Ethylbenzene	18.27	1.0	20	0	91.4	70 - 124				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MS		Sample ID: HS25041235-09MS		Units: ug/L		Analysis Date: 26-Apr-2025 10:22			
Client ID:		Run ID: VOA4_511890		SeqNo: 8799947		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Isopropylbenzene	18.91	1.0	20	0	94.6	70 - 130			
m,p-Xylene	37.32	2.0	40	0	93.3	70 - 130			
Methyl acetate	16.37	2.0	20	0	81.9	76 - 122			
Methyl tert-butyl ether	17.39	1.0	20	0	86.9	70 - 130			
Methylcyclohexane	18.36	1.0	20	0	91.8	61 - 158			
Methylene chloride	16.13	2.0	20	0	80.6	70 - 128			
o-Xylene	18.35	1.0	20	0	91.8	70 - 124			
Styrene	18.77	1.0	20	0	93.9	70 - 130			
Tetrachloroethene	18.15	1.0	20	0	90.8	70 - 130			
Toluene	18.2	1.0	20	0	91.0	70 - 123			
trans-1,2-Dichloroethene	17.96	1.0	20	0.522	87.2	70 - 130			
trans-1,3-Dichloropropene	16.85	1.0	20	0	84.3	70 - 121			
Trichloroethene	18.29	1.0	20	0.42	89.4	70 - 129			
Trichlorofluoromethane	18.23	1.0	20	0	91.1	70 - 130			
Vinyl chloride	17.02	1.0	20	0	85.1	70 - 130			
Xylenes, Total	55.67	3.0	60	0	92.8	70 - 130			
Surr: 1,2-Dichloroethane-d4	50.68	1.0	50	0	101	70 - 126			
Surr: 4-Bromofluorobenzene	50.59	1.0	50	0	101	77 - 113			
Surr: Dibromofluoromethane	49.94	1.0	50	0	99.9	77 - 123			
Surr: Toluene-d8	50.08	1.0	50	0	100	82 - 127			

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MSD	Sample ID: HS25041235-09MSD	Units: ug/L			Analysis Date: 26-Apr-2025 10:43					
Client ID:	Run ID: VOA4_511890	SeqNo: 8799948	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	17.83	1.0	20	0	89.1	70 - 130	18.6	4.24	20	
1,1,2,2-Tetrachloroethane	16.22	1.0	20	0	81.1	70 - 123	16.61	2.41	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	18.41	2.0	20	0	92.0	70 - 130	19.59	6.25	20	
1,1,2-Trichloroethane	17.09	1.0	20	0	85.4	70 - 117	17.32	1.34	20	
1,1-Dichloroethane	17.18	1.0	20	0	85.9	70 - 127	17.5	1.85	20	
1,1-Dichloroethene	17.28	1.0	20	0	86.4	70 - 130	18.02	4.22	20	
1,2,4-Trichlorobenzene	15.97	1.0	20	0	79.9	70 - 125	17.39	8.5	20	
1,2-Dibromo-3-chloropropane	16.17	1.0	20	0	80.9	70 - 130	17.14	5.79	20	
1,2-Dibromoethane	16.84	1.0	20	0	84.2	70 - 124	17.92	6.21	20	
1,2-Dichlorobenzene	16.99	1.0	20	0	84.9	70 - 115	17.91	5.26	20	
1,2-Dichloroethane	16.78	1.0	20	0	83.9	70 - 127	17.03	1.48	20	
1,2-Dichloropropane	17.36	1.0	20	0	86.8	70 - 122	17.85	2.78	20	
1,3-Dichlorobenzene	17.07	1.0	20	0	85.3	70 - 119	17.88	4.65	20	
1,4-Dichlorobenzene	16.69	1.0	20	0	83.4	70 - 114	17.86	6.75	20	
2-Butanone	85.18	2.0	100	0	85.2	70 - 130	77.82	9.03	20	
2-Hexanone	88.76	2.0	100	0	88.8	70 - 130	90.39	1.82	20	
4-Methyl-2-pentanone	88.12	2.0	100	0	88.1	70 - 130	89.97	2.07	20	
Acetone	86.54	2.0	100	0	86.5	70 - 130	87.45	1.05	20	
Benzene	16.98	1.0	20	0	84.9	70 - 127	17.91	5.37	20	
Bromodichloromethane	16.78	1.0	20	0	83.9	70 - 124	17.41	3.7	20	
Bromoform	16.9	1.0	20	0	84.5	70 - 129	17.22	1.89	20	
Bromomethane	13.59	1.0	20	0	67.9	70 - 130	12.57	7.79	20	S
Carbon disulfide	33.91	2.0	40	0	84.8	70 - 130	35.84	5.53	20	
Carbon tetrachloride	18.33	1.0	20	0	91.6	70 - 130	19.44	5.89	20	
Chlorobenzene	17.2	1.0	20	0	86.0	70 - 114	17.91	4.03	20	
Chloroethane	18.79	1.0	20	0	94.0	70 - 130	17.8	5.43	20	
Chloroform	16.76	1.0	20	0	83.8	70 - 125	17.63	5.05	20	
Chloromethane	14.09	1.0	20	0	70.4	70 - 130	15.78	11.3	20	
cis-1,2-Dichloroethene	16.91	1.0	20	15.48	7.15	70 - 128	17.58	3.85	20	S
cis-1,3-Dichloropropene	16.49	1.0	20	0	82.4	70 - 125	16.8	1.87	20	
Cyclohexane	17.08	1.0	20	0	85.4	70 - 130	18.03	5.44	20	
Dibromochloromethane	17.16	1.0	20	0	85.8	70 - 124	17.75	3.41	20	
Dichlorodifluoromethane	13.01	1.0	20	0	65.1	70 - 130	13.62	4.6	20	S
Ethylbenzene	17.36	1.0	20	0	86.8	70 - 124	18.27	5.09	20	

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511890 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MSD	Sample ID: HS25041235-09MSD	Units: ug/L			Analysis Date: 26-Apr-2025 10:43					
Client ID:	Run ID: VOA4_511890	SeqNo: 8799948	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	17.65	1.0	20	0	88.2	70 - 130	18.91	6.93	20	
m,p-Xylene	34.95	2.0	40	0	87.4	70 - 130	37.32	6.55	20	
Methyl acetate	16.5	2.0	20	0	82.5	76 - 122	16.37	0.773	20	
Methyl tert-butyl ether	16.79	1.0	20	0	83.9	70 - 130	17.39	3.51	20	
Methylcyclohexane	17.38	1.0	20	0	86.9	61 - 158	18.36	5.49	20	
Methylene chloride	15.38	2.0	20	0	76.9	70 - 128	16.13	4.79	20	
o-Xylene	17.8	1.0	20	0	89.0	70 - 124	18.35	3.04	20	
Styrene	17.68	1.0	20	0	88.4	70 - 130	18.77	5.97	20	
Tetrachloroethene	16.89	1.0	20	0	84.4	70 - 130	18.15	7.21	20	
Toluene	17.16	1.0	20	0	85.8	70 - 123	18.2	5.89	20	
trans-1,2-Dichloroethene	17.13	1.0	20	0.522	83.1	70 - 130	17.96	4.7	20	
trans-1,3-Dichloropropene	16.33	1.0	20	0	81.7	70 - 121	16.85	3.13	20	
Trichloroethene	17.72	1.0	20	0.42	86.5	70 - 129	18.29	3.15	20	
Trichlorofluoromethane	17.07	1.0	20	0	85.3	70 - 130	18.23	6.58	20	
Vinyl chloride	15.8	1.0	20	0	79.0	70 - 130	17.02	7.44	20	
Xylenes, Total	52.76	3.0	60	0	87.9	70 - 130	55.67	5.38	20	
Surr: 1,2-Dichloroethane-d4	51.14	1.0	50	0	102	70 - 126	50.68	0.902	20	
Surr: 4-Bromofluorobenzene	49.42	1.0	50	0	98.8	77 - 113	50.59	2.34	20	
Surr: Dibromofluoromethane	50.19	1.0	50	0	100	77 - 123	49.94	0.491	20	
Surr: Toluene-d8	50.13	1.0	50	0	100	82 - 127	50.08	0.108	20	

The following samples were analyzed in this batch: HS25041210-01

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0)	Instrument: VOA4	Method: LOW LEVEL VOLATILES BY SW8260C
--------------------------------	-------------------------	---

MBLK	Sample ID: VBLKW-250426	Units: ug/L	Analysis Date: 26-Apr-2025 18:10							
Client ID:	Run ID: VOA4_511914	SeqNo: 8800530	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	1.0								
1,1,2-Trichlor-1,2,2-trifluoroethane	U	2.0								
1,1,2-Trichloroethane	U	1.0								
1,1-Dichloroethane	U	1.0								
1,1-Dichloroethene	U	1.0								
1,2,4-Trichlorobenzene	U	1.0								
1,2-Dibromo-3-chloropropane	U	1.0								
1,2-Dibromoethane	U	1.0								
1,2-Dichlorobenzene	U	1.0								
1,2-Dichloroethane	U	1.0								
1,2-Dichloropropane	U	1.0								
1,3-Dichlorobenzene	U	1.0								
1,4-Dichlorobenzene	U	1.0								
2-Butanone	U	2.0								
2-Hexanone	U	2.0								
4-Methyl-2-pentanone	U	2.0								
Acetone	U	2.0								
Benzene	U	1.0								
Bromodichloromethane	U	1.0								
Bromoform	U	1.0								
Bromomethane	U	1.0								
Carbon disulfide	U	2.0								
Carbon tetrachloride	U	1.0								
Chlorobenzene	U	1.0								
Chloroethane	U	1.0								
Chloroform	U	1.0								
Chloromethane	U	1.0								
cis-1,2-Dichloroethene	U	1.0								
cis-1,3-Dichloropropene	U	1.0								
Cyclohexane	U	1.0								
Dibromochloromethane	U	1.0								
Dichlorodifluoromethane	U	1.0								
Ethylbenzene	U	1.0								

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0)	Instrument: VOA4	Method: LOW LEVEL VOLATILES BY SW8260C
--------------------------------	-------------------------	---

MBLK	Sample ID: VBLKW-250426	Units: ug/L	Analysis Date: 26-Apr-2025 18:10							
Client ID:	Run ID: VOA4_511914	SeqNo: 8800530	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Isopropylbenzene	U	1.0								
m,p-Xylene	U	2.0								
Methyl acetate	U	2.0								
Methyl tert-butyl ether	U	1.0								
Methylcyclohexane	U	1.0								
Methylene chloride	U	2.0								
o-Xylene	U	1.0								
Styrene	U	1.0								
Tetrachloroethene	U	1.0								
Toluene	U	1.0								
trans-1,2-Dichloroethene	U	1.0								
trans-1,3-Dichloropropene	U	1.0								
Trichloroethene	U	1.0								
Trichlorofluoromethane	U	1.0								
Vinyl chloride	U	1.0								
Xylenes, Total	U	3.0								
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>49.27</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>98.5</i>	<i>70 - 123</i>				
<i>Surr: 4-Bromofluorobenzene</i>	<i>50.14</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>100</i>	<i>77 - 113</i>				
<i>Surr: Dibromofluoromethane</i>	<i>50.28</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>73 - 126</i>				
<i>Surr: Toluene-d8</i>	<i>50.58</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>81 - 120</i>				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS Sample ID: **VLCSW-250426** Units: **ug/L** Analysis Date: **26-Apr-2025 17:07**
 Client ID: Run ID: **VOA4_511914** SeqNo: **8800528** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit** **Qual**

1,1,1-Trichloroethane	19.57	1.0	20	0	97.9	70 - 130				
1,1,2,2-Tetrachloroethane	20.51	1.0	20	0	103	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	20.24	2.0	20	0	101	70 - 130				
1,1,2-Trichloroethane	20.87	1.0	20	0	104	77 - 113				
1,1-Dichloroethane	19.28	1.0	20	0	96.4	71 - 122				
1,1-Dichloroethene	18.78	1.0	20	0	93.9	70 - 130				
1,2,4-Trichlorobenzene	20.78	1.0	20	0	104	77 - 126				
1,2-Dibromo-3-chloropropane	20.16	1.0	20	0	101	70 - 130				
1,2-Dibromoethane	20.32	1.0	20	0	102	76 - 123				
1,2-Dichlorobenzene	20.56	1.0	20	0	103	77 - 113				
1,2-Dichloroethane	19.27	1.0	20	0	96.4	70 - 124				
1,2-Dichloropropane	20.04	1.0	20	0	100	72 - 119				
1,3-Dichlorobenzene	20.22	1.0	20	0	101	78 - 118				
1,4-Dichlorobenzene	20.38	1.0	20	0	102	79 - 113				
2-Butanone	99.64	2.0	100	0	99.6	70 - 130				
2-Hexanone	107.5	2.0	100	0	108	70 - 130				
4-Methyl-2-pentanone	105	2.0	100	0	105	70 - 130				
Acetone	95.8	2.0	100	0	95.8	70 - 130				
Benzene	19.35	1.0	20	0	96.7	74 - 120				
Bromodichloromethane	19.74	1.0	20	0	98.7	74 - 122				
Bromoform	21.49	1.0	20	0	107	73 - 128				
Bromomethane	17.4	1.0	20	0	87.0	70 - 130				
Carbon disulfide	38.09	2.0	40	0	95.2	70 - 130				
Carbon tetrachloride	20.33	1.0	20	0	102	71 - 125				
Chlorobenzene	20.18	1.0	20	0	101	76 - 113				
Chloroethane	19.29	1.0	20	0	96.4	70 - 130				
Chloroform	19.43	1.0	20	0	97.1	71 - 121				
Chloromethane	17.96	1.0	20	0	89.8	70 - 129				
cis-1,2-Dichloroethene	19.1	1.0	20	0	95.5	75 - 122				
cis-1,3-Dichloropropene	20.42	1.0	20	0	102	73 - 127				
Cyclohexane	18.59	1.0	20	0	93.0	70 - 130				
Dibromochloromethane	20.82	1.0	20	0	104	77 - 122				
Dichlorodifluoromethane	19.43	1.0	20	0	97.2	70 - 130				
Ethylbenzene	19.97	1.0	20	0	99.8	77 - 117				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS Sample ID: **VLCSW-250426** Units: **ug/L** Analysis Date: **26-Apr-2025 17:07**
 Client ID: Run ID: **VOA4_511914** SeqNo: **8800528** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Isopropylbenzene	20.54	1.0	20	0	103	73 - 127			
m,p-Xylene	40.78	2.0	40	0	102	77 - 122			
Methyl acetate	19.52	2.0	20	0	97.6	76 - 122			
Methyl tert-butyl ether	19.76	1.0	20	0	98.8	70 - 130			
Methylcyclohexane	20.1	1.0	20	0	100	61 - 157			
Methylene chloride	18.01	2.0	20	0	90.1	70 - 127			
o-Xylene	20.56	1.0	20	0	103	75 - 119			
Styrene	21.35	1.0	20	0	107	72 - 126			
Tetrachloroethene	19.65	1.0	20	0	98.2	76 - 119			
Toluene	19.95	1.0	20	0	99.8	77 - 118			
trans-1,2-Dichloroethene	19.7	1.0	20	0	98.5	72 - 127			
trans-1,3-Dichloropropene	20.72	1.0	20	0	104	77 - 119			
Trichloroethene	19.65	1.0	20	0	98.3	77 - 121			
Trichlorofluoromethane	18.91	1.0	20	0	94.5	70 - 130			
Vinyl chloride	19.3	1.0	20	0	96.5	70 - 130			
Xylenes, Total	61.33	3.0	60	0	102	75 - 122			
Surr: 1,2-Dichloroethane-d4	50.56	1.0	50	0	101	70 - 123			
Surr: 4-Bromofluorobenzene	49.6	1.0	50	0	99.2	77 - 113			
Surr: Dibromofluoromethane	50.65	1.0	50	0	101	73 - 126			
Surr: Toluene-d8	50.89	1.0	50	0	102	81 - 120			

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0)		Instrument: VOA4			Method: LOW LEVEL VOLATILES BY SW8260C					
LCSD		Sample ID: VLCSDW-250426			Units: ug/L		Analysis Date: 26-Apr-2025 17:28			
Client ID:		Run ID: VOA4_511914			SeqNo: 8800529		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	17.41	1.0	20	0	87.0	70 - 130	19.57	11.7	20	
1,1,2,2-Tetrachloroethane	20.47	1.0	20	0	102	70 - 120	20.51	0.185	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	17.54	2.0	20	0	87.7	70 - 130	20.24	14.3	20	
1,1,2-Trichloroethane	20.28	1.0	20	0	101	77 - 113	20.87	2.87	20	
1,1-Dichloroethane	17.52	1.0	20	0	87.6	71 - 122	19.28	9.57	20	
1,1-Dichloroethene	16.4	1.0	20	0	82.0	70 - 130	18.78	13.5	20	
1,2,4-Trichlorobenzene	19.74	1.0	20	0	98.7	77 - 126	20.78	5.13	20	
1,2-Dibromo-3-chloropropane	19.97	1.0	20	0	99.8	70 - 130	20.16	0.942	20	
1,2-Dibromoethane	19.83	1.0	20	0	99.2	76 - 123	20.32	2.45	20	
1,2-Dichlorobenzene	19.6	1.0	20	0	98.0	77 - 113	20.56	4.79	20	
1,2-Dichloroethane	18.58	1.0	20	0	92.9	70 - 124	19.27	3.66	20	
1,2-Dichloropropane	19.28	1.0	20	0	96.4	72 - 119	20.04	3.84	20	
1,3-Dichlorobenzene	19.29	1.0	20	0	96.5	78 - 118	20.22	4.7	20	
1,4-Dichlorobenzene	19.18	1.0	20	0	95.9	79 - 113	20.38	6.09	20	
2-Butanone	99.57	2.0	100	0	99.6	70 - 130	99.64	0.0673	20	
2-Hexanone	105.3	2.0	100	0	105	70 - 130	107.5	2.07	20	
4-Methyl-2-pentanone	103.4	2.0	100	0	103	70 - 130	105	1.48	20	
Acetone	95.07	2.0	100	0	95.1	70 - 130	95.8	0.759	20	
Benzene	17.79	1.0	20	0	89.0	74 - 120	19.35	8.37	20	
Bromodichloromethane	19.1	1.0	20	0	95.5	74 - 122	19.74	3.29	20	
Bromoform	20.67	1.0	20	0	103	73 - 128	21.49	3.9	20	
Bromomethane	15.55	1.0	20	0	77.7	70 - 130	17.4	11.2	20	
Carbon disulfide	33.32	2.0	40	0	83.3	70 - 130	38.09	13.3	20	
Carbon tetrachloride	17.46	1.0	20	0	87.3	71 - 125	20.33	15.2	20	
Chlorobenzene	18.65	1.0	20	0	93.2	76 - 113	20.18	7.91	20	
Chloroethane	17.13	1.0	20	0	85.7	70 - 130	19.29	11.8	20	
Chloroform	18.19	1.0	20	0	91.0	71 - 121	19.43	6.55	20	
Chloromethane	15.97	1.0	20	0	79.8	70 - 129	17.96	11.7	20	
cis-1,2-Dichloroethene	18.03	1.0	20	0	90.1	75 - 122	19.1	5.76	20	
cis-1,3-Dichloropropene	19.89	1.0	20	0	99.4	73 - 127	20.42	2.61	20	
Cyclohexane	15.66	1.0	20	0	78.3	70 - 130	18.59	17.2	20	
Dibromochloromethane	20.46	1.0	20	0	102	77 - 122	20.82	1.72	20	
Dichlorodifluoromethane	15.76	1.0	20	0	78.8	70 - 130	19.43	20.9	20	R
Ethylbenzene	18.6	1.0	20	0	93.0	77 - 117	19.97	7.09	20	

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
LCSD		Sample ID: VLCSDW-250426		Units: ug/L		Analysis Date: 26-Apr-2025 17:28				
Client ID:		Run ID: VOA4_511914		SeqNo: 8800529		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual	
Isopropylbenzene	18.14	1.0	20	0	90.7	73 - 127	20.54	12.4	20	
m,p-Xylene	37.38	2.0	40	0	93.5	77 - 122	40.78	8.68	20	
Methyl acetate	19.09	2.0	20	0	95.4	76 - 122	19.52	2.24	20	
Methyl tert-butyl ether	19.48	1.0	20	0	97.4	70 - 130	19.76	1.44	20	
Methylcyclohexane	16	1.0	20	0	80.0	61 - 157	20.1	22.7	20 R	
Methylene chloride	16.99	2.0	20	0	84.9	70 - 127	18.01	5.86	20	
o-Xylene	18.74	1.0	20	0	93.7	75 - 119	20.56	9.22	20	
Styrene	19.7	1.0	20	0	98.5	72 - 126	21.35	8.04	20	
Tetrachloroethene	17.01	1.0	20	0	85.0	76 - 119	19.65	14.4	20	
Toluene	18.19	1.0	20	0	90.9	77 - 118	19.95	9.23	20	
trans-1,2-Dichloroethene	17.89	1.0	20	0	89.4	72 - 127	19.7	9.64	20	
trans-1,3-Dichloropropene	20.24	1.0	20	0	101	77 - 119	20.72	2.31	20	
Trichloroethene	17.24	1.0	20	0	86.2	77 - 121	19.65	13.1	20	
Trichlorofluoromethane	16.06	1.0	20	0	80.3	70 - 130	18.91	16.3	20	
Vinyl chloride	15.9	1.0	20	0	79.5	70 - 130	19.3	19.3	20	
Xylenes, Total	56.13	3.0	60	0	93.5	75 - 122	61.33	8.86	20	
Surr: 1,2-Dichloroethane-d4	50.2	1.0	50	0	100	70 - 123	50.56	0.721	20	
Surr: 4-Bromofluorobenzene	50.46	1.0	50	0	101	77 - 113	49.6	1.74	20	
Surr: Dibromofluoromethane	49.84	1.0	50	0	99.7	73 - 126	50.65	1.62	20	
Surr: Toluene-d8	50.85	1.0	50	0	102	81 - 120	50.89	0.0727	20	

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MS	Sample ID: HS25041166-02MS	Units: ug/L			Analysis Date: 27-Apr-2025 01:27					
Client ID:	Run ID: VOA4_511914	SeqNo: 8800543	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.42	1.0	20	0	97.1	70 - 130				
1,1,2,2-Tetrachloroethane	18.68	1.0	20	0	93.4	70 - 123				
1,1,2-Trichlor-1,2,2-trifluoroethane	21.18	2.0	20	0	106	70 - 130				
1,1,2-Trichloroethane	18.94	1.0	20	0	94.7	70 - 117				
1,1-Dichloroethane	18.95	1.0	20	0	94.7	70 - 127				
1,1-Dichloroethene	19.08	1.0	20	0	95.4	70 - 130				
1,2,4-Trichlorobenzene	18.41	1.0	20	0	92.1	70 - 125				
1,2-Dibromo-3-chloropropane	17.08	1.0	20	0	85.4	70 - 130				
1,2-Dibromoethane	19.09	1.0	20	0	95.5	70 - 124				
1,2-Dichlorobenzene	18.95	1.0	20	0	94.8	70 - 115				
1,2-Dichloroethane	18.28	1.0	20	0	91.4	70 - 127				
1,2-Dichloropropane	19.46	1.0	20	0	97.3	70 - 122				
1,3-Dichlorobenzene	19.1	1.0	20	0	95.5	70 - 119				
1,4-Dichlorobenzene	18.56	1.0	20	0	92.8	70 - 114				
2-Butanone	88.83	2.0	100	0	88.8	70 - 130				
2-Hexanone	98.1	2.0	100	0	98.1	70 - 130				
4-Methyl-2-pentanone	95.95	2.0	100	0	95.9	70 - 130				
Acetone	86.48	2.0	100	0	86.5	70 - 130				
Benzene	19.22	1.0	20	0	96.1	70 - 127				
Bromodichloromethane	19.14	1.0	20	0	95.7	70 - 124				
Bromoform	18.8	1.0	20	0	94.0	70 - 129				
Bromomethane	14.46	1.0	20	0	72.3	70 - 130				
Carbon disulfide	37.54	2.0	40	0	93.8	70 - 130				
Carbon tetrachloride	19.98	1.0	20	0	99.9	70 - 130				
Chlorobenzene	19.37	1.0	20	0	96.8	70 - 114				
Chloroethane	18.64	1.0	20	0	93.2	70 - 130				
Chloroform	18.73	1.0	20	0	93.6	70 - 125				
Chloromethane	14.91	1.0	20	0	74.6	70 - 130				
cis-1,2-Dichloroethene	19.02	1.0	20	0	95.1	70 - 128				
cis-1,3-Dichloropropene	18.32	1.0	20	0	91.6	70 - 125				
Cyclohexane	18.63	1.0	20	0	93.1	70 - 130				
Dibromochloromethane	19.13	1.0	20	0	95.6	70 - 124				
Dichlorodifluoromethane	10.25	1.0	20	0	51.3	70 - 130				S
Ethylbenzene	19.87	1.0	20	0	99.4	70 - 124				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MS		Sample ID: HS25041166-02MS		Units: ug/L		Analysis Date: 27-Apr-2025 01:27			
Client ID:		Run ID: VOA4_511914		SeqNo: 8800543		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Isopropylbenzene	20.26	1.0	20	0	101	70 - 130			
m,p-Xylene	40.06	2.0	40	0	100	70 - 130			
Methyl acetate	17.13	2.0	20	0	85.6	76 - 122			
Methyl tert-butyl ether	17.37	1.0	20	0	86.8	70 - 130			
Methylcyclohexane	20.54	1.0	20	0	103	61 - 158			
Methylene chloride	16.94	2.0	20	0	84.7	70 - 128			
o-Xylene	19.74	1.0	20	0	98.7	70 - 124			
Styrene	19.98	1.0	20	0	99.9	70 - 130			
Tetrachloroethene	20.24	1.0	20	0	101	70 - 130			
Toluene	19.45	1.0	20	0	97.3	70 - 123			
trans-1,2-Dichloroethene	19.98	1.0	20	0	99.9	70 - 130			
trans-1,3-Dichloropropene	18.12	1.0	20	0	90.6	70 - 121			
Trichloroethene	19.64	1.0	20	0	98.2	70 - 129			
Trichlorofluoromethane	19.42	1.0	20	0	97.1	70 - 130			
Vinyl chloride	17.74	1.0	20	0	88.7	70 - 130			
Xylenes, Total	59.8	3.0	60	0	99.7	70 - 130			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>50.32</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>70 - 126</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>49.74</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>99.5</i>	<i>77 - 113</i>			
<i>Surr: Dibromofluoromethane</i>	<i>49.69</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>99.4</i>	<i>77 - 123</i>			
<i>Surr: Toluene-d8</i>	<i>50.23</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>100</i>	<i>82 - 127</i>			

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0)		Instrument: VOA4			Method: LOW LEVEL VOLATILES BY SW8260C					
MSD	Sample ID: HS25041166-02MSD	Units: ug/L			Analysis Date: 27-Apr-2025 01:47					
Client ID:	Run ID: VOA4_511914	SeqNo: 8800544		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	18.79	1.0	20	0	93.9	70 - 130	19.42	3.3	20	
1,1,2,2-Tetrachloroethane	19.21	1.0	20	0	96.0	70 - 123	18.68	2.76	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	20.44	2.0	20	0	102	70 - 130	21.18	3.56	20	
1,1,2-Trichloroethane	18.47	1.0	20	0	92.4	70 - 117	18.94	2.51	20	
1,1-Dichloroethane	18.24	1.0	20	0	91.2	70 - 127	18.95	3.81	20	
1,1-Dichloroethene	18	1.0	20	0	90.0	70 - 130	19.08	5.81	20	
1,2,4-Trichlorobenzene	18.32	1.0	20	0	91.6	70 - 125	18.41	0.479	20	
1,2-Dibromo-3-chloropropane	17.98	1.0	20	0	89.9	70 - 130	17.08	5.18	20	
1,2-Dibromoethane	19.12	1.0	20	0	95.6	70 - 124	19.09	0.162	20	
1,2-Dichlorobenzene	18.75	1.0	20	0	93.7	70 - 115	18.95	1.08	20	
1,2-Dichloroethane	18.19	1.0	20	0	91.0	70 - 127	18.28	0.455	20	
1,2-Dichloropropane	18.67	1.0	20	0	93.3	70 - 122	19.46	4.19	20	
1,3-Dichlorobenzene	18.68	1.0	20	0	93.4	70 - 119	19.1	2.19	20	
1,4-Dichlorobenzene	18.33	1.0	20	0	91.6	70 - 114	18.56	1.25	20	
2-Butanone	90.09	2.0	100	0	90.1	70 - 130	88.83	1.4	20	
2-Hexanone	97.06	2.0	100	0	97.1	70 - 130	98.1	1.06	20	
4-Methyl-2-pentanone	93.74	2.0	100	0	93.7	70 - 130	95.95	2.33	20	
Acetone	88.2	2.0	100	0	88.2	70 - 130	86.48	1.97	20	
Benzene	18.42	1.0	20	0	92.1	70 - 127	19.22	4.26	20	
Bromodichloromethane	18.53	1.0	20	0	92.6	70 - 124	19.14	3.23	20	
Bromoform	18.56	1.0	20	0	92.8	70 - 129	18.8	1.3	20	
Bromomethane	13.83	1.0	20	0	69.2	70 - 130	14.46	4.47	20	S
Carbon disulfide	35.76	2.0	40	0	89.4	70 - 130	37.54	4.85	20	
Carbon tetrachloride	19.89	1.0	20	0	99.4	70 - 130	19.98	0.467	20	
Chlorobenzene	18.89	1.0	20	0	94.4	70 - 114	19.37	2.52	20	
Chloroethane	18.15	1.0	20	0	90.8	70 - 130	18.64	2.64	20	
Chloroform	18.14	1.0	20	0	90.7	70 - 125	18.73	3.21	20	
Chloromethane	13.87	1.0	20	0	69.3	70 - 130	14.91	7.27	20	S
cis-1,2-Dichloroethene	17.98	1.0	20	0	89.9	70 - 128	19.02	5.61	20	
cis-1,3-Dichloropropene	17.96	1.0	20	0	89.8	70 - 125	18.32	2	20	
Cyclohexane	17.86	1.0	20	0	89.3	70 - 130	18.63	4.22	20	
Dibromochloromethane	18.83	1.0	20	0	94.1	70 - 124	19.13	1.58	20	
Dichlorodifluoromethane	9.761	1.0	20	0	48.8	70 - 130	10.25	4.93	20	S
Ethylbenzene	18.74	1.0	20	0	93.7	70 - 124	19.87	5.83	20	

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511914 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MSD		Sample ID: HS25041166-02MSD		Units: ug/L		Analysis Date: 27-Apr-2025 01:47			
Client ID:		Run ID: VOA4_511914		SeqNo: 8800544		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Isopropylbenzene	19.32	1.0	20	0	96.6	70 - 130	20.26	4.74	20
m,p-Xylene	38.46	2.0	40	0	96.2	70 - 130	40.06	4.07	20
Methyl acetate	15.74	2.0	20	0	78.7	76 - 122	17.13	8.44	20
Methyl tert-butyl ether	17.46	1.0	20	0	87.3	70 - 130	17.37	0.523	20
Methylcyclohexane	18.58	1.0	20	0	92.9	61 - 158	20.54	10	20
Methylene chloride	16.37	2.0	20	0	81.8	70 - 128	16.94	3.46	20
o-Xylene	19.08	1.0	20	0	95.4	70 - 124	19.74	3.4	20
Styrene	19.1	1.0	20	0	95.5	70 - 130	19.98	4.51	20
Tetrachloroethene	18.64	1.0	20	0	93.2	70 - 130	20.24	8.23	20
Toluene	18.58	1.0	20	0	92.9	70 - 123	19.45	4.57	20
trans-1,2-Dichloroethene	18.55	1.0	20	0	92.7	70 - 130	19.98	7.44	20
trans-1,3-Dichloropropene	17.8	1.0	20	0	89.0	70 - 121	18.12	1.8	20
Trichloroethene	18.72	1.0	20	0	93.6	70 - 129	19.64	4.83	20
Trichlorofluoromethane	18.45	1.0	20	0	92.2	70 - 130	19.42	5.12	20
Vinyl chloride	16.11	1.0	20	0	80.6	70 - 130	17.74	9.62	20
Xylenes, Total	57.54	3.0	60	0	95.9	70 - 130	59.8	3.85	20
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>50.64</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>70 - 126</i>	<i>50.32</i>	<i>0.636</i>	<i>20</i>
<i>Surr: 4-Bromofluorobenzene</i>	<i>50.14</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>100</i>	<i>77 - 113</i>	<i>49.74</i>	<i>0.799</i>	<i>20</i>
<i>Surr: Dibromofluoromethane</i>	<i>50.71</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>77 - 123</i>	<i>49.69</i>	<i>2.02</i>	<i>20</i>
<i>Surr: Toluene-d8</i>	<i>50.76</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>102</i>	<i>82 - 127</i>	<i>50.23</i>	<i>1.06</i>	<i>20</i>

The following samples were analyzed in this batch:

HS25041210-02	HS25041210-03	HS25041210-04	HS25041210-06
HS25041210-07	HS25041210-08		

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511925 (0) **Instrument:** VOA7 **Method:** LOW LEVEL VOLATILES BY SW8260C

MBLK Sample ID: **MBLK-250426** Units: **ug/L** Analysis Date: **26-Apr-2025 18:13**
 Client ID: Run ID: **VOA7_511925** SeqNo: **8800747** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit Qual**

1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	1.0								
1,1,2-Trichlor-1,2,2-trifluoroethane	U	2.0								
1,1,2-Trichloroethane	U	1.0								
1,1-Dichloroethane	U	1.0								
1,1-Dichloroethene	U	1.0								
1,2,4-Trichlorobenzene	U	1.0								
1,2-Dibromo-3-chloropropane	U	1.0								
1,2-Dibromoethane	U	1.0								
1,2-Dichlorobenzene	U	1.0								
1,2-Dichloroethane	U	1.0								
1,2-Dichloropropane	U	1.0								
1,3-Dichlorobenzene	U	1.0								
1,4-Dichlorobenzene	U	1.0								
2-Butanone	U	2.0								
2-Hexanone	U	2.0								
4-Methyl-2-pentanone	U	2.0								
Acetone	U	2.0								
Benzene	U	1.0								
Bromodichloromethane	U	1.0								
Bromoform	U	1.0								
Bromomethane	U	1.0								
Carbon disulfide	U	2.0								
Carbon tetrachloride	U	1.0								
Chlorobenzene	U	1.0								
Chloroethane	U	1.0								
Chloroform	U	1.0								
Chloromethane	U	1.0								
cis-1,2-Dichloroethene	U	1.0								
cis-1,3-Dichloropropene	U	1.0								
Cyclohexane	U	1.0								
Dibromochloromethane	U	1.0								
Dichlorodifluoromethane	U	1.0								
Ethylbenzene	U	1.0								

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511925 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-250426	Units: ug/L			Analysis Date: 26-Apr-2025 18:13					
Client ID:	Run ID: VOA7_511925	SeqNo: 8800747	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	U	1.0								
m,p-Xylene	U	2.0								
Methyl acetate	U	2.0								
Methyl tert-butyl ether	U	1.0								
Methylcyclohexane	U	1.0								
Methylene chloride	U	2.0								
o-Xylene	U	1.0								
Styrene	U	1.0								
Tetrachloroethene	U	1.0								
Toluene	U	1.0								
trans-1,2-Dichloroethene	U	1.0								
trans-1,3-Dichloropropene	U	1.0								
Trichloroethene	U	1.0								
Trichlorofluoromethane	U	1.0								
Vinyl chloride	U	1.0								
Xylenes, Total	U	3.0								
Surr: 1,2-Dichloroethane-d4	49.13	1.0	50	0	98.3	70 - 123				
Surr: 4-Bromofluorobenzene	52.88	1.0	50	0	106	77 - 113				
Surr: Dibromofluoromethane	48.45	1.0	50	0	96.9	73 - 126				
Surr: Toluene-d8	52.27	1.0	50	0	105	81 - 120				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511925 (0) **Instrument:** VOA7 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS Sample ID: **LCS-250426** Units: **ug/L** Analysis Date: **26-Apr-2025 17:27**
 Client ID: Run ID: **VOA7_511925** SeqNo: **8800810** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1,1-Trichloroethane	19.54	1.0	20	0	97.7	70 - 130			
1,1,2,2-Tetrachloroethane	22.68	1.0	20	0	113	70 - 120			
1,1,2-Trichlor-1,2,2-trifluoroethane	20.12	2.0	20	0	101	70 - 130			
1,1,2-Trichloroethane	22.29	1.0	20	0	111	77 - 113			
1,1-Dichloroethane	21.24	1.0	20	0	106	71 - 122			
1,1-Dichloroethene	19.88	1.0	20	0	99.4	70 - 130			
1,2,4-Trichlorobenzene	19.48	1.0	20	0	97.4	77 - 126			
1,2-Dibromo-3-chloropropane	21.53	1.0	20	0	108	70 - 130			
1,2-Dibromoethane	20.75	1.0	20	0	104	76 - 123			
1,2-Dichlorobenzene	21.95	1.0	20	0	110	77 - 113			
1,2-Dichloroethane	22.11	1.0	20	0	111	70 - 124			
1,2-Dichloropropane	19.94	1.0	20	0	99.7	72 - 119			
1,3-Dichlorobenzene	22.3	1.0	20	0	111	78 - 118			
1,4-Dichlorobenzene	22.43	1.0	20	0	112	79 - 113			
2-Butanone	89.36	2.0	100	0	89.4	70 - 130			
2-Hexanone	99.72	2.0	100	0	99.7	70 - 130			
4-Methyl-2-pentanone	96.48	2.0	100	0	96.5	70 - 130			
Acetone	86.66	2.0	100	0	86.7	70 - 130			
Benzene	21.1	1.0	20	0	106	74 - 120			
Bromodichloromethane	19.83	1.0	20	0	99.2	74 - 122			
Bromoform	20.23	1.0	20	0	101	73 - 128			
Bromomethane	18.58	1.0	20	0	92.9	70 - 130			
Carbon disulfide	38.88	2.0	40	0	97.2	70 - 130			
Carbon tetrachloride	21.87	1.0	20	0	109	71 - 125			
Chlorobenzene	21.81	1.0	20	0	109	76 - 113			
Chloroethane	18.62	1.0	20	0	93.1	70 - 130			
Chloroform	21.23	1.0	20	0	106	71 - 121			
Chloromethane	18.58	1.0	20	0	92.9	70 - 129			
cis-1,2-Dichloroethene	19.52	1.0	20	0	97.6	75 - 122			
cis-1,3-Dichloropropene	19.58	1.0	20	0	97.9	73 - 127			
Cyclohexane	18.86	1.0	20	0	94.3	70 - 130			
Dibromochloromethane	20.08	1.0	20	0	100	77 - 122			
Dichlorodifluoromethane	20.67	1.0	20	0	103	70 - 130			
Ethylbenzene	23.04	1.0	20	0	115	77 - 117			

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511925 (0) **Instrument:** VOA7 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS		Sample ID: LCS-250426		Units: ug/L		Analysis Date: 26-Apr-2025 17:27				
Client ID:		Run ID: VOA7_511925		SeqNo: 8800810		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	20.58	1.0	20	0	103	73 - 127				
m,p-Xylene	45.24	2.0	40	0	113	77 - 122				
Methyl acetate	16.86	2.0	20	0	84.3	76 - 122				
Methyl tert-butyl ether	21.66	1.0	20	0	108	70 - 130				
Methylcyclohexane	19.37	1.0	20	0	96.9	61 - 157				
Methylene chloride	19.21	2.0	20	0	96.0	70 - 127				
o-Xylene	20.58	1.0	20	0	103	75 - 119				
Styrene	20.46	1.0	20	0	102	72 - 126				
Tetrachloroethene	20.31	1.0	20	0	102	76 - 119				
Toluene	21.36	1.0	20	0	107	77 - 118				
trans-1,2-Dichloroethene	19.84	1.0	20	0	99.2	72 - 127				
trans-1,3-Dichloropropene	20.16	1.0	20	0	101	77 - 119				
Trichloroethene	19.88	1.0	20	0	99.4	77 - 121				
Trichlorofluoromethane	20.3	1.0	20	0	101	70 - 130				
Vinyl chloride	19.38	1.0	20	0	96.9	70 - 130				
Xylenes, Total	65.82	3.0	60	0	110	75 - 122				
Surr: 1,2-Dichloroethane-d4	50.41	1.0	50	0	101	70 - 123				
Surr: 4-Bromofluorobenzene	50.61	1.0	50	0	101	77 - 113				
Surr: Dibromofluoromethane	49.29	1.0	50	0	98.6	73 - 126				
Surr: Toluene-d8	50.32	1.0	50	0	101	81 - 120				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511925 (0)		Instrument: VOA7		Method: LOW LEVEL VOLATILES BY SW8260C						
MS	Sample ID: HS25041294-03MS	Units: ug/L			Analysis Date: 27-Apr-2025 02:31					
Client ID:	Run ID: VOA7_511925	SeqNo: 8800762	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.14	1.0	20	0	95.7	70 - 130				
1,1,2,2-Tetrachloroethane	20.52	1.0	20	0	103	70 - 123				
1,1,2-Trichlor-1,2,2-trifluoroethane	20	2.0	20	0	100	70 - 130				
1,1,2-Trichloroethane	21.1	1.0	20	0	106	70 - 117				
1,1-Dichloroethane	20.16	1.0	20	0	101	70 - 127				
1,1-Dichloroethene	19.47	1.0	20	0	97.3	70 - 130				
1,2,4-Trichlorobenzene	16.8	1.0	20	0	84.0	70 - 125				
1,2-Dibromo-3-chloropropane	18.92	1.0	20	0	94.6	70 - 130				
1,2-Dibromoethane	18.43	1.0	20	0	92.2	70 - 124				
1,2-Dichlorobenzene	19.98	1.0	20	0	99.9	70 - 115				
1,2-Dichloroethane	20.26	1.0	20	0	101	70 - 127				
1,2-Dichloropropane	18.58	1.0	20	0	92.9	70 - 122				
1,3-Dichlorobenzene	19.97	1.0	20	0	99.9	70 - 119				
1,4-Dichlorobenzene	19.98	1.0	20	0	99.9	70 - 114				
2-Butanone	82.78	2.0	100	0	82.8	70 - 130				
2-Hexanone	82.82	2.0	100	0	82.8	70 - 130				
4-Methyl-2-pentanone	84.4	2.0	100	0	84.4	70 - 130				
Acetone	73.39	2.0	100	0	73.4	70 - 130				
Benzene	20.73	1.0	20	0	104	70 - 127				
Bromodichloromethane	18.26	1.0	20	0	91.3	70 - 124				
Bromoform	18.06	1.0	20	0	90.3	70 - 129				
Bromomethane	16.52	1.0	20	0	82.6	70 - 130				
Carbon disulfide	37.42	2.0	40	0	93.6	70 - 130				
Carbon tetrachloride	21.23	1.0	20	0	106	70 - 130				
Chlorobenzene	20.76	1.0	20	0	104	70 - 114				
Chloroethane	18.24	1.0	20	0	91.2	70 - 130				
Chloroform	20.5	1.0	20	0	102	70 - 125				
Chloromethane	15.44	1.0	20	0	77.2	70 - 130				
cis-1,2-Dichloroethene	24.2	1.0	20	6.644	87.8	70 - 128				
cis-1,3-Dichloropropene	17.2	1.0	20	0	86.0	70 - 125				
Cyclohexane	19.06	1.0	20	0	95.3	70 - 130				
Dibromochloromethane	18.57	1.0	20	0	92.8	70 - 124				
Dichlorodifluoromethane	10.74	1.0	20	0	53.7	70 - 130				S
Ethylbenzene	22.24	1.0	20	0	111	70 - 124				

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511925 (0) **Instrument:** VOA7 **Method:** LOW LEVEL VOLATILES BY SW8260C

MS		Sample ID: HS25041294-03MS		Units: ug/L		Analysis Date: 27-Apr-2025 02:31			
Client ID:		Run ID: VOA7_511925		SeqNo: 8800762		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Isopropylbenzene	19.64	1.0	20	0	98.2	70 - 130			
m,p-Xylene	43.12	2.0	40	0	108	70 - 130			
Methyl acetate	15.51	2.0	20	0	77.5	76 - 122			
Methyl tert-butyl ether	18.55	1.0	20	0	92.8	70 - 130			
Methylcyclohexane	17.44	1.0	20	0	87.2	61 - 158			
Methylene chloride	17.79	2.0	20	0	88.9	70 - 128			
o-Xylene	19.54	1.0	20	0	97.7	70 - 124			
Styrene	18.42	1.0	20	0	92.1	70 - 130			
Tetrachloroethene	27.8	1.0	20	10.01	89.0	70 - 130			
Toluene	20.97	1.0	20	0	105	70 - 123			
trans-1,2-Dichloroethene	19.24	1.0	20	0	96.2	70 - 130			
trans-1,3-Dichloropropene	17.52	1.0	20	0	87.6	70 - 121			
Trichloroethene	22.8	1.0	20	4.424	91.9	70 - 129			
Trichlorofluoromethane	19.71	1.0	20	0	98.6	70 - 130			
Vinyl chloride	16.36	1.0	20	0	81.8	70 - 130			
Xylenes, Total	62.66	3.0	60	0	104	70 - 130			
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>49.32</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>98.6</i>	<i>70 - 126</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>50.04</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>100</i>	<i>77 - 113</i>			
<i>Surr: Dibromofluoromethane</i>	<i>48.72</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>97.4</i>	<i>77 - 123</i>			
<i>Surr: Toluene-d8</i>	<i>50.31</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>82 - 127</i>			

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511925 (0) **Instrument:** VOA7 **Method:** LOW LEVEL VOLATILES BY SW8260C

MSD Sample ID: **HS25041294-03MSD** Units: **ug/L** Analysis Date: **27-Apr-2025 02:54**
 Client ID: Run ID: **VOA7_511925** SeqNo: **8800763** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit** **Qual**

1,1,1-Trichloroethane	18.3	1.0	20	0	91.5	70 - 130	19.14	4.5	20	
1,1,2,2-Tetrachloroethane	20.23	1.0	20	0	101	70 - 123	20.52	1.42	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	19.07	2.0	20	0	95.3	70 - 130	20	4.78	20	
1,1,2-Trichloroethane	20.93	1.0	20	0	105	70 - 117	21.1	0.842	20	
1,1-Dichloroethane	20.14	1.0	20	0	101	70 - 127	20.16	0.134	20	
1,1-Dichloroethene	19.48	1.0	20	0	97.4	70 - 130	19.47	0.0616	20	
1,2,4-Trichlorobenzene	16.05	1.0	20	0	80.2	70 - 125	16.8	4.57	20	
1,2-Dibromo-3-chloropropane	18.89	1.0	20	0	94.4	70 - 130	18.92	0.169	20	
1,2-Dibromoethane	18.31	1.0	20	0	91.6	70 - 124	18.43	0.642	20	
1,2-Dichlorobenzene	19.25	1.0	20	0	96.3	70 - 115	19.98	3.7	20	
1,2-Dichloroethane	20.22	1.0	20	0	101	70 - 127	20.26	0.222	20	
1,2-Dichloropropane	18.55	1.0	20	0	92.8	70 - 122	18.58	0.113	20	
1,3-Dichlorobenzene	18.84	1.0	20	0	94.2	70 - 119	19.97	5.84	20	
1,4-Dichlorobenzene	18.93	1.0	20	0	94.6	70 - 114	19.98	5.43	20	
2-Butanone	86.19	2.0	100	0	86.2	70 - 130	82.78	4.04	20	
2-Hexanone	80.17	2.0	100	0	80.2	70 - 130	82.82	3.25	20	
4-Methyl-2-pentanone	85.15	2.0	100	0	85.2	70 - 130	84.4	0.889	20	
Acetone	71.89	2.0	100	0	71.9	70 - 130	73.39	2.06	20	
Benzene	19.87	1.0	20	0	99.4	70 - 127	20.73	4.2	20	
Bromodichloromethane	18.31	1.0	20	0	91.6	70 - 124	18.26	0.295	20	
Bromoform	18.04	1.0	20	0	90.2	70 - 129	18.06	0.133	20	
Bromomethane	16.62	1.0	20	0	83.1	70 - 130	16.52	0.615	20	
Carbon disulfide	36.39	2.0	40	0	91.0	70 - 130	37.42	2.79	20	
Carbon tetrachloride	20.68	1.0	20	0	103	70 - 130	21.23	2.6	20	
Chlorobenzene	20.03	1.0	20	0	100	70 - 114	20.76	3.55	20	
Chloroethane	17.92	1.0	20	0	89.6	70 - 130	18.24	1.78	20	
Chloroform	20.4	1.0	20	0	102	70 - 125	20.5	0.494	20	
Chloromethane	14.48	1.0	20	0	72.4	70 - 130	15.44	6.44	20	
cis-1,2-Dichloroethene	23.93	1.0	20	6.644	86.4	70 - 128	24.2	1.11	20	
cis-1,3-Dichloropropene	16.89	1.0	20	0	84.4	70 - 125	17.2	1.85	20	
Cyclohexane	18.12	1.0	20	0	90.6	70 - 130	19.06	5.01	20	
Dibromochloromethane	18.19	1.0	20	0	90.9	70 - 124	18.57	2.09	20	
Dichlorodifluoromethane	10.46	1.0	20	0	52.3	70 - 130	10.74	2.56	20	S
Ethylbenzene	21.49	1.0	20	0	107	70 - 124	22.24	3.42	20	

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

QC BATCH REPORT

Batch ID: R511925 (0) **Instrument:** VOA7 **Method:** LOW LEVEL VOLATILES BY SW8260C

MSD		Sample ID: HS25041294-03MSD			Units: ug/L		Analysis Date: 27-Apr-2025 02:54			
Client ID:		Run ID: VOA7_511925			SeqNo: 8800763		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	18.87	1.0	20	0	94.3	70 - 130	19.64	3.98	20	
m,p-Xylene	42.02	2.0	40	0	105	70 - 130	43.12	2.58	20	
Methyl acetate	14.95	2.0	20	0	74.7	76 - 122	15.51	3.69	20	S
Methyl tert-butyl ether	19.28	1.0	20	0	96.4	70 - 130	18.55	3.86	20	
Methylcyclohexane	17.69	1.0	20	0	88.4	61 - 158	17.44	1.39	20	
Methylene chloride	17.83	2.0	20	0	89.1	70 - 128	17.79	0.236	20	
o-Xylene	18.92	1.0	20	0	94.6	70 - 124	19.54	3.21	20	
Styrene	17.71	1.0	20	0	88.6	70 - 130	18.42	3.92	20	
Tetrachloroethene	26.76	1.0	20	10.01	83.8	70 - 130	27.8	3.8	20	
Toluene	20.35	1.0	20	0	102	70 - 123	20.97	2.97	20	
trans-1,2-Dichloroethene	18.91	1.0	20	0	94.5	70 - 130	19.24	1.72	20	
trans-1,3-Dichloropropene	17.42	1.0	20	0	87.1	70 - 121	17.52	0.555	20	
Trichloroethene	21.59	1.0	20	4.424	85.8	70 - 129	22.8	5.44	20	
Trichlorofluoromethane	19.5	1.0	20	0	97.5	70 - 130	19.71	1.11	20	
Vinyl chloride	16.62	1.0	20	0	83.1	70 - 130	16.36	1.57	20	
Xylenes, Total	60.94	3.0	60	0	102	70 - 130	62.66	2.78	20	
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>51.34</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>103</i>	<i>70 - 126</i>	<i>49.32</i>	<i>4.03</i>	<i>20</i>	
<i>Surr: 4-Bromofluorobenzene</i>	<i>49.96</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>99.9</i>	<i>77 - 113</i>	<i>50.04</i>	<i>0.148</i>	<i>20</i>	
<i>Surr: Dibromofluoromethane</i>	<i>50.41</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>101</i>	<i>77 - 123</i>	<i>48.72</i>	<i>3.41</i>	<i>20</i>	
<i>Surr: Toluene-d8</i>	<i>51.19</i>	<i>1.0</i>	<i>50</i>	<i>0</i>	<i>102</i>	<i>82 - 127</i>	<i>50.31</i>	<i>1.74</i>	<i>20</i>	

The following samples were analyzed in this batch: HS25041210-05

ALS Houston, US

Date: 30-Apr-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25041210

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

ALS Houston, US

Date: 30-Apr-25

CERTIFICATIONS, ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arizona	AZ0793	27-May-2026
Arkansas	88-00356_2024	17-Mar-2026
Dept of Defense	L24-239	30-Apr-2026
Dept of Defense	L24-240	30-Apr-2026
Florida	E87611-38	30-Jun-2025
Illinois	2000322023-11	31-Jul-2025
Kansas	E-10352 2023-2024	31-Jul-2025
Louisiana	03087 2023-2024	30-Jun-2025
Maine	2024017	23-Jun-2026
Minnesota	2856348	31-Dec-2025
Missouri	136	30-Sep-2026
New Hampshire	209425	24-Apr-2026
New Jersey	TX008	30-Jun-2025
North Carolina	624 - 2024	31-Dec-2025
North Dakota	R-193 2023-2024	30-Sep-2025
Oklahoma	2023-140	31-Aug-2025
Pennsylvania	018	30-Jun-2025
Tennessee	TN	30-Apr-2026
Texas	T104704231 TX-C24-00130	30-Apr-2026
Utah	TX026932023-14	31-Jul-2025

ALS Houston, US

Date: 30-Apr-25

Sample Receipt Checklist

Work Order ID: HS25041210

Date/Time Received: 23-Apr-2025 09:00

Client Name: GHDHouston

Received by: Edgar Zheku

Completed By: /S/ Belinda Gomez	23-Apr-2025 12:00	Reviewed by: /S/ Alexis Dorenbosch	23-Apr-2025 13:56
eSignature	Date/Time	eSignature	Date/Time

Matrices: **Water**

Carrier name: **FedEx**

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes No Not Present
- Chain of custody present? Yes No 1 Page(s)
- Chain of custody signed when relinquished and received? Yes No COC IDs:333398
- Samplers name present on COC? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No

Temperature(s)/Thermometer(s):	1.2uc/1.2c	ir34
Cooler(s)/Kit(s):	50682	
Date/Time sample(s) sent to storage:	4/23/25 1210	
Water - VOA vials have zero headspace?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	No VOA vials submitted <input type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/> No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/> No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:		

Login Notes: Received 1 of 3 vials for Dup-01 broken in cooler.
Received trip blank not listed on Chain of Custody, placed on hold.

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

ALS
 10450 Stancliff Rd., Suite 210
 Houston, Texas 77099
 Tel. +1 281 530 5656
 Fax. +1 281 530-6987

Date: 4/23
 Name: ALS
 Company: ALS

CUSTODY SEAL
 Time: 17:40
 Hunter Johnson PhD


Seal Broken By: _____
 Date: _____

ORIGIN ID: SGRA (505) 705-8300
 HUNTER JOHNSON
 8370 HOUSTON
 8370 EAGLE RANCH RD NW
 APT 225
 ALBUQUERQUE, NM 87114
 UNITED STATES US

SHIP DATE: 16APR25
 ACTWT: 1.00 LB MAN
 CAD: 0221247/CAFE3855

TO **SAMPLE RECEIVING**
ALS GROUP USA
10450 STANCLIFF RD
SUITE 210
HOUSTON TX 77099

REF: LAGUNA COMPRESSOR - B0106887 - LA



FedEx
 TRK# 0221 4345 8798 0154

WED - 23 APR 5:00P
 STANDARD OVERNIGHT

XA SGRA

77099
 TX - US IA



93435337 04/22 58CJ5/L1B4/C6C4

4772 WED 04/23 06:50 713359
 ALS GROUP USA
 10450 STANCLIFF RD
 STE 210
 HOUSTON TX 77099-4338-60

253-3028

ETP: 2 SP:PD:100-Y
 1002903133310007709900434587980154



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

September 17, 2025

Deedee Whittington
GHDHouston
11451 Katy Freeway
Suite 400
Houston, TX 77079

Work Order: **HS25090388**

Laboratory Results for: **12660612 Laguna Compressor Station No. 6**

Dear Deedee Whittington ,

ALS Environmental received 14 sample(s) on Sep 10, 2025 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,



Generated By: JUMOKE.LAWAL

Alexis Dorenbosch
Project Manager

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
Work Order: HS25090388

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25090388-01	6-21C-20250909	Water		09-Sep-2025 08:30	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-02	6-13-20250909	Water		09-Sep-2025 09:30	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-03	6-14-20250909	Water		09-Sep-2025 10:15	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-04	6-21B-20250909	Water		09-Sep-2025 11:15	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-05	6-54-20250909	Water		09-Sep-2025 12:00	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-06	6-22B-20250909	Water		09-Sep-2025 13:00	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-07	6-22C-20250909	Water		09-Sep-2025 13:45	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-08	6-40-20250909	Water		09-Sep-2025 15:00	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-09	DUP-1-20250909	Water		09-Sep-2025 00:00	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-10	CG-081225-145	Water	CG-081225-145	09-Sep-2025 00:00	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-11	6-07-20250909	Water		09-Sep-2025 15:10	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-12	6-19-20250909	Water		09-Sep-2025 15:30	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-13	6-44-20250909	Water		09-Sep-2025 15:20	10-Sep-2025 09:05	<input type="checkbox"/>
HS25090388-14	CG-081225-184	Water	CG-081225-184	09-Sep-2025 00:00	10-Sep-2025 09:05	<input type="checkbox"/>

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
Work Order: HS25090388

CASE NARRATIVE

ECD Organics by Method SW8082**Batch ID: 232784****Sample ID: LCS-232784**

- Insufficient sample received to perform MS/MSD. LCS/LCSD provided as batch quality control.

GCMS Volatiles by Method SW8260**Batch ID: R521646****Sample ID: 6-14-20250909 (HS25090388-03)**

- Lowest possible dilution due to sample matrix.

Sample ID: 6-19-20250909 (HS25090388-12)

- Lowest possible dilution due to sample matrix.

Sample ID: 6-21C-20250909 (HS25090388-01)

- Lowest possible dilution due to sample matrix.

Sample ID: 6-44-20250909 (HS25090388-13)

- Lowest possible dilution due to sample matrix.

Sample ID: 6-54-20250909 (HS25090388-05)

- Lowest possible dilution due to sample matrix.

Sample ID: DUP-1-20250909 (HS25090388-09)

- Lowest possible dilution due to sample matrix.

WetChemistry by Method SW9060**Batch ID: R521803**

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method E300**Batch ID: R521532****Sample ID: 6-21C-20250909 (HS25090388-01MS)**

- The recovery of the Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) associated with this analyte was outside of the established control limits. However, the LCS was within control limits. The recovery of the MS/MSD may be due to sample matrix interference. (Nitrogen, Nitrate (As N), Nitrogen, Nitrite (As N))

Sample ID: HS25090337-01MS

- MS and MSD are for an unrelated sample (Sulfate)

Batch ID: R521672**Sample ID: HS25090461-01MS**

- MS and MSD are for an unrelated sample (Sulfate)

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-21C-20250909
 Collection Date: 09-Sep-2025 08:30

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-01
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.10	mg/L	100	11-Sep-2025 17:39
1,1,2,2-Tetrachloroethane	U		0.20	mg/L	100	11-Sep-2025 17:39
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.20	mg/L	100	11-Sep-2025 17:39
1,1,2-Trichloroethane	U		0.20	mg/L	100	11-Sep-2025 17:39
1,1-Dichloroethane	U		0.20	mg/L	100	11-Sep-2025 17:39
1,1-Dichloroethene	U		0.10	mg/L	100	11-Sep-2025 17:39
1,2,4-Trichlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:39
1,2-Dibromo-3-chloropropane	U		1.0	mg/L	100	11-Sep-2025 17:39
1,2-Dibromoethane	U		0.20	mg/L	100	11-Sep-2025 17:39
1,2-Dichlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:39
1,2-Dichloroethane	U		0.20	mg/L	100	11-Sep-2025 17:39
1,2-Dichloropropane	U		0.20	mg/L	100	11-Sep-2025 17:39
1,3-Dichlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:39
1,4-Dichlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:39
2-Butanone	2.0		1.0	mg/L	100	11-Sep-2025 17:39
2-Hexanone	1.2		1.0	mg/L	100	11-Sep-2025 17:39
4-Methyl-2-pentanone	U		1.0	mg/L	100	11-Sep-2025 17:39
Acetone	U		10	mg/L	100	11-Sep-2025 17:39
Benzene	U		0.10	mg/L	100	11-Sep-2025 17:39
Bromodichloromethane	U		0.20	mg/L	100	11-Sep-2025 17:39
Bromoform	U		0.20	mg/L	100	11-Sep-2025 17:39
Bromomethane	U		0.20	mg/L	100	11-Sep-2025 17:39
Carbon disulfide	U		0.20	mg/L	100	11-Sep-2025 17:39
Carbon tetrachloride	U		0.20	mg/L	100	11-Sep-2025 17:39
Chlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:39
Chloroethane	U		0.20	mg/L	100	11-Sep-2025 17:39
Chloroform	U		0.20	mg/L	100	11-Sep-2025 17:39
Chloromethane	U		0.20	mg/L	100	11-Sep-2025 17:39
cis-1,2-Dichloroethene	U		0.20	mg/L	100	11-Sep-2025 17:39
cis-1,3-Dichloropropene	U		0.20	mg/L	100	11-Sep-2025 17:39
Cyclohexane	U		0.20	mg/L	100	11-Sep-2025 17:39
Dibromochloromethane	U		0.20	mg/L	100	11-Sep-2025 17:39
Dichlorodifluoromethane	U		0.20	mg/L	100	11-Sep-2025 17:39
Ethylbenzene	U		0.20	mg/L	100	11-Sep-2025 17:39
Isopropylbenzene	U		0.20	mg/L	100	11-Sep-2025 17:39
m,p-Xylene	U		0.40	mg/L	100	11-Sep-2025 17:39
Methyl acetate	U		0.20	mg/L	100	11-Sep-2025 17:39
Methyl tert-butyl ether	U		0.10	mg/L	100	11-Sep-2025 17:39
Methylcyclohexane	U		0.50	mg/L	100	11-Sep-2025 17:39

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-21C-20250909
 Collection Date: 09-Sep-2025 08:30

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-01
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	1.0	mg/L	100	11-Sep-2025 17:39
o-Xylene		U	0.20	mg/L	100	11-Sep-2025 17:39
Styrene		U	0.20	mg/L	100	11-Sep-2025 17:39
Tetrachloroethene		U	0.20	mg/L	100	11-Sep-2025 17:39
Toluene		U	0.20	mg/L	100	11-Sep-2025 17:39
trans-1,2-Dichloroethene		U	0.10	mg/L	100	11-Sep-2025 17:39
trans-1,3-Dichloropropene		U	0.20	mg/L	100	11-Sep-2025 17:39
Trichloroethene		U	0.20	mg/L	100	11-Sep-2025 17:39
Trichlorofluoromethane		U	0.10	mg/L	100	11-Sep-2025 17:39
Vinyl chloride		U	0.10	mg/L	100	11-Sep-2025 17:39
Xylenes, Total		U	0.60	mg/L	100	11-Sep-2025 17:39
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	100	11-Sep-2025 17:39
Surr: 4-Bromofluorobenzene	100		77-113	%REC	100	11-Sep-2025 17:39
Surr: Dibromofluoromethane	103		77-123	%REC	100	11-Sep-2025 17:39
Surr: Toluene-d8	98.0		82-127	%REC	100	11-Sep-2025 17:39
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: HB		
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 17:14
Nitrogen, Nitrite (As N)		U	0.100	mg/L	1	10-Sep-2025 17:14
Sulfate	0.960		0.500	mg/L	1	10-Sep-2025 17:14
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060		Analyst: SG		
Organic Carbon, Total	1,610		200	mg/L	100	15-Sep-2025 11:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-13-20250909
 Collection Date: 09-Sep-2025 09:30

ANALYTICAL REPORT
 WorkOrder:HS25090388
 Lab ID:HS25090388-02
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	11-Sep-2025 14:03
1,1,2,2-Tetrachloroethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
1,1,2-Trichloroethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
1,1-Dichloroethane	0.066		0.0020	mg/L	1	11-Sep-2025 14:03
1,1-Dichloroethene	0.12		0.0010	mg/L	1	11-Sep-2025 14:03
1,2,4-Trichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:03
1,2-Dibromo-3-chloropropane		U	0.010	mg/L	1	11-Sep-2025 14:03
1,2-Dibromoethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
1,2-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:03
1,2-Dichloroethane	0.0075		0.0020	mg/L	1	11-Sep-2025 14:03
1,2-Dichloropropane		U	0.0020	mg/L	1	11-Sep-2025 14:03
1,3-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:03
1,4-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:03
2-Butanone		U	0.010	mg/L	1	11-Sep-2025 14:03
2-Hexanone		U	0.010	mg/L	1	11-Sep-2025 14:03
4-Methyl-2-pentanone		U	0.010	mg/L	1	11-Sep-2025 14:03
Acetone		U	0.10	mg/L	1	11-Sep-2025 14:03
Benzene	0.0051		0.0010	mg/L	1	11-Sep-2025 14:03
Bromodichloromethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
Bromoform		U	0.0020	mg/L	1	11-Sep-2025 14:03
Bromomethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
Carbon disulfide		U	0.0020	mg/L	1	11-Sep-2025 14:03
Carbon tetrachloride		U	0.0020	mg/L	1	11-Sep-2025 14:03
Chlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:03
Chloroethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
Chloroform		U	0.0020	mg/L	1	11-Sep-2025 14:03
Chloromethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
cis-1,2-Dichloroethene	0.0054		0.0020	mg/L	1	11-Sep-2025 14:03
cis-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 14:03
Cyclohexane		U	0.0020	mg/L	1	11-Sep-2025 14:03
Dibromochloromethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
Dichlorodifluoromethane		U	0.0020	mg/L	1	11-Sep-2025 14:03
Ethylbenzene		U	0.0020	mg/L	1	11-Sep-2025 14:03
Isopropylbenzene		U	0.0020	mg/L	1	11-Sep-2025 14:03
m,p-Xylene		U	0.0040	mg/L	1	11-Sep-2025 14:03
Methyl acetate		U	0.0020	mg/L	1	11-Sep-2025 14:03
Methyl tert-butyl ether		U	0.0010	mg/L	1	11-Sep-2025 14:03
Methylcyclohexane		U	0.0050	mg/L	1	11-Sep-2025 14:03

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-13-20250909
 Collection Date: 09-Sep-2025 09:30

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-02
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	11-Sep-2025 14:03
o-Xylene		U	0.0020	mg/L	1	11-Sep-2025 14:03
Styrene		U	0.0020	mg/L	1	11-Sep-2025 14:03
Tetrachloroethene		U	0.0020	mg/L	1	11-Sep-2025 14:03
Toluene		U	0.0020	mg/L	1	11-Sep-2025 14:03
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	11-Sep-2025 14:03
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 14:03
Trichloroethene		U	0.0020	mg/L	1	11-Sep-2025 14:03
Trichlorofluoromethane		U	0.0010	mg/L	1	11-Sep-2025 14:03
Vinyl chloride		U	0.0010	mg/L	1	11-Sep-2025 14:03
Xylenes, Total		U	0.0060	mg/L	1	11-Sep-2025 14:03
Surr: 1,2-Dichloroethane-d4	106		70-126	%REC	1	11-Sep-2025 14:03
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	11-Sep-2025 14:03
Surr: Dibromofluoromethane	104		77-123	%REC	1	11-Sep-2025 14:03
Surr: Toluene-d8	98.5		82-127	%REC	1	11-Sep-2025 14:03
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 11-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	11-Sep-2025 16:05
Aroclor 1221		U	0.000500	mg/L	1	11-Sep-2025 16:05
Aroclor 1232		U	0.000500	mg/L	1	11-Sep-2025 16:05
Aroclor 1242		U	0.000500	mg/L	1	11-Sep-2025 16:05
Aroclor 1248		U	0.000500	mg/L	1	11-Sep-2025 16:05
Aroclor 1254		U	0.000500	mg/L	1	11-Sep-2025 16:05
Aroclor 1260		U	0.000500	mg/L	1	11-Sep-2025 16:05
PCBs (Total)		U	0.000500	mg/L	1	11-Sep-2025 16:05
Surr: Decachlorobiphenyl	84.8		54-140	%REC	1	11-Sep-2025 16:05
Surr: Tetrachloro-m-xylene	70.9		53-137	%REC	1	11-Sep-2025 16:05
ANIONS BY E300.0, REV 2.1, 1993		Method:E300				Analyst: HB
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 17:38
Nitrogen, Nitrite (As N)	0.149		0.100	mg/L	1	10-Sep-2025 17:38
Sulfate	93.1		0.500	mg/L	1	10-Sep-2025 17:38
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060				Analyst: SG
Organic Carbon, Total	55.4		4.00	mg/L	2	15-Sep-2025 11:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-14-20250909
 Collection Date: 09-Sep-2025 10:15

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-03
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.10	mg/L	100	11-Sep-2025 17:59
1,1,2,2-Tetrachloroethane	U		0.20	mg/L	100	11-Sep-2025 17:59
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.20	mg/L	100	11-Sep-2025 17:59
1,1,2-Trichloroethane	U		0.20	mg/L	100	11-Sep-2025 17:59
1,1-Dichloroethane	U		0.20	mg/L	100	11-Sep-2025 17:59
1,1-Dichloroethene	U		0.10	mg/L	100	11-Sep-2025 17:59
1,2,4-Trichlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:59
1,2-Dibromo-3-chloropropane	U		1.0	mg/L	100	11-Sep-2025 17:59
1,2-Dibromoethane	U		0.20	mg/L	100	11-Sep-2025 17:59
1,2-Dichlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:59
1,2-Dichloroethane	U		0.20	mg/L	100	11-Sep-2025 17:59
1,2-Dichloropropane	U		0.20	mg/L	100	11-Sep-2025 17:59
1,3-Dichlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:59
1,4-Dichlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:59
2-Butanone	U		1.0	mg/L	100	11-Sep-2025 17:59
2-Hexanone	1.7		1.0	mg/L	100	11-Sep-2025 17:59
4-Methyl-2-pentanone	U		1.0	mg/L	100	11-Sep-2025 17:59
Acetone	U		10	mg/L	100	11-Sep-2025 17:59
Benzene	U		0.10	mg/L	100	11-Sep-2025 17:59
Bromodichloromethane	U		0.20	mg/L	100	11-Sep-2025 17:59
Bromoform	U		0.20	mg/L	100	11-Sep-2025 17:59
Bromomethane	U		0.20	mg/L	100	11-Sep-2025 17:59
Carbon disulfide	U		0.20	mg/L	100	11-Sep-2025 17:59
Carbon tetrachloride	U		0.20	mg/L	100	11-Sep-2025 17:59
Chlorobenzene	U		0.20	mg/L	100	11-Sep-2025 17:59
Chloroethane	U		0.20	mg/L	100	11-Sep-2025 17:59
Chloroform	U		0.20	mg/L	100	11-Sep-2025 17:59
Chloromethane	U		0.20	mg/L	100	11-Sep-2025 17:59
cis-1,2-Dichloroethene	U		0.20	mg/L	100	11-Sep-2025 17:59
cis-1,3-Dichloropropene	U		0.20	mg/L	100	11-Sep-2025 17:59
Cyclohexane	U		0.20	mg/L	100	11-Sep-2025 17:59
Dibromochloromethane	U		0.20	mg/L	100	11-Sep-2025 17:59
Dichlorodifluoromethane	U		0.20	mg/L	100	11-Sep-2025 17:59
Ethylbenzene	U		0.20	mg/L	100	11-Sep-2025 17:59
Isopropylbenzene	U		0.20	mg/L	100	11-Sep-2025 17:59
m,p-Xylene	U		0.40	mg/L	100	11-Sep-2025 17:59
Methyl acetate	U		0.20	mg/L	100	11-Sep-2025 17:59
Methyl tert-butyl ether	U		0.10	mg/L	100	11-Sep-2025 17:59
Methylcyclohexane	U		0.50	mg/L	100	11-Sep-2025 17:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-14-20250909
 Collection Date: 09-Sep-2025 10:15

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-03
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	1.0	mg/L	100	11-Sep-2025 17:59
o-Xylene		U	0.20	mg/L	100	11-Sep-2025 17:59
Styrene		U	0.20	mg/L	100	11-Sep-2025 17:59
Tetrachloroethene		U	0.20	mg/L	100	11-Sep-2025 17:59
Toluene		U	0.20	mg/L	100	11-Sep-2025 17:59
trans-1,2-Dichloroethene		U	0.10	mg/L	100	11-Sep-2025 17:59
trans-1,3-Dichloropropene		U	0.20	mg/L	100	11-Sep-2025 17:59
Trichloroethene		U	0.20	mg/L	100	11-Sep-2025 17:59
Trichlorofluoromethane		U	0.10	mg/L	100	11-Sep-2025 17:59
Vinyl chloride		U	0.10	mg/L	100	11-Sep-2025 17:59
Xylenes, Total		U	0.60	mg/L	100	11-Sep-2025 17:59
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	100	11-Sep-2025 17:59
Surr: 4-Bromofluorobenzene	102		77-113	%REC	100	11-Sep-2025 17:59
Surr: Dibromofluoromethane	102		77-123	%REC	100	11-Sep-2025 17:59
Surr: Toluene-d8	98.0		82-127	%REC	100	11-Sep-2025 17:59
PCBS BY SW8082A		Method:SW8082		Prep:SW3510C/3665A / 11-Sep-2025		Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	11-Sep-2025 16:16
Aroclor 1221		U	0.000500	mg/L	1	11-Sep-2025 16:16
Aroclor 1232		U	0.000500	mg/L	1	11-Sep-2025 16:16
Aroclor 1242		U	0.000500	mg/L	1	11-Sep-2025 16:16
Aroclor 1248		U	0.000500	mg/L	1	11-Sep-2025 16:16
Aroclor 1254		U	0.000500	mg/L	1	11-Sep-2025 16:16
Aroclor 1260		U	0.000500	mg/L	1	11-Sep-2025 16:16
PCBs (Total)		U	0.000500	mg/L	1	11-Sep-2025 16:16
Surr: Decachlorobiphenyl	84.2		54-140	%REC	1	11-Sep-2025 16:16
Surr: Tetrachloro-m-xylene	71.9		53-137	%REC	1	11-Sep-2025 16:16
ANIONS BY E300.0, REV 2.1, 1993		Method:E300		Analyst: HB		
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 17:46
Nitrogen, Nitrite (As N)		U	0.100	mg/L	1	10-Sep-2025 17:46
Sulfate		U	0.500	mg/L	1	10-Sep-2025 17:46
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060		Analyst: SG		
Organic Carbon, Total	1,500		200	mg/L	100	15-Sep-2025 15:50

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-21B-20250909
 Collection Date: 09-Sep-2025 11:15

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-04
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	11-Sep-2025 14:24
1,1,2,2-Tetrachloroethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,1,2-Trichloroethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,1-Dichloroethane	0.019		0.0020	mg/L	1	11-Sep-2025 14:24
1,1-Dichloroethene	0.017		0.0010	mg/L	1	11-Sep-2025 14:24
1,2,4-Trichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,2-Dibromo-3-chloropropane		U	0.010	mg/L	1	11-Sep-2025 14:24
1,2-Dibromoethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,2-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,2-Dichloroethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,2-Dichloropropane		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,3-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:24
1,4-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:24
2-Butanone		U	0.010	mg/L	1	11-Sep-2025 14:24
2-Hexanone		U	0.010	mg/L	1	11-Sep-2025 14:24
4-Methyl-2-pentanone		U	0.010	mg/L	1	11-Sep-2025 14:24
Acetone		U	0.10	mg/L	1	11-Sep-2025 14:24
Benzene	0.0022		0.0010	mg/L	1	11-Sep-2025 14:24
Bromodichloromethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
Bromoform		U	0.0020	mg/L	1	11-Sep-2025 14:24
Bromomethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
Carbon disulfide		U	0.0020	mg/L	1	11-Sep-2025 14:24
Carbon tetrachloride		U	0.0020	mg/L	1	11-Sep-2025 14:24
Chlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 14:24
Chloroethane	0.0047		0.0020	mg/L	1	11-Sep-2025 14:24
Chloroform		U	0.0020	mg/L	1	11-Sep-2025 14:24
Chloromethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
cis-1,2-Dichloroethene		U	0.0020	mg/L	1	11-Sep-2025 14:24
cis-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 14:24
Cyclohexane		U	0.0020	mg/L	1	11-Sep-2025 14:24
Dibromochloromethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
Dichlorodifluoromethane		U	0.0020	mg/L	1	11-Sep-2025 14:24
Ethylbenzene		U	0.0020	mg/L	1	11-Sep-2025 14:24
Isopropylbenzene		U	0.0020	mg/L	1	11-Sep-2025 14:24
m,p-Xylene		U	0.0040	mg/L	1	11-Sep-2025 14:24
Methyl acetate		U	0.0020	mg/L	1	11-Sep-2025 14:24
Methyl tert-butyl ether		U	0.0010	mg/L	1	11-Sep-2025 14:24
Methylcyclohexane		U	0.0050	mg/L	1	11-Sep-2025 14:24

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-21B-20250909
 Collection Date: 09-Sep-2025 11:15

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-04
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	11-Sep-2025 14:24
o-Xylene		U	0.0020	mg/L	1	11-Sep-2025 14:24
Styrene		U	0.0020	mg/L	1	11-Sep-2025 14:24
Tetrachloroethene		U	0.0020	mg/L	1	11-Sep-2025 14:24
Toluene		U	0.0020	mg/L	1	11-Sep-2025 14:24
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	11-Sep-2025 14:24
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 14:24
Trichloroethene		U	0.0020	mg/L	1	11-Sep-2025 14:24
Trichlorofluoromethane		U	0.0010	mg/L	1	11-Sep-2025 14:24
Vinyl chloride		U	0.0010	mg/L	1	11-Sep-2025 14:24
Xylenes, Total		U	0.0060	mg/L	1	11-Sep-2025 14:24
Surr: 1,2-Dichloroethane-d4	104		70-126	%REC	1	11-Sep-2025 14:24
Surr: 4-Bromofluorobenzene	102		77-113	%REC	1	11-Sep-2025 14:24
Surr: Dibromofluoromethane	103		77-123	%REC	1	11-Sep-2025 14:24
Surr: Toluene-d8	98.2		82-127	%REC	1	11-Sep-2025 14:24
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 11-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	11-Sep-2025 16:27
Aroclor 1221		U	0.000500	mg/L	1	11-Sep-2025 16:27
Aroclor 1232		U	0.000500	mg/L	1	11-Sep-2025 16:27
Aroclor 1242		U	0.000500	mg/L	1	11-Sep-2025 16:27
Aroclor 1248		U	0.000500	mg/L	1	11-Sep-2025 16:27
Aroclor 1254		U	0.000500	mg/L	1	11-Sep-2025 16:27
Aroclor 1260		U	0.000500	mg/L	1	11-Sep-2025 16:27
PCBs (Total)		U	0.000500	mg/L	1	11-Sep-2025 16:27
Surr: Decachlorobiphenyl	85.6		54-140	%REC	1	11-Sep-2025 16:27
Surr: Tetrachloro-m-xylene	68.0		53-137	%REC	1	11-Sep-2025 16:27
ANIONS BY E300.0, REV 2.1, 1993		Method:E300				Analyst: HB
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 17:54
Nitrogen, Nitrite (As N)	0.147		0.100	mg/L	1	10-Sep-2025 17:54
Sulfate	411		5.00	mg/L	10	12-Sep-2025 12:43
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060				Analyst: SG
Organic Carbon, Total	39.9		2.00	mg/L	1	15-Sep-2025 12:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-54-20250909
 Collection Date: 09-Sep-2025 12:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-05
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.010	mg/L	10	11-Sep-2025 16:57
1,1,2,2-Tetrachloroethane	U		0.020	mg/L	10	11-Sep-2025 16:57
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.020	mg/L	10	11-Sep-2025 16:57
1,1,2-Trichloroethane	U		0.020	mg/L	10	11-Sep-2025 16:57
1,1-Dichloroethane	U		0.020	mg/L	10	11-Sep-2025 16:57
1,1-Dichloroethene	U		0.010	mg/L	10	11-Sep-2025 16:57
1,2,4-Trichlorobenzene	U		0.020	mg/L	10	11-Sep-2025 16:57
1,2-Dibromo-3-chloropropane	U		0.10	mg/L	10	11-Sep-2025 16:57
1,2-Dibromoethane	U		0.020	mg/L	10	11-Sep-2025 16:57
1,2-Dichlorobenzene	U		0.020	mg/L	10	11-Sep-2025 16:57
1,2-Dichloroethane	U		0.020	mg/L	10	11-Sep-2025 16:57
1,2-Dichloropropane	U		0.020	mg/L	10	11-Sep-2025 16:57
1,3-Dichlorobenzene	U		0.020	mg/L	10	11-Sep-2025 16:57
1,4-Dichlorobenzene	U		0.020	mg/L	10	11-Sep-2025 16:57
2-Butanone	U		0.10	mg/L	10	11-Sep-2025 16:57
2-Hexanone	U		0.10	mg/L	10	11-Sep-2025 16:57
4-Methyl-2-pentanone	U		0.10	mg/L	10	11-Sep-2025 16:57
Acetone	U		1.0	mg/L	10	11-Sep-2025 16:57
Benzene	U		0.010	mg/L	10	11-Sep-2025 16:57
Bromodichloromethane	U		0.020	mg/L	10	11-Sep-2025 16:57
Bromoform	U		0.020	mg/L	10	11-Sep-2025 16:57
Bromomethane	U		0.020	mg/L	10	11-Sep-2025 16:57
Carbon disulfide	U		0.020	mg/L	10	11-Sep-2025 16:57
Carbon tetrachloride	U		0.020	mg/L	10	11-Sep-2025 16:57
Chlorobenzene	U		0.020	mg/L	10	11-Sep-2025 16:57
Chloroethane	U		0.020	mg/L	10	11-Sep-2025 16:57
Chloroform	U		0.020	mg/L	10	11-Sep-2025 16:57
Chloromethane	U		0.020	mg/L	10	11-Sep-2025 16:57
cis-1,2-Dichloroethene	U		0.020	mg/L	10	11-Sep-2025 16:57
cis-1,3-Dichloropropene	U		0.020	mg/L	10	11-Sep-2025 16:57
Cyclohexane	U		0.020	mg/L	10	11-Sep-2025 16:57
Dibromochloromethane	U		0.020	mg/L	10	11-Sep-2025 16:57
Dichlorodifluoromethane	U		0.020	mg/L	10	11-Sep-2025 16:57
Ethylbenzene	U		0.020	mg/L	10	11-Sep-2025 16:57
Isopropylbenzene	U		0.020	mg/L	10	11-Sep-2025 16:57
m,p-Xylene	U		0.040	mg/L	10	11-Sep-2025 16:57
Methyl acetate	U		0.020	mg/L	10	11-Sep-2025 16:57
Methyl tert-butyl ether	U		0.010	mg/L	10	11-Sep-2025 16:57
Methylcyclohexane	U		0.050	mg/L	10	11-Sep-2025 16:57

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-54-20250909
 Collection Date: 09-Sep-2025 12:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-05
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.10	mg/L	10	11-Sep-2025 16:57
o-Xylene		U	0.020	mg/L	10	11-Sep-2025 16:57
Styrene		U	0.020	mg/L	10	11-Sep-2025 16:57
Tetrachloroethene		U	0.020	mg/L	10	11-Sep-2025 16:57
Toluene		U	0.020	mg/L	10	11-Sep-2025 16:57
trans-1,2-Dichloroethene		U	0.010	mg/L	10	11-Sep-2025 16:57
trans-1,3-Dichloropropene		U	0.020	mg/L	10	11-Sep-2025 16:57
Trichloroethene		U	0.020	mg/L	10	11-Sep-2025 16:57
Trichlorofluoromethane		U	0.010	mg/L	10	11-Sep-2025 16:57
Vinyl chloride		U	0.010	mg/L	10	11-Sep-2025 16:57
Xylenes, Total		U	0.060	mg/L	10	11-Sep-2025 16:57
Surr: 1,2-Dichloroethane-d4	104		70-126	%REC	10	11-Sep-2025 16:57
Surr: 4-Bromofluorobenzene	104		77-113	%REC	10	11-Sep-2025 16:57
Surr: Dibromofluoromethane	103		77-123	%REC	10	11-Sep-2025 16:57
Surr: Toluene-d8	99.4		82-127	%REC	10	11-Sep-2025 16:57
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 11-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	11-Sep-2025 16:38
Aroclor 1221		U	0.000500	mg/L	1	11-Sep-2025 16:38
Aroclor 1232		U	0.000500	mg/L	1	11-Sep-2025 16:38
Aroclor 1242	0.0955		0.0100	mg/L	20	15-Sep-2025 21:38
Aroclor 1248		U	0.000500	mg/L	1	11-Sep-2025 16:38
Aroclor 1254		U	0.000500	mg/L	1	11-Sep-2025 16:38
Aroclor 1260		U	0.000500	mg/L	1	11-Sep-2025 16:38
PCBs (Total)	0.0955		0.0100	mg/L	20	15-Sep-2025 21:38
Surr: Decachlorobiphenyl	81.3		54-140	%REC	1	11-Sep-2025 16:38
Surr: Tetrachloro-m-xylene	83.0		53-137	%REC	1	11-Sep-2025 16:38
ANIONS BY E300.0, REV 2.1, 1993		Method:E300				Analyst: HB
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 18:02
Nitrogen, Nitrite (As N)	2.19		0.100	mg/L	1	10-Sep-2025 18:02
Sulfate	21.0		0.500	mg/L	1	10-Sep-2025 18:02
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060				Analyst: SG
Organic Carbon, Total	34.0		4.00	mg/L	2	15-Sep-2025 13:21

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-22B-20250909
 Collection Date: 09-Sep-2025 13:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-06
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	11-Sep-2025 14:45
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,1,2-Trichloroethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,1-Dichloroethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,1-Dichloroethene	U		0.0010	mg/L	1	11-Sep-2025 14:45
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	11-Sep-2025 14:45
1,2-Dibromoethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,2-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,2-Dichloroethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,2-Dichloropropane	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,3-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 14:45
1,4-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 14:45
2-Butanone	U		0.010	mg/L	1	11-Sep-2025 14:45
2-Hexanone	U		0.010	mg/L	1	11-Sep-2025 14:45
4-Methyl-2-pentanone	U		0.010	mg/L	1	11-Sep-2025 14:45
Acetone	U		0.10	mg/L	1	11-Sep-2025 14:45
Benzene	0.0028		0.0010	mg/L	1	11-Sep-2025 14:45
Bromodichloromethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
Bromoform	U		0.0020	mg/L	1	11-Sep-2025 14:45
Bromomethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
Carbon disulfide	U		0.0020	mg/L	1	11-Sep-2025 14:45
Carbon tetrachloride	U		0.0020	mg/L	1	11-Sep-2025 14:45
Chlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 14:45
Chloroethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
Chloroform	U		0.0020	mg/L	1	11-Sep-2025 14:45
Chloromethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	11-Sep-2025 14:45
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	11-Sep-2025 14:45
Cyclohexane	U		0.0020	mg/L	1	11-Sep-2025 14:45
Dibromochloromethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
Dichlorodifluoromethane	U		0.0020	mg/L	1	11-Sep-2025 14:45
Ethylbenzene	U		0.0020	mg/L	1	11-Sep-2025 14:45
Isopropylbenzene	U		0.0020	mg/L	1	11-Sep-2025 14:45
m,p-Xylene	U		0.0040	mg/L	1	11-Sep-2025 14:45
Methyl acetate	U		0.0020	mg/L	1	11-Sep-2025 14:45
Methyl tert-butyl ether	U		0.0010	mg/L	1	11-Sep-2025 14:45
Methylcyclohexane	U		0.0050	mg/L	1	11-Sep-2025 14:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-22B-20250909
 Collection Date: 09-Sep-2025 13:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-06
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	11-Sep-2025 14:45
o-Xylene		U	0.0020	mg/L	1	11-Sep-2025 14:45
Styrene		U	0.0020	mg/L	1	11-Sep-2025 14:45
Tetrachloroethene		U	0.0020	mg/L	1	11-Sep-2025 14:45
Toluene		U	0.0020	mg/L	1	11-Sep-2025 14:45
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	11-Sep-2025 14:45
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 14:45
Trichloroethene		U	0.0020	mg/L	1	11-Sep-2025 14:45
Trichlorofluoromethane		U	0.0010	mg/L	1	11-Sep-2025 14:45
Vinyl chloride		U	0.0010	mg/L	1	11-Sep-2025 14:45
Xylenes, Total		U	0.0060	mg/L	1	11-Sep-2025 14:45
Surr: 1,2-Dichloroethane-d4	104		70-126	%REC	1	11-Sep-2025 14:45
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	11-Sep-2025 14:45
Surr: Dibromofluoromethane	104		77-123	%REC	1	11-Sep-2025 14:45
Surr: Toluene-d8	98.8		82-127	%REC	1	11-Sep-2025 14:45
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 11-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	11-Sep-2025 16:49
Aroclor 1221		U	0.000500	mg/L	1	11-Sep-2025 16:49
Aroclor 1232		U	0.000500	mg/L	1	11-Sep-2025 16:49
Aroclor 1242	0.000872		0.000500	mg/L	1	15-Sep-2025 21:49
Aroclor 1248		U	0.000500	mg/L	1	11-Sep-2025 16:49
Aroclor 1254		U	0.000500	mg/L	1	11-Sep-2025 16:49
Aroclor 1260		U	0.000500	mg/L	1	11-Sep-2025 16:49
PCBs (Total)	0.000872		0.000500	mg/L	1	15-Sep-2025 21:49
Surr: Decachlorobiphenyl	84.4		54-140	%REC	1	11-Sep-2025 16:49
Surr: Tetrachloro-m-xylene	67.7		53-137	%REC	1	11-Sep-2025 16:49
ANIONS BY E300.0, REV 2.1, 1993		Method:E300				Analyst: HB
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 18:10
Nitrogen, Nitrite (As N)		U	0.100	mg/L	1	10-Sep-2025 18:10
Sulfate	841		5.00	mg/L	10	12-Sep-2025 12:48
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060				Analyst: SG
Organic Carbon, Total	25.0		2.00	mg/L	1	15-Sep-2025 13:36

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-22C-20250909
 Collection Date: 09-Sep-2025 13:45

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-07
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	11-Sep-2025 15:06
1,1,2,2-Tetrachloroethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,1,2-Trichloroethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,1-Dichloroethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,1-Dichloroethene	0.0065		0.0010	mg/L	1	11-Sep-2025 15:06
1,2,4-Trichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,2-Dibromo-3-chloropropane		U	0.010	mg/L	1	11-Sep-2025 15:06
1,2-Dibromoethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,2-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,2-Dichloroethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,2-Dichloropropane		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,3-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 15:06
1,4-Dichlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 15:06
2-Butanone	0.067		0.010	mg/L	1	11-Sep-2025 15:06
2-Hexanone	0.024		0.010	mg/L	1	11-Sep-2025 15:06
4-Methyl-2-pentanone	0.040		0.010	mg/L	1	11-Sep-2025 15:06
Acetone	0.14		0.10	mg/L	1	11-Sep-2025 15:06
Benzene	0.0070		0.0010	mg/L	1	11-Sep-2025 15:06
Bromodichloromethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
Bromoform		U	0.0020	mg/L	1	11-Sep-2025 15:06
Bromomethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
Carbon disulfide		U	0.0020	mg/L	1	11-Sep-2025 15:06
Carbon tetrachloride		U	0.0020	mg/L	1	11-Sep-2025 15:06
Chlorobenzene		U	0.0020	mg/L	1	11-Sep-2025 15:06
Chloroethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
Chloroform		U	0.0020	mg/L	1	11-Sep-2025 15:06
Chloromethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
cis-1,2-Dichloroethene		U	0.0020	mg/L	1	11-Sep-2025 15:06
cis-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 15:06
Cyclohexane		U	0.0020	mg/L	1	11-Sep-2025 15:06
Dibromochloromethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
Dichlorodifluoromethane		U	0.0020	mg/L	1	11-Sep-2025 15:06
Ethylbenzene		U	0.0020	mg/L	1	11-Sep-2025 15:06
Isopropylbenzene		U	0.0020	mg/L	1	11-Sep-2025 15:06
m,p-Xylene	0.0057		0.0040	mg/L	1	11-Sep-2025 15:06
Methyl acetate		U	0.0020	mg/L	1	11-Sep-2025 15:06
Methyl tert-butyl ether		U	0.0010	mg/L	1	11-Sep-2025 15:06
Methylcyclohexane		U	0.0050	mg/L	1	11-Sep-2025 15:06

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-22C-20250909
 Collection Date: 09-Sep-2025 13:45

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-07
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	11-Sep-2025 15:06
o-Xylene	0.0037		0.0020	mg/L	1	11-Sep-2025 15:06
Styrene		U	0.0020	mg/L	1	11-Sep-2025 15:06
Tetrachloroethene		U	0.0020	mg/L	1	11-Sep-2025 15:06
Toluene	0.0080		0.0020	mg/L	1	11-Sep-2025 15:06
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	11-Sep-2025 15:06
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 15:06
Trichloroethene		U	0.0020	mg/L	1	11-Sep-2025 15:06
Trichlorofluoromethane		U	0.0010	mg/L	1	11-Sep-2025 15:06
Vinyl chloride		U	0.0010	mg/L	1	11-Sep-2025 15:06
Xylenes, Total	0.0094		0.0060	mg/L	1	11-Sep-2025 15:06
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	1	11-Sep-2025 15:06
Surr: 4-Bromofluorobenzene	100		77-113	%REC	1	11-Sep-2025 15:06
Surr: Dibromofluoromethane	103		77-123	%REC	1	11-Sep-2025 15:06
Surr: Toluene-d8	100		82-127	%REC	1	11-Sep-2025 15:06
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 11-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	11-Sep-2025 17:00
Aroclor 1221		U	0.000500	mg/L	1	11-Sep-2025 17:00
Aroclor 1232		U	0.000500	mg/L	1	11-Sep-2025 17:00
Aroclor 1242	0.553		0.0500	mg/L	100	15-Sep-2025 22:21
Aroclor 1248		U	0.000500	mg/L	1	11-Sep-2025 17:00
Aroclor 1254		U	0.000500	mg/L	1	11-Sep-2025 17:00
Aroclor 1260		U	0.000500	mg/L	1	11-Sep-2025 17:00
PCBs (Total)	0.553		0.0500	mg/L	100	15-Sep-2025 22:21
Surr: Decachlorobiphenyl	76.2		54-140	%REC	1	11-Sep-2025 17:00
Surr: Tetrachloro-m-xylene	55.2		53-137	%REC	1	11-Sep-2025 17:00
ANIONS BY E300.0, REV 2.1, 1993		Method:E300				Analyst: HB
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 18:18
Nitrogen, Nitrite (As N)	0.456		0.100	mg/L	1	10-Sep-2025 18:18
Sulfate		U	0.500	mg/L	1	10-Sep-2025 18:18
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060				Analyst: SG
Organic Carbon, Total	313		80.0	mg/L	40	15-Sep-2025 14:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-40-20250909
 Collection Date: 09-Sep-2025 15:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-08
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	11-Sep-2025 15:27
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,1,2-Trichloroethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,1-Dichloroethane	0.027		0.0020	mg/L	1	11-Sep-2025 15:27
1,1-Dichloroethene	0.014		0.0010	mg/L	1	11-Sep-2025 15:27
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	11-Sep-2025 15:27
1,2-Dibromoethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,2-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,2-Dichloroethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,2-Dichloropropane	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,3-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:27
1,4-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:27
2-Butanone	U		0.010	mg/L	1	11-Sep-2025 15:27
2-Hexanone	U		0.010	mg/L	1	11-Sep-2025 15:27
4-Methyl-2-pentanone	U		0.010	mg/L	1	11-Sep-2025 15:27
Acetone	U		0.10	mg/L	1	11-Sep-2025 15:27
Benzene	U		0.0010	mg/L	1	11-Sep-2025 15:27
Bromodichloromethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
Bromoform	U		0.0020	mg/L	1	11-Sep-2025 15:27
Bromomethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
Carbon disulfide	U		0.0020	mg/L	1	11-Sep-2025 15:27
Carbon tetrachloride	U		0.0020	mg/L	1	11-Sep-2025 15:27
Chlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:27
Chloroethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
Chloroform	U		0.0020	mg/L	1	11-Sep-2025 15:27
Chloromethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	11-Sep-2025 15:27
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	11-Sep-2025 15:27
Cyclohexane	U		0.0020	mg/L	1	11-Sep-2025 15:27
Dibromochloromethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
Dichlorodifluoromethane	U		0.0020	mg/L	1	11-Sep-2025 15:27
Ethylbenzene	U		0.0020	mg/L	1	11-Sep-2025 15:27
Isopropylbenzene	U		0.0020	mg/L	1	11-Sep-2025 15:27
m,p-Xylene	U		0.0040	mg/L	1	11-Sep-2025 15:27
Methyl acetate	U		0.0020	mg/L	1	11-Sep-2025 15:27
Methyl tert-butyl ether	U		0.0010	mg/L	1	11-Sep-2025 15:27
Methylcyclohexane	U		0.0050	mg/L	1	11-Sep-2025 15:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-40-20250909
 Collection Date: 09-Sep-2025 15:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-08
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	11-Sep-2025 15:27
o-Xylene		U	0.0020	mg/L	1	11-Sep-2025 15:27
Styrene		U	0.0020	mg/L	1	11-Sep-2025 15:27
Tetrachloroethene		U	0.0020	mg/L	1	11-Sep-2025 15:27
Toluene		U	0.0020	mg/L	1	11-Sep-2025 15:27
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	11-Sep-2025 15:27
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 15:27
Trichloroethene		U	0.0020	mg/L	1	11-Sep-2025 15:27
Trichlorofluoromethane		U	0.0010	mg/L	1	11-Sep-2025 15:27
Vinyl chloride		U	0.0010	mg/L	1	11-Sep-2025 15:27
Xylenes, Total		U	0.0060	mg/L	1	11-Sep-2025 15:27
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	1	11-Sep-2025 15:27
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	11-Sep-2025 15:27
Surr: Dibromofluoromethane	102		77-123	%REC	1	11-Sep-2025 15:27
Surr: Toluene-d8	98.9		82-127	%REC	1	11-Sep-2025 15:27
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 11-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	11-Sep-2025 17:10
Aroclor 1221		U	0.000500	mg/L	1	11-Sep-2025 17:10
Aroclor 1232		U	0.000500	mg/L	1	11-Sep-2025 17:10
Aroclor 1242	0.00477		0.000500	mg/L	1	15-Sep-2025 22:32
Aroclor 1248		U	0.000500	mg/L	1	11-Sep-2025 17:10
Aroclor 1254		U	0.000500	mg/L	1	11-Sep-2025 17:10
Aroclor 1260		U	0.000500	mg/L	1	11-Sep-2025 17:10
PCBs (Total)	0.00477		0.000500	mg/L	1	15-Sep-2025 22:32
Surr: Decachlorobiphenyl	91.0		54-140	%REC	1	11-Sep-2025 17:10
Surr: Tetrachloro-m-xylene	77.2		53-137	%REC	1	11-Sep-2025 17:10
ANIONS BY E300.0, REV 2.1, 1993		Method:E300				Analyst: HB
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 18:26
Nitrogen, Nitrite (As N)	1.77		0.100	mg/L	1	10-Sep-2025 18:26
Sulfate	141		5.00	mg/L	10	12-Sep-2025 12:54
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060				Analyst: SG
Organic Carbon, Total	13.5		2.00	mg/L	1	15-Sep-2025 14:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: DUP-1-20250909
 Collection Date: 09-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-09
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.010	mg/L	10	11-Sep-2025 17:18
1,1,2,2-Tetrachloroethane	U		0.020	mg/L	10	11-Sep-2025 17:18
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.020	mg/L	10	11-Sep-2025 17:18
1,1,2-Trichloroethane	U		0.020	mg/L	10	11-Sep-2025 17:18
1,1-Dichloroethane	0.20		0.020	mg/L	10	11-Sep-2025 17:18
1,1-Dichloroethene	0.10		0.010	mg/L	10	11-Sep-2025 17:18
1,2,4-Trichlorobenzene	U		0.020	mg/L	10	11-Sep-2025 17:18
1,2-Dibromo-3-chloropropane	U		0.10	mg/L	10	11-Sep-2025 17:18
1,2-Dibromoethane	U		0.020	mg/L	10	11-Sep-2025 17:18
1,2-Dichlorobenzene	U		0.020	mg/L	10	11-Sep-2025 17:18
1,2-Dichloroethane	U		0.020	mg/L	10	11-Sep-2025 17:18
1,2-Dichloropropane	U		0.020	mg/L	10	11-Sep-2025 17:18
1,3-Dichlorobenzene	U		0.020	mg/L	10	11-Sep-2025 17:18
1,4-Dichlorobenzene	U		0.020	mg/L	10	11-Sep-2025 17:18
2-Butanone	U		0.10	mg/L	10	11-Sep-2025 17:18
2-Hexanone	U		0.10	mg/L	10	11-Sep-2025 17:18
4-Methyl-2-pentanone	U		0.10	mg/L	10	11-Sep-2025 17:18
Acetone	U		1.0	mg/L	10	11-Sep-2025 17:18
Benzene	U		0.010	mg/L	10	11-Sep-2025 17:18
Bromodichloromethane	U		0.020	mg/L	10	11-Sep-2025 17:18
Bromoform	U		0.020	mg/L	10	11-Sep-2025 17:18
Bromomethane	U		0.020	mg/L	10	11-Sep-2025 17:18
Carbon disulfide	U		0.020	mg/L	10	11-Sep-2025 17:18
Carbon tetrachloride	U		0.020	mg/L	10	11-Sep-2025 17:18
Chlorobenzene	U		0.020	mg/L	10	11-Sep-2025 17:18
Chloroethane	U		0.020	mg/L	10	11-Sep-2025 17:18
Chloroform	U		0.020	mg/L	10	11-Sep-2025 17:18
Chloromethane	U		0.020	mg/L	10	11-Sep-2025 17:18
cis-1,2-Dichloroethene	U		0.020	mg/L	10	11-Sep-2025 17:18
cis-1,3-Dichloropropene	U		0.020	mg/L	10	11-Sep-2025 17:18
Cyclohexane	U		0.020	mg/L	10	11-Sep-2025 17:18
Dibromochloromethane	U		0.020	mg/L	10	11-Sep-2025 17:18
Dichlorodifluoromethane	U		0.020	mg/L	10	11-Sep-2025 17:18
Ethylbenzene	U		0.020	mg/L	10	11-Sep-2025 17:18
Isopropylbenzene	U		0.020	mg/L	10	11-Sep-2025 17:18
m,p-Xylene	U		0.040	mg/L	10	11-Sep-2025 17:18
Methyl acetate	U		0.020	mg/L	10	11-Sep-2025 17:18
Methyl tert-butyl ether	U		0.010	mg/L	10	11-Sep-2025 17:18
Methylcyclohexane	U		0.050	mg/L	10	11-Sep-2025 17:18

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: DUP-1-20250909
 Collection Date: 09-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-09
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.10	mg/L	10	11-Sep-2025 17:18
o-Xylene		U	0.020	mg/L	10	11-Sep-2025 17:18
Styrene		U	0.020	mg/L	10	11-Sep-2025 17:18
Tetrachloroethene		U	0.020	mg/L	10	11-Sep-2025 17:18
Toluene		U	0.020	mg/L	10	11-Sep-2025 17:18
trans-1,2-Dichloroethene		U	0.010	mg/L	10	11-Sep-2025 17:18
trans-1,3-Dichloropropene		U	0.020	mg/L	10	11-Sep-2025 17:18
Trichloroethene		U	0.020	mg/L	10	11-Sep-2025 17:18
Trichlorofluoromethane		U	0.010	mg/L	10	11-Sep-2025 17:18
Vinyl chloride		U	0.010	mg/L	10	11-Sep-2025 17:18
Xylenes, Total		U	0.060	mg/L	10	11-Sep-2025 17:18
Surr: 1,2-Dichloroethane-d4	102		70-126	%REC	10	11-Sep-2025 17:18
Surr: 4-Bromofluorobenzene	101		77-113	%REC	10	11-Sep-2025 17:18
Surr: Dibromofluoromethane	103		77-123	%REC	10	11-Sep-2025 17:18
Surr: Toluene-d8	100		82-127	%REC	10	11-Sep-2025 17:18
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 11-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	11-Sep-2025 17:21
Aroclor 1221		U	0.000500	mg/L	1	11-Sep-2025 17:21
Aroclor 1232		U	0.000500	mg/L	1	11-Sep-2025 17:21
Aroclor 1242	0.00262		0.000500	mg/L	1	15-Sep-2025 22:43
Aroclor 1248		U	0.000500	mg/L	1	11-Sep-2025 17:21
Aroclor 1254		U	0.000500	mg/L	1	11-Sep-2025 17:21
Aroclor 1260		U	0.000500	mg/L	1	11-Sep-2025 17:21
PCBs (Total)	0.00262		0.000500	mg/L	1	15-Sep-2025 22:43
Surr: Decachlorobiphenyl	83.1		54-140	%REC	1	11-Sep-2025 17:21
Surr: Tetrachloro-m-xylene	73.3		53-137	%REC	1	11-Sep-2025 17:21
ANIONS BY E300.0, REV 2.1, 1993		Method:E300				Analyst: HB
Nitrogen, Nitrate (As N)		U	0.100	mg/L	1	10-Sep-2025 18:51
Nitrogen, Nitrite (As N)	1.83		0.100	mg/L	1	10-Sep-2025 18:51
Sulfate	134		5.00	mg/L	10	12-Sep-2025 13:00
TOTAL ORGANIC CARBON BY SW9060A		Method:SW9060				Analyst: SG
Organic Carbon, Total	15.8		2.00	mg/L	1	15-Sep-2025 14:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-145
 Collection Date: 09-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-10
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	11-Sep-2025 13:22
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,1,2-Trichloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,1-Dichloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,1-Dichloroethene	U		0.0010	mg/L	1	11-Sep-2025 13:22
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	11-Sep-2025 13:22
1,2-Dibromoethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,2-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,2-Dichloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,2-Dichloropropane	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,3-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:22
1,4-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:22
2-Butanone	U		0.010	mg/L	1	11-Sep-2025 13:22
2-Hexanone	U		0.010	mg/L	1	11-Sep-2025 13:22
4-Methyl-2-pentanone	U		0.010	mg/L	1	11-Sep-2025 13:22
Acetone	U		0.10	mg/L	1	11-Sep-2025 13:22
Benzene	U		0.0010	mg/L	1	11-Sep-2025 13:22
Bromodichloromethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
Bromoform	U		0.0020	mg/L	1	11-Sep-2025 13:22
Bromomethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
Carbon disulfide	U		0.0020	mg/L	1	11-Sep-2025 13:22
Carbon tetrachloride	U		0.0020	mg/L	1	11-Sep-2025 13:22
Chlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:22
Chloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
Chloroform	U		0.0020	mg/L	1	11-Sep-2025 13:22
Chloromethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	11-Sep-2025 13:22
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	11-Sep-2025 13:22
Cyclohexane	U		0.0020	mg/L	1	11-Sep-2025 13:22
Dibromochloromethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
Dichlorodifluoromethane	U		0.0020	mg/L	1	11-Sep-2025 13:22
Ethylbenzene	U		0.0020	mg/L	1	11-Sep-2025 13:22
Isopropylbenzene	U		0.0020	mg/L	1	11-Sep-2025 13:22
Methyl acetate	U		0.0020	mg/L	1	11-Sep-2025 13:22
Methyl tert-butyl ether	U		0.0010	mg/L	1	11-Sep-2025 13:22
Methylcyclohexane	U		0.0050	mg/L	1	11-Sep-2025 13:22
Methylene chloride	U		0.010	mg/L	1	11-Sep-2025 13:22

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-145
 Collection Date: 09-Sep-2025 00:00

ANALYTICAL REPORT
 WorkOrder:HS25090388
 Lab ID:HS25090388-10
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Styrene		U	0.0020	mg/L	1	11-Sep-2025 13:22
Tetrachloroethene		U	0.0020	mg/L	1	11-Sep-2025 13:22
Toluene		U	0.0020	mg/L	1	11-Sep-2025 13:22
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	11-Sep-2025 13:22
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 13:22
Trichloroethene		U	0.0020	mg/L	1	11-Sep-2025 13:22
Trichlorofluoromethane		U	0.0010	mg/L	1	11-Sep-2025 13:22
Vinyl chloride		U	0.0010	mg/L	1	11-Sep-2025 13:22
Xylenes, Total		U	0.0060	mg/L	1	11-Sep-2025 13:22
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	1	11-Sep-2025 13:22
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	11-Sep-2025 13:22
Surr: Dibromofluoromethane	103		77-123	%REC	1	11-Sep-2025 13:22
Surr: Toluene-d8	99.4		82-127	%REC	1	11-Sep-2025 13:22

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-07-20250909
 Collection Date: 09-Sep-2025 15:10

ANALYTICAL REPORT
 WorkOrder:HS25090388
 Lab ID:HS25090388-11
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	11-Sep-2025 15:47
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
1,1,2-Trichloroethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
1,1-Dichloroethane	0.011		0.0020	mg/L	1	11-Sep-2025 15:47
1,1-Dichloroethene	0.031		0.0010	mg/L	1	11-Sep-2025 15:47
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:47
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	11-Sep-2025 15:47
1,2-Dibromoethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
1,2-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:47
1,2-Dichloroethane	0.0020		0.0020	mg/L	1	11-Sep-2025 15:47
1,2-Dichloropropane	U		0.0020	mg/L	1	11-Sep-2025 15:47
1,3-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:47
1,4-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:47
2-Butanone	U		0.010	mg/L	1	11-Sep-2025 15:47
2-Hexanone	U		0.010	mg/L	1	11-Sep-2025 15:47
4-Methyl-2-pentanone	U		0.010	mg/L	1	11-Sep-2025 15:47
Acetone	U		0.10	mg/L	1	11-Sep-2025 15:47
Benzene	U		0.0010	mg/L	1	11-Sep-2025 15:47
Bromodichloromethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
Bromoform	U		0.0020	mg/L	1	11-Sep-2025 15:47
Bromomethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
Carbon disulfide	U		0.0020	mg/L	1	11-Sep-2025 15:47
Carbon tetrachloride	U		0.0020	mg/L	1	11-Sep-2025 15:47
Chlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 15:47
Chloroethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
Chloroform	U		0.0020	mg/L	1	11-Sep-2025 15:47
Chloromethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	11-Sep-2025 15:47
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	11-Sep-2025 15:47
Cyclohexane	U		0.0020	mg/L	1	11-Sep-2025 15:47
Dibromochloromethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
Dichlorodifluoromethane	U		0.0020	mg/L	1	11-Sep-2025 15:47
Ethylbenzene	U		0.0020	mg/L	1	11-Sep-2025 15:47
Isopropylbenzene	U		0.0020	mg/L	1	11-Sep-2025 15:47
m,p-Xylene	U		0.0040	mg/L	1	11-Sep-2025 15:47
Methyl acetate	U		0.0020	mg/L	1	11-Sep-2025 15:47
Methyl tert-butyl ether	U		0.0010	mg/L	1	11-Sep-2025 15:47
Methylcyclohexane	U		0.0050	mg/L	1	11-Sep-2025 15:47

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-07-20250909
 Collection Date: 09-Sep-2025 15:10

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-11
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	11-Sep-2025 15:47
o-Xylene		U	0.0020	mg/L	1	11-Sep-2025 15:47
Styrene		U	0.0020	mg/L	1	11-Sep-2025 15:47
Tetrachloroethene		U	0.0020	mg/L	1	11-Sep-2025 15:47
Toluene		U	0.0020	mg/L	1	11-Sep-2025 15:47
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	11-Sep-2025 15:47
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 15:47
Trichloroethene		U	0.0020	mg/L	1	11-Sep-2025 15:47
Trichlorofluoromethane		U	0.0010	mg/L	1	11-Sep-2025 15:47
Vinyl chloride		U	0.0010	mg/L	1	11-Sep-2025 15:47
Xylenes, Total		U	0.0060	mg/L	1	11-Sep-2025 15:47
Surr: 1,2-Dichloroethane-d4	101		70-126	%REC	1	11-Sep-2025 15:47
Surr: 4-Bromofluorobenzene	102		77-113	%REC	1	11-Sep-2025 15:47
Surr: Dibromofluoromethane	101		77-123	%REC	1	11-Sep-2025 15:47
Surr: Toluene-d8	99.8		82-127	%REC	1	11-Sep-2025 15:47

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-19-20250909
 Collection Date: 09-Sep-2025 15:30

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-12
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.0050	mg/L	5	11-Sep-2025 16:11
1,1,2,2-Tetrachloroethane	U		0.010	mg/L	5	11-Sep-2025 16:11
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.010	mg/L	5	11-Sep-2025 16:11
1,1,2-Trichloroethane	U		0.010	mg/L	5	11-Sep-2025 16:11
1,1-Dichloroethane	U		0.010	mg/L	5	11-Sep-2025 16:11
1,1-Dichloroethene	U		0.0050	mg/L	5	11-Sep-2025 16:11
1,2,4-Trichlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:11
1,2-Dibromo-3-chloropropane	U		0.050	mg/L	5	11-Sep-2025 16:11
1,2-Dibromoethane	U		0.010	mg/L	5	11-Sep-2025 16:11
1,2-Dichlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:11
1,2-Dichloroethane	U		0.010	mg/L	5	11-Sep-2025 16:11
1,2-Dichloropropane	U		0.010	mg/L	5	11-Sep-2025 16:11
1,3-Dichlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:11
1,4-Dichlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:11
2-Butanone	U		0.050	mg/L	5	11-Sep-2025 16:11
2-Hexanone	U		0.050	mg/L	5	11-Sep-2025 16:11
4-Methyl-2-pentanone	U		0.050	mg/L	5	11-Sep-2025 16:11
Acetone	U		0.50	mg/L	5	11-Sep-2025 16:11
Benzene	U		0.0050	mg/L	5	11-Sep-2025 16:11
Bromodichloromethane	U		0.010	mg/L	5	11-Sep-2025 16:11
Bromoform	U		0.010	mg/L	5	11-Sep-2025 16:11
Bromomethane	U		0.010	mg/L	5	11-Sep-2025 16:11
Carbon disulfide	U		0.010	mg/L	5	11-Sep-2025 16:11
Carbon tetrachloride	0.034		0.010	mg/L	5	11-Sep-2025 16:11
Chlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:11
Chloroethane	U		0.010	mg/L	5	11-Sep-2025 16:11
Chloroform	0.34		0.010	mg/L	5	11-Sep-2025 16:11
Chloromethane	U		0.010	mg/L	5	11-Sep-2025 16:11
cis-1,2-Dichloroethene	U		0.010	mg/L	5	11-Sep-2025 16:11
cis-1,3-Dichloropropene	U		0.010	mg/L	5	11-Sep-2025 16:11
Cyclohexane	U		0.010	mg/L	5	11-Sep-2025 16:11
Dibromochloromethane	U		0.010	mg/L	5	11-Sep-2025 16:11
Dichlorodifluoromethane	U		0.010	mg/L	5	11-Sep-2025 16:11
Ethylbenzene	U		0.010	mg/L	5	11-Sep-2025 16:11
Isopropylbenzene	U		0.010	mg/L	5	11-Sep-2025 16:11
m,p-Xylene	U		0.020	mg/L	5	11-Sep-2025 16:11
Methyl acetate	U		0.010	mg/L	5	11-Sep-2025 16:11
Methyl tert-butyl ether	U		0.0050	mg/L	5	11-Sep-2025 16:11
Methylcyclohexane	U		0.025	mg/L	5	11-Sep-2025 16:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-19-20250909
 Collection Date: 09-Sep-2025 15:30

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-12
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.050	mg/L	5	11-Sep-2025 16:11
o-Xylene		U	0.010	mg/L	5	11-Sep-2025 16:11
Styrene		U	0.010	mg/L	5	11-Sep-2025 16:11
Tetrachloroethene		U	0.010	mg/L	5	11-Sep-2025 16:11
Toluene		U	0.010	mg/L	5	11-Sep-2025 16:11
trans-1,2-Dichloroethene		U	0.0050	mg/L	5	11-Sep-2025 16:11
trans-1,3-Dichloropropene		U	0.010	mg/L	5	11-Sep-2025 16:11
Trichloroethene		U	0.010	mg/L	5	11-Sep-2025 16:11
Trichlorofluoromethane		U	0.0050	mg/L	5	11-Sep-2025 16:11
Vinyl chloride		U	0.0050	mg/L	5	11-Sep-2025 16:11
Xylenes, Total		U	0.030	mg/L	5	11-Sep-2025 16:11
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	5	11-Sep-2025 16:11
Surr: 4-Bromofluorobenzene	102		77-113	%REC	5	11-Sep-2025 16:11
Surr: Dibromofluoromethane	105		77-123	%REC	5	11-Sep-2025 16:11
Surr: Toluene-d8	97.2		82-127	%REC	5	11-Sep-2025 16:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-44-20250909
 Collection Date: 09-Sep-2025 15:20

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-13
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	0.0074		0.0050	mg/L	5	11-Sep-2025 16:34
1,1,2,2-Tetrachloroethane	U		0.010	mg/L	5	11-Sep-2025 16:34
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.010	mg/L	5	11-Sep-2025 16:34
1,1,2-Trichloroethane	U		0.010	mg/L	5	11-Sep-2025 16:34
1,1-Dichloroethane	0.012		0.010	mg/L	5	11-Sep-2025 16:34
1,1-Dichloroethene	0.33		0.0050	mg/L	5	11-Sep-2025 16:34
1,2,4-Trichlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:34
1,2-Dibromo-3-chloropropane	U		0.050	mg/L	5	11-Sep-2025 16:34
1,2-Dibromoethane	U		0.010	mg/L	5	11-Sep-2025 16:34
1,2-Dichlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:34
1,2-Dichloroethane	0.010		0.010	mg/L	5	11-Sep-2025 16:34
1,2-Dichloropropane	U		0.010	mg/L	5	11-Sep-2025 16:34
1,3-Dichlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:34
1,4-Dichlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:34
2-Butanone	U		0.050	mg/L	5	11-Sep-2025 16:34
2-Hexanone	U		0.050	mg/L	5	11-Sep-2025 16:34
4-Methyl-2-pentanone	U		0.050	mg/L	5	11-Sep-2025 16:34
Acetone	U		0.50	mg/L	5	11-Sep-2025 16:34
Benzene	U		0.0050	mg/L	5	11-Sep-2025 16:34
Bromodichloromethane	U		0.010	mg/L	5	11-Sep-2025 16:34
Bromoform	U		0.010	mg/L	5	11-Sep-2025 16:34
Bromomethane	U		0.010	mg/L	5	11-Sep-2025 16:34
Carbon disulfide	U		0.010	mg/L	5	11-Sep-2025 16:34
Carbon tetrachloride	U		0.010	mg/L	5	11-Sep-2025 16:34
Chlorobenzene	U		0.010	mg/L	5	11-Sep-2025 16:34
Chloroethane	U		0.010	mg/L	5	11-Sep-2025 16:34
Chloroform	U		0.010	mg/L	5	11-Sep-2025 16:34
Chloromethane	U		0.010	mg/L	5	11-Sep-2025 16:34
cis-1,2-Dichloroethene	U		0.010	mg/L	5	11-Sep-2025 16:34
cis-1,3-Dichloropropene	U		0.010	mg/L	5	11-Sep-2025 16:34
Cyclohexane	U		0.010	mg/L	5	11-Sep-2025 16:34
Dibromochloromethane	U		0.010	mg/L	5	11-Sep-2025 16:34
Dichlorodifluoromethane	U		0.010	mg/L	5	11-Sep-2025 16:34
Ethylbenzene	U		0.010	mg/L	5	11-Sep-2025 16:34
Isopropylbenzene	U		0.010	mg/L	5	11-Sep-2025 16:34
m,p-Xylene	U		0.020	mg/L	5	11-Sep-2025 16:34
Methyl acetate	U		0.010	mg/L	5	11-Sep-2025 16:34
Methyl tert-butyl ether	U		0.0050	mg/L	5	11-Sep-2025 16:34
Methylcyclohexane	U		0.025	mg/L	5	11-Sep-2025 16:34

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-44-20250909
 Collection Date: 09-Sep-2025 15:20

ANALYTICAL REPORT
 WorkOrder:HS25090388
 Lab ID:HS25090388-13
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.050	mg/L	5	11-Sep-2025 16:34
o-Xylene		U	0.010	mg/L	5	11-Sep-2025 16:34
Styrene		U	0.010	mg/L	5	11-Sep-2025 16:34
Tetrachloroethene		U	0.010	mg/L	5	11-Sep-2025 16:34
Toluene		U	0.010	mg/L	5	11-Sep-2025 16:34
trans-1,2-Dichloroethene		U	0.0050	mg/L	5	11-Sep-2025 16:34
trans-1,3-Dichloropropene		U	0.010	mg/L	5	11-Sep-2025 16:34
Trichloroethene		U	0.010	mg/L	5	11-Sep-2025 16:34
Trichlorofluoromethane		U	0.0050	mg/L	5	11-Sep-2025 16:34
Vinyl chloride		U	0.0050	mg/L	5	11-Sep-2025 16:34
Xylenes, Total		U	0.030	mg/L	5	11-Sep-2025 16:34
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	5	11-Sep-2025 16:34
Surr: 4-Bromofluorobenzene	99.4		77-113	%REC	5	11-Sep-2025 16:34
Surr: Dibromofluoromethane	101		77-123	%REC	5	11-Sep-2025 16:34
Surr: Toluene-d8	95.4		82-127	%REC	5	11-Sep-2025 16:34

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-184
 Collection Date: 09-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-14
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	11-Sep-2025 13:43
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,1,2-Trichloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,1-Dichloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,1-Dichloroethene	U		0.0010	mg/L	1	11-Sep-2025 13:43
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	11-Sep-2025 13:43
1,2-Dibromoethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,2-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,2-Dichloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,2-Dichloropropane	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,3-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:43
1,4-Dichlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:43
2-Butanone	U		0.010	mg/L	1	11-Sep-2025 13:43
2-Hexanone	U		0.010	mg/L	1	11-Sep-2025 13:43
4-Methyl-2-pentanone	U		0.010	mg/L	1	11-Sep-2025 13:43
Acetone	U		0.10	mg/L	1	11-Sep-2025 13:43
Benzene	U		0.0010	mg/L	1	11-Sep-2025 13:43
Bromodichloromethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
Bromoform	U		0.0020	mg/L	1	11-Sep-2025 13:43
Bromomethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
Carbon disulfide	U		0.0020	mg/L	1	11-Sep-2025 13:43
Carbon tetrachloride	U		0.0020	mg/L	1	11-Sep-2025 13:43
Chlorobenzene	U		0.0020	mg/L	1	11-Sep-2025 13:43
Chloroethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
Chloroform	U		0.0020	mg/L	1	11-Sep-2025 13:43
Chloromethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	11-Sep-2025 13:43
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	11-Sep-2025 13:43
Cyclohexane	U		0.0020	mg/L	1	11-Sep-2025 13:43
Dibromochloromethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
Dichlorodifluoromethane	U		0.0020	mg/L	1	11-Sep-2025 13:43
Ethylbenzene	U		0.0020	mg/L	1	11-Sep-2025 13:43
Isopropylbenzene	U		0.0020	mg/L	1	11-Sep-2025 13:43
Methyl acetate	U		0.0020	mg/L	1	11-Sep-2025 13:43
Methyl tert-butyl ether	U		0.0010	mg/L	1	11-Sep-2025 13:43
Methylcyclohexane	U		0.0050	mg/L	1	11-Sep-2025 13:43
Methylene chloride	U		0.010	mg/L	1	11-Sep-2025 13:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-184
 Collection Date: 09-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090388
 Lab ID:HS25090388-14
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Styrene		U	0.0020	mg/L	1	11-Sep-2025 13:43
Tetrachloroethene		U	0.0020	mg/L	1	11-Sep-2025 13:43
Toluene		U	0.0020	mg/L	1	11-Sep-2025 13:43
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	11-Sep-2025 13:43
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	11-Sep-2025 13:43
Trichloroethene		U	0.0020	mg/L	1	11-Sep-2025 13:43
Trichlorofluoromethane		U	0.0010	mg/L	1	11-Sep-2025 13:43
Vinyl chloride		U	0.0010	mg/L	1	11-Sep-2025 13:43
Xylenes, Total		U	0.0060	mg/L	1	11-Sep-2025 13:43
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	1	11-Sep-2025 13:43
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	11-Sep-2025 13:43
Surr: Dibromofluoromethane	103		77-123	%REC	1	11-Sep-2025 13:43
Surr: Toluene-d8	98.7		82-127	%REC	1	11-Sep-2025 13:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 17-Sep-25

Weight / Prep Log

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

Batch ID: 232784 Start Date: 11 Sep 2025 11:16 End Date: 11 Sep 2025 11:16
Method: PCB AQ SEP FUN EXTRACT-SW3510C Prep Code: 3510_PCB

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor	
HS25090388-02	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090388-03	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090388-04	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090388-05	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090388-06	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090388-07	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090388-08	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090388-09	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 232784 (0)		Test Name : PCBS BY SW8082A			Matrix: Water	
HS25090388-02	6-13-20250909	09 Sep 2025 09:30		11 Sep 2025 11:16	11 Sep 2025 16:05	1
HS25090388-03	6-14-20250909	09 Sep 2025 10:15		11 Sep 2025 11:16	11 Sep 2025 16:16	1
HS25090388-04	6-21B-20250909	09 Sep 2025 11:15		11 Sep 2025 11:16	11 Sep 2025 16:27	1
HS25090388-05	6-54-20250909	09 Sep 2025 12:00		11 Sep 2025 11:16	15 Sep 2025 21:38	20
HS25090388-05	6-54-20250909	09 Sep 2025 12:00		11 Sep 2025 11:16	11 Sep 2025 16:38	1
HS25090388-06	6-22B-20250909	09 Sep 2025 13:00		11 Sep 2025 11:16	15 Sep 2025 21:49	1
HS25090388-06	6-22B-20250909	09 Sep 2025 13:00		11 Sep 2025 11:16	11 Sep 2025 16:49	1
HS25090388-07	6-22C-20250909	09 Sep 2025 13:45		11 Sep 2025 11:16	15 Sep 2025 22:21	100
HS25090388-07	6-22C-20250909	09 Sep 2025 13:45		11 Sep 2025 11:16	11 Sep 2025 17:00	1
HS25090388-08	6-40-20250909	09 Sep 2025 15:00		11 Sep 2025 11:16	15 Sep 2025 22:32	1
HS25090388-08	6-40-20250909	09 Sep 2025 15:00		11 Sep 2025 11:16	11 Sep 2025 17:10	1
HS25090388-09	DUP-1-20250909	09 Sep 2025 00:00		11 Sep 2025 11:16	15 Sep 2025 22:43	1
HS25090388-09	DUP-1-20250909	09 Sep 2025 00:00		11 Sep 2025 11:16	11 Sep 2025 17:21	1
Batch ID: R521532 (0)		Test Name : ANIONS BY E300.0, REV 2.1, 1993			Matrix: Water	
HS25090388-01	6-21C-20250909	09 Sep 2025 08:30			10 Sep 2025 17:14	1
HS25090388-02	6-13-20250909	09 Sep 2025 09:30			10 Sep 2025 17:38	1
HS25090388-03	6-14-20250909	09 Sep 2025 10:15			10 Sep 2025 17:46	1
HS25090388-04	6-21B-20250909	09 Sep 2025 11:15			10 Sep 2025 17:54	1
HS25090388-05	6-54-20250909	09 Sep 2025 12:00			10 Sep 2025 18:02	1
HS25090388-06	6-22B-20250909	09 Sep 2025 13:00			10 Sep 2025 18:10	1
HS25090388-07	6-22C-20250909	09 Sep 2025 13:45			10 Sep 2025 18:18	1
HS25090388-08	6-40-20250909	09 Sep 2025 15:00			10 Sep 2025 18:26	1
HS25090388-09	DUP-1-20250909	09 Sep 2025 00:00			10 Sep 2025 18:51	1
Batch ID: R521646 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25090388-01	6-21C-20250909	09 Sep 2025 08:30			11 Sep 2025 17:39	100
HS25090388-02	6-13-20250909	09 Sep 2025 09:30			11 Sep 2025 14:03	1
HS25090388-03	6-14-20250909	09 Sep 2025 10:15			11 Sep 2025 17:59	100
HS25090388-04	6-21B-20250909	09 Sep 2025 11:15			11 Sep 2025 14:24	1
HS25090388-05	6-54-20250909	09 Sep 2025 12:00			11 Sep 2025 16:57	10
HS25090388-06	6-22B-20250909	09 Sep 2025 13:00			11 Sep 2025 14:45	1
HS25090388-07	6-22C-20250909	09 Sep 2025 13:45			11 Sep 2025 15:06	1
HS25090388-08	6-40-20250909	09 Sep 2025 15:00			11 Sep 2025 15:27	1
HS25090388-09	DUP-1-20250909	09 Sep 2025 00:00			11 Sep 2025 17:18	10
HS25090388-10	CG-081225-145	09 Sep 2025 00:00			11 Sep 2025 13:22	1
HS25090388-11	6-07-20250909	09 Sep 2025 15:10			11 Sep 2025 15:47	1
HS25090388-12	6-19-20250909	09 Sep 2025 15:30			11 Sep 2025 16:11	5
HS25090388-13	6-44-20250909	09 Sep 2025 15:20			11 Sep 2025 16:34	5
HS25090388-14	CG-081225-184	09 Sep 2025 00:00			11 Sep 2025 13:43	1

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R521672 (0)		Test Name : ANIONS BY E300.0, REV 2.1, 1993			Matrix: Water	
HS25090388-04	6-21B-20250909	09 Sep 2025 11:15			12 Sep 2025 12:43	10
HS25090388-06	6-22B-20250909	09 Sep 2025 13:00			12 Sep 2025 12:48	10
HS25090388-08	6-40-20250909	09 Sep 2025 15:00			12 Sep 2025 12:54	10
HS25090388-09	DUP-1-20250909	09 Sep 2025 00:00			12 Sep 2025 13:00	10
Batch ID: R521803 (0)		Test Name : TOTAL ORGANIC CARBON BY SW9060A			Matrix: Water	
HS25090388-01	6-21C-20250909	09 Sep 2025 08:30			15 Sep 2025 11:04	100
HS25090388-02	6-13-20250909	09 Sep 2025 09:30			15 Sep 2025 11:51	2
HS25090388-03	6-14-20250909	09 Sep 2025 10:15			15 Sep 2025 15:50	100
HS25090388-04	6-21B-20250909	09 Sep 2025 11:15			15 Sep 2025 12:23	1
HS25090388-05	6-54-20250909	09 Sep 2025 12:00			15 Sep 2025 13:21	2
HS25090388-06	6-22B-20250909	09 Sep 2025 13:00			15 Sep 2025 13:36	1
HS25090388-07	6-22C-20250909	09 Sep 2025 13:45			15 Sep 2025 14:15	40
HS25090388-08	6-40-20250909	09 Sep 2025 15:00			15 Sep 2025 14:29	1
HS25090388-09	DUP-1-20250909	09 Sep 2025 00:00			15 Sep 2025 14:43	1

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: 232784 (0) **Instrument:** ECD_17 **Method:** PCBS BY SW8082A

MBLK		Sample ID: MBLK-232784		Units: ug/L		Analysis Date: 11-Sep-2025 18:15				
Client ID:		Run ID: ECD_17_521623		SeqNo: 9027933		PrepDate: 11-Sep-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	U	0.500								
Aroclor 1221	U	0.500								
Aroclor 1232	U	0.500								
Aroclor 1242	U	0.500								
Aroclor 1248	U	0.500								
Aroclor 1254	U	0.500								
Aroclor 1260	U	0.500								
PCBs (Total)	U	0.500								
Surr: Decachlorobiphenyl	0.1749	0.0500	0.2	0	87.5	54 - 140				
Surr: Tetrachloro-m-xylene	0.1552	0.0500	0.2	0	77.6	53 - 137				

LCS		Sample ID: LCS-232784		Units: ug/L		Analysis Date: 11-Sep-2025 17:32				
Client ID:		Run ID: ECD_17_521623		SeqNo: 9027930		PrepDate: 11-Sep-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	4.305	0.500	5	0	86.1	54 - 138				
Aroclor 1260	4.885	0.500	5	0	97.7	57 - 136				
PCBs (Total)	9.19	0.500	10	0	91.9	57 - 136				
Surr: Decachlorobiphenyl	0.2023	0.0500	0.2	0	101	54 - 140				
Surr: Tetrachloro-m-xylene	0.1811	0.0500	0.2	0	90.5	53 - 137				

LCSD		Sample ID: LCSD-232784		Units: ug/L		Analysis Date: 11-Sep-2025 18:05				
Client ID:		Run ID: ECD_17_521623		SeqNo: 9027932		PrepDate: 11-Sep-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	4.353	0.500	5	0	87.1	54 - 138	4.305	1.09	20	
Aroclor 1260	4.987	0.500	5	0	99.7	57 - 136	4.885	2.06	20	
PCBs (Total)	9.339	0.500	10	0	93.4	57 - 136	9.19	1.61		
Surr: Decachlorobiphenyl	0.208	0.0500	0.2	0	104	54 - 140	0.2023	2.75	20	
Surr: Tetrachloro-m-xylene	0.1824	0.0500	0.2	0	91.2	53 - 137	0.1811	0.715	20	

The following samples were analyzed in this batch:

HS25090388-02	HS25090388-03	HS25090388-04	HS25090388-05
HS25090388-06	HS25090388-07	HS25090388-08	HS25090388-09

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521646 (0)	Instrument: VOA4	Method: LOW LEVEL VOLATILES BY SW8260C
--------------------------------	-------------------------	---

MBLK	Sample ID: MBLK-250911	Units: ug/L	Analysis Date: 11-Sep-2025 10:56							
Client ID:	Run ID: VOA4_521646	SeqNo: 9028428	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	2.0								
1,1,2-Trichlor-1,2,2-trifluoroethane	U	2.0								
1,1,2-Trichloroethane	U	2.0								
1,1-Dichloroethane	U	2.0								
1,1-Dichloroethene	U	1.0								
1,2,4-Trichlorobenzene	U	2.0								
1,2-Dibromo-3-chloropropane	U	10								
1,2-Dibromoethane	U	2.0								
1,2-Dichlorobenzene	U	2.0								
1,2-Dichloroethane	U	2.0								
1,2-Dichloropropane	U	2.0								
1,3-Dichlorobenzene	U	2.0								
1,4-Dichlorobenzene	U	2.0								
2-Butanone	U	10								
2-Hexanone	U	10								
4-Methyl-2-pentanone	U	10								
Acetone	U	100								
Benzene	U	1.0								
Bromodichloromethane	U	2.0								
Bromoform	U	2.0								
Bromomethane	U	2.0								
Carbon disulfide	U	2.0								
Carbon tetrachloride	U	2.0								
Chlorobenzene	U	2.0								
Chloroethane	U	2.0								
Chloroform	U	2.0								
Chloromethane	U	2.0								
cis-1,2-Dichloroethene	U	2.0								
cis-1,3-Dichloropropene	U	2.0								
Cyclohexane	U	2.0								
Dibromochloromethane	U	2.0								
Dichlorodifluoromethane	U	2.0								
Ethylbenzene	U	2.0								

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521646 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-250911	Units: ug/L			Analysis Date: 11-Sep-2025 10:56					
Client ID:	Run ID: VOA4_521646	SeqNo: 9028428	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	U	2.0								
m,p-Xylene	U	4.0								
Methyl acetate	U	2.0								
Methyl tert-butyl ether	U	1.0								
Methylcyclohexane	U	5.0								
Methylene chloride	U	10								
o-Xylene	U	2.0								
Styrene	U	2.0								
Tetrachloroethene	U	2.0								
Toluene	U	2.0								
trans-1,2-Dichloroethene	U	1.0								
trans-1,3-Dichloropropene	U	2.0								
Trichloroethene	U	2.0								
Trichlorofluoromethane	U	1.0								
Vinyl chloride	U	1.0								
Xylenes, Total	U	6.0								
Surr: 1,2-Dichloroethane-d4	52.11	1.0	50	0	104	70 - 123				
Surr: 4-Bromofluorobenzene	52.04	1.0	50	0	104	77 - 113				
Surr: Dibromofluoromethane	51.75	1.0	50	0	104	73 - 126				
Surr: Toluene-d8	49.85	1.0	50	0	99.7	81 - 120				

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521646 (0)		Instrument: VOA4			Method: LOW LEVEL VOLATILES BY SW8260C					
LCS	Sample ID: LCS-250911	Units: ug/L			Analysis Date: 11-Sep-2025 09:54					
Client ID:	Run ID: VOA4_521646	SeqNo: 9028448		PrepDate:		DF: 1				
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.74	1.0	20	0	98.7	70 - 130				
1,1,2,2-Tetrachloroethane	21.94	2.0	20	0	110	70 - 120				
1,1,2-Trichlor-1,2,2-trifluoroethane	19.47	2.0	20	0	97.4	70 - 130				
1,1,2-Trichloroethane	21.4	2.0	20	0	107	77 - 113				
1,1-Dichloroethane	19.53	2.0	20	0	97.7	71 - 122				
1,1-Dichloroethene	19.04	1.0	20	0	95.2	70 - 130				
1,2,4-Trichlorobenzene	21.54	2.0	20	0	108	77 - 126				
1,2-Dibromo-3-chloropropane	23.22	10	20	0	116	70 - 130				
1,2-Dibromoethane	21.56	2.0	20	0	108	76 - 123				
1,2-Dichlorobenzene	20.74	2.0	20	0	104	77 - 113				
1,2-Dichloroethane	20.22	2.0	20	0	101	70 - 124				
1,2-Dichloropropane	20.54	2.0	20	0	103	72 - 119				
1,3-Dichlorobenzene	20.45	2.0	20	0	102	78 - 118				
1,4-Dichlorobenzene	20.54	2.0	20	0	103	79 - 113				
2-Butanone	113.8	10	100	0	114	70 - 130				
2-Hexanone	119.9	10	100	0	120	70 - 130				
4-Methyl-2-pentanone	117.2	10	100	0	117	70 - 130				
Acetone	114	100	100	0	114	70 - 130				
Benzene	19.62	1.0	20	0	98.1	74 - 120				
Bromodichloromethane	20.58	2.0	20	0	103	74 - 122				
Bromoform	21.43	2.0	20	0	107	73 - 128				
Bromomethane	19.36	2.0	20	0	96.8	70 - 130				
Carbon disulfide	38.39	2.0	40	0	96.0	70 - 130				
Carbon tetrachloride	20.37	2.0	20	0	102	71 - 125				
Chlorobenzene	19.5	2.0	20	0	97.5	76 - 113				
Chloroethane	20.34	2.0	20	0	102	70 - 130				
Chloroform	19.59	2.0	20	0	98.0	71 - 121				
Chloromethane	19.75	2.0	20	0	98.7	70 - 129				
cis-1,2-Dichloroethene	19.46	2.0	20	0	97.3	75 - 122				
cis-1,3-Dichloropropene	21.28	2.0	20	0	106	73 - 127				
Cyclohexane	18.59	2.0	20	0	93.0	70 - 130				
Dibromochloromethane	20.53	2.0	20	0	103	77 - 122				
Dichlorodifluoromethane	19.39	2.0	20	0	97.0	70 - 130				
Ethylbenzene	19.49	2.0	20	0	97.4	77 - 117				

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521646 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS Sample ID: **LCS-250911** Units: **ug/L** Analysis Date: **11-Sep-2025 09:54**
 Client ID: Run ID: **VOA4_521646** SeqNo: **9028448** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Isopropylbenzene	19.75	2.0	20	0	98.8	73 - 127			
m,p-Xylene	38.98	4.0	40	0	97.5	77 - 122			
Methyl acetate	21.74	2.0	20	0	109	76 - 122			
Methyl tert-butyl ether	21.97	1.0	20	0	110	70 - 130			
Methylcyclohexane	18.44	5.0	20	0	92.2	61 - 157			
Methylene chloride	20.27	10	20	0	101	70 - 127			
o-Xylene	19.75	2.0	20	0	98.7	75 - 119			
Styrene	19.96	2.0	20	0	99.8	72 - 126			
Tetrachloroethene	18.89	2.0	20	0	94.5	76 - 119			
Toluene	19.54	2.0	20	0	97.7	77 - 118			
trans-1,2-Dichloroethene	19.78	1.0	20	0	98.9	72 - 127			
trans-1,3-Dichloropropene	19.56	2.0	20	0	97.8	77 - 119			
Trichloroethene	19.14	2.0	20	0	95.7	77 - 121			
Trichlorofluoromethane	19.08	1.0	20	0	95.4	70 - 130			
Vinyl chloride	19.37	1.0	20	0	96.9	70 - 130			
Xylenes, Total	58.73	6.0	60	0	97.9	75 - 122			
Surr: 1,2-Dichloroethane-d4	54.12	1.0	50	0	108	70 - 123			
Surr: 4-Bromofluorobenzene	50.31	1.0	50	0	101	77 - 113			
Surr: Dibromofluoromethane	51.2	1.0	50	0	102	73 - 126			
Surr: Toluene-d8	49.6	1.0	50	0	99.2	81 - 120			

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521646 (0)		Instrument: VOA4			Method: LOW LEVEL VOLATILES BY SW8260C					
LCSD		Sample ID: LCSD-250911			Units: ug/L		Analysis Date: 11-Sep-2025 10:15			
Client ID:		Run ID: VOA4_521646			SeqNo: 9028427		PrepDate:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	19.59	1.0	20	0	97.9	70 - 130	19.74	0.793	20	
1,1,2,2-Tetrachloroethane	22.89	2.0	20	0	114	70 - 120	21.94	4.2	20	
1,1,2-Trichlor-1,2,2-trifluoroethane	19.33	2.0	20	0	96.7	70 - 130	19.47	0.711	20	
1,1,2-Trichloroethane	21	2.0	20	0	105	77 - 113	21.4	1.92	20	
1,1-Dichloroethane	19.39	2.0	20	0	96.9	71 - 122	19.53	0.761	20	
1,1-Dichloroethene	18.95	1.0	20	0	94.8	70 - 130	19.04	0.479	20	
1,2,4-Trichlorobenzene	21.59	2.0	20	0	108	77 - 126	21.54	0.218	20	
1,2-Dibromo-3-chloropropane	24.8	10	20	0	124	70 - 130	23.22	6.61	20	
1,2-Dibromoethane	21.02	2.0	20	0	105	76 - 123	21.56	2.53	20	
1,2-Dichlorobenzene	21.28	2.0	20	0	106	77 - 113	20.74	2.57	20	
1,2-Dichloroethane	20.61	2.0	20	0	103	70 - 124	20.22	1.91	20	
1,2-Dichloropropane	20.46	2.0	20	0	102	72 - 119	20.54	0.395	20	
1,3-Dichlorobenzene	20.66	2.0	20	0	103	78 - 118	20.45	0.988	20	
1,4-Dichlorobenzene	20.83	2.0	20	0	104	79 - 113	20.54	1.41	20	
2-Butanone	122.2	10	100	0	122	70 - 130	113.8	7.07	20	
2-Hexanone	117.4	10	100	0	117	70 - 130	119.9	2.09	20	
4-Methyl-2-pentanone	117.4	10	100	0	117	70 - 130	117.2	0.165	20	
Acetone	115.2	100	100	0	115	70 - 130	114	1.01	20	
Benzene	19.26	1.0	20	0	96.3	74 - 120	19.62	1.85	20	
Bromodichloromethane	19.99	2.0	20	0	100.0	74 - 122	20.58	2.88	20	
Bromoform	21.4	2.0	20	0	107	73 - 128	21.43	0.131	20	
Bromomethane	19.28	2.0	20	0	96.4	70 - 130	19.36	0.424	20	
Carbon disulfide	36.97	2.0	40	0	92.4	70 - 130	38.39	3.77	20	
Carbon tetrachloride	19.8	2.0	20	0	99.0	71 - 125	20.37	2.84	20	
Chlorobenzene	19.22	2.0	20	0	96.1	76 - 113	19.5	1.45	20	
Chloroethane	19.87	2.0	20	0	99.4	70 - 130	20.34	2.36	20	
Chloroform	19.38	2.0	20	0	96.9	71 - 121	19.59	1.08	20	
Chloromethane	19.16	2.0	20	0	95.8	70 - 129	19.75	3.05	20	
cis-1,2-Dichloroethene	19.57	2.0	20	0	97.8	75 - 122	19.46	0.528	20	
cis-1,3-Dichloropropene	20.59	2.0	20	0	103	73 - 127	21.28	3.27	20	
Cyclohexane	17.94	2.0	20	0	89.7	70 - 130	18.59	3.59	20	
Dibromochloromethane	20.58	2.0	20	0	103	77 - 122	20.53	0.209	20	
Dichlorodifluoromethane	18.83	2.0	20	0	94.1	70 - 130	19.39	2.96	20	
Ethylbenzene	19.12	2.0	20	0	95.6	77 - 117	19.49	1.92	20	

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521646 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCSD		Sample ID: LCSD-250911		Units: ug/L		Analysis Date: 11-Sep-2025 10:15				
Client ID:		Run ID: VOA4_521646		SeqNo: 9028427		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	19.46	2.0	20	0	97.3	73 - 127	19.75	1.49	20	
m,p-Xylene	38.37	4.0	40	0	95.9	77 - 122	38.98	1.6	20	
Methyl acetate	21.44	2.0	20	0	107	76 - 122	21.74	1.39	20	
Methyl tert-butyl ether	22.08	1.0	20	0	110	70 - 130	21.97	0.504	20	
Methylcyclohexane	16.94	5.0	20	0	84.7	61 - 157	18.44	8.43	20	
Methylene chloride	19.5	10	20	0	97.5	70 - 127	20.27	3.9	20	
o-Xylene	19.26	2.0	20	0	96.3	75 - 119	19.75	2.51	20	
Styrene	19.82	2.0	20	0	99.1	72 - 126	19.96	0.709	20	
Tetrachloroethene	18.62	2.0	20	0	93.1	76 - 119	18.89	1.47	20	
Toluene	19.23	2.0	20	0	96.2	77 - 118	19.54	1.6	20	
trans-1,2-Dichloroethene	19.2	1.0	20	0	96.0	72 - 127	19.78	3.03	20	
trans-1,3-Dichloropropene	19.24	2.0	20	0	96.2	77 - 119	19.56	1.7	20	
Trichloroethene	18.21	2.0	20	0	91.0	77 - 121	19.14	5	20	
Trichlorofluoromethane	18.4	1.0	20	0	92.0	70 - 130	19.08	3.66	20	
Vinyl chloride	18.66	1.0	20	0	93.3	70 - 130	19.37	3.77	20	
Xylenes, Total	57.62	6.0	60	0	96.0	75 - 122	58.73	1.9	20	
Surr: 1,2-Dichloroethane-d4	52.17	1.0	50	0	104	70 - 123	54.12	3.67	20	
Surr: 4-Bromofluorobenzene	51.48	1.0	50	0	103	77 - 113	50.31	2.29	20	
Surr: Dibromofluoromethane	50.66	1.0	50	0	101	73 - 126	51.2	1.07	20	
Surr: Toluene-d8	49.86	1.0	50	0	99.7	81 - 120	49.6	0.531	20	

The following samples were analyzed in this batch:

HS25090388-01	HS25090388-02	HS25090388-03	HS25090388-04
HS25090388-05	HS25090388-06	HS25090388-07	HS25090388-08
HS25090388-09	HS25090388-10	HS25090388-11	HS25090388-12
HS25090388-13	HS25090388-14		

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521532 (0)	Instrument: ICS-Integrion	Method: ANIONS BY E300.0, REV 2.1, 1993
--------------------------------	----------------------------------	--

MBLK	Sample ID: MBLK	Units: mg/L	Analysis Date: 10-Sep-2025 08:25							
Client ID:	Run ID: ICS-Integrion_521532	SeqNo: 9028731	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Nitrogen, Nitrate (As N)	U	0.100								
Nitrogen, Nitrite (As N)	U	0.100								
Sulfate	U	0.500								

LCS	Sample ID: LCS	Units: mg/L	Analysis Date: 10-Sep-2025 08:31							
Client ID:	Run ID: ICS-Integrion_521532	SeqNo: 9028732	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Nitrogen, Nitrate (As N)	3.843	0.100	4	0	96.1	90 - 110				
Nitrogen, Nitrite (As N)	4.169	0.100	4	0	104	90 - 110				
Sulfate	19.39	0.500	20	0	97.0	90 - 110				

MS	Sample ID: HS25090388-01MS	Units: mg/L	Analysis Date: 10-Sep-2025 17:22							
Client ID: 6-21C-20250909	Run ID: ICS-Integrion_521532	SeqNo: 9028756	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Nitrogen, Nitrate (As N)	1.462	0.100	2	0	73.1	80 - 120				S
Nitrogen, Nitrite (As N)	0.9821	0.100	2	0	49.1	80 - 120				S
Sulfate	10.47	0.500	10	0.9601	95.1	80 - 120				

MS	Sample ID: HS25090337-01MS	Units: mg/L	Analysis Date: 10-Sep-2025 08:43							
Client ID:	Run ID: ICS-Integrion_521532	SeqNo: 9028734	PrepDate: DF: 200							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Nitrogen, Nitrate (As N)	385.1	20.0	400	13.98	92.8	80 - 120				
Nitrogen, Nitrite (As N)	390.6	20.0	400	18.64	93.0	80 - 120				
Sulfate	5526	100	2000	3962	78.2	80 - 120				S

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521532 (0)	Instrument: ICS-Integrion	Method: ANIONS BY E300.0, REV 2.1, 1993
--------------------------------	----------------------------------	--

MSD	Sample ID: HS25090388-01MSD	Units: mg/L	Analysis Date: 10-Sep-2025 17:30							
Client ID: 6-21C-20250909	Run ID: ICS-Integrion_521532	SeqNo: 9028757	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Nitrogen, Nitrate (As N)	1.459	0.100	2	0	73.0	80 - 120	1.462	0.233	20	S
Nitrogen, Nitrite (As N)	1.049	0.100	2	0	52.5	80 - 120	0.9821	6.6	20	S
Sulfate	10.44	0.500	10	0.9601	94.8	80 - 120	10.47	0.363	20	

MSD	Sample ID: HS25090337-01MSD	Units: mg/L	Analysis Date: 10-Sep-2025 08:49							
Client ID:	Run ID: ICS-Integrion_521532	SeqNo: 9028735	PrepDate: DF: 200							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Nitrogen, Nitrate (As N)	386.3	20.0	400	13.98	93.1	80 - 120	385.1	0.301	20	
Nitrogen, Nitrite (As N)	390.2	20.0	400	18.64	92.9	80 - 120	390.6	0.0922	20	
Sulfate	5521	100	2000	3962	78.0	80 - 120	5526	0.0833	20	S

The following samples were analyzed in this batch:

HS25090388-01	HS25090388-02	HS25090388-03	HS25090388-04
HS25090388-05	HS25090388-06	HS25090388-07	HS25090388-08
HS25090388-09			

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521672 (0)	Instrument: ICS-Integrion	Method: ANIONS BY E300.0, REV 2.1, 1993
--------------------------------	----------------------------------	--

MBLK	Sample ID: MBLK	Units: mg/L	Analysis Date: 12-Sep-2025 12:19							
Client ID:	Run ID: ICS-Integrion_521672	SeqNo: 9029245	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Sulfate U 0.500

LCS	Sample ID: LCS	Units: mg/L	Analysis Date: 12-Sep-2025 07:43							
Client ID:	Run ID: ICS-Integrion_521672	SeqNo: 9029234	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Sulfate 19.68 0.500 20 0 98.4 90 - 110

MS	Sample ID: HS25090461-01MS	Units: mg/L	Analysis Date: 12-Sep-2025 14:22							
Client ID:	Run ID: ICS-Integrion_521672	SeqNo: 9029261	PrepDate: DF: 10							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Sulfate 943.3 5.00 100 905.3 38.0 80 - 120 SO

MS	Sample ID: HS25090388-09MS	Units: mg/L	Analysis Date: 12-Sep-2025 13:06							
Client ID: DUP-1-20250909	Run ID: ICS-Integrion_521672	SeqNo: 9029250	PrepDate: DF: 10							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Sulfate 236.5 5.00 100 133.6 103 80 - 120

MSD	Sample ID: HS25090461-01MSD	Units: mg/L	Analysis Date: 12-Sep-2025 14:57							
Client ID:	Run ID: ICS-Integrion_521672	SeqNo: 9029264	PrepDate: DF: 10							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Sulfate 933.2 5.00 100 905.3 27.9 80 - 120 943.3 1.07 20 SO

MSD	Sample ID: HS25090388-09MSD	Units: mg/L	Analysis Date: 12-Sep-2025 13:12							
Client ID: DUP-1-20250909	Run ID: ICS-Integrion_521672	SeqNo: 9029251	PrepDate: DF: 10							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Sulfate 235.5 5.00 100 133.6 102 80 - 120 236.5 0.447 20

The following samples were analyzed in this batch:	HS25090388-04	HS25090388-06	HS25090388-08	HS25090388-09
---	---------------	---------------	---------------	---------------

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521803 (0)	Instrument: TOC_04	Method: TOTAL ORGANIC CARBON BY SW9060A
--------------------------------	---------------------------	--

MBLK	Sample ID: MBLK-09.15.2025	Units: mg/L	Analysis Date: 15-Sep-2025 10:02							
Client ID:	Run ID: TOC_04_521803	SeqNo: 9032319	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Organic Carbon, Total U 2.00

MBLK	Sample ID: BLANK-09.15.2025	Units: mg/L	Analysis Date: 15-Sep-2025 09:39							
Client ID:	Run ID: TOC_04_521803	SeqNo: 9032317	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Organic Carbon, Total U 2.00

LCS	Sample ID: LCS- 09.15.2025	Units: mg/L	Analysis Date: 15-Sep-2025 10:16							
Client ID:	Run ID: TOC_04_521803	SeqNo: 9032320	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Organic Carbon, Total 10.54 2.00 10 0 105 85 - 115

LCSD	Sample ID: LCSD- 09.15.2025	Units: mg/L	Analysis Date: 15-Sep-2025 10:29							
Client ID:	Run ID: TOC_04_521803	SeqNo: 9032321	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Organic Carbon, Total 10.69 2.00 10 0 107 85 - 115 10.54 1.41 20

MS	Sample ID: HS25090534-01MS	Units: mg/L	Analysis Date: 15-Sep-2025 15:22							
Client ID:	Run ID: TOC_04_521803	SeqNo: 9032334	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Organic Carbon, Total 14.7 2.00 10 4.978 97.2 80 - 120

MSD	Sample ID: HS25090534-01MSD	Units: mg/L	Analysis Date: 15-Sep-2025 15:36							
Client ID:	Run ID: TOC_04_521803	SeqNo: 9032335	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual

Organic Carbon, Total 14.35 2.00 10 4.978 93.7 80 - 120 14.7 2.41 20

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

QC BATCH REPORT

Batch ID: R521803 (0) **Instrument:** TOC_04 **Method:** TOTAL ORGANIC CARBON BY SW9060A

DUP	Sample ID: HS25090534-01DUP	Units: mg/L	Analysis Date: 15-Sep-2025 15:09							
Client ID:	Run ID: TOC_04_521803	SeqNo: 9032333	PrepDate: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Organic Carbon, Total	4.485	2.00					4.978	10.4	20
-----------------------	-------	------	--	--	--	--	-------	------	----

The following samples were analyzed in this batch:

HS25090388-01	HS25090388-02	HS25090388-03	HS25090388-04
HS25090388-05	HS25090388-06	HS25090388-07	HS25090388-08
HS25090388-09			

ALS Houston, US

Date: 17-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090388

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

ALS Houston, US

Date: 17-Sep-25

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arizona	AZ0793	27-May-2026
Arkansas	88-00356_2024	17-Mar-2026
California	2919 - 2025	30-Apr-2026
Dept of Defense	L24-240	30-Apr-2026
Dept of Defense	L24-239	30-Apr-2026
Florida	E87611-2025	30-Jun-2026
Illinois	200032 - 2025	31-Jul-2026
Kansas	KS-C25-00168	31-Jul-2026
Kentucky	123043-2025	30-Apr-2026
Louisiana	03087-2025	30-Jun-2026
Maine	2024017	23-Jun-2026
Michigan	9971-2025	30-Apr-2026
Minnesota	2856348	31-Dec-2025
Missouri	136	30-Sep-2026
Nebraska	NE-OS-25-13 - 2025	30-Apr-2026
Nevada	NV-C25-00124 - 2025	31-Jul-2026
New Hampshire	209425	24-Apr-2026
New Jersey	TX008-2025	30-Jun-2026
New York	11707 - 2025	01-Apr-2026
North Carolina	624 - 2024	31-Dec-2025
North Dakota	R-193 2023-2024	30-Sep-2025
Oregon	TX200002-013	15-May-2026
Pennsylvania	019	01-Jul-2026
Tennessee	TN	30-Apr-2026
Texas	TX-C25-00104	30-Apr-2026

ALS Houston, US

Date: 17-Sep-25

Sample Receipt Checklist

Work Order ID: HS25090388

Date/Time Received: 10-Sep-2025 09:05

Client Name: GHDHouston

Received by: Edgar Zheku

Completed By: /S/ Belinda Gomez	10-Sep-2025 12:23	Reviewed by: /S/ Beverly Mustafa	10-Sep-2025 14:09
eSignature	Date/Time	eSignature	Date/Time

Matrices: **W**

Carrier name: **FedEx**

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes No Not Present
- Chain of custody present? Yes No 1 Page(s)
- Chain of custody signed when relinquished and received? Yes No COC IDs:348102
- Samplers name present on COC? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No

Temperature(s)/Thermometer(s):	2.7UC/2.7C,1.4UC/1.4C	IR34
Cooler(s)/Kit(s):	53362,52727	
Date/Time sample(s) sent to storage:	9/10/25 1220	
Water - VOA vials have zero headspace?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	No VOA vials submitted <input type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/> No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/> No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:		

Login Notes:

Client Contacted: _____ Date Contacted: _____ Person Contacted: _____

Contacted By: _____ Regarding: _____

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336
Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511
Holland, MI
+1 616 399 6070

Chain of Custody Form


Page 1 of 1

COC ID: **348102**

HS25090388

GHD Houston

12660612 Laguna Compressor Station No. 6



ALS Project Manager:

Customer Information		Project Information	
Purchase Order	E-19002-GS-26050007- Stacy Bou	Project Name	12660612 Laguna Compressor Statio
Work Order		Project Number	12660612
Company Name	GHD	Bill To Company	ET Gathering & Processing LLC
Send Report To	Deedee Whittington	Invoice Attn	Stacy Boultinghouse
Address	800 Sonterra Blvd	Address	800 Sonterra Blvd
	Suite 400		Ste 400
City/State/Zip	San Antonio, TX 78258	City/State/Zip	San Antonio TX 78258
Phone	(210) -87-0-27	Phone	
Fax		Fax	
e-Mail Address	deedee.whittington@ghd.com	e-Mail Address	Stacy.Boultinghouse@energytransfer.co

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	6-21C-20250909	9/9/25	0830	W	1,8	6	X		X	X							
2	6-13-20250909		0930	W	1,8	8	X	X	X	X							
3	6-14-20250909		1015	W	1,8	8	X	X	X	X							
4	6-21B-20250909		1115	W	1,8	8	X	X	X	X							
5	6-54-20250909		1200	W	1,8	8	X	X	X	X							
6	6-22B-20250909		1300	W	1,8	8	X	X	X	X							
7	6-22C-20250909		1345	W	1,8	8	X	X	X	X							
8	6-40-20250909		1500	W	1,8	8	X	X	X	X							
9	DUP-1-20250909		0.0	W	1,8	8	X	X	X	X							
10	CG-081225-145 CB-081225-184		0.0	W	1,8	22					X						

Sampler(s) Please Print & Sign <i>Ronald Aguila</i>		Shipment Method <i>Fedex</i>		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour				Results Due Date:	
Relinquished by:	Date: <i>9/9/25</i>	Time: <i>1600</i>	Received by:	Notes: TPC Laguna NM					
Relinquished by:	Date:	Time:	Received by (Laboratory):	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)			
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):	<i>5382</i>	<i>2.7</i>	<input checked="" type="checkbox"/> Level II Std QC	<input type="checkbox"/> TRRP Checklist		
				<i>5727</i>	<i>1.9</i>	<input type="checkbox"/> Level III Std QC/Raw Data	<input type="checkbox"/> TRRP Level IV		
						<input type="checkbox"/> Level IV SW846/CLP			
						<input type="checkbox"/> Other			

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Cincinnati, OH
+1 513 733 5336

Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511

Holland, MI
+1 616 399 6070

Chain of Custody Form


Page 2 of 2

COC ID: 348103

HS25090388

GHD Houston

12660612 Laguna Compressor Station No. 6



ALS Project Manager:

Customer Information		Project Information		
Purchase Order	E-19002-GS-26050007- Stacy Bou	Project Name	12660612 Laguna Compressor Station	A 8260_LL_W (8260 VOC TCL 4.3) [3xVOA HCl]
Work Order		Project Number	12660612	B PCB_W_Total (8082 PCB) [2x1L Am G Neat]
Company Name	GHD	Bill To Company	ET Gathering & Processing LLC	C 300_W (300 *NO3, NO2*, SC04) [120ml P Neat]
Send Report To	Deedee Whittington	Invoice Attn	Stacy Boultinghouse	D TOC_W 9060 (9060 TOC) [2xVOA Am H2SO4]
Address	800 Sonterra Blvd Suite 400	Address	800 Sonterra Blvd Ste 400	E Trip Blank
				F
City/State/Zip	San Antonio, TX 78258	City/State/Zip	San Antonio TX 78258	G
Phone	(210) -87-0-27	Phone		H
Fax		Fax		I
e-Mail Address	deedee.whittington@ghd.com	e-Mail Address	Stacy.Boultinghouse@energytransfer.co	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	6-07-20250909	9/9/25	1510	W	1,8	3	X										
2	6-19-20250909	↓	1530	↓	↓	3	X										
3	6-44-20250909	↓	1520	↓	↓	3	X										
4	CG-081225-184	-	0.0	↓	↓	3					X						
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign
 Rupert Aguilar / [Signature]

Shipment Method fed ex

Required Turnaround Time: (Check Box)
 STD 10 Wk Days
 5 Wk Days
 2 Wk Days
 24 Hour

Results Due Date:

Relinquished by: [Signature]
 Date: 9/9/25
 Time: 1600
 Received by: [Signature]
 Notes: TPC Laguna NM

Relinquished by:
Date:
Time:
Received by (Laboratory): [Signature] 09/10/25 09:05

Logged by (Laboratory):
Date:
Time:
Checked by (Laboratory):

QC Package: (Check One Box Below)
 Level II Std QC
 TRRP Checklist
 Level III Std QC/Raw Data
 TRRP Level IV
 Level IV SW846/CLP
 Other

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

Must Deliver Next Business Day
Time and Temperature Sensitive



Part # 15068-404 FRDS EXP 05/26


ORIGIN ID:SGRA (505) 705-8968
RUPERTO AGUILAR
CID
9270 EAGLE RANCH RD NW
APT 225
ALBUQUERQUE, NM 87114
UNITED STATES US

SHIP DATE: 03SEP25
ACTWGT: 1.00 LB 11AN
CAD: 0221247/CAFE3908

TO **SAMPLE RECEIVING**
ALS GROUP USA, CORP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099

(281) 590-5656
REF: ALS

RMA:



J25102411401401

FedEx
TRK# 4345 8802 5108
0221

XA SGRA

WED - 10 SEP 10:30A T
PRIORITY OVERNIGHT

77099
TX-US IAH



CUSTOMER SEAL

Usage: 9/13/25 Time: 11:00
 Name: *Ruperto Aguilar*
 Company: *ALS*

Seal Broken By: _____



**Must Deliver Next Business Day
Time and Temperature Sensitive!**


ORIGIN ID:SGRA (505) 705-8968
 RUPERTO AGUILAR
 GHD
 8270 EAGLE RANCH RD NW
 APT 225
 ALBUQUERQUE, NM 87114
 UNITED STATES US

SHIP DATE: 03SEP25
 ACTWGT: 1.00 LB MAN
 CAD: 0221247/CAFE3908

**TO SAMPLE RECEIVING
 ALS GROUP USA, CORP
 10450 STANCLIFF ROAD
 SUITE 210
 HOUSTON TX 77099**

(281) 690-5868
 REF: ALS

AMA: ||| ||| |||



FedEx
 TRK#
 0221 4345 8802 5093

**WED - 10 SEP 10:30A
 PRIORITY OVERNIGHT**

XA SGRA

77099
 TX-US IAH



ALS
 10450 Stancliff Rd., Suite 210
 Houston, Texas 77099
 Tel: +1 281 690 5656
 Fax: +1 281 530 5897





right solutions.
right partner.

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

September 18, 2025

Deedee Whittington
GHDHouston
11451 Katy Freeway
Suite 400
Houston, TX 77079

Work Order: **HS25090600**

Laboratory Results for: **12660612 Laguna Compressor Station No. 6**

Dear Deedee Whittington ,

ALS Environmental received 24 sample(s) on Sep 12, 2025 for the analysis presented in the following report.

This is a REVISED REPORT. Please see the Case Narrative for discussion concerning this revision.

Regards,

Generated By: ALEXIS.DORENBOSCH

Alexis Dorenbosch
Project Manager

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
Work Order: HS25090600

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25090600-01	6-09-20250910	Water		10-Sep-2025 08:30	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-02	6-20B-20250910	Water		10-Sep-2025 09:30	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-03	6-20C-20250910	Water		10-Sep-2025 10:15	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-04	6-18-20250910	Water		10-Sep-2025 11:00	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-05	6-10-20250910	Water		10-Sep-2025 11:45	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-06	6-15-20250910	Water		10-Sep-2025 12:30	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-07	6-11-20250910	Water		10-Sep-2025 13:15	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-08	6-42-20250910	Water		10-Sep-2025 13:40	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-09	6-41-20250910	Water		10-Sep-2025 14:25	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-10	6-12-20250910	Water		10-Sep-2025 15:10	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-11	6-45-20250911	Water		11-Sep-2025 09:15	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-12	6-46-20250911	Water		11-Sep-2025 10:00	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-13	6-16-20250911	Water		11-Sep-2025 08:30	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-14	6-08-20250911	Water		11-Sep-2025 12:30	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-15	6-28-20250911	Water		11-Sep-2025 11:45	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-16	6-33-20250911	Water		11-Sep-2025 11:30	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-17	6-49B-20250911	Water		11-Sep-2025 11:10	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-18	6-48B-20250911	Water		11-Sep-2025 11:00	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-19	6-47-20250911	Water		11-Sep-2025 10:45	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-20	6-17-20250911	Water		11-Sep-2025 10:20	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-21	DUP-1-20250911	Water		11-Sep-2025 00:00	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-22	CG-081225-195	Water		11-Sep-2025 00:00	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-23	CG-081225-183	Water		11-Sep-2025 00:00	12-Sep-2025 17:10	<input type="checkbox"/>
HS25090600-24	CG-081225-196	Water		11-Sep-2025 00:00	12-Sep-2025 17:10	<input type="checkbox"/>

Revision:1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
Work Order: HS25090600

CASE NARRATIVE

Work Order Comments

- Report revised on September 18, 2025, to revise sample IDs per chain of custody.
-

Work Order Comments

- Log In Notes:
Sample ID differs: Label: Dup-1-20250911 COC: Dup-2-20250911 logged in per chain of custody.
-

ECD Organics by Method SW8082

Batch ID: 232893

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.
-

GCMS Volatiles by Method SW8260

Batch ID: R521982

Sample ID: LCS-250917

- Not enough sample vials are received to perform MS/MSD. LCS and LCSD are provided to meet QC requirements.

Batch ID: R521848

Sample ID: LCS-250916

- Not enough sample vials are received to perform MS/MSD. LCS and LCSD are provided to meet QC requirements.

Batch ID: R521939

Sample ID: HS25090506-30MS

- MS and MSD are for an unrelated sample
-

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-09-20250910
 Collection Date: 10-Sep-2025 08:30

ANALYTICAL REPORT
 WorkOrder:HS25090600
 Lab ID:HS25090600-01
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.10	mg/L	100	17-Sep-2025 03:19
1,1,2,2-Tetrachloroethane	U		0.20	mg/L	100	17-Sep-2025 03:19
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.20	mg/L	100	17-Sep-2025 03:19
1,1,2-Trichloroethane	U		0.20	mg/L	100	17-Sep-2025 03:19
1,1-Dichloroethane	U		0.20	mg/L	100	17-Sep-2025 03:19
1,1-Dichloroethene	U		0.10	mg/L	100	17-Sep-2025 03:19
1,2,4-Trichlorobenzene	U		0.20	mg/L	100	17-Sep-2025 03:19
1,2-Dibromo-3-chloropropane	U		1.0	mg/L	100	17-Sep-2025 03:19
1,2-Dibromoethane	U		0.20	mg/L	100	17-Sep-2025 03:19
1,2-Dichlorobenzene	U		0.20	mg/L	100	17-Sep-2025 03:19
1,2-Dichloroethane	U		0.20	mg/L	100	17-Sep-2025 03:19
1,2-Dichloropropane	U		0.20	mg/L	100	17-Sep-2025 03:19
1,3-Dichlorobenzene	U		0.20	mg/L	100	17-Sep-2025 03:19
1,4-Dichlorobenzene	U		0.20	mg/L	100	17-Sep-2025 03:19
2-Butanone	U		1.0	mg/L	100	17-Sep-2025 03:19
2-Hexanone	U		1.0	mg/L	100	17-Sep-2025 03:19
4-Methyl-2-pentanone	U		1.0	mg/L	100	17-Sep-2025 03:19
Acetone	U		10	mg/L	100	17-Sep-2025 03:19
Benzene	U		0.10	mg/L	100	17-Sep-2025 03:19
Bromodichloromethane	U		0.20	mg/L	100	17-Sep-2025 03:19
Bromoform	U		0.20	mg/L	100	17-Sep-2025 03:19
Bromomethane	U		0.20	mg/L	100	17-Sep-2025 03:19
Carbon disulfide	U		0.20	mg/L	100	17-Sep-2025 03:19
Carbon tetrachloride	U		0.20	mg/L	100	17-Sep-2025 03:19
Chlorobenzene	U		0.20	mg/L	100	17-Sep-2025 03:19
Chloroethane	U		0.20	mg/L	100	17-Sep-2025 03:19
Chloroform	U		0.20	mg/L	100	17-Sep-2025 03:19
Chloromethane	U		0.20	mg/L	100	17-Sep-2025 03:19
cis-1,2-Dichloroethene	U		0.20	mg/L	100	17-Sep-2025 03:19
cis-1,3-Dichloropropene	U		0.20	mg/L	100	17-Sep-2025 03:19
Cyclohexane	U		0.20	mg/L	100	17-Sep-2025 03:19
Dibromochloromethane	U		0.20	mg/L	100	17-Sep-2025 03:19
Dichlorodifluoromethane	U		0.20	mg/L	100	17-Sep-2025 03:19
Ethylbenzene	U		0.20	mg/L	100	17-Sep-2025 03:19
Isopropylbenzene	U		0.20	mg/L	100	17-Sep-2025 03:19
m,p-Xylene	U		0.40	mg/L	100	17-Sep-2025 03:19
Methyl acetate	U		0.20	mg/L	100	17-Sep-2025 03:19
Methyl tert-butyl ether	U		0.10	mg/L	100	17-Sep-2025 03:19
Methylcyclohexane	U		0.50	mg/L	100	17-Sep-2025 03:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-09-20250910
 Collection Date: 10-Sep-2025 08:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-01
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	1.0	mg/L	100	17-Sep-2025 03:19
o-Xylene		U	0.20	mg/L	100	17-Sep-2025 03:19
Styrene		U	0.20	mg/L	100	17-Sep-2025 03:19
Tetrachloroethene		U	0.20	mg/L	100	17-Sep-2025 03:19
Toluene		U	0.20	mg/L	100	17-Sep-2025 03:19
trans-1,2-Dichloroethene		U	0.10	mg/L	100	17-Sep-2025 03:19
trans-1,3-Dichloropropene		U	0.20	mg/L	100	17-Sep-2025 03:19
Trichloroethene		U	0.20	mg/L	100	17-Sep-2025 03:19
Trichlorofluoromethane		U	0.10	mg/L	100	17-Sep-2025 03:19
Vinyl chloride		U	0.10	mg/L	100	17-Sep-2025 03:19
Xylenes, Total		U	0.60	mg/L	100	17-Sep-2025 03:19
Surr: 1,2-Dichloroethane-d4	113		70-126	%REC	100	17-Sep-2025 03:19
Surr: 4-Bromofluorobenzene	104		77-113	%REC	100	17-Sep-2025 03:19
Surr: Dibromofluoromethane	105		77-123	%REC	100	17-Sep-2025 03:19
Surr: Toluene-d8	98.3		82-127	%REC	100	17-Sep-2025 03:19
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	15-Sep-2025 23:27
Aroclor 1221		U	0.000500	mg/L	1	15-Sep-2025 23:27
Aroclor 1232		U	0.000500	mg/L	1	15-Sep-2025 23:27
Aroclor 1242		U	0.000500	mg/L	1	15-Sep-2025 23:27
Aroclor 1248		U	0.000500	mg/L	1	15-Sep-2025 23:27
Aroclor 1254		U	0.000500	mg/L	1	15-Sep-2025 23:27
Aroclor 1260		U	0.000500	mg/L	1	15-Sep-2025 23:27
PCBs (Total)		U	0.000500	mg/L	1	15-Sep-2025 23:27
Surr: Decachlorobiphenyl	76.3		54-140	%REC	1	15-Sep-2025 23:27
Surr: Tetrachloro-m-xylene	87.0		53-137	%REC	1	15-Sep-2025 23:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-20B-20250910
 Collection Date: 10-Sep-2025 09:30

ANALYTICAL REPORT
 WorkOrder:HS25090600
 Lab ID:HS25090600-02
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	17-Sep-2025 00:12
1,1,2,2-Tetrachloroethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,1,2-Trichloroethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,1-Dichloroethane	0.039		0.0020	mg/L	1	17-Sep-2025 00:12
1,1-Dichloroethene	0.0066		0.0010	mg/L	1	17-Sep-2025 00:12
1,2,4-Trichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,2-Dibromo-3-chloropropane		U	0.010	mg/L	1	17-Sep-2025 00:12
1,2-Dibromoethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,2-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,2-Dichloroethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,2-Dichloropropane		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,3-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:12
1,4-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:12
2-Butanone		U	0.010	mg/L	1	17-Sep-2025 00:12
2-Hexanone		U	0.010	mg/L	1	17-Sep-2025 00:12
4-Methyl-2-pentanone		U	0.010	mg/L	1	17-Sep-2025 00:12
Acetone		U	0.10	mg/L	1	17-Sep-2025 00:12
Benzene		U	0.0010	mg/L	1	17-Sep-2025 00:12
Bromodichloromethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
Bromoform		U	0.0020	mg/L	1	17-Sep-2025 00:12
Bromomethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
Carbon disulfide		U	0.0020	mg/L	1	17-Sep-2025 00:12
Carbon tetrachloride		U	0.0020	mg/L	1	17-Sep-2025 00:12
Chlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:12
Chloroethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
Chloroform		U	0.0020	mg/L	1	17-Sep-2025 00:12
Chloromethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
cis-1,2-Dichloroethene		U	0.0020	mg/L	1	17-Sep-2025 00:12
cis-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 00:12
Cyclohexane		U	0.0020	mg/L	1	17-Sep-2025 00:12
Dibromochloromethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
Dichlorodifluoromethane		U	0.0020	mg/L	1	17-Sep-2025 00:12
Ethylbenzene		U	0.0020	mg/L	1	17-Sep-2025 00:12
Isopropylbenzene		U	0.0020	mg/L	1	17-Sep-2025 00:12
m,p-Xylene		U	0.0040	mg/L	1	17-Sep-2025 00:12
Methyl acetate		U	0.0020	mg/L	1	17-Sep-2025 00:12
Methyl tert-butyl ether		U	0.0010	mg/L	1	17-Sep-2025 00:12
Methylcyclohexane		U	0.0050	mg/L	1	17-Sep-2025 00:12

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-20B-20250910
 Collection Date: 10-Sep-2025 09:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-02
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	17-Sep-2025 00:12
o-Xylene		U	0.0020	mg/L	1	17-Sep-2025 00:12
Styrene		U	0.0020	mg/L	1	17-Sep-2025 00:12
Tetrachloroethene		U	0.0020	mg/L	1	17-Sep-2025 00:12
Toluene		U	0.0020	mg/L	1	17-Sep-2025 00:12
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	17-Sep-2025 00:12
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 00:12
Trichloroethene		U	0.0020	mg/L	1	17-Sep-2025 00:12
Trichlorofluoromethane		U	0.0010	mg/L	1	17-Sep-2025 00:12
Vinyl chloride		U	0.0010	mg/L	1	17-Sep-2025 00:12
Xylenes, Total		U	0.0060	mg/L	1	17-Sep-2025 00:12
Surr: 1,2-Dichloroethane-d4	110		70-126	%REC	1	17-Sep-2025 00:12
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	17-Sep-2025 00:12
Surr: Dibromofluoromethane	105		77-123	%REC	1	17-Sep-2025 00:12
Surr: Toluene-d8	96.9		82-127	%REC	1	17-Sep-2025 00:12
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	15-Sep-2025 23:37
Aroclor 1221		U	0.000500	mg/L	1	15-Sep-2025 23:37
Aroclor 1232		U	0.000500	mg/L	1	15-Sep-2025 23:37
Aroclor 1242		U	0.000500	mg/L	1	15-Sep-2025 23:37
Aroclor 1248		U	0.000500	mg/L	1	15-Sep-2025 23:37
Aroclor 1254		U	0.000500	mg/L	1	15-Sep-2025 23:37
Aroclor 1260		U	0.000500	mg/L	1	15-Sep-2025 23:37
PCBs (Total)		U	0.000500	mg/L	1	15-Sep-2025 23:37
Surr: Decachlorobiphenyl	72.5		54-140	%REC	1	15-Sep-2025 23:37
Surr: Tetrachloro-m-xylene	69.7		53-137	%REC	1	15-Sep-2025 23:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-20C-20250910
 Collection Date: 10-Sep-2025 10:15

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-03
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	17-Sep-2025 00:33
1,1,2,2-Tetrachloroethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,1,2-Trichloroethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,1-Dichloroethane	0.042		0.0020	mg/L	1	17-Sep-2025 00:33
1,1-Dichloroethene	0.014		0.0010	mg/L	1	17-Sep-2025 00:33
1,2,4-Trichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,2-Dibromo-3-chloropropane		U	0.010	mg/L	1	17-Sep-2025 00:33
1,2-Dibromoethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,2-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,2-Dichloroethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,2-Dichloropropane		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,3-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:33
1,4-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:33
2-Butanone		U	0.010	mg/L	1	17-Sep-2025 00:33
2-Hexanone		U	0.010	mg/L	1	17-Sep-2025 00:33
4-Methyl-2-pentanone		U	0.010	mg/L	1	17-Sep-2025 00:33
Acetone		U	0.10	mg/L	1	17-Sep-2025 00:33
Benzene	0.0011		0.0010	mg/L	1	17-Sep-2025 00:33
Bromodichloromethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
Bromoform		U	0.0020	mg/L	1	17-Sep-2025 00:33
Bromomethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
Carbon disulfide		U	0.0020	mg/L	1	17-Sep-2025 00:33
Carbon tetrachloride		U	0.0020	mg/L	1	17-Sep-2025 00:33
Chlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 00:33
Chloroethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
Chloroform		U	0.0020	mg/L	1	17-Sep-2025 00:33
Chloromethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
cis-1,2-Dichloroethene		U	0.0020	mg/L	1	17-Sep-2025 00:33
cis-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 00:33
Cyclohexane		U	0.0020	mg/L	1	17-Sep-2025 00:33
Dibromochloromethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
Dichlorodifluoromethane		U	0.0020	mg/L	1	17-Sep-2025 00:33
Ethylbenzene		U	0.0020	mg/L	1	17-Sep-2025 00:33
Isopropylbenzene		U	0.0020	mg/L	1	17-Sep-2025 00:33
m,p-Xylene		U	0.0040	mg/L	1	17-Sep-2025 00:33
Methyl acetate		U	0.0020	mg/L	1	17-Sep-2025 00:33
Methyl tert-butyl ether		U	0.0010	mg/L	1	17-Sep-2025 00:33
Methylcyclohexane		U	0.0050	mg/L	1	17-Sep-2025 00:33

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-20C-20250910
 Collection Date: 10-Sep-2025 10:15

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-03
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	17-Sep-2025 00:33
o-Xylene		U	0.0020	mg/L	1	17-Sep-2025 00:33
Styrene		U	0.0020	mg/L	1	17-Sep-2025 00:33
Tetrachloroethene		U	0.0020	mg/L	1	17-Sep-2025 00:33
Toluene		U	0.0020	mg/L	1	17-Sep-2025 00:33
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	17-Sep-2025 00:33
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 00:33
Trichloroethene		U	0.0020	mg/L	1	17-Sep-2025 00:33
Trichlorofluoromethane		U	0.0010	mg/L	1	17-Sep-2025 00:33
Vinyl chloride		U	0.0010	mg/L	1	17-Sep-2025 00:33
Xylenes, Total		U	0.0060	mg/L	1	17-Sep-2025 00:33
Surr: 1,2-Dichloroethane-d4	109		70-126	%REC	1	17-Sep-2025 00:33
Surr: 4-Bromofluorobenzene	102		77-113	%REC	1	17-Sep-2025 00:33
Surr: Dibromofluoromethane	103		77-123	%REC	1	17-Sep-2025 00:33
Surr: Toluene-d8	97.3		82-127	%REC	1	17-Sep-2025 00:33
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	15-Sep-2025 23:48
Aroclor 1221		U	0.000500	mg/L	1	15-Sep-2025 23:48
Aroclor 1232		U	0.000500	mg/L	1	15-Sep-2025 23:48
Aroclor 1242		U	0.000500	mg/L	1	15-Sep-2025 23:48
Aroclor 1248		U	0.000500	mg/L	1	15-Sep-2025 23:48
Aroclor 1254		U	0.000500	mg/L	1	15-Sep-2025 23:48
Aroclor 1260		U	0.000500	mg/L	1	15-Sep-2025 23:48
PCBs (Total)		U	0.000500	mg/L	1	15-Sep-2025 23:48
Surr: Decachlorobiphenyl	71.0		54-140	%REC	1	15-Sep-2025 23:48
Surr: Tetrachloro-m-xylene	70.4		53-137	%REC	1	15-Sep-2025 23:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-18-20250910
 Collection Date: 10-Sep-2025 11:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-04
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	17-Sep-2025 00:54
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,1,2-Trichloroethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,1-Dichloroethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,1-Dichloroethene	U		0.0010	mg/L	1	17-Sep-2025 00:54
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	17-Sep-2025 00:54
1,2-Dibromoethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,2-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,2-Dichloroethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,2-Dichloropropane	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,3-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 00:54
1,4-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 00:54
2-Butanone	U		0.010	mg/L	1	17-Sep-2025 00:54
2-Hexanone	U		0.010	mg/L	1	17-Sep-2025 00:54
4-Methyl-2-pentanone	U		0.010	mg/L	1	17-Sep-2025 00:54
Acetone	U		0.10	mg/L	1	17-Sep-2025 00:54
Benzene	U		0.0010	mg/L	1	17-Sep-2025 00:54
Bromodichloromethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
Bromoform	U		0.0020	mg/L	1	17-Sep-2025 00:54
Bromomethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
Carbon disulfide	U		0.0020	mg/L	1	17-Sep-2025 00:54
Carbon tetrachloride	U		0.0020	mg/L	1	17-Sep-2025 00:54
Chlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 00:54
Chloroethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
Chloroform	0.0021		0.0020	mg/L	1	17-Sep-2025 00:54
Chloromethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	17-Sep-2025 00:54
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	17-Sep-2025 00:54
Cyclohexane	U		0.0020	mg/L	1	17-Sep-2025 00:54
Dibromochloromethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
Dichlorodifluoromethane	U		0.0020	mg/L	1	17-Sep-2025 00:54
Ethylbenzene	U		0.0020	mg/L	1	17-Sep-2025 00:54
Isopropylbenzene	U		0.0020	mg/L	1	17-Sep-2025 00:54
m,p-Xylene	U		0.0040	mg/L	1	17-Sep-2025 00:54
Methyl acetate	U		0.0020	mg/L	1	17-Sep-2025 00:54
Methyl tert-butyl ether	U		0.0010	mg/L	1	17-Sep-2025 00:54
Methylcyclohexane	U		0.0050	mg/L	1	17-Sep-2025 00:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-18-20250910
 Collection Date: 10-Sep-2025 11:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-04
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	17-Sep-2025 00:54
o-Xylene		U	0.0020	mg/L	1	17-Sep-2025 00:54
Styrene		U	0.0020	mg/L	1	17-Sep-2025 00:54
Tetrachloroethene		U	0.0020	mg/L	1	17-Sep-2025 00:54
Toluene		U	0.0020	mg/L	1	17-Sep-2025 00:54
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	17-Sep-2025 00:54
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 00:54
Trichloroethene		U	0.0020	mg/L	1	17-Sep-2025 00:54
Trichlorofluoromethane		U	0.0010	mg/L	1	17-Sep-2025 00:54
Vinyl chloride		U	0.0010	mg/L	1	17-Sep-2025 00:54
Xylenes, Total		U	0.0060	mg/L	1	17-Sep-2025 00:54
Surr: 1,2-Dichloroethane-d4	108		70-126	%REC	1	17-Sep-2025 00:54
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	17-Sep-2025 00:54
Surr: Dibromofluoromethane	106		77-123	%REC	1	17-Sep-2025 00:54
Surr: Toluene-d8	96.0		82-127	%REC	1	17-Sep-2025 00:54
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	15-Sep-2025 23:59
Aroclor 1221		U	0.000500	mg/L	1	15-Sep-2025 23:59
Aroclor 1232		U	0.000500	mg/L	1	15-Sep-2025 23:59
Aroclor 1242	0.000835		0.000500	mg/L	1	15-Sep-2025 23:59
Aroclor 1248		U	0.000500	mg/L	1	15-Sep-2025 23:59
Aroclor 1254		U	0.000500	mg/L	1	15-Sep-2025 23:59
Aroclor 1260		U	0.000500	mg/L	1	15-Sep-2025 23:59
PCBs (Total)	0.000835		0.000500	mg/L	1	15-Sep-2025 23:59
Surr: Decachlorobiphenyl	76.9		54-140	%REC	1	15-Sep-2025 23:59
Surr: Tetrachloro-m-xylene	71.5		53-137	%REC	1	15-Sep-2025 23:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-10-20250910
 Collection Date: 10-Sep-2025 11:45

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-05
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	17-Sep-2025 01:15
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,1,2-Trichloroethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,1-Dichloroethane	0.0094		0.0020	mg/L	1	17-Sep-2025 01:15
1,1-Dichloroethene	0.0020		0.0010	mg/L	1	17-Sep-2025 01:15
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	17-Sep-2025 01:15
1,2-Dibromoethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,2-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,2-Dichloroethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,2-Dichloropropane	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,3-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:15
1,4-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:15
2-Butanone	U		0.010	mg/L	1	17-Sep-2025 01:15
2-Hexanone	U		0.010	mg/L	1	17-Sep-2025 01:15
4-Methyl-2-pentanone	U		0.010	mg/L	1	17-Sep-2025 01:15
Acetone	U		0.10	mg/L	1	17-Sep-2025 01:15
Benzene	U		0.0010	mg/L	1	17-Sep-2025 01:15
Bromodichloromethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
Bromoform	U		0.0020	mg/L	1	17-Sep-2025 01:15
Bromomethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
Carbon disulfide	U		0.0020	mg/L	1	17-Sep-2025 01:15
Carbon tetrachloride	U		0.0020	mg/L	1	17-Sep-2025 01:15
Chlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:15
Chloroethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
Chloroform	U		0.0020	mg/L	1	17-Sep-2025 01:15
Chloromethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	17-Sep-2025 01:15
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	17-Sep-2025 01:15
Cyclohexane	U		0.0020	mg/L	1	17-Sep-2025 01:15
Dibromochloromethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
Dichlorodifluoromethane	U		0.0020	mg/L	1	17-Sep-2025 01:15
Ethylbenzene	U		0.0020	mg/L	1	17-Sep-2025 01:15
Isopropylbenzene	U		0.0020	mg/L	1	17-Sep-2025 01:15
m,p-Xylene	U		0.0040	mg/L	1	17-Sep-2025 01:15
Methyl acetate	U		0.0020	mg/L	1	17-Sep-2025 01:15
Methyl tert-butyl ether	U		0.0010	mg/L	1	17-Sep-2025 01:15
Methylcyclohexane	U		0.0050	mg/L	1	17-Sep-2025 01:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-10-20250910
 Collection Date: 10-Sep-2025 11:45

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-05
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	17-Sep-2025 01:15
o-Xylene		U	0.0020	mg/L	1	17-Sep-2025 01:15
Styrene		U	0.0020	mg/L	1	17-Sep-2025 01:15
Tetrachloroethene		U	0.0020	mg/L	1	17-Sep-2025 01:15
Toluene		U	0.0020	mg/L	1	17-Sep-2025 01:15
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	17-Sep-2025 01:15
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 01:15
Trichloroethene		U	0.0020	mg/L	1	17-Sep-2025 01:15
Trichlorofluoromethane		U	0.0010	mg/L	1	17-Sep-2025 01:15
Vinyl chloride		U	0.0010	mg/L	1	17-Sep-2025 01:15
Xylenes, Total		U	0.0060	mg/L	1	17-Sep-2025 01:15
Surr: 1,2-Dichloroethane-d4	110		70-126	%REC	1	17-Sep-2025 01:15
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	17-Sep-2025 01:15
Surr: Dibromofluoromethane	105		77-123	%REC	1	17-Sep-2025 01:15
Surr: Toluene-d8	98.7		82-127	%REC	1	17-Sep-2025 01:15
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	16-Sep-2025 00:10
Aroclor 1221		U	0.000500	mg/L	1	16-Sep-2025 00:10
Aroclor 1232		U	0.000500	mg/L	1	16-Sep-2025 00:10
Aroclor 1242		U	0.000500	mg/L	1	16-Sep-2025 00:10
Aroclor 1248		U	0.000500	mg/L	1	16-Sep-2025 00:10
Aroclor 1254		U	0.000500	mg/L	1	16-Sep-2025 00:10
Aroclor 1260		U	0.000500	mg/L	1	16-Sep-2025 00:10
PCBs (Total)		U	0.000500	mg/L	1	16-Sep-2025 00:10
Surr: Decachlorobiphenyl	71.9		54-140	%REC	1	16-Sep-2025 00:10
Surr: Tetrachloro-m-xylene	66.3		53-137	%REC	1	16-Sep-2025 00:10

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-15-20250910
 Collection Date: 10-Sep-2025 12:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-06
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	17-Sep-2025 01:35
1,1,2,2-Tetrachloroethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,1,2-Trichloroethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,1-Dichloroethane	0.0061		0.0020	mg/L	1	17-Sep-2025 01:35
1,1-Dichloroethene	0.0019		0.0010	mg/L	1	17-Sep-2025 01:35
1,2,4-Trichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,2-Dibromo-3-chloropropane		U	0.010	mg/L	1	17-Sep-2025 01:35
1,2-Dibromoethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,2-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,2-Dichloroethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,2-Dichloropropane		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,3-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 01:35
1,4-Dichlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 01:35
2-Butanone		U	0.010	mg/L	1	17-Sep-2025 01:35
2-Hexanone		U	0.010	mg/L	1	17-Sep-2025 01:35
4-Methyl-2-pentanone		U	0.010	mg/L	1	17-Sep-2025 01:35
Acetone		U	0.10	mg/L	1	17-Sep-2025 01:35
Benzene		U	0.0010	mg/L	1	17-Sep-2025 01:35
Bromodichloromethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
Bromoform		U	0.0020	mg/L	1	17-Sep-2025 01:35
Bromomethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
Carbon disulfide		U	0.0020	mg/L	1	17-Sep-2025 01:35
Carbon tetrachloride		U	0.0020	mg/L	1	17-Sep-2025 01:35
Chlorobenzene		U	0.0020	mg/L	1	17-Sep-2025 01:35
Chloroethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
Chloroform		U	0.0020	mg/L	1	17-Sep-2025 01:35
Chloromethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
cis-1,2-Dichloroethene		U	0.0020	mg/L	1	17-Sep-2025 01:35
cis-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 01:35
Cyclohexane		U	0.0020	mg/L	1	17-Sep-2025 01:35
Dibromochloromethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
Dichlorodifluoromethane		U	0.0020	mg/L	1	17-Sep-2025 01:35
Ethylbenzene		U	0.0020	mg/L	1	17-Sep-2025 01:35
Isopropylbenzene		U	0.0020	mg/L	1	17-Sep-2025 01:35
m,p-Xylene		U	0.0040	mg/L	1	17-Sep-2025 01:35
Methyl acetate		U	0.0020	mg/L	1	17-Sep-2025 01:35
Methyl tert-butyl ether		U	0.0010	mg/L	1	17-Sep-2025 01:35
Methylcyclohexane		U	0.0050	mg/L	1	17-Sep-2025 01:35

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-15-20250910
 Collection Date: 10-Sep-2025 12:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-06
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	17-Sep-2025 01:35
o-Xylene		U	0.0020	mg/L	1	17-Sep-2025 01:35
Styrene		U	0.0020	mg/L	1	17-Sep-2025 01:35
Tetrachloroethene		U	0.0020	mg/L	1	17-Sep-2025 01:35
Toluene		U	0.0020	mg/L	1	17-Sep-2025 01:35
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	17-Sep-2025 01:35
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 01:35
Trichloroethene		U	0.0020	mg/L	1	17-Sep-2025 01:35
Trichlorofluoromethane		U	0.0010	mg/L	1	17-Sep-2025 01:35
Vinyl chloride		U	0.0010	mg/L	1	17-Sep-2025 01:35
Xylenes, Total		U	0.0060	mg/L	1	17-Sep-2025 01:35
Surr: 1,2-Dichloroethane-d4	110		70-126	%REC	1	17-Sep-2025 01:35
Surr: 4-Bromofluorobenzene	104		77-113	%REC	1	17-Sep-2025 01:35
Surr: Dibromofluoromethane	106		77-123	%REC	1	17-Sep-2025 01:35
Surr: Toluene-d8	98.5		82-127	%REC	1	17-Sep-2025 01:35
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	16-Sep-2025 00:21
Aroclor 1221		U	0.000500	mg/L	1	16-Sep-2025 00:21
Aroclor 1232		U	0.000500	mg/L	1	16-Sep-2025 00:21
Aroclor 1242		U	0.000500	mg/L	1	16-Sep-2025 00:21
Aroclor 1248		U	0.000500	mg/L	1	16-Sep-2025 00:21
Aroclor 1254		U	0.000500	mg/L	1	16-Sep-2025 00:21
Aroclor 1260		U	0.000500	mg/L	1	16-Sep-2025 00:21
PCBs (Total)		U	0.000500	mg/L	1	16-Sep-2025 00:21
Surr: Decachlorobiphenyl	74.7		54-140	%REC	1	16-Sep-2025 00:21
Surr: Tetrachloro-m-xylene	75.3		53-137	%REC	1	16-Sep-2025 00:21

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-11-20250910
 Collection Date: 10-Sep-2025 13:15

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-07
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	17-Sep-2025 01:56
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,1,2-Trichloroethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,1-Dichloroethane	0.0057		0.0020	mg/L	1	17-Sep-2025 01:56
1,1-Dichloroethene	U		0.0010	mg/L	1	17-Sep-2025 01:56
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	17-Sep-2025 01:56
1,2-Dibromoethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,2-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,2-Dichloroethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,2-Dichloropropane	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,3-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:56
1,4-Dichlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:56
2-Butanone	U		0.010	mg/L	1	17-Sep-2025 01:56
2-Hexanone	U		0.010	mg/L	1	17-Sep-2025 01:56
4-Methyl-2-pentanone	U		0.010	mg/L	1	17-Sep-2025 01:56
Acetone	U		0.10	mg/L	1	17-Sep-2025 01:56
Benzene	U		0.0010	mg/L	1	17-Sep-2025 01:56
Bromodichloromethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
Bromoform	U		0.0020	mg/L	1	17-Sep-2025 01:56
Bromomethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
Carbon disulfide	U		0.0020	mg/L	1	17-Sep-2025 01:56
Carbon tetrachloride	U		0.0020	mg/L	1	17-Sep-2025 01:56
Chlorobenzene	U		0.0020	mg/L	1	17-Sep-2025 01:56
Chloroethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
Chloroform	U		0.0020	mg/L	1	17-Sep-2025 01:56
Chloromethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	17-Sep-2025 01:56
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	17-Sep-2025 01:56
Cyclohexane	U		0.0020	mg/L	1	17-Sep-2025 01:56
Dibromochloromethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
Dichlorodifluoromethane	U		0.0020	mg/L	1	17-Sep-2025 01:56
Ethylbenzene	U		0.0020	mg/L	1	17-Sep-2025 01:56
Isopropylbenzene	U		0.0020	mg/L	1	17-Sep-2025 01:56
m,p-Xylene	U		0.0040	mg/L	1	17-Sep-2025 01:56
Methyl acetate	U		0.0020	mg/L	1	17-Sep-2025 01:56
Methyl tert-butyl ether	U		0.0010	mg/L	1	17-Sep-2025 01:56
Methylcyclohexane	U		0.0050	mg/L	1	17-Sep-2025 01:56

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-11-20250910
 Collection Date: 10-Sep-2025 13:15

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-07
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	17-Sep-2025 01:56
o-Xylene		U	0.0020	mg/L	1	17-Sep-2025 01:56
Styrene		U	0.0020	mg/L	1	17-Sep-2025 01:56
Tetrachloroethene		U	0.0020	mg/L	1	17-Sep-2025 01:56
Toluene		U	0.0020	mg/L	1	17-Sep-2025 01:56
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	17-Sep-2025 01:56
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	17-Sep-2025 01:56
Trichloroethene		U	0.0020	mg/L	1	17-Sep-2025 01:56
Trichlorofluoromethane		U	0.0010	mg/L	1	17-Sep-2025 01:56
Vinyl chloride		U	0.0010	mg/L	1	17-Sep-2025 01:56
Xylenes, Total		U	0.0060	mg/L	1	17-Sep-2025 01:56
Surr: 1,2-Dichloroethane-d4	109		70-126	%REC	1	17-Sep-2025 01:56
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	17-Sep-2025 01:56
Surr: Dibromofluoromethane	104		77-123	%REC	1	17-Sep-2025 01:56
Surr: Toluene-d8	97.6		82-127	%REC	1	17-Sep-2025 01:56
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	16-Sep-2025 00:32
Aroclor 1221		U	0.000500	mg/L	1	16-Sep-2025 00:32
Aroclor 1232		U	0.000500	mg/L	1	16-Sep-2025 00:32
Aroclor 1242		U	0.000500	mg/L	1	16-Sep-2025 00:32
Aroclor 1248		U	0.000500	mg/L	1	16-Sep-2025 00:32
Aroclor 1254		U	0.000500	mg/L	1	16-Sep-2025 00:32
Aroclor 1260		U	0.000500	mg/L	1	16-Sep-2025 00:32
PCBs (Total)		U	0.000500	mg/L	1	16-Sep-2025 00:32
Surr: Decachlorobiphenyl	76.5		54-140	%REC	1	16-Sep-2025 00:32
Surr: Tetrachloro-m-xylene	72.2		53-137	%REC	1	16-Sep-2025 00:32

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-42-20250910
 Collection Date: 10-Sep-2025 13:40

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-08
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 20:44
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,1-Dichloroethane	0.022		0.0020	mg/L	1	16-Sep-2025 20:44
1,1-Dichloroethene	0.0079		0.0010	mg/L	1	16-Sep-2025 20:44
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 20:44
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 20:44
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 20:44
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 20:44
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 20:44
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 20:44
Acetone	U		0.10	mg/L	1	16-Sep-2025 20:44
Benzene	U		0.0010	mg/L	1	16-Sep-2025 20:44
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 20:44
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 20:44
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 20:44
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 20:44
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 20:44
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 20:44
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 20:44
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 20:44
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 20:44
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 20:44
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 20:44
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 20:44
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 20:44
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 20:44
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 20:44

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-42-20250910
 Collection Date: 10-Sep-2025 13:40

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-08
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride	U		0.010	mg/L	1	16-Sep-2025 20:44
o-Xylene	U		0.0020	mg/L	1	16-Sep-2025 20:44
Styrene	U		0.0020	mg/L	1	16-Sep-2025 20:44
Tetrachloroethene	U		0.0020	mg/L	1	16-Sep-2025 20:44
Toluene	U		0.0020	mg/L	1	16-Sep-2025 20:44
trans-1,2-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 20:44
trans-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 20:44
Trichloroethene	U		0.0020	mg/L	1	16-Sep-2025 20:44
Trichlorofluoromethane	U		0.0010	mg/L	1	16-Sep-2025 20:44
Vinyl chloride	U		0.0010	mg/L	1	16-Sep-2025 20:44
Xylenes, Total	U		0.0060	mg/L	1	16-Sep-2025 20:44
Surr: 1,2-Dichloroethane-d4	110		70-126	%REC	1	16-Sep-2025 20:44
Surr: 4-Bromofluorobenzene	107		77-113	%REC	1	16-Sep-2025 20:44
Surr: Dibromofluoromethane	106		77-123	%REC	1	16-Sep-2025 20:44
Surr: Toluene-d8	97.7		82-127	%REC	1	16-Sep-2025 20:44
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016	U		0.000500	mg/L	1	16-Sep-2025 00:43
Aroclor 1221	U		0.000500	mg/L	1	16-Sep-2025 00:43
Aroclor 1232	U		0.000500	mg/L	1	16-Sep-2025 00:43
Aroclor 1242	U		0.000500	mg/L	1	16-Sep-2025 00:43
Aroclor 1248	U		0.000500	mg/L	1	16-Sep-2025 00:43
Aroclor 1254	U		0.000500	mg/L	1	16-Sep-2025 00:43
Aroclor 1260	U		0.000500	mg/L	1	16-Sep-2025 00:43
PCBs (Total)	U		0.000500	mg/L	1	16-Sep-2025 00:43
Surr: Decachlorobiphenyl	71.7		54-140	%REC	1	16-Sep-2025 00:43
Surr: Tetrachloro-m-xylene	67.2		53-137	%REC	1	16-Sep-2025 00:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-41-20250910
 Collection Date: 10-Sep-2025 14:25

ANALYTICAL REPORT
 WorkOrder:HS25090600
 Lab ID:HS25090600-09
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 21:05
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,1-Dichloroethane	0.021		0.0020	mg/L	1	16-Sep-2025 21:05
1,1-Dichloroethene	0.0080		0.0010	mg/L	1	16-Sep-2025 21:05
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 21:05
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:05
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:05
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 21:05
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 21:05
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 21:05
Acetone	U		0.10	mg/L	1	16-Sep-2025 21:05
Benzene	U		0.0010	mg/L	1	16-Sep-2025 21:05
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 21:05
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 21:05
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 21:05
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:05
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 21:05
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 21:05
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 21:05
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 21:05
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 21:05
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 21:05
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 21:05
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 21:05
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 21:05
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 21:05
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 21:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-41-20250910
 Collection Date: 10-Sep-2025 14:25

ANALYTICAL REPORT
 WorkOrder:HS25090600
 Lab ID:HS25090600-09
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 21:05
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 21:05
Styrene		U	0.0020	mg/L	1	16-Sep-2025 21:05
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 21:05
Toluene		U	0.0020	mg/L	1	16-Sep-2025 21:05
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 21:05
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 21:05
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 21:05
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 21:05
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 21:05
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 21:05
Surr: 1,2-Dichloroethane-d4	109		70-126	%REC	1	16-Sep-2025 21:05
Surr: 4-Bromofluorobenzene	104		77-113	%REC	1	16-Sep-2025 21:05
Surr: Dibromofluoromethane	105		77-123	%REC	1	16-Sep-2025 21:05
Surr: Toluene-d8	98.9		82-127	%REC	1	16-Sep-2025 21:05
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	16-Sep-2025 00:53
Aroclor 1221		U	0.000500	mg/L	1	16-Sep-2025 00:53
Aroclor 1232		U	0.000500	mg/L	1	16-Sep-2025 00:53
Aroclor 1242		U	0.000500	mg/L	1	16-Sep-2025 00:53
Aroclor 1248		U	0.000500	mg/L	1	16-Sep-2025 00:53
Aroclor 1254		U	0.000500	mg/L	1	16-Sep-2025 00:53
Aroclor 1260		U	0.000500	mg/L	1	16-Sep-2025 00:53
PCBs (Total)		U	0.000500	mg/L	1	16-Sep-2025 00:53
Surr: Decachlorobiphenyl	73.6		54-140	%REC	1	16-Sep-2025 00:53
Surr: Tetrachloro-m-xylene	72.7		53-137	%REC	1	16-Sep-2025 00:53

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-12-20250910
 Collection Date: 10-Sep-2025 15:10

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-10
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 21:25
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,1-Dichloroethane	0.059		0.0020	mg/L	1	16-Sep-2025 21:25
1,1-Dichloroethene	0.026		0.0010	mg/L	1	16-Sep-2025 21:25
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 21:25
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:25
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:25
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 21:25
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 21:25
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 21:25
Acetone	U		0.10	mg/L	1	16-Sep-2025 21:25
Benzene	U		0.0010	mg/L	1	16-Sep-2025 21:25
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 21:25
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 21:25
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 21:25
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:25
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 21:25
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 21:25
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 21:25
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 21:25
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 21:25
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 21:25
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 21:25
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 21:25
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 21:25
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 21:25
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 21:25

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-12-20250910
 Collection Date: 10-Sep-2025 15:10

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-10
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 21:25
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 21:25
Styrene		U	0.0020	mg/L	1	16-Sep-2025 21:25
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 21:25
Toluene		U	0.0020	mg/L	1	16-Sep-2025 21:25
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 21:25
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 21:25
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 21:25
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 21:25
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 21:25
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 21:25
Surr: 1,2-Dichloroethane-d4	107		70-126	%REC	1	16-Sep-2025 21:25
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Sep-2025 21:25
Surr: Dibromofluoromethane	104		77-123	%REC	1	16-Sep-2025 21:25
Surr: Toluene-d8	96.9		82-127	%REC	1	16-Sep-2025 21:25
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	16-Sep-2025 01:04
Aroclor 1221		U	0.000500	mg/L	1	16-Sep-2025 01:04
Aroclor 1232		U	0.000500	mg/L	1	16-Sep-2025 01:04
Aroclor 1242		U	0.000500	mg/L	1	16-Sep-2025 01:04
Aroclor 1248		U	0.000500	mg/L	1	16-Sep-2025 01:04
Aroclor 1254		U	0.000500	mg/L	1	16-Sep-2025 01:04
Aroclor 1260		U	0.000500	mg/L	1	16-Sep-2025 01:04
PCBs (Total)		U	0.000500	mg/L	1	16-Sep-2025 01:04
Surr: Decachlorobiphenyl	74.7		54-140	%REC	1	16-Sep-2025 01:04
Surr: Tetrachloro-m-xylene	72.6		53-137	%REC	1	16-Sep-2025 01:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-45-20250911
 Collection Date: 11-Sep-2025 09:15

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-11
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	0.0011		0.0010	mg/L	1	16-Sep-2025 21:46
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,1-Dichloroethane	0.022		0.0020	mg/L	1	16-Sep-2025 21:46
1,1-Dichloroethene	0.11		0.0010	mg/L	1	16-Sep-2025 21:46
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 21:46
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:46
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:46
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 21:46
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 21:46
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 21:46
Acetone	U		0.10	mg/L	1	16-Sep-2025 21:46
Benzene	U		0.0010	mg/L	1	16-Sep-2025 21:46
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 21:46
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 21:46
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 21:46
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 21:46
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 21:46
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 21:46
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 21:46
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 21:46
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 21:46
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 21:46
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 21:46
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 21:46
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 21:46
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 21:46
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 21:46

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-45-20250911
 Collection Date: 11-Sep-2025 09:15

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-11
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 21:46
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 21:46
Styrene		U	0.0020	mg/L	1	16-Sep-2025 21:46
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 21:46
Toluene		U	0.0020	mg/L	1	16-Sep-2025 21:46
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 21:46
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 21:46
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 21:46
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 21:46
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 21:46
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 21:46
Surr: 1,2-Dichloroethane-d4	108		70-126	%REC	1	16-Sep-2025 21:46
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Sep-2025 21:46
Surr: Dibromofluoromethane	103		77-123	%REC	1	16-Sep-2025 21:46
Surr: Toluene-d8	97.6		82-127	%REC	1	16-Sep-2025 21:46
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	16-Sep-2025 01:48
Aroclor 1221		U	0.000500	mg/L	1	16-Sep-2025 01:48
Aroclor 1232		U	0.000500	mg/L	1	16-Sep-2025 01:48
Aroclor 1242		U	0.000500	mg/L	1	16-Sep-2025 01:48
Aroclor 1248		U	0.000500	mg/L	1	16-Sep-2025 01:48
Aroclor 1254		U	0.000500	mg/L	1	16-Sep-2025 01:48
Aroclor 1260		U	0.000500	mg/L	1	16-Sep-2025 01:48
PCBs (Total)		U	0.000500	mg/L	1	16-Sep-2025 01:48
Surr: Decachlorobiphenyl	82.3		54-140	%REC	1	16-Sep-2025 01:48
Surr: Tetrachloro-m-xylene	74.9		53-137	%REC	1	16-Sep-2025 01:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-46-20250911
 Collection Date: 11-Sep-2025 10:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-12
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 22:07
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,1-Dichloroethane	0.075		0.0020	mg/L	1	16-Sep-2025 22:07
1,1-Dichloroethene	0.022		0.0010	mg/L	1	16-Sep-2025 22:07
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 22:07
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:07
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:07
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 22:07
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 22:07
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 22:07
Acetone	U		0.10	mg/L	1	16-Sep-2025 22:07
Benzene	U		0.0010	mg/L	1	16-Sep-2025 22:07
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 22:07
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 22:07
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 22:07
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:07
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 22:07
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 22:07
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 22:07
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 22:07
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 22:07
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 22:07
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 22:07
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 22:07
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 22:07
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 22:07
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 22:07

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-46-20250911
 Collection Date: 11-Sep-2025 10:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-12
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 22:07
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 22:07
Styrene		U	0.0020	mg/L	1	16-Sep-2025 22:07
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 22:07
Toluene		U	0.0020	mg/L	1	16-Sep-2025 22:07
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 22:07
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 22:07
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 22:07
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 22:07
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 22:07
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 22:07
Surr: 1,2-Dichloroethane-d4	110		70-126	%REC	1	16-Sep-2025 22:07
Surr: 4-Bromofluorobenzene	107		77-113	%REC	1	16-Sep-2025 22:07
Surr: Dibromofluoromethane	105		77-123	%REC	1	16-Sep-2025 22:07
Surr: Toluene-d8	96.8		82-127	%REC	1	16-Sep-2025 22:07
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	16-Sep-2025 01:59
Aroclor 1221		U	0.000500	mg/L	1	16-Sep-2025 01:59
Aroclor 1232		U	0.000500	mg/L	1	16-Sep-2025 01:59
Aroclor 1242		U	0.000500	mg/L	1	16-Sep-2025 01:59
Aroclor 1248		U	0.000500	mg/L	1	16-Sep-2025 01:59
Aroclor 1254		U	0.000500	mg/L	1	16-Sep-2025 01:59
Aroclor 1260		U	0.000500	mg/L	1	16-Sep-2025 01:59
PCBs (Total)		U	0.000500	mg/L	1	16-Sep-2025 01:59
Surr: Decachlorobiphenyl	76.3		54-140	%REC	1	16-Sep-2025 01:59
Surr: Tetrachloro-m-xylene	76.7		53-137	%REC	1	16-Sep-2025 01:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-16-20250911
 Collection Date: 11-Sep-2025 08:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-13
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 22:28
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,1-Dichloroethane	0.0034		0.0020	mg/L	1	16-Sep-2025 22:28
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 22:28
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 22:28
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:28
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:28
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 22:28
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 22:28
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 22:28
Acetone	U		0.10	mg/L	1	16-Sep-2025 22:28
Benzene	U		0.0010	mg/L	1	16-Sep-2025 22:28
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 22:28
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 22:28
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 22:28
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:28
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 22:28
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 22:28
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 22:28
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 22:28
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 22:28
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 22:28
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 22:28
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 22:28
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 22:28
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 22:28
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 22:28

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-16-20250911
 Collection Date: 11-Sep-2025 08:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-13
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 22:28
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 22:28
Styrene		U	0.0020	mg/L	1	16-Sep-2025 22:28
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 22:28
Toluene		U	0.0020	mg/L	1	16-Sep-2025 22:28
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 22:28
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 22:28
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 22:28
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 22:28
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 22:28
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 22:28
Surr: 1,2-Dichloroethane-d4	109		70-126	%REC	1	16-Sep-2025 22:28
Surr: 4-Bromofluorobenzene	106		77-113	%REC	1	16-Sep-2025 22:28
Surr: Dibromofluoromethane	103		77-123	%REC	1	16-Sep-2025 22:28
Surr: Toluene-d8	98.1		82-127	%REC	1	16-Sep-2025 22:28
PCBS BY SW8082A		Method:SW8082			Prep:SW3510C/3665A / 15-Sep-2025	Analyst: CC
Aroclor 1016		U	0.000500	mg/L	1	16-Sep-2025 02:09
Aroclor 1221		U	0.000500	mg/L	1	16-Sep-2025 02:09
Aroclor 1232		U	0.000500	mg/L	1	16-Sep-2025 02:09
Aroclor 1242		U	0.000500	mg/L	1	16-Sep-2025 02:09
Aroclor 1248		U	0.000500	mg/L	1	16-Sep-2025 02:09
Aroclor 1254		U	0.000500	mg/L	1	16-Sep-2025 02:09
Aroclor 1260		U	0.000500	mg/L	1	16-Sep-2025 02:09
PCBs (Total)		U	0.000500	mg/L	1	16-Sep-2025 02:09
Surr: Decachlorobiphenyl	79.2		54-140	%REC	1	16-Sep-2025 02:09
Surr: Tetrachloro-m-xylene	72.2		53-137	%REC	1	16-Sep-2025 02:09

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-08-20250911
 Collection Date: 11-Sep-2025 12:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-14
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 22:49
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,1-Dichloroethane	0.0024		0.0020	mg/L	1	16-Sep-2025 22:49
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 22:49
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 22:49
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:49
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:49
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 22:49
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 22:49
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 22:49
Acetone	U		0.10	mg/L	1	16-Sep-2025 22:49
Benzene	U		0.0010	mg/L	1	16-Sep-2025 22:49
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 22:49
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 22:49
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 22:49
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 22:49
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 22:49
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 22:49
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 22:49
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 22:49
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 22:49
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 22:49
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 22:49
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 22:49
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 22:49
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 22:49
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 22:49

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-08-20250911
 Collection Date: 11-Sep-2025 12:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-14
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 22:49
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 22:49
Styrene		U	0.0020	mg/L	1	16-Sep-2025 22:49
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 22:49
Toluene		U	0.0020	mg/L	1	16-Sep-2025 22:49
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 22:49
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 22:49
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 22:49
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 22:49
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 22:49
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 22:49
Surr: 1,2-Dichloroethane-d4	111		70-126	%REC	1	16-Sep-2025 22:49
Surr: 4-Bromofluorobenzene	107		77-113	%REC	1	16-Sep-2025 22:49
Surr: Dibromofluoromethane	105		77-123	%REC	1	16-Sep-2025 22:49
Surr: Toluene-d8	97.9		82-127	%REC	1	16-Sep-2025 22:49

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-28-20250911
 Collection Date: 11-Sep-2025 11:45

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-15
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 23:10
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,1-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 23:10
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 23:10
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:10
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:10
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 23:10
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 23:10
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 23:10
Acetone	U		0.10	mg/L	1	16-Sep-2025 23:10
Benzene	U		0.0010	mg/L	1	16-Sep-2025 23:10
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 23:10
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 23:10
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 23:10
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:10
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 23:10
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 23:10
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 23:10
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 23:10
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 23:10
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 23:10
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 23:10
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 23:10
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 23:10
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 23:10
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 23:10

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-28-20250911
 Collection Date: 11-Sep-2025 11:45

ANALYTICAL REPORT
 WorkOrder:HS25090600
 Lab ID:HS25090600-15
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 23:10
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 23:10
Styrene		U	0.0020	mg/L	1	16-Sep-2025 23:10
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 23:10
Toluene		U	0.0020	mg/L	1	16-Sep-2025 23:10
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 23:10
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 23:10
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 23:10
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 23:10
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 23:10
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 23:10
Surr: 1,2-Dichloroethane-d4	110		70-126	%REC	1	16-Sep-2025 23:10
Surr: 4-Bromofluorobenzene	104		77-113	%REC	1	16-Sep-2025 23:10
Surr: Dibromofluoromethane	105		77-123	%REC	1	16-Sep-2025 23:10
Surr: Toluene-d8	97.6		82-127	%REC	1	16-Sep-2025 23:10

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-33-20250911
 Collection Date: 11-Sep-2025 11:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-16
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 23:31
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,1-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 23:31
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 23:31
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:31
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:31
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 23:31
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 23:31
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 23:31
Acetone	U		0.10	mg/L	1	16-Sep-2025 23:31
Benzene	U		0.0010	mg/L	1	16-Sep-2025 23:31
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 23:31
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 23:31
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 23:31
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:31
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 23:31
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 23:31
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 23:31
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 23:31
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 23:31
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 23:31
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 23:31
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 23:31
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 23:31
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 23:31
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 23:31

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-33-20250911
 Collection Date: 11-Sep-2025 11:30

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-16
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 23:31
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 23:31
Styrene		U	0.0020	mg/L	1	16-Sep-2025 23:31
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 23:31
Toluene		U	0.0020	mg/L	1	16-Sep-2025 23:31
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 23:31
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 23:31
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 23:31
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 23:31
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 23:31
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 23:31
Surr: 1,2-Dichloroethane-d4	111		70-126	%REC	1	16-Sep-2025 23:31
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Sep-2025 23:31
Surr: Dibromofluoromethane	106		77-123	%REC	1	16-Sep-2025 23:31
Surr: Toluene-d8	98.2		82-127	%REC	1	16-Sep-2025 23:31

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-49B-20250911
 Collection Date: 11-Sep-2025 11:10

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-17
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 14:30
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,1-Dichloroethane	0.013		0.0020	mg/L	1	16-Sep-2025 14:30
1,1-Dichloroethene	0.024		0.0010	mg/L	1	16-Sep-2025 14:30
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 14:30
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:30
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:30
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 14:30
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 14:30
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 14:30
Acetone	U		0.10	mg/L	1	16-Sep-2025 14:30
Benzene	U		0.0010	mg/L	1	16-Sep-2025 14:30
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 14:30
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 14:30
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 14:30
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:30
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 14:30
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 14:30
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 14:30
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 14:30
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 14:30
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 14:30
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 14:30
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 14:30
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 14:30
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 14:30
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 14:30

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-49B-20250911
 Collection Date: 11-Sep-2025 11:10

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-17
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 14:30
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 14:30
Styrene		U	0.0020	mg/L	1	16-Sep-2025 14:30
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 14:30
Toluene		U	0.0020	mg/L	1	16-Sep-2025 14:30
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 14:30
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 14:30
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 14:30
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 14:30
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 14:30
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 14:30
Surr: 1,2-Dichloroethane-d4	107		70-126	%REC	1	16-Sep-2025 14:30
Surr: 4-Bromofluorobenzene	107		77-113	%REC	1	16-Sep-2025 14:30
Surr: Dibromofluoromethane	104		77-123	%REC	1	16-Sep-2025 14:30
Surr: Toluene-d8	98.7		82-127	%REC	1	16-Sep-2025 14:30

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-48B-20250911
 Collection Date: 11-Sep-2025 11:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-18
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 14:50
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,1-Dichloroethane	0.0066		0.0020	mg/L	1	16-Sep-2025 14:50
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 14:50
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 14:50
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:50
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:50
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 14:50
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 14:50
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 14:50
Acetone	U		0.10	mg/L	1	16-Sep-2025 14:50
Benzene	U		0.0010	mg/L	1	16-Sep-2025 14:50
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 14:50
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 14:50
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 14:50
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:50
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 14:50
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 14:50
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 14:50
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 14:50
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 14:50
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 14:50
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 14:50
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 14:50
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 14:50
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 14:50
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 14:50

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-48B-20250911
 Collection Date: 11-Sep-2025 11:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-18
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 14:50
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 14:50
Styrene		U	0.0020	mg/L	1	16-Sep-2025 14:50
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 14:50
Toluene		U	0.0020	mg/L	1	16-Sep-2025 14:50
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 14:50
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 14:50
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 14:50
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 14:50
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 14:50
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 14:50
Surr: 1,2-Dichloroethane-d4	110		70-126	%REC	1	16-Sep-2025 14:50
Surr: 4-Bromofluorobenzene	107		77-113	%REC	1	16-Sep-2025 14:50
Surr: Dibromofluoromethane	105		77-123	%REC	1	16-Sep-2025 14:50
Surr: Toluene-d8	97.1		82-127	%REC	1	16-Sep-2025 14:50

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-47-20250911
 Collection Date: 11-Sep-2025 10:45

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-19
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane		U	0.0010	mg/L	1	16-Sep-2025 15:11
1,1,2,2-Tetrachloroethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
1,1,2-Trichlor-1,2,2-trifluoroethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
1,1,2-Trichloroethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
1,1-Dichloroethane	0.38		0.010	mg/L	5	17-Sep-2025 12:10
1,1-Dichloroethene	0.14		0.0010	mg/L	1	16-Sep-2025 15:11
1,2,4-Trichlorobenzene		U	0.0020	mg/L	1	16-Sep-2025 15:11
1,2-Dibromo-3-chloropropane		U	0.010	mg/L	1	16-Sep-2025 15:11
1,2-Dibromoethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
1,2-Dichlorobenzene		U	0.0020	mg/L	1	16-Sep-2025 15:11
1,2-Dichloroethane	0.0023		0.0020	mg/L	1	16-Sep-2025 15:11
1,2-Dichloropropane		U	0.0020	mg/L	1	16-Sep-2025 15:11
1,3-Dichlorobenzene		U	0.0020	mg/L	1	16-Sep-2025 15:11
1,4-Dichlorobenzene		U	0.0020	mg/L	1	16-Sep-2025 15:11
2-Butanone		U	0.010	mg/L	1	16-Sep-2025 15:11
2-Hexanone		U	0.010	mg/L	1	16-Sep-2025 15:11
4-Methyl-2-pentanone		U	0.010	mg/L	1	16-Sep-2025 15:11
Acetone		U	0.10	mg/L	1	16-Sep-2025 15:11
Benzene		U	0.0010	mg/L	1	16-Sep-2025 15:11
Bromodichloromethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
Bromoform		U	0.0020	mg/L	1	16-Sep-2025 15:11
Bromomethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
Carbon disulfide		U	0.0020	mg/L	1	16-Sep-2025 15:11
Carbon tetrachloride		U	0.0020	mg/L	1	16-Sep-2025 15:11
Chlorobenzene		U	0.0020	mg/L	1	16-Sep-2025 15:11
Chloroethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
Chloroform		U	0.0020	mg/L	1	16-Sep-2025 15:11
Chloromethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
cis-1,2-Dichloroethene	0.0031		0.0020	mg/L	1	16-Sep-2025 15:11
cis-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 15:11
Cyclohexane		U	0.0020	mg/L	1	16-Sep-2025 15:11
Dibromochloromethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
Dichlorodifluoromethane		U	0.0020	mg/L	1	16-Sep-2025 15:11
Ethylbenzene		U	0.0020	mg/L	1	16-Sep-2025 15:11
Isopropylbenzene		U	0.0020	mg/L	1	16-Sep-2025 15:11
m,p-Xylene		U	0.0040	mg/L	1	16-Sep-2025 15:11
Methyl acetate		U	0.0020	mg/L	1	16-Sep-2025 15:11
Methyl tert-butyl ether		U	0.0010	mg/L	1	16-Sep-2025 15:11
Methylcyclohexane		U	0.0050	mg/L	1	16-Sep-2025 15:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-47-20250911
 Collection Date: 11-Sep-2025 10:45

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-19
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 15:11
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 15:11
Styrene		U	0.0020	mg/L	1	16-Sep-2025 15:11
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 15:11
Toluene		U	0.0020	mg/L	1	16-Sep-2025 15:11
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 15:11
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 15:11
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 15:11
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 15:11
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 15:11
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 15:11
Surr: 1,2-Dichloroethane-d4	107		70-126	%REC	1	16-Sep-2025 15:11
Surr: 1,2-Dichloroethane-d4	103		70-126	%REC	5	17-Sep-2025 12:10
Surr: 4-Bromofluorobenzene	106		77-113	%REC	1	16-Sep-2025 15:11
Surr: 4-Bromofluorobenzene	109		77-113	%REC	5	17-Sep-2025 12:10
Surr: Dibromofluoromethane	105		77-123	%REC	1	16-Sep-2025 15:11
Surr: Dibromofluoromethane	104		77-123	%REC	5	17-Sep-2025 12:10
Surr: Toluene-d8	97.1		82-127	%REC	1	16-Sep-2025 15:11
Surr: Toluene-d8	96.6		82-127	%REC	5	17-Sep-2025 12:10

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-17-20250911
 Collection Date: 11-Sep-2025 10:20

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-20
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 15:32
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,1-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 15:32
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 15:32
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 15:32
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 15:32
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 15:32
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 15:32
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 15:32
Acetone	U		0.10	mg/L	1	16-Sep-2025 15:32
Benzene	U		0.0010	mg/L	1	16-Sep-2025 15:32
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 15:32
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 15:32
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 15:32
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 15:32
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 15:32
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 15:32
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 15:32
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 15:32
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 15:32
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 15:32
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 15:32
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 15:32
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 15:32
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 15:32
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 15:32

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: 6-17-20250911
 Collection Date: 11-Sep-2025 10:20

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-20
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 15:32
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 15:32
Styrene		U	0.0020	mg/L	1	16-Sep-2025 15:32
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 15:32
Toluene		U	0.0020	mg/L	1	16-Sep-2025 15:32
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 15:32
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 15:32
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 15:32
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 15:32
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 15:32
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 15:32
Surr: 1,2-Dichloroethane-d4	105		70-126	%REC	1	16-Sep-2025 15:32
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Sep-2025 15:32
Surr: Dibromofluoromethane	106		77-123	%REC	1	16-Sep-2025 15:32
Surr: Toluene-d8	98.1		82-127	%REC	1	16-Sep-2025 15:32

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: DUP-1-20250911
 Collection Date: 11-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-21
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 23:51
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,1-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 23:51
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 23:51
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:51
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:51
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 23:51
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 23:51
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 23:51
Acetone	U		0.10	mg/L	1	16-Sep-2025 23:51
Benzene	U		0.0010	mg/L	1	16-Sep-2025 23:51
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 23:51
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 23:51
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 23:51
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 23:51
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 23:51
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 23:51
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 23:51
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 23:51
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 23:51
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 23:51
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 23:51
m,p-Xylene	U		0.0040	mg/L	1	16-Sep-2025 23:51
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 23:51
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 23:51
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 23:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: DUP-1-20250911
 Collection Date: 11-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-21
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Methylene chloride		U	0.010	mg/L	1	16-Sep-2025 23:51
o-Xylene		U	0.0020	mg/L	1	16-Sep-2025 23:51
Styrene		U	0.0020	mg/L	1	16-Sep-2025 23:51
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 23:51
Toluene		U	0.0020	mg/L	1	16-Sep-2025 23:51
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 23:51
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 23:51
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 23:51
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 23:51
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 23:51
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 23:51
Surr: 1,2-Dichloroethane-d4	110		70-126	%REC	1	16-Sep-2025 23:51
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Sep-2025 23:51
Surr: Dibromofluoromethane	103		77-123	%REC	1	16-Sep-2025 23:51
Surr: Toluene-d8	98.4		82-127	%REC	1	16-Sep-2025 23:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-195
 Collection Date: 11-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-22
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 13:27
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,1-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 13:27
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 13:27
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:27
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:27
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 13:27
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 13:27
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 13:27
Acetone	U		0.10	mg/L	1	16-Sep-2025 13:27
Benzene	U		0.0010	mg/L	1	16-Sep-2025 13:27
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 13:27
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 13:27
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 13:27
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:27
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 13:27
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 13:27
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 13:27
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 13:27
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 13:27
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 13:27
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 13:27
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 13:27
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 13:27
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 13:27
Methylene chloride	U		0.010	mg/L	1	16-Sep-2025 13:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-195
 Collection Date: 11-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-22
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Styrene		U	0.0020	mg/L	1	16-Sep-2025 13:27
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 13:27
Toluene		U	0.0020	mg/L	1	16-Sep-2025 13:27
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 13:27
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 13:27
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 13:27
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 13:27
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 13:27
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 13:27
Surr: 1,2-Dichloroethane-d4	109		70-126	%REC	1	16-Sep-2025 13:27
Surr: 4-Bromofluorobenzene	103		77-113	%REC	1	16-Sep-2025 13:27
Surr: Dibromofluoromethane	105		77-123	%REC	1	16-Sep-2025 13:27
Surr: Toluene-d8	97.5		82-127	%REC	1	16-Sep-2025 13:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-183
 Collection Date: 11-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-23
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 13:48
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,1-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 13:48
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 13:48
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:48
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:48
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 13:48
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 13:48
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 13:48
Acetone	U		0.10	mg/L	1	16-Sep-2025 13:48
Benzene	U		0.0010	mg/L	1	16-Sep-2025 13:48
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 13:48
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 13:48
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 13:48
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 13:48
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 13:48
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 13:48
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 13:48
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 13:48
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 13:48
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 13:48
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 13:48
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 13:48
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 13:48
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 13:48
Methylene chloride	U		0.010	mg/L	1	16-Sep-2025 13:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-183
 Collection Date: 11-Sep-2025 00:00

ANALYTICAL REPORT
 WorkOrder:HS25090600
 Lab ID:HS25090600-23
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
Styrene		U	0.0020	mg/L	1	16-Sep-2025 13:48
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 13:48
Toluene		U	0.0020	mg/L	1	16-Sep-2025 13:48
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 13:48
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 13:48
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 13:48
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 13:48
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 13:48
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 13:48
Surr: 1,2-Dichloroethane-d4	108		70-126	%REC	1	16-Sep-2025 13:48
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Sep-2025 13:48
Surr: Dibromofluoromethane	103		77-123	%REC	1	16-Sep-2025 13:48
Surr: Toluene-d8	97.1		82-127	%REC	1	16-Sep-2025 13:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-196
 Collection Date: 11-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-24
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260				Analyst: AKP
1,1,1-Trichloroethane	U		0.0010	mg/L	1	16-Sep-2025 14:09
1,1,2,2-Tetrachloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,1,2-Trichlor-1,2,2-trifluoroethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,1,2-Trichloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,1-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,1-Dichloroethene	U		0.0010	mg/L	1	16-Sep-2025 14:09
1,2,4-Trichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,2-Dibromo-3-chloropropane	U		0.010	mg/L	1	16-Sep-2025 14:09
1,2-Dibromoethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,2-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,2-Dichloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,2-Dichloropropane	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,3-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:09
1,4-Dichlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:09
2-Butanone	U		0.010	mg/L	1	16-Sep-2025 14:09
2-Hexanone	U		0.010	mg/L	1	16-Sep-2025 14:09
4-Methyl-2-pentanone	U		0.010	mg/L	1	16-Sep-2025 14:09
Acetone	U		0.10	mg/L	1	16-Sep-2025 14:09
Benzene	U		0.0010	mg/L	1	16-Sep-2025 14:09
Bromodichloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
Bromoform	U		0.0020	mg/L	1	16-Sep-2025 14:09
Bromomethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
Carbon disulfide	U		0.0020	mg/L	1	16-Sep-2025 14:09
Carbon tetrachloride	U		0.0020	mg/L	1	16-Sep-2025 14:09
Chlorobenzene	U		0.0020	mg/L	1	16-Sep-2025 14:09
Chloroethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
Chloroform	U		0.0020	mg/L	1	16-Sep-2025 14:09
Chloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
cis-1,2-Dichloroethene	U		0.0020	mg/L	1	16-Sep-2025 14:09
cis-1,3-Dichloropropene	U		0.0020	mg/L	1	16-Sep-2025 14:09
Cyclohexane	U		0.0020	mg/L	1	16-Sep-2025 14:09
Dibromochloromethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
Dichlorodifluoromethane	U		0.0020	mg/L	1	16-Sep-2025 14:09
Ethylbenzene	U		0.0020	mg/L	1	16-Sep-2025 14:09
Isopropylbenzene	U		0.0020	mg/L	1	16-Sep-2025 14:09
Methyl acetate	U		0.0020	mg/L	1	16-Sep-2025 14:09
Methyl tert-butyl ether	U		0.0010	mg/L	1	16-Sep-2025 14:09
Methylcyclohexane	U		0.0050	mg/L	1	16-Sep-2025 14:09
Methylene chloride	U		0.010	mg/L	1	16-Sep-2025 14:09

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
 Project: 12660612 Laguna Compressor Station No. 6
 Sample ID: CG-081225-196
 Collection Date: 11-Sep-2025 00:00

ANALYTICAL REPORT

WorkOrder:HS25090600
 Lab ID:HS25090600-24
 Matrix:Water

ANALYSES	RESULT	QUAL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
LOW LEVEL VOLATILES BY SW8260C		Method:SW8260		Analyst: AKP		
Styrene		U	0.0020	mg/L	1	16-Sep-2025 14:09
Tetrachloroethene		U	0.0020	mg/L	1	16-Sep-2025 14:09
Toluene		U	0.0020	mg/L	1	16-Sep-2025 14:09
trans-1,2-Dichloroethene		U	0.0010	mg/L	1	16-Sep-2025 14:09
trans-1,3-Dichloropropene		U	0.0020	mg/L	1	16-Sep-2025 14:09
Trichloroethene		U	0.0020	mg/L	1	16-Sep-2025 14:09
Trichlorofluoromethane		U	0.0010	mg/L	1	16-Sep-2025 14:09
Vinyl chloride		U	0.0010	mg/L	1	16-Sep-2025 14:09
Xylenes, Total		U	0.0060	mg/L	1	16-Sep-2025 14:09
Surr: 1,2-Dichloroethane-d4	109		70-126	%REC	1	16-Sep-2025 14:09
Surr: 4-Bromofluorobenzene	105		77-113	%REC	1	16-Sep-2025 14:09
Surr: Dibromofluoromethane	103		77-123	%REC	1	16-Sep-2025 14:09
Surr: Toluene-d8	96.9		82-127	%REC	1	16-Sep-2025 14:09

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Weight / Prep Log

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

Batch ID: 232893	Start Date: 15 Sep 2025 11:49	End Date: 15 Sep 2025 11:49
Method: PCB AQ SEP FUN EXTRACT-SW3510C		Prep Code: 3510_PCB

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor	
HS25090600-01	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-02	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-03	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-04	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-05	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-06	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-07	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-08	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-09	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-10	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-11	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-12	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat
HS25090600-13	1	1000 (mL)	10 (mL)	0.01	1-liter amber glass, Neat

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 232893 (0)		Test Name : PCBS BY SW8082A			Matrix: Water	
HS25090600-01	6-09-20250910	10 Sep 2025 08:30		15 Sep 2025 11:49	15 Sep 2025 23:27	1
HS25090600-02	6-20B-20250910	10 Sep 2025 09:30		15 Sep 2025 11:49	15 Sep 2025 23:37	1
HS25090600-03	6-20C-20250910	10 Sep 2025 10:15		15 Sep 2025 11:49	15 Sep 2025 23:48	1
HS25090600-04	6-18-20250910	10 Sep 2025 11:00		15 Sep 2025 11:49	15 Sep 2025 23:59	1
HS25090600-05	6-10-20250910	10 Sep 2025 11:45		15 Sep 2025 11:49	16 Sep 2025 00:10	1
HS25090600-06	6-15-20250910	10 Sep 2025 12:30		15 Sep 2025 11:49	16 Sep 2025 00:21	1
HS25090600-07	6-11-20250910	10 Sep 2025 13:15		15 Sep 2025 11:49	16 Sep 2025 00:32	1
HS25090600-08	6-42-20250910	10 Sep 2025 13:40		15 Sep 2025 11:49	16 Sep 2025 00:43	1
HS25090600-09	6-41-20250910	10 Sep 2025 14:25		15 Sep 2025 11:49	16 Sep 2025 00:53	1
HS25090600-10	6-12-20250910	10 Sep 2025 15:10		15 Sep 2025 11:49	16 Sep 2025 01:04	1
HS25090600-11	6-45-20250911	11 Sep 2025 09:15		15 Sep 2025 11:49	16 Sep 2025 01:48	1
HS25090600-12	6-46-20250911	11 Sep 2025 10:00		15 Sep 2025 11:49	16 Sep 2025 01:59	1
HS25090600-13	6-16-20250911	11 Sep 2025 08:30		15 Sep 2025 11:49	16 Sep 2025 02:09	1
Batch ID: R521848 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25090600-17	6-49B-20250911	11 Sep 2025 11:10			16 Sep 2025 14:30	1
HS25090600-18	6-48B-20250911	11 Sep 2025 11:00			16 Sep 2025 14:50	1
HS25090600-19	6-47-20250911	11 Sep 2025 10:45			16 Sep 2025 15:11	1
HS25090600-20	6-17-20250911	11 Sep 2025 10:20			16 Sep 2025 15:32	1
HS25090600-22	CG-081225-195	11 Sep 2025 00:00			16 Sep 2025 13:27	1
HS25090600-23	CG-081225-183	11 Sep 2025 00:00			16 Sep 2025 13:48	1
HS25090600-24	CG-081225-196	11 Sep 2025 00:00			16 Sep 2025 14:09	1

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R521939 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25090600-01	6-09-20250910	10 Sep 2025 08:30			17 Sep 2025 03:19	100
HS25090600-02	6-20B-20250910	10 Sep 2025 09:30			17 Sep 2025 00:12	1
HS25090600-03	6-20C-20250910	10 Sep 2025 10:15			17 Sep 2025 00:33	1
HS25090600-04	6-18-20250910	10 Sep 2025 11:00			17 Sep 2025 00:54	1
HS25090600-05	6-10-20250910	10 Sep 2025 11:45			17 Sep 2025 01:15	1
HS25090600-06	6-15-20250910	10 Sep 2025 12:30			17 Sep 2025 01:35	1
HS25090600-07	6-11-20250910	10 Sep 2025 13:15			17 Sep 2025 01:56	1
HS25090600-08	6-42-20250910	10 Sep 2025 13:40			16 Sep 2025 20:44	1
HS25090600-09	6-41-20250910	10 Sep 2025 14:25			16 Sep 2025 21:05	1
HS25090600-10	6-12-20250910	10 Sep 2025 15:10			16 Sep 2025 21:25	1
HS25090600-11	6-45-20250911	11 Sep 2025 09:15			16 Sep 2025 21:46	1
HS25090600-12	6-46-20250911	11 Sep 2025 10:00			16 Sep 2025 22:07	1
HS25090600-13	6-16-20250911	11 Sep 2025 08:30			16 Sep 2025 22:28	1
HS25090600-14	6-08-20250911	11 Sep 2025 12:30			16 Sep 2025 22:49	1
HS25090600-15	6-28-20250911	11 Sep 2025 11:45			16 Sep 2025 23:10	1
HS25090600-16	6-33-20250911	11 Sep 2025 11:30			16 Sep 2025 23:31	1
HS25090600-21	DUP-1-20250911	11 Sep 2025 00:00			16 Sep 2025 23:51	1
Batch ID: R521982 (0)		Test Name : LOW LEVEL VOLATILES BY SW8260C			Matrix: Water	
HS25090600-19	6-47-20250911	11 Sep 2025 10:45			17 Sep 2025 12:10	5

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: 232893 (0) **Instrument:** ECD_17 **Method:** PCBS BY SW8082A

MBLK		Sample ID: MBLK-232893		Units: ug/L		Analysis Date: 16-Sep-2025 02:42				
Client ID:		Run ID: ECD_17_521847		SeqNo: 9033545		PrepDate: 15-Sep-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	U	0.500								
Aroclor 1221	U	0.500								
Aroclor 1232	U	0.500								
Aroclor 1242	U	0.500								
Aroclor 1248	U	0.500								
Aroclor 1254	U	0.500								
Aroclor 1260	U	0.500								
PCBs (Total)	U	0.500								
Surr: Decachlorobiphenyl	0.1569	0.0500	0.2	0	78.5	54 - 140				
Surr: Tetrachloro-m-xylene	0.1483	0.0500	0.2	0	74.2	53 - 137				

LCS		Sample ID: LCS-232893		Units: ug/L		Analysis Date: 16-Sep-2025 02:20				
Client ID:		Run ID: ECD_17_521847		SeqNo: 9033543		PrepDate: 15-Sep-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	3.922	0.500	5	0	78.4	54 - 138				
Aroclor 1260	4.046	0.500	5	0	80.9	57 - 136				
PCBs (Total)	7.967	0.500	10	0	79.7	57 - 136				
Surr: Decachlorobiphenyl	0.1756	0.0500	0.2	0	87.8	54 - 140				
Surr: Tetrachloro-m-xylene	0.168	0.0500	0.2	0	84.0	53 - 137				

LCSD		Sample ID: LCSD-232893		Units: ug/L		Analysis Date: 16-Sep-2025 02:31				
Client ID:		Run ID: ECD_17_521847		SeqNo: 9033544		PrepDate: 15-Sep-2025		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Aroclor 1016	4.026	0.500	5	0	80.5	54 - 138	3.922	2.62	20	
Aroclor 1260	4.181	0.500	5	0	83.6	57 - 136	4.046	3.29	20	
PCBs (Total)	8.207	0.500	10	0	82.1	57 - 136	7.967	2.96		
Surr: Decachlorobiphenyl	0.1778	0.0500	0.2	0	88.9	54 - 140	0.1756	1.29	20	
Surr: Tetrachloro-m-xylene	0.1714	0.0500	0.2	0	85.7	53 - 137	0.168	1.99	20	

The following samples were analyzed in this batch:

HS25090600-01	HS25090600-02	HS25090600-03	HS25090600-04
HS25090600-05	HS25090600-06	HS25090600-07	HS25090600-08
HS25090600-09	HS25090600-10	HS25090600-11	HS25090600-12
HS25090600-13			

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521848 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MBLK Sample ID: **MBLK-250916** Units: **ug/L** Analysis Date: **16-Sep-2025 11:02**
 Client ID: Run ID: **VOA4_521848** SeqNo: **9034312** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	2.0								
1,1,2-Trichlor-1,2,2-trifluoroethane	U	2.0								
1,1,2-Trichloroethane	U	2.0								
1,1-Dichloroethane	U	2.0								
1,1-Dichloroethene	U	1.0								
1,2,4-Trichlorobenzene	U	2.0								
1,2-Dibromo-3-chloropropane	U	10								
1,2-Dibromoethane	U	2.0								
1,2-Dichlorobenzene	U	2.0								
1,2-Dichloroethane	U	2.0								
1,2-Dichloropropane	U	2.0								
1,3-Dichlorobenzene	U	2.0								
1,4-Dichlorobenzene	U	2.0								
2-Butanone	U	10								
2-Hexanone	U	10								
4-Methyl-2-pentanone	U	10								
Acetone	U	100								
Benzene	U	1.0								
Bromodichloromethane	U	2.0								
Bromoform	U	2.0								
Bromomethane	U	2.0								
Carbon disulfide	U	2.0								
Carbon tetrachloride	U	2.0								
Chlorobenzene	U	2.0								
Chloroethane	U	2.0								
Chloroform	U	2.0								
Chloromethane	U	2.0								
cis-1,2-Dichloroethene	U	2.0								
cis-1,3-Dichloropropene	U	2.0								
Cyclohexane	U	2.0								
Dibromochloromethane	U	2.0								
Dichlorodifluoromethane	U	2.0								
Ethylbenzene	U	2.0								

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521848 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MBLK Sample ID: **MBLK-250916** Units: **ug/L** Analysis Date: **16-Sep-2025 11:02**
 Client ID: Run ID: **VOA4_521848** SeqNo: **9034312** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Isopropylbenzene	U	2.0								
m,p-Xylene	U	4.0								
Methyl acetate	U	2.0								
Methyl tert-butyl ether	U	1.0								
Methylcyclohexane	U	5.0								
Methylene chloride	U	10								
o-Xylene	U	2.0								
Styrene	U	2.0								
Tetrachloroethene	U	2.0								
Toluene	U	2.0								
trans-1,2-Dichloroethene	U	1.0								
trans-1,3-Dichloropropene	U	2.0								
Trichloroethene	U	2.0								
Trichlorofluoromethane	U	1.0								
Vinyl chloride	U	1.0								
Xylenes, Total	U	6.0								
Surr: 1,2-Dichloroethane-d4	53.88	1.0	50	0	108	70 - 123				
Surr: 4-Bromofluorobenzene	53.12	1.0	50	0	106	77 - 113				
Surr: Dibromofluoromethane	51.89	1.0	50	0	104	73 - 126				
Surr: Toluene-d8	49.22	1.0	50	0	98.4	81 - 120				

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521848 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS Sample ID: **LCS-250916** Units: **ug/L** Analysis Date: **16-Sep-2025 09:59**
 Client ID: Run ID: **VOA4_521848** SeqNo: **9034319** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1,1-Trichloroethane	20.58	1.0	20	0	103	70 - 130			
1,1,2,2-Tetrachloroethane	21.12	2.0	20	0	106	70 - 120			
1,1,2-Trichlor-1,2,2-trifluoroethane	20.48	2.0	20	0	102	70 - 130			
1,1,2-Trichloroethane	19.55	2.0	20	0	97.8	77 - 113			
1,1-Dichloroethane	20.77	2.0	20	0	104	71 - 122			
1,1-Dichloroethene	20.02	1.0	20	0	100	70 - 130			
1,2,4-Trichlorobenzene	20.87	2.0	20	0	104	77 - 126			
1,2-Dibromo-3-chloropropane	22.18	10	20	0	111	70 - 130			
1,2-Dibromoethane	20.31	2.0	20	0	102	76 - 123			
1,2-Dichlorobenzene	20.4	2.0	20	0	102	77 - 113			
1,2-Dichloroethane	20.59	2.0	20	0	103	70 - 124			
1,2-Dichloropropane	20.91	2.0	20	0	105	72 - 119			
1,3-Dichlorobenzene	20.64	2.0	20	0	103	78 - 118			
1,4-Dichlorobenzene	19.92	2.0	20	0	99.6	79 - 113			
2-Butanone	117.2	10	100	0	117	70 - 130			
2-Hexanone	109.1	10	100	0	109	70 - 130			
4-Methyl-2-pentanone	107.9	10	100	0	108	70 - 130			
Acetone	110.9	100	100	0	111	70 - 130			
Benzene	19.77	1.0	20	0	98.8	74 - 120			
Bromodichloromethane	20.61	2.0	20	0	103	74 - 122			
Bromoform	19.47	2.0	20	0	97.4	73 - 128			
Bromomethane	19.71	2.0	20	0	98.6	70 - 130			
Carbon disulfide	41.06	2.0	40	0	103	70 - 130			
Carbon tetrachloride	20.28	2.0	20	0	101	71 - 125			
Chlorobenzene	19.3	2.0	20	0	96.5	76 - 113			
Chloroethane	22.59	2.0	20	0	113	70 - 130			
Chloroform	20.74	2.0	20	0	104	71 - 121			
Chloromethane	20.63	2.0	20	0	103	70 - 129			
cis-1,2-Dichloroethene	20.5	2.0	20	0	103	75 - 122			
cis-1,3-Dichloropropene	20.85	2.0	20	0	104	73 - 127			
Cyclohexane	19.75	2.0	20	0	98.7	70 - 130			
Dibromochloromethane	19.72	2.0	20	0	98.6	77 - 122			
Dichlorodifluoromethane	18.75	2.0	20	0	93.8	70 - 130			
Ethylbenzene	19.43	2.0	20	0	97.1	77 - 117			

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521848 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS		Sample ID: LCS-250916		Units: ug/L		Analysis Date: 16-Sep-2025 09:59				
Client ID:		Run ID: VOA4_521848		SeqNo: 9034319		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	19.58	2.0	20	0	97.9	73 - 127				
m,p-Xylene	38.24	4.0	40	0	95.6	77 - 122				
Methyl acetate	21.92	2.0	20	0	110	76 - 122				
Methyl tert-butyl ether	20.67	1.0	20	0	103	70 - 130				
Methylcyclohexane	19.18	5.0	20	0	95.9	61 - 157				
Methylene chloride	21.04	10	20	0	105	70 - 127				
o-Xylene	19.47	2.0	20	0	97.3	75 - 119				
Styrene	19.58	2.0	20	0	97.9	72 - 126				
Tetrachloroethene	18.33	2.0	20	0	91.6	76 - 119				
Toluene	19.23	2.0	20	0	96.1	77 - 118				
trans-1,2-Dichloroethene	20.69	1.0	20	0	103	72 - 127				
trans-1,3-Dichloropropene	18.37	2.0	20	0	91.9	77 - 119				
Trichloroethene	19.19	2.0	20	0	95.9	77 - 121				
Trichlorofluoromethane	20.56	1.0	20	0	103	70 - 130				
Vinyl chloride	20.74	1.0	20	0	104	70 - 130				
Xylenes, Total	57.7	6.0	60	0	96.2	75 - 122				
Surr: 1,2-Dichloroethane-d4	55.25	1.0	50	0	110	70 - 123				
Surr: 4-Bromofluorobenzene	51.98	1.0	50	0	104	77 - 113				
Surr: Dibromofluoromethane	52.28	1.0	50	0	105	73 - 126				
Surr: Toluene-d8	49.96	1.0	50	0	99.9	81 - 120				

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521848 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCSD Sample ID: **LCSD-250916** Units: **ug/L** Analysis Date: **16-Sep-2025 10:20**
 Client ID: Run ID: **VOA4_521848** SeqNo: **9034311** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit** **Qual**

1,1,1-Trichloroethane	19.07	1.0	20	0	95.4	70 - 130	20.58	7.62	20
1,1,2,2-Tetrachloroethane	19.87	2.0	20	0	99.4	70 - 120	21.12	6.11	20
1,1,2-Trichlor-1,2,2-trifluoroethane	19.11	2.0	20	0	95.6	70 - 130	20.48	6.95	20
1,1,2-Trichloroethane	19.27	2.0	20	0	96.3	77 - 113	19.55	1.47	20
1,1-Dichloroethane	19.57	2.0	20	0	97.8	71 - 122	20.77	5.97	20
1,1-Dichloroethene	18.82	1.0	20	0	94.1	70 - 130	20.02	6.17	20
1,2,4-Trichlorobenzene	18.9	2.0	20	0	94.5	77 - 126	20.87	9.92	20
1,2-Dibromo-3-chloropropane	19.62	10	20	0	98.1	70 - 130	22.18	12.2	20
1,2-Dibromoethane	19.3	2.0	20	0	96.5	76 - 123	20.31	5.1	20
1,2-Dichlorobenzene	18.98	2.0	20	0	94.9	77 - 113	20.4	7.22	20
1,2-Dichloroethane	20.25	2.0	20	0	101	70 - 124	20.59	1.64	20
1,2-Dichloropropane	20.05	2.0	20	0	100	72 - 119	20.91	4.23	20
1,3-Dichlorobenzene	18.72	2.0	20	0	93.6	78 - 118	20.64	9.75	20
1,4-Dichlorobenzene	18.86	2.0	20	0	94.3	79 - 113	19.92	5.45	20
2-Butanone	112.2	10	100	0	112	70 - 130	117.2	4.42	20
2-Hexanone	105.8	10	100	0	106	70 - 130	109.1	3.15	20
4-Methyl-2-pentanone	108.2	10	100	0	108	70 - 130	107.9	0.255	20
Acetone	105.2	100	100	0	105	70 - 130	110.9	5.29	20
Benzene	18.78	1.0	20	0	93.9	74 - 120	19.77	5.14	20
Bromodichloromethane	19.38	2.0	20	0	96.9	74 - 122	20.61	6.16	20
Bromoform	18.92	2.0	20	0	94.6	73 - 128	19.47	2.91	20
Bromomethane	18.67	2.0	20	0	93.3	70 - 130	19.71	5.45	20
Carbon disulfide	37.62	2.0	40	0	94.1	70 - 130	41.06	8.74	20
Carbon tetrachloride	18.63	2.0	20	0	93.2	71 - 125	20.28	8.49	20
Chlorobenzene	18.18	2.0	20	0	90.9	76 - 113	19.3	6.01	20
Chloroethane	20.39	2.0	20	0	102	70 - 130	22.59	10.3	20
Chloroform	19.39	2.0	20	0	96.9	71 - 121	20.74	6.76	20
Chloromethane	18.68	2.0	20	0	93.4	70 - 129	20.63	9.95	20
cis-1,2-Dichloroethene	19.46	2.0	20	0	97.3	75 - 122	20.5	5.24	20
cis-1,3-Dichloropropene	19.86	2.0	20	0	99.3	73 - 127	20.85	4.85	20
Cyclohexane	18.53	2.0	20	0	92.7	70 - 130	19.75	6.35	20
Dibromochloromethane	18.31	2.0	20	0	91.6	77 - 122	19.72	7.39	20
Dichlorodifluoromethane	17.63	2.0	20	0	88.2	70 - 130	18.75	6.16	20
Ethylbenzene	18.06	2.0	20	0	90.3	77 - 117	19.43	7.28	20

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521848 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCSD		Sample ID: LCSD-250916		Units: ug/L		Analysis Date: 16-Sep-2025 10:20				
Client ID:		Run ID: VOA4_521848		SeqNo: 9034311		PrepDate:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	18.26	2.0	20	0	91.3	73 - 127	19.58	7	20	
m,p-Xylene	36.25	4.0	40	0	90.6	77 - 122	38.24	5.35	20	
Methyl acetate	20.66	2.0	20	0	103	76 - 122	21.92	5.92	20	
Methyl tert-butyl ether	20.06	1.0	20	0	100	70 - 130	20.67	2.97	20	
Methylcyclohexane	17.65	5.0	20	0	88.2	61 - 157	19.18	8.34	20	
Methylene chloride	19.85	10	20	0	99.2	70 - 127	21.04	5.84	20	
o-Xylene	18.63	2.0	20	0	93.2	75 - 119	19.47	4.37	20	
Styrene	18.67	2.0	20	0	93.4	72 - 126	19.58	4.75	20	
Tetrachloroethene	17.54	2.0	20	0	87.7	76 - 119	18.33	4.38	20	
Toluene	18.32	2.0	20	0	91.6	77 - 118	19.23	4.82	20	
trans-1,2-Dichloroethene	19.13	1.0	20	0	95.7	72 - 127	20.69	7.83	20	
trans-1,3-Dichloropropene	17.58	2.0	20	0	87.9	77 - 119	18.37	4.38	20	
Trichloroethene	18.06	2.0	20	0	90.3	77 - 121	19.19	6.05	20	
Trichlorofluoromethane	19.28	1.0	20	0	96.4	70 - 130	20.56	6.41	20	
Vinyl chloride	19.03	1.0	20	0	95.2	70 - 130	20.74	8.59	20	
Xylenes, Total	54.88	6.0	60	0	91.5	75 - 122	57.7	5.01	20	
Surr: 1,2-Dichloroethane-d4	54.32	1.0	50	0	109	70 - 123	55.25	1.69	20	
Surr: 4-Bromofluorobenzene	50.89	1.0	50	0	102	77 - 113	51.98	2.13	20	
Surr: Dibromofluoromethane	51.47	1.0	50	0	103	73 - 126	52.28	1.57	20	
Surr: Toluene-d8	49.74	1.0	50	0	99.5	81 - 120	49.96	0.439	20	

The following samples were analyzed in this batch:

HS25090600-17	HS25090600-18	HS25090600-19	HS25090600-20
HS25090600-22	HS25090600-23	HS25090600-24	

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521939 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MBLK Sample ID: **MBLK-250916** Units: **ug/L** Analysis Date: **16-Sep-2025 20:23**
 Client ID: Run ID: **VOA4_521939** SeqNo: **9035732** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1,1-Trichloroethane	U	1.0								
1,1,2,2-Tetrachloroethane	U	2.0								
1,1,2-Trichlor-1,2,2-trifluoroethane	U	2.0								
1,1,2-Trichloroethane	U	2.0								
1,1-Dichloroethane	U	2.0								
1,1-Dichloroethene	U	1.0								
1,2,4-Trichlorobenzene	U	2.0								
1,2-Dibromo-3-chloropropane	U	10								
1,2-Dibromoethane	U	2.0								
1,2-Dichlorobenzene	U	2.0								
1,2-Dichloroethane	U	2.0								
1,2-Dichloropropane	U	2.0								
1,3-Dichlorobenzene	U	2.0								
1,4-Dichlorobenzene	U	2.0								
2-Butanone	U	10								
2-Hexanone	U	10								
4-Methyl-2-pentanone	U	10								
Acetone	U	100								
Benzene	U	1.0								
Bromodichloromethane	U	2.0								
Bromoform	U	2.0								
Bromomethane	U	2.0								
Carbon disulfide	U	2.0								
Carbon tetrachloride	U	2.0								
Chlorobenzene	U	2.0								
Chloroethane	U	2.0								
Chloroform	U	2.0								
Chloromethane	U	2.0								
cis-1,2-Dichloroethene	U	2.0								
cis-1,3-Dichloropropene	U	2.0								
Cyclohexane	U	2.0								
Dibromochloromethane	U	2.0								
Dichlorodifluoromethane	U	2.0								
Ethylbenzene	U	2.0								

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521939 (0)		Instrument: VOA4		Method: LOW LEVEL VOLATILES BY SW8260C						
MBLK	Sample ID: MBLK-250916	Units: ug/L			Analysis Date: 16-Sep-2025 20:23					
Client ID:	Run ID: VOA4_521939	SeqNo: 9035732	PrepDate:	DF: 1						
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Isopropylbenzene	U	2.0								
m,p-Xylene	U	4.0								
Methyl acetate	U	2.0								
Methyl tert-butyl ether	U	1.0								
Methylcyclohexane	U	5.0								
Methylene chloride	U	10								
o-Xylene	U	2.0								
Styrene	U	2.0								
Tetrachloroethene	U	2.0								
Toluene	U	2.0								
trans-1,2-Dichloroethene	U	1.0								
trans-1,3-Dichloropropene	U	2.0								
Trichloroethene	U	2.0								
Trichlorofluoromethane	U	1.0								
Vinyl chloride	U	1.0								
Xylenes, Total	U	6.0								
Surr: 1,2-Dichloroethane-d4	54.35	1.0	50	0	109	70 - 123				
Surr: 4-Bromofluorobenzene	53.15	1.0	50	0	106	77 - 113				
Surr: Dibromofluoromethane	52.4	1.0	50	0	105	73 - 126				
Surr: Toluene-d8	49.82	1.0	50	0	99.6	81 - 120				

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521939 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS Sample ID: **LCS-250916** Units: **ug/L** Analysis Date: **16-Sep-2025 19:21**
 Client ID: Run ID: **VOA4_521939** SeqNo: **9035730** PrepDate: DF: **1**
Analyte **Result** **PQL** **SPK Val** **SPK Ref Value** **%REC** **Control Limit** **RPD Ref Value** **%RPD** **RPD Limit Qual**

1,1,1-Trichloroethane	19.55	1.0	20	0	97.8	70 - 130			
1,1,2,2-Tetrachloroethane	21.4	2.0	20	0	107	70 - 120			
1,1,2-Trichlor-1,2,2-trifluoroethane	19.83	2.0	20	0	99.2	70 - 130			
1,1,2-Trichloroethane	20.1	2.0	20	0	100	77 - 113			
1,1-Dichloroethane	20.57	2.0	20	0	103	71 - 122			
1,1-Dichloroethene	19.7	1.0	20	0	98.5	70 - 130			
1,2,4-Trichlorobenzene	20.06	2.0	20	0	100	77 - 126			
1,2-Dibromo-3-chloropropane	21.71	10	20	0	109	70 - 130			
1,2-Dibromoethane	20.24	2.0	20	0	101	76 - 123			
1,2-Dichlorobenzene	19.85	2.0	20	0	99.2	77 - 113			
1,2-Dichloroethane	20.75	2.0	20	0	104	70 - 124			
1,2-Dichloropropane	21.26	2.0	20	0	106	72 - 119			
1,3-Dichlorobenzene	19.75	2.0	20	0	98.7	78 - 118			
1,4-Dichlorobenzene	19.44	2.0	20	0	97.2	79 - 113			
2-Butanone	122.4	10	100	0	122	70 - 130			
2-Hexanone	114.9	10	100	0	115	70 - 130			
4-Methyl-2-pentanone	116.9	10	100	0	117	70 - 130			
Acetone	114.6	100	100	0	115	70 - 130			
Benzene	20.14	1.0	20	0	101	74 - 120			
Bromodichloromethane	20.48	2.0	20	0	102	74 - 122			
Bromoform	19.46	2.0	20	0	97.3	73 - 128			
Bromomethane	19.14	2.0	20	0	95.7	70 - 130			
Carbon disulfide	39.44	2.0	40	0	98.6	70 - 130			
Carbon tetrachloride	19.93	2.0	20	0	99.7	71 - 125			
Chlorobenzene	18.92	2.0	20	0	94.6	76 - 113			
Chloroethane	21.31	2.0	20	0	107	70 - 130			
Chloroform	20.04	2.0	20	0	100	71 - 121			
Chloromethane	20.43	2.0	20	0	102	70 - 129			
cis-1,2-Dichloroethene	19.96	2.0	20	0	99.8	75 - 122			
cis-1,3-Dichloropropene	20.77	2.0	20	0	104	73 - 127			
Cyclohexane	19.58	2.0	20	0	97.9	70 - 130			
Dibromochloromethane	19.33	2.0	20	0	96.7	77 - 122			
Dichlorodifluoromethane	18.28	2.0	20	0	91.4	70 - 130			
Ethylbenzene	18.94	2.0	20	0	94.7	77 - 117			

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521939 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

LCS Sample ID: **LCS-250916** Units: **ug/L** Analysis Date: **16-Sep-2025 19:21**
 Client ID: Run ID: **VOA4_521939** SeqNo: **9035730** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Isopropylbenzene	18.93	2.0	20	0	94.6	73 - 127			
m,p-Xylene	37	4.0	40	0	92.5	77 - 122			
Methyl acetate	21.91	2.0	20	0	110	76 - 122			
Methyl tert-butyl ether	21.46	1.0	20	0	107	70 - 130			
Methylcyclohexane	18.98	5.0	20	0	94.9	61 - 157			
Methylene chloride	21.11	10	20	0	106	70 - 127			
o-Xylene	19.06	2.0	20	0	95.3	75 - 119			
Styrene	19.34	2.0	20	0	96.7	72 - 126			
Tetrachloroethene	18.22	2.0	20	0	91.1	76 - 119			
Toluene	19.14	2.0	20	0	95.7	77 - 118			
trans-1,2-Dichloroethene	20.26	1.0	20	0	101	72 - 127			
trans-1,3-Dichloropropene	17.92	2.0	20	0	89.6	77 - 119			
Trichloroethene	19.34	2.0	20	0	96.7	77 - 121			
Trichlorofluoromethane	19.2	1.0	20	0	96.0	70 - 130			
Vinyl chloride	20.22	1.0	20	0	101	70 - 130			
Xylenes, Total	56.06	6.0	60	0	93.4	75 - 122			
Surr: 1,2-Dichloroethane-d4	55.71	1.0	50	0	111	70 - 123			
Surr: 4-Bromofluorobenzene	51.61	1.0	50	0	103	77 - 113			
Surr: Dibromofluoromethane	51.22	1.0	50	0	102	73 - 126			
Surr: Toluene-d8	49.1	1.0	50	0	98.2	81 - 120			

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521939 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MS Sample ID: **HS25090506-30MS** Units: **ug/L** Analysis Date: **17-Sep-2025 03:40**
 Client ID: Run ID: **VOA4_521939** SeqNo: **9035747** PrepDate: DF: **50**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1,1-Trichloroethane	960.6	50	1000	0	96.1	70 - 130			
1,1,2,2-Tetrachloroethane	1034	100	1000	0	103	70 - 123			
1,1,2-Trichlor-1,2,2-trifluoroethane	989.8	100	1000	0	99.0	70 - 130			
1,1,2-Trichloroethane	1009	100	1000	51.35	95.7	70 - 117			
1,1-Dichloroethane	4735	100	1000	3835	89.9	70 - 127			
1,1-Dichloroethene	1178	50	1000	141.6	104	70 - 130			
1,2,4-Trichlorobenzene	928.5	100	1000	0	92.8	70 - 125			
1,2-Dibromo-3-chloropropane	915.4	500	1000	0	91.5	70 - 130			
1,2-Dibromoethane	908.6	100	1000	0	90.9	70 - 124			
1,2-Dichlorobenzene	950.5	100	1000	0	95.1	70 - 115			
1,2-Dichloroethane	1205	100	1000	187	102	70 - 127			
1,2-Dichloropropane	1015	100	1000	0	101	70 - 122			
1,3-Dichlorobenzene	955.1	100	1000	0	95.5	70 - 119			
1,4-Dichlorobenzene	937.6	100	1000	0	93.8	70 - 114			
2-Butanone	5501	500	5000	0	110	70 - 130			
2-Hexanone	5451	500	5000	0	109	70 - 130			
4-Methyl-2-pentanone	5386	500	5000	0	108	70 - 130			
Acetone	5651	5000	5000	0	113	70 - 130			
Benzene	1761	50	1000	748.1	101	70 - 127			
Bromodichloromethane	987	100	1000	0	98.7	70 - 124			
Bromoform	870.9	100	1000	0	87.1	70 - 129			
Bromomethane	837.5	100	1000	0	83.8	70 - 130			
Carbon disulfide	1986	100	2000	0	99.3	70 - 130			
Carbon tetrachloride	1009	100	1000	0	101	70 - 130			
Chlorobenzene	1051	100	1000	135.7	91.6	70 - 114			
Chloroethane	1142	100	1000	0	114	70 - 130			
Chloroform	1044	100	1000	24.75	102	70 - 125			
Chloromethane	942.5	100	1000	0	94.3	70 - 130			
cis-1,2-Dichloroethene	3125	100	1000	2141	98.4	70 - 128			
cis-1,3-Dichloropropene	892.8	100	1000	0	89.3	70 - 125			
Cyclohexane	1029	100	1000	0	103	70 - 130			
Dibromochloromethane	890.6	100	1000	0	89.1	70 - 124			
Dichlorodifluoromethane	663.2	100	1000	0	66.3	70 - 130			S
Ethylbenzene	963	100	1000	0	96.3	70 - 124			

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521939 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MS Sample ID: **HS25090506-30MS** Units: **ug/L** Analysis Date: **17-Sep-2025 03:40**
 Client ID: Run ID: **VOA4_521939** SeqNo: **9035747** PrepDate: DF: **50**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

Isopropylbenzene	963.4	100	1000	0	96.3	70 - 130			
m,p-Xylene	1858	200	2000	0	92.9	70 - 130			
Methyl acetate	1017	100	1000	0	102	76 - 122			
Methyl tert-butyl ether	926.8	50	1000	0	92.7	70 - 130			
Methylcyclohexane	967.4	250	1000	0	96.7	61 - 158			
Methylene chloride	1046	500	1000	0	105	70 - 128			
o-Xylene	956.4	100	1000	0	95.6	70 - 124			
Styrene	942.8	100	1000	0	94.3	70 - 130			
Tetrachloroethene	916	100	1000	0	91.6	70 - 130			
Toluene	995.2	100	1000	44.6	95.1	70 - 123			
trans-1,2-Dichloroethene	1657	50	1000	654.8	100	70 - 130			
trans-1,3-Dichloropropene	773.5	100	1000	0	77.4	70 - 121			
Trichloroethene	954.8	100	1000	0	95.5	70 - 129			
Trichlorofluoromethane	1018	50	1000	0	102	70 - 130			
Vinyl chloride	2177	50	1000	1188	98.9	70 - 130			
Xylenes, Total	2815	300	3000	0	93.8	70 - 130			
Surr: 1,2-Dichloroethane-d4	2753	50	2500	0	110	70 - 126			
Surr: 4-Bromofluorobenzene	2580	50	2500	0	103	77 - 113			
Surr: Dibromofluoromethane	2566	50	2500	0	103	77 - 123			
Surr: Toluene-d8	2474	50	2500	0	99.0	82 - 127			

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521939 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MSD Sample ID: **HS25090506-30MSD** Units: **ug/L** Analysis Date: **17-Sep-2025 04:01**
 Client ID: Run ID: **VOA4_521939** SeqNo: **9035748** PrepDate: DF: **50**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1,1-Trichloroethane	929.6	50	1000	0	93.0	70 - 130	960.6	3.27	20
1,1,2,2-Tetrachloroethane	1016	100	1000	0	102	70 - 123	1034	1.75	20
1,1,2-Trichlor-1,2,2-trifluoroethane	884.4	100	1000	0	88.4	70 - 130	989.8	11.3	20
1,1,2-Trichloroethane	1027	100	1000	51.35	97.5	70 - 117	1009	1.77	20
1,1-Dichloroethane	4461	100	1000	3835	62.6	70 - 127	4735	5.95	20 S
1,1-Dichloroethene	1064	50	1000	141.6	92.3	70 - 130	1178	10.2	20
1,2,4-Trichlorobenzene	886	100	1000	0	88.6	70 - 125	928.5	4.68	20
1,2-Dibromo-3-chloropropane	1021	500	1000	0	102	70 - 130	915.4	10.9	20
1,2-Dibromoethane	915.5	100	1000	0	91.6	70 - 124	908.6	0.751	20
1,2-Dichlorobenzene	903.6	100	1000	0	90.4	70 - 115	950.5	5.06	20
1,2-Dichloroethane	1150	100	1000	187	96.3	70 - 127	1205	4.64	20
1,2-Dichloropropane	967.6	100	1000	0	96.8	70 - 122	1015	4.73	20
1,3-Dichlorobenzene	892.1	100	1000	0	89.2	70 - 119	955.1	6.82	20
1,4-Dichlorobenzene	894.1	100	1000	0	89.4	70 - 114	937.6	4.75	20
2-Butanone	5995	500	5000	0	120	70 - 130	5501	8.6	20
2-Hexanone	5504	500	5000	0	110	70 - 130	5451	0.972	20
4-Methyl-2-pentanone	5554	500	5000	0	111	70 - 130	5386	3.08	20
Acetone	5563	5000	5000	0	111	70 - 130	5651	1.58	20
Benzene	1655	50	1000	748.1	90.7	70 - 127	1761	6.22	20
Bromodichloromethane	946.8	100	1000	0	94.7	70 - 124	987	4.15	20
Bromoform	905.4	100	1000	0	90.5	70 - 129	870.9	3.89	20
Bromomethane	806.1	100	1000	0	80.6	70 - 130	837.5	3.81	20
Carbon disulfide	1805	100	2000	0	90.3	70 - 130	1986	9.56	20
Carbon tetrachloride	929.2	100	1000	0	92.9	70 - 130	1009	8.22	20
Chlorobenzene	1007	100	1000	135.7	87.2	70 - 114	1051	4.28	20
Chloroethane	1013	100	1000	0	101	70 - 130	1142	12	20
Chloroform	973	100	1000	24.75	94.8	70 - 125	1044	6.99	20
Chloromethane	843	100	1000	0	84.3	70 - 130	942.5	11.2	20
cis-1,2-Dichloroethene	2886	100	1000	2141	74.5	70 - 128	3125	7.95	20
cis-1,3-Dichloropropene	867	100	1000	0	86.7	70 - 125	892.8	2.93	20
Cyclohexane	938.4	100	1000	0	93.8	70 - 130	1029	9.18	20
Dibromochloromethane	896.8	100	1000	0	89.7	70 - 124	890.6	0.688	20
Dichlorodifluoromethane	602.1	100	1000	0	60.2	70 - 130	663.2	9.66	20 S
Ethylbenzene	878.8	100	1000	0	87.9	70 - 124	963	9.15	20

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521939 (0) **Instrument:** VOA4 **Method:** LOW LEVEL VOLATILES BY SW8260C

MSD		Sample ID: HS25090506-30MSD		Units: ug/L		Analysis Date: 17-Sep-2025 04:01			
Client ID:		Run ID: VOA4_521939		SeqNo: 9035748		PrepDate:		DF: 50	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
Isopropylbenzene	891.4	100	1000	0	89.1	70 - 130	963.4	7.77	20
m,p-Xylene	1738	200	2000	0	86.9	70 - 130	1858	6.69	20
Methyl acetate	1074	100	1000	0	107	76 - 122	1017	5.48	20
Methyl tert-butyl ether	974.4	50	1000	0	97.4	70 - 130	926.8	5.01	20
Methylcyclohexane	850.6	250	1000	0	85.1	61 - 158	967.4	12.8	20
Methylene chloride	994.6	500	1000	0	99.5	70 - 128	1046	5.08	20
o-Xylene	900.6	100	1000	0	90.1	70 - 124	956.4	6.01	20
Styrene	898.6	100	1000	0	89.9	70 - 130	942.8	4.8	20
Tetrachloroethene	860	100	1000	0	86.0	70 - 130	916	6.31	20
Toluene	946.8	100	1000	44.6	90.2	70 - 123	995.2	4.98	20
trans-1,2-Dichloroethene	1507	50	1000	654.8	85.2	70 - 130	1657	9.5	20
trans-1,3-Dichloropropene	782.8	100	1000	0	78.3	70 - 121	773.5	1.19	20
Trichloroethene	905.6	100	1000	0	90.6	70 - 129	954.8	5.28	20
Trichlorofluoromethane	911.4	50	1000	0	91.1	70 - 130	1018	11.1	20
Vinyl chloride	1997	50	1000	1188	80.8	70 - 130	2177	8.65	20
Xylenes, Total	2639	300	3000	0	88.0	70 - 130	2815	6.46	20
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>2828</i>	<i>50</i>	<i>2500</i>	<i>0</i>	<i>113</i>	<i>70 - 126</i>	<i>2753</i>	<i>2.7</i>	<i>20</i>
<i>Surr: 4-Bromofluorobenzene</i>	<i>2584</i>	<i>50</i>	<i>2500</i>	<i>0</i>	<i>103</i>	<i>77 - 113</i>	<i>2580</i>	<i>0.126</i>	<i>20</i>
<i>Surr: Dibromofluoromethane</i>	<i>2554</i>	<i>50</i>	<i>2500</i>	<i>0</i>	<i>102</i>	<i>77 - 123</i>	<i>2566</i>	<i>0.488</i>	<i>20</i>
<i>Surr: Toluene-d8</i>	<i>2480</i>	<i>50</i>	<i>2500</i>	<i>0</i>	<i>99.2</i>	<i>82 - 127</i>	<i>2474</i>	<i>0.22</i>	<i>20</i>

The following samples were analyzed in this batch:

HS25090600-01	HS25090600-02	HS25090600-03	HS25090600-04
HS25090600-05	HS25090600-06	HS25090600-07	HS25090600-08
HS25090600-09	HS25090600-10	HS25090600-11	HS25090600-12
HS25090600-13	HS25090600-14	HS25090600-15	HS25090600-16
HS25090600-21			

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDHouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

QC BATCH REPORT

Batch ID: R521982 (0) **Instrument:** VOA7 **Method:** LOW LEVEL VOLATILES BY SW8260C

MBLK Sample ID: **MBLK-250917** Units: **ug/L** Analysis Date: **17-Sep-2025 11:01**
 Client ID: Run ID: **VOA7_521982** SeqNo: **9036773** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1-Dichloroethane	U	2.0								
Surr: 1,2-Dichloroethane-d4	52.82	1.0	50	0	106	70 - 123				
Surr: 4-Bromofluorobenzene	54.06	1.0	50	0	108	77 - 113				
Surr: Dibromofluoromethane	52.82	1.0	50	0	106	73 - 126				
Surr: Toluene-d8	48.02	1.0	50	0	96.0	81 - 120				

LCS Sample ID: **LCS-250917** Units: **ug/L** Analysis Date: **17-Sep-2025 09:56**
 Client ID: Run ID: **VOA7_521982** SeqNo: **9036781** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1-Dichloroethane	21.42	2.0	20	0	107	71 - 122				
Surr: 1,2-Dichloroethane-d4	53.43	1.0	50	0	107	70 - 123				
Surr: 4-Bromofluorobenzene	50.31	1.0	50	0	101	77 - 113				
Surr: Dibromofluoromethane	52.01	1.0	50	0	104	73 - 126				
Surr: Toluene-d8	49.4	1.0	50	0	98.8	81 - 120				

LCSD Sample ID: **LCSD-250917** Units: **ug/L** Analysis Date: **17-Sep-2025 10:17**
 Client ID: Run ID: **VOA7_521982** SeqNo: **9036772** PrepDate: DF: **1**
 Analyte Result PQL SPK Val SPK Ref Value %REC Control Limit RPD Ref Value %RPD RPD Limit Qual

1,1-Dichloroethane	20.25	2.0	20	0	101	71 - 122	21.42	5.6	20
Surr: 1,2-Dichloroethane-d4	52.7	1.0	50	0	105	70 - 123	53.43	1.37	20
Surr: 4-Bromofluorobenzene	51.42	1.0	50	0	103	77 - 113	50.31	2.19	20
Surr: Dibromofluoromethane	51.26	1.0	50	0	103	73 - 126	52.01	1.45	20
Surr: Toluene-d8	49.65	1.0	50	0	99.3	81 - 120	49.4	0.509	20

The following samples were analyzed in this batch: HS25090600-19

Revision: 1

ALS Houston, US

Date: 18-Sep-25

Client: GHDDouston
Project: 12660612 Laguna Compressor Station No. 6
WorkOrder: HS25090600

**QUALIFIERS,
ACRONYMS, UNITS**

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

ALS Houston, US

Date: 18-Sep-25

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arizona	AZ0793	27-May-2026
Arkansas	88-00356_2024	17-Mar-2026
California	2919 - 2025	30-Apr-2026
Dept of Defense	L24-240	30-Apr-2026
Dept of Defense	L24-239	30-Apr-2026
Florida	E87611-2025	30-Jun-2026
Illinois	200032 - 2025	31-Jul-2026
Kansas	KS-C25-00168	31-Jul-2026
Kentucky	123043-2025	30-Apr-2026
Louisiana	03087-2025	30-Jun-2026
Maine	2024017	23-Jun-2026
Michigan	9971-2025	30-Apr-2026
Minnesota	2856348	31-Dec-2025
Missouri	136	30-Sep-2026
Nebraska	NE-OS-25-13 - 2025	30-Apr-2026
Nevada	NV-C25-00124 - 2025	31-Jul-2026
New Hampshire	209425	24-Apr-2026
New Jersey	TX008-2025	30-Jun-2026
New York	11707 - 2025	01-Apr-2026
North Carolina	624 - 2024	31-Dec-2025
North Dakota	R-193 2023-2024	30-Sep-2025
Oregon	TX200002-013	15-May-2026
Pennsylvania	019	01-Jul-2026
Tennessee	TN	30-Apr-2026
Texas	TX-C25-00104	30-Apr-2026

ALS Houston, US

Date: 18-Sep-25

Sample Receipt Checklist

Work Order ID: HS25090600

Date/Time Received: 12-Sep-2025 17:10

Client Name: GHDHouston

Received by: Edgar Zheku

Completed By: /S/ Kaycee Rogers	13-Sep-2025 15:34	Reviewed by: /S/ Beverly Mustafa	15-Sep-2025 09:38
eSignature	Date/Time	eSignature	Date/Time

Matrices: **W**

Carrier name: **Client**

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- VOA/TX1005/TX1006 Solids in hermetically sealed vials? Yes No Not Present
- Chain of custody present? Yes No 3 Page(s)
- Chain of custody signed when relinquished and received? Yes No COC IDs:348104, 348101, 348105
- Samplers name present on COC? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No

Temperature(s)/Thermometer(s):	2.7UC/2.7C, 3.7UC/3.7C, 1.4UC/1.4C	IR 34
Cooler(s)/Kit(s):	53402, 53871, 51435	
Date/Time sample(s) sent to storage:	09/13/2025 1534	

- Water - VOA vials have zero headspace? Yes No No VOA vials submitted
- Water - pH acceptable upon receipt? Yes No N/A
- pH adjusted? Yes No N/A

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:



Cincinnati, OH
+1 513 733 5336
Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511
Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 1 of 3

COC ID: 348104

HS25090600

GHDHouston

12660612 Laguna Compressor Station No. 6

ALS Project Manager:



Customer Information		Project Information	
Purchase Order	E-19002-GS-26050007- Stacy Bou	Project Name	12660612 Laguna Compressor Statio
Work Order		Project Number	12660612
Company Name	GHD	Bill To Company	ET Gathering & Processing LLC
Send Report To	Deedee Whittington	Invoice Attn	Stacy Boultinghouse
Address	800 Sonterra Blvd	Address	800 Sonterra Blvd
	Suite 400		Ste 400
City/State/Zip	San Antonio, TX 78258	City/State/Zip	San Antonio TX 78258
Phone	(210) -87-0-27	Phone	
Fax		Fax	
e-Mail Address	deedee.whittington@ghd.com	e-Mail Address	Stacy.Boultinghouse@energytransfer.co

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	6-09-20250910	9/10/25	0830	W	1,8	5	X	X									
2	6-20B-20250910		0930				X	X									
3	6-20C-20250910		1015				X	X									
4	6-18-20250910		1100				X	X									
5	6-10-20250910		1145				X	X									
6	6-15-20250910		1230				X	X									
7	6-11-20250910		1315				X	X									
8	6-42-20250910		1340				X	X									
9	6-41-20250910		1425				X	X									
10	6-12-20250910		1510				X	X									

Sampler(s) Please Print & Sign: *Raperta Aguilera*

Shipment Method: *Drop off*

Required Turnaround Time: (Check Box) STD 10 Wk Days 5 Wk Days 2 Wk Days 24 Hour

Results Due Date:

Relinquished by: *[Signature]* Date: *9/10/25* Time: *1710*

Received by (Laboratory): *[Signature]* Date: *09/17/25* Time: *17:00*

Notes: TPC Laguna NM

QC Package: (Check One Box Below) Level II Std QC TRRP Checklist TRRP Level IV

Level II Std QC/Raw Date TRRP Level IV

Level IX 316/84/CLP

Other

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



Cincinnati, OH
+1 513 733 5336
Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511
Holland, MI
+1 616 399 6070

Chain of Custody Fo

Page 2 of 2

COC ID: 348101

HS25090600

GHDHouston

12660612 Laguna Compressor Station No. 6



Page 304 of 307
IMAGING

ALS Project Manager:

Customer Information		Project Information	
Purchase Order	E-19002-GS-26050007- Stacy Bou	Project Name	12660612 Laguna Compressor Station
Work Order		Project Number	12660612
Company Name	GHD	Bill To Company	ET Gathering & Processing LLC
Send Report To	Deedee Whittington	Invoice Attn	Stacy Boultinghouse
Address	800 Sonterra Blvd	Address	800 Sonterra Blvd
	Suite 400		Ste 400
City/State/Zip	San Antonio, TX 78258	City/State/Zip	San Antonio TX 78258
Phone	(210) -87-0-27	Phone	
Fax		Fax	
e-Mail Address	deedee.whittington@ghd.com	e-Mail Address	Stacy.Boultinghouse@energytransfer.co

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	6-45-20250911	9/11/25	0915	W	1.8	4	X	X									
2	6-46-20250911		1000			4	X	X									
3	6-16-20250911		0830			5	X	X									
4	6-08-20250911		1230			3	X										
5	6-28-20250911		1145			1	X										
6	6-33-20250911		1130				X										
7	6-49B-20250911		1110				X										
8	6-48B-20250911		1100				X										
9	6-47-20250911		1045				X										
10	6-17-20250911		1020				X										

Sampler(s) Please Print & Sign: Reberto Aguilera

Relinquished by: [Signature] Date: 9/12/25 Time: 1710

Received by: [Signature] Date: 09/12/25 Time: 17:10

Shipment Method: Drop off

Required Turnaround Time: (Check Box) STD 10 Wk Days 5 Wk Days 2 Wk Days 24 Hour

Results Due Date: _____

Notes: TPC Laguna NM

QC Package: (Check One Box Below)

Level II Std QC TRP 3rd kit

Level III Std QC/Ra/Date TRP 2nd kit

Level IV SAN/48/CLP TRP 1st kit

Other

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.



Cincinnati, OH
+1 513 733 5336

Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511

Holland, MI
+1 616 399 6070

Chain of Custody Form

Page 3 of 3

COC ID: **348105**

Houston, TX
+1 281 530 5656

Middletown, PA
+1 717 944 5541

Spring City, PA
+1 610 948 4903

Salt Lake City, UT
+1 801 266 7700

South
+1 301 441 4444

York
+1 717 741 4444

SHORT HOLDING TIME

ALS Project Manager: _____ ALS Work Order #: _____

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	E-19002-GS-26050007- Stacy Bou	Project Name	12660612 Laguna Compressor Statio	A	8260_LL_W (8260 VOC TCL 4.3) [3xVOA HCl]
Work Order		Project Number	12660612	B	PCB_W_Total (8082 PCB) [2x1L Am G Neat]
Company Name	GHD	Bill To Company	ET Gathering & Processing LLC	C	300_W (300 *NO3, NO2*, SC4) [120ml P Neat]
Send Report To	Deedee Whittington	Invoice Attn	Stacy Boultinghouse	D	TOC_W 9060 (9060 TOC) [2xVOA Am H2SO4]
Address	800 Sonterra Blvd Suite 400	Address	800 Sonterra Blvd Ste 400	E	Trip Blank
				F	
City/State/Zip	San Antonio, TX 78258	City/State/Zip	San Antonio TX 78258	G	
Phone	(210) -87-0-27	Phone		H	
Fax		Fax		I	
e-Mail Address	deedee.whittington@ghd.com	e-Mail Address	Stacy.Boultinghouse@energytransfer.co		

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	Dup-1-20250911	9/11/25	0.0	W	1,8	3	X										
2	CG-081225-195	-	0.0	↓	↓	2					X						
3	CG-081225-183	-	0.0	↓	↓	↓					X						
4	CG-081225-196	-	0.0	↓	↓	↓					X						
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign <i>Ruperto Aguilera</i>		Shipment Method _____		Required Turnaround Time: (Check Box) <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour				Results Due Date: _____		
Relinquished by: <i>Ja J.P.</i>	Date: 9/12/25	Time: 17:10	Received by: _____		Notes: TPC Laguna NM					
Relinquished by: _____	Date: _____	Time: _____	Received by (Laboratory): _____		Cooler ID _____	Cooler Temp. _____	QC Package: (Check One Box Below)			
Logged by (Laboratory): _____	Date: _____	Time: _____	Checked by (Laboratory): _____		<input checked="" type="checkbox"/> Level II Std QC	<input type="checkbox"/> TRRP Checklist	<input type="checkbox"/> Level III Std QC/Raw Date			
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035					<input type="checkbox"/> Level IV SW846/CLP	<input type="checkbox"/> TRRP Level IV	<input type="checkbox"/> Other			

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



GHD.com

→ The Power of Commitment

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 584745

CONDITIONS

Operator: Transwestern Pipeline Company, LLC 8501 Jefferson NE Albuquerque, NM 87113	OGRID: 329750
	Action Number: 584745
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
amaxwell	Report accepted for record.	5/20/2026
amaxwell	Conduct Site-wide semi-annual groundwater monitoring events in 2026.	5/20/2026
amaxwell	Continue sampling monitoring wells 6-48, 6-48B, 6-49, and 6-49B when water is present to monitor delineation of COCs.	5/20/2026
amaxwell	Complete additional data evaluation planned for 2026, include the digitization of data for three-dimensional (3D) model development to help identify potential data gaps and assess the effectiveness of ISEB and the potential for continuation or modification of in-situ remediation.	5/20/2026
amaxwell	Submit report by April 1, 2027.	5/20/2026