



April 27, 2026  
District Supervisor  
Oil Conservation Division, District 2  
506 W. Texas  
Artesia, New Mexico 88210

**Re: Remediation Closure Request  
J R Oil, Ltd. Co.  
Hannah 17 State #002H  
Unit Letter P, Section 17, Township 14 South, Range 36 East  
Lea County, New Mexico  
Incident ID# NSAP0335728969**

Sir or Madam,

Tetra Tech, Inc. (Tetra Tech) was contracted by J R Oil, Ltd. Co. (J R Oil) to evaluate a historical release associated with the Hannah 17 State #002H well (API # 30-025-36284). The release footprint is located in Public Land Survey System (PLSS) Unit Letter P, Section 17, Township 14 South, Range 36 East, in Lea County, New Mexico (Site). The approximate well and pad location is shown on Figures 1 and 2.

The Hannah 17 State #002H well is an active gas well that has been operated by J R Oil since March 2021. At the inferred time of this historical release the well was operated by VINTAGE PETROLEUM, LLC (Vintage). Available well files indicate that ownership of the well transferred to OXY USA INC (Oxy) in April of 2008, and later transferred to J R Oil, Ltd. Co. on March 31, 2021.

## BACKGROUND

According to the State of New Mexico Oil Conservation Division (NMOCD) permitting website, the release has no reported date of discovery. The NMOCD assigned the release the Incident ID NSAP0335728969. As mentioned previously, the release took place while the Site was being operated by Vintage, which later transferred ownership to Oxy. A C-145 Change of Operator Form indicating the date of operator changes for both instances is on file in the NMOCD well permitting online portal.

The current status of incident ID NSAP0335728969, according to the NMOCD Permitting website, is listed as "*Closure Not Approved, Pending submission of C-141 from the operator*". A review of documentation available through the NMOCD Imaging and Permitting websites found no initial C-141 document associated with the incident. An initial incident event dated December 23, 2003, pre-dates all other recent incident events on the OCD Permitting website, which states "*DENIED AND RETURNED C-141. REQUESTED NEW ONE.*"

A cursory review of historical aerial imagery was performed to locate any evidence of a release on or in the vicinity of the pad around the time of the initial incident event. No visual indication of a release incident was observed during the review of historical aerial imagery. Based on an initial production test date for the well, dated December 5, 2003, one day prior to the initial incident event date, it was inferred that the legacy subject line release incident was related to the well test. Thus, the inferred release point would be located at the approximate location of the wellhead at 33.099185°, -103.321819°.

## LAND OWNERSHIP

According to the NMOCD Oil and Gas Map, the Site is located on land owned by a private entity.

Remediation Closure Request  
April 27, 2026

J R Oil, Ltd. Co.

## SITE CHARACTERIZATION

A Site characterization was performed and no sinkholes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, playa lakes, stream bodies, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the distances specified in 19.15.29 New Mexico Administrative Code (NMAC). The Site is in an area of low karst potential.

According to the New Mexico Office of the State Engineers (NMOSE) reporting system, there are five (5) wells within 0.5 miles (800 meters) of the Site with available water level data from the past 25 years. POD Number L 14124 POD1 was reported as having the shallowest groundwater level from the past 25 years at approximately 70 feet below ground surface (bgs). Additional wells within 0.5 miles of the Site report groundwater at shallower depths, but these measurements are more than 25 years old. The Site characterization data is included as Appendix A.

## REGULATORY FRAMEWORK

Based upon the release footprint location (on-pad and in areas immediately under or around production equipment) and in accordance with Subsection E of 19.15.29.12 NMAC, per 19.15.29.11 NMAC, the Site characterization data was used in attempt to determine recommended remedial action levels (RRALs) for benzene, toluene, ethylbenzene, and xylene (collectively referred to as BTEX), total petroleum hydrocarbons (TPH), and chlorides in soil.

Based on the Site characterization and in accordance with Table I of 19.15.29.12 NMAC, the RRALs for the Site are as follows:

| Constituent       | Site RRALs   |
|-------------------|--------------|
| Chloride          | 10,000 mg/kg |
| TPH (GRO+DRO+MRO) | 2,500 mg/kg  |
| GRO+DRO           | 1,000 mg/kg  |
| BTEX              | 50 mg/kg     |
| Benzene           | 10 mg/kg     |

Additionally, in accordance with the NMOCD guidance *Procedures for Implementation of the Spill Rule (19.15.29 NMAC)* (September 6, 2019), the following reclamation requirements for surface soils (0-4 feet bgs) outside of active oil and gas operations are as follows:

| Constituent       | Reclamation Requirements |
|-------------------|--------------------------|
| Chloride          | 600 mg/kg                |
| TPH (GRO+DRO+ORO) | 100 mg/kg                |

## CANCELLATION REQUEST

A cancellation request (C-141C) was submitted to the NMOCD permitting portal for the subject line incident (NSAP0335728969). The cancellation request argued that a second incident (ID NGRL1003636623) associated with the Hannah 17 State #002H were duplicates of one another. The subject line incident NSAP0335728969 had no associated volumes and no associated documentation. It was believed that the second incident (NGRL1003636623) was the submittal of the C-141 documentation. The cancellation request was denied by the NMOCD on February 18, 2025 with the following comment: "Cancellation denied. Incident NSAP0335728969 has the denial of the C-141 listed on 12/23/2003. The date of discovery listed on the C-141 of NGRL1003636623 is 01/09/2010. These releases are not duplicates." The cancellation request and NMOCD response are on record in the NMOCD permitting portal. Thus, based on the denial

Remediation Closure Request  
April 27, 2026

J R Oil, Ltd. Co.

of the cancellation request, J R Oil made plans to execute an assessment in the area surrounding the wellhead.

### SITE ASSESSMENT

J R Oil personnel were on Site on March 13, 2026, to conduct assessment sampling in the vicinity of the wellhead. Prior to sampling, Tetra Tech submitted a C-141N sampling notification, on behalf of J R Oil, through the NMOCD portal. J R Oil personnel installed four hand auger borings (AH-1 through AH-4), one in each cardinal direction surrounding the wellhead, to a maximum depth of 4 feet bgs. The assessment sampling locations are indicated on Figure 3.

A total of sixteen (16) soil samples were collected from the four boring locations. The collected samples were transferred under chain of custody and analyzed within appropriate holding times by Cardinal Laboratories (Cardinal). The soil samples were analyzed for TPH via Method 8015 Modified, chloride via Method SM4500Cl-B, and BTEX via Method 8021B. A copy of the laboratory analytical report and chain-of-custody documentation are included in Appendix B.

Results from the 2026 soil sampling event are summarized in Table 1. All analytical results associated with soil samples collected from boring locations installed during the 2026 assessment were below the applicable Site RRALs and reclamation requirements for chlorides, TPH, and BTEX.

### VARIANCE REQUEST

J R Oil is requesting a variance to the standard rule regarding remediation closure 19.15.29.12.D.(1) NMAC, whereby testing of the affected area is performed with 'representative five-point composite samples from the walls and base' of an excavation. The variance requested is to allow the use of grab samples for remediation closure, in place of five-point composite samples from an open excavation.

The subject line incident (NSAP0335728969) is a historical release incident that has no known date of discovery, associated with a well that is now under the operation of J R Oil. There are no reported volumes associated with the incident. A single incident event provides the only indication as to the timeframe of the reported release, which coincides with a pumping test on the newly-constructed well. The area surrounding the wellhead was investigated for the presence of any remaining impacted soils, and no impacted soils were encountered. Therefore, remediation is not warranted in this scenario and the grab samples demonstrate a lack of remaining impact.

### CONCLUSION

J R Oil, Ltd. Co. respectfully requests closure for the subject line incident based on the age of the release, the lack of associated release volumes, and the results of the Site assessment that indicate no remaining impact in the vicinity of the wellhead. The assessment activities were performed to execute a due diligence effort regarding the open incident. Since the transfer of ownership from Oxy to J R Oil, the current operator has taken it upon themselves to address the open historical incidents. Considering the lack of evidence for a significant release, and no remaining impact, J R Oil requests closure for this release incident. If you have any questions concerning the remedial activities for the Site, please call me at (509) 768-2191.

Sincerely,  
**Tetra Tech, Inc.**



Sam Chama, P.G.  
Project Manager



Samantha Abbott, P.G.  
Senior Project Manager

Remediation Closure Request  
April 27, 2026

J R Oil, Ltd. Co.

---

## **LIST OF ATTACHMENTS**

### **Figures:**

- Figure 1 – Overview Map
- Figure 2 – Topographic Map
- Figure 3 – Site Assessment Map


### **Tables:**

- Table 1 – 2026 Soil Assessment – NSAP0335728969

### **Appendices:**


- Appendix A – Site Characterization
- Appendix B – Laboratory Analytical Data


## FIGURES




Source: Esri World Street, 2024.

DOCUMENT PATH: Y:\CONOCOPHILLIPS\HANNAH\_17\_2\HANNAH\_17\_2H.APRX

|   |   |  |
|---|---|--|
|  <b>TETRA TECH</b><br>www.tetratech.com<br>901 West Wall Street, Suite 100<br>Midland, Texas 79701<br>Phone: (432) 682-4559<br>Fax: (432) 682-3946 | <b>JR OIL, LTD. CO.</b><br>NSAP0335728969<br>(33.099185°, -103.321819°)<br>LEA COUNTY, NEW MEXICO | PROJECT NO.: 212C-MD-03536<br>DATE: APRIL 01, 2026<br>DESIGNED BY: LMV |
|   | <b>HANNAH 17 STATE #002H<br/>OVERVIEW MAP</b>   | Figure No.<br><b>1</b>   |



DOCUMENT PATH: Y:\CONCOPHILLIPS\HANNAH\_17\_2\HANNAH\_17\_2H.APRX

|  |   |  |
|--|---|--|
|  <b>TETRA TECH</b><br>www.tetrattech.com<br>901 West Wall Street, Suite 100<br>Midland, Texas 79701<br>Phone: (432) 682-4559<br>Fax: (432) 682-3946 | <b>JR OIL, LTD. CO.</b><br>NSAP0335728969<br>(33.099185°, -103.321819°)<br>LEA COUNTY, NEW MEXICO | PROJECT NO.: 212C-MD-03536<br>DATE: APRIL 01, 2026<br>DESIGNED BY: LMV |
|  | <b>HANNAH 17 STATE #002H<br/>         TOPOGRAPHIC MAP</b>   | Figure No.<br><b>2</b>   |



**Legend**

- Hand Auger Location
- Approximate Well Pad Boundary

Source: Google Earth, 2024.



DOCUMENT PATH: Y:\CONOCOPHILLIPS\HANNAH\_17\_2\HANNAH\_17\_2H.APRX

|  |   |  |
|--|---|--|
|  <b>TETRA TECH</b><br>www.tetrattech.com<br>901 West Wall Street, Suite 100<br>Midland, Texas 79701<br>Phone: (432) 682-4559<br>Fax: (432) 682-3946 | <b>JR OIL, LTD. CO.</b><br><br>NSAP0335728969<br>(33.099185°, -103.321819°)<br>LEA COUNTY, NEW MEXICO | PROJECT NO.: 212C-MD-03536<br>DATE: APRIL 01, 2026<br>DESIGNED BY: LMV |
|  | <b>HANNAH 17 STATE #002H<br/>         SITE ASSESSMENT MAP</b>   | Figure No.<br><b>3</b>   |

# **TABLES**

TABLE 1  
SUMMARY OF ANALYTICAL RESULTS  
2026 SOIL ASSESSMENT - NSAP0335728969  
JR Oil Ltd.  
HANNAH 17 STATE #002H  
LEA COUNTY, NM

| Sample ID | Sample Date | Sample Depth | Chloride <sup>1</sup> |  | BTEX <sup>2</sup> |   |         |       |              |       |               |       |            |       | TPH <sup>3</sup> |   |       |   |         |   |                                |
|-----------|-------------|--------------|-----------------------|--|-------------------|---|---------|-------|--------------|-------|---------------|-------|------------|-------|------------------|---|-------|---|---------|---|--------------------------------|
|           |             |              |                       |  | Benzene           |   | Toluene |       | Ethylbenzene |       | Total Xylenes |       | Total BTEX |       | GRO              |   | DRO   |   | EXT DRO |   | Total TPH<br>(GRO+DRO+EXT DRO) |
|           |             |              |                       |  | mg/kg             | Q | mg/kg   | Q     | mg/kg        | Q     | mg/kg         | Q     | mg/kg      | Q     | mg/kg            | Q | mg/kg | Q | mg/kg   | Q |                                |
| AH-1      | 3/13/2026   | 0-1'         | 16.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 1'-2'        | 16.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 2'-3'        | 16.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 3'-4'        | 16.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
| AH-2      | 3/13/2026   | 0-1'         | 32.0                  |  | <0.050            |   | <0.050  | QM-07 | <0.050       | QM-07 | <0.150        | QM-07 | <0.300     | QM-07 | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 1'-2'        | 16.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 2'-3'        | <16.0                 |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 3'-4'        | 16.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
| AH-3      | 3/13/2026   | 0-1'         | 32.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 1'-2'        | 16.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 2'-3'        | <16.0                 |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 3'-4'        | 16.0                  |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
| AH-4      | 3/13/2026   | 0-1'         | <16.0                 |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 1'-2'        | <16.0                 |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 2'-3'        | <16.0                 |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |
|           | 3/13/2026   | 3'-4'        | <16.0                 |  | <0.050            |   | <0.050  |       | <0.050       |       | <0.150        |       | <0.300     |       | <10.0            |   | <10.0 |   | <10.0   |   | <10.0                          |

NOTES:

- ft. Feet
- bgs Below ground surface
- mg/kg Milligrams per kilogram
- TPH Total Petroleum Hydrocarbons
- GRO Gasoline range organics
- DRO Diesel range organics
- 1 Method SM4500Cl-B
- 2 Method 8021B
- 3 Method 8015M


***Bold and italicized values indicate exceedance of Site Reclamation Limits.***

QM-07: The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

# **APPENDIX A**


## **Site Characterization Data**

# NMOCD - Water Bodys



3/23/2026, 3:41:47 PM


 OSW Water Bodys



NM OSE, Bureau of Land Management, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

New Mexico Oil Conservation Division


# NMOCD - Karst Areas



3/23/2026, 3:38:44 PM

Karst Occurrence Potential

Low



BLM, OCD, New Mexico Tech, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, Esri,

New Mexico Oil Conservation Division



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

| POD Number                   | Code | Sub basin | County | Q64 | Q16 | Q4 | Sec | Tws | Range | X        | Y           | Map | Distance | Well Depth | Depth Water | Water Column |
|------------------------------|------|-----------|--------|-----|-----|----|-----|-----|-------|----------|-------------|-----|----------|------------|-------------|--------------|
| <a href="#">L 01062</a>      |      | L         | LE     | NE  | NE  | NE | 20  | 14S | 36E   | 656908.0 | 3663231.0 * | ●   | 428      | 90         | 50          | 40           |
| <a href="#">L 00806</a>      |      | L         | LE     | NW  | NW  | NE | 20  | 14S | 36E   | 656306.0 | 3663224.0 * | ●   | 432      | 122        | 49          | 73           |
| <a href="#">L 00498 S</a>    |      | L         | LE     | NW  | NW  | SE | 17  | 14S | 36E   | 656292.0 | 3664029.0   | ●   | 585      | 138        | 60          | 78           |
| <a href="#">L 00472</a>      |      | L         | LE     | NW  | NW  | NW | 21  | 14S | 36E   | 657111.0 | 3663237.0 * | ●   | 586      | 95         | 58          | 37           |
| <a href="#">L 00472</a>      | R    | L         | LE     | NW  | NW  | NW | 21  | 14S | 36E   | 657111.0 | 3663237.0 * | ●   | 586      | 95         | 58          | 37           |
| <a href="#">L 00472 POD2</a> |      | L         | LE     | NW  | NW  | NW | 21  | 14S | 36E   | 657111.0 | 3663237.0 * | ●   | 586      | 200        | 85          | 115          |
| <a href="#">L 10878</a>      |      | L         | LE     |     |     | NE | 20  | 14S | 36E   | 656615.0 | 3662924.0 * | ●   | 610      | 125        | 77          | 48           |
| <a href="#">L 14194 POD1</a> |      | L         | LE     | NW  | SE  | NE | 20  | 14S | 36E   | 656704.0 | 3662918.8   | ●   | 623      | 197        | 100         | 97           |
| <a href="#">L 07803</a>      |      | L         | LE     | NE  | SW  | SW | 16  | 14S | 36E   | 657304.0 | 3663640.0 * | ●   | 705      | 135        | 71          | 64           |
| <a href="#">L 14124 POD1</a> |      | L         | LE     | NE  | SW  | SW | 16  | 14S | 36E   | 657353.0 | 3663634.4   | ●   | 753      | 205        | 70          | 135          |

Average Depth to Water: **67 feet**

Minimum Depth: **49 feet**

Maximum Depth: **100 feet**

**Record Count:** 10

**Basin/County Search:**

**County:** LE

**UTM Filters (in meters):**

**Easting:** 656606.18

**Northing:** 3663534.88

**Radius:** 800

\* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



U.S. Fish and Wildlife Service

# National Wetlands Inventory

## National Wetlands Inventory Map



March 23, 2026

### Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

# National Flood Hazard Layer FIRMMette



103°19'37"W 33°6'12"N



## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

- SPECIAL FLOOD HAZARD AREAS**
  - Without Base Flood Elevation (BFE) Zone A, V, A99
  - With BFE or Depth Zone AE, AO, AH, VE, AR
  - Regulatory Floodway
- OTHER AREAS OF FLOOD HAZARD**
  - 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
  - Future Conditions 1% Annual Chance Flood Hazard Zone X
  - Area with Reduced Flood Risk due to Levee. See Notes. Zone X
  - Area with Flood Risk due to Levee Zone D
- OTHER AREAS**
  - NO SCREEN Area of Minimal Flood Hazard Zone X
  - Effective LOMRs
  - Area of Undetermined Flood Hazard Zone D
- GENERAL STRUCTURES**
  - Channel, Culvert, or Storm Sewer
  - Levee, Dike, or Floodwall
- OTHER FEATURES**
  - Cross Sections with 1% Annual Chance Water Surface Elevation
  - Coastal Transect
  - Base Flood Elevation Line (BFE)
  - Limit of Study
  - Jurisdiction Boundary
  - Coastal Transect Baseline
  - Profile Baseline
  - Hydrographic Feature
- MAP PANELS**
  - Digital Data Available
  - No Digital Data Available
  - Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 3/23/2026 at 9:08 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



1:6,000

103°19'W 33°5'42"N

# Active Mines in New Mexico



3/23/2026, 3:57:49 PM

Registered Mines

Aggregate, Stone etc.



Aggregate, Stone etc.




Aggregate, Stone etc.

Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, Esri, NASA, NGA, USGS



EMNRD MMD GIS Coordinator

NM Energy, Minerals and Natural Resources Department (<http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=1b5e577974664d689b47790897ca2795>)

# NMOCD Induced Seismicity Areas




3/23/2026, 3:34:52 PM



Oil Conservation Division (OCD), Energy, Minerals and Natural Resources Department (EMNRD), Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS,

New Mexico Oil Conservation Division

# NMOCD - Land Ownership




3/23/2026, 3:50:46 PM

### Mineral Ownership

N-No minerals are owned by the U.S.

### Land Ownership

P  
 S



U.S. BLM, Bureau of Land Management, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, EPA, USDA

New Mexico Oil Conservation Division

# **APPENDIX B**

## **Laboratory Analytical Data**



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

March 19, 2026

JOSH LATIMER

J R OIL

P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )

HOBBS, NM 88240

RE: HANNAH 17 STATE #002H

Enclosed are the results of analyses for samples received by the laboratory on 03/13/26 14:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

|                  |                              |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5)     |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3)  |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 1 0-1' (H261441-01)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.16 | 108        | 2.00          | 1.45 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.22 | 111        | 2.00          | 2.29 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.24 | 112        | 2.00          | 2.50 |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.80 | 113        | 6.00          | 2.58 |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 3.77 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/19/2026 | ND              | 228 | 114        | 200           | 0.156 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/19/2026 | ND              | 203 | 102        | 200           | 5.19  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/19/2026 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 72.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 65.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 1 1-2' (H261441-02)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.16 | 108        | 2.00          | 1.45 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.22 | 111        | 2.00          | 2.29 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.24 | 112        | 2.00          | 2.50 |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.80 | 113        | 6.00          | 2.58 |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 3.77 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/19/2026 | ND              | 228 | 114        | 200           | 0.156 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/19/2026 | ND              | 203 | 102        | 200           | 5.19  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/19/2026 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 71.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 65.5 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 1 2-3' (H261441-03)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.16 | 108        | 2.00          | 1.45 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.22 | 111        | 2.00          | 2.29 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.24 | 112        | 2.00          | 2.50 |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.80 | 113        | 6.00          | 2.58 |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 3.77 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/14/2026 | ND              | 228 | 114        | 200           | 0.156 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/14/2026 | ND              | 203 | 102        | 200           | 5.19  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/14/2026 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 99.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 103 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 1 3-4 (H261441-04)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.16 | 108        | 2.00          | 1.45 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.22 | 111        | 2.00          | 2.29 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.24 | 112        | 2.00          | 2.50 |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.80 | 113        | 6.00          | 2.58 |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/19/2026 | ND              | 228 | 114        | 200           | 0.156 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/19/2026 | ND              | 203 | 102        | 200           | 5.19  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/19/2026 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 77.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.8 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 2 0-1' (H261441-05)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  | QM-07     |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  | QM-07     |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  | QM-07     |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.4-141

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 32.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/19/2026 | ND              | 228 | 114        | 200           | 0.156 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/19/2026 | ND              | 203 | 102        | 200           | 5.19  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/19/2026 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 75.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 69.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 2 1-2' (H261441-06)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 69.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.8 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 2 2-3' (H261441-07)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |  |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |  |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.4-141

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | <16.0  | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |  |

Surrogate: 1-Chlorooctane 74.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.0 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 2 3-4 (H261441-08)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 78.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.7 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 3 0-1' (H261441-09)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 32.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 74.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 3 1-2' (H261441-10)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |  |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |  |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 129 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | 16.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |  |

Surrogate: 1-Chlorooctane 80.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 3 2-3' (H261441-11)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |  |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |  |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 122 % 70.4-141

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | <16.0  | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |  |

Surrogate: 1-Chlorooctane 80.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.1 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 3 3-4 (H261441-12)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 77.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 4 0-1' (H261441-13)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |  |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |  |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | <16.0  | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |  |

Surrogate: 1-Chlorooctane 80.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.8 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 4 1-2' (H261441-14)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |  |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |  |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | <16.0  | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |  |

Surrogate: 1-Chlorooctane 78.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.5 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 4 2-3' (H261441-15)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |  |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |  |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 123 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | <16.0  | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |  |

Surrogate: 1-Chlorooctane 81.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

J R OIL  
 JOSH LATIMER  
 P.O. BOX 2975 ( 5700 W. CARLSBAD HWY )  
 HOBBS NM, 88240  
 Fax To:

|                   |                       |                     |                |
|-------------------|-----------------------|---------------------|----------------|
| Received:         | 03/13/2026            | Sampling Date:      | 03/13/2026     |
| Reported:         | 03/19/2026            | Sampling Type:      | Soil           |
| Project Name:     | HANNAH 17 STATE #002H | Sampling Condition: | Cool & Intact  |
| Project Number:   | NONE GIVEN            | Sample Received By: | Tamara Oldaker |
| Project Location: | LEA COUNTY, NM        |                     |                |

**Sample ID: AH - 4 3-4 (H261441-16)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.06 | 103        | 2.00          | 0.451 |           |
| Toluene*       | <0.050 | 0.050           | 03/13/2026 | ND              | 2.10 | 105        | 2.00          | 3.23  |           |
| Ethylbenzene*  | <0.050 | 0.050           | 03/13/2026 | ND              | 2.18 | 109        | 2.00          | 5.48  |           |
| Total Xylenes* | <0.150 | 0.150           | 03/13/2026 | ND              | 6.50 | 108        | 6.00          | 4.81  |           |
| Total BTEX     | <0.300 | 0.300           | 03/13/2026 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: AC |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 03/16/2026 | ND              | 432 | 108        | 400           | 7.14 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: JF |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 03/13/2026 | ND              | 182 | 90.8       | 200           | 9.88 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 03/13/2026 | ND              | 170 | 84.9       | 200           | 3.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 03/13/2026 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 76.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.9 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
\*\* Samples not received at proper temperature of 6°C or below.
\*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476


Company Name: J ROI  
 Project Manager: Sam Chama  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
 Project #: \_\_\_\_\_ Project Owner: \_\_\_\_\_  
 Project Name: Hannah 17 State #002H  
 Project Location: Lea County, NM  
 Sampler Name: Josh Latimer  
 P.O. #: \_\_\_\_\_ Company: TetraTech  
 Attn: Sam Chama  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP | # CONTAINERS | MATRIX      |            |      |     |        |       |           | PRESERV | SAMPLING | DATE  | TIME | TPH | BTEX | CHLORIDE |
|----------|-------------|------------------|--------------|-------------|------------|------|-----|--------|-------|-----------|---------|----------|-------|------|-----|------|----------|
|          |             |                  |              | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER | ACID/BASE |         |          |       |      |     |      |          |
| HAG1441  | 1           | AH-1 0-1'        |              |             | X          |      |     |        |       | X         |         | 3-13-26  | 11:00 | X    | X   | X    |          |
|          | 2           | AH-1 1-2'        |              |             | X          |      |     |        |       | X         |         | 11:10    | X     | X    | X   | X    |          |
|          | 3           | AH-1 2-3'        |              |             | X          |      |     |        |       | X         |         | 11:20    | X     | X    | X   | X    |          |
|          | 4           | AH-1 3-4'        |              |             | X          |      |     |        |       | X         |         | 11:30    | X     | X    | X   | X    |          |
|          | 5           | AH-2 0-1'        |              |             | X          |      |     |        |       | X         |         | 11:40    | X     | X    | X   | X    |          |
|          | 6           | AH-2 1-2'        |              |             | X          |      |     |        |       | X         |         | 11:50    | X     | X    | X   | X    |          |
|          | 7           | AH-2 2-3'        |              |             | X          |      |     |        |       | X         |         | 12:00    | X     | X    | X   | X    |          |
|          | 8           | AH-2 3-4'        |              |             | X          |      |     |        |       | X         |         | 12:10    | X     | X    | X   | X    |          |

04024018

Relinquished By: \_\_\_\_\_  
 Date: 3-13-26  
 Time: 14:00  
 Received By: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Time: \_\_\_\_\_  
 Observed Temp. °C: 4/5  
 Corrected Temp. °C: 4.6  
 Sample Condition:  Intact  Not Intact  
 CHECKED BY: (Initials) JS  
 Turnaround Time: \_\_\_\_\_  
 Standard:  Bacteria (only)  Fungi  
 Cool Intact:  Yes  No  
 Corrected Temp. °C: 10.1c  
 Remarks: \_\_\_\_\_

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240  
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

|   |  |   |  |
|---|--|---|--|
| Company Name: <b>JROI</b><br>Project Manager: <b>Sam Chama</b><br>Address:<br>City: _____ State: _____ Zip: _____<br>Phone #: _____ Fax #: _____<br>Project #: _____ Project Owner: _____<br>Project Name: <b>Hannah 17 State #002H</b><br>Project Location: <b>Lea County, NM</b><br>Sampler Name: <b>Josh Latimer</b> |  | P.O. #: _____<br>Company: <b>TetraTech</b><br>Attn: <b>Sam Chama</b><br>Address:<br>City: _____ State: _____ Zip: _____<br>Phone #: _____ Fax #: _____  |  |
| Delivered By: (Circle One) _____<br>Sampler - UPS - Bus - Other: _____<br>Observed Temp. °C: <b>4.5</b><br>Corrected Temp. °C: <b>4.6</b>   |  | Received By: <i>[Signature]</i><br>Date: <b>3-13-26</b><br>Time: <b>14:00</b><br>Received By: _____<br>Date: _____<br>Time: _____   |  |
| Turnaround Time: _____<br>Standard Rush: _____<br>Bacteria (only) Sample Condition: _____<br>Cool Inact: _____<br>Yes _____ No _____<br>Corrected Temp. °C: _____   |  | Verbal Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br>Add'l Phone #: _____<br>All Results are emailed. Please provide Email address:<br>sam.chama@tetratech.com jlatimer@jroi.com |  |
| Relinquished By: <i>[Signature]</i><br>Date: _____<br>Time: _____   |  | REMARKS: _____  |  |

| Lab I.D.  | Sample I.D. | FOR LAB USE ONLY |              | MATRIX | PRESERV. | SAMPLING            | TPH | BTEX | CHLORIDE |
|-----------|-------------|------------------|--------------|--------|----------|---------------------|-----|------|----------|
|           |             | (G)RAB OR (C)OMP | # CONTAINERS |        |          |                     |     |      |          |
| <b>9</b>  | AH-3 0-1'   |                  |              | X      |          | <b>3-13-26 0945</b> | X   | X    | X        |
| <b>10</b> | AH-3 1-2'   |                  |              | X      |          | <b>0955</b>         | X   | X    | X        |
| <b>11</b> | AH-3 2-3'   |                  |              | X      |          | <b>10:00</b>        | X   | X    | X        |
| <b>12</b> | AH-3 3-4'   |                  |              | X      |          | <b>10:10</b>        | X   | X    | X        |
| <b>13</b> | AH-4 0-1'   |                  |              | X      |          | <b>10:25</b>        | X   | X    | X        |
| <b>14</b> | AH-4 1-2'   |                  |              | X      |          | <b>10:30</b>        | X   | X    | X        |
| <b>15</b> | AH-4 2-3'   |                  |              | X      |          | <b>10:40</b>        | X   | X    | X        |
| <b>16</b> | AH-4 3-4'   |                  |              | X      |          | <b>10:50</b>        | X   | X    | X        |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 579238

**QUESTIONS**

|   |   |
|---|---|
| Operator:<br>J R OIL, LTD. CO.<br>P.O. Box 53657<br>Lubbock, TX 79453 | OGRID:<br>256073  |
|   | Action Number:<br>579238  |
|   | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

|                      |   |
|----------------------|---|
| <b>Prerequisites</b> |   |
| Incident ID (n#)     | nSAP0335728969                                      |
| Incident Name        | NSAP0335728969 HANNAH 17 STATE #002H @ 30-025-36284 |
| Incident Type        | Unavailable.  |
| Incident Status      | Remediation Closure Report Received                 |
| Incident Well        | [30-025-36284] HANNAH 17 STATE #002H                |

**Location of Release Source**

Please answer all the questions in this group.

|                         |                       |
|-------------------------|-----------------------|
| Site Name               | Hannah 17 State #002H |
| Date Release Discovered |                       |
| Surface Owner           | Private               |

**Incident Details**

Please answer all the questions in this group.

|  |       |
|--|-------|
| Incident Type  | Other |
| Did this release result in a fire or is the result of a fire   | No    |
| Did this release result in any injuries  | No    |
| Has this release reached or does it have a reasonable probability of reaching a watercourse          | No    |
| Has this release endangered or does it have a reasonable probability of endangering public health    | No    |
| Has this release substantially damaged or will it substantially damage property or the environment   | No    |
| Is this release of a volume that is or may with reasonable probability be detrimental to fresh water | No    |

**Nature and Volume of Release**

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

|  |   |
|--|---|
| Crude Oil Released (bbls) Details  | Cause: Production Test   Well   Crude Oil   Released: 0 BBL (Unknown Released Amount)   Recovered: 0 BBL   Lost: 0 BBL.   |
| Produced Water Released (bbls) Details   | Cause: Production Test   Well   Produced Water   Released: 0 BBL (Unknown Released Amount)   Recovered: 0 BBL   Lost: 0 BBL.  |
| Is the concentration of chloride in the produced water >10,000 mg/l  | Yes   |
| Condensate Released (bbls) Details   | Not answered.   |
| Natural Gas Vented (Mcf) Details   | Not answered.   |
| Natural Gas Flared (Mcf) Details   | Not answered.   |
| Other Released Details   | Not answered.   |
| Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts) | Release is associated with legacy release incident. No C-141 information was available. Operators have changed since the release incident. No C-141 form available. |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 579238

**QUESTIONS (continued)**

|   |   |
|---|---|
| Operator:<br>J R OIL, LTD. CO.<br>P.O. Box 53657<br>Lubbock, TX 79453 | OGRID:<br>256073  |
|   | Action Number:<br>579238  |
|   | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

|  |  |
|--|--|
| <b>Nature and Volume of Release (continued)</b>  |  |
| Is this a gas only submission (i.e. only significant Mcf values reported)  | <b>No, according to supplied volumes this does not appear to be a "gas only" report.</b>   |
| Was this a major release as defined by Subsection A of 19.15.29.7 NMAC   | <b>Yes</b>   |
| Reasons why this would be considered a submission for a notification of a major release  | <b>From paragraph A. "Major release" determine using:<br/>(1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.</b> |
| <i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i> |  |

**Initial Response**

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.*

|  |                      |
|--|----------------------|
| The source of the release has been stopped   | <b>True</b>          |
| The impacted area has been secured to protect human health and the environment                                     | <b>True</b>          |
| Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices | <b>True</b>          |
| All free liquids and recoverable materials have been removed and managed appropriately                             | <b>True</b>          |
| If all the actions described above have not been undertaken, explain why   | <i>Not answered.</i> |

*Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

|  |  |
|--|--|
| I hereby agree and sign off to the above statement | Name: Sam Chama<br>Title: TetraTech<br>Email: sam.chama@tetrattech.com<br>Date: 04/27/2026 |
|--|--|

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 579238

**QUESTIONS (continued)**

|   |   |
|---|---|
| Operator:<br>J R OIL, LTD. CO.<br>P.O. Box 53657<br>Lubbock, TX 79453 | OGRID:<br>256073  |
|   | Action Number:<br>579238  |
|   | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |
|   |   |

**QUESTIONS****Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

|  |                                |
|--|--------------------------------|
| What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs) | Between 51 and 75 (ft.)        |
| What method was used to determine the depth to ground water  | NM OSE iWaters Database Search |
| Did this release impact groundwater or surface water   | No                             |
| <b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>   |                                |
| A continuously flowing watercourse or any other significant watercourse  | Greater than 5 (mi.)           |
| Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  | Between 1 and 5 (mi.)          |
| An occupied permanent residence, school, hospital, institution, or church  | Between 1 and 5 (mi.)          |
| A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes  | Between 1 and 5 (mi.)          |
| Any other fresh water well or spring   | Between 1 and 5 (mi.)          |
| Incorporated municipal boundaries or a defined municipal fresh water well field  | Between 1 and 5 (mi.)          |
| A wetland  | Between ½ and 1 (mi.)          |
| A subsurface mine  | Greater than 5 (mi.)           |
| An (non-karst) unstable area   | Greater than 5 (mi.)           |
| Categorize the risk of this well / site being in a karst geology   | Low                            |
| A 100-year floodplain  | Greater than 5 (mi.)           |
| Did the release impact areas not on an exploration, development, production, or storage site                               | No                             |

**Remediation Plan**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

|  |     |
|--|-----|
| Requesting a remediation plan approval with this submission  | Yes |
| <i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i> |     |
| Have the lateral and vertical extents of contamination been fully delineated   | Yes |
| Was this release entirely contained within a lined containment area  | No  |

**Soil Contamination Sampling:** (Provide the highest observable value for each, in milligrams per kilograms.)

|   |     |
|---|-----|
| Chloride (EPA 300.0 or SM4500 Cl B)         | 32  |
| TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M) | 10  |
| GRO+DRO (EPA SW-846 Method 8015M)           | 10  |
| BTEX (EPA SW-846 Method 8021B or 8260B)     | 0.3 |
| Benzene (EPA SW-846 Method 8021B or 8260B)  | 0.1 |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

|   |            |
|---|------------|
| On what estimated date will the remediation commence                        | 12/05/2003 |
| On what date will (or did) the final sampling or liner inspection occur     | 03/13/2026 |
| On what date will (or was) the remediation complete(d)                      | 03/13/2026 |
| What is the estimated surface area (in square feet) that will be reclaimed  | 1100       |
| What is the estimated volume (in cubic yards) that will be reclaimed        | 163        |
| What is the estimated surface area (in square feet) that will be remediated | 1100       |
| What is the estimated volume (in cubic yards) that will be remediated       | 163        |

*These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.*

*The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.*

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 579238

**QUESTIONS (continued)**

|   |   |
|---|---|
| Operator:<br>J R OIL, LTD. CO.<br>P.O. Box 53657<br>Lubbock, TX 79453 | OGRID:<br>256073  |
|   | Action Number:<br>579238  |
|   | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

**Remediation Plan (continued)**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

**This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:**

(Select all answers below that apply.)

|   |  |
|---|--|
| (Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.) | Not answered.  |
| (Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)         | Not answered.  |
| (In Situ) Soil Vapor Extraction   | Not answered.  |
| (In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)     | Not answered.  |
| (In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)                    | Not answered.  |
| (In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)              | Not answered.  |
| Ground Water Abatement pursuant to 19.15.30 NMAC                                      | Not answered.  |
| OTHER (Non-listed remedial process)   | Yes  |
| Other Non-listed Remedial Process. Please specify                                     | Unknown volumes released associated with legacy release incident. Confident in inferred release point based on dates associated with incident. Assessment around inferred release point took place to determine what extent, if any, remaining impact was present. No remaining impact found in upper 4 feet in inferred release area. Thus, it is believed remediation was completed without documentation. Variance for remediation closure is requested. See attached remediation closure request report for details. |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

|  |  |
|--|--|
| I hereby agree and sign off to the above statement | Name: Sam Chama<br>Title: TetraTech<br>Email: sam.chama@tetrattech.com<br>Date: 04/27/2026 |
|--|--|

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 5

Action 579238

**QUESTIONS (continued)**

|   |   |
|---|---|
| Operator:<br>J R OIL, LTD. CO.<br>P.O. Box 53657<br>Lubbock, TX 79453 | OGRID:<br>256073  |
|   | Action Number:<br>579238  |
|   | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

|   |    |
|---|----|
| <b>Deferral Requests Only</b>   |    |
| <i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i> |    |
| Requesting a deferral of the remediation closure due date with the approval of this submission  | No |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 579238

**QUESTIONS (continued)**

|   |   |
|---|---|
| Operator:<br>J R OIL, LTD. CO.<br>P.O. Box 53657<br>Lubbock, TX 79453 | OGRID:<br>256073  |
|   | Action Number:<br>579238  |
|   | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |
|   |   |

**QUESTIONS**

| <b>Sampling Event Information</b>   |                   |
|---|-------------------|
| Last sampling notification (C-141N) recorded  | <b>562047</b>     |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | <b>03/13/2026</b> |
| What was the (estimated) number of samples that were to be gathered                             | <b>12</b>         |
| What was the sampling surface area in square feet   | <b>1100</b>       |

| <b>Remediation Closure Request</b>   |   |
|--|---|
| <i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>  |   |
| Requesting a remediation closure approval with this submission   | <b>Yes</b>  |
| Have the lateral and vertical extents of contamination been fully delineated   | <b>Yes</b>  |
| Was this release entirely contained within a lined containment area  | <b>No</b>   |
| All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion   | <b>Yes</b>  |
| What was the total surface area (in square feet) remediated  | <b>1100</b>   |
| What was the total volume (cubic yards) remediated   | <b>163</b>  |
| All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene | <b>Yes</b>  |
| What was the total surface area (in square feet) reclaimed   | <b>1100</b>   |
| What was the total volume (in cubic yards) reclaimed   | <b>163</b>  |
| Summarize any additional remediation activities not included by answers (above)  | <b>Legacy incident release. See report for detailed discussion.</b> |

*The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

|  |   |
|--|---|
| I hereby agree and sign off to the above statement | Name: Sam Chama<br>Title: TetraTech<br>Email: sam.chama@tetratech.com<br>Date: 04/27/2026 |
|--|---|

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 579238

**QUESTIONS (continued)**

|   |   |
|---|---|
| Operator:<br>J R OIL, LTD. CO.<br>P.O. Box 53657<br>Lubbock, TX 79453 | OGRID:<br>256073  |
|   | Action Number:<br>579238  |
|   | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

|  |    |
|--|----|
| <b>Reclamation Report</b>  |    |
| <i>Only answer the questions in this group if all reclamation steps have been completed.</i> |    |
| Requesting a reclamation approval with this submission                                       | No |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 579238

**CONDITIONS**

|   |   |
|---|---|
| Operator:<br>J R OIL, LTD. CO.<br>P.O. Box 53657<br>Lubbock, TX 79453 | OGRID:<br>256073  |
|   | Action Number:<br>579238  |
|   | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**CONDITIONS**

| Created By    | Condition  | Condition Date |
|---------------|--|----------------|
| scott.rodgers | This Remediation Closure Report is approved. Areas reasonably needed for production or subsequent drilling operations will need to be reclaimed and revegetated as soon as they are no longer reasonably needed. A report for reclamation and revegetation will need to be submitted and approved prior to this incident receiving the final status of "Restoration Complete". | 5/27/2026      |