



RE : Closure Request
Robin Fed Com 201H (30-025-52588)
Incident Number : nAPP2507939778

To Whom It May Concern,

Tellus Services LLC (Tellus), on behalf of Permian Resources Operating LLC (Permian), has prepared this *Closure Request* to document assessment and remediation activities performed at the Robin Fed Com 201H (site). Based upon delineation, field activities, soil sample laboratory analytical results, Permian is submitting this *Closure Request*, describing the site remediation activities that have occurred and requesting no further action for Incident Number nAPP2507939778.

SITE DESCRIPTION AND RELEASE SUMMARY

The Site is located in Unit K, Section 20, Township 20 South, Range 34 East in rural LEA County, New Mexico (32.554786, -103.585873) and is associated with oil and gas exploration and production operations on Bureau of Land Management (BLM) lands. On March 20th, 2025, a release caused due to equipment failure was reported to the New Mexico Oil Conservation Division (NMOCD) with the submission of Form C-141 and was issued incident number Napp2507939778. Filed form C-141 can be referenced on the NMOCD portal as well as the supporting documentation, Attachment V. The release was estimated to have been fifty-two (52) barrels of crude oil, with zero (0) barrels to have been recovered at the time of release. Approximately 11,000 square feet of a pipeline right of way near a caliche hardened drilling pad appeared to be visually saturated due to the release.

SITE CHARACTERIZATION AND CLOSURE CRITERIA

The Site was characterized to assess applicability of Table I, Closure Criteria for Soils Impacted by a Release, of Title 19 Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) under rules for a Major release. The results of the site characterization have been summarized below, and supporting documentation can be found in the appendices.

A search of the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey (USGS) groundwater databases was completed to determine if any registered groundwater wells are located within a ½ mile of the release site. Only one (1) Point of Diversion (POD) listed on the website of the NMOSE lie within one half mile of site – CP-01867-POD2. While only POD2 falls within the ½ mile radius also within a 250-foot radius of this POD are an additional three POD sites (CP-01867-POD1, CP-01867-POD3, CP-01867-POD4). All four points of diversion have been plugged as monitoring wells showing dry holes with a total depth of at least 200 feet below ground surface. The USGS National Water Information System did not find a groundwater site within one-half mile of the site. OSE POD Locations can be found in Figure , while POD details can be reviewed in Attachment I. A risk-based site assessment/characterization was performed following the New Mexico Oil Conservation Division (NMOCD) Rule (Title 19 Chapter 15 Part 29). To summarize the site assessment and characterization evaluation, the affected area has low potential for cave and karst, and no other receptors (residence, school, hospital, institution, church, mining, municipal, or other ordinance boundaries) were located within the regulatory promulgated distances from the site. All figures showing results of these searches from the National Wetlands Inventory, Karst Potential Map, National Flood Hazard Layer can be found in Attachment III.

Based upon the POD evidence provided above and within Figure 1, stating that depth to groundwater is greater than 220 feet below ground surface, closure criteria has been followed in accordance with Table NMAC 19.15.29.12 while the restoration standard for soils at 0-4 feet below ground surface were followed at closure criteria for less than 50 feet to groundwater.

RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



ASSESSMENT AND REMEDIATION ACTIVITIES

eTech Environmental & Safety Solutions, INC (eTech) mobilized to the site on May 1st, 2025, to perform a site assessment and delineation of the release footprint. Seven (7) sample points (SP1 through SP7) were collected at various depths ranging from surface to six (6) feet below ground surface within the extent of the release footprint to achieve vertical delineation. An additional four (4) sample points (NH, EH, SH, WH) were collected outside of the footprint to achieve horizontal delineation. All soil samples collected were analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX) according to method EPA 8021B, total petroleum hydrocarbons (TPH) in accordance with method EPA 8015B, and chlorides to method EPA 300.0 at Cardinal Laboratories located in Hobbs, NM. Analytical results from this sampling event can be found in Table 1, while the approximate sampling locations can be found in Figure 2. A copy of the certified laboratory report for these soil samples can also be found in Attachment IV.

Following soil sample results contaminated soils in exceedance of the reclamation standard for groundwater less than fifty (50) feet in the upper most four (4) feet began on July 29th, 2025. Areas nearest SP1, SP3, SP5 and SP7 were excavated to a total depth of two (2) feet below ground surface, while areas nearest SP2 to a depth of four (4) feet below ground surface and SP6 to a depth of three (3) feet below ground surface. Additional excavation included areas nearest SP4 to a depth of six (6) feet below ground surface. Upon excavation the release footprint was then field screened for chlorides using Quantab low range testing strips to ensure all contaminated soils had been excavated, while contaminated soils were stockpiled on a plastic liner. In total approximately 940 cubic yards of contaminated soil were excavated and staged for transportation to the LEA Land Disposal Facility.

Upon completion of the removal of affected soils a 48-hour soil sampling notification was submitted to the NMOCD on August 6th, 2025, to collect soil confirmation samples a copy of the notification can be found in Attachment V. In total the excavation footprint measured approximately 7,391 square feet, and confirmation soil samples were collected not to exceed a 200 square foot area totaling thirty-seven (37) confirmation soil samples from the floor of the excavation. An additional ten (10) sidewall soil samples were collected and submitted to Permian Basin Environmental Laboratories in Midland Texas. All soil samples collected were analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX) according to method EPA 8021B, total petroleum hydrocarbons (TPH) in accordance with method EPA 8015B, and chlorides to method EPA 300.0.

In review of the confirmation soil sample results, it was noted that bottom hole seven (BH-7) and bottom hole twelve (BH-12) were in exceedance of NMOCD closure criteria for the uppermost four feet due to TPH concentrations. Additionally, three (3) of the sidewall soil samples were also in exceedance for closure criteria due to TPH concentrations. BH-7 was then excavated an additional six (6) inches within a 200 square foot area, while BH-12 was excavated an additional three (3) inches. Each of the sidewalls were extended an additional five (5) feet in the cardinal direction from the area in which they were collected. In total an additional estimated one hundred and eight 120 cubic yards of soil were transported to the LEA Land Disposal Facility.

Upon completion of the excavation a sampling notification was submitted to the NMOCD, for a sampling date of August 18th, 2025. Each of the five (5) soil sampling areas was again sampled to confirm all impacted soils had been removed from the release footprint. Each of the areas of concern were then found to be within NMOCD closure criteria for a depth to groundwater greater than 100 feet, or the reclamation standard to the upper most 4 feet. A summary of the analytical results can be found in Table II while the sampling locations can be viewed in Figure 3. Also available is a copy of the certified laboratory report for these soil samples and can be found in Attachment IV. The importation of replacement soil to the site began on August 29th, 2025, to begin backfilling the excavation with clean,

RE : Closure Request
 Robin Fed Com 201H (#30-025-52588)
 Incident Number : NAPP2507939778



non contaminated, like soils to the area. The backfilled excavation was leveled and contoured to match the surrounding grade. Photographic evidence of the remediation efforts can be found in Attachment II. Given the current use of the current use of oil and gas production activities the site was not reseeded at this time. Upon reclamation of the site, the areas shall be prepared and seeded with a native seed blend or a variation approved by the landowner. Seed mixture shall not include noxious weeds, and periodic site visits shall be conducted until a seventy (70) percent pre disturbance life cover has been achieved.


WASTE MANGEMENT

Approximately 1,060 cubic yards of impacted soil were disposed of at LEA Land Disposal Facility. Copies of the waste manifests for transportation of impacted soil can be found in Attachment VI.

REQUEST FOR CLOSURE

This site meets the standards of 19.15.29.12 NMAC: site characterization, vertical and horizontal delineation, and remediation therefor, Tellus Services respectfully requests that the New Mexico Oil Conservation Division grant closure approval for the referenced release. The documentation provided in this report supports this request, by Tellus Services on behalf of Permian Resources, that incident number nAPP2507939778 be closed at this time with no further remedial action.

Respectfully Submitted,


 Jamey Fowler
 President

Included –

Figure 1 – Site Receptors Map
 Figure 2 – Site Delineation Map
 Figure 3 – Site Remediation Map

Table 1 – Summary of Delineation Soil Sampling Event
 Table 2 – Summary of Confirmation Soil Sampling Events

Attachment I – OSE Pod Details
 Attachment II – Photographic Log
 Attachment III – Wetlands Map, Flood Plane Map, Soil Survey
 Attachment IV – Laboratory Analytical Reports
 Attachment V – NMOCD Communication
 Attachment VI –Waste Disposal Manifests


RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



FIGURES

- Figure 1 – Site Receptors Map
- Figure 2 – Site Delineation Map
- Figure 3 – Site Remediation Map

FIGURE 1 - Robin Fed Com 201H #nAPP25070939778




9/9/2025, 12:16:30 PM


GIS WATERS PODs ●

- Active
- Pending
- Plugged
- ▭ Federal Lands
- ▭ New Mexico State Trust Lands
- ▭ Both Estates

1:18,056



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Maxar







Legend:
● Sample Points

Figure 1
Site Diagram
Robin Fed Com 201H
Permian Resources Operating, LLC
GPS: 32.554786, -103.585873

eTECH 
Environmental & Safety Solutions, Inc.

Drafted: rr Checked: jwl Date: 5/9/25



	FIGURE 3 - SITE REMEDIATION MAP	TABLE  Excavation Footprint  Confirmation Sample Point  Sidewall Sample Point
	ROBIN FED COM 201H (#30-025-52588)	
	NMOCD INCIDENT #nAPP2507939778	
	DATE : 8/9/2025	

RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



TABLES

Table 1 – Summary of Delineation Soil Sampling Event

Table 2 – Summary of Confirmation Soil Sampling Events

Table 1
Concentrations of BTEX, TPH, and Chloride in Soil
Permian Resources
Robin Fed Com 201H
NMOCD Ref. #: nAPP2507939778

NMOCD Closure Criteria				10	50	-	-	-	-	-	-
NMOCD Reclamation Standard				10	50	-	-	-	-	100	600
Sample ID	Date	Depth (Feet)	Soil Status	SW 846 8021B		SW 846 8015M Ext.					4500 Cl
				Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈ (mg/kg)	ORO C ₂₈ -C ₃₆ (mg/kg)	TPH C ₆ -C ₃₆ (mg/kg)	Chloride (mg/kg)
SP 1 @ SURF	5/1/2025	0-	In-Situ	<0.050	2.47	284	25,400	25,700	6,920	32,600	2,320
SP 2 @ SURF	5/1/2025	0-	In-Situ	<0.200	59.6	1,740	30,000	31,700	7,460	39,200	3,120
SP 3 @ SURF	5/1/2025	0-	In-Situ	0.220	38.0	2,860	64,100	67,000	13,600	80,600	1,800
SP 4 @ SURF	5/1/2025	0-	In-Situ	1.57	67.4	1,870	16,300	18,200	3,260	21,400	32.0
SP 5 @ SURF	5/1/2025	0-	In-Situ	<0.050	0.634	21.2	984	1,010	205	1,210	272
SP 6 @ SURF	5/1/2025	0-	In-Situ	<0.050	2.43	333	17,300	17,600	3,850	21,500	1,630
SP 7 @ SURF	5/1/2025	0-	In-Situ	<0.050	2.51	366	32,400	32,800	7,590	40,400	4,560
SP 1 @ 2'	5/1/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
SP 2 @ 4'	5/1/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SP 3 @ 2'	5/1/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
SP 4 @ 6'	5/1/2025	6	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
SP 5 @ 2'	5/1/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
SP 6 @ 3'	5/1/2025	3	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SP 7 @ 2'	5/1/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
NH	5/1/2025	0-	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
EH	5/1/2025	0-	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SH	5/1/2025	0-	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
WH	5/1/2025	0-	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	208

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
 Red Border with Shading: Highest observed concentration.

Table II Confirmation Soil Analytical Summary Permian Resources Robin Fed Com 201H NMOCD Ref. #nAPP2507939778											
NMOCD Reclamation Standard				-	-	-	100	10	50	600	
NMOCD Closure Criteria				1,000			-	2500	10	50	20000
Sample ID	Sample Date	Depth (bgs)	Soil Status	Method SW 846 8021B				Method 846 8015M Ext		Method 4500 Cl	
				TPH C6-C10 (GRO) (mg/kg)	TPH C10-C28 (DRO) (mg/kg)	TPH C28-C35 (MRO) (mg/kg)	Total TPH (mg/kg)	BENZENE (mg/kg)	TOTAL BTEX (mg/kg)	CHLORIDE (mg/kg)	
BH-1	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	21.0	
BH-2	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	27.3	
BH-3	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	21.2	
BH-4	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	309	
BH-5	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	33.8	
BH-6	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	20.4	
BH-7	8/08/2025	2	Ex-Situ	ND	221	46.7	268	ND	ND	47.3	
	8/18/2025	2.5	In-Situ	ND	ND	ND	ND	ND	ND	408	
BH-8	8/08/2025	2.65	In-Situ	ND	ND	ND	ND	ND	ND	111	
BH-9	8/08/2025	2.65	In-Situ	ND	ND	ND	ND	ND	ND	6.52	
BH-10	8/08/2025	2.65	In-Situ	ND	ND	ND	ND	ND	ND	228	
BH-11	8/08/2025	2.65	In-Situ	ND	ND	ND	ND	ND	ND	31.2	
BH-12	8/08/2025	2.65	Ex-Situ	ND	103	ND	103	ND	ND	21.6	
	8/18/2025	3	In-Situ	ND	ND	ND	ND	ND	ND	56.2	
BH-13	8/08/2025	4	In-Situ	ND	ND	ND	ND	ND	ND	37.7	
BH-14	8/08/2025	4	In-Situ	ND	ND	ND	ND	ND	ND	21.6	
BH-15	8/08/2025	4	In-Situ	ND	ND	ND	ND	ND	ND	42.0	
BH-16	8/08/2025	4	In-Situ	ND	ND	ND	ND	ND	ND	15.7	
BH-17	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	14.9	
BH-18	8/08/2025	2	In-Situ	ND	35.7	ND	35.7	ND	ND	40.9	
BH-19	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	5.3	
BH-20	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	6.7	
BH-21	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	90.8	
BH-22	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	89.1	
BH-23	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	32.5	
BH-24	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	57.4	
BH-25	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	1.7	
BH-26	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	50.5	
BH-27	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	50.3	
BH-28	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	255	
BH-29	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	22.7	
BH-30	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	93.1	
BH-31	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	42.7	
BH-32	8/08/2025	2	In-Situ	ND	44.3	25.2	69.5	ND	ND	6.20	
BH-33	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	29.0	
BH-34	8/08/2025	2	In-Situ	ND	ND	ND	ND	ND	ND	2.6	
BH-35	8/08/2025	7	In-Situ	ND	221	90.0	311	ND	ND	38.5	
BH-36	8/08/2025	7	In-Situ	ND	492	110	602	ND	ND	44.3	
BH-37	8/08/2025	6	In-Situ	ND	294	64.8	359	ND	ND	18.3	
NW-1	8/08/2025	0 - 2	In-Situ	ND	ND	ND	ND	ND	ND	92.4	
EW-1	8/08/2025	0-3	Ex-Situ	ND	208	51.4	259	ND	ND	13.1	
	8/18/2025	0-3	In-Situ	ND	ND	ND	ND	ND	ND	32.6	
EW-2	8/08/2025	0 - 4	In-Situ	ND	ND	ND	ND	ND	ND	6.47	
EW-3	8/08/2025	0 - 3	In-Situ	ND	ND	ND	ND	ND	ND	244	
SW-1	8/08/2025	0 - 2	In-Situ	ND	ND	ND	ND	ND	ND	129	
SW-2	8/08/2025	0 - 7	Ex-Situ	35.0	625	125	785	ND	ND	75.5	
	8/18/2025	0 - 4	In-Situ	ND	ND	ND	ND	ND	ND	26.4	
	8/18/2025	4 - 7	In-Situ	ND	ND	ND	ND	ND	ND	3.02	
WW-1	8/08/2025	0 - 2	In-Situ	ND	ND	ND	ND	ND	ND	50.7	
WW-2	8/08/2025	0 - 4	In-Situ	ND	ND	ND	ND	ND	ND	7.51	
WW-3	8/08/2025	0-2	Ex-Situ	ND	457	92.4	549	ND	ND	55.7	
	8/18/2025	0-2	In-Situ	ND	ND	ND	ND	ND	ND	51.2	
WW-4	8/08/2025	0 - 7	In-Situ	ND	ND	ND	ND	ND	ND	2.95	
BM	9/12/2025	-	Backfill Soil	ND	ND	ND	ND	ND	ND	12.6	

- Notes:
1. bgs - below ground surface
 2. TPH - total petroleum hydrocarbons
 3. GRO - gasoline range organics
 4. DRO - diesel range organics
 5. ORO - oil range organics
 6. NMOCD - New Mexico Oil Conservation Division
 7. Bold font indicates analyte detected
 8. Yellow highlighting and bold indicates analytical results exceeding NMOCD Reclamation Standard to the upper most 4 ft.
 9. Red highlighting and bold indicates analytical results exceeding the NMOCD Closure Criteria Recommended Remediation Action Levels



RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



ATTACHMENT I

OSE Pod Details

Water Right Summary



[get image list](#)

WR File Number:	CP 01867	Subbasin:	CP	Cross Reference:	
Primary Purpose:	MON MONITORING WELL				
Primary Status:	PMT Permit				
Total Acres:		Subfile:		Header:	
Total Diversion:	0.000	Cause/Case:			
Owner:	HUNGRY HORSE LLC	Owner Class:	Agent		
Contact:	VERNON K BLACK				
Owner:	XCEL ENERGY	Owner Class:	User		
Contact:	TYLER LUCERO				

Documents on File

(acre-fee)

Transaction Images	Trn #	Doc	File/Act	Status 1	Status 2	Transaction Desc.	From/To	Acres	Diversion
_get images	689366	EXPL	2021-03-08	PMT	LOG	CP 01867 POD1-4	T	0.000	0.000

Current Points of Diversion

POD Number	Well Tag	Source	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map	Other Location Desc
CP 01867 POD1	NA		NW	NE	SE	20	20S	34E	633584.3	3603189.9		
CP 01867 POD2	NA		NW	NE	SE	20	20S	34E	633512.6	3603189.6		
CP 01867 POD3	NA		NW	NE	SE	20	20S	34E	633580.2	3603242.8		
CP 01867 POD4	NA		NW	NE	SE	20	20S	34E	633512.6	3603245.3		

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

8/6/25 10:13 AM MST

Water Rights Summary

©2024 New Mexico Office of the State Engineer, All Rights Reserved. | [Disclaimer](#) | [Contact Us](#) | [Help](#) | [Home](#) |



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-1		WELL TAG ID NO.		OSE FILE NO(S). CP 1867 Pod 1		
	WELL OWNER NAME(S) XCEL Energy				PHONE (OPTIONAL) 866-457-6291		
	WELL OWNER MAILING ADDRESS 7801 I-40 East				CITY Amarillo	STATE TX	ZIP 79118
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 33	SECONDS 29.08	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
		LONGITUDE -103	34	37.62	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE Lynch Substation 359 SKeen Road Hobbs, NM 88240							


2. DRILLING & CASING INFORMATION	LICENSE NO. 1755	NAME OF LICENSED DRILLER John D. Norris			NAME OF WELL DRILLING COMPANY Hungry Horse, LLC			
	DRILLING STARTED 7 Apr 21	DRILLING ENDED 9 Apr 21	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT) 200'	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A			
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
		N/A	CASING					

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	1'	20'	6"	Bentonite Chips	6.75 cf	TOP
20'	200'	6"	Metallurgical Coke Breeze	18 cf	TOP	

FOR OSE INTERNAL USE				WR-20 WELL RECORD & LOG (Version 04/30/19)			
FILE NO.	CP-1867	POD NO.	1	TRN NO.	689366		
LOCATION	241	T20S R34E Sec20			WELL TAG ID NO.	NA	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
	FROM	TO				
	0	6'	6'	Topsoil	Y <input checked="" type="checkbox"/>	
	6'	33'	27'	Caliche	Y <input checked="" type="checkbox"/>	
	33'	92'	59'	Sand	Y <input checked="" type="checkbox"/>	
	92'	172'	80'	Red Clay	Y <input checked="" type="checkbox"/>	
	172'	200'	28'	Sand	Y <input checked="" type="checkbox"/>	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY: NOT TESTED					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION: Borehole was for grounding well	
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: Tobias Peters	

6. SIGNATURE	BY SIGNING BELOW, I CERTIFY THAT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED WELL. I ALSO CERTIFY THAT THE WELL TAG, IF REQUIRED, HAS BEEN INSTALLED AND THAT THIS WELL RECORD WILL ALSO BE FILED WITH THE PERMIT HOLDER WITHIN 30 DAYS AFTER THE COMPLETION OF WELL DRILLING.	
	 SIGNATURE OF DRILLER / PRINT SIGNEE NAME	John D. Norris DATE

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 04/30/2019)	
FILE NO. CP-1867	POD NO. 1	TRN NO. 689366	
LOCATION 241	T20S R34E Sec20	WELL TAG ID NO. N/A	PAGE 2 OF 2

John R. D Antonio, Jr., P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 689366
File Nbr: CP 01867
Well File Nbr: CP 01867 POD1

May. 12, 2021

VERNON K BLACK
HUNGRY HORSE LLC
PO BOX 1058
HOBBS, NM 88241

Greetings:


The above numbered permit was issued in your name on 03/08/2021.

The Well Record was received in this office on 05/12/2021, stating that it had been completed on , and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 03/08/2022.

If you have any questions, please feel free to contact us.

Sincerely,



Andrew Dennis
(575) 622-6521

drywell



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.)	WELL TAG ID NO.	OSE FILE NO(S).	
	WELL OWNER NAME(S)	PHONE (OPTIONAL)		
	WELL OWNER MAILING ADDRESS	CITY	STATE ZIP	
	WELL LOCATION (FROM GPS)	DEGREES	MINUTES	SECONDS
		LATITUDE	LONGITUDE	

POD-2
 XCEL Energy
 7801 I-40 East
 Amarillo TX 79118
 32 33 29.10 N
 -103 34 40.37 W
 Lynch Substation 359 Skeen Road Hobbs, NM 88240

2. DRILLING & CASING INFORMATION	LICENSE NO.	NAME OF LICENSED DRILLER	NAME OF WELL DRILLING COMPANY				
	DRILLING STARTED	DRILLING ENDED	DEPTH OF COMPLETED WELL (FT)				
	COMPLETED WELL IS:	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT)				
	DRILLING FLUID:	ADDITIVES - SPECIFY:	STATIC WATER LEVEL IN COMPLETED WELL (FT)				
	DRILLING METHOD:						
	DEPTH (feet bgl)	BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO					

1755 John D. Norris Hungry Horse, LLC
 7 Apr 21 9 Apr 21 200' N/A
 ARTESIAN DRY HOLE SHALLOW (UNCONFINED)
 AIR MUD ADDITIVES - SPECIFY:
 ROTARY HAMMER CABLE TOOL OTHER - SPECIFY:
 NO CASING
 USE BY MAY 10 2021

3. ANNULAR MATERIAL	DEPTH (feet bgl)	BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO			


0 20' 6" Bentonite Chips 9.62cf TOP
 20' 200' 6" Metallurgical Coke Breeze 19 cf TOP

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 04/30/19)	
FILE NO.	POD NO.	TRN NO.	
LOCATION	WELL TAG ID NO.		PAGE 1 OF 2

CP-1867 2 689866
 241 T205 R34E Sec 20 NA

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)		ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
	FROM	TO			Y	N	
	0	6'	6'	Topsoil	Y	<input checked="" type="radio"/> N	
	6'	33'	27'	clay	Y	<input checked="" type="radio"/>	
	33'	92'	59'	Sand	Y	<input checked="" type="radio"/>	
	92'	172'	80'	Red Clay	Y	<input checked="" type="radio"/>	
	172'	200'	28'	Sand	Y	<input checked="" type="radio"/>	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
					Y	N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY: <u>NOT TESTED</u>					TOTAL ESTIMATED WELL YIELD (gpm): 0.00		

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION: <u>Borehole was for grounding well</u>	
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: <u>Tobias Peters</u>	

6. SIGNATURE	BY SIGNING BELOW, I CERTIFY THAT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED WELL. I ALSO CERTIFY THAT THE WELL TAG, IF REQUIRED, HAS BEEN INSTALLED AND THAT THIS WELL RECORD WILL ALSO BE FILED WITH THE PERMIT HOLDER WITHIN 30 DAYS AFTER THE COMPLETION OF WELL DRILLING.	
	 SIGNATURE OF DRILLER / PRINT SIGNEE NAME	<u>John D. Norrer</u> DATE

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 04/30/2019)	
FILE NO. <u>CP-1867</u>	POD NO. <u>2</u>	TRN NO. <u>699366</u>	
LOCATION <u>241 T205 R34E Sec 20</u>	WELL TAG ID NO. <u>N/A</u>	PAGE 2 OF 2	

John R. D Antonio, Jr., P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 689366
File Nbr: CP 01867
Well File Nbr: CP 01867 POD2

May. 12, 2021

VERNON K BLACK
HUNGRY HORSE LLC
PO BOX 1058
HOBBS, NM 88241

Greetings:


The above numbered permit was issued in your name on 03/08/2021.

The Well Record was received in this office on 05/12/2021, stating that it had been completed on 04/09/2021, and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 03/08/2022.

If you have any questions, please feel free to contact us.

Sincerely,



Andrew Dennis
(575) 622-6521

drywell



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-3		WELL TAG ID NO.		OSE FILE NO(S). CP 1867 Pod 3			
	WELL OWNER NAME(S) XCEL Energy				PHONE (OPTIONAL) 866-457-6291			
	WELL OWNER MAILING ADDRESS 7801 I-40 East				CITY Amarillo	STATE TX	ZIP 79118	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 33	SECONDS 30.80	* ACCURACY REQUIRED: ONE TENTH OF A SECOND			
		LONGITUDE -103	34	37.75	* DATUM REQUIRED: WGS 84			
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE Lynch Substation 359 Skeen Road Hobbs, NM 88240								
2. DRILLING & CASING INFORMATION	LICENSE NO. 1755	NAME OF LICENSED DRILLER John D. Norris			NAME OF WELL DRILLING COMPANY Hungry Horse, LLC			
	DRILLING STARTED 7 Apr 21	DRILLING ENDED 9 Apr 21	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT) 220'	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A			
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)	BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)		CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
		NO CASING						
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						
	0	20'	6"	Bentonite Chips	6.75 cf	TOP		
	20'	220'	6"	Metallurgical Coke Breeze	19 cf	TOP		

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 04/30/19)

FILE NO. CP-1867	POD NO. 3	TRN NO. 689366
LOCATION 241 T205 R234E Sec 20	WELL TAG ID NO. NA	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
	FROM	TO				
	0	6'	6'	Topsoil	Y <input checked="" type="checkbox"/>	
	6'	33'	27'	Caliche	Y <input checked="" type="checkbox"/>	
	33'	92'	59'	Sand	Y <input checked="" type="checkbox"/>	
	92'	206'	114'	Red Sand clay	Y <input checked="" type="checkbox"/>	
	206'	220'	14'	Sand	Y <input checked="" type="checkbox"/>	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY: <u>NOT TESTED</u>					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION: <u>Borehole was for grounding well</u>	
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: <u>Tobias Peters</u>	

6. SIGNATURE	BY SIGNING BELOW, I CERTIFY THAT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED WELL. I ALSO CERTIFY THAT THE WELL TAG, IF REQUIRED, HAS BEEN INSTALLED AND THAT THIS WELL RECORD WILL ALSO BE FILED WITH THE PERMIT HOLDER WITHIN 30 DAYS AFTER THE COMPLETION OF WELL DRILLING.	
	<u>John D. Norris</u> SIGNATURE OF DRILLER / PRINT SIGNEE NAME	<u>4-6-21</u> DATE

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 04/30/2019)	
FILE NO. <u>CP-1967</u>	POD NO. <u>3</u>	TRN NO. <u>689366</u>	
LOCATION <u>241 T20S R34E Sec 20</u>	WELL TAG ID NO. <u>NA</u>	PAGE 2 OF 2	

John R. D Antonio, Jr., P.E.
State Engineer



Koswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 689366
File Nbr: CP 01867
Well File Nbr: CP 01867 POD3

May. 12, 2021

VERNON K BLACK
HUNGRY HORSE LLC
PO BOX 1058
HOBBS, NM 88241

Greetings:


The above numbered permit was issued in your name on 03/08/2021.

The Well Record was received in this office on 05/10/2021, stating that it had been completed on 04/09/2021, and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 03/08/2022.

If you have any questions, please feel free to contact us.

Sincerely,



Andrew Dennis
(575) 622-6521

drywell



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-4	WELL TAG ID NO.	OSE FILE NO(S). CP 1867 POD 4
	WELL OWNER NAME(S) XCEL Energy		PHONE (OPTIONAL) 866-457-6291
	WELL OWNER MAILING ADDRESS 7801 I-40 East		CITY STATE ZIP Amorillo TX 79118
	WELL LOCATION (FROM GPS)	DEGREES MINUTES SECONDS LATITUDE 32 33 30.91 N LONGITUDE -103 34 40.34 W	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE Lynch Substation 359 Skeen Road Hobbs, NM 88240			

2. DRILLING & CASING INFORMATION	LICENSE NO. 1755	NAME OF LICENSED DRILLER John D. Norris		NAME OF WELL DRILLING COMPANY Hungry Horse, LLC				
	DRILLING STARTED 7 Apr 21	DRILLING ENDED 9 Apr 21	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT) 220'	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)			STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A				
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
		NO CASING						

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	6	20'	6"	Bentonite Chips	6.75 cf	TOP
20'	220	6"	Metallurgical Coke Breeze	19 cf	TOP	

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 04/30/19)			
FILE NO. CP-1867	POD NO. 4	TRN NO. 689366			
LOCATION 214 T20S R34E Sec 20	WELL TAG ID NO. NA	PAGE 1 OF 2			

John R. D Antonio, Jr., P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 689366
File Nbr: CP 01867
Well File Nbr: CP 01867 POD4

May. 13, 2021

VERNON K BLACK
HUNGRY HORSE LLC
PO BOX 1058
HOBBS, NM 88241

Greetings:


The above numbered permit was issued in your name on 03/08/2021.

The Well Record was received in this office on 05/13/2021, stating that it had been completed on 04/09/2021, and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 03/08/2022.

If you have any questions, please feel free to contact us.

Sincerely,



Andrew Dennis
(575) 622-6521

drywell

RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



ATTCHMENT II

Photographic Log

Before Photos



Before Photos



During Photos



During Photos



After Photos



After Photos



RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



ATTACHMENT III

Karst Map, Wetlands Map, Flood Plane Map, Soil Survey



ROBIN FED COM 201H - KARST MAP

0 0.03 0.05 0.1
mi




New Mexico State Land Office

Disclaimer:
The New Mexico State Land Office assumes no responsibility or liability for, or in connection with the accuracy, reliability or use of the information provided herein with respect to State Land Office data or data from other sources.

Data pertaining to New Mexico State Trust Lands are provisional and subject to revision, and do not constitute an official record of title. Official records may be reviewed at the New Mexico State Land Office in Santa Fe, New Mexico.

Released to Imaging: 5/28/2026 9:15:52 AM
map Created: 8/7/2025


drawGraphics_poly


 User drawn polygons



New Mexico State Trust Lands

 Subsurface Estate

 Surface Estate

 Both Estates


Karst_Potential_NM

Potential

 Critical

 High

 Medium





U.S. Fish and Wildlife Service
National Wetlands Inventory









ROBIN FED COM 201H #nAPP250793977



U.S. Fish and Wildlife Service, National Standards and Support Team,
wetlands_team@fws.gov

August 6, 2025

Wetlands

- | | | | | | |
|---|--------------------------------|---|-----------------------------------|---|----------|
|  | Estuarine and Marine Deepwater |  | Freshwater Emergent Wetland |  | Lake |
|  | Estuarine and Marine Wetland |  | Freshwater Forested/Shrub Wetland |  | Other |
| | |  | Freshwater Pond |  | Riverine |

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

National Flood Hazard Layer FIRMMette



103°35'28"W 32°33'32"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) <i>Zone A, V, A99</i>
		With BFE or Depth <i>Zone AE, AO, AH, VE, AR</i>
		Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile <i>Zone X</i>
		Future Conditions 1% Annual Chance Flood Hazard <i>Zone X</i>
		Area with Reduced Flood Risk due to Levee. See Notes. <i>Zone X</i>
		Area with Flood Risk due to Levee <i>Zone D</i>

OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard <i>Zone X</i>
		Effective LOMRs
		Area of Undetermined Flood Hazard <i>Zone D</i>

GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall

OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance
		17.5 Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
OTHER FEATURES		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature

MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/6/2025 at 3:54 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



1:6,000

103°34'50"W 32°33'12"N



A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Lea County, New Mexico

Robin Fed Com 201H
#nAPP2507939778



August 6, 2025

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	5
Soil Map	8
Soil Map.....	9
Legend.....	10
Map Unit Legend.....	11
Map Unit Descriptions.....	11
Lea County, New Mexico.....	13
PU—Pyote and Maljamar fine sands.....	13
References	15

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and


Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.


Custom Soil Resource Report Soil Map



Custom Soil Resource Report


MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features

Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
 Survey Area Data: Version 21, Sep 3, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PU	Pyote and Maljamar fine sands	356.9	100.0%
Totals for Area of Interest		356.9	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico

PU—Pyote and Maljamar fine sands

Map Unit Setting

National map unit symbol: dmqq
Elevation: 3,000 to 3,900 feet
Mean annual precipitation: 10 to 12 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 46 percent
Maljamar and similar soils: 44 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote**Setting**

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand
Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Custom Soil Resource Report

Description of Maljamar

Setting

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 24 inches: fine sand
Bt - 24 to 50 inches: sandy clay loam
Bkm - 50 to 60 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 40 to 60 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 5.6 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: B
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Minor Components

Kermit

Percent of map unit: 10 percent
Ecological site: R070BC022NM - Sandhills
Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



ATTACHMENT IV

Laboratory Analytical Reports



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 08, 2025

ROBBIE RUNNELS

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: ROBIN 201H

Enclosed are the results of analyses for samples received by the laboratory on 05/02/25 14:53.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 1 @ SURF (H252650-01)

BTEX 8021B		mg/kg		Analyzed By: JH				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/05/2025	ND	1.96	98.1	2.00	4.44	
Toluene*	0.259	0.050	05/05/2025	ND	2.17	109	2.00	0.324	
Ethylbenzene*	0.217	0.050	05/05/2025	ND	2.39	119	2.00	1.29	
Total Xylenes*	1.99	0.150	05/05/2025	ND	7.22	120	6.00	2.05	
Total BTEX	2.47	0.300	05/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 155 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC				S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2320	16.0	05/05/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS				S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	284	100	05/05/2025	ND	206	103	200	0.224	
DRO >C10-C28*	25400	100	05/05/2025	ND	195	97.5	200	0.725	
EXT DRO >C28-C36	6920	100	05/05/2025	ND					

Surrogate: 1-Chlorooctane 406 % 44.4-145

Surrogate: 1-Chlorooctadecane 882 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 2 @ SURF (H252650-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.200	0.200	05/06/2025	ND	1.96	98.1	2.00	4.44	
Toluene*	15.4	0.200	05/06/2025	ND	2.17	109	2.00	0.324	
Ethylbenzene*	8.31	0.200	05/06/2025	ND	2.39	119	2.00	1.29	
Total Xylenes*	36.0	0.600	05/06/2025	ND	7.22	120	6.00	2.05	
Total BTEX	59.6	1.20	05/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3120	16.0	05/05/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	1740	100	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	30000	100	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	7460	100	05/05/2025	ND						

Surrogate: 1-Chlorooctane 376 % 44.4-145

Surrogate: 1-Chlorooctadecane 1170 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 3 @ SURF (H252650-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.220	0.200	05/06/2025	ND	1.96	98.1	2.00	4.44	
Toluene*	6.53	0.200	05/06/2025	ND	2.17	109	2.00	0.324	
Ethylbenzene*	4.69	0.200	05/06/2025	ND	2.39	119	2.00	1.29	
Total Xylenes*	26.5	0.600	05/06/2025	ND	7.22	120	6.00	2.05	
Total BTEX	38.0	1.20	05/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 126 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1800	16.0	05/05/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	2860	100	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	64100	100	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	13600	100	05/05/2025	ND						

Surrogate: 1-Chlorooctane 1360 % 44.4-145

Surrogate: 1-Chlorooctadecane 2230 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 4 @ SURF (H252650-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	1.57	0.200	05/06/2025	ND	1.96	98.1	2.00	4.44	
Toluene*	19.7	0.200	05/06/2025	ND	2.17	109	2.00	0.324	
Ethylbenzene*	8.58	0.200	05/06/2025	ND	2.39	119	2.00	1.29	
Total Xylenes*	37.6	0.600	05/06/2025	ND	7.22	120	6.00	2.05	
Total BTEX	67.4	1.20	05/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/05/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	1870	100	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	16300	100	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	3260	100	05/05/2025	ND						

Surrogate: 1-Chlorooctane 542 % 44.4-145

Surrogate: 1-Chlorooctadecane 535 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 5 @ SURF (H252650-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/06/2025	ND	1.96	98.1	2.00	4.44	
Toluene*	0.122	0.050	05/06/2025	ND	2.17	109	2.00	0.324	
Ethylbenzene*	0.071	0.050	05/06/2025	ND	2.39	119	2.00	1.29	
Total Xylenes*	0.442	0.150	05/06/2025	ND	7.22	120	6.00	2.05	
Total BTEX	0.634	0.300	05/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 124 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	05/05/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	21.2	10.0	05/05/2025	ND	206	103	200	0.224	
DRO >C10-C28*	984	10.0	05/05/2025	ND	195	97.5	200	0.725	
EXT DRO >C28-C36	205	10.0	05/05/2025	ND					

Surrogate: 1-Chlorooctane 92.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 104 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 6 @ SURF (H252650-06)

BTEX 8021B		mg/kg		Analyzed By: JH				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/06/2025	ND	1.96	98.1	2.00	4.44	
Toluene*	0.441	0.050	05/06/2025	ND	2.17	109	2.00	0.324	
Ethylbenzene*	0.204	0.050	05/06/2025	ND	2.39	119	2.00	1.29	
Total Xylenes*	1.78	0.150	05/06/2025	ND	7.22	120	6.00	2.05	
Total BTEX	2.43	0.300	05/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 158 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1630	16.0	05/05/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS				S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	333	100	05/05/2025	ND	206	103	200	0.224	
DRO >C10-C28*	17300	100	05/05/2025	ND	195	97.5	200	0.725	
EXT DRO >C28-C36	3850	100	05/05/2025	ND					

Surrogate: 1-Chlorooctane 442 % 44.4-145

Surrogate: 1-Chlorooctadecane 557 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 7 @ SURF (H252650-07)

BTEX 8021B		mg/kg		Analyzed By: JH				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/06/2025	ND	1.96	98.1	2.00	4.44	
Toluene*	1.29	0.050	05/06/2025	ND	2.17	109	2.00	0.324	
Ethylbenzene*	0.201	0.050	05/06/2025	ND	2.39	119	2.00	1.29	
Total Xylenes*	1.02	0.150	05/06/2025	ND	7.22	120	6.00	2.05	
Total BTEX	2.51	0.300	05/06/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 140 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4560	16.0	05/05/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS				S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	366	100	05/05/2025	ND	206	103	200	0.224	
DRO >C10-C28*	32400	100	05/05/2025	ND	195	97.5	200	0.725	
EXT DRO >C28-C36	7590	100	05/05/2025	ND					

Surrogate: 1-Chlorooctane 442 % 44.4-145

Surrogate: 1-Chlorooctadecane 1120 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 1 @ 2' (H252650-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/05/2025	ND	1.96	98.1	2.00	4.44		
Toluene*	<0.050	0.050	05/05/2025	ND	2.17	109	2.00	0.324		
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.39	119	2.00	1.29		
Total Xylenes*	<0.150	0.150	05/05/2025	ND	7.22	120	6.00	2.05		
Total BTEX	<0.300	0.300	05/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	05/05/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND						

Surrogate: 1-Chlorooctane 89.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 87.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 2 @ 4' (H252650-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/05/2025	ND	1.96	98.1	2.00	4.44		
Toluene*	<0.050	0.050	05/05/2025	ND	2.17	109	2.00	0.324		
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.39	119	2.00	1.29		
Total Xylenes*	<0.150	0.150	05/05/2025	ND	7.22	120	6.00	2.05		
Total BTEX	<0.300	0.300	05/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 118 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	05/05/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND						

Surrogate: 1-Chlorooctane 85.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 3 @ 2' (H252650-10)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/05/2025	ND	1.96	98.1	2.00	4.44		
Toluene*	<0.050	0.050	05/05/2025	ND	2.17	109	2.00	0.324		
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.39	119	2.00	1.29		
Total Xylenes*	<0.150	0.150	05/05/2025	ND	7.22	120	6.00	2.05		
Total BTEX	<0.300	0.300	05/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 122 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	05/05/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND						

Surrogate: 1-Chlorooctane 94.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 91.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 4 @ 6' (H252650-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/05/2025	ND	1.96	98.1	2.00	4.44	
Toluene*	<0.050	0.050	05/05/2025	ND	2.17	109	2.00	0.324	
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.39	119	2.00	1.29	
Total Xylenes*	<0.150	0.150	05/05/2025	ND	7.22	120	6.00	2.05	
Total BTEX	<0.300	0.300	05/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	05/05/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224	
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	195	97.5	200	0.725	
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND					

Surrogate: 1-Chlorooctane 85.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 87.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 5 @ 2' (H252650-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/05/2025	ND	1.95	97.6	2.00	3.29		
Toluene*	<0.050	0.050	05/05/2025	ND	2.14	107	2.00	3.06		
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.09	104	2.00	4.36		
Total Xylenes*	<0.150	0.150	05/05/2025	ND	6.33	106	6.00	4.32		
Total BTEX	<0.300	0.300	05/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	05/05/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND						

Surrogate: 1-Chlorooctane 91.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 89.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 6 @ 3' (H252650-13)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/05/2025	ND	1.95	97.6	2.00	3.29		
Toluene*	<0.050	0.050	05/05/2025	ND	2.14	107	2.00	3.06		
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.09	104	2.00	4.36		
Total Xylenes*	<0.150	0.150	05/05/2025	ND	6.33	106	6.00	4.32		
Total BTEX	<0.300	0.300	05/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	05/05/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND						

Surrogate: 1-Chlorooctane 90.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 91.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SP 7 @ 2' (H252650-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/05/2025	ND	1.95	97.6	2.00	3.29		
Toluene*	<0.050	0.050	05/05/2025	ND	2.14	107	2.00	3.06		
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.09	104	2.00	4.36		
Total Xylenes*	<0.150	0.150	05/05/2025	ND	6.33	106	6.00	4.32		
Total BTEX	<0.300	0.300	05/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	05/05/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND						

Surrogate: 1-Chlorooctane 95.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 92.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: NH (H252650-15)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/05/2025	ND	1.95	97.6	2.00	3.29		
Toluene*	<0.050	0.050	05/05/2025	ND	2.14	107	2.00	3.06		
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.09	104	2.00	4.36		
Total Xylenes*	<0.150	0.150	05/05/2025	ND	6.33	106	6.00	4.32		
Total BTEX	<0.300	0.300	05/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	05/05/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224		
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	195	97.5	200	0.725		
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND						

Surrogate: 1-Chlorooctane 98.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 96.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: EH (H252650-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/05/2025	ND	1.95	97.6	2.00	3.29	
Toluene*	<0.050	0.050	05/05/2025	ND	2.14	107	2.00	3.06	
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.09	104	2.00	4.36	
Total Xylenes*	<0.150	0.150	05/05/2025	ND	6.33	106	6.00	4.32	
Total BTEX	<0.300	0.300	05/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/05/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	206	103	200	0.224	
DRO >C10-C28*	49.6	10.0	05/05/2025	ND	195	97.5	200	0.725	
EXT DRO >C28-C36	18.6	10.0	05/05/2025	ND					

Surrogate: 1-Chlorooctane 101 % 44.4-145

Surrogate: 1-Chlorooctadecane 101 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: SH (H252650-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/05/2025	ND	1.95	97.6	2.00	3.29	
Toluene*	<0.050	0.050	05/05/2025	ND	2.14	107	2.00	3.06	
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.09	104	2.00	4.36	
Total Xylenes*	<0.150	0.150	05/05/2025	ND	6.33	106	6.00	4.32	
Total BTEX	<0.300	0.300	05/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/05/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	189	94.6	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	182	91.0	200	0.230	
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND					

Surrogate: 1-Chlorooctane 91.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 82.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/02/2025	Sampling Date:	05/01/2025
Reported:	05/08/2025	Sampling Type:	Soil
Project Name:	ROBIN 201H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	PERMIAN RESOURCES		

Sample ID: WH (H252650-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/05/2025	ND	1.95	97.6	2.00	3.29	
Toluene*	<0.050	0.050	05/05/2025	ND	2.14	107	2.00	3.06	
Ethylbenzene*	<0.050	0.050	05/05/2025	ND	2.09	104	2.00	4.36	
Total Xylenes*	<0.150	0.150	05/05/2025	ND	6.33	106	6.00	4.32	
Total BTEX	<0.300	0.300	05/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	05/05/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/05/2025	ND	189	94.6	200	2.00	
DRO >C10-C28*	<10.0	10.0	05/05/2025	ND	182	91.0	200	0.230	
EXT DRO >C28-C36	<10.0	10.0	05/05/2025	ND					

Surrogate: 1-Chlorooctane 78.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 76.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: Etch Environmental & Safety Solutions, Inc.
 Project Manager: Joel Lowry
 Address: 2617 West Marland
 City: Hobbs State: NM Zip: 88240
 Phone #: (575) 264-9884 Fax #:
 Project #: 21702 Project Owner: Permian Resources
 Project Name: Queso Blanco CTB-1 *Robin 2014
 Project Location: 22-384497, -103-432012
 Sampler Name: Aaron Rios
 P.O. #:
 Company: Permian Resources
 Attn: Montgomery Floyd
 Address:
 City:
 State: Zip:
 Phone #:
 Fax #:
 PRESERV:
 SAMPLEING

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)	
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :						ACID/BASE:
11330450	SP 1 @ Surf	G	1	X							5/1/25		X	X	X
	SP 2 @ Surf	G	1	X							5/1/25		X	X	X
	SP 3 @ Surf	G	1	X							5/1/25		X	X	X
	SP 4 @ Surf	G	1	X							5/1/25		X	X	X
	SP 5 @ Surf	G	1	X							5/1/25		X	X	X
	SP 6 @ Surf	G	1	X							5/1/25		X	X	X
	SP 7 @ Surf	G	1	X							5/1/25		X	X	X
	SP 1 @ 2'	G	1	X							5/1/25		X	X	X
	SP 2 @ 4'	G	1	X							5/1/25		X	X	X
	SP 3 @ 2'	G	1	X							5/1/25		X	X	X

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: 5-2-25 Received By: *[Signature]* Date: 1-15-23
 Relinquished By: *[Signature]* Date:
 Received By: *[Signature]* Date:
 Verbal Result: Yes No Add'l Phone #:
 All Results are emailed. Please provide Email address: dm@etechnv.com
 REMARKS: *Customer requested changes to sp/s

Delivered By: (Circle One) Observed Temp. °C -13.0: Sample Condition Cool Intact Yes No
 Corrected Temp. °C -11.7: Yes No
 Checked By: *[Signature]*
 Turnaround Time: Standard Rush
 Thermometer ID #140 Correction Factor +0.3: Yes No
 Bacteria (only) Cool Intact Yes No
 Sample Condition Observed Temp. °C Corrected Temp. °C



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Etech Environmental & Safety Solutions, Inc.
Project Manager: Joel Lowry
Address: 2617 West Marland
City: Hobbs **State:** NM **Zip:** 88240
Phone #: (575) 264-9884 **Fax #:**
Project #: 27762 **Project Owner:** Permian Resources
Project Name: Queso Blanco-CIB-1 **Robin 201H**
Project Location: 32.384497, -103.432012
Sampler Name: Aaron Rios

BILL TO

P.O. #:
Company: Permian Resources
Attn: Montgomery Floyd
Address:
City:
State: **Zip:**
Phone #:
Fax #:

ANALYSIS REQUEST

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					DATE	TIME	Chloride	TPH (8015M)	BTEX (8021B)
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE					
11	SP 4 @ 6'	G	1	X					5/1/25	X	X	X	
12	SP 5 @ 2'	G	1	X					5/1/25	X	X	X	
13	SP 6 @ 3'	G	1	X					5/1/25	X	X	X	
14	SP 7 @ 2'	G	1	X					5/1/25	X	X	X	
15	NH	G	1	X					5/1/25	X	X	X	
16	EH	G	1	X					5/1/25	X	X	X	
17	SH	G	1	X					5/1/25	X	X	X	
18	WH	G	1	X					5/1/25	X	X	X	

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* **Date:** 5/25
Time: 14:53
Received By: *[Signature]*
Date: **Time:**
Received By:

Delivered By: (Circle One) **Observed Temp. °C:** 18.0
Corrected Temp. °C: 17.2
Sample Condition: Cool Intact
Checked By: *[Signature]*
Turnaround Time: **Standard** **Rush**
Thermometer ID #140: **Correction Factor -0.0°C:** +0.3°C
Bacteria (only) Sample Condition: Cool Intact
Observed Temp. °C: **Corrected Temp. °C:**

REMARKS: *Customer requested changes. 4/5/25

Verbal Result: Yes No **Add'l Phone #:**
All Results are emailed. Please provide Email address: pm@etechnv.com

**PERMIAN BASIN
ENVIRONMENTAL LAB, LP
1400 Rankin Hwy
Midland, TX 79701**



Analytical Report

Prepared for:

Jamey Fowler
Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland, TX 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Location: Lea County, NM
Lab Order Number: 5H08005



Current Certification

Report Date: 08/13/25

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-1 @ 2'	5H08005-01	Soil	08/08/25 09:10	08-08-2025 14:40
BH-2 @ 2'	5H08005-02	Soil	08/08/25 09:13	08-08-2025 14:40
BH-3 @ 2'	5H08005-03	Soil	08/08/25 09:15	08-08-2025 14:40
BH-4 @ 2'	5H08005-04	Soil	08/08/25 09:18	08-08-2025 14:40
BH-5 @ 2'	5H08005-05	Soil	08/08/25 09:22	08-08-2025 14:40
BH-6 @ 2'	5H08005-06	Soil	08/08/25 09:23	08-08-2025 14:40
BH-7 @ 2'	5H08005-07	Soil	08/08/25 09:27	08-08-2025 14:40
BH-8 @ 2'8"	5H08005-08	Soil	08/08/25 09:28	08-08-2025 14:40
BH-9 @ 2'8"	5H08005-09	Soil	08/08/25 09:30	08-08-2025 14:40
BH-10 @ 2'8"	5H08005-10	Soil	08/08/25 09:31	08-08-2025 14:40
BH-11 @ 2'8"	5H08005-11	Soil	08/08/25 09:35	08-08-2025 14:40
BH-12 @ 2'8"	5H08005-12	Soil	08/08/25 09:37	08-08-2025 14:40
BH-13 @ 4'	5H08005-13	Soil	08/08/25 09:39	08-08-2025 14:40
BH-14 @ 4'	5H08005-14	Soil	08/08/25 09:42	08-08-2025 14:40
BH-15 @ 4'	5H08005-15	Soil	08/08/25 09:44	08-08-2025 14:40
BH-16 @ 4'	5H08005-16	Soil	08/08/25 09:47	08-08-2025 14:40
BH-17 @ 2'	5H08005-17	Soil	08/08/25 09:50	08-08-2025 14:40
BH-18 @ 2'	5H08005-18	Soil	08/08/25 09:53	08-08-2025 14:40
BH-19 @ 2'	5H08005-19	Soil	08/08/25 09:57	08-08-2025 14:40
BH-20 @ 2'	5H08005-20	Soil	08/08/25 10:03	08-08-2025 14:40
BH-21 @ 2'	5H08005-21	Soil	08/08/25 10:08	08-08-2025 14:40
BH-22 @ 2'	5H08005-22	Soil	08/08/25 10:09	08-08-2025 14:40
BH-23 @ 2'	5H08005-23	Soil	08/08/25 10:12	08-08-2025 14:40
BH-24 @ 2'	5H08005-24	Soil	08/08/25 10:15	08-08-2025 14:40
BH-25 @ 2'	5H08005-25	Soil	08/08/25 10:18	08-08-2025 14:40
BH-26 @ 2'	5H08005-26	Soil	08/08/25 10:21	08-08-2025 14:40
BH-27 @ 2'	5H08005-27	Soil	08/08/25 10:23	08-08-2025 14:40
BH-28 @ 2'	5H08005-28	Soil	08/08/25 10:28	08-08-2025 14:40
BH-29 @ 2'	5H08005-29	Soil	08/08/25 10:31	08-08-2025 14:40
BH-30 @ 2'	5H08005-30	Soil	08/08/25 10:33	08-08-2025 14:40
BH-31 @ 2'	5H08005-31	Soil	08/08/25 10:34	08-08-2025 14:40
BH-32 @ 2'	5H08005-32	Soil	08/08/25 10:37	08-08-2025 14:40
BH-33 @ 2'	5H08005-33	Soil	08/08/25 10:40	08-08-2025 14:40
BH-34 @ 2'	5H08005-34	Soil	08/08/25 10:44	08-08-2025 14:40

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-35 @ 7'	5H08005-35	Soil	08/08/25 10:45	08-08-2025 14:40
BH-36 @ 7'	5H08005-36	Soil	08/08/25 10:48	08-08-2025 14:40
BH-37 @ 6'	5H08005-37	Soil	08/08/25 10:49	08-08-2025 14:40
NW-1 @ 0"-2'	5H08005-38	Soil	08/08/25 10:51	08-08-2025 14:40
EW-1 @ 0"-3'	5H08005-39	Soil	08/08/25 10:54	08-08-2025 14:40
EW-2 @ 0"-4'	5H08005-40	Soil	08/08/25 10:57	08-08-2025 14:40
EW-3 @ 0"-3'	5H08005-41	Soil	08/08/25 11:03	08-08-2025 14:40
SW-1 @ 0"-2'	5H08005-42	Soil	08/08/25 11:07	08-08-2025 14:40
SW-2 @ 0"-7'	5H08005-43	Soil	08/08/25 11:10	08-08-2025 14:40
WW-1 @ 0-2'	5H08005-44	Soil	08/08/25 11:17	08-08-2025 14:40
WW-2 @ 0-4'	5H08005-45	Soil	08/08/25 11:20	08-08-2025 14:40
WW-3 @ 0-2'	5H08005-46	Soil	08/08/25 11:23	08-08-2025 14:40
WW-4 @ 0-7'	5H08005-47	Soil	08/08/25 11:26	08-08-2025 14:40

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-1 @ 2'
5H08005-01 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00105	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 18:47	EPA 8021B	
Toluene	ND	0.00105	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 18:47	EPA 8021B	
Ethylbenzene	ND	0.00105	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 18:47	EPA 8021B	
Xylene (p/m)	ND	0.00211	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 18:47	EPA 8021B	
Xylene (o)	ND	0.00105	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 18:47	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		99.7 %	80-120		P5H0802	08/08/25 15:54	08/08/25 18:47	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		86.5 %	80-120		P5H0802	08/08/25 15:54	08/08/25 18:47	EPA 8021B	
Xylenes (total)	ND	0.00105	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 18:47	EPA 8021B	
Total BTEX	ND	0.00105	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 18:47	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	26.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 06:18	EPA 8015M	
Diesel Range Organics	ND	26.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 06:18	EPA 8015M	
Mineral Oil Range Organics	ND	26.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 06:18	EPA 8015M	
Surrogate: 1-Chlorooctane		85.5 %	70-130		P5H0806	08/08/25 15:00	08/09/25 06:18	EPA 8015M	
Surrogate: o-Terphenyl		90.4 %	70-130		P5H0806	08/08/25 15:00	08/09/25 06:18	EPA 8015M	
Total Hydrocarbons	ND	26.3	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 06:18	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	21.0	1.05	mg/kg dry	1	P5H1109	08/11/25 12:45	08/12/25 01:19	EPA 300.0	
% Moisture	5.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-2 @ 2'
5H08005-02 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00108	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:10	EPA 8021B	
Toluene	ND	0.00108	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:10	EPA 8021B	
Ethylbenzene	ND	0.00108	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:10	EPA 8021B	
Xylene (p/m)	ND	0.00215	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:10	EPA 8021B	
Xylene (o)	ND	0.00108	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:10	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		86.8 %	80-120		P5H0802	08/08/25 15:54	08/08/25 19:10	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		100 %	80-120		P5H0802	08/08/25 15:54	08/08/25 19:10	EPA 8021B	
Xylenes (total)	ND	0.00108	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 19:10	EPA 8021B	
Total BTEX	ND	0.00108	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 19:10	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	26.9	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 06:41	EPA 8015M	
Diesel Range Organics	ND	26.9	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 06:41	EPA 8015M	
Mineral Oil Range Organics	ND	26.9	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 06:41	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		84.5 %	70-130		P5H0806	08/08/25 15:00	08/09/25 06:41	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		90.5 %	70-130		P5H0806	08/08/25 15:00	08/09/25 06:41	EPA 8015M	
Total Hydrocarbons	ND	26.9	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 06:41	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	27.3	1.08	mg/kg dry	1	P5H1109	08/11/25 12:45	08/12/25 01:35	EPA 300.0	
% Moisture	7.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-3 @ 2'
5H08005-03 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:32	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:32	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:32	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:32	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:32	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		101 %	80-120		P5H0802	08/08/25 15:54	08/08/25 19:32	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		86.7 %	80-120		P5H0802	08/08/25 15:54	08/08/25 19:32	EPA 8021B	
Xylenes (total)	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 19:32	EPA 8021B	
Total BTEX	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 19:32	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:03	EPA 8015M	
Diesel Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:03	EPA 8015M	
Mineral Oil Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:03	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		51.2 %	70-130		P5H0806	08/08/25 15:00	08/09/25 07:03	EPA 8015M	S-GC
<i>Surrogate: o-Terphenyl</i>		89.3 %	70-130		P5H0806	08/08/25 15:00	08/09/25 07:03	EPA 8015M	
Total Hydrocarbons	ND	25.5	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 07:03	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	21.2	1.02	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 03:07	EPA 300.0	
% Moisture	2.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-4 @ 2'
5H08005-04 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00103	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:55	EPA 8021B	
Toluene	ND	0.00103	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:55	EPA 8021B	
Ethylbenzene	ND	0.00103	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:55	EPA 8021B	
Xylene (p/m)	ND	0.00206	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:55	EPA 8021B	
Xylene (o)	ND	0.00103	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 19:55	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0802	08/08/25 15:54	08/08/25 19:55	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		86.5 %	80-120		P5H0802	08/08/25 15:54	08/08/25 19:55	EPA 8021B	
Xylenes (total)	ND	0.00103	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 19:55	EPA 8021B	
Total BTEX	ND	0.00103	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 19:55	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.8	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:26	EPA 8015M	
Diesel Range Organics	ND	25.8	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:26	EPA 8015M	
Mineral Oil Range Organics	ND	25.8	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:26	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		85.3 %	70-130		P5H0806	08/08/25 15:00	08/09/25 07:26	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		90.2 %	70-130		P5H0806	08/08/25 15:00	08/09/25 07:26	EPA 8015M	
Total Hydrocarbons	ND	25.8	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 07:26	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	309	1.03	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 03:22	EPA 300.0	
% Moisture	3.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-5 @ 2'
5H08005-05 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00108	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:17	EPA 8021B	
Toluene	ND	0.00108	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:17	EPA 8021B	
Ethylbenzene	ND	0.00108	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:17	EPA 8021B	
Xylene (p/m)	ND	0.00215	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:17	EPA 8021B	
Xylene (o)	ND	0.00108	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:17	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		86.2 %			<i>P5H0802</i>	<i>08/08/25 15:54</i>	<i>08/08/25 20:17</i>	<i>EPA 8021B</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>		99.7 %			<i>P5H0802</i>	<i>08/08/25 15:54</i>	<i>08/08/25 20:17</i>	<i>EPA 8021B</i>	
Xylenes (total)	ND	0.00108	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 20:17	EPA 8021B	
Total BTEX	ND	0.00108	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 20:17	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	26.9	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:49	EPA 8015M	
Diesel Range Organics	ND	26.9	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:49	EPA 8015M	
Mineral Oil Range Organics	ND	26.9	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 07:49	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		83.9 %			<i>P5H0806</i>	<i>08/08/25 15:00</i>	<i>08/09/25 07:49</i>	<i>EPA 8015M</i>	
<i>Surrogate: o-Terphenyl</i>		89.2 %			<i>P5H0806</i>	<i>08/08/25 15:00</i>	<i>08/09/25 07:49</i>	<i>EPA 8015M</i>	
Total Hydrocarbons	ND	26.9	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 07:49	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	33.8	1.08	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 03:38	EPA 300.0	
% Moisture	7.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-6 @ 2'
5H08005-06 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.00104	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:40	EPA 8021B	
Toluene	ND	0.00104	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:40	EPA 8021B	
Ethylbenzene	ND	0.00104	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:40	EPA 8021B	
Xylene (p/m)	ND	0.00208	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:40	EPA 8021B	
Xylene (o)	ND	0.00104	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 20:40	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		85.9 %	80-120		P5H0802	08/08/25 15:54	08/08/25 20:40	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		101 %	80-120		P5H0802	08/08/25 15:54	08/08/25 20:40	EPA 8021B	
Xylenes (total)	ND	0.00104	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 20:40	EPA 8021B	
Total BTEX	ND	0.00104	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 20:40	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	26.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 08:11	EPA 8015M	
Diesel Range Organics	ND	26.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 08:11	EPA 8015M	
Mineral Oil Range Organics	ND	26.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 08:11	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		85.1 %	70-130		P5H0806	08/08/25 15:00	08/09/25 08:11	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		91.7 %	70-130		P5H0806	08/08/25 15:00	08/09/25 08:11	EPA 8015M	
Total Hydrocarbons	ND	26.0	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 08:11	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	20.4	1.04	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 03:53	EPA 300.0	
% Moisture	4.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-7 @ 2'
5H08005-07 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:02	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:02	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:02	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:02	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:02	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.9 %	80-120		P5H0802	08/08/25 15:54	08/08/25 21:02	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	80-120		P5H0802	08/08/25 15:54	08/08/25 21:02	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 21:02	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 21:02	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 08:34	EPA 8015M	
Diesel Range Organics	221	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 08:34	EPA 8015M	
Mineral Oil Range Organics	46.7	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 08:34	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		85.7 %	70-130		P5H0806	08/08/25 15:00	08/09/25 08:34	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		92.0 %	70-130		P5H0806	08/08/25 15:00	08/09/25 08:34	EPA 8015M	
Total Hydrocarbons	268	25.3	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 08:34	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	47.3	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 04:08	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-8 @ 2'8"
5H08005-08 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:24	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:24	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:24	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:24	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:24	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		86.7 %	80-120		P5H0802	08/08/25 15:54	08/08/25 21:24	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		105 %	80-120		P5H0802	08/08/25 15:54	08/08/25 21:24	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 21:24	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 21:24	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 09:41	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 09:41	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 09:41	EPA 8015M	
Surrogate: 1-Chlorooctane		91.5 %	70-130		P5H0806	08/08/25 15:00	08/09/25 09:41	EPA 8015M	
Surrogate: o-Terphenyl		93.5 %	70-130		P5H0806	08/08/25 15:00	08/09/25 09:41	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 09:41	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	111	1.00	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 04:54	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-9 @ 2'8"
5H08005-09 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:46	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:46	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:46	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:46	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 21:46	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		103 %	80-120		P5H0802	08/08/25 15:54	08/08/25 21:46	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		86.8 %	80-120		P5H0802	08/08/25 15:54	08/08/25 21:46	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 21:46	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 21:46	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:04	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:04	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:04	EPA 8015M	
Surrogate: 1-Chlorooctane		90.9 %	70-130		P5H0806	08/08/25 15:00	08/09/25 10:04	EPA 8015M	
Surrogate: o-Terphenyl		97.3 %	70-130		P5H0806	08/08/25 15:00	08/09/25 10:04	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 10:04	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	6.52	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 05:10	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-10 @ 2'8"
5H08005-10 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 22:09	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 22:09	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 22:09	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 22:09	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 22:09	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		86.9 %	80-120		P5H0802	08/08/25 15:54	08/08/25 22:09	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		104 %	80-120		P5H0802	08/08/25 15:54	08/08/25 22:09	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 22:09	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 22:09	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:26	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:26	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:26	EPA 8015M	
Surrogate: 1-Chlorooctane		85.1 %	70-130		P5H0806	08/08/25 15:00	08/09/25 10:26	EPA 8015M	
Surrogate: o-Terphenyl		90.8 %	70-130		P5H0806	08/08/25 15:00	08/09/25 10:26	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 10:26	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	228	1.00	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 05:25	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-11 @ 2'8"
5H08005-11 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:15	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:15	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:15	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:15	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:15	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.5 %	80-120		P5H0802	08/08/25 15:54	08/08/25 23:15	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	80-120		P5H0802	08/08/25 15:54	08/08/25 23:15	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 23:15	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 23:15	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:49	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:49	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 10:49	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		81.1 %	70-130		P5H0806	08/08/25 15:00	08/09/25 10:49	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		80.9 %	70-130		P5H0806	08/08/25 15:00	08/09/25 10:49	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 10:49	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	31.2	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 05:40	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-12 @ 2'8"
5H08005-12 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:37	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:37	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:37	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:37	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:37	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		86.9 %	80-120		P5H0802	08/08/25 15:54	08/08/25 23:37	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	80-120		P5H0802	08/08/25 15:54	08/08/25 23:37	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 23:37	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 23:37	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:11	EPA 8015M	
Diesel Range Organics	103	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:11	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:11	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		83.0 %	70-130		P5H0806	08/08/25 15:00	08/09/25 11:11	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		85.0 %	70-130		P5H0806	08/08/25 15:00	08/09/25 11:11	EPA 8015M	
Total Hydrocarbons	103	25.0	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 11:11	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	21.6	1.00	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 05:56	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-13 @ 4'
5H08005-13 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:59	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:59	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:59	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:59	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/08/25 23:59	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		105 %	80-120		P5H0802	08/08/25 15:54	08/08/25 23:59	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		87.3 %	80-120		P5H0802	08/08/25 15:54	08/08/25 23:59	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 23:59	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/08/25 23:59	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:34	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:34	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:34	EPA 8015M	
Surrogate: 1-Chlorooctane		82.9 %	70-130		P5H0806	08/08/25 15:00	08/09/25 11:34	EPA 8015M	
Surrogate: o-Terphenyl		87.0 %	70-130		P5H0806	08/08/25 15:00	08/09/25 11:34	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 11:34	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	37.7	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 06:41	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-14 @ 4'
5H08005-14 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:21	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:21	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:21	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:21	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:21	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		106 %	80-120		P5H0802	08/08/25 15:54	08/09/25 00:21	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		84.8 %	80-120		P5H0802	08/08/25 15:54	08/09/25 00:21	EPA 8021B	
Xylenes (total)	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 00:21	EPA 8021B	
Total BTEX	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 00:21	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:56	EPA 8015M	
Diesel Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:56	EPA 8015M	
Mineral Oil Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 11:56	EPA 8015M	
Surrogate: 1-Chlorooctane		84.9 %	70-130		P5H0806	08/08/25 15:00	08/09/25 11:56	EPA 8015M	
Surrogate: o-Terphenyl		91.3 %	70-130		P5H0806	08/08/25 15:00	08/09/25 11:56	EPA 8015M	
Total Hydrocarbons	ND	25.5	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 11:56	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	21.6	1.02	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 07:27	EPA 300.0	
% Moisture	2.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-15 @ 4'
5H08005-15 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:43	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:43	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:43	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:43	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 00:43	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		88.0 %			<i>P5H0802</i>	<i>08/08/25 15:54</i>	<i>08/09/25 00:43</i>	<i>EPA 8021B</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>		107 %			<i>P5H0802</i>	<i>08/08/25 15:54</i>	<i>08/09/25 00:43</i>	<i>EPA 8021B</i>	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 00:43	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 00:43	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 12:19	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 12:19	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 12:19	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		85.0 %			<i>P5H0806</i>	<i>08/08/25 15:00</i>	<i>08/09/25 12:19</i>	<i>EPA 8015M</i>	
<i>Surrogate: o-Terphenyl</i>		85.5 %			<i>P5H0806</i>	<i>08/08/25 15:00</i>	<i>08/09/25 12:19</i>	<i>EPA 8015M</i>	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 12:19	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	42.0	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 07:43	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-16 @ 4'
5H08005-16 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:06	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:06	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:06	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:06	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:06	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		103 %	80-120		P5H0802	08/08/25 15:54	08/09/25 01:06	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		87.2 %	80-120		P5H0802	08/08/25 15:54	08/09/25 01:06	EPA 8021B	
Xylenes (total)	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 01:06	EPA 8021B	
Total BTEX	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 01:06	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 12:41	EPA 8015M	
Diesel Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 12:41	EPA 8015M	
Mineral Oil Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 12:41	EPA 8015M	
Surrogate: 1-Chlorooctane		75.8 %	70-130		P5H0806	08/08/25 15:00	08/09/25 12:41	EPA 8015M	
Surrogate: o-Terphenyl		81.9 %	70-130		P5H0806	08/08/25 15:00	08/09/25 12:41	EPA 8015M	
Total Hydrocarbons	ND	25.5	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 12:41	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	15.7	1.02	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 07:58	EPA 300.0	
% Moisture	2.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-17 @ 2'
5H08005-17 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:28	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:28	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:28	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:28	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:28	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.1 %			<i>P5H0802</i>	<i>08/08/25 15:54</i>	<i>08/09/25 01:28</i>	<i>EPA 8021B</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>		105 %			<i>P5H0802</i>	<i>08/08/25 15:54</i>	<i>08/09/25 01:28</i>	<i>EPA 8021B</i>	
Xylenes (total)	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 01:28	EPA 8021B	
Total BTEX	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 01:28	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 13:04	EPA 8015M	
Diesel Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 13:04	EPA 8015M	
Mineral Oil Range Organics	ND	25.5	mg/kg dry	1	P5H0806	08/08/25 15:00	08/09/25 13:04	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		82.8 %			<i>P5H0806</i>	<i>08/08/25 15:00</i>	<i>08/09/25 13:04</i>	<i>EPA 8015M</i>	
<i>Surrogate: o-Terphenyl</i>		89.3 %			<i>P5H0806</i>	<i>08/08/25 15:00</i>	<i>08/09/25 13:04</i>	<i>EPA 8015M</i>	
Total Hydrocarbons	ND	25.5	mg/kg dry	1	[CALC]	08/08/25 15:00	08/09/25 13:04	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	14.9	1.02	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 08:13	EPA 300.0	
% Moisture	2.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-18 @ 2'
5H08005-18 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:50	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:50	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:50	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:50	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 01:50	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.4 %	80-120		P5H0802	08/08/25 15:54	08/09/25 01:50	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		108 %	80-120		P5H0802	08/08/25 15:54	08/09/25 01:50	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 01:50	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 01:50	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:01	EPA 8015M	
Diesel Range Organics	35.7	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:01	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:01	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		74.2 %	70-130		P5H0807	08/08/25 15:38	08/08/25 21:01	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		93.4 %	70-130		P5H0807	08/08/25 15:38	08/08/25 21:01	EPA 8015M	
Total Hydrocarbons	35.7	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/08/25 21:01	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	40.9	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 08:28	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-19 @ 2'
5H08005-19 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:12	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:12	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:12	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:12	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:12	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.0 %	80-120		P5H0802	08/08/25 15:54	08/09/25 02:12	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	80-120		P5H0802	08/08/25 15:54	08/09/25 02:12	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 02:12	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 02:12	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:25	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:25	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:25	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		73.0 %	70-130		P5H0807	08/08/25 15:38	08/08/25 21:25	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		99.7 %	70-130		P5H0807	08/08/25 15:38	08/08/25 21:25	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/08/25 15:38	08/08/25 21:25	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	5.27	1.00	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 08:44	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-20 @ 2'
5H08005-20 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:34	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:34	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:34	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:34	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0802	08/08/25 15:54	08/09/25 02:34	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.3 %	80-120		P5H0802	08/08/25 15:54	08/09/25 02:34	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	80-120		P5H0802	08/08/25 15:54	08/09/25 02:34	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 02:34	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 15:54	08/09/25 02:34	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:49	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:49	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 21:49	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		68.8 %	70-130		P5H0807	08/08/25 15:38	08/08/25 21:49	EPA 8015M	S-GC
<i>Surrogate: o-Terphenyl</i>		94.9 %	70-130		P5H0807	08/08/25 15:38	08/08/25 21:49	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/08/25 21:49	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	6.65	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 08:59	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-21 @ 2'
5H08005-21 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:30	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:30	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:30	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:30	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:30	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		88.1 %	80-120		P5H0803	08/08/25 16:01	08/09/25 05:30	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		100 %	80-120		P5H0803	08/08/25 16:01	08/09/25 05:30	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 05:30	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 05:30	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 22:14	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 22:14	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 22:14	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		70.3 %	70-130		P5H0807	08/08/25 15:38	08/08/25 22:14	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		94.9 %	70-130		P5H0807	08/08/25 15:38	08/08/25 22:14	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/08/25 22:14	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	90.8	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 09:14	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-22 @ 2'
5H08005-22 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:52	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:52	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:52	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:52	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 05:52	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		101 %	80-120		P5H0803	08/08/25 16:01	08/09/25 05:52	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.5 %	80-120		P5H0803	08/08/25 16:01	08/09/25 05:52	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 05:52	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 05:52	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 22:38	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 22:38	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 22:38	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		69.7 %	70-130		P5H0807	08/08/25 15:38	08/08/25 22:38	EPA 8015M	S-GC
<i>Surrogate: o-Terphenyl</i>		95.2 %	70-130		P5H0807	08/08/25 15:38	08/08/25 22:38	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/08/25 22:38	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	89.1	1.01	mg/kg dry	1	P5H1110	08/11/25 16:15	08/12/25 09:29	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-23 @ 2'
5H08005-23 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Permian Basin Environmental Lab, L.P.									
BTEX by 8021B									
Benzene	ND	0.00103	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
Toluene	ND	0.00103	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
Ethylbenzene	ND	0.00103	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
Xylene (p/m)	ND	0.00206	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
Xylene (o)	ND	0.00103	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.9 %	80-120		P5H0803	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		101 %	80-120		P5H0803	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
Xylenes (total)	ND	0.00103	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
Total BTEX	ND	0.00103	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 06:14	EPA 8021B	
Organics by GC									
Gasoline Range Organics	ND	25.8	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:02	EPA 8015M	
Diesel Range Organics	ND	25.8	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:02	EPA 8015M	
Mineral Oil Range Organics	ND	25.8	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:02	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		70.3 %	70-130		P5H0807	08/08/25 15:38	08/08/25 23:02	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		94.3 %	70-130		P5H0807	08/08/25 15:38	08/08/25 23:02	EPA 8015M	
Total Hydrocarbons	ND	25.8	mg/kg dry	1	[CALC]	08/08/25 15:38	08/08/25 23:02	[CALC]	
General Chemistry Parameters by EPA / Standard Methods									
Chloride	32.5	1.03	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 13:50	EPA 300.0	
% Moisture	3.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-24 @ 2'
5H08005-24 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:36	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:36	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:36	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:36	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:36	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0803	08/08/25 16:01	08/09/25 06:36	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.4 %	80-120		P5H0803	08/08/25 16:01	08/09/25 06:36	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 06:36	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 06:36	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:26	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:26	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:26	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		71.2 %	70-130		P5H0807	08/08/25 15:38	08/08/25 23:26	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		94.2 %	70-130		P5H0807	08/08/25 15:38	08/08/25 23:26	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/08/25 23:26	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	57.4	1.01	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 14:05	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-25 @ 2'
5H08005-25 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:58	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:58	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:58	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:58	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 06:58	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		86.1 %	80-120		P5H0803	08/08/25 16:01	08/09/25 06:58	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		107 %	80-120		P5H0803	08/08/25 16:01	08/09/25 06:58	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 06:58	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 06:58	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:50	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:50	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/08/25 23:50	EPA 8015M	
Surrogate: 1-Chlorooctane		75.5 %	70-130		P5H0807	08/08/25 15:38	08/08/25 23:50	EPA 8015M	
Surrogate: o-Terphenyl		98.6 %	70-130		P5H0807	08/08/25 15:38	08/08/25 23:50	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/08/25 23:50	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	1.72	1.01	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 14:51	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-26 @ 2'
5H08005-26 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00102	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:21	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:21	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:21	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:21	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:21	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.6 %	80-120		P5H0803	08/08/25 16:01	08/09/25 07:21	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0803	08/08/25 16:01	08/09/25 07:21	EPA 8021B	
Xylenes (total)	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 07:21	EPA 8021B	
Total BTEX	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 07:21	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.5	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 00:14	EPA 8015M	
Diesel Range Organics	ND	25.5	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 00:14	EPA 8015M	
Mineral Oil Range Organics	ND	25.5	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 00:14	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		67.5 %	70-130		P5H0807	08/08/25 15:38	08/09/25 00:14	EPA 8015M	S-GC
<i>Surrogate: o-Terphenyl</i>		92.9 %	70-130		P5H0807	08/08/25 15:38	08/09/25 00:14	EPA 8015M	
Total Hydrocarbons	ND	25.5	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 00:14	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	50.5	1.02	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 15:06	EPA 300.0	
% Moisture	2.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-27 @ 2'
5H08005-27 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:43	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:43	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:43	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:43	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 07:43	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		109 %	80-120		P5H0803	08/08/25 16:01	08/09/25 07:43	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		85.1 %	80-120		P5H0803	08/08/25 16:01	08/09/25 07:43	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 07:43	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 07:43	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 00:37	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 00:37	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 00:37	EPA 8015M	
Surrogate: 1-Chlorooctane		72.0 %	70-130		P5H0807	08/08/25 15:38	08/09/25 00:37	EPA 8015M	
Surrogate: o-Terphenyl		97.7 %	70-130		P5H0807	08/08/25 15:38	08/09/25 00:37	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 00:37	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	50.3	1.01	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 15:22	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-28 @ 2'
5H08005-28 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:05	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:05	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:05	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:05	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:05	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0803	08/08/25 16:01	08/09/25 08:05	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.8 %	80-120		P5H0803	08/08/25 16:01	08/09/25 08:05	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 08:05	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 08:05	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 01:49	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 01:49	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 01:49	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		70.7 %	70-130		P5H0807	08/08/25 15:38	08/09/25 01:49	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		93.7 %	70-130		P5H0807	08/08/25 15:38	08/09/25 01:49	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 01:49	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	255	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 15:37	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-29 @ 2'
5H08005-29 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:27	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:27	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:27	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:27	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:27	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		105 %	80-120		P5H0803	08/08/25 16:01	08/09/25 08:27	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		88.7 %	80-120		P5H0803	08/08/25 16:01	08/09/25 08:27	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 08:27	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 08:27	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 02:13	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 02:13	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 02:13	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		70.2 %	70-130		P5H0807	08/08/25 15:38	08/09/25 02:13	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		87.0 %	70-130		P5H0807	08/08/25 15:38	08/09/25 02:13	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 02:13	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	22.7	1.01	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 15:52	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-30 @ 2'
5H08005-30 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:49	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:49	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:49	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:49	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 08:49	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0803	08/08/25 16:01	08/09/25 08:49	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.9 %	80-120		P5H0803	08/08/25 16:01	08/09/25 08:49	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 08:49	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 08:49	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 02:37	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 02:37	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 02:37	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		67.0 %	70-130		P5H0807	08/08/25 15:38	08/09/25 02:37	EPA 8015M	S-GC
<i>Surrogate: o-Terphenyl</i>		92.5 %	70-130		P5H0807	08/08/25 15:38	08/09/25 02:37	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 02:37	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	93.1	1.01	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 16:08	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-31 @ 2'
5H08005-31 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 09:55	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 09:55	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 09:55	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 09:55	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 09:55	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0803	08/08/25 16:01	08/09/25 09:55	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		88.5 %	80-120		P5H0803	08/08/25 16:01	08/09/25 09:55	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 09:55	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 09:55	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:01	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:01	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:01	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		73.8 %	70-130		P5H0807	08/08/25 15:38	08/09/25 03:01	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		96.5 %	70-130		P5H0807	08/08/25 15:38	08/09/25 03:01	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 03:01	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	42.7	1.01	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 16:23	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-32 @ 2'
5H08005-32 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:17	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:17	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:17	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:17	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:17	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	80-120		P5H0803	08/08/25 16:01	08/09/25 10:17	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		88.4 %	80-120		P5H0803	08/08/25 16:01	08/09/25 10:17	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 10:17	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 10:17	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:25	EPA 8015M	
Diesel Range Organics	44.3	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:25	EPA 8015M	
Mineral Oil Range Organics	25.2	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:25	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		67.4 %	70-130		P5H0807	08/08/25 15:38	08/09/25 03:25	EPA 8015M	S-GC
<i>Surrogate: o-Terphenyl</i>		86.7 %	70-130		P5H0807	08/08/25 15:38	08/09/25 03:25	EPA 8015M	
Total Hydrocarbons	69.5	25.0	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 03:25	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	6.20	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 16:38	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-33 @ 2'
5H08005-33 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00111	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:39	EPA 8021B	
Toluene	ND	0.00111	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:39	EPA 8021B	
Ethylbenzene	ND	0.00111	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:39	EPA 8021B	
Xylene (p/m)	ND	0.00222	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:39	EPA 8021B	
Xylene (o)	ND	0.00111	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 10:39	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.9 %	80-120		P5H0803	08/08/25 16:01	08/09/25 10:39	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		99.9 %	80-120		P5H0803	08/08/25 16:01	08/09/25 10:39	EPA 8021B	
Xylenes (total)	ND	0.00111	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 10:39	EPA 8021B	
Total BTEX	ND	0.00111	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 10:39	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	27.8	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:49	EPA 8015M	
Diesel Range Organics	ND	27.8	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:49	EPA 8015M	
Mineral Oil Range Organics	ND	27.8	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 03:49	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		70.3 %	70-130		P5H0807	08/08/25 15:38	08/09/25 03:49	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		95.3 %	70-130		P5H0807	08/08/25 15:38	08/09/25 03:49	EPA 8015M	
Total Hydrocarbons	ND	27.8	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 03:49	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	29.0	1.11	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 17:24	EPA 300.0	
% Moisture	10.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-34 @ 2'
5H08005-34 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:01	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:01	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:01	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:01	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:01	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		88.9 %	80-120		P5H0803	08/08/25 16:01	08/09/25 11:01	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0803	08/08/25 16:01	08/09/25 11:01	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 11:01	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 11:01	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 04:13	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 04:13	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 04:13	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		67.1 %	70-130		P5H0807	08/08/25 15:38	08/09/25 04:13	EPA 8015M	S-GC
<i>Surrogate: o-Terphenyl</i>		90.1 %	70-130		P5H0807	08/08/25 15:38	08/09/25 04:13	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 04:13	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	2.60	1.01	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 17:40	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-35 @ 7'
5H08005-35 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00108	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:23	EPA 8021B	
Toluene	ND	0.00108	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:23	EPA 8021B	
Ethylbenzene	ND	0.00108	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:23	EPA 8021B	
Xylene (p/m)	ND	0.00215	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:23	EPA 8021B	
Xylene (o)	ND	0.00108	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:23	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		88.5 %	80-120		P5H0803	08/08/25 16:01	08/09/25 11:23	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		98.3 %	80-120		P5H0803	08/08/25 16:01	08/09/25 11:23	EPA 8021B	
Xylenes (total)	ND	0.00108	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 11:23	EPA 8021B	
Total BTEX	ND	0.00108	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 11:23	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	26.9	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 04:37	EPA 8015M	
Diesel Range Organics	221	26.9	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 04:37	EPA 8015M	
Mineral Oil Range Organics	90.0	26.9	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 04:37	EPA 8015M	
Surrogate: 1-Chlorooctane		67.0 %	70-130		P5H0807	08/08/25 15:38	08/09/25 04:37	EPA 8015M	S-GC
Surrogate: o-Terphenyl		86.1 %	70-130		P5H0807	08/08/25 15:38	08/09/25 04:37	EPA 8015M	
Total Hydrocarbons	311	26.9	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 04:37	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	38.5	1.08	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 18:26	EPA 300.0	
% Moisture	7.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BH-36 @ 7'
5H08005-36 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:46	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:46	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:46	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:46	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 11:46	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		89.4 %	80-120		P5H0803	08/08/25 16:01	08/09/25 11:46	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0803	08/08/25 16:01	08/09/25 11:46	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 11:46	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 11:46	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 05:01	EPA 8015M	
Diesel Range Organics	492	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 05:01	EPA 8015M	
Mineral Oil Range Organics	110	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 05:01	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		78.6 %	70-130		P5H0807	08/08/25 15:38	08/09/25 05:01	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		99.6 %	70-130		P5H0807	08/08/25 15:38	08/09/25 05:01	EPA 8015M	
Total Hydrocarbons	602	25.0	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 05:01	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	44.3	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 18:41	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-37 @ 6'
5H08005-37 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:08	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:08	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:08	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:08	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:08	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		89.7 %	80-120		P5H0803	08/08/25 16:01	08/09/25 12:08	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	80-120		P5H0803	08/08/25 16:01	08/09/25 12:08	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 12:08	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 12:08	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 05:25	EPA 8015M	
Diesel Range Organics	294	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 05:25	EPA 8015M	
Mineral Oil Range Organics	64.8	25.0	mg/kg dry	1	P5H0807	08/08/25 15:38	08/09/25 05:25	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		77.9 %	70-130		P5H0807	08/08/25 15:38	08/09/25 05:25	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		99.3 %	70-130		P5H0807	08/08/25 15:38	08/09/25 05:25	EPA 8015M	
Total Hydrocarbons	359	25.0	mg/kg dry	1	[CALC]	08/08/25 15:38	08/09/25 05:25	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	18.3	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 18:56	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

NW-1 @ 0''-2'
5H08005-38 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:30	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:30	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:30	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:30	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:30	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		103 %	80-120		P5H0803	08/08/25 16:01	08/09/25 12:30	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		89.0 %	80-120		P5H0803	08/08/25 16:01	08/09/25 12:30	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 12:30	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 12:30	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 20:58	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 20:58	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 20:58	EPA 8015M	
Surrogate: 1-Chlorooctane		88.1 %	70-130		P5H0901	08/09/25 15:34	08/09/25 20:58	EPA 8015M	
Surrogate: o-Terphenyl		92.8 %	70-130		P5H0901	08/09/25 15:34	08/09/25 20:58	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/09/25 15:34	08/09/25 20:58	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	92.4	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 19:12	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

EW-1 @ 0''-3'
5H08005-39 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:52	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:52	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:52	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:52	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 12:52	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		89.6 %	80-120		P5H0803	08/08/25 16:01	08/09/25 12:52	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	80-120		P5H0803	08/08/25 16:01	08/09/25 12:52	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 12:52	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 12:52	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 21:22	EPA 8015M	
Diesel Range Organics	208	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 21:22	EPA 8015M	
Mineral Oil Range Organics	51.4	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 21:22	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		93.0 %	70-130		P5H0901	08/09/25 15:34	08/09/25 21:22	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		101 %	70-130		P5H0901	08/09/25 15:34	08/09/25 21:22	EPA 8015M	
Total Hydrocarbons	259	25.0	mg/kg dry	1	[CALC]	08/09/25 15:34	08/09/25 21:22	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	13.1	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 19:27	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

EW-2 @ 0''-4'
5H08005-40 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 13:14	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 13:14	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 13:14	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 13:14	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0803	08/08/25 16:01	08/09/25 13:14	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	80-120		P5H0803	08/08/25 16:01	08/09/25 13:14	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		89.1 %	80-120		P5H0803	08/08/25 16:01	08/09/25 13:14	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 13:14	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:01	08/09/25 13:14	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 21:46	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 21:46	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 21:46	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		92.7 %	70-130		P5H0901	08/09/25 15:34	08/09/25 21:46	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		97.2 %	70-130		P5H0901	08/09/25 15:34	08/09/25 21:46	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/09/25 15:34	08/09/25 21:46	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	6.47	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 19:42	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

EW-3 @ 0''-3'
5H08005-41 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:12	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:12	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:12	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:12	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:12	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.4 %	80-120		P5H0804	08/08/25 16:06	08/09/25 16:12	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		105 %	80-120		P5H0804	08/08/25 16:06	08/09/25 16:12	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 16:12	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 16:12	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:10	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:10	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:10	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		90.9 %	70-130		P5H0901	08/09/25 15:34	08/09/25 22:10	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		98.0 %	70-130		P5H0901	08/09/25 15:34	08/09/25 22:10	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/09/25 15:34	08/09/25 22:10	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	244	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 19:58	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

SW-1 @ 0''-2'
5H08005-42 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:34	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:34	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:34	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:34	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:34	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		87.9 %	80-120		P5H0804	08/08/25 16:06	08/09/25 16:34	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	80-120		P5H0804	08/08/25 16:06	08/09/25 16:34	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 16:34	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 16:34	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:34	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:34	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:34	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		91.6 %	70-130		P5H0901	08/09/25 15:34	08/09/25 22:34	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		100 %	70-130		P5H0901	08/09/25 15:34	08/09/25 22:34	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/09/25 15:34	08/09/25 22:34	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	129	1.00	mg/kg dry	1	P5H1212	08/12/25 12:10	08/12/25 20:13	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

SW-2 @ 0''-7'
5H08005-43 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							
Benzene	ND	0.00102	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:56	EPA 8021B	
Toluene	ND	0.00102	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:56	EPA 8021B	
Ethylbenzene	ND	0.00102	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:56	EPA 8021B	
Xylene (p/m)	ND	0.00204	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:56	EPA 8021B	
Xylene (o)	ND	0.00102	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 16:56	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		102 %	80-120		P5H0804	08/08/25 16:06	08/09/25 16:56	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		89.1 %	80-120		P5H0804	08/08/25 16:06	08/09/25 16:56	EPA 8021B	
Xylenes (total)	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 16:56	EPA 8021B	
Total BTEX	ND	0.00102	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 16:56	EPA 8021B	

Organics by GC

Gasoline Range Organics	35.0	25.5	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:57	EPA 8015M	
Diesel Range Organics	625	25.5	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:57	EPA 8015M	
Mineral Oil Range Organics	125	25.5	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 22:57	EPA 8015M	
Surrogate: 1-Chlorooctane		93.8 %	70-130		P5H0901	08/09/25 15:34	08/09/25 22:57	EPA 8015M	
Surrogate: o-Terphenyl		103 %	70-130		P5H0901	08/09/25 15:34	08/09/25 22:57	EPA 8015M	
Total Hydrocarbons	785	25.5	mg/kg dry	1	[CALC]	08/09/25 15:34	08/09/25 22:57	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	75.5	1.02	mg/kg dry	1	P5H1214	08/12/25 13:22	08/12/25 21:45	EPA 300.0	
% Moisture	2.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

WW-1 @ 0-2'
5H08005-44 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:19	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:19	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:19	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:19	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:19	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		83.8 %	80-120		P5H0804	08/08/25 16:06	08/09/25 17:19	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	80-120		P5H0804	08/08/25 16:06	08/09/25 17:19	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 17:19	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 17:19	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 23:21	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 23:21	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 23:21	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		89.8 %	70-130		P5H0901	08/09/25 15:34	08/09/25 23:21	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		96.8 %	70-130		P5H0901	08/09/25 15:34	08/09/25 23:21	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/09/25 15:34	08/09/25 23:21	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	50.7	1.01	mg/kg dry	1	P5H1214	08/12/25 13:22	08/12/25 22:31	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

WW-2 @ 0-4'
5H08005-45 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:41	EPA 8021B	
Toluene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:41	EPA 8021B	
Ethylbenzene	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:41	EPA 8021B	
Xylene (p/m)	ND	0.00200	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:41	EPA 8021B	
Xylene (o)	ND	0.00100	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 17:41	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		105 %	80-120		P5H0804	08/08/25 16:06	08/09/25 17:41	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		88.2 %	80-120		P5H0804	08/08/25 16:06	08/09/25 17:41	EPA 8021B	
Xylenes (total)	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 17:41	EPA 8021B	
Total BTEX	ND	0.00100	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 17:41	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 23:45	EPA 8015M	
Diesel Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 23:45	EPA 8015M	
Mineral Oil Range Organics	ND	25.0	mg/kg dry	1	P5H0901	08/09/25 15:34	08/09/25 23:45	EPA 8015M	
Surrogate: 1-Chlorooctane		86.1 %	70-130		P5H0901	08/09/25 15:34	08/09/25 23:45	EPA 8015M	
Surrogate: o-Terphenyl		82.4 %	70-130		P5H0901	08/09/25 15:34	08/09/25 23:45	EPA 8015M	
Total Hydrocarbons	ND	25.0	mg/kg dry	1	[CALC]	08/09/25 15:34	08/09/25 23:45	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	7.51	1.00	mg/kg dry	1	P5H1214	08/12/25 13:22	08/12/25 22:46	EPA 300.0	
% Moisture	ND	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

WW-3 @ 0-2'
5H08005-46 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:04	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:04	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:04	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:04	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:04	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		88.9 %	80-120		P5H0804	08/08/25 16:06	08/09/25 18:04	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	80-120		P5H0804	08/08/25 16:06	08/09/25 18:04	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 18:04	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 18:04	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/10/25 00:09	EPA 8015M	
Diesel Range Organics	457	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/10/25 00:09	EPA 8015M	
Mineral Oil Range Organics	92.4	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/10/25 00:09	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		85.9 %	70-130		P5H0901	08/09/25 15:34	08/10/25 00:09	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		96.6 %	70-130		P5H0901	08/09/25 15:34	08/10/25 00:09	EPA 8015M	
Total Hydrocarbons	549	25.3	mg/kg dry	1	[CALC]	08/09/25 15:34	08/10/25 00:09	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	55.7	1.01	mg/kg dry	1	P5H1214	08/12/25 13:22	08/12/25 23:02	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

WW-4 @ 0-7'
5H08005-47 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:26	EPA 8021B	
Toluene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:26	EPA 8021B	
Ethylbenzene	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:26	EPA 8021B	
Xylene (p/m)	ND	0.00202	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:26	EPA 8021B	
Xylene (o)	ND	0.00101	mg/kg dry	1	P5H0804	08/08/25 16:06	08/09/25 18:26	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		101 %	80-120		P5H0804	08/08/25 16:06	08/09/25 18:26	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		87.5 %	80-120		P5H0804	08/08/25 16:06	08/09/25 18:26	EPA 8021B	
Xylenes (total)	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 18:26	EPA 8021B	
Total BTEX	ND	0.00101	mg/kg dry	1	[CALC]	08/08/25 16:06	08/09/25 18:26	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/10/25 00:32	EPA 8015M	
Diesel Range Organics	ND	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/10/25 00:32	EPA 8015M	
Mineral Oil Range Organics	ND	25.3	mg/kg dry	1	P5H0901	08/09/25 15:34	08/10/25 00:32	EPA 8015M	
Surrogate: 1-Chlorooctane		93.2 %	70-130		P5H0901	08/09/25 15:34	08/10/25 00:32	EPA 8015M	
Surrogate: o-Terphenyl		102 %	70-130		P5H0901	08/09/25 15:34	08/10/25 00:32	EPA 8015M	
Total Hydrocarbons	ND	25.3	mg/kg dry	1	[CALC]	08/09/25 15:34	08/10/25 00:32	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	2.95	1.01	mg/kg dry	1	P5H1214	08/12/25 13:22	08/12/25 23:17	EPA 300.0	
% Moisture	1.0	0.1	%	1	P5H1108	08/11/25 10:14	08/11/25 10:16	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0802 - * DEFAULT PREP *****

Blank (P5H0802-BLK1)

Prepared & Analyzed: 08/08/25

Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 4-Bromofluorobenzene	0.119		"	0.120		98.9	80-120			
Surrogate: 1,4-Difluorobenzene	0.103		"	0.120		86.1	80-120			

LCS (P5H0802-BS1)

Prepared & Analyzed: 08/08/25

Benzene	0.0950	0.00100	mg/kg	0.100		95.0	80-120		20	
Toluene	0.102	0.00100	"	0.100		102	80-120		20	
Ethylbenzene	0.105	0.00100	"	0.100		105	80-120		20	
Xylene (p/m)	0.192	0.00200	"	0.200		95.9	80-120		20	
Xylene (o)	0.0992	0.00100	"	0.100		99.2	80-120		20	
Surrogate: 1,4-Difluorobenzene	0.110		"	0.120		92.0	80-120			
Surrogate: 4-Bromofluorobenzene	0.124		"	0.120		103	80-120			

LCS Dup (P5H0802-BSD1)

Prepared & Analyzed: 08/08/25

Benzene	0.102	0.00100	mg/kg	0.100		102	80-120	7.19	20	
Toluene	0.110	0.00100	"	0.100		110	80-120	7.69	20	
Ethylbenzene	0.114	0.00100	"	0.100		114	80-120	7.81	20	
Xylene (p/m)	0.206	0.00200	"	0.200		103	80-120	7.17	20	
Xylene (o)	0.108	0.00100	"	0.100		108	80-120	8.31	20	
Surrogate: 1,4-Difluorobenzene	0.111		"	0.120		92.1	80-120			
Surrogate: 4-Bromofluorobenzene	0.125		"	0.120		104	80-120			

Calibration Blank (P5H0802-CCB1)

Prepared & Analyzed: 08/08/25

Benzene	0.00		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0400		"							
Xylene (p/m)	0.120		"							
Xylene (o)	0.00		"							
Surrogate: 1,4-Difluorobenzene	0.104		"	0.120		86.4	80-120			
Surrogate: 4-Bromofluorobenzene	0.119		"	0.120		99.2	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0802 - * DEFAULT PREP *****

Calibration Blank (P5H0802-CCB2)

Prepared & Analyzed: 08/08/25

Benzene	0.00		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0800		"							
Xylene (p/m)	0.130		"							
Xylene (o)	0.00		"							
Surrogate: 4-Bromofluorobenzene	0.121		"	0.120		100	80-120			
Surrogate: 1,4-Difluorobenzene	0.103		"	0.120		86.1	80-120			

Calibration Check (P5H0802-CCV1)

Prepared & Analyzed: 08/08/25

Benzene	0.0966	0.00100	mg/kg	0.100		96.6	80-120			
Toluene	0.103	0.00100	"	0.100		103	80-120			
Ethylbenzene	0.103	0.00100	"	0.100		103	80-120			
Xylene (p/m)	0.194	0.00200	"	0.200		96.8	80-120			
Xylene (o)	0.102	0.00100	"	0.100		102	80-120			
Surrogate: 4-Bromofluorobenzene	0.122		"	0.120		102	75-125			
Surrogate: 1,4-Difluorobenzene	0.110		"	0.120		91.7	75-125			

Calibration Check (P5H0802-CCV2)

Prepared & Analyzed: 08/08/25

Benzene	0.109	0.00100	mg/kg	0.100		109	80-120			
Toluene	0.116	0.00100	"	0.100		116	80-120			
Ethylbenzene	0.116	0.00100	"	0.100		116	80-120			
Xylene (p/m)	0.219	0.00200	"	0.200		110	80-120			
Xylene (o)	0.115	0.00100	"	0.100		115	80-120			
Surrogate: 4-Bromofluorobenzene	0.126		"	0.120		105	75-125			
Surrogate: 1,4-Difluorobenzene	0.110		"	0.120		91.8	75-125			

Calibration Check (P5H0802-CCV3)

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.112	0.00100	mg/kg	0.100		112	80-120			
Toluene	0.119	0.00100	"	0.100		119	80-120			
Ethylbenzene	0.118	0.00100	"	0.100		118	80-120			
Xylene (p/m)	0.223	0.00200	"	0.200		112	80-120			
Xylene (o)	0.118	0.00100	"	0.100		118	80-120			
Surrogate: 4-Bromofluorobenzene	0.127		"	0.120		106	75-125			
Surrogate: 1,4-Difluorobenzene	0.111		"	0.120		92.3	75-125			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0802 - * DEFAULT PREP *****

Matrix Spike (P5H0802-MS1)	Source: 5H08005-01		Prepared: 08/08/25		Analyzed: 08/09/25					
Benzene	0.108	0.00105	mg/kg dry	0.105	ND	103	80-120		20	
Toluene	0.110	0.00105	"	0.105	ND	104	80-120		20	
Ethylbenzene	0.0908	0.00105	"	0.105	ND	86.2	80-120		20	
Xylene (p/m)	0.185	0.00211	"	0.211	ND	87.8	80-120		20	
Xylene (o)	0.103	0.00105	"	0.105	ND	98.3	80-120		20	
Surrogate: 4-Bromofluorobenzene	0.136		"	0.126		108	80-120			
Surrogate: 1,4-Difluorobenzene	0.117		"	0.126		92.5	80-120			

Matrix Spike Dup (P5H0802-MSD1)	Source: 5H08005-01		Prepared: 08/08/25		Analyzed: 08/09/25					
Benzene	0.102	0.00105	mg/kg dry	0.105	ND	96.8	80-120	6.26	20	
Toluene	0.102	0.00105	"	0.105	ND	97.1	80-120	7.30	20	
Ethylbenzene	0.0875	0.00105	"	0.105	ND	83.2	80-120	3.65	20	
Xylene (p/m)	0.176	0.00211	"	0.211	ND	83.4	80-120	5.05	20	
Xylene (o)	0.0982	0.00105	"	0.105	ND	93.3	80-120	5.16	20	
Surrogate: 4-Bromofluorobenzene	0.135		"	0.126		107	80-120			
Surrogate: 1,4-Difluorobenzene	0.117		"	0.126		92.2	80-120			

Batch P5H0803 - * DEFAULT PREP *****

Blank (P5H0803-BLK1)			Prepared: 08/08/25		Analyzed: 08/09/25					
Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 4-Bromofluorobenzene	0.120		"	0.120		100	80-120			
Surrogate: 1,4-Difluorobenzene	0.105		"	0.120		87.4	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0803 - * DEFAULT PREP *****

LCS (P5H0803-BS1)		Prepared: 08/08/25 Analyzed: 08/09/25								
Benzene	0.111	0.00100	mg/kg	0.100		111	80-120		20	
Toluene	0.118	0.00100	"	0.100		118	80-120		20	
Ethylbenzene	0.118	0.00100	"	0.100		118	80-120		20	
Xylene (p/m)	0.222	0.00200	"	0.200		111	80-120		20	
Xylene (o)	0.116	0.00100	"	0.100		116	80-120		20	
Surrogate: 4-Bromofluorobenzene	0.128		"	0.120		106	80-120			
Surrogate: 1,4-Difluorobenzene	0.111		"	0.120		92.2	80-120			

LCS Dup (P5H0803-BSD1)		Prepared: 08/08/25 Analyzed: 08/09/25								
Benzene	0.111	0.00100	mg/kg	0.100		111	80-120	0.369	20	
Toluene	0.118	0.00100	"	0.100		118	80-120	0.00847	20	
Ethylbenzene	0.119	0.00100	"	0.100		119	80-120	1.26	20	
Xylene (p/m)	0.222	0.00200	"	0.200		111	80-120	0.414	20	
Xylene (o)	0.116	0.00100	"	0.100		116	80-120	0.138	20	
Surrogate: 4-Bromofluorobenzene	0.127		"	0.120		106	80-120			
Surrogate: 1,4-Difluorobenzene	0.110		"	0.120		91.9	80-120			

Calibration Blank (P5H0803-CCB1)		Prepared: 08/08/25 Analyzed: 08/09/25								
Benzene	0.0400		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0700		"							
Xylene (p/m)	0.130		"							
Xylene (o)	0.00		"							
Surrogate: 4-Bromofluorobenzene	0.119		"	0.120		99.5	80-120			
Surrogate: 1,4-Difluorobenzene	0.104		"	0.120		87.0	80-120			

Calibration Blank (P5H0803-CCB2)		Prepared: 08/08/25 Analyzed: 08/09/25								
Benzene	0.00		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0600		"							
Xylene (p/m)	0.120		"							
Xylene (o)	0.00		"							
Surrogate: 1,4-Difluorobenzene	0.105		"	0.120		87.5	80-120			
Surrogate: 4-Bromofluorobenzene	0.120		"	0.120		99.6	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0803 - * DEFAULT PREP *****

Calibration Check (P5H0803-CCV1)

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.112	0.00100	mg/kg	0.100		112	80-120			
Toluene	0.119	0.00100	"	0.100		119	80-120			
Ethylbenzene	0.118	0.00100	"	0.100		118	80-120			
Xylene (p/m)	0.223	0.00200	"	0.200		112	80-120			
Xylene (o)	0.118	0.00100	"	0.100		118	80-120			
Surrogate: 1,4-Difluorobenzene	0.111		"	0.120		92.3	75-125			
Surrogate: 4-Bromofluorobenzene	0.127		"	0.120		106	75-125			

Calibration Check (P5H0803-CCV2)

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.107	0.00100	mg/kg	0.100		107	80-120			
Toluene	0.113	0.00100	"	0.100		113	80-120			
Ethylbenzene	0.112	0.00100	"	0.100		112	80-120			
Xylene (p/m)	0.211	0.00200	"	0.200		105	80-120			
Xylene (o)	0.111	0.00100	"	0.100		111	80-120			
Surrogate: 4-Bromofluorobenzene	0.125		"	0.120		105	75-125			
Surrogate: 1,4-Difluorobenzene	0.112		"	0.120		92.9	75-125			

Calibration Check (P5H0803-CCV3)

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.105	0.00100	mg/kg	0.100		105	80-120			
Toluene	0.111	0.00100	"	0.100		111	80-120			
Ethylbenzene	0.110	0.00100	"	0.100		110	80-120			
Xylene (p/m)	0.208	0.00200	"	0.200		104	80-120			
Xylene (o)	0.110	0.00100	"	0.100		110	80-120			
Surrogate: 4-Bromofluorobenzene	0.124		"	0.120		104	75-125			
Surrogate: 1,4-Difluorobenzene	0.112		"	0.120		93.3	75-125			

Matrix Spike (P5H0803-MS1)

Source: 5H08005-21

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.0665	0.00101	mg/kg dry	0.101	ND	65.9	80-120	20		QM-05
Toluene	0.0252	0.00101	"	0.101	ND	25.0	80-120	20		QM-05
Ethylbenzene	ND	0.00101	"	0.101	ND		80-120	20		QM-05
Xylene (p/m)	0.0703	0.00202	"	0.202	ND	34.8	80-120	20		QM-05
Xylene (o)	0.0835	0.00101	"	0.101	ND	82.7	80-120	20		
Surrogate: 1,4-Difluorobenzene	0.116		"	0.121		96.0	80-120			
Surrogate: 4-Bromofluorobenzene	0.129		"	0.121		107	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0803 - * DEFAULT PREP *****

Matrix Spike Dup (P5H0803-MSD1)	Source: 5H08005-21		Prepared: 08/08/25		Analyzed: 08/09/25					
Benzene	0.0666	0.00101	mg/kg dry	0.101	ND	66.0	80-120	0.152	20	QM-05
Toluene	0.0245	0.00101	"	0.101	ND	24.3	80-120	2.80	20	QM-05
Ethylbenzene	0.00999	0.00101	"	0.101	ND	9.89	80-120		20	QM-05
Xylene (p/m)	0.0705	0.00202	"	0.202	ND	34.9	80-120	0.172	20	QM-05
Xylene (o)	0.0822	0.00101	"	0.101	ND	81.3	80-120	1.65	20	
Surrogate: 1,4-Difluorobenzene	0.116		"	0.121		95.8	80-120			
Surrogate: 4-Bromofluorobenzene	0.130		"	0.121		107	80-120			

Batch P5H0804 - * DEFAULT PREP *****

Blank (P5H0804-BLK1)			Prepared: 08/08/25		Analyzed: 08/09/25					
Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 1,4-Difluorobenzene	0.105		"	0.120		87.9	80-120			
Surrogate: 4-Bromofluorobenzene	0.119		"	0.120		99.6	80-120			

LCS (P5H0804-BS1)			Prepared: 08/08/25		Analyzed: 08/09/25					
Benzene	0.101	0.00100	mg/kg	0.100		101	80-120		20	
Toluene	0.106	0.00100	"	0.100		106	80-120		20	
Ethylbenzene	0.108	0.00100	"	0.100		108	80-120		20	
Xylene (p/m)	0.198	0.00200	"	0.200		99.0	80-120		20	
Xylene (o)	0.102	0.00100	"	0.100		102	80-120		20	
Surrogate: 1,4-Difluorobenzene	0.112		"	0.120		93.4	80-120			
Surrogate: 4-Bromofluorobenzene	0.126		"	0.120		105	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0804 - * DEFAULT PREP *****

LCS Dup (P5H0804-BSD1)

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.105	0.00100	mg/kg	0.100		105	80-120	4.35	20	
Toluene	0.112	0.00100	"	0.100		112	80-120	5.26	20	
Ethylbenzene	0.114	0.00100	"	0.100		114	80-120	5.64	20	
Xylene (p/m)	0.208	0.00200	"	0.200		104	80-120	4.96	20	
Xylene (o)	0.109	0.00100	"	0.100		109	80-120	5.73	20	
Surrogate: 1,4-Difluorobenzene	0.112		"	0.120		93.4	80-120			
Surrogate: 4-Bromofluorobenzene	0.127		"	0.120		106	80-120			

Calibration Blank (P5H0804-CCB1)

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.00		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0500		"							
Xylene (p/m)	0.110		"							
Xylene (o)	0.00		"							
Surrogate: 4-Bromofluorobenzene	0.119		"	0.120		99.5	80-120			
Surrogate: 1,4-Difluorobenzene	0.107		"	0.120		88.8	80-120			

Calibration Check (P5H0804-CCV1)

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.105	0.00100	mg/kg	0.100		105	80-120			
Toluene	0.111	0.00100	"	0.100		111	80-120			
Ethylbenzene	0.110	0.00100	"	0.100		110	80-120			
Xylene (p/m)	0.208	0.00200	"	0.200		104	80-120			
Xylene (o)	0.110	0.00100	"	0.100		110	80-120			
Surrogate: 4-Bromofluorobenzene	0.124		"	0.120		104	75-125			
Surrogate: 1,4-Difluorobenzene	0.112		"	0.120		93.3	75-125			

Calibration Check (P5H0804-CCV2)

Prepared: 08/08/25 Analyzed: 08/09/25

Benzene	0.0985	0.00100	mg/kg	0.100		98.5	80-120			
Toluene	0.104	0.00100	"	0.100		104	80-120			
Ethylbenzene	0.102	0.00100	"	0.100		102	80-120			
Xylene (p/m)	0.191	0.00200	"	0.200		95.4	80-120			
Xylene (o)	0.102	0.00100	"	0.100		102	80-120			
Surrogate: 1,4-Difluorobenzene	0.111		"	0.120		92.1	75-125			
Surrogate: 4-Bromofluorobenzene	0.125		"	0.120		104	75-125			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0804 - * DEFAULT PREP *****

Matrix Spike (P5H0804-MS1)	Source: 5H08005-41			Prepared: 08/08/25 Analyzed: 08/09/25						
Benzene	0.0924	0.00100	mg/kg dry	0.100	ND	92.4	80-120		20	
Toluene	0.0968	0.00100	"	0.100	ND	96.8	80-120		20	
Ethylbenzene	0.0947	0.00100	"	0.100	ND	94.7	80-120		20	
Xylene (p/m)	0.177	0.00200	"	0.200	ND	88.6	80-120		20	
Xylene (o)	0.0906	0.00100	"	0.100	ND	90.6	80-120		20	
Surrogate: 1,4-Difluorobenzene	0.112		"	0.120		93.2	80-120			
Surrogate: 4-Bromofluorobenzene	0.129		"	0.120		108	80-120			

Matrix Spike Dup (P5H0804-MSD1)	Source: 5H08005-41			Prepared: 08/08/25 Analyzed: 08/09/25						
Benzene	0.0901	0.00100	mg/kg dry	0.100	ND	90.1	80-120	2.51	20	
Toluene	0.0943	0.00100	"	0.100	ND	94.3	80-120	2.61	20	
Ethylbenzene	0.0912	0.00100	"	0.100	ND	91.2	80-120	3.68	20	
Xylene (p/m)	0.170	0.00200	"	0.200	ND	85.2	80-120	3.89	20	
Xylene (o)	0.0875	0.00100	"	0.100	ND	87.5	80-120	3.52	20	
Surrogate: 4-Bromofluorobenzene	0.129		"	0.120		107	80-120			
Surrogate: 1,4-Difluorobenzene	0.111		"	0.120		92.8	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0806 - TX 1005

Blank (P5H0806-BLK1)

Prepared: 08/08/25 Analyzed: 08/09/25

Gasoline Range Organics	ND	25.0	mg/kg							
Diesel Range Organics	ND	25.0	"							
Mineral Oil Range Organics	ND	25.0	"							
Surrogate: 1-Chlorooctane	85.4		"	100		85.4	70-130			
Surrogate: o-Terphenyl	45.7		"	50.0		91.3	70-130			

LCS (P5H0806-BS1)

Prepared: 08/08/25 Analyzed: 08/09/25

Gasoline Range Organics	847	25.0	mg/kg				75-125		20	
Diesel Range Organics	780	25.0	"	1000		78.0	75-125	1.85	20	
Surrogate: 1-Chlorooctane	115		"	100		115	70-130			
Surrogate: o-Terphenyl	45.2		"	50.0		90.4	70-130			

LCS Dup (P5H0806-BSD1)

Prepared: 08/08/25 Analyzed: 08/09/25

Gasoline Range Organics	802	25.0	mg/kg				75-125		20	
Diesel Range Organics	794	25.0	"	1000		79.4	75-125	1.85	20	
Surrogate: 1-Chlorooctane	116		"	100		116	70-130			
Surrogate: o-Terphenyl	46.2		"	50.0		92.3	70-130			

Calibration Check (P5H0806-CCV1)

Prepared: 08/08/25 Analyzed: 08/09/25

Gasoline Range Organics	503	25.0	mg/kg	500		101	85-115			
Diesel Range Organics	439	25.0	"	500		87.8	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	104		"	100		104	70-130			
Surrogate: o-Terphenyl	47.2		"	50.0		94.4	70-130			

Calibration Check (P5H0806-CCV2)

Prepared: 08/08/25 Analyzed: 08/09/25

Gasoline Range Organics	461	25.0	mg/kg	500		92.1	85-115			
Diesel Range Organics	430	25.0	"	500		85.9	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	106		"	100		106	70-130			
Surrogate: o-Terphenyl	50.6		"	50.0		101	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0806 - TX 1005

Calibration Check (P5H0806-CCV3)

Prepared: 08/08/25 Analyzed: 08/09/25

Gasoline Range Organics	474	25.0	mg/kg	500		94.8	85-115			
Diesel Range Organics	437	25.0	"	500		87.4	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	105		"	100		105	70-130			
Surrogate: o-Terphenyl	50.4		"	50.0		101	70-130			

Duplicate (P5H0806-DUP1)

Source: 5H08005-17

Prepared: 08/08/25 Analyzed: 08/09/25

Gasoline Range Organics	ND	25.5	mg/kg dry		ND				20	
Diesel Range Organics	ND	25.5	"		ND				20	
Mineral Oil Range Organics	ND	25.5	"		ND				200	
Surrogate: 1-Chlorooctane	93.4		"	102		91.6	70-130			
Surrogate: o-Terphenyl	50.5		"	51.0		99.0	70-130			

Batch P5H0807 - TX 1005

Blank (P5H0807-BLK1)

Prepared & Analyzed: 08/08/25

Gasoline Range Organics	ND	25.0	mg/kg							
Diesel Range Organics	ND	25.0	"							
Mineral Oil Range Organics	ND	25.0	"							
Surrogate: 1-Chlorooctane	73.5		"	100		73.5	70-130			
Surrogate: o-Terphenyl	48.4		"	50.0		96.9	70-130			

LCS (P5H0807-BS1)

Prepared & Analyzed: 08/08/25

Gasoline Range Organics	1040	25.0	mg/kg				75-125		20	
Diesel Range Organics	846	25.0	"	1000		84.6	75-125		20	
Surrogate: 1-Chlorooctane	98.8		"	100		98.8	70-130			
Surrogate: o-Terphenyl	47.1		"	50.0		94.1	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P5H0807 - TX 1005										
LCS Dup (P5H0807-BSD1) Prepared & Analyzed: 08/08/25										
Gasoline Range Organics	1030	25.0	mg/kg				75-125		20	
Diesel Range Organics	867	25.0	"	1000		86.7	75-125	2.42	20	
Surrogate: 1-Chlorooctane	95.9		"	100		95.9	70-130			
Surrogate: o-Terphenyl	48.0		"	50.0		95.9	70-130			
Calibration Check (P5H0807-CCV1) Prepared & Analyzed: 08/08/25										
Gasoline Range Organics	563	25.0	mg/kg	500		113	85-115			
Diesel Range Organics	568	25.0	"	500		114	85-115			
Mineral Oil Range Organics	16.0	25.0	"				0-200			
Surrogate: 1-Chlorooctane	82.8		"	100		82.8	70-130			
Surrogate: o-Terphenyl	48.8		"	50.0		97.5	70-130			
Calibration Check (P5H0807-CCV2) Prepared: 08/08/25 Analyzed: 08/09/25										
Gasoline Range Organics	573	25.0	mg/kg	500		115	85-115			
Diesel Range Organics	521	25.0	"	500		104	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	90.2		"	100		90.2	70-130			
Surrogate: o-Terphenyl	47.8		"	50.0		95.5	70-130			
Calibration Check (P5H0807-CCV3) Prepared: 08/08/25 Analyzed: 08/09/25										
Gasoline Range Organics	566	25.0	mg/kg	500		113	85-115			
Diesel Range Organics	536	25.0	"	500		107	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	88.9		"	100		88.9	70-130			
Surrogate: o-Terphenyl	49.8		"	50.0		99.6	70-130			
Duplicate (P5H0807-DUP1) Source: 5H08005-37 Prepared: 08/08/25 Analyzed: 08/09/25										
Gasoline Range Organics	11.4	25.0	mg/kg dry		10.8			4.69	20	
Diesel Range Organics	265	25.0	"		294			10.2	20	
Mineral Oil Range Organics	59.4	25.0	"		64.8			8.76	200	
Surrogate: 1-Chlorooctane	69.0		"	100		69.0	70-130			S-GC
Surrogate: o-Terphenyl	45.8		"	50.0		91.6	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0901 - TX 1005

Blank (P5H0901-BLK1)

Prepared & Analyzed: 08/09/25

Gasoline Range Organics	ND	25.0	mg/kg							
Diesel Range Organics	ND	25.0	"							
Mineral Oil Range Organics	ND	25.0	"							
Surrogate: 1-Chlorooctane	94.2		"	100		94.2	70-130			
Surrogate: o-Terphenyl	50.3		"	50.0		101	70-130			

LCS (P5H0901-BS1)

Prepared & Analyzed: 08/09/25

Gasoline Range Organics	876	25.0	mg/kg				75-125		20	
Diesel Range Organics	755	25.0	"	1000		75.5	75-125		20	
Surrogate: 1-Chlorooctane	111		"	100		111	70-130			
Surrogate: o-Terphenyl	52.0		"	50.0		104	70-130			

LCS Dup (P5H0901-BSD1)

Prepared & Analyzed: 08/09/25

Gasoline Range Organics	900	25.0	mg/kg				75-125		20	
Diesel Range Organics	772	25.0	"	1000		77.2	75-125	2.15	20	
Surrogate: 1-Chlorooctane	94.5		"	100		94.5	70-130			
Surrogate: o-Terphenyl	51.9		"	50.0		104	70-130			

Calibration Check (P5H0901-CCV1)

Prepared & Analyzed: 08/09/25

Gasoline Range Organics	505	25.0	mg/kg	500		101	85-115			
Diesel Range Organics	466	25.0	"	500		93.2	85-115			
Mineral Oil Range Organics	13.7	25.0	"				0-200			
Surrogate: 1-Chlorooctane	105		"	100		105	70-130			
Surrogate: o-Terphenyl	49.2		"	50.0		98.4	70-130			

Calibration Check (P5H0901-CCV2)

Prepared: 08/09/25 Analyzed: 08/10/25

Gasoline Range Organics	508	25.0	mg/kg	500		102	85-115			
Diesel Range Organics	446	25.0	"	500		89.1	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	103		"	100		103	70-130			
Surrogate: o-Terphenyl	48.8		"	50.0		97.5	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H0901 - TX 1005

Calibration Check (P5H0901-CCV3)

Prepared: 08/09/25 Analyzed: 08/10/25

Gasoline Range Organics	520	25.0	mg/kg	500		104	85-115			
Diesel Range Organics	512	25.0	"	500		102	85-115			
Mineral Oil Range Organics	25.0	25.0	"				0-200			
Surrogate: 1-Chlorooctane	88.8		"	100		88.8	70-130			
Surrogate: o-Terphenyl	47.8		"	50.0		95.5	70-130			

Duplicate (P5H0901-DUP1)

Source: 5H08007-07

Prepared: 08/09/25 Analyzed: 08/10/25

Gasoline Range Organics	476	26.0	mg/kg dry		520			8.91	20	
Diesel Range Organics	1340	26.0	"		1420			5.94	20	
Mineral Oil Range Organics	256	26.0	"		244			4.60	200	
Surrogate: 1-Chlorooctane	85.4		"	104		82.0	70-130			
Surrogate: o-Terphenyl	49.6		"	52.1		95.2	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P5H1108 - *** DEFAULT PREP ***										
Blank (P5H1108-BLK1)	Prepared & Analyzed: 08/11/25									
% Moisture	ND	0.1	%							MOD1
Blank (P5H1108-BLK2)	Prepared & Analyzed: 08/11/25									
% Moisture	ND	0.1	%							MOD1
Blank (P5H1108-BLK3)	Prepared & Analyzed: 08/11/25									
% Moisture	ND	0.1	%							MOD1
Blank (P5H1108-BLK4)	Prepared & Analyzed: 08/11/25									
% Moisture	ND	0.1	%							MOD1
Duplicate (P5H1108-DUP1)	Source: 5H08003-10			Prepared & Analyzed: 08/11/25						
% Moisture	16.0	0.1	%		16.0			0.00	20	MOD1
Duplicate (P5H1108-DUP2)	Source: 5H08003-20			Prepared & Analyzed: 08/11/25						
% Moisture	7.0	0.1	%		5.0			33.3	20	MOD1, R
Duplicate (P5H1108-DUP3)	Source: 5H08005-04			Prepared & Analyzed: 08/11/25						
% Moisture	3.0	0.1	%		3.0			0.00	20	MOD1
Duplicate (P5H1108-DUP4)	Source: 5H08005-14			Prepared & Analyzed: 08/11/25						
% Moisture	3.0	0.1	%		2.0			40.0	20	MOD1, R
Duplicate (P5H1108-DUP5)	Source: 5H08005-29			Prepared & Analyzed: 08/11/25						
% Moisture	1.0	0.1	%		1.0			0.00	20	MOD1
Duplicate (P5H1108-DUP6)	Source: 5H08005-39			Prepared & Analyzed: 08/11/25						
% Moisture	ND	0.1	%		ND				20	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P5H1108 - *** DEFAULT PREP ***										
Duplicate (P5H1108-DUP7) Source: 5H08007-01 Prepared & Analyzed: 08/11/25										
% Moisture	4.0	0.1	%		4.0			0.00	20	MOD1
Batch P5H1109 - *** DEFAULT PREP ***										
Blank (P5H1109-BLK1) Prepared & Analyzed: 08/11/25										
Chloride	ND	1.00	mg/kg							
LCS (P5H1109-BS1) Prepared & Analyzed: 08/11/25										
Chloride	19.0		mg/kg	20.0		95.0	90-110		10	
LCS Dup (P5H1109-BSD1) Prepared & Analyzed: 08/11/25										
Chloride	19.0		mg/kg	20.0		95.0	90-110	0.0842	10	
Calibration Check (P5H1109-CCV1) Prepared & Analyzed: 08/11/25										
Chloride	20.7		mg/kg	20.0		104	90-110			
Calibration Check (P5H1109-CCV2) Prepared: 08/11/25 Analyzed: 08/12/25										
Chloride	18.1		mg/kg	20.0		90.3	90-110			
Matrix Spike (P5H1109-MS1) Source: 5H08003-11 Prepared & Analyzed: 08/11/25										
Chloride	128		mg/kg	100	29.7	98.3	80-120		20	
Matrix Spike (P5H1109-MS2) Source: 5H08003-21 Prepared & Analyzed: 08/11/25										
Chloride	146		mg/kg	100	48.3	97.4	80-120		20	
Matrix Spike Dup (P5H1109-MSD1) Source: 5H08003-11 Prepared & Analyzed: 08/11/25										
Chloride	129		mg/kg	100	29.7	98.8	80-120	0.360	20	

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P5H1109 - *** DEFAULT PREP ***										
Matrix Spike Dup (P5H1109-MSD2)		Source: 5H08003-21			Prepared & Analyzed: 08/11/25					
Chloride	146		mg/kg	100	48.3	97.3	80-120	0.102	20	
Batch P5H1110 - *** DEFAULT PREP ***										
Blank (P5H1110-BLK1)		Prepared: 08/11/25 Analyzed: 08/12/25								
Chloride	ND	1.00	mg/kg							
LCS (P5H1110-BS1)		Prepared: 08/11/25 Analyzed: 08/12/25								
Chloride	21.2		mg/kg	20.0		106	90-110		10	
LCS Dup (P5H1110-BSD1)		Prepared: 08/11/25 Analyzed: 08/12/25								
Chloride	19.1		mg/kg	20.0		95.5	90-110	10.7	10	R
Calibration Check (P5H1110-CCV1)		Prepared: 08/11/25 Analyzed: 08/12/25								
Chloride	19.6		mg/kg	20.0		97.8	90-110			
Calibration Check (P5H1110-CCV2)		Prepared: 08/11/25 Analyzed: 08/12/25								
Chloride	18.1		mg/kg	20.0		90.3	90-110			
Matrix Spike (P5H1110-MS1)		Source: 5H08005-03			Prepared: 08/11/25 Analyzed: 08/12/25					
Chloride	101		mg/kg	100	0.416	101	80-120		20	
Matrix Spike (P5H1110-MS2)		Source: 5H08005-13			Prepared: 08/11/25 Analyzed: 08/12/25					
Chloride	103		mg/kg	100	0.747	102	80-120		20	
Matrix Spike Dup (P5H1110-MSD1)		Source: 5H08005-03			Prepared: 08/11/25 Analyzed: 08/12/25					
Chloride	102		mg/kg	100	0.416	101	80-120	0.447	20	

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P5H1110 - *** DEFAULT PREP ***										
Matrix Spike Dup (P5H1110-MSD2) Source: 5H08005-13 Prepared: 08/11/25 Analyzed: 08/12/25										
Chloride	103		mg/kg	100	0.747	102	80-120	0.364	20	
Batch P5H1212 - *** DEFAULT PREP ***										
Blank (P5H1212-BLK1) Prepared & Analyzed: 08/12/25										
Chloride	ND	1.00	mg/kg							
LCS (P5H1212-BS1) Prepared & Analyzed: 08/12/25										
Chloride	19.7		mg/kg	20.0		98.3	90-110		10	
LCS Dup (P5H1212-BSD1) Prepared & Analyzed: 08/12/25										
Chloride	19.8		mg/kg	20.0		98.9	90-110	0.588	10	
Calibration Check (P5H1212-CCV1) Prepared & Analyzed: 08/12/25										
Chloride	18.8		mg/kg	20.0		94.2	90-110			
Calibration Check (P5H1212-CCV2) Prepared & Analyzed: 08/12/25										
Chloride	19.1		mg/kg	20.0		95.7	90-110			
Matrix Spike (P5H1212-MS1) Source: 5H08005-24 Prepared & Analyzed: 08/12/25										
Chloride	103		mg/kg	100	1.14	102	80-120		20	
Matrix Spike (P5H1212-MS2) Source: 5H08005-34 Prepared & Analyzed: 08/12/25										
Chloride	104		mg/kg	100	0.0514	104	80-120		20	
Matrix Spike Dup (P5H1212-MSD1) Source: 5H08005-24 Prepared & Analyzed: 08/12/25										
Chloride	103		mg/kg	100	1.14	102	80-120	0.0263	20	

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P5H1212 - *** DEFAULT PREP ***										
Matrix Spike Dup (P5H1212-MSD2)			Source: 5H08005-34		Prepared & Analyzed: 08/12/25					
Chloride	104		mg/kg	100	0.0514	104	80-120	0.115	20	
Batch P5H1214 - *** DEFAULT PREP ***										
Blank (P5H1214-BLK1)			Prepared & Analyzed: 08/12/25							
Chloride	ND	1.00	mg/kg							
LCS (P5H1214-BS1)			Prepared & Analyzed: 08/12/25							
Chloride	18.9		mg/kg	20.0		94.7	90-110		10	
LCS Dup (P5H1214-BSD1)			Prepared & Analyzed: 08/12/25							
Chloride	19.2		mg/kg	20.0		96.0	90-110	1.39	10	
Calibration Check (P5H1214-CCV1)			Prepared & Analyzed: 08/12/25							
Chloride	20.8		mg/kg	20.0		104	90-110			
Calibration Check (P5H1214-CCV2)			Prepared: 08/12/25 Analyzed: 08/13/25							
Chloride	18.3		mg/kg	20.0		91.3	90-110			
Matrix Spike (P5H1214-MS1)			Source: 5H08005-43		Prepared & Analyzed: 08/12/25					
Chloride	101		mg/kg	100	1.48	99.5	80-120		20	
Matrix Spike Dup (P5H1214-MSD1)			Source: 5H08005-43		Prepared & Analyzed: 08/12/25					
Chloride	101		mg/kg	100	1.48	99.6	80-120	0.0624	20	

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

Notes and Definitions

- S-GC Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.
- ROI Received on Ice
- R The RPD exceeded the method control limit. The individual analyte QA/QC recoveries, however, were within acceptance limits.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
- MOD1 Analysis performed by modified method
- BULK Samples received in Bulk soil containers may be biased low in the nC6-C12 TPH Range
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- LCS Laboratory Control Spike
- MS Matrix Spike
- Dup Duplicate

Report Approved By:  Date: 8/13/2025

Raland Tuttle, Laboratory Manager/Technical Director

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-686-7235.



CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST
 Permian Basin Environmental Lab, LP
 1400 Rankin HWY
 Midland, Texas 79701

CH: _____
 W: _____
 Phone: 432-686-7235

Project Name: Robbin Fed com 2011

Project #: COEV-98970

Project Loc: Lee Co, NM

PO #:

Project Manager: Janey Fowler

Company Name: Tellus

Company Address: 4000 N Big Spring

City/State/Zip: Midland TX 79705

Telephone No: 432-557-0934

Fax No:

Report Format: Standard TRRP NPDES

Sampler Signature: Laurio Lozoya

e-mail: Janey@TellusServices.com

(lab use only)

ORDER #: SH08005

Preservation & # of Containers

Matrix

Analyze For:

TCLP:

TOTAL:

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total #. of Containers	Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DW=Drinking Water SL=Sludge	GW = Groundwater S=Soil/Solid	NP=Non-Potable Specify Other	TPH: TX 1005 TX 1006	Anions (Cl, SO ₄ , Alkalinity)	BTEX 8021B/5030 or BTEX 8260	TPH - SW 846	BTEX - 846	Chlorides - 4500	RUSH TAT (Pre-Schedule) 24, 48, 72 h	Standard TAT	
21	BH-21 @ 2'	2'	2'	8-8-25	10:08																						
22	BH-22 @ 2'				10:09																	X	X	X			
23	BH-23 @ 2'				10:12																						
24	BH-24 @ 2'				10:15																						
25	BH-25 @ 2'	2'	2'		10:18																						
26	BH-26 @ 2'				10:21																						
27	BH-27 @ 2'				10:23																						
28	BH-28 @ 2'				10:28																						
29	BH-29 @ 2'				10:31																						
30	BH-30 @ 2'				10:33																						

Special Instructions:

Reinquired by: _____ Date: 8-8-25 Time: 14:40 Received by: _____ Date: _____ Time: _____
 Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____
 Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____

Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____
 Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____
 Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____

Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____
 Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____
 Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____

Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____
 Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____
 Reinquired by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____



CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST
 Permian Basin Environmental Lab, LP
 1400 Rankin HWY
 Midland, Texas 79701

Project Name: Robbin Fedcom

Project #: COEV-98970

Project Loc: Lea, CO, NM

PO #:

Project Manager: Taney Fowler
 Company Name: Tellus

Company Address: 4000 N Big Spring

City/State/Zip: Midland TX - 79705

Telephone No: 432-557-0934

Fax No:

Report Format: Standard TRRP NPDES

Sampler Signature: Laura Loraoya

e-mail: Taney @ Tellus services

ORDER #: 51408005

LAB # (lab use only)

FIELD CODE

Beginning Depth

Ending Depth

Date Sampled

Time Sampled

Field Filtered

Total #. of Containers

Ice

HNO₃

HCl

H₂SO₄

NaOH

Na₂S₂O₃

None

Other (Specify)

DW=Drinking Water SL=Sludge
 GW = Groundwater S=Soil/Solids
 NP=Non-Potable Specify Other

TPH: TX 1005 TX 1006

Anions (Cl, SO₄, Alkalinity)

BTEX 8021B/5030 or BTEX 8260

TPH-5W-846
 BTEX-846
 Chlorides-4500

RUSH TAT (Pre-Schedule) 24, 48, 72 h

Standard TAT

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total #. of Containers	Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DW=Drinking Water SL=Sludge GW = Groundwater S=Soil/Solids NP=Non-Potable Specify Other	TPH: TX 1005 TX 1006	Anions (Cl, SO ₄ , Alkalinity)	BTEX 8021B/5030 or BTEX 8260	TPH-5W-846 BTEX-846 Chlorides-4500	RUSH TAT (Pre-Schedule) 24, 48, 72 h	Standard TAT		
31	BH-31@ 2'	2'	2'	8-8-25	10:34		1																	
32	BH-32@ 2'				10:37																			
33	BH-33@ 2'				10:40																			
34	BH-34@ 2'				10:44																			
35	BH-35@ 7'	7'	7'		10:45																			
36	BH-36@ 7'	1'	1'		10:48																			
37	BH-37@ 6'	6'	6'		10:49																			
38	NW-1@ 0'-2'	0'	2'		10:51																			
39	EW-1@ 0'-3"	0'	3'		10:54																			
40	EW-2@ 0'-4"	0'	4'		10:57																			

Special Instructions:

Retinquished by: [Signature] Date: 8/8/25 Time: 14:40 Received by: [Signature] Date: 8/8/25 Time: 14:40

Retinquished by: [Signature] Date: 8/8/25 Time: 14:40 Received by: [Signature] Date: 8/8/25 Time: 14:40

Retinquished by: [Signature] Date: 8/8/25 Time: 14:40 Received by: [Signature] Date: 8/8/25 Time: 14:40

Retinquished by: [Signature] Date: 8/8/25 Time: 14:40 Received by: [Signature] Date: 8/8/25 Time: 14:40

Revision #: 2021_1 Effective Date: 9-21-21

Page 4 of 5

**PERMIAN BASIN
ENVIRONMENTAL LAB, LP
1400 Rankin Hwy
Midland, TX 79701**



Analytical Report

Prepared for:

Jamey Fowler
Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland, TX 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Location: Lea County, NM
Lab Order Number: 5H20019



Current Certification

Report Date: 08/26/25

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BH-7 @ 2'6"	5H20019-01	Soil	08/18/25 09:10	08-20-2025 08:58
BH-12 @ 3'	5H20019-02	Soil	08/18/25 09:17	08-20-2025 08:58
WW-3B @ 0-2'	5H20019-03	Soil	08/18/25 09:27	08-20-2025 08:58
EW-1B @ 0-3'	5H20019-04	Soil	08/18/25 09:23	08-20-2025 08:58
SW-2B @ 0-4'	5H20019-05	Soil	08/18/25 09:31	08-20-2025 08:58
SW-2B @ 4'-7'	5H20019-06	Soil	08/18/25 09:32	08-20-2025 08:58

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-7 @ 2'6"
5H20019-01 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00104	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 17:52	EPA 8021B	
Toluene	ND	0.00104	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 17:52	EPA 8021B	
Ethylbenzene	ND	0.00104	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 17:52	EPA 8021B	
Xylene (p/m)	ND	0.00208	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 17:52	EPA 8021B	
Xylene (o)	ND	0.00104	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 17:52	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		95.6 %	80-120		P5H2507	08/25/25 14:46	08/25/25 17:52	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		97.1 %	80-120		P5H2507	08/25/25 14:46	08/25/25 17:52	EPA 8021B	
Xylenes (total)	ND	0.00104	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 17:52	EPA 8021B	
Total BTEX	ND	0.00104	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 17:52	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	26.0	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 21:34	EPA 8015M	
Diesel Range Organics	ND	26.0	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 21:34	EPA 8015M	
Mineral Oil Range Organics	ND	26.0	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 21:34	EPA 8015M	
Surrogate: 1-Chlorooctane		92.1 %	70-130		P5H2009	08/20/25 13:59	08/20/25 21:34	EPA 8015M	
Surrogate: o-Terphenyl		100 %	70-130		P5H2009	08/20/25 13:59	08/20/25 21:34	EPA 8015M	
Total Hydrocarbons	ND	26.0	mg/kg dry	1	[CALC]	08/20/25 13:59	08/20/25 21:34	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	408	1.04	mg/kg dry	1	P5H2008	08/20/25 09:18	08/20/25 19:01	EPA 300.0	
% Moisture	4.0	0.1	%	1	P5H2110	08/21/25 11:00	08/21/25 11:05	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

BH-12 @ 3'
5H20019-02 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00111	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:14	EPA 8021B	
Toluene	ND	0.00111	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:14	EPA 8021B	
Ethylbenzene	ND	0.00111	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:14	EPA 8021B	
Xylene (p/m)	ND	0.00222	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:14	EPA 8021B	
Xylene (o)	ND	0.00111	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:14	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		96.8 %	80-120		P5H2507	08/25/25 14:46	08/25/25 18:14	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		94.0 %	80-120		P5H2507	08/25/25 14:46	08/25/25 18:14	EPA 8021B	
Xylenes (total)	ND	0.00111	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 18:14	EPA 8021B	
Total BTEX	ND	0.00111	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 18:14	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	27.8	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 21:56	EPA 8015M	
Diesel Range Organics	ND	27.8	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 21:56	EPA 8015M	
Mineral Oil Range Organics	ND	27.8	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 21:56	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		93.3 %	70-130		P5H2009	08/20/25 13:59	08/20/25 21:56	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		101 %	70-130		P5H2009	08/20/25 13:59	08/20/25 21:56	EPA 8015M	
Total Hydrocarbons	ND	27.8	mg/kg dry	1	[CALC]	08/20/25 13:59	08/20/25 21:56	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	56.2	1.11	mg/kg dry	1	P5H2008	08/20/25 09:18	08/20/25 19:16	EPA 300.0	
% Moisture	10.0	0.1	%	1	P5H2110	08/21/25 11:00	08/21/25 11:05	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

WW-3B @ 0-2'
5H20019-03 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.00135	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:37	EPA 8021B	
Toluene	ND	0.00135	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:37	EPA 8021B	
Ethylbenzene	ND	0.00135	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:37	EPA 8021B	
Xylene (p/m)	ND	0.00270	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:37	EPA 8021B	
Xylene (o)	ND	0.00135	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:37	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		93.6 %	80-120		P5H2507	08/25/25 14:46	08/25/25 18:37	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		97.0 %	80-120		P5H2507	08/25/25 14:46	08/25/25 18:37	EPA 8021B	
Xylenes (total)	ND	0.00135	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 18:37	EPA 8021B	
Total BTEX	ND	0.00135	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 18:37	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	33.8	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 22:19	EPA 8015M	
Diesel Range Organics	ND	33.8	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 22:19	EPA 8015M	
Mineral Oil Range Organics	ND	33.8	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 22:19	EPA 8015M	
Surrogate: 1-Chlorooctane		84.4 %	70-130		P5H2009	08/20/25 13:59	08/20/25 22:19	EPA 8015M	
Surrogate: o-Terphenyl		93.7 %	70-130		P5H2009	08/20/25 13:59	08/20/25 22:19	EPA 8015M	
Total Hydrocarbons	ND	33.8	mg/kg dry	1	[CALC]	08/20/25 13:59	08/20/25 22:19	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	51.2	1.35	mg/kg dry	1	P5H2008	08/20/25 09:18	08/20/25 19:31	EPA 300.0	
% Moisture	26.0	0.1	%	1	P5H2110	08/21/25 11:00	08/21/25 11:05	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

EW-1B @ 0-3'
5H20019-04 (Soil)

Analyte	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Result	Limit							

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00106	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:59	EPA 8021B	
Toluene	ND	0.00106	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:59	EPA 8021B	
Ethylbenzene	ND	0.00106	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:59	EPA 8021B	
Xylene (p/m)	ND	0.00213	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:59	EPA 8021B	
Xylene (o)	ND	0.00106	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 18:59	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		97.1 %	80-120		P5H2507	08/25/25 14:46	08/25/25 18:59	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		95.0 %	80-120		P5H2507	08/25/25 14:46	08/25/25 18:59	EPA 8021B	
Xylenes (total)	ND	0.00106	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 18:59	EPA 8021B	
Total BTEX	ND	0.00106	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 18:59	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	26.6	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 22:41	EPA 8015M	
Diesel Range Organics	ND	26.6	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 22:41	EPA 8015M	
Mineral Oil Range Organics	ND	26.6	mg/kg dry	1	P5H2009	08/20/25 13:59	08/20/25 22:41	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		91.9 %	70-130		P5H2009	08/20/25 13:59	08/20/25 22:41	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		99.8 %	70-130		P5H2009	08/20/25 13:59	08/20/25 22:41	EPA 8015M	
Total Hydrocarbons	ND	26.6	mg/kg dry	1	[CALC]	08/20/25 13:59	08/20/25 22:41	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	32.6	1.06	mg/kg dry	1	P5H2008	08/20/25 09:18	08/20/25 19:47	EPA 300.0	
% Moisture	6.0	0.1	%	1	P5H2110	08/21/25 11:00	08/21/25 11:05	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

SW-2B @ 0-4'
5H20019-05 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00133	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:21	EPA 8021B	
Toluene	ND	0.00133	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:21	EPA 8021B	
Ethylbenzene	ND	0.00133	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:21	EPA 8021B	
Xylene (p/m)	ND	0.00267	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:21	EPA 8021B	
Xylene (o)	ND	0.00133	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:21	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		97.5 %	80-120		P5H2507	08/25/25 14:46	08/25/25 19:21	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		93.2 %	80-120		P5H2507	08/25/25 14:46	08/25/25 19:21	EPA 8021B	
Xylenes (total)	ND	0.00133	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 19:21	EPA 8021B	
Total BTEX	ND	0.00133	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 19:21	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	33.3	mg/kg dry	1	P5H2206	08/22/25 11:12	08/22/25 14:19	EPA 8015M	
Diesel Range Organics	ND	33.3	mg/kg dry	1	P5H2206	08/22/25 11:12	08/22/25 14:19	EPA 8015M	
Mineral Oil Range Organics	ND	33.3	mg/kg dry	1	P5H2206	08/22/25 11:12	08/22/25 14:19	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		100 %	70-130		P5H2206	08/22/25 11:12	08/22/25 14:19	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		109 %	70-130		P5H2206	08/22/25 11:12	08/22/25 14:19	EPA 8015M	
Total Hydrocarbons	ND	33.3	mg/kg dry	1	[CALC]	08/22/25 11:12	08/22/25 14:19	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	26.4	1.33	mg/kg dry	1	P5H2008	08/20/25 09:18	08/20/25 20:02	EPA 300.0	
% Moisture	25.0	0.1	%	1	P5H2110	08/21/25 11:00	08/21/25 11:05	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

SW-2B @ 4'-7'
5H20019-06 (Soil)

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.00120	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:44	EPA 8021B	
Toluene	ND	0.00120	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:44	EPA 8021B	
Ethylbenzene	ND	0.00120	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:44	EPA 8021B	
Xylene (p/m)	ND	0.00241	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:44	EPA 8021B	
Xylene (o)	ND	0.00120	mg/kg dry	1	P5H2507	08/25/25 14:46	08/25/25 19:44	EPA 8021B	
<i>Surrogate: 4-Bromofluorobenzene</i>		94.5 %	80-120		P5H2507	08/25/25 14:46	08/25/25 19:44	EPA 8021B	
<i>Surrogate: 1,4-Difluorobenzene</i>		97.0 %	80-120		P5H2507	08/25/25 14:46	08/25/25 19:44	EPA 8021B	
Xylenes (total)	ND	0.00120	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 19:44	EPA 8021B	
Total BTEX	ND	0.00120	mg/kg dry	1	[CALC]	08/25/25 14:46	08/25/25 19:44	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	30.1	mg/kg dry	1	P5H2206	08/22/25 11:12	08/22/25 14:42	EPA 8015M	
Diesel Range Organics	ND	30.1	mg/kg dry	1	P5H2206	08/22/25 11:12	08/22/25 14:42	EPA 8015M	
Mineral Oil Range Organics	ND	30.1	mg/kg dry	1	P5H2206	08/22/25 11:12	08/22/25 14:42	EPA 8015M	
<i>Surrogate: 1-Chlorooctane</i>		91.3 %	70-130		P5H2206	08/22/25 11:12	08/22/25 14:42	EPA 8015M	
<i>Surrogate: o-Terphenyl</i>		99.9 %	70-130		P5H2206	08/22/25 11:12	08/22/25 14:42	EPA 8015M	
Total Hydrocarbons	ND	30.1	mg/kg dry	1	[CALC]	08/22/25 11:12	08/22/25 14:42	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	3.02	1.20	mg/kg dry	1	P5H2008	08/20/25 09:18	08/20/25 20:18	EPA 300.0	
% Moisture	17.0	0.1	%	1	P5H2110	08/21/25 11:00	08/21/25 11:05	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H2507 - * DEFAULT PREP *****

Blank (P5H2507-BLK1)

Prepared & Analyzed: 08/25/25

Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 1,4-Difluorobenzene	0.116		"	0.120		96.5	80-120			
Surrogate: 4-Bromofluorobenzene	0.112		"	0.120		93.4	80-120			

LCS (P5H2507-BS1)

Prepared & Analyzed: 08/25/25

Benzene	0.104	0.00100	mg/kg	0.100		104	80-120		20	
Toluene	0.112	0.00100	"	0.100		112	80-120		20	
Ethylbenzene	0.117	0.00100	"	0.100		117	80-120		20	
Xylene (p/m)	0.217	0.00200	"	0.200		108	80-120		20	
Xylene (o)	0.111	0.00100	"	0.100		111	80-120		20	
Surrogate: 4-Bromofluorobenzene	0.119		"	0.120		99.3	80-120			
Surrogate: 1,4-Difluorobenzene	0.122		"	0.120		102	80-120			

LCS Dup (P5H2507-BSD1)

Prepared & Analyzed: 08/25/25

Benzene	0.103	0.00100	mg/kg	0.100		103	80-120	0.588	20	
Toluene	0.112	0.00100	"	0.100		112	80-120	0.152	20	
Ethylbenzene	0.117	0.00100	"	0.100		117	80-120	0.325	20	
Xylene (p/m)	0.214	0.00200	"	0.200		107	80-120	1.10	20	
Xylene (o)	0.111	0.00100	"	0.100		111	80-120	0.351	20	
Surrogate: 1,4-Difluorobenzene	0.122		"	0.120		102	80-120			
Surrogate: 4-Bromofluorobenzene	0.118		"	0.120		98.6	80-120			

Calibration Blank (P5H2507-CCB1)

Prepared & Analyzed: 08/25/25

Benzene	0.00		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0800		"							
Xylene (p/m)	0.110		"							
Xylene (o)	0.00		"							
Surrogate: 4-Bromofluorobenzene	0.111		"	0.120		92.8	80-120			
Surrogate: 1,4-Difluorobenzene	0.115		"	0.120		96.2	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H2507 - * DEFAULT PREP *****

Calibration Blank (P5H2507-CCB2)

Prepared & Analyzed: 08/25/25

Benzene	0.00		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0900		"							
Xylene (p/m)	0.150		"							
Xylene (o)	0.00		"							
Surrogate: 1,4-Difluorobenzene	0.119		"	0.120		99.0	80-120			
Surrogate: 4-Bromofluorobenzene	0.113		"	0.120		93.8	80-120			

Calibration Check (P5H2507-CCV1)

Prepared & Analyzed: 08/25/25

Benzene	0.100	0.00100	mg/kg	0.100		100	80-120			
Toluene	0.110	0.00100	"	0.100		110	80-120			
Ethylbenzene	0.112	0.00100	"	0.100		112	80-120			
Xylene (p/m)	0.214	0.00200	"	0.200		107	80-120			
Xylene (o)	0.112	0.00100	"	0.100		112	80-120			
Surrogate: 4-Bromofluorobenzene	0.116		"	0.120		96.3	75-125			
Surrogate: 1,4-Difluorobenzene	0.122		"	0.120		101	75-125			

Calibration Check (P5H2507-CCV2)

Prepared & Analyzed: 08/25/25

Benzene	0.107	0.00100	mg/kg	0.100		107	80-120			
Toluene	0.118	0.00100	"	0.100		118	80-120			
Ethylbenzene	0.120	0.00100	"	0.100		120	80-120			
Xylene (p/m)	0.226	0.00200	"	0.200		113	80-120			
Xylene (o)	0.119	0.00100	"	0.100		119	80-120			
Surrogate: 4-Bromofluorobenzene	0.119		"	0.120		99.2	75-125			
Surrogate: 1,4-Difluorobenzene	0.122		"	0.120		102	75-125			

Calibration Check (P5H2507-CCV3)

Prepared & Analyzed: 08/25/25

Benzene	0.104	0.00100	mg/kg	0.100		104	80-120			
Toluene	0.114	0.00100	"	0.100		114	80-120			
Ethylbenzene	0.116	0.00100	"	0.100		116	80-120			
Xylene (p/m)	0.220	0.00200	"	0.200		110	80-120			
Xylene (o)	0.116	0.00100	"	0.100		116	80-120			
Surrogate: 4-Bromofluorobenzene	0.117		"	0.120		97.7	75-125			
Surrogate: 1,4-Difluorobenzene	0.124		"	0.120		104	75-125			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H2507 - * DEFAULT PREP *****

Matrix Spike (P5H2507-MS1)	Source: 5H20019-01			Prepared & Analyzed: 08/25/25						
Benzene	0.102	0.00104	mg/kg dry	0.104	ND	98.4	80-120		20	
Toluene	0.106	0.00104	"	0.104	ND	102	80-120		20	
Ethylbenzene	0.108	0.00104	"	0.104	ND	104	80-120		20	
Xylene (p/m)	0.204	0.00208	"	0.208	ND	98.0	80-120		20	
Xylene (o)	0.101	0.00104	"	0.104	ND	97.1	80-120		20	
<i>Surrogate: 1,4-Difluorobenzene</i>	<i>0.130</i>		<i>"</i>	<i>0.125</i>		<i>104</i>	<i>80-120</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>0.126</i>		<i>"</i>	<i>0.125</i>		<i>101</i>	<i>80-120</i>			

Matrix Spike Dup (P5H2507-MSD1)	Source: 5H20019-01			Prepared & Analyzed: 08/25/25						
Benzene	0.0909	0.00104	mg/kg dry	0.104	ND	87.3	80-120	11.9	20	
Toluene	0.0892	0.00104	"	0.104	ND	85.6	80-120	17.5	20	
Ethylbenzene	0.0894	0.00104	"	0.104	ND	85.8	80-120	18.9	20	
Xylene (p/m)	0.181	0.00208	"	0.208	ND	87.1	80-120	11.8	20	
Xylene (o)	0.0852	0.00104	"	0.104	ND	81.8	80-120	17.2	20	
<i>Surrogate: 1,4-Difluorobenzene</i>	<i>0.129</i>		<i>"</i>	<i>0.125</i>		<i>103</i>	<i>80-120</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>0.126</i>		<i>"</i>	<i>0.125</i>		<i>100</i>	<i>80-120</i>			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H2009 - TX 1005

Blank (P5H2009-BLK1)

Prepared & Analyzed: 08/20/25

Gasoline Range Organics	ND	25.0	mg/kg							
Diesel Range Organics	ND	25.0	"							
Mineral Oil Range Organics	ND	25.0	"							
Surrogate: 1-Chlorooctane	92.5		"	100		92.5	70-130			
Surrogate: o-Terphenyl	50.4		"	50.0		101	70-130			

LCS (P5H2009-BS1)

Prepared & Analyzed: 08/20/25

Gasoline Range Organics	932	25.0	mg/kg				75-125		20	
Diesel Range Organics	979	25.0	"	1000		97.9	75-125		20	
Surrogate: 1-Chlorooctane	119		"	100		119	70-130			
Surrogate: o-Terphenyl	54.9		"	50.0		110	70-130			

LCS Dup (P5H2009-BSD1)

Prepared & Analyzed: 08/20/25

Gasoline Range Organics	956	25.0	mg/kg				75-125		20	
Diesel Range Organics	1010	25.0	"	1000		101	75-125	3.40	20	
Surrogate: 1-Chlorooctane	122		"	100		122	70-130			
Surrogate: o-Terphenyl	56.6		"	50.0		113	70-130			

Calibration Check (P5H2009-CCV1)

Prepared & Analyzed: 08/20/25

Gasoline Range Organics	458	25.0	mg/kg	500		91.5	85-115			
Diesel Range Organics	481	25.0	"	500		96.2	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	104		"	100		104	70-130			
Surrogate: o-Terphenyl	51.4		"	50.0		103	70-130			

Calibration Check (P5H2009-CCV2)

Prepared & Analyzed: 08/20/25

Gasoline Range Organics	463	25.0	mg/kg	500		92.7	85-115			
Diesel Range Organics	567	25.0	"	500		113	85-115			
Mineral Oil Range Organics	36.7	25.0	"				0-200			
Surrogate: 1-Chlorooctane	106		"	100		106	70-130			
Surrogate: o-Terphenyl	52.2		"	50.0		104	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H2009 - TX 1005

Calibration Check (P5H2009-CCV3)

Prepared: 08/20/25 Analyzed: 08/21/25

Gasoline Range Organics	463	25.0	mg/kg	500		92.6	85-115			
Diesel Range Organics	491	25.0	"	500		98.2	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	107		"	100		107	70-130			
Surrogate: o-Terphenyl	48.7		"	50.0		97.3	70-130			

Duplicate (P5H2009-DUP1)

Source: 5H18011-20

Prepared: 08/20/25 Analyzed: 08/21/25

Gasoline Range Organics	17.5	25.5	mg/kg dry		12.3			34.5	20	R
Diesel Range Organics	15.4	25.5	"		20.9			30.2	20	R
Mineral Oil Range Organics	ND	25.5	"		ND				200	
Surrogate: 1-Chlorooctane	80.3		"	102		78.7	70-130			
Surrogate: o-Terphenyl	44.3		"	51.0		86.9	70-130			

Batch P5H2206 - TX 1005

Blank (P5H2206-BLK1)

Prepared & Analyzed: 08/22/25

Gasoline Range Organics	ND	25.0	mg/kg							
Diesel Range Organics	ND	25.0	"							
Mineral Oil Range Organics	ND	25.0	"							
Surrogate: 1-Chlorooctane	92.3		"	100		92.3	70-130			
Surrogate: o-Terphenyl	50.2		"	50.0		100	70-130			

LCS (P5H2206-BS1)

Prepared & Analyzed: 08/22/25

Gasoline Range Organics	916	25.0	mg/kg				75-125		20	
Diesel Range Organics	937	25.0	"	1000		93.7	75-125		20	
Surrogate: 1-Chlorooctane	127		"	100		127	70-130			
Surrogate: o-Terphenyl	60.8		"	50.0		122	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H2206 - TX 1005

LCS Dup (P5H2206-BSD1)

Prepared & Analyzed: 08/22/25

Gasoline Range Organics	917	25.0	mg/kg				75-125		20	
Diesel Range Organics	939	25.0	"	1000		93.9	75-125	0.239	20	
Surrogate: 1-Chlorooctane	128		"	100		128	70-130			
Surrogate: o-Terphenyl	61.0		"	50.0		122	70-130			

Calibration Check (P5H2206-CCV1)

Prepared & Analyzed: 08/22/25

Gasoline Range Organics	468	25.0	mg/kg	500		93.6	85-115			
Diesel Range Organics	430	25.0	"	500		86.0	85-115			
Mineral Oil Range Organics	42.2	25.0	"				0-200			
Surrogate: 1-Chlorooctane	107		"	100		107	70-130			
Surrogate: o-Terphenyl	53.1		"	50.0		106	70-130			

Calibration Check (P5H2206-CCV2)

Prepared & Analyzed: 08/22/25

Gasoline Range Organics	468	25.0	mg/kg	500		93.6	85-115			
Diesel Range Organics	461	25.0	"	500		92.2	85-115			
Mineral Oil Range Organics	11.5	25.0	"				0-200			
Surrogate: 1-Chlorooctane	109		"	100		109	70-130			
Surrogate: o-Terphenyl	53.4		"	50.0		107	70-130			

Duplicate (P5H2206-DUP1)

Source: 5H22007-01

Prepared & Analyzed: 08/22/25

Gasoline Range Organics	11.5	25.5	mg/kg dry		ND				20	
Diesel Range Organics	44.3	25.5	"		51.7			15.4	20	
Mineral Oil Range Organics	19.1	25.5	"		26.2			31.4	200	
Surrogate: 1-Chlorooctane	94.1		"	102		92.3	70-130			
Surrogate: o-Terphenyl	51.4		"	51.0		101	70-130			

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P5H2008 - *** DEFAULT PREP ***										
Blank (P5H2008-BLK1) Prepared & Analyzed: 08/20/25										
Chloride	ND	1.00	mg/kg							
LCS (P5H2008-BS1) Prepared & Analyzed: 08/20/25										
Chloride	19.8		mg/kg	20.0		98.8	90-110		10	
LCS Dup (P5H2008-BSD1) Prepared & Analyzed: 08/20/25										
Chloride	19.7		mg/kg	20.0		98.6	90-110	0.172	10	
Calibration Check (P5H2008-CCV1) Prepared & Analyzed: 08/20/25										
Chloride	18.7		mg/kg	20.0		93.4	90-110			
Calibration Check (P5H2008-CCV2) Prepared & Analyzed: 08/20/25										
Chloride	18.8		mg/kg	20.0		93.9	90-110			
Calibration Check (P5H2008-CCV3) Prepared & Analyzed: 08/20/25										
Chloride	19.0		mg/kg	20.0		95.2	90-110			
Matrix Spike (P5H2008-MS1) Source: 5H20014-01 Prepared & Analyzed: 08/20/25										
Chloride	144		mg/kg	100	3.16	141	80-120		20	QM-05
Matrix Spike (P5H2008-MS2) Source: 5H20018-01 Prepared & Analyzed: 08/20/25										
Chloride	139		mg/kg	100	34.4	105	80-120		20	
Matrix Spike Dup (P5H2008-MSD1) Source: 5H20014-01 Prepared & Analyzed: 08/20/25										
Chloride	147		mg/kg	100	3.16	144	80-120	2.00	20	QM-05
Matrix Spike Dup (P5H2008-MSD2) Source: 5H20018-01 Prepared & Analyzed: 08/20/25										
Chloride	139		mg/kg	100	34.4	104	80-120	0.524	20	

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

**General Chemistry Parameters by EPA / Standard Methods - Quality Control
 Permian Basin Environmental Lab, L.P.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5H2110 - * DEFAULT PREP *****

Blank (P5H2110-BLK1)				Prepared & Analyzed: 08/21/25						
% Moisture	ND	0.1	%							MOD1
Duplicate (P5H2110-DUP1)				Source: 5H20018-01 Prepared & Analyzed: 08/21/25						
% Moisture	1.0	0.1	%		1.0			0.00	20	MOD1
Duplicate (P5H2110-DUP2)				Source: 5H20020-04 Prepared & Analyzed: 08/21/25						
% Moisture	2.0	0.1	%		2.0			0.00	20	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

Notes and Definitions

- ROI Received on Ice
- R The RPD exceeded the method control limit. The individual analyte QA/QC recoveries, however, were within acceptance limits.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
- MOD1 Analysis performed by modified method
- BULK Samples received in Bulk soil containers may be biased low in the nC6-C12 TPH Range
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- LCS Laboratory Control Spike
- MS Matrix Spike
- Dup Duplicate



Report Approved By: _____ Date: 8/26/2025

Raland Tuttle, Laboratory Manager/Technical Director

Tellus Consulting, LLC

Project: Robin Fed Com 201H

4000 North Big Spring Street Suite 109

Project Number: CDEV:98970

Midland TX, 79705

Project Manager: Jamey Fowler

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-686-7235.

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

**PERMIAN BASIN
ENVIRONMENTAL LAB, LP
1400 Rankin Hwy
Midland, TX 79701**



Analytical Report

Prepared for:

Jamey Fowler
Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland, TX 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Location: Lea County, NM
Lab Order Number: 5118030



Current Certification

Report Date: 09/19/25

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BM	5118030-01	Soil	09/12/25 15:44	09-18-2025 08:55

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BM
5I18030-01 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

Permian Basin Environmental Lab, L.P.

BTEX by 8021B

Benzene	ND	0.00120	mg/kg dry	1	P511803	09/18/25 14:28	09/18/25 18:28	EPA 8021B	
Toluene	ND	0.00120	mg/kg dry	1	P511803	09/18/25 14:28	09/18/25 18:28	EPA 8021B	
Ethylbenzene	ND	0.00120	mg/kg dry	1	P511803	09/18/25 14:28	09/18/25 18:28	EPA 8021B	
Xylene (p/m)	ND	0.00241	mg/kg dry	1	P511803	09/18/25 14:28	09/18/25 18:28	EPA 8021B	
Xylene (o)	ND	0.00120	mg/kg dry	1	P511803	09/18/25 14:28	09/18/25 18:28	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		96.3 %	80-120		P511803	09/18/25 14:28	09/18/25 18:28	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		97.4 %	80-120		P511803	09/18/25 14:28	09/18/25 18:28	EPA 8021B	
Xylenes (total)	ND	0.00120	mg/kg dry	1	[CALC]	09/18/25 14:28	09/18/25 18:28	EPA 8021B	
Total BTEX	ND	0.00120	mg/kg dry	1	[CALC]	09/18/25 14:28	09/18/25 18:28	EPA 8021B	

Organics by GC

Gasoline Range Organics	ND	30.1	mg/kg dry	1	P511804	09/18/25 13:02	09/18/25 16:15	EPA 8015M	
Diesel Range Organics	ND	30.1	mg/kg dry	1	P511804	09/18/25 13:02	09/18/25 16:15	EPA 8015M	
Mineral Oil Range Organics	ND	30.1	mg/kg dry	1	P511804	09/18/25 13:02	09/18/25 16:15	EPA 8015M	
Surrogate: 1-Chlorooctane		75.8 %	70-130		P511804	09/18/25 13:02	09/18/25 16:15	EPA 8015M	
Surrogate: o-Terphenyl		89.5 %	70-130		P511804	09/18/25 13:02	09/18/25 16:15	EPA 8015M	
Total Hydrocarbons	ND	30.1	mg/kg dry	1	[CALC]	09/18/25 13:02	09/18/25 16:15	[CALC]	

General Chemistry Parameters by EPA / Standard Methods

Chloride	12.6	1.20	mg/kg dry	1	P511903	09/19/25 12:30	09/19/25 15:33	EPA 300.0	
% Moisture	17.0	0.1	%	1	P511901	09/19/25 08:11	09/19/25 08:11	ASTM D2216	MOD1

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P511803 - * DEFAULT PREP *****

Blank (P511803-BLK1)										
										Prepared & Analyzed: 09/18/25
Benzene	ND	0.00100	mg/kg							
Toluene	ND	0.00100	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 4-Bromofluorobenzene	0.109		"	0.120		91.0	80-120			
Surrogate: 1,4-Difluorobenzene	0.114		"	0.120		94.7	80-120			

LCS (P511803-BS1)										
										Prepared & Analyzed: 09/18/25
Benzene	0.105	0.00100	mg/kg	0.100		105	80-120		20	
Toluene	0.113	0.00100	"	0.100		113	80-120		20	
Ethylbenzene	0.118	0.00100	"	0.100		118	80-120		20	
Xylene (p/m)	0.212	0.00200	"	0.200		106	80-120		20	
Xylene (o)	0.111	0.00100	"	0.100		111	80-120		20	
Surrogate: 4-Bromofluorobenzene	0.116		"	0.120		97.0	80-120			
Surrogate: 1,4-Difluorobenzene	0.118		"	0.120		98.5	80-120			

LCS Dup (P511803-BSD1)										
										Prepared & Analyzed: 09/18/25
Benzene	0.105	0.00100	mg/kg	0.100		105	80-120	0.409	20	
Toluene	0.113	0.00100	"	0.100		113	80-120	0.327	20	
Ethylbenzene	0.118	0.00100	"	0.100		118	80-120	0.119	20	
Xylene (p/m)	0.211	0.00200	"	0.200		106	80-120	0.275	20	
Xylene (o)	0.111	0.00100	"	0.100		111	80-120	0.451	20	
Surrogate: 1,4-Difluorobenzene	0.118		"	0.120		98.5	80-120			
Surrogate: 4-Bromofluorobenzene	0.115		"	0.120		96.2	80-120			

Calibration Blank (P511803-CCB1)										
										Prepared & Analyzed: 09/18/25
Benzene	0.00		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0700		"							
Xylene (p/m)	0.170		"							
Xylene (o)	0.00		"							
Surrogate: 4-Bromofluorobenzene	0.107		"	0.120		89.2	80-120			
Surrogate: 1,4-Difluorobenzene	0.113		"	0.120		93.9	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5I1803 - * DEFAULT PREP *****

Calibration Blank (P5I1803-CCB2)

Prepared & Analyzed: 09/18/25

Benzene	0.00		ug/kg							
Toluene	0.00		"							
Ethylbenzene	0.0900		"							
Xylene (p/m)	0.190		"							
Xylene (o)	0.00		"							
Surrogate: 1,4-Difluorobenzene	0.117		"	0.120		97.4	80-120			
Surrogate: 4-Bromofluorobenzene	0.110		"	0.120		91.8	80-120			

Calibration Check (P5I1803-CCV1)

Prepared & Analyzed: 09/18/25

Benzene	0.0985	0.00100	mg/kg	0.100		98.5	80-120			
Toluene	0.105	0.00100	"	0.100		105	80-120			
Ethylbenzene	0.107	0.00100	"	0.100		107	80-120			
Xylene (p/m)	0.199	0.00200	"	0.200		99.3	80-120			
Xylene (o)	0.104	0.00100	"	0.100		104	80-120			
Surrogate: 4-Bromofluorobenzene	0.113		"	0.120		94.0	75-125			
Surrogate: 1,4-Difluorobenzene	0.118		"	0.120		98.0	75-125			

Calibration Check (P5I1803-CCV2)

Prepared & Analyzed: 09/18/25

Benzene	0.103	0.00100	mg/kg	0.100		103	80-120			
Toluene	0.110	0.00100	"	0.100		110	80-120			
Ethylbenzene	0.111	0.00100	"	0.100		111	80-120			
Xylene (p/m)	0.207	0.00200	"	0.200		103	80-120			
Xylene (o)	0.109	0.00100	"	0.100		109	80-120			
Surrogate: 1,4-Difluorobenzene	0.120		"	0.120		100	75-125			
Surrogate: 4-Bromofluorobenzene	0.115		"	0.120		96.2	75-125			

Calibration Check (P5I1803-CCV3)

Prepared: 09/18/25 Analyzed: 09/19/25

Benzene	0.101	0.00100	mg/kg	0.100		101	80-120			
Toluene	0.110	0.00100	"	0.100		110	80-120			
Ethylbenzene	0.111	0.00100	"	0.100		111	80-120			
Xylene (p/m)	0.204	0.00200	"	0.200		102	80-120			
Xylene (o)	0.110	0.00100	"	0.100		110	80-120			
Surrogate: 4-Bromofluorobenzene	0.116		"	0.120		96.6	75-125			
Surrogate: 1,4-Difluorobenzene	0.120		"	0.120		100	75-125			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

BTEX by 8021B - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5I1803 - * DEFAULT PREP *****

Matrix Spike (P5I1803-MS1)	Source: 5I17018-05			Prepared: 09/18/25 Analyzed: 09/19/25					
Benzene	0.0358	0.00104	mg/kg dry	0.104	ND	34.3	80-120	20	QM-05
Toluene	0.0317	0.00104	"	0.104	ND	30.5	80-120	20	QM-05
Ethylbenzene	0.0177	0.00104	"	0.104	0.00169	15.3	80-120	20	QM-05
Xylene (p/m)	0.0628	0.00208	"	0.208	0.0266	17.3	80-120	20	QM-05
Xylene (o)	0.0221	0.00104	"	0.104	0.00610	15.3	80-120	20	QM-05
Surrogate: 1,4-Difluorobenzene	0.129		"	0.125		104	80-120		
Surrogate: 4-Bromofluorobenzene	0.136		"	0.125		109	80-120		

Matrix Spike Dup (P5I1803-MSD1)	Source: 5I17018-05			Prepared: 09/18/25 Analyzed: 09/19/25						
Benzene	0.0322	0.00104	mg/kg dry	0.104	ND	30.9	80-120	10.4	20	QM-05
Toluene	0.0203	0.00104	"	0.104	ND	19.5	80-120	43.8	20	QM-05
Ethylbenzene	0.00849	0.00104	"	0.104	0.00169	6.53	80-120	80.6	20	QM-05
Xylene (p/m)	0.0381	0.00208	"	0.208	0.0266	5.52	80-120	103	20	QM-05
Xylene (o)	0.0121	0.00104	"	0.104	0.00610	5.77	80-120	90.5	20	QM-05
Surrogate: 4-Bromofluorobenzene	0.134		"	0.125		107	80-120			
Surrogate: 1,4-Difluorobenzene	0.127		"	0.125		102	80-120			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5I1804 - TX 1005

Blank (P5I1804-BLK1)

Prepared & Analyzed: 09/18/25

Gasoline Range Organics	ND	25.0	mg/kg							
Diesel Range Organics	ND	25.0	"							
Mineral Oil Range Organics	ND	25.0	"							
Surrogate: 1-Chlorooctane	77.2		"	100		77.2	70-130			
Surrogate: o-Terphenyl	45.1		"	50.0		90.2	70-130			

LCS (P5I1804-BS1)

Prepared & Analyzed: 09/18/25

Gasoline Range Organics	910	25.0	mg/kg				75-125		20	
Diesel Range Organics	1060	25.0	"	1000		106	75-125		20	
Surrogate: 1-Chlorooctane	111		"	100		111	70-130			
Surrogate: o-Terphenyl	52.7		"	50.0		105	70-130			

LCS Dup (P5I1804-BSD1)

Prepared & Analyzed: 09/18/25

Gasoline Range Organics	915	25.0	mg/kg				75-125		20	
Diesel Range Organics	1070	25.0	"	1000		107	75-125	1.09	20	
Surrogate: 1-Chlorooctane	117		"	100		117	70-130			
Surrogate: o-Terphenyl	49.2		"	50.0		98.4	70-130			

Calibration Check (P5I1804-CCV1)

Prepared & Analyzed: 09/18/25

Gasoline Range Organics	493	25.0	mg/kg	500		98.6	85-115			
Diesel Range Organics	512	25.0	"	500		102	85-115			
Mineral Oil Range Organics	ND	25.0	"				0-200			
Surrogate: 1-Chlorooctane	90.1		"	100		90.1	70-130			
Surrogate: o-Terphenyl	47.0		"	50.0		94.1	70-130			

Calibration Check (P5I1804-CCV2)

Prepared & Analyzed: 09/18/25

Gasoline Range Organics	497	25.0	mg/kg	500		99.4	85-115			
Diesel Range Organics	495	25.0	"	500		99.1	85-115			
Mineral Oil Range Organics	14.6	25.0	"				0-200			
Surrogate: 1-Chlorooctane	95.0		"	100		95.0	70-130			
Surrogate: o-Terphenyl	50.4		"	50.0		101	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

Organics by GC - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P5I1804 - TX 1005

Duplicate (P5I1804-DUP1)

Source: 5I18032-02

Prepared: 09/18/25 Analyzed: 09/19/25

Gasoline Range Organics	12.8	25.3	mg/kg dry		10.6			19.0	20	
Diesel Range Organics	18.1	25.3	"		19.7			8.82	20	
Mineral Oil Range Organics	ND	25.3	"		ND				200	
Surrogate: 1-Chlorooctane	72.7		"	101		72.0	70-130			
Surrogate: o-Terphenyl	41.6		"	50.5		82.4	70-130			

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
 4000 North Big Spring Street Suite 109
 Midland TX, 79705

Project: Robin Fed Com 201H
 Project Number: CDEV:98970
 Project Manager: Jamey Fowler

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P5I1901 - *** DEFAULT PREP ***										
Blank (P5I1901-BLK1) Prepared & Analyzed: 09/19/25										
% Moisture	ND	0.1	%							MOD1
Duplicate (P5I1901-DUP1) Source: 5I18031-06 Prepared & Analyzed: 09/19/25										
% Moisture	2.0	0.1	%		2.0			0.00	20	MOD1
Duplicate (P5I1901-DUP2) Source: 5I18034-02 Prepared & Analyzed: 09/19/25										
% Moisture	8.0	0.1	%		8.0			0.00	20	MOD1
Batch P5I1903 - *** DEFAULT PREP ***										
Blank (P5I1903-BLK1) Prepared & Analyzed: 09/19/25										
Chloride	ND	1.00	mg/kg							
LCS (P5I1903-BS1) Prepared & Analyzed: 09/19/25										
Chloride	19.7		mg/kg	20.0		98.7	90-110		10	
LCS Dup (P5I1903-BSD1) Prepared & Analyzed: 09/19/25										
Chloride	19.9		mg/kg	20.0		99.5	90-110	0.843	10	
Calibration Check (P5I1903-CCV1) Prepared & Analyzed: 09/19/25										
Chloride	19.5		mg/kg	20.0		97.4	90-110			
Matrix Spike (P5I1903-MS1) Source: 5I17011-01 Prepared & Analyzed: 09/19/25										
Chloride	123		mg/kg	100	30.0	93.1	80-120		20	
Matrix Spike Dup (P5I1903-MSD1) Source: 5I17011-01 Prepared & Analyzed: 09/19/25										
Chloride	122		mg/kg	100	30.0	92.2	80-120	0.740	20	

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC
4000 North Big Spring Street Suite 109
Midland TX, 79705

Project: Robin Fed Com 201H
Project Number: CDEV:98970
Project Manager: Jamey Fowler

Notes and Definitions

- ROI Received on Ice
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
- MOD1 Analysis performed by modified method
- BULK Samples received in Bulk soil containers may be biased low in the nC6-C12 TPH Range
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- LCS Laboratory Control Spike
- MS Matrix Spike
- Dup Duplicate



Report Approved By: _____ Date: 9/19/2025

Raland Tuttle, Laboratory Manager/Technical Director

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-686-7235.

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235

Tellus Consulting, LLC

Project: Robin Fed Com 201H

4000 North Big Spring Street Suite 109

Project Number: CDEV:98970

Midland TX, 79705

Project Manager: Jamey Fowler

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

1400 Rankin HWY Midland, TX 79701 432-686-7235



CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Permian Basin Environmental Lab, LP
1400 Rankin HWY
Midland, Texas 79701

Phone: 432-686-7235

Project Manager: Janey Fowler
Company Name: Tellus

Company Address: 4000 N Big Spring

City/State/Zip: Midland TX - 79705

Telephone No: 432-557-0934

Sampler Signature: Jesse Belloc

e-mail: Janey@TellusServices.com

Report Format: Standard TRRP NPDES

Project Name: Robin Fed con 201H

Project #: COEV-98970

Project Loc: Lea CO, NM

PO #:

ORDER #: 5I18030

(lab use only)

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total #. of Containers	Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DW=Drinking Water SL=Sludge	GW = Groundwater S=Soil/Solid	NP=Non-Potable Specify Other	TPH: TX 1005 TX 1006	Anions (Cl, SO ₄ , Alkalinity)	BTEX 8021B/5030 or BTEX 8260	chlorides	BTex	TPH-DRO-gro-MRO	RUSH TAT (Pre-Schedule) 24, 48, 72 h	Standard TAT	
	BW-0	1	-	9-12-25	3:44		1																				

Preservation & # of Containers

Matrix

Analyze For:

TCLP

TOTAL

Special Instructions: Rush 8:17 to Tellus

Reinquinshed by: Lee Bole Date: 8-18-25 Time: 8:55 Received by: _____ Date: _____ Time: _____

Reinquinshed by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____

Reinquinshed by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____

PBEL_COC_2021_1 Revision #: 2021_1 Effective Date: 9-21-21

Laboratory Comments:
Sample Containers Intact? Y
VOCs Free of Headspace? Y
Labels on container(s) Y
Custody seals on container(s) Y
Custody seals on cooler(s) Y
Sample Hand Delivered Y
by Sampler/Client Rep. ? Y
by Courier? N
Temperature Upon Receipt: _____ °C Thermometer: _____
Adjusted: 4.1 °C Factor: _____
FedEx Lone Star

RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



ATTACHMENT V

NMOCD Communication

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 444181

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 444181
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	Robin Fed Com 201H
Date Release Discovered	03/20/2025
Surface Owner	Federal

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Equipment Failure Fitting Crude Oil Released: 52 BBL Recovered: 0 BBL Lost: 52 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	Not answered.
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 444181

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 444181
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph 4 of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 444181

ACKNOWLEDGMENTS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 444181
	Action Type: [NOTIFY] Notification Of Release (NOR)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit notification of a release on behalf of my operator.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 444181

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 444181
	Action Type: [NOTIFY] Notification Of Release (NOR)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.	3/20/2025

***** LIQUID SPILLS - VOLUME CALCULATIONS *****

Location of spill: Robin Fed Com 201 Date of Spill: _____
Average Daily Production: BBL Oil _____ BBL Water _____
Site Soil Type: _____

Total Area Calculations					
Total Surface Area	width	length	wet soil depth	oil (%)	
Rectangle Area #1	100 ft	110 ft	2 in	100%	X
Rectangle Area #2	0 ft	0 ft	0 in	0%	X
Rectangle Area #3	0 ft	0 ft	0 in	0%	X
Rectangle Area #4	0 ft	0 ft	0 in	0%	X
Rectangle Area #5	0 ft	0 ft	0 in	0%	X
Rectangle Area #6	0 ft	0 ft	0 in	0%	X
Rectangle Area #7	0 ft	0 ft	0 in	0%	X
Rectangle Area #8	0 ft	0 ft	0 in	0%	X

Porosity 0.16 gal per gal

Saturated Soil Volume Calculations:

Area #	H ₂ O	OIL	Soil Type	Porosity
Area #1	11000 sq. ft.	cu. ft.	Clay	0.15
Area #2	0 sq. ft.	cu. ft.	Peat	0.40
Area #3	0 sq. ft.	cu. ft.	Glacial Sediments	0.13
Area #4	0 sq. ft.	cu. ft.	Sandy Clay	0.12
Area #5	0 sq. ft.	cu. ft.	Silt	0.16
Area #6	0 sq. ft.	cu. ft.	Loess	0.25
Area #7	0 sq. ft.	cu. ft.	Fine Sand	0.16
Area #8	0 sq. ft.	cu. ft.	Medium Sand	0.25
Total Solid/Liquid Volume:	11,000 sq. ft.	1,833 cu. ft.	Coarse Sand	0.26
			Gravelly Sand	0.26
			Fine Gravel	0.26
			Medium Gravel	0.25
			Coarse Gravel	0.18
			Sandstone	0.25
			Siltstone	0.18
			Shale	0.05
			Limestone	0.13
			Basalt	0.19
			Volcanic Tuff	0.20
			Standing Liquids	

Estimated Volumes Spilled

Liquid in Soil: H₂O 0.0 BBL OIL 52.2 BBL
 Liquid Recovered : H₂O 0.0 BBL OIL 0.0 BBL
 Spill Liquid H₂O 0.0 BBL OIL 52.2 BBL
 Total Spill Liquid: H₂O 0.0 BBL OIL 52.2 BBL

Recovered Volumes

Estimated oil recovered: 0.0 BBL
Estimated water recovered: 0.0 BBL

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 444190

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 444190
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2507939778
Incident Name	NAPP2507939778 ROBIN FED COM 201H @ 30-025-52588
Incident Type	Oil Release
Incident Status	Initial C-141 Received
Incident Well	[30-025-52588] ROBIN FEDERAL #201H

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	Robin Fed Com 201H
Date Release Discovered	03/20/2025
Surface Owner	Federal

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Equipment Failure Fitting Crude Oil Released: 52 BBL Recovered: 0 BBL Lost: 52 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 444190

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 444190
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 03/20/2025
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 444190

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 444190
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Not answered.
What method was used to determine the depth to ground water	Not answered.
Did this release impact groundwater or surface water	Not answered.
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Not answered.
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Not answered.
An occupied permanent residence, school, hospital, institution, or church	Not answered.
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Not answered.
Any other fresh water well or spring	Not answered.
Incorporated municipal boundaries or a defined municipal fresh water well field	Not answered.
A wetland	Not answered.
A subsurface mine	Not answered.
An (non-karst) unstable area	Not answered.
Categorize the risk of this well / site being in a karst geology	Not answered.
A 100-year floodplain	Not answered.
Did the release impact areas not on an exploration, development, production, or storage site	Not answered.

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	No
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 444190

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 444190
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	None	3/21/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 492524

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 492524
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2507939778
Incident Name	NAPP2507939778 ROBIN FED COM 201H @ 30-025-52588
Incident Type	Oil Release
Incident Status	Initial C-141 Approved
Incident Well	[30-025-52588] ROBIN FEDERAL #201H

Location of Release Source	
Site Name	Robin Fed Com 201H
Date Release Discovered	03/20/2025
Surface Owner	Federal

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	8,769
What is the estimated number of samples that will be gathered	50
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	08/08/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Joe Belloc 432.813.8082
Please provide any information necessary for navigation to sampling site	32.554786,-103.585873

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 492524

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 492524
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	8/6/2025
mtaylorpr	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	8/6/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 496074

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 496074
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2507939778
Incident Name	NAPP2507939778 ROBIN FED COM 201H @ 30-025-52588
Incident Type	Oil Release
Incident Status	Initial C-141 Approved
Incident Well	[30-025-52588] ROBIN FEDERAL #201H

Location of Release Source	
Site Name	Robin Fed Com 201H
Date Release Discovered	03/20/2025
Surface Owner	Federal

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	1,200
What is the estimated number of samples that will be gathered	6
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	08/18/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Joe Belloc 432.813.8082
Please provide any information necessary for navigation to sampling site	32.554786,-103.585873

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 496074

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 496074
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
mtaylorpr	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	8/14/2025
mtaylorpr	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	8/14/2025

RE : Closure Request
Robin Fed Com 201H (#30-025-52588)
Incident Number : NAPP2507939778



ATTACHMENT VI

Waste Disposal Manifests



LEA LAND

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 217970	Trailer No. DJ 957	
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701	
	Phone: (432) 695-4222		Disposal Date: 08-01-2025 09:21 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 39940, 40340, 40680, 40940 + 20161900			
Lease/Job Name: ROBIN FED COM 122 H				
Generator's Representative: Montgomery Floyd				
TRANSPORTER	Name: Tellus Env Services			
	Emergency Contact: Jamey Fowler			
	Emergency Contact Phone: 432-557-0934			
	Transporter: Acknowledgment of Delivery of Material			
Printed/Typed Name (Impreso/Mecanografico): <i>Eno Ortega</i>				
Signature (Firma): <i>[Signature]</i> Date: 08-01-2025 09:21 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
	Comments:			
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
Authorized Signature: <i>[Signature]</i>		Unit No: IIB	Date: 08-01-2025	Time: 09:21 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 217979	Trailer No. DJ 777	
GENERATOR	Company Name: Permian Resources	Address: 300 N. Marienfield St., #1000 Midland, TX 79701		Disposal Date: 08-01-2025 09:45 AM
	Phone: (432) 695-4222			
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 40620, 40840, 41180, 41560 TR 164200			
Lease/Job Name: ROBIN FED COM 122 H				
Generator's Representative: Montgomery Floyd				
TRANSPORTER	Name: Tellus Env Services			
	Emergency Contact: Jamey Fowler			
	Emergency Contact Phone: 432-557-0934			
	Transporter: Acknowledgment of Delivery of Material			
Printed/Typed Name (Impreso/Mecanografico): <u>Nelson Augusto</u>				
Signature (Firma): X <u>Nelson Augusto</u> Date: 08-01-2025 09:45 AM				
DISPOSAL FACILITY	Lea Land, LLC	Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		(575) 887-4048
	Permit No: NM-1-0035-New Mexico	Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
	Authorized Signature: <u>Diana Davis</u>	Unit No: IIB	Date: 08-01-2025	Time: 09:45 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND
LLC

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 217973	Trailer No. DJ 518	
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701	
	Phone: (432) 695-4222		Disposal Date: 08-01-2025 09:30 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 38320, 38640, 38980, 39280 + 155220			
Lease/Job Name: ROBIN FED COM 122 H				
Generator's Representative: Montgomery Floyd				
TRANSPORTER	Name: Tellus Env Services			
	Emergency Contact: Jamey Fowler			
	Emergency Contact Phone: 432-557-0934			
	Transporter: Acknowledgment of Delivery of Material			
Printed/Typed Name (Impreso/Mecanografico): RICARDO DIAZ				
Signature (Firma): <i>[Signature]</i> Date: 08-01-2025 09:30 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		Comments:	
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
	Authorized Signature: <i>[Signature]</i>		Unit No: IIB	Date: 08-01-2025

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND
LLC

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048



NON-HAZARDOUS WASTE MANIFEST		No. 217983	Trailer No. ARCINIEGA 4		
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701		
	Phone: (432) 695-4222		Disposal Date: 08-01-2025 09:53 AM		
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 41380, 41680, 41960, 42360 + @ 167380				
Lease/Job Name: ROBIN FED COM 122 H					
Generator's Representative: Montgomery Floyd					
TRANSPORTER	Name: Tellus Env Services				
	Emergency Contact: Jamey Fowler				
	Emergency Contact Phone: 432-557-0934				
	Transporter: Acknowledgment of Delivery of Material				
Printed/Typed Name (Impreso/Mecanografico): <i>Silvestre Aroniega</i>					
Signature (Firma): X <i>Silvestre Aroniega</i> Date: 08-01-2025 09:53 AM					
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		
			(575) 887-4048		
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <i>Danilo Laville</i>		Unit No: IIB	Date: 08-01-2025	Time: 09:53 AM	

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 217984	Trailer No. ARCINIEGA 7	
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701	
	Phone: (432) 695-4222		Disposal Date: 08-01-2025 09:54 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 38040, 38440, 38780, 38980 TW @ 154240			
Lease/Job Name: ROBIN FED COM 122 H				
Generator's Representative: Montgomery Floyd				
TRANSPORTER	Name: Tellus Env Services			
	Emergency Contact: Jamey Fowler			
	Emergency Contact Phone: 432-557-0934			
	Transporter: Acknowledgment of Delivery of Material			
Printed/Typed Name (Impreso/Mecanografico): Luis Cabrera				
Signature (Firma):  Date: 08-01-2025 09:54 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
	Comments:			
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
Authorized Signature: 		Unit No: IIB	Date: 08-01-2025	Time: 09:54 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048



NON-HAZARDOUS WASTE MANIFEST		No. 217975	Trailer No. MATEOS 3926	
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701	
	Phone: (432) 695-4222		Disposal Date: 08-01-2025 09:33 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 39540, 39840, 40140, 40480 TR 160 000			
Lease/Job Name: ROBIN FED COM 122 H				
Generator's Representative: Montgomery Floyd				
TRANSPORTER	Name: Tellus Env Services			
	Emergency Contact: Jamey Fowler			
	Emergency Contact Phone: 432-557-0934			
	Transporter: Acknowledgment of Delivery of Material			
Printed/Typed Name (Impreso/Mecanografico): <i>Antonio P. ...</i>				
Signature (Firma): <i>[Signature]</i> Date: 08-01-2025 09:33 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
	Comments:			
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
Authorized Signature: <i>[Signature]</i>		Unit No: IIB	Date: 08-01-2025	Time: 09:33 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048



NON-HAZARDOUS WASTE MANIFEST		No. 218019	Trailer No. MATEOS 3926	
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701	
	Phone: (432) 695-4222		Disposal Date: 08-04-2025 08:40 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 44080, 44360, 44660, 44840 TO 177940			
Lease/Job Name: ROBIN FED COM 122 H				
Generator's Representative: Montgomery Floyd				
TRANSPORTER	Name: Tellus Env Services			
	Emergency Contact: Jamey Fowler			
	Emergency Contact Phone: 432-557-0934			
	Transporter: Acknowledgment of Delivery of Material			
Printed/Typed Name (Impreso/Mecanografico): ANTONIO PARRA				
Signature (Firma):  Date: 08-04-2025 08:40 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
	Comments:			
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
Authorized Signature: 		Unit No: IIB	Date: 08-04-2025	Time: 08:40 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 218038	Trailer No. DJ 768		
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701		
	Phone: (432) 695-4222		Disposal Date: 08-04-2025 04:47 PM		
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 41180		710		
Lease/Job Name: ROBIN FED COM 122 H					
Generator's Representative: Montgomery Floyd					
TRANSPORTER	Name: Tellus Env Services				
	Emergency Contact: Jamey Fowler				
	Emergency Contact Phone: 432-557-0934				
	Transporter: Acknowledgment of Delivery of Material				
Printed/Typed Name (Impreso/Mecanografico): RICARDO DIAZ					
Signature (Firma): X  Date: 08-04-2025 04:47 PM					
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		
			(575) 887-4048		
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: 			Unit No: IIB	Date: 08-04-2025	
			Time: 04:47 PM		

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 218029	Trailer No. DJ 777	
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701	
	Phone: (432) 695-4222		Disposal Date: 08-04-2025 09:10 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 39940, 40280, 40410, 40660 TOTAL 161340			
Lease/Job Name: ROBIN FED COM 122 H				
Generator's Representative: Montgomery Floyd				
TRANSPORTER	Name: Tellus Env Services			
	Emergency Contact: Jamey Fowler			
	Emergency Contact Phone: 432-557-0934			
	Transporter: Acknowledgment of Delivery of Material			
Printed/Typed Name (Impreso/Mecanografico): <u>Nelson Frawsto</u>				
Signature (Firma): X <u>Nelson Frawsto</u> Date: 08-04-2025 09:10 AM				
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
	Permit No: NM-1-0035-New Mexico		(575) 887-4048	
	Comments:			
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.			
Authorized Signature: <u>Daniel Laville</u>		Unit No: IIB	Date: 08-04-2025	Time: 09:10 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 218040	Trailer No. DJ 957		
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701		
	Phone: (432) 695-4222		Disposal Date: 08-04-2025 04:51 PM		
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 41000		TO		
Lease/Job Name: ROBIN FED COM 122 H					
Generator's Representative: Montgomery Floyd					
TRANSPORTER	Name: Tellus Env Services				
	Emergency Contact: Jamey Fowler				
	Emergency Contact Phone: 432-557-0934				
	Transporter: Acknowledgment of Delivery of Material				
Printed/Typed Name (Impreso/Mecanografico): <u>Trix O.</u>					
Signature (Firma): X <u>[Signature]</u> Date: 08-04-2025 04:51 PM					
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		
			(575) 887-4048		
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <u>[Signature]</u>		Unit No: IIB	Date: 08-04-2025	Time: 04:51 PM	

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 218028	Trailer No. DJ 518		
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701		
	Phone: (432) 695-4222		Disposal Date: 08-04-2025 09:05 AM		
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 40080, 40380, 40640, 40980 TOTAL 2080				
Lease/Job Name: ROBIN FED COM 122 H					
Generator's Representative: Montgomery Floyd					
TRANSPORTER	Name: Tellus Env Services				
	Emergency Contact: Jamey Fowler				
	Emergency Contact Phone: 432-557-0934				
	Transporter: Acknowledgment of Delivery of Material				
Printed/Typed Name (Impreso/Mecanografico): <u>Jerome Lymeto</u>					
Signature (Firma): X <u>[Signature]</u> Date: 08-04-2025 09:05 AM					
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		
	Permit No: NM-1-0035-New Mexico		(575) 887-4048		
	Comments:				
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <u>[Signature]</u>		Unit No: IIB	Date: 08-04-2025	Time: 09:05 AM	

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND

LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 218023	Trailer No. DJ 957		
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701		
	Phone: (432) 695-4222		Disposal Date: 08-04-2025 08:52 AM		
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 38280, 38480, 38760, 38940 TO 154460				
Lease/Job Name: ROBIN FED COM 112 H					
Generator's Representative: Montgomery Floyd					
TRANSPORTER	Name: Tellus Env Services				
	Emergency Contact: Jamey Fowler				
	Emergency Contact Phone: 432-557-0934				
	Transporter: Acknowledgment of Delivery of Material				
Printed/Typed Name (Impreso/Mecanografico): <u>Eng. O.</u>					
Signature (Firma): X <u>[Signature]</u> Date: 08-04-2025 08:52 AM					
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		
	Permit No: NM-1-0035-New Mexico		(575) 887-4048		
	Comments:				
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <u>[Signature]</u>		Unit No: IIB	Date: 08-04-2025	Time: 08:52 AM	

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 218024	Trailer No. DJ 768	
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701	
	Phone: (432) 695-4222		Disposal Date: 08-04-2025 08:58 AM	
	Name Or Description Of Waste Shipped:			
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt			
	Weight (lbs): 40160, 40380, 40640, 40980 T@ 162160			
TRANSPORTER	Lease/Job Name: ROBIN FED COM 122 H			
	Generator's Representative: Montgomery Floyd			
	Name: Tellus Env Services			
	Emergency Contact: Jamey Fowler			
	Emergency Contact Phone: 432-557-0934			
DISPOSAL FACILITY	Transporter: Acknowledgment of Delivery of Material			
	Printed/Typed Name (Impreso/Mecanografico): <u>Ricardo DIAZ</u>			
	Signature (Firma): <u><i>[Signature]</i></u>			Date: 08-04-2025 08:58 AM
	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM	
Permit No: NM-1-0035-New Mexico		(575) 887-4048		
Comments:				
Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <u><i>[Signature]</i></u>		Unit No: IIB	Date: 08-04-2025	Time: 08:58 AM

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 218898	Trailer No. DJ 350		
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701		
	Phone: (432) 695-4222		Disposal Date: 09-03-2025 09:12 AM		
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exemp:				
	Weight (lbs): 34020, 34340, 34680 <i>TC 103040</i>				
Lease/Job Name: ROBIN FED COM 202 H					
Generator's Representative: Montgomery Floyd					
TRANSPORTER	Name: Tellus Env Services				
	Emergency Contact: Jamey Fowler				
	Emergency Contact Phone: 432-557-0934				
Transporter: Acknowledgment of Delivery of Material					
Printed/Typed Name (Impreso/Mecanografico): <i>Jillerson Frawsto</i>					
Signature (Firma): X <i>Jillerson Frawsto</i> Date: 09-03-2025 09:12 AM					
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		
			(575) 887-4048		
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <i>Sandra A. Arellano</i>		Unit No: IIB	Date: 09-03-2025	Time: 09:12 AM	

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257



LEA LAND, LLC SURFACE WASTE LANDFILL

MILE MARKER #64 US HWY 62/180 • 30 MILES EAST OF CARLSBAD, NM • PHONE (575) 887-4048

NON-HAZARDOUS WASTE MANIFEST		No. 218899	Trailer No. DJ 957		
GENERATOR	Company Name: Permian Resources		Address: 300 N. Marienfield St., #1000 Midland, TX 79701		
	Phone: (432) 695-4222		Disposal Date: 09-03-2025 09:14 AM		
	Name Or Description Of Waste Shipped:				
	<input checked="" type="checkbox"/> RCRA Exempt <input type="checkbox"/> RCRA Non-Exempt				
	Weight (lbs): 39120, 39940, 40180 TO 119740				
Lease/Job Name: ROBIN FED COM 202 H					
Generator's Representative: Montgomery Floyd					
TRANSPORTER	Name: Tellus Env Services				
	Emergency Contact: Jamey Fowler				
	Emergency Contact Phone: 432-557-0934				
	Transporter: Acknowledgment of Delivery of Material				
Printed/Typed Name (Impreso/Mecanografico): <u>Eric Ortega</u>					
Signature (Firma): X <u>[Signature]</u> Date: 09-03-2025 09:14 AM					
DISPOSAL FACILITY	Lea Land, LLC		Mile Marker 64, U.S. Hwy 62/180, 30 Miles East Of Carlsbad, NM		
			(575) 887-4048		
	Permit No: NM-1-0035-New Mexico		Comments:		
	Disposal Facility's Certification: I Hereby Certify That The Above-Described Wastes Were Delivered To This Facility.				
Authorized Signature: <u>[Signature]</u>		Unit No: IIB	Date: 09-03-2025	Time: 09:14 AM	

LEA LAND, LLC
1300 WEST MAIN STREET • OKLAHOMA CITY, OK 73106 • PHONE (405) 236-4257

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 587464

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2507939778
Incident Name	NAPP2507939778 ROBIN FED COM 201H @ 30-025-52588
Incident Type	Oil Release
Incident Status	Reclamation Report Received
Incident Well	[30-025-52588] ROBIN FEDERAL #201H

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	Robin Fed Com 201H
Date Release Discovered	03/20/2025
Surface Owner	Federal

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Equipment Failure Fitting Crude Oil Released: 52 BBL Recovered: 0 BBL Lost: 52 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 587464

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 05/21/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 587464

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)
Any other fresh water well or spring	Between ½ and 1 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	4560
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	80600
GRO+DRO (EPA SW-846 Method 8015M)	67000
BTEX (EPA SW-846 Method 8021B or 8260B)	67.4
Benzene (EPA SW-846 Method 8021B or 8260B)	1.6

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	07/29/2025
On what date will (or did) the final sampling or liner inspection occur	08/18/2025
On what date will (or was) the remediation complete(d)	09/05/2025
What is the estimated surface area (in square feet) that will be reclaimed	7391
What is the estimated volume (in cubic yards) that will be reclaimed	1060
What is the estimated surface area (in square feet) that will be remediated	7391
What is the estimated volume (in cubic yards) that will be remediated	1060

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed. The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 587464

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	FEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 05/21/2026
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 587464

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 587464

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	496074
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	08/18/2025
What was the (estimated) number of samples that were to be gathered	6
What was the sampling surface area in square feet	1200

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	7391
What was the total volume (cubic yards) remediated	1060
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	7391
What was the total volume (in cubic yards) reclaimed	1060
Summarize any additional remediation activities not included by answers (above)	Remediation has been completed at the site.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 05/21/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 587464

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report

Only answer the questions in this group if all reclamation steps have been completed.

Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	7391
What was the total volume of replacement material (in cubic yards) for this site	1060

Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.

Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	05/18/2026

Summarize any additional reclamation activities not included by answers (above)	Reclamation has been completed at the site.
---	---

The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeded plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 05/21/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 587464

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 587464

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 587464
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your reclamation/remediation closure report for Incident #nAPP2507939778 Robin Fed Com 201H, thank you. The reclamation/remediation closure report is approved.	5/28/2026