

Page 1 of 4
Received by O.C.D.: 5/15/2021 2:28:01 PM

Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised April 3, 2017
1. WELL API NO.
30-045-34239
2. Type of Lease
 STATE FEE FED/INDIAN
3. State Oil & Gas Lease No.
E0-3148

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
 C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
Tshah Tah Com 36
6. Well Number:
3

7. Type of Completion:
 NEW WELL WORKOVER DEEPENING PLUGBACK DIFFERENT RESERVOIR OTHER

8. Name of Operator
Dugan Production Corp.

9. OGRID
006515

10. Address of Operator
P. O. Box 420, Farmington, NM 87499-0420

11. Pool name or Wildcat
Basin Fruitland Coal

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	36	25N	10W		1530	South	1325	West	San Juan
BH:	K	36	25N	10W		1530	South	1325	West	San Juan

13. Date Spudded 5/10/07
14. Date T.D. Reached 5/13/07
15. Date Rig Released
16. Date Completed (Ready to Produce) 10/19/07
17. Elevations (DF and RKB, RT, GR, etc.) 6772' GR

18. Total Measured Depth of Well 1913'
19. Plug Back Measured Depth 1845'
20. Was Directional Survey Made? No
21. Type Electric and Other Logs Run GR-CCL-CNL

22. Producing Interval(s), of this completion - Top, Bottom, Name
1775'-1786' (Pictured Cliffs) DHC application pending

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
7"	20#, J-55	141' KB	8-3/4"	60 sx	
4-1/2"	10.5#, J-55	1912' KB	6-1/4"	225 sx	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD	DEPTH SET	PACKER SET
					SIZE	2-3/8"	
						1829'	

26. Perforation record (interval, size, and number)
1724'-1736' (3 spf, 36 holes)
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. 1
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
1724'-1736' 1000 gal 7.5% HCl; 5,000 gal gel, followed by
6700 gal crosslinked gel w/.25-0.5 ppg 40/70
Sand; followed w/65000 20/40 sand. Flushed w/
1080 gal linear gel.

28. PRODUCTION

Date First Production 11/9/07
Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping
Well Status (Prod. or Shut-in) Shut in

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
9/21/07							
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate 25	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Shut in - to be sold
30. Test Witnessed By


1. List Attachments

2. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.
33. Rig Release Date:

4. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude Longitude NAD83

hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief--

Signature 
Name Aliph Reena, P.E. Title Engineering Supervisor Date May 13, 2021

-mail Address aliph.reena@duganproduction.com

Released to Imaging: 6/30/2022 11:08:13 AM

From	To	In Feet	Thickness	Lithology
From	To	In Feet	Thickness	Lithology

LITHOLOGY RECORD (Attach additional sheet if necessary)

No. 1, fromfeet tofeet
 No. 2, fromfeet tofeet
 No. 3, fromfeet tofeet

Include data on rate of water inflow and elevation to which water rose in hole.

IMPORTANT WATER SANDS

No. 1, fromfeet tofeet
 No. 2, fromfeet tofeet
 No. 3, fromfeet tofeet
 No. 4, fromfeet tofeet

OIL OR GAS SANDS OR ZONES

Southeastern New Mexico		T. Canyon	T. Ojo Alamo 945'	T. Penn A"
Southeastern New Mexico		T. Strawn	T. Kirtland 1045'	T. Penn. "B"
Southeastern New Mexico		T. Atoka	T. Fruitland 1546'	T. Penn. "C"
Southeastern New Mexico		T. Yates	T. Miss	T. Penn. "D"
Southeastern New Mexico		T. 7 Rivers	T. Devonian	T. Leadville
Southeastern New Mexico		T. Queen	T. Silurian	T. Madison
Southeastern New Mexico		T. Grayburg	T. Montoya	T. Elbert
Southeastern New Mexico		T. San Andres	T. Simpson	T. McCracken
Southeastern New Mexico		T. Glorieta	T. McKee	T. Ignacio Ortiz
Southeastern New Mexico		T. Paddock	T. Ellenburger	T. Granite
Southeastern New Mexico		T. Blinberry	T. Gr. Wash	
Southeastern New Mexico		T. Tubb	T. Delaware Sand	
Southeastern New Mexico		T. Drinkard	T. Bone Springs	
Southeastern New Mexico		T. Abo	T. Entrada	
Southeastern New Mexico		T. Wolfcamp	T. Wingate	
Southeastern New Mexico		T. Penn	T. Chinle	
Southeastern New Mexico		T. Cisco (Bough C)	T. Permian	

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

his form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INSTRUCTIONS

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 28180

ACKNOWLEDGMENTS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 28180
	Action Type: [C-105] Well (Re)Completion (C-105)

ACKNOWLEDGMENTS

<input type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 28180

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 28180
	Action Type: [C-105] Well (Re)Completion (C-105)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	None	6/30/2022