U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: LANGLIE JAL UN

Well Location: T25S / R37E / SEC 8 /

County or Parish/State: LEA /

Well Number: 85

Type of Well: INJECTION - ENHANCED Allottee or Tribe Name:

RECOVERY

Lease Number: NMLC032511E

Unit or CA Name: LANGLIE JAL UNIT

Unit or CA Number: NMNM70970A

US Well Number: 300251149300S1

Well Status: Water Injection Well Shut In Operator: BXP OPERATING LLC



NMOCD 12/4/23



Notice of Intent

Sundry ID: 2759262

Type of Submission: Notice of Intent

Type of Action: Plug Back

Date Sundry Submitted: 11/02/2023

Time Sundry Submitted: 05:11

Date proposed operation will begin: 11/20/2023

Procedure Description: 1. TEST ANCHORS. 2. MIRU NU BOP. UNSET PACKER. TOH W/ 2 3/8 TBG 3. RIH W/WL. GAUGE RING TO 3230' POH. SET CIBP @ 3230'. DUMP BAIL 25 SXS CLASS C ON CIBP. TOC 3180' 4. PUH SET CIBP @ 2837', DUMP BAIL 55 SXS ON CIBP. CTOC @2787' 5. POOH W/ WIRELINE. LOAD AND TEST CSG. RUN MIT. HOLD 500# FOR 32 MINUTES 6, ND BOP. FLANGE UP WELL. RDMO. 7. HOLDING FOR CO2 FLOOD EARLY NEXT YEAR BY FORTY ACRES.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

20231115214649_20231116083946.pdf

Well Name: LANGLIE JAL UN

Well Location: T25S / R37E / SEC 8 / SESE /

County or Parish/State: LEA /

Well Number: 85

Type of Well: INJECTION - ENHANCED Allottee or Tribe Name:

RECOVERY

Lease Number: NMLC032511E

Unit or CA Name: LANGLIE JAL UNIT

Unit or CA Number: NMNM70970A

US Well Number: 300251149300S1

Well Status: Water Injection Well Shut In Operator: BXP OPERATING LLC

Conditions of Approval

Specialist Review

Plugback_COA_20231120070934.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AGGIE ALEXIEV Signed on: NOV 16, 2023 08:39 AM

Name: BXP OPERATING LLC

Title: CONTROLLER

Street Address: PO BOX 2769

City: HOBBS

Phone: (575) 492-1236

Email address: AGGIE@PENROCOIL.COM

Field

Representative Name:

Street Address:

City:

State:

State: NM

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: ZOTA M STEVENS BLM POC Title: Petroleum Engineer

BLM POC Email Address: ZSTEVENS@BLM.GOV **BLM POC Phone: 5752345998**

Disposition Date: 11/20/2023 Disposition: Approved

Signature: Zota Stevens

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0137 Expires: December 31, 2024

5. Lease Serial No.

NMLC032511E

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this	notices and Rep form for proposals Use Form 3160-3 (A	ORTS ON WELLS to drill or to re-enter an NPD) for such proposals	S.	6. If Indian, Allottee of	r Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well				1		
Oil Well Gas	The same of the sa			8. Well Name and No.	LANGLIE JAL UNIT #85	
2. Name of Operator BXP OPERATION				9. API Well No. 30-025-11493		
3a. Address 1515 W CALLE SUR, SUITE 174 HOBBS, NM 88240		3b. Phone No. (include area code) (575) 492-1236		10. Field and Pool or Exploratory Area LANGLIE MATTIX; 7RVRS;- Q- GRAYBURG		
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) 660 FSL 660 FEL P-08-25S-37E			11. Country or Parish, State LEA COUNTY, NEW MEXICO			
12. CHE	ECK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE	OF NOTI	CE, REPORT OR OTH	ER DATA	
TYPE OF SUBMISSION		TY	PE OF AC	TION		
Notice of Intent	Acidize Alter Casing	Deepen Hydraulic Fracturing		uction (Start/Resume)	Water Shut-Off Well Integrity	
Subsequent Report Final Abandonment Notice	Casing Repair Change Plans Convert to Injection	New Construction Plug and Abandon	Temp	mplete porarily Abandon r Disposal	Other	
3. Describe Proposed or Completed C	peration: Clearly state all per ally or recomplete horizontall	rtinent details, including estimated	starting da	ate of any proposed work	all pertinent markers and zones. Attach	

- completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)
 - 1. TEST ANCHORS
 - 2. MIRU NU BOP. UNSET PACKER. TOH W/ 2 3/8 TBG
 - 2. MIRO NO BOP. UNSET PACKER. TOH W/ 2 3/8 TBG
 3. RIH W/ WL GAUGE RING TO 3230' POH, SET CIBP @ 3230' DUMP BAIL 25 SXS CLASS C ON CIBP TOC 3180'
 4. PUH SET CIBP @ 2837' DUMP BAIL 25 SX ON CIBP CTOC @2787'
 5. POOH W/WIRELINE. LOAD AND TEST CSG. RUN MIT HOLD 500# FOR 32 MINUTES.
 6. ND BOP FLANGE UP WELL. RDMO.

 - 7. HOLDING FOR CO2 FLOOD EARLY NEXT YEAR BY FORTY ACRES

e 11/16/2023		
L OR STATE OFICE USE		
Title Date		
Office		

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve hydraulic fracturing operations, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Permanent Abandonment of a Production Zone

- 1. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plug back operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-393-3612
- 2. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet, a 3M system for a well not deeper than 13,636 feet, or a 5M system for a well not deeper than 22,727 feet (all depths are for measured well depth).
- 3. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of brine water. Minimum nine (9) pounds per gallon.
- 4. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the approved depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours. In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. Before pumping cement on top of CIBP, a tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary. Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.
- 5. <u>Subsequent Plug back Reporting:</u> Within 30 days after plug back work is completed, file a Subsequent Report, Form 3160-5 to BLM. The report should give in detail the manner in which the plug back work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date work was completed.</u> If plugging back to a new zone submit a Completion Report, form 3160-4 with the Subsequent Report.
- 6. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
- 7. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken:
 From March 1st through June 15th annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 287521

CONDITIONS

Operator:	OGRID:
BXP Operating, LLC	329487
11757 KATY FREEWAY	Action Number:
HOUSTON, TX 77079	287521
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By		Condition Date
kfortner	Like approval from BLM	12/4/2023