U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

03/11/2026

Well Name: POKER LAKE UNIT CVX JV BS

Well Location: T24S / R30E / SEC 26 / SWSW / 32.182065 / -103.858304

County or Parish/State: EDDY / NM

Well Number: 1H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM02862

Unit or CA Name: PLU BIG SINKS 26 FEDERAL 1H

Unit or CA Number: NMNM71016L

US Well Number: 3001537031

Operator: XTO PERMIAN OPERATING LLC

Subsequent Report

Sundry ID: 2897095

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/20/2026

Time Sundry Submitted: 02:05

Date Operation Actually Began: 12/01/2025

Actual Procedure: XTO Permian Operating LLC, has P&A'd the above mentioned well per the attached P&A Summary Report and WBD. CBL has also been submitted.

SR Attachments

Actual Procedure

Poker_Lake_Unit_CVX_JV_BS_001___RCBL_12_8_25_20260220140148.pdf

Poker_Lake_Unit_CVX_JV_BS_001H_P_A_Summ_Rpt_wWBD_20260220140131.pdf

CONFIDENTIAL

Well Name: POKER LAKE UNIT CVX JV BS

Well Location: T24S / R30E / SEC 26 / SWSW / 32.182065 / -103.858304

County or Parish/State: EDDY / NM

Well Number: 1H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM02862

Unit or CA Name: PLU BIG SINKS 26 FEDERAL 1H

Unit or CA Number: NMNM71016L

US Well Number: 3001537031

Operator: XTO PERMIAN OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHERRY MORROW

Signed on: FEB 20, 2026 02:03 PM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND **State:** TX

Phone: (432) 218-3671

Email address: SHERRY.MORROW@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: JAMOS@BLM.GOV

Disposition: Accepted

Disposition Date: 03/10/2026

Signature: James A Amos

Released to Imaging: 6/12/2026 3:25:14 PM

Poker Lake Unit CVX JV BS 001H
API Number 30-015-37031
P&A Summary Report

12/1/25: MIRU.

12/2/25: Bleed down well.

12/3/25: Bleed down casing from 1800 psi to 600 psi total of 300 bbls 9.2 # fluid with mixture of gas. Pump 240 bbls 10# brine down casing, secured well- ISICP- 125 psi. SW SDFN.

12/5/25: POOH with Pooh L/d polish rods, 80 1" steel, 108 7/8" steel, 107 3/4" steel rods, 56 7/8" steel, stab, 24' pump. Function test BOP- Nipple down wellhead. Nipple up 5 k 7 1/16" BOP- 2 7/8" rams, Blinds. SW SDFN.

12/6/25: Work stuck tbg anchor, release anchor, pooh w 2-7/8" production tbg. SW SDFN.

12/7/25: MIRU WL, RIH with 4.52" GR to 9135', pooh. RIH with 4.42" CIBP, set @ 9135', POOH - RDMO WL. Load well with 8 bbls fluid- pressure test to 500 psi for 30 minutes. Good. SW SDFN.

12/8/25: MIRU WLU. RIH tag @ 9135', Run CBL from 9135' to surface. Run in hole with bailer - Dump bail 35' cement-class H. RDMO WLU. TIH EOT @ 8900'. Continue to WOC overnight. SW SDFN.

12/9/25: TIH TTOC 9097', L/D 1 jt. SW SDFN.

12/10/25: Circulate 230 bbls brine w salt gel. Pooh EOT@ 7930'. Spot 170 sxs class h 15.5# slurry. WOC 6 hrs. TIH TTOC@ 6290'. TOH Laying down tbg0 EOT@ 4950'. Spot 115 sxs class C Cemetn 14.8# slurry. Pooh w 62 jts tbg- 2000' - R/o 40 bbls. SW SDFN.

12/11/25: TIH TTOC@ 3784'. TOH EOT@ 3510'. Spot 25 sxs Class C 14.8# slurry, TOH w/tbg. WOC. TIH TTOC@ 3218', TOH to 2100'. MIRU RWLS, Perforate 5 1/2" csg @ 2425'. RDMO. EIR 2 bbls 300 psi, Squeeze 35 sxs class C- Displace 18.5 bbls brine. SW SDFN.

12/12/25: TIH TTOC@ 2295'. TOH L/D 70 jts tbg. Set packer at 65', MIRU Wireline, run in hole and perforate at 1100', RDMO WL. Rig down work floor, Nipple down bop, flange up tbg head. Establish Injection Rate- Circulate 350 sxs class C 14.8# , Cement AT surface. RDMO.

2/19/26: WH cutoff and DHM set

Schematic - Vertical with Perfs


Well Name: Poker Lake Unit CVX JV BS 001H

API/UWI	SAP Cost Center ID	Permit Number	State/Province	County
3001537031	1138951001		New Mexico	Eddy

Surface Location	Spud Date	Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)
T24S-R30E-S26	10/29/2009 00:00	3,364.00	3,342.00	22.00

MD (ftKB)	TVD (ftKB)	Incl (°)
22.0	22.0	0.4
476.0	476.0	0.5
627.3	627.3	0.5
673.9	673.9	0.5
960.0	960.0	0.2
1,100.1	1,100.0	0.2
2,294.9	2,294.8	0.9
2,425.9	2,425.7	0.8
3,217.8	3,217.6	1.2
3,427.5	3,427.2	0.8
3,509.8	3,509.5	0.7
3,927.2	3,926.8	0.4
4,018.7	4,018.3	0.4
4,838.3	4,837.9	0.4
4,840.6	4,840.2	0.4
4,950.1	4,949.7	0.3
6,299.9	6,299.5	0.6
6,835.0	6,834.5	0.9
7,930.1	7,890.8	19.2
8,277.9	8,219.7	18.9
8,569.9	8,494.6	21.4
9,083.0	8,948.9	46.4
9,134.8	8,982.5	52.7
9,196.9	9,017.0	59.2
9,569.9	9,121.6	89.7
9,702.1	9,120.3	91.2
10,183.1	9,105.9	91.0
10,669.0	9,102.7	88.2
11,244.1	9,112.9	88.8
11,404.9	9,116.9	88.4
11,689.0	9,120.1	89.9
12,212.9	9,131.3	89.6
12,731.0	9,144.8	88.4
13,154.5	9,146.2	91.3
13,200.1	9,145.1	91.4
13,242.1	9,144.1	91.6

Vertical schematic (actual)



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 562083

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 3617 North Big Spring Street MIDLAND, TX 79705	OGRID: 373075
	Action Number: 562083
	Action Type: [C-103P] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/12/2026