U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

07/08/2026

Well Name: REAMES LS

Well Location: T26N / R6W / SEC 19 / LOT 4 / 36.465927 / -107.514877

County or Parish/State: RIO ARRIBA / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMSF079295

Unit or CA Name:

Unit or CA Number:

US Well Number: 3003906356

Operator: HILCORP ENERGY COMPANY

Subsequent Report

Sundry ID: 2920454

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/06/2026

Time Sundry Submitted: 12:53

Date Operation Actually Began: 06/26/2026

Actual Procedure: Hilcorp Energy Company P&A'd the subject well on 7/1/2026 per the attached daily summary and wellbore schematic.

SR Attachments

Actual Procedure

REAMES_LS_1_SR_20260706125250.pdf

CONFIDENTIAL

Well Name: REAMES LS

Well Location: T26N / R6W / SEC 19 / LOT 4 / 36.465927 / -107.514877

County or Parish/State: RIO ARRIBA / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMSF079295

Unit or CA Name:

Unit or CA Number:

US Well Number: 3003906356

Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TAMMY JONES

Signed on: JUL 06, 2026 12:53 PM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Compliance Specialist

Street Address: 382 ROAD 3100

City: AZTEC **State:** NM

Phone: (505) 324-5185

Email address: TAJONES@HILCORP.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 07/08/2026

Signature: Kenneth Rennick

CONFIDENTIAL

REAMES LS 1 30.039.06356 PLUG AND ABANDONMENT

6/26/2026 - HELD PJSM. MOVE P&A PKG TO LOC. SDFN

6/29/2026 - FINISH MOVIN P&A PKG TO LOC. LOTO. SPOT EQUIP. RU RIG & PUMPING EQUIP. CK PSI; TBG-50#, CSG-100#, BH-0#. BDW 10 MINS. FT BOP. ND WH. STRIP ON BOP. RU RIG FLOOR & TBG EQUIP. LD TBG HANGER JT. LD 110 JTS OF 1'' TBG. SWAP TO 2 3/8'' EQUIP. TALLY, RABBIT & PUP. RIH W/ 5.5'' SM TO 2330'. TOOH LD SM. TIH 5.5'' CR. SET CR @ 2300'. PUMP 50 BBLS TO EST CIRC. PUMP 70 TOTAL. PSI TEST CSG TO 560# PSI. NO TEST. TOOH LD SETTING TOOL. SIW, SDFN. **(BLM REP ASHLEY SCHNEIDER)**

6/30/2026 - HELD PJSM. SERVICE & START EQUIP. CK PSI; TBG-0#, CSG-0#, BH-0# BDW 0 MINS. RU TWG. RIH W/ CBL TOOL. LOG WELL FROM 2300'- 0'. RD WL. FIX CSG LEAK @ SURF. TIH W/ TS TO CR. EST CIRC W/ 2 BBLS. RE PSI TEST CSG TO 560# FOR 30 MINS. TEST OK. **PLUG #1 FROM 2300' - 1713' (5.5'')(587') M&P 70 SKS CLASS G, 15.8PPG, 1.15YIELD, 14.3BLSRY, 8.3MIX, 2%CAL, 6.5DIS.** LD TOC. TOOH. SIW. WOC. **TIH TAG TOC @ 1713' BLM REP APPROVED TAG.** LD TBG TO PLUG #2. **PLUG #2 FROM 1685' - 1517' (5.5'')(168') M&P 20 SKS CLASS G, 15.8PPG, 1.15YIELD, 4BLSRY, 2.3MIX, 5.7DIS.** LD ALL TBG. RU TWG. RIH W/ TG & PERF @ 441'. EST CIRC FROM BH USING 15 BBLS FW. PUMP 35 TOTAL. RD WL. PUP TO 441'. **PLUG #3 FROM 441' - 0' (5.5'') M&P 156 SKS CLASS G, 15.8PPG, 1.15YIELD, 31.9BLSRY, 18.5MIX, CIRC CMT TO SURF.** LD ALL TBG. RD RF & TBG EQUIP. ND BOP. NU WH. SIW. DIG OUT WH. SDFN. **(BLM REP ASHLEY SCHNEIDER)**

7/1/2026 - HELD PJSM. SERVICE & START EQUIP. CK PSI; TBG-0#, CSG-0#, BH-0# BDW 0 MINS. MONITOR WH PSI. BUBBLE TEST BH. TEST OK. CHECK FOR LEL. LEL @ 3% FROM RISER LINE NOT WH. CUT & REMOVE WH. FIND TOC @ 30' INSIDE 5.5'' & 1' INSIDE 8 5/8''. **INSTALL DHM @ 36.46575 W / -107.51561 N.** RU POLY PIPE. TOP OFF CSG W/ 21 SKS CLASS G, 15.8PPG, .1.15YIELD. RD P&A PKG. CLEAN & SECURE LOC. MOL. **(BLM REP ASHLEY SCHNEIDER)**

WELL PLUGGED AND ABANDONED ON 7/1/2026.

REAMES LS 1 **30.039.06356** **PLUG AND ABANDONMENT**



REAMES LS 1 **30.039.06356** **PLUG AND ABANDONMENT**



From: Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>
Sent: Tuesday, June 30, 2026 9:49 AM
To: Rennick, Kenneth G; Whitney Majetich; Oscar Sanchez - (C); Farmington Regulatory Techs; Priscilla Shorty; Tammy Jones; Oscar Sanchez - (C); anschneider; vlucero; Clayton, Gail; Decker, Mark A
Cc: Trevor Townsley; Lee Murphy; Clay Padgett
Subject: RE: [EXTERNAL] Hilcorp Reames LS 1 - P&A Procedure Amendment

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

OCD agrees

Thank you,
John Garcia
Petroleum Specialist Supervisor
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Tuesday, June 30, 2026 9:43 AM
To: Whitney Majetich <whitney.majetich@hilcorp.com>; Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Tammy Jones <tajones@hilcorp.com>; Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Schneider, Ashley N <anschneider@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Clayton, Gail <gclayton@blm.gov>; Decker, Mark A <mdecker@blm.gov>
Cc: Trevor Townsley <trevor.townsley@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>
Subject: Re: [EXTERNAL] Hilcorp Reames LS 1 - P&A Procedure Amendment

The BLM finds the updated procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Whitney Majetich <whitney.majetich@hilcorp.com>
Sent: Tuesday, June 30, 2026 9:17 AM
To: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Rennick, Kenneth G <krennick@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Tammy Jones <tajones@hilcorp.com>; Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>
Cc: Trevor Townsley <trevor.townsley@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>
Subject: [EXTERNAL] Hilcorp Reames LS 1 - P&A Procedure Amendment

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Good morning,

Attached is the CBL for the Reames LS 1 indicating TOC ~ 900 ft.

We propose to amend P&A Procedure as follows:

- Combine Plugs 3 & 4
    - Perforate at 441' and achieve circulation to surface. Pump a 78sx outside plug from 441 to surface followed by a 52sx inside plug from 441-surface and tag cement. This will cover the Nacimiento top at 391' and the surface casing shoe at 137'.

Attached is the approved NOI for reference.

Thanks,
Whitney Majetich
Cell: (281) 467-2130

From: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>
Sent: Tuesday, June 30, 2026 10:07 AM
To: Whitney Majetich <whitney.majetich@hilcorp.com>; Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Rennick, Kenneth G <krennick@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Priscilla Shorty <pshorty@hilcorp.com>
Subject: Fw: [EXTERNAL] Hilcorp Reames LS 1 CBL Log

Get Outlook for iOS

From: Steven Nez <snez@thewirelinegroup.com>
Sent: Tuesday, 30 June 2026 09:03:06
To: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>
Cc: Christopher Caliendo <ccaliendo@thewirelinegroup.com>
Subject: [EXTERNAL] Hilcorp Reames LS 1 CBL Log

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

Good Morning,

Attached is the CBL Log for Hilcorp Reames LS 1.

Thank you

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

Hilcorp Energy Company

Current Schematic - Version 3


Well Name: REAMES LS #1

API / UWI	Surface Legal Location	Field Name	Route	State/Province	Well Configuration Type
3003906356	019-026N-006W-M	PC	0910	NEW MEXICO	Vertical
Ground Elevation (ft)	**Original KB/RT Elevation (ft)**	**Tubing Hanger Elevation (ft)**	**RKB to GL (ft)**	**KB-Casing Flange Distance (ft)**	**KB-Tubing Hanger Distance (ft)**
6,165.00	6,176.00		11.00		

Tubing Strings

Run Date	Set Depth (ftKB)	String Max Nominal OD (in)	String Min Nominal ID (in)	Weight/Length (lb/ft)	Original Spud Date
3/26/1952 00:00	2,373.00	1.315	1.05	1.80	11/20/1951 00:00

Original Hole, REAMES LS #1 [Vertical]



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 603036

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 603036
	Action Type: [C-103P] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	7/14/2026