U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

07/27/2026

Well Name: ROSA UNIT

Well Location: T31N / R6W / SEC 9 / NENW / 36.918751 / -107.470622

County or Parish/State: SAN JUAN / NM

Well Number: 550H

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMSF078765

Unit or CA Name: ROSA UNIT

Unit or CA Number: NMNM78407E

US Well Number: 3004538439

Operator: LOGOS OPERATING LLC

Subsequent Report

Sundry ID: 2924119

Type of Submission: Subsequent Report

Type of Action: Other

Date Sundry Submitted: 07/24/2026

Time Sundry Submitted: 12:33

Date Operation Actually Began: 05/21/2026

Actual Procedure: 5/21/2026 - MIRU. ND NU. ND 10K FB equipment. NU & function test BOP. RU for 2 7/8" tbg. Good test. Kill well w/ 90 bbls KCL water. TIH, PU 2 7/8" L-80 prod tbg. TIH 2-7/8" tbg landed @ 7,210', 219 jts, L-80, 6.5#, XN-nipple @ 7,207'. ND BOP. NU 15K master valve & WH. Pump off Magnum plug. 6 swab runs to kick well off flowing up tbg, unload kill fluid. Return to production. RDMO.

SR Attachments

Actual Procedure

Rosa_Unit_550H_WB_Schematic_20260724123213.pdf

CONFIDENTIAL

Released to Imaging: 7/28/2026 8:00:01 AM

Well Name: ROSA UNIT

Well Location: T31N / R6W / SEC 9 / NENW / 36.918751 / -107.470622

County or Parish/State: SAN JUAN / NM

Well Number: 550H

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMSF078765

Unit or CA Name: ROSA UNIT

Unit or CA Number: NMNM78407E

US Well Number: 3004538439

Operator: LOGOS OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ETTA TRUJILLO

Signed on: JUL 24, 2026 12:34 PM

Name: LOGOS OPERATING LLC

Title: Regulatory Specialist

Street Address: 2010 AFTON PLACE

City: FARMINGTON **State:** NM

Phone: (505) 324-4154

Email address: ETRUJILLO@LOGOSRESOURCESLLC.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 07/24/2026


Signature: Kenneth Rennick

CONFIDENTIAL

LOGOS OPERATING

Wellbore Schematic

Well Name:	Rosa Unit 550H	Ground Elevation:	6434'	Prepared By:	7/25/2025	Clark
Location:	Sec 9, T31N, R06W, 935' FNL, 1925' FWL	KB Elevation:	6459'	Reviewed By:		
County:	San Juan County, NM	TD (TVD):	7018'	Last Updated:	6/9/2026	Gomez
API #:	30-045-38439	TD (MD):	14352'	Spud Date:	4/16/2025	
Co-ordinates:	36.918751, -107.470622 NAD83	PBTD (MD):	14239'	Completion Date:	9/17/2025	
Operator:	LOGOS Operating, LLC			Last Workover Date:	5/21/2026	



Perforations:
Top: 7,254'
Bottom: 14,149'

Toe Ports:
14,148'-14,149' 14,103-14,104
14,127'-14,128' 14,078'-14,080'
14,058'-14,059'

Conductor Casing: (4/17/2025) (Adjusted KB to 25')
Drilled a 26" conductor hole to 395' KB. Set 17 jts 20", 94#, J-55 BTC casing at 382' KB.
Cmt w/ 759 sx Premium Class G cmt (15.8 ppg, 1.15 cf/sk). Circ 30 bbls cmt to surface.

Surface Casing: (6/9/2025)
Drilled a 17-1/2" surface hole to 3,510'. Set 82 jts 13-3/8" 61# J-55 BTC csg at 3,495'.
Cmt w/ 1565 sx NEOCEM E+ cmt (11.8 ppg, 2.60 cf/sk) tailed w/ 505 sx HALCEM cmt (15.8 ppg, 1.15 cf/sk). Circ 382 bbls cmt to surface.

Intermediate Casing: (6/28/2025)
Drilled a 12-1/4" intermediate hole to 6365'. Set 147 jts 9-5/8" 47# HCL-80 BTC csg at 6336'. Open hole packer/DV tools at 3589' & 4748'
Cmt 1st stg w/ 370 sx NEOCEM E+ cmt (11.8 ppg & 2.44 cf/sk) tailed w/ 395 sx HALCEM cmt (15.8 ppg & 1.15 cf/sk). Circ 101 bbls cmt to surface.
TOC at DVT 1 at 4748'. Cmt 2nd stg w/ 805 sx NEOCEM E+ cmt (11.8 ppg & 2.44 cf/sk) tailed w/ 270 sx NEOCEM cmt (13.5 ppg & 1.59 cf/sk).
Dropped cancelation plug & bypassed DVT 2 at 3589'. Circ 135 bbls cmt to surface. TOC at surface.

Production Casing: (7/15/2025)
Drilled a 8-1/2" production hole to 14,352' (7,018' TVD). Set 319 jts 5-1/2", 20#, HCP-110 TCBC-HT csg at 14,332'.
Toe port #5 at 14,058', Toe port #4 at 14,078', Toe port #3 at 14,103', Toe port #2 at 14,127', & Toe port #1 14,148'.
Cmt w/ 145 sx Cap Isobond cmt (12.5 ppg & 1.75 cf/sk) + 630 sx Isobond cmt (12.5 ppg & 1.76 cf/sk). Tailed w/ 920 sx NEOCEM E+ cmt (13.2 ppg & 1.99 cf/sk).
TOC 2112' (CBL 8/16/25))

Completion: (09/2025)
7,254'-14,149' Toe ports at 14058'-14059', 14078'-14080', 14103'-14104', 14127'-14128', 14148'-14149'. Frac w/ 3,463,924# 100 mesh & 12,146,340# 40/70 AZ sand in 423,492 bbls slickwater.

Tubing: (5/21/2026)	Length (ft)
KB	30
(210) 2-7/8" 6.5# L-80 tbg jts	6847
(1) 2-7/8" x 2' marker jt	2
(1) 2-7/8" 6.5# L-80 tbg jt	32
(1) 2.313" X nipple at 6911'	1
(8) 2-7/8" 6.5# L-80 tbg jt	295
(1) 2.25" XN nipple at 7207'	1
(1) 2-7/8" Magnum Plug	2
Set at:	7210

Formation Tops: (MD)			
Nacimiento	Surface	Cliff House	5446'
Ojo Alamo	2406'	Menefee	5493'
Kirtland	2535'	Point Lookout	5736'
Fruitland	2947'	Mancos	6247'
Pictured Cliffs	3438'	Top Black	6906'
Lewis	3555'	Top Target	7254'
Chacra	4683'		

Workovers
05/2026 Set 2-7/8" L-80 tbg at 7210'.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 608134

CONDITIONS

Operator: LOGOS OPERATING, LLC 2010 Afton Place Farmington, NM 87401	OGRID: 289408
	Action Number: 608134
	Action Type: [C-103R] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	None	7/28/2026