Received by OCD: 9/15/2026 10:19:50 AM

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

09/15/2026

Well Name: SAN JUAN 30-6 UNIT

Well Location: T30N / R7W / SEC 35 / SWNW / 36.771971 / -107.54511

County or Parish/State: RIO ARRIBA / NM

Well Number: 414S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMSF079383

Unit or CA Name: SAN JUAN 30-6 UNIT--FR

Unit or CA Number: NMNM78420B

US Well Number: 3003927305

Operator: HILCORP ENERGY COMPANY

Subsequent Report

Sundry ID: 2932860

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/15/2026

Time Sundry Submitted: 07:59

Date Operation Actually Began: 09/11/2026

Actual Procedure: Hilcorp Energy Company plugged and abandoned the subject well on 9/14/2026 per the attached daily reports.

SR Attachments

Actual Procedure

SJ_30_6_Unit_414S_PA_SR_20260915075858.pdf

CONFIDENTIAL

Released to Imaging: 9/15/2026 2:18:30 PM

Well Name: SAN JUAN 30-6 UNIT

Well Location: T30N / R7W / SEC 35 / SWNW / 36.771971 / -107.54511

County or Parish/State: RIO ARRIBA / NM

Well Number: 414S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMSF079383

Unit or CA Name: SAN JUAN 30-6 UNIT--FR

Unit or CA Number: NMNM78420B

US Well Number: 3003927305

Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TAMMY JONES

Signed on: SEP 15, 2026 07:59 AM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Compliance Specialist

Street Address: 382 ROAD 3100

City: AZTEC **State:** NM

Phone: (505) 324-5185

Email address: TAJONES@HILCORP.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 09/15/2026

Signature: Kenneth Rennick

Released to Imaging: 9/15/2026 2:18:30 PM

SAN JUAN 30-6 UNIT 414S 30.039.27305 PLUG AND ABANDONMENT

9/11/2026 - HELD PJSM. MOVE P&A PKG TO LOC. LOTO. SPOT EQUIP. RU RIG & PUMPING EQUIP. CK PSI: TBG-0#, CSG-#0, BH-0#. BDW 0 MIN. FT BOP. ND WH. (NO TBG / HANGER) NU BOP. RU RF & TBG EQUIP. JSA. RU TWG WL. RIH W/ GR TO 3350'. LD GR. RIH W/ CBL TOOL. LOG WELL FROM 3350' TO SURF. RD WL. TALLY, RABBIT & PUP. RIH W/ TS TO 3350'. EST CIRC W/ 5 BBLS FW. PUMP 120 TOTAL. PSI TEST CSG TO 600# PSI FOR 30 MINS. TEST OK. **PLUG #1 FROM 3350'- 2718' (632')(7'') M&P 125 SKS CLASS G, 15.8PPG, 1.15YIELD, 14.8IX, 25.6BLSRY, 10.3DIS.** LD TOC. TOOH. SIW, SDFN DRAIN EQUIP. CLEAN & SECURE LOC. DEBRIEF CREW. **(BLM REP JOE MAESTAS)**

9/14/2026 - HELD PJSM. SERVICE & START EQUIP. CK PSI; TBG-0#, CSG-0#, BH-0#, BDW 0 MIN. TIH W/ TS. **TAG TOC @ 2722''. BLM REP APPROVED TAG.** LD TBG TO PLUG #2. **PLUG #2 FROM 2140' - 1988' (7'')(152') M&P 30 SKS CLASS G, 15.8PPG, 1.15YIELD. 6.1BLSRY, 3.5MIX, 7.5DIS.** LD TOC. LD TBG TO PLUG #3. **PLUG #3 FROM 586'- 298' (7''). M&P 57 SKS CLASS G, 15.8PPG, 1.15YIELD. 11.6BLSRY, 6.7MIX, 1.1DIS.** LD TOC, LD TBG TO PLUG #4. **PLUG #4 FROM 31'- 0' (7''). M&P 13 SKS CLASS G, 15.8PPG, 1.15YIELD. 2.6BLSRY, 1.5MIX, CIRC CMNT TO SURF.** LD ALL TBG. WOC. (DURING WOC MONTLY BOP PSI TEST WAS PERFORMED. TEST OK) RD RF & TBG EQUIP. ND BOP. NU WH. DIG OUT WH. MONITOR WH PSI. BUBBLE TEST BH. TEST OK. CUT & REMOVE WH. FIND TOC @ SURF INSIDE 7'' / 20' INSIDE ANNULUS. WELD & INSTALL DHM @ 36.77202 / -107.54507. TOP OFF CELLAR W/ 27 SKS CLASS G 15.8PPG, 1.15YIELD. RD P&A PKG. DRAIN EQUIP. CLEAN & SECURE LOC. DEBRIEF CREW. **RIG RELEASED @ 17:00 ON 09/14/2026 (BLM REP JOE MAESTAS)**

WELL PLUGGED AND ABANDONED ON 09/14/2026

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Monday, September 14, 2026 6:50 AM
To: Rennick, Kenneth G; Whitney Majetich; Oscar Sanchez - (C); Garcia, John, EMNRD; Maestas, Joseph I
Cc: Farmington Regulatory Techs; Priscilla Shorty; Tammy Jones
Subject: RE: [EXTERNAL] HILCORP SAN JUAN 30-6 UNIT #414S CBL - Proposed Procedure Amendments

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

NMOCD concurs with BLM

Loren

From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Friday, September 11, 2026 12:26 PM
To: Whitney Majetich <whitney.majetich@hilcorp.com>; Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; Maestas, Joseph I <jimaestas@blm.gov>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Tammy Jones <tajones@hilcorp.com>
Subject: Re: [EXTERNAL] HILCORP SAN JUAN 30-6 UNIT #414S CBL - Proposed Procedure Amendments

The BLM finds the updated procedure appropriate.

Kenny Rennick

Get Outlook for iOS

From: Whitney Majetich <whitney.majetich@hilcorp.com>
Sent: Friday, 11 September 2026 12:20:42
To: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>; Rennick, Kenneth G <krennick@blm.gov>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Maestas, Joseph I <jimaestas@blm.gov>
Cc: Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Tammy Jones <tajones@hilcorp.com>
Subject: [EXTERNAL] HILCORP SAN JUAN 30-6 UNIT #414S CBL - Proposed Procedure Amendments

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Good Afternoon everyone,

Attached is the CBL for the San Juan 30-6 Unit 414S indicating TOC @ ~ 150'.

We would like to request the following procedure amendment to Plug #3. All other plugs will be in accordance with the original NOI, attached for reference.

- Plug #3
  - Pump only a 57sx inside plug from 586-300'

Thanks,
Whitney Majetich
Cell: (281) 467-2130

From: Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>
Sent: Friday, September 11, 2026 1:06 PM
To: Whitney Majetich <Whitney.Majetich@hilcorp.com>; Rennick, Kenneth G <krennick@blm.gov>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Maestas, Joseph I <jimaestas@blm.gov>; Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>
Subject: FW: [EXTERNAL] HILCORP SAN JUAN 30-6 UNIT #414S CBL

From: Josh Lamb <jlamb@thewirelinegroup.com>
Sent: Friday, September 11, 2026 11:53 AM
To: Christopher Caliendo <ccaliendo@thewirelinegroup.com>; Mark Medina <mmedina@thewirelinegroup.com>; Steven Nez <snez@thewirelinegroup.com>; Josh Lamb <jlamb@thewirelinegroup.com>; Josh Nolan <jnolan@thewirelinegroup.com>; Wesley Soto <wsoto@thewirelinegroup.com>; Oscar Sanchez - (C) <oscar.sanchez@hilcorp.com>
Cc: Jason Landeros <jlanderos@thewirelinegroup.com>
Subject: [EXTERNAL] HILCORP SAN JUAN 30-6 UNIT #414S CBL

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

SAN JUAN 30-6 UNIT 414S 30.039.27305 PLUG AND ABANDONMENT



SAN JUAN 30-6 UNIT 414S 30.039.27305 PLUG AND ABANDONMENT



Hilcorp Energy Company

Current Schematic - Version 3


Well Name: SAN JUAN 30-6 UNIT #414S

API / UWI	Surface Legal Location	Field Name	Route	State/Province	Well Configuration Type
3003927305	035-030N-007W-E	BASIN (FRUITLAND COAL)	1108	NEW MEXICO	Vertical
Ground Elevation (ft)	**Original KB/RT Elevation (ft)**	**Tubing Hanger Elevation (ft)**	**RKB to GL (ft)**	**KB-Casing Flange Distance (ft)**	**KB-Tubing Hanger Distance (ft)**
6,857.00	6,869.00		12.00		

Tubing Strings

Run Date	Set Depth (ftKB)	String Max Nominal OD (in)	String Min Nominal ID (in)	Weight/Length (lb/ft)	Original Spud Date
9/18/2008 10:00	3,654.20	2 3/8	2.00	4.70	6/7/2003 18:30

Original Hole, SAN JUAN 30-6 UNIT #414S [Vertical]



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 624637
	Action Type: [C-103P] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	9/15/2026