Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

Online Phone Directory Visit:
https://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO.

5. Indicate Type of Lease STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name
Pre Ongard (Elks)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

8. Well Number 001

2. Name of Operator
Pre-Ongard

9. OGRID Number

3. Address of Operator

10. Pool name or Wildcat

4. Well Location
Unit Letter K : 1670 feet from the S line and 2231 feet from the W line
Section 22 Township 10S Range 25E NMPM Chaves County

11. Elevation *(Show whether DR, RKB, RT, GR, etc.)*

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:				SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK	☐	PLUG AND ABANDON	☒	REMEDIAL WORK	☐	ALTERING CASING	☐
TEMPORARILY ABANDON	☐	CHANGE PLANS	☐	COMMENCE DRILLING OPNS.	☐	P AND A	☐
PULL OR ALTER CASING	☐	MULTIPLE COMPL	☐	CASING/CEMENT JOB	☐		
DOWNHOLE COMMINGLE	☐						
CLOSED-LOOP SYSTEM	☐						
OTHER:	☐			OTHER:			☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

JMR Services, LLC respectfully proposes the attached NOI to P&A this well on behalf of Pre Ongard for the State of New Mexico

Well is reported to be producing water. Existing wellbore diagram indicates 8 5/8" surface casing to 420', 7" intermediate casing to 630' cement to surface, & packer at 530' with existing cement plug from 530' to surface. Drilling operations to remove current cement plug will be performed to establish the possible source and migration of water.

See page 2 for proposed plugging procedure.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David De La Cruz TITLE Engineer DATE 10/08/2026

Type or print name David De La Cruz E-mail address: ddelacruz@jmrservices.com PHONE: 432-618-1050


For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):

Proposed P&A NOI
Pre Ongard/NMOCD
Elks #001
30-005-00054

1. MIRU P&A Rig & equipment
2. Install wellhead & NU BOP
3. PU drill collars and drill out current cement plug (Surface to 530')
4. POH lay down drill collars
5. RU Cement pump-pressure test 500 PSI/30 min bubble test. (If test fails call NMOCD)
6. RIH with 2 3/8 work string tag packer @ 530'
7. Spot 14 sxs Class "C" cement 530'-450'
8. Perf & sqz 12 sxs Class "C" cement @ 450'-350' in annulus
9. Spot 17 sxs @ 450'-350'.
10. Perf @ sqz 12 sxs Class "C" cement 350'-250' in annulus
11. Spot 17 sxs @ 350'-250'
12. Perf & sqz 12 sxs Class "C" cement 250'-150' in annulus
13. Spot 17 sxs @ 250' -150'
14. Perf & sqz 18 sxs Class "C" cement 150' -Surface in annulus
15. Spot 26 sxs @ 150' -Surface verify cement to surface.
16. Cut off wellhead, fill any exposed annulus with cement, as necessary. Install DHM,



Elks #001 | API 30-005-00054 | Chaves County, NM (depth to scale, width schematic)

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Operator: JMR SERVICES, LLC (OPG Vendor) 4706 Green Tree Blvd. Midland, TX 79707	OGRID: 333576
	Action Number: 631028
	Action Type: [UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

DEFINITIONS

The OCD Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted evaluation, plugging, decommissioning, remediation, salvage and reclamation activities. Specifically, these forms are typically used where the OCD has acquired a hearing order allowing the OCD to perform mitigation activities on wells and associated facilities that no longer have an authorized or viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Operator: JMR SERVICES, LLC (OPG Vendor) 4706 Green Tree Blvd. Midland, TX 79707	OGRID: 333576
	Action Number: 631028
	Action Type: [UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

QUESTIONS

Prerequisites	
[OGRID] Well Operator	**[214263] PRE-ONGARD WELL OPERATOR**
[API] Well Name and Number	**[30-005-00054] PRE-ONGARD WELL #001**
Well Status	**Plugged (site released)**

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 631028

CONDITIONS

Operator: JMR SERVICES, LLC (OPG Vendor) 4706 Green Tree Blvd. Midland, TX 79707	OGRID: 333576
	Action Number: 631028
	Action Type: [UF-OMA] NOI Plug & Abandon Well (UF-OMA-C-103F)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	OCD has determined that this well IS NOT within the LPCH restricted area and that an above-ground P&A marker is required.	10/8/2026
loren.diede	After drilling out to 530', run CBL, submit to NMOCD for evaluation.	10/8/2026