

**Mexico “E” Com No. 4
(Formerly Hobbs “L” No. 1)**

P-2-23S-36E

Enclosed Filings

C-102

C-103

C-104

C-105

**Hard copy of amended C-115, that is to be
transmitted, to NMOCD, by e-mail**

District I
PO Box 1980, Hobbs, NM 88241-1980

District II
811 South First, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-102
Revised October 18, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-09227	Pool Code 79240	Pool Name Jalmat (T-Y-7R)
Property Code 20832	Property Name Mexico "E" Com	Well Number 4 *
OGRID No. 6473	Operator Name Doyle Hartman	Elevation 3445' DF

Surface Location

UL or lot no. P	Section 2	Township 23S	Range 36E	Lot Idn	Feet from the 660'	North/South line South	Feet from the 660'	East/West Line East	County Lea
--------------------	--------------	-----------------	--------------	---------	-----------------------	---------------------------	-----------------------	------------------------	---------------

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West Line	County
Dedicated Acres 160	Joint or Infill Y	Consolidation Code C	Order No. NMOCD Order No. R-424, Approved 04/16/1954						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16	02-23S-36E	Existing Jalmat (Gas) Proration Unit S/2 S/2 Section 2, T-23-S, R-36-E Order No. R-424, 04/16/1954 (160 Acres)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief Signature Steve Hartman Printed Name Engineer Title 03/22/2004 Date
Infill Jalmat/LM (Gas) Well Mexico "E" Com No. 3 (Hobbs "K" No. 2) 660' FSL & 660' FWL (M) Section 2, T-23-S, R-36-E	TA'd Jalmat (Gas) Well Mexico "E" Com No. 1 660' FSL & 1320' FEL (O) Section 2, T-23-S, R-36-E		
Existing Jalmat/LM (Gas) Well Mexico "E" Com No. 2 660' FSL & 1980' FWL (N) Section 2, T-23-S, R-36-E	Infill Jalmat/LM (Gas) Well Mexico "E" Com No. 5 (Hobbs "L" No. 2) 660' FSL & 1980' FEL (O) Section 2, T-23-S, R-36-E	Infill Jalmat (Gas) Well Mexico "E" Com No. 4 (Hobbs "L" No. 1) 660' FSL & 660' FEL (P) Section 2, T-23-S, R-36-E	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyer: Certificate Number
	11-23S-36E		

* Formerly Hobbs "L" No. 1

DIVIDER PAGE

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO.	30-025-09227
Indicate Type of Lease	STATE ☒ FEE ☐
State Oil & Gas Lease No.	B-3776
Lease Name or Unit Agreement Name	Mexico "E" Com (Formerly Hobbs "L" No. 1)
Well No.	4
Pool name or Wildcat	Jalmat (T-Y-7R)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER	
Name of Operator Doyle Hartman	
Address of Operator 500 N. Main St., Midland, TX 79701	
Well Location Unit Letter <u>P</u> : <u>660'</u> Feet From The <u>South</u> Line and <u>660'</u> Feet From The <u>East</u> Line Section <u>2</u> Township <u>23S</u> Range <u>36E</u> NMPM Lea County	
Elevation (Show whether DF, RKB, RT, GR, etc.) 3445' DF	

11

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:


REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ANBANDONMENT ☐
Casing & Cement Repair ☒
OTHER: Recomplete to Jalmat (Y-7R) ☒

12 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

For details of completed wellbore repair and reserve enhancement operations, and review of upper long-string cementing and bond log results, please refer to pages 2 of 6 thru 6 of 6 attached hereto, and made a part hereof.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE Engineer

DATE 03/22/2004

TYPE OR PRINT NAME Steve Hartman

TELEPHONE NO. (432) 684-4011

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Page 2 of 6
NMOCD Form C-103 dated March 22, 2004
Doyle Hartman
Mexico "E" Com No. 4
(Formerly Hobbs "L" No. 1)
P-2-23S-36E
API No. 30-025-09227

Details of Completed Wellbore Repair and Reserve Enhancement Operations

Moved in well service unit, on 11-11-02. Pulled rods and tubing. Ran 179.64' bottom-hole drilling and cleanout assembly. Hooked up air unit. Experienced difficulty achieving circulation due to excessive water production. Pulled bottom-hole drilling and cleanout assembly.

Ran and set 5 1/2" Model "C" packer at 3034'. Loaded casing-tubing annulus with 49 bbls of water. Pumped down casing-tubing annulus, at 4 BPM, at 110 psi. Pulled 5 1/2" Model "C" packer.

Ran 5 1/2" Model "C" RBP and 5 1/2" Model "C" packer. Set 5 1/2" Model "C" RBP at 3034'. Pressure tested 5 1/2" Model "C" RBP and 5 1/2" O.D. casing. Pulled 2 7/8" O.D. work string. Covered 5 1/2" Model "C" RBP, with 4 sx of sand.

Installed Halliburton 5 1/2" cementing head. Squeeze cemented and repaired casing hole, at 495' to 527', with 2100 cu. ft. (1600 sx) of cement slurry, consisting of 800 sx of API Class "C" cement containing 2.5% CaCl₂, 5lb/sx Gilsonite, and 0.25 lb/sx Flocele, followed by 800 sx of API Class "C" cement containing 3% CaCl₂, 5lb/sx Gilsonite, and 0.25 lb/sx Flocele. Pumped cement at an average pump rate of 11 BPM, and average pump pressure of 800 psi. Dropped plug. Displaced cement with 7.25 bbls of water. Final pump rate = 0.9 BPM, at 308 psi.

Ran 179.64' bottom-hole drilling assembly. Drilled cement from 295' to 490'. Shut down for remainder of day, for cement to reach full hardness. Drilled hard cement from 490' to 510'. Fell out of cement at 510'. Circulated hole clean.

Lowered work string to 2987'. Cleaned out 17' of fill. Pulled and laid down bottom-hole drilling assembly.

Ran 4 7/8" bit and 5 1/2" casing scraper to 590'. Pulled bit and casing scraper.

Cleaned off 5 1/2" Model "C" RBP. Pumped air and unloaded water from wellbore, to blowdown tank. Recovered 5 1/2" Model "C" RBP.

Ran 4 7/8" bit. Tagged fill at 3700'. Hooked up air units. Established circulation with foam. Cleaned out wellbore to 3780'. Blew hole dry. Pulled 4 7/8" bit.

Ran and landed bottom of 2 3/8" O.D. tubing at 3711' RKB (111 jts @ 33.2'/jt + 1.1'SN + 18'MA - 3'AGL + 10'KBC = 3711.3). Ran 2" x 1 1/4" x 14' RHAC insert pump and 3/4" API Class "KD" rod string. Commenced pump testing well on 11-17-02. Pump tested well until 1-6-03, with no appreciable reduction in excessive water production, or increase in gas production.

Page 3 of 6
NMOCD Form C-103 dated March 22, 2004
Doyle Hartman
Mexico "E" Com No. 4
(Formerly Hobbs "L" No. 1)
P-2-23S-36E
API No. 30-025-09227

Pulled rods and tubing. Set cementing retainer. Loaded 5 1/2" O.D. casing with water. Squeezed off water production utilizing 2640 cu. ft. (2000 sx) of cement slurry, consisting of 500 sx of API Class "C" cement containing 2.5% CaCl₂, followed by 1500 sx of API Class "C" cement containing 2.5% CaCl₂, 5 lb/sx Gilsonite, 0.25 lb/sx Flocele. Final pump rate = 2.0 BPM, at 1778 psi. Pulled 2 7/8" work string.

Ran bottom-hole drilling assembly. Hooked up reverse unit. Drilled retainer and cement. Fell out of cement at 3735'. Cleaned out wellbore to 3790'. Drilled 4 7/8" hole to 3802'.

Rigged up Schlumberger. Logged well with CNL-DSI-GR-CCL log and VDCBL-GR-CCL log. Found good bonding from surface to 510', with bottom of cement, on outside of 5 1/2" O.D. long string, at 822'.

Ran 4 3/4" button bit. Drilled 4 3/4" hole to 3860'. Ran 137.69' string-mill assembly. Rotated 4 3/4" O.D. string-mill assembly from 3761' to 3860'. Pulled string-mill assembly.

Set 4 1/2" O.D., 11.6 lb/ft, J-55, FJ liner, from 3069' to 3860'. Ran and set 5 1/2" Model "C" Packer at 2923'. Squeeze cemented 4 1/2" O.D. flush-joint liner into place utilizing 2250 cu. ft. (1700 sx) of cement slurry consisting of 400 sx of API Class "C" cement containing 2.5% CaCl₂, 3 lb/sx Gilsonite, 0.25 lb/sx Flocele, followed by 1200 sx of API Class "C" cement containing 2.5% CaCl₂, 3 lb/sx Gilsonite, 0.25 lb/sx Flocele, followed by 100 sx of API Class "C" cement containing 1.5% CaCl₂. Pumped cement at a average pump rate of 12 BPM and average pump pressure of 3900 psi. Final displacement rate was 0.2 BPM, at 3930 psi.

Ran large-bore and small-bore bottom-hole drilling assemblies. Tagged cement at 2932'. Drilled hard cement to 3850'.

Ran 4 1/2" casing scraper, to 3850'. Circulated hole clean. Unloaded water from wellbore, to blowdown tank. Pulled 4 1/2" casing scraper.

Select-fire perforated Y-7R gas interval with (27) 0.38" x 17" holes, with one shot each at:

3134	3179	3230	3250	3427	3496
3141	3189	3232	3253	3437	3508
3153	3215	3239	3303	3466	
3161	3218	3242	3305	3489	
3166	3222	3246	3418	3493	

Page 4 of 6
 NMOCD Form C-103 dated March 22, 2004
 Doyle Hartman
 Mexico "E" Com No. 4
 (Formerly Hobbs "L" No. 1)
 P-2-23S-36E
 API No. 30-025-09227

Acidized perfs, as follows, with 5600 gal of 15% MCA acid:

<u>Interval</u>	<u>Acid Volume (gal)</u>	<u>Ball Sealers</u>	<u>Treating Rate (BPM)</u>	<u>Max Treating Pressure (psi)</u>	<u>Ballout</u>
3134-3253 (17 holes)	3700	24	4.5	1784	No
3303-3508 (10 holes)	1900	15	3.5	2980	Yes
3134-3508 (27 holes)	5600	39	---	---	---

Ran and landed 2 3/8" O.D. tubing at 3711' RKB (111 jts @ 33.2'/jt + 1.1'SN + 18'MA - 3'AGL + 10'KBC = 3711.3'). Ran 3/4" API Class "KD" rod string and 2" x 1 1/4" x 14' RHAC insert pump. Commenced pumping and cleaning up well, at 7:00 P.M., CST, 1-21-03.

On 2-1-03, tested 13 MCFPD + 2 BWPD. FCP = 17 psi.

Moved in well service unit, on 7-28-03. Pulled rods and pump. Pulled 2 3/8" O.D. tubing. Ran 3 1/2" O.D., 9.3 lb/ft, N-80 frac string and 5 1/2" PLS frac packer. Set 5 1/2" PLS frac packer at 3046'.

Rigged up Halliburton. Performed CO₂ foam frac down 3 1/2" frac tubing with 194,203 gal of gelled water and CO₂ (53.6% CO₂) and 400,000 lb of frac sand (10% 20/40, 15% 10/20, 75% 8/16). ATR = 38.9 BPM. ATP = 3913 psig.

ISIP =	1800 psi
5-min SIP =	1434 psi
10-min SIP =	1201 psi
15-min SIP =	1100 psi

Left well shut in for 85 minutes before opening well to blowdown tank. Cleaned up well to blowdown tank for 18.5 hours.

Pulled and laid down 3 1/2" O.D. frac string. Ran 2 3/8" O.D. production string. Tagged frac sand at 3684'. Hooked up air unit. Cleaned out frac sand to 3850'. Due to a continuing influx of sand, cleaned out frac sand for two (2) additional days.

Page 5 of 6
NMOCD Form C-103 dated March 22, 2004
Doyle Hartman
Mexico "E" Com No. 4
(Formerly Hobbs "L" No. 1)
P-2-23S-36E
API No. 30-025-09227

Raised and landed bottom of 2 3/8" O.D. tubing at 3680' (110 jts @ 33.22'/jt + 1.1'SN + 18'MA - 3'AGL + 10'KBC = 3680.3'). Ran 2" x 1 1/4" x 14' RHAC insert pump and 3/4" API Class "KD" rod string. Started pumping and cleaning up well, at 1:30 P.M., CDT, 8-1-03.

Cleaned up gas stream through orifice tester, from 8-1-03 until 9-1-03, until CO₂ content met Sid Richardson's standards.

On 10-20-03, tested 118 MCFPD + 2 BWPD. FCP = 1 psig. LP = 17 psig.

Total wellbore repair and reserve enhancement cost = \$526,230.

Page 6 of 6
NMOCD Form C-103 dated March 22, 2004
Doyle Hartman
Mexico "E" Com No. 4
(Formerly Hobbs "L" No. 1)
P-2-23S-36E
API No. 30-025-09227


Mexico "E" Com No. 4
Upper Long-String
Cementing and Bond Log Results

A review of the VDCBL cement bond log that was run in the Mexico "E" Com No. 4 well, on 1-13-03, after the Mexico "E" Com No. 4 was squeezed down the 5 1/2" O.D. casing, on 11-13-02, with 1600 sx of cement, documents the placement of cement, on the outside of the 5 1/2" O.D. casing, from surface to 820'. After waiting on cement overnight, cement was then drilled from 330' to 490', before shutting down for the remainder of day, for cement to reach maximum hardness. Hard cement was then drilled from 490' to 510'. Fell out of cement at 510'.

By finding the bottom of the hard cement, at 510', when coupled with (1) a previously confirmed casing leak location, between 495' and 527', and (2) a shift in the VDCBL cement bond log amplitude signal, at 510', documents that the cement slurry exit point, for the 1600-sx squeeze job, was at approximately 510', with the single casing hole, at 510', being thoroughly squeezed, with 1600 sx of cement.

The 1-13-03 VDCBL cement bond log found the top of the original long-string cement job at 2715'.

DIVIDER PAGE






Figure 28

RELATION OF DISSOLVED SOLIDS TO CHLORIDE IN SAMPLES OF GROUND WATER
FROM SOUTHERN LEA COUNTY, N. MEX.

(Graph from Ground-Water Report No. 6
"Geology and Ground-Water Conditions in Southern Lea County, New Mexico"
by Alexander Nicholson, Jr. and Alfred Clebsch, Jr
USGS)

P. O. Box 1468 (915) 943-3234 or (915) 563-1040
Monahans, Texas 79756

MARTIN WATER LABORATORIES, INC.

709 W. Indiana (915) 683-4521
Midland, Texas 79701

RESULT OF WATER ANALYSES

TO: Mr. Steve Hartman LABORATORY NO. 201-195
P.O. Box 10426 SAMPLE RECEIVED 2/27/01
Midland, Texas 79702 RESULTS REPORTED 3/7/01

API WATER ANALYSIS REPORT FORM

Company Doyle Hartman Oil Operators		Sample No.		Date Sampled	
Field Langlie-Mattix	Legal Description		County or Parish Lea		State NM
Lease or Unit Hobbs "L"	Well #1	Depth	Formation Seven Rivers/ Queen		Water, B/D
Type of Water (Produced, Supply, etc.) Produced		Sampling Point			Sampled By

DISSOLVED SOLIDS

CATIONS	mg/l	me/l
Sodium, Na (calc.)	19,969	868.2
Calcium, Ca	500	25.0
Magnesium, Mg	3,487	287.0
Barium, Ba		

OTHER PROPERTIES

pH	7.18
Specific Gravity, 60/60 F.	1.0462
Resistivity (ohm-meters) @ 77° F.	0.124
Total Hardness, as CaCO ₃	15,600


ANIONS

Chloride, Cl	39,060	1,102
Sulfate, So ₄	2,765	57.5
Carbonate, Co ₃	0	0.0
Bicarbonate, HCO ₃	1,293	21.2

Total Dissolved Solids (calc.) 67,075

Iron, Fe (total) 32.7 1.3
Sulfide, as H₂S 106

WATER PATTERNS - me/l



REMARKS & RECOMMENDATIONS: When we compare this water with our records, we find it could be approximately one-half Seven Rivers and one-half Queen.

Waylan C. Martin, M.A.

MAR 12 2001

P.O. Box 1468 Phone 943-3234 or 563-1040
Monahans, Texas 79756

RESULT OF WATER ANALYSES

709 W. Indiana Phone 683-4521
Midland, Texas 79701

TO: Mr. Don Mashburn
P.O. Box 10426, Midland, TX 79702

LABORATORY NO. 202-28
SAMPLE RECEIVED 2/7/02
RESULTS REPORTED 2/8/02

API WATER ANALYSIS REPORT FORM

Company Doyle Hartman Oil Operators		Sample No.		Date Sampled 2/6/02	
Field Langlie-Mattix		Legal Description Sec 2 T-23S&R-36E		County or Parish Lea State NM	
Lease or Unit Hobbs "L"		Well #1		Depth	
Type of Water (Produced, Supply, etc.) Produced		Formation Seven Rivers/Queen		Water, B/D	
Sampling Point		Sampled By			

DISSOLVED SOLIDS

CATIONS	mg/l	me/l
Sodium, Na (calc.)	18,799	817.3
Calcium, Ca	500	25.0
Magnesium, Mg	3,244	267.0
Barium, Ba		

ANIONS

Chloride, Cl	36,930	1,041.4
Sulfate, SO ₄	2,360	49.1
Carbonate, CO ₃	0	0.0
Bicarbonate, HCO ₃	1,147	18.8


Total Dissolved Solids (calc.)
62,979

Iron, Fe (total) 11.6 0.4
Sulfide, as H₂S 159

OTHER PROPERTIES

pH 6.82
Specific Gravity, 60/60 F. 1.0426
Resistivity (ohm-meters) 77° F. 0.130
Total Hardness, as CaCO₃ 14,600

WATER PATTERNS — me/l



REMARKS & RECOMMENDATIONS: These results reveal no significant change in the water from this well as compared to that received 2/27/01 reported on laboratory #201-195.

Waylan C. Martin, M.A.

FAX: Doyle Hartman @ Dallas (214-520-1434)

FEB 11 2002

P. O. Box 1468 (915) 943-3234 or (915) 563-1040
Monahans, Texas 79756

MARTIN WATER LABORATORIES, INC.

709 W. Indiana (915) 683-4521
Midland, Texas 79701

RESULT OF WATER ANALYSES

TO: Mr. Don Mashburn LABORATORY NO. 304-76
P.O. Box 10426 SAMPLE RECEIVED 3-15-04
Midland, TX 79702 RESULTS REPORTED 3-17-04

API WATER ANALYSIS REPORT FORM

Company Doyle Hatman Oil Operators		Sample No.		Date Sampled	
Field		Legal Description		County or Parish Lea State NM	
Lease or Unit Hobbs L		Well #1		Depth	
Type of Water (Produced, Supply, etc.) Produced		Formation		Water, B/D	
Sampling Point		Sampled By			

DISSOLVED SOLIDS

CATIONS	mg/l	me/l
Sodium, Na (calc.)	6,874	298.9
Calcium, Ca	520	26.0
Magnesium, Mg	1,288	106.0
Barium, Ba		

OTHER PROPERTIES

pH	6.81
Specific Gravity, 60/60 F	1.0160
Resistivity (ohm-meters) @ 77° F	0.300
	6,600


ANIONS

Chloride, Cl	14,342	404.4
Sulfate, SO ₄	59	1.2
Carbonate, CO ₃	0	0.0
Bicarbonate, HCO ₃	1,537	25.2

Total Dissolved Solids (calc.) 24,620

Iron, Fe (total) 84 3.4
 Sulfide, as H₂S 0

WATER PATTERNS - me/l



REMARKS & RECOMMENDATIONS: Please contact us if we can be of any assistance in interpreting these results.

Greg Ogden
 Greg Ogden, B.S.

DOYLE HARTMAN
 OIL OPERATOR
 RECEIVED

MAR 18 2004

FAX: Doyle Hartman (214-520-1434)

DIVIDER PAGE

NORTH

B

Structural Cross-Section

SOUTH


B'

Raptor Resources, Inc.
State "A" A/C-1 No. 30
I-03-23S-36E
Comp. Date: 10-23-51
Gas Cum: 4,983 MMCF

Doyle Hartman
Mexico "E" Com No. 3
(Hobbs "K" No. 2)
M-02-23S-36E
Comp. Date: 3-18-60
Repair & Recomp. Date: 12-05-02
Gas Cum: 2,099 MMCF

Doyle Hartman
Mexico "E" Com No. 2
(Hobbs "K" No. 1)
N-02-23S-36E
Comp. Date: 11-10-59
Repair & Recomp. Date: 3-18-02
Gas Cum: 1,493 MMCF

Raptor Resources, Inc.
State "A" A/C-1 No. 29
C-11-23S-36E
Comp. Date: 9-26-51
Gas Cum: 6,578 MMCF



DOCUMENTED GAS PRODUCTIVE INTERVAL
Sections 2, 3 & 11
T-23-S, R-36-E
Lea County, New Mexico

DIVIDER PAGE

West
C

Structural Cross-Section


East
C

Doyle Hartman
Mexico "E" Com No. 3
(Hobbs "K" No. 2)
M-02-23S-36E
Comp. Date: 3-18-60
Repair & Recomp. Date: 12-05-02
Gas Cum: 2,099 MMCF

Doyle Hartman
Mexico "E" Com No. 2
(Hobbs "K" No. 1)
N-02-23S-36E
Comp. Date: 11-10-59
Repair & Recomp. Date: 3-18-02
Gas Cum: 1,493 MMCF

Doyle Hartman
Mexico "E" Com No. 5
(Hobbs "L" No. 2)
O-02-23S-36E
Comp. Date: 12-17-59
Repair & Recomp. Date: 12-04-02
Gas Cum: 2,278 MMCF




Doyle Hartman
Mexico "E" Com No. 4
(Hobbs "L" No. 1)
P-02-23S-36E
Comp. Date: 12-02-59
Repair & Recomp. Date: 8-01-03
Gas Cum: 14 MMCF



DOYLE HARTMAN
Mexico "E" Com Lease
S/2 S/2, Section 2
T-23-S, R-36-E
Lea County, New Mexico





DIVIDER PAGE

Hobbs L #1 (Mexico E Com #4)
 Jalmat (T-Y-7R)
 P-2-23S-36E
 Doyle Hartman



02/24/04: 0.020 BCF 0.0 MBO 0.8 MBW

Hobbs L. #1 (Mexico E Com #4)
 Jalmat (T-Y-7R)
 P-02-23S-36E
 Doyle Hartman



DIVIDER PAGE

District I
PO Box 1980, Hobbs, NM 88241-1980

District II
811 South First, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, NM 87505

Form C-104

Revised October 18, 1994

Instructions on back

Submit to Appropriate District Office

5 Copies

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Doyle Hartman 500 N. Main St. Midland, TX 79701 (432) 684-4011		² OGRID Number 6473
		³ Reason for Filing Code RC
⁴ API Number 30-025-09227	⁵ Pool Name Jalmat (T-Y-7R)	⁶ Pool Code 79240
⁷ Property Code 20832	⁸ Property Name Mexico "E" Com	⁹ Well Number 4 *

II. ¹⁰ Surface Location

UI or lot no. P	Section 2	Township 23S	Range 36E	Lot Idn	Feet from the 660	North/South Line South	Feet from the 660	East/West line East	County Lea
--------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UI or lot no. S	Section P/F	Township	Range	Lot Idn	Feet from the 01/22/2003	North/South Line	Feet from the	East/West line	County
¹² Lee Code S	¹³ Producing Method Code P/F	¹⁴ Gas Connection Date 01/22/2003	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID 020809	¹⁹ Transporter Name and Address Sid Richardson 201 Main Street Ft. Worth, TX 76102	²⁰ POD	²¹ O/G G	²² POD ULSTR Location and Description P-2-23S-36E

IV. Produced Water

²³ POD	²⁴ POD ULSTR Location and Description P-2-23S-36E
-------------------	---

V. Well Completion Data

²⁵ Date Re-spudded 11/11/2002	²⁶ Ready Date 01/22/2003	²⁷ TD 3860'	²⁸ PBTD 3850'	²⁹ Perforations 3134' - 3508' w/ 27	³⁰ DHC, DC, MC 4.000"
³¹ Hole Size 11"	³² Casing & Tubing Size 8 5/8", 32 #/ft	³³ Depth Set 300'	³⁴ Sacks Cement 200 sx (Circ.)		
7 7/8"	5 1/2", 14 #/ft	3795'	250 sx + 1600 sx (Circ.)		
4 3/4"	4 1/2", 11.6 #/ft FJL	3069' - 3860'	sqz'd w/ 1700 sx		
	2 3/8", 4.7 #/ft, J-55, EUE Tbg	3680'			

VI. Well Test Data

³⁵ Date New Oil	³⁶ Gas Delivery Date 01/22/2003	³⁷ Test Date 02/01/2003	³⁸ Test Length 24 Hrs.	³⁹ Tbg. Pressure ---	⁴⁰ Csg. Pressure 17 psig
⁴¹ Choke Size 128/128	⁴² Oil ---	⁴³ Water 2	⁴⁴ Gas 13 MCF	⁴⁵ AOF ---	⁴⁶ Test Method Meter Run

⁴⁷ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Steve Hartman*

Approved by:

Printed name: Steve Hartman

Title:

Title: Engineer

Approval Date:

Date: 03/22/2004

Phone: (432) 684-4011

⁴⁸ If this is a change of operator fill in the OGRID number and name of the previous operator

Previous Operator Signature

Printed Name

Title

Date

* Formerly Hobbs "L" No. 1

DIVIDER PAGE

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

Form C-105
Revised 1-1-89

WELL API NO. 30-025-09227

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
B-3776

7. Lease Name or Unit Agreement Name

Mexico "E" Com
(Formerly Hobbs "L" No. 1)

8. Well No.
4

9. Pool name or Wildcat
Jalmat (T-Y-7R)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

b. Type of Completion:
NEW WELL ☐ WORK OVER ☒ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER ☐

2. Name of Operator
Doyle Hartman

3. Address of Operator
500 N. Main St., Midland, TX 79701, (432) 684-4011

4. Well Location
Unit Letter P : 660' Feet From The South Line and 660' Feet From The East Line

Section 2 Township 23S Range 36E NMPM Lea County

10. Date Re-spudded 11/11/2002 11. Date T.D. Reached 01/14/2003 12. Date Compl. (Ready to Prod.) 01/22/2003 13. Elevations (DF & RKB, RT, GR, etc.) 3445' DF 14. Elev. Casinghead 3434'

15. Total Depth 3860' 16. Plug Back T.D. 3850' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By 19. Rotary Tools 0' - 3860' 20. Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name 3134' - 3508' (Y-7R) 20. Was Directional Survey Made No

21. Type Electric and Other Logs Run CNL-DSI-GR-CCL and VDCBL-GR-CCL 22. Was Well Cored No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	32 #/ft	300'	11"	200 sx	Circ.
5 1/2"	14 #/ft	3795'	7 7/8"	250 sx + 1600 sx	Circ.

24. LINER RECORD				25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET
4 1/2" FJL	3069'	3860'	1700 sx		2 3/8"	3680'

26. Perforation record (interval, size, and number)			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
3134' - 3508' w/ (27) 0.38" x 17" Holes			DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
			3134' - 3508'	A/ 5600 Gal. 15% MCA
			3134' - 3508'	SWF/ 194,203 Gal. & 400,000#

28. PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
01/22/2003		Flowing / Pumping (9 x 74 x 1 1/4)				Producing	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - BbL.	Gas - MCF	Water - BbL.	Gas - Oil Ratio
02/01/2003	24 Hrs	128/128		---	13	2	---
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - BbL.	Gas - MCF	Water - BbL.	Oil Gravity - API - (Corr.)	
---	17 psig		---	13	2	---	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold Test Witnessed By Ronnie Pryor

30. List Attachments
CNL-DSI-GR-CCL log (01/13/2003) and VDCBL-GR-CCL log (01/13/2003)

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature



Printed Name Steve Hartman

Title Engineer

Date 03/22/2004

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all specific tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____ 2858'	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____ 3030'	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____ 3260'	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____ 3620'	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from to
No. 2, from to
No. 3, from to
No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet
 No. 2, from to feet
 No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology

DIVIDER PAGE

**Hard Copy
of
Amended C-115**

that is to be transmitted to OCD,

by E-mail

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473										4 1/04							
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																								6 Page 1 of 2			
DISPOSITION OF OIL, GAS, AND WATER																											
POOL NO. AND NAME		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23										
Property No. and Name		C			C					C							C										
Well No. & U-L-S-T-R		0			0	Barrels	Barrels			0	Point	Gas BTU	Oil			0	Oil										
API No.		D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on										
		E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand										
		1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF)	OGRID	4	EOM										
37240 Langlie Mattix 7 Rvrs On Gryn																											
020832 HOBBS L																											
002 0-2 -23S-36E																											
30-025-09228																											
P																											
020833 HOBBS K																											
002 M-2 -23S-36E																											
30-025-09226																											
P																											
020834 MEXICO E																											
002 N-2 -23S-36E																											
30-025-09225																											
P																											

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature	Loretta Crawford	Production Analyst	3/23/04	432 684-4011
Printed Name & Title			Date	Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR			3 OGRID: 006473			4 Month/Year 1/04			Page 2 of 2							
POOL NO. AND NAME Property No. and Name Well No. & U-L-S-T-R API No.	INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER									
	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
	C			C					C						C	
	O			O	Barrels	Barrels			O	Point	Gas BTU	Oil			O	Oil
	D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on
	E		Pres-	E	Cond.	Water	Gas	Prod.	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand
	1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF	OGRID	4	EOM
79240 Jalmat Tansill Yates 7 Rvrs-G																
020832 HOBBS L																
001 P-2 -23S-36E																
30-025-09227	P					35	2399	31	W	2474050			35			
									G	2820931	1478		2399	020809		
002 0-2 -23S-36E																
30-025-09228	P					13	4128	31	G	2474030	1463		4128	020809		
									W	2474050			13			
020833 HOBBS K																
002 M-2 -23S-36E																
30-025-09226	P						4290	31	G	0000000	1333		4290	020809		
020834 MEXICO E																
001 0-2 -23S-36E																
30-025-09224	P					18	107	31	W	0000000			18			
									G	2490930	1548		107	020809		
002 N-2 -23S-36E																
30-025-09225	P						2437	31	G	0000000	1443		2437	020809		

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side
1 | ☒ | Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR																	3 OGRID: 006473										4 12/03			
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																											6 Page 1 of 2			
																	DISPOSITION OF OIL, GAS, AND WATER													
POOL NO. AND NAME																														
Property No. and Name																														
Well No. & U-L-S-T-R																														
API No.																														
1 Volume																	2										3			
INJECTION																	PRODUCTION										DISPOSITION OF OIL, GAS, AND WATER			
8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23																														
C C																														

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature	Loretta Crawford	Production Analyst	3/23/04	432 684-6011
	Printed Name & Title		Date	Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473			4 Month/Year 12/03			Page 2 of 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
POOL NO. AND NAME Property No. and Name Well No. & U-L-S-T-R API No.				INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				C			C					C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side
1 | X | Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR															3 OGRID: 006473				4 11/03			
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702															6 Page 1 of 2							
															INJECTION				PRODUCTION			
															8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23				DISPOSITION OF OIL, GAS, AND WATER			
POOL NO. AND NAME																						
Property No. and Name																						
Well No. & U-L-S-T-R																						
API No.																						
1 Volume															sure 2 Prod. Prod. luced 3 sition Gravity BOM MCF)				0GRID 4 EOM			
37240 Langlie Mattix 7 Rvrs Qn Gryb																						
020832 HOBBS L																						
002 0-2 -23s-36E																						
30-025-09228																						
020833 HOBBS K																						
002 M-2 -23s-36E																						
30-025-09226																						
020834 MEXICO E																						
002 N-2 -23s-36E																						
30-025-09225																						

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature

Loretta Crawford
Printed Name & Title

Production Analyst
3/23/04
Date

432 684-4011
Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473				4 Month/Year 11/03				Page 2 of 2									
										INJECTION				PRODUCTION				DISPOSITION OF OIL, GAS, AND WATER									
										8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
POOL NO. AND NAME										C			C					C							C		
Property No. and Name										O			O	Barrels	Barrels			O	Point	Gas BTU	Oil			O	Oil		
Well No. & U-L-S-T-R										D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on		
API No.										E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand		
										1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BM	MCF)	OGRID	4	EOM		
79240 Jalmat Tansill Yates 7 Rvrs-G																											
020832 HOBBS L																											
001 P-2 -23S-36E																											
30-025-09227										P					50	2744	30	W	2474050			50					
																		G	2820931	1082		2744	020809				
002 0-2 -23S-36E																											
30-025-09228										P					17	4696	30	G	2474030	1380		4696	020809				
																		W	2474050			17					
020833 HOBBS K																											
002 M-2 -23S-36E																											
30-025-09226										P						4341	30	G	0000000	1334		4341	020809				
020834 MEXICO E																											
001 0-2 -23S-36E																											
30-025-09224										P					16	116	30	W	0000000			16					
																		G	2490930	1721		116	020809				
002 N-2 -23S-36E																											
30-025-09225										P						2720	30	G	0000000	1263		2720	020809				

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side

Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

[illegible]

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature	Loretta Crawford	Production Analyst	3/23/04	432 684-4011
Printed Name & Title		Date		Phone Number

12 Operator: DOYLE HARTMAN OIL OPERATOR			3 OGRID: 006473			4 Month/Year 10/03			Page 2 of 2										
POOL NO. AND NAME	Property No. and Name	Well No. & U-L-S-T-R	API No.	INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER									
				8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
				C			C					C						C	
				O			O	Barrels	Barrels			O	Point	Gas BTU	Oil			O	Oil
				D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on
				E			Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E
				1	Volume	sure	2	Prod.	Prod.	Prod.	Prod.	3	sition	Gravity	BOM	MCF)	OGRID	4	EOM
79240	Jalmat Tansill Yates 7 Rvrs-G																		
020832	HOBBS L																		
0001	P-2 -23S-36E																		
	30-025-09227	P							48	3167	31	W	2474050			48			
												G	2820931	1083		3167	020809		
0002	O-2 -23S-36E																		
	30-025-09228	P							16	5281	31	G	2474030	1379		5281	020809		
												W	2474050			16			
020833	HOBBS K																		
0002	M-2 -23S-36E																		
	30-025-09226	P								4728	31	G	0000000	1334		4728	020809		
020834	MEXICO E																		
0001	O-2 -23S-36E																		
	30-025-09224	P							18	143	31	W	0000000			18			
												G	2490930	1608		143	020809		
0002	N-2 -23S-36E																		
	30-025-09225	P								2826	31	G	0000000	1264		2826	020809		

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side

1 X Amended Report

[illegible]

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature	Loretta Crawford	Production Analyst	3/23/04	432 684-4011
	Printed Name & Title		Date	Phone Number

POOL NO. AND NAME	INJECTION				PRODUCTION				DISPOSITION OF OIL, GAS, AND WATER							
	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Property No. and Name	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Well No. & U-L-S-T-R	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
API No.	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D
	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	1	Volume	sure	2	Prod.	Prod.	Prod.	Prod.	used	3	sition	Gravity	BOM	MCF	OGRID	4
79240 Jalmat Tansill Yates 7 Rvrs-G																
020832 HOBBS L																
001 P-2 -23S-36E																
30-025-09227	P						68	2991	30	W	2474050			68		
										G	2820931	1425		2991	020809	
002 0-2 -23S-36E																
30-025-09228	P						28	5463	30	G	2474030	1299		5463	020809	
										W	2474050			28		
020833 HOBBS K																
002 M-2 -23S-36E																
30-025-09226	P							4603	30	G	0000000	1334		4603	020809	
020834 MEXICO E																
001 0-2 -23S-36E																
30-025-09224	P						21	162	30	W	0000000			21		
										G	2490930	1339		162	020809	
002 N-2 -23S-36E																
30-025-09225	P							2632	30	G	0000000	1350		2632	020809	

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side

[illegible]

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature	Loretta Crawford	Production Analyst	3/23/04	432 684-4011
Printed Name & Title		Date		Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR			3 OGRID: 006473			4 Month/Year 8/03			Page 2 of 2									
			INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER									
			8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
POOL NO. AND NAME			C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Property No. and Name			O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Well No. & U-L-S-T-R			D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D
API No.			E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
			1	Volume	sure	2	Prod.	Prod.	Gas	Prod.	uced	3	sition	Gravity	BOM	MCF	OGRID	4
																		EOM
79240 Jalmat Tansill Yates 7 Rvrs-G																		
020832 HOBBS L																		
001 P-2 -23S-36E																		
30-025-09227			P					328		31	W	2474050				328		
002 0-2 -23S-36E																		
30-025-09228			P					47	5880	31	G	2474030	1298			5880	020809	
020833 HOBBS K												W	2474050			47		
002 M-2 -23S-36E																		
30-025-09226			P						4819	31	G	0000000	1334			4819	020809	
020834 MEXICO E																		
001 0-2 -23S-36E																		
30-025-09224			P					29	170	31	W	0000000				29		
002 N-2 -23S-36E																		
30-025-09225			P						2906	31	G	0000000	1351			2906	020809	

District I

P.O. Box 1980, Hobbs, NM 88241-1980

District II

P.O. Drawer DD, Artesia, NM 88211-0719

District III

1000 Rio Brazos, Aztec, NM 84710

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

2040 S PACHECO ST

Santa Fe, NM 87505-5472

OPERATOR'S MONTHLY REPORT

Form C-115 First Page

Revised October 17, 1993

Instructions on Reverse Side

1 |X| Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR		3 OGRID: 006473										14 7/03						
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702												16 Page 1 of 2						
		INJECTION		PRODUCTION		DISPOSITION OF OIL, GAS, AND WATER												
		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
POOL NO. AND NAME		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
Property No. and Name		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
Well No. & U-L-S-T-R		D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	
API No.		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	
		1	Volume	sure	2	Prod.	Prod.	Gas	Prod.	uced	3	sition	Gravity	BOM	MCF	10GRID	4	EOM
37240 Langlie Mattix 7 Rvrs Qn Gryb																		
020832 HOBBS L																		
0002 0-2 -23S-36E																		
30-025-09228		P					2	324	31	G	2474030	1297			324	1020809		
020833 HOBBS K																2		
0002 M-2 -23S-36E																		
30-025-09226		P					828	2412	31	G	0000000	1334			2412	1020809		
020834 MEXICO E															828			
0002 N-2 -23S-36E																		
30-025-09225		P					227	505	31	G	0000000	1351			505	1020809		
															227			

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature

Loretta Crawford
Printed Name & Title

Production Analyst
3/23/04
Date

432 684-4011
Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR			3 OGRID: 006473			4 Month/Year 7/03			Page 2 of 2									
			INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER									
			8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
POOL NO. AND NAME			C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Property No. and Name			O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Well No. & U-L-S-T-R			D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D
API No.			E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
			1	Volume	sure	2	Prod.	Prod.	Gas	Prod.	used	3	sition	Gravity	BOM	MCF	OGRID	4
79240	Jalmat Tansill Yates 7 Rvrs-G																	
020832	HOBBS L																	
001	P-2 -23S-36E																	
	30-025-09227	P						17	893	31	W	2474050				17		
																893	020809	
002	O-2 -23S-36E																	
	30-025-09228	P						19	3678	31	G	2474030	1297			3678	020809	
																19		
020833	HOBBS K																	
002	M-2 -23S-36E																	
	30-025-09226	P							4421	31	G	0000000	1334			4421	020809	
020834	MEXICO E																	
001	O-2 -23S-36E																	
	30-025-09224	P						11	113	31	W	0000000				11		
																113	020809	
002	N-2 -23S-36E																	
	30-025-09225	P							1960	31	G	0000000	1351			1960	020809	

District I
P.O. Box 1980, Hobbs, NM 88241-1980

District II
P.O. Drawer DD, Artesia, NM 88211-0719

District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

1 [X] Amended Report[illegible]

Signature	Loretta Crawford	Production Analyst	3/23/04	432 684-4011
Printed Name & Title			Date	Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR			3 OGRID: 006473			4 Month/Year 5/03			Page 2 of 2									
			INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER									
			8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
POOL NO. AND NAME			C			C					C						C	
Property No. and Name			O			O	Barrels	Barrels				Point	Gas BTU	Oil			O	Oil
Well No. & U-L-S-T-R			D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on
API No.			E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Cfbls/	porter	E	Hand
			1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF)	OGRID	4	EOM
79240	Jalmat Tansill Yates 7 Rvrs-G																	
020832	HOBBS L																	
001	P-2 -23S-36E																	
	30-025-09227	P						18	301	31	W	2474050			18			
											G	2820931	1423		301	020809		
002	0-2 -23S-36E																	
	30-025-09228	P						88	3271	31	G	2474030	1296		3271	020809		
											W	2474050			88			
020833	HOBBS K																	
002	M-2 -23S-36E																	
	30-025-09226	P							4822	31	G	2474030	1248		4822	020809		
020834	MEXICO E																	
001	0-2 -23S-36E																	
	30-025-09224	P						8	51	31	W	0000000			8			
											G	2490930	1469		51	020809		
002	N-2 -23S-36E																	
	30-025-09225	P							1817	31	G	2490930	1218		1817	020809		

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

2 Operator: DOYLE HARTMAN OIL OPERATOR			3 OGRID: 006473			4 Month/Year 4/03			Page 2 of 2										
			INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER										
			8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
POOL NO. AND NAME			C			C					C						C		
Property No. and Name			O			O	Barrels	Barrels				Point	Gas BTU	Oil			O	Oil	
Well No. & U-L-S-T-R			D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on	
API No.			E			Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand
			1	Volume	sure	2	Prod.	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF	OGRID	4	EOM
79240	Jalmat Tansill Yates 7 Rvrs-G																		
020832	HOBBS L																		
0001	P-2 -23S-36E																		
	30-025-09227	P						14	281	30	W	2474050				14			
											G	2820931	1432			281	020809		
0002	O-2 -23S-36E																		
	30-025-09228	P						40	3567	30	G	2474030	1298			3567	020809		
											W	2474050				40			
020833	HOBBS K																		
0002	M-2 -23S-36E																		
	30-025-09226	P							3551	30	G	2474030	1237			3551	020809		
020834	MEXICO E																		
0001	O-2 -23S-36E																		
	30-025-09224	P						8	48	30	W	0000000				8			
											G	2490930	1444			48	020809		
0002	N-2 -23S-36E																		
	30-025-09225	P							1885	30	G	2490930	1218			1885	020809		

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side

OIL CONSERVATION DIVISION

2040 S PACHECO ST

Santa Fe, NM 87505-5472

OPERATOR'S MONTHLY REPORT

1	X	Amended Report
---	---	----------------

[illegible]

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

432 684-4011
Phone Number

uctions on Reverse Side

1 |X| Amended Report

[illegible]

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

432 684-4011
Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR			3 OGRID: 006473			4 Month/Year 2/03			Page 2 of 2									
			INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER									
			8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
POOL NO. AND NAME Property No. and Name Well No. & U-L-S-T-R API No.			C		C						C							
			O		O	Barrels						Point	Gas BTU	Oil				
			D		D	of Oil/			MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on
			E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	Porter	E	Hand
			1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF	OGRID	4	EOM
79240 Jalmat Tansill Yates 7 Rvrs-G																		
020832 HOBBS L																		
001 P-2 -23S-36E																		
30-025-09227	P							35	353	28	W	2474050			35			
											G	2820931	1479		353	020809		
002 0-2 -23S-36E																		
30-025-09228	P							94	3890	28	G	2474030	1298		3890	020809		
											W	2474050			94			
020833 HOBBS K																		
002 M-2 -23S-36E																		
30-025-09226	P								4203	28	G	2474030	1237		4203	020809		
020834 MEXICO E																		
001 0-2 -23S-36E																		
30-025-09224	P							9	66	28	W	0000000			9			
											G	2490930	1386		66	020809		
002 N-2 -23S-36E																		
30-025-09225	P								1856	28	G	2490930	1218		1856	020809		

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side

1 ☒ Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR																3 OGRID: 006473				4 1/03																	
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																				6 Page 1 of 2																	
																DISPOSITION OF OIL, GAS, AND WATER																					
																PRODUCTION																					
																INJECTION																					
																8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
POOL NO. AND NAME																																					
Property No. and Name																																					
Well No. & U-L-S-T-R																																					
API No.																																					
1																Volume	sure	2	Prod.	Prod.	Water	Gas	Prod.	uced	3	sition	Gravity	BOM	MCF	OGRID	4	EOM					
37240 Langlie Mattix 7 Rvrs on Gryb																																					
020832 HOBBS L																																					
002 0-2 -23s-36E																																					
30-025-09228																P					13	461	31	G	0000000	1295			461	020809							
																									W	2474050			13								
020833 HOBBS K																																					
002 M-2 -23s-36E																																					
30-025-09226																P					830	2686	31	G	2474030	1114			2686	020809							
																									W	2474050			830								
020834 MEXICO E																																					
002 N-2 -23s-36E																																					
30-025-09225																P					349	614	31	G	0000000	1218			614	020809							
																									W	2490950			349								

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature
Loretta Crawford
Printed Name & Title
Production Analyst
3/23/04
Date
432 684-4011
Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR			3 OGRID: 006473			4 Month/Year 1/03			Page 2 of 2									
			INJECTION			PRODUCTION			DISPOSITION OF OIL, GAS, AND WATER									
			8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
POOL NO. AND NAME			C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Property No. and Name			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Well No. & U-L-S-T-R			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
API No.			E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
			1	Volume	sure	2	Prod.	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF	OGRID	4
79240	Jalmat Tansill Yates 7 Rvrs-G																	
020832	HOBBS L																	
001	P-2 -23S-36E																	
	30-025-09227	P						730	126	17	W	2474050			730			
002	0-2 -23S-36E																	
	30-025-09228	P						152	5233	31	G	0000000	1295		5233	020809		
											W	2474050			152			
020833	HOBBS K																	
002	M-2 -23S-36E																	
	30-025-09226	P							4923	31	G	2474030	1114		4923	020809		
020834	MEXICO E																	
001	0-2 -23S-36E																	
	30-025-09224	P						11	64	31	W	0000000			11			
											G	2490930	1564		64	020809		
002	N-2 -23S-36E																	
	30-025-09225	P							2382	31	G	0000000	1218		2382	020809		

District I

P.O. Box 1980, Hobbs, NM 88241-1980

District II

P.O. Drawer DD, Artesia, NM 88211-0719

District III

1000 Rio Brazos, Aztec, NM 84710

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

2040 S PACHECO ST

Santa Fe, NM 87505-5472

OPERATOR'S MONTHLY REPORT

Form C-115 First Page

Revised October 17, 1993

Instructions on Reverse Side

1 | X | Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR																	3 OGRID: 006473				4 12/02				
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																	6 Page 1 of 2								
		INJECTION								PRODUCTION								DISPOSITION OF OIL, GAS, AND WATER							
		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23								
POOL NO. AND NAME		C			C					C						C									
Property No. and Name		O			O	Barrels	Barrels				Point	Gas BTU	Oil			O	Oil								
Well No. & U-L-S-T-R		D			D	of Oil//	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on								
API No.		E	Pres-	E	Cond.	Water	Prod.	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand								
		1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF)	OGRID	4	EOM								
37240 Langlie Mattix 7 Rvrs Qn Gryb																									
020832 HOBBS L																									
0001 P-2 -23S-36E																									
30-025-09227		P					3166	738	31	W	2474050			3166											
										G	2820931	1472		738	020809										
0002 0-2 -23S-36E																									
30-025-09228		P					13	386	27	G	0000000	1295		386	020809										
										W	2474050			13											
020833 HOBBS K																									
0002 M-2 -23S-36E																									
30-025-09226		P					696	2710	31	G	2474030	1114		2710	020809										
										W	2474050			696											
020834 MEXICO E																									
0002 N-2 -23S-36E																									
30-025-09225		P					389	620	31	G	0000000	1218		620	020809										
										W	2490950			389											

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature

Loretta Crawford
Printed Name & TitleProduction Analyst 3/23/04
Date432 684-4011
Phone Number

POOL NO. AND NAME		INJECTION				PRODUCTION				DISPOSITION OF OIL, GAS, AND WATER							
		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
	Property No. and Name	C			C												
	Well No. & U-L-S-T-R	O			O	Barrels	Barrels										
	API No.	D			D	of Oil/	of	MCF	Days	D	Point	Gas BTU	Oil	Volume	Trans-	D	on
		E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand
		1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF)	OGRID	4	EOM
79240	Jalmat Tansill Yates 7 Rvrs-G																
020832	HOBBS L																
002	0-2 -23S-36E																
	30-025-09228	P				152		4383	27	G	0000000	1295		4383	020809		
										W	2474050			152			
020833	HOBBS K																
002	M-2 -23S-36E																
	30-025-09226	P						4968	31	G	2474030	1114		4968	020809		
020834	MEXICO E																
001	0-2 -23S-36E																
	30-025-09224	P				10		109	31	W	0000000			10			
										G	2490930	1439		109	020809		
002	N-2 -23S-36E																
	30-025-09225	P						2404	31	G	0000000	1218		2404	020809		

Revised October 17, 1993

Instructions on Reverse Side

1 | $\overline{X}$ | Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473										4 11/02																				
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																														6 Page 1 of 2										
										INJECTION										PRODUCTION										DISPOSITION OF OIL, GAS, AND WATER										
										8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23															
POOL NO. AND NAME										C			C					C						C																
Property No. and Name										O			O	Barrels	Barrels			O	Point	Gas BTU	Oil			O																
Well No. & U-L-S-T-R										D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D																
API No.										E			Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E															
										1	Volume	sure	2	Prod.	Prod.	Prod.	used	3	sition	Gravity	BOM	MCF)	OGRID	4	EOM															
37240 Langlie Mattix 7 Rvrs On Gryb																																								
020832 HOBBS L																																								
001 P-2 -23S-36E																																								
30-025-09227																				P									2126	202	30		W	2474050			2126			
																																	G	2820931	1469		202	020809		
002 0-2 -23S-36E																																								
30-025-09228																				P									1	4	19		G	0000000	1295		4	020809		
																																	W	2474050			1			
020833 HOBBS K																																								
002 W-2 -23S-36E																																								
30-025-09226																				P									269	1179	23		G	2474030	1114		1179	020809		
																																	W	2474050			269			
020834 MEXICO E																																								
002 N-2 -23S-36E																																								
30-025-09225																				P									349	569	30		G	0000000	1218		569	020809		
																																	W	2490950			349			

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

432 684-4011
Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473				4 Month/Year 11/02				Page 2 of 2			
				INJECTION				PRODUCTION				DISPOSITION OF OIL, GAS, AND WATER									
				8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
POOL NO. AND NAME				C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
Property No. and Name				O	O	O	O	Barrels	Barrels					Point	Gas BTU	Oil					
Well No. & U-L-S-T-R				D	D	D	D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on		
API No.				E	E	Pres-	E	Cond.	Water	Gas	Prod.	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand		
				1	Volume	sure	2	Prod.	Prod.	Prod.	used	3	sition	Gravity	BOM	MCF	OGRID	4	EOM		
79240	Jalmat Tansill Yates 7 Rvrs-G																				
020832	HOBBS L																				
002	0-2 -23S-36E																				
	30-025-09228	P						6		43	19	G	0000000	1295			43	020809			
												W	2474050				6				
020833	HOBBS K																				
002	M-2 -23S-36E																				
	30-025-09226	P								2160	23	G	2474030	1114			2160	020809			
020834	MEXICO E																				
001	0-2 -23S-36E																				
	30-025-09224	P							15	69	30	W	0000000				15				
												G	2490930	1457			69	020809			
002	M-2 -23S-36E																				
	30-025-09225	P								2208	30	G	0000000	1218			2208	020809			

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side
1 ☒ Amended Report

12 Operator: DOYLE HARTMAN OIL OPERATOR																13 OGRID: 006473																14 10/02															
15 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																16 Page 1 of 2																															
INJECTION																PRODUCTION																DISPOSITION OF OIL, GAS, AND WATER															
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23																																
C			C					C							C																																
POOL NO. AND NAME																																															
Property No. and Name																																															
D			D	of Oil/	of	MCF	Days	D	Point	Gas	BTU	Oil																																			
E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand																																
1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF		4	EOM																																
37240 Langlie Mattix 7 Rvrs Qn Gryb																																															
1020832 HOBBS L																																															
1001 P-2 -23S-36E																																															
30-025-09227																																															
P																																															
1002 0-2 -23S-36E																																															
30-025-09228																																															
P																																															
1020834 MEXICO E																																															
1002 N-2 -23S-36E																																															
30-025-09225																																															
P																																															

POOL NO. AND NAME Property No. and Name Well No. & U-L-S-T-R API No.				INJECTION				PRODUCTION				DISPOSITION OF OIL, GAS, AND WATER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				C			C				C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side
1 ☒ Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473										4 9/02			
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																				6 Page 1 of 2			
		INJECTION				PRODUCTION				DISPOSITION OF OIL, GAS, AND WATER													
		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23						
POOL NO. AND NAME		C			C					C						C							
Property No. and Name		O			O	Barrels	Barrels		Days		Point	Gas BTU	Oil			O	Oil						
Well No. & U-L-S-T-R		D			D	of Oil/	of	MCF				or Oil	on	Volume	Trans-	D	on						
API No.		E		Pres-	E	Cond.	Water	Gas	Prod.	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand						
		1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF	OGRID	4	EOM						
37240 Langlie Mattix 7 Rvrs Qn Gryb																							
1020832 HOBBS L																							
1001 P-2 -23S-36E																							
30-025-09227																							
1002 0-2 -23S-36E																							
30-025-09228																							
1020834 MEXICO E																							
1002 N-2 -23S-36E																							
30-025-09225																							

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature

Loretta Crawford
Printed Name & Title

Production Analyst
Date

432 684-4011
Phone Number

District I

P.O. Box 1980, Hobbs, NM 88241-1980

District II

P.O. Drawer DD, Artesia, NM 88211-0719

District III

1000 Rio Brazos, Aztec, NM 84710

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

2040 S PACHECO ST

Santa Fe, NM 87505-5472

OPERATOR'S MONTHLY REPORT

Form C-115 First Page

Revised October 17, 1993

Instructions on Reverse Side

1 |X| Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473										4 8/02			
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702										DISPOSITION OF OIL, GAS, AND WATER										6 Page 1 of 2			
INJECTION										PRODUCTION													
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23								
POOL NO. AND NAME																							
Property No. and Name																							
Well No. & U-L-S-T-R																							
API No.																							
1	Volume	sure	2	Prod.	Prod.	Water	Gas	Prod-	Days	Point	Gas BTU	Oil	Volume	Trans-	on	Hand							
1	Volume	sure	2	Prod.	Prod.	Water	Gas	Prod-	Days	Point	Gas BTU	Oil	Volume	Trans-	on	Hand							
37240	Langlie Mattix 7 Rvrs Qn Gryb																						
020832	HOBBS L																						
0001	P-2 -23S-36E																						
	30-025-09227	P			2109	3084	31	W	2474050				2109										
								G	2820931	1480			3084	020809									
0002	0-2 -23S-36E																						
	30-025-09228	P			1	5	22	G	0000000	1218			5	020809									
								W	2474050				1										
020834	MEXICO E																						
0002	N-2 -23S-36E																						
	30-025-09225	P			645	663	31	G	0000000	1218			663	020809									
								W	2490950				645										

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature _____ Printed Name & Title _____ Loretta Crawford Production Analyst 3/23/04 Date _____ 432 684-4011 Phone Number

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473				4 Month/Year 8/02				Page 2 of 2										
										INJECTION				PRODUCTION				DISPOSITION OF OIL, GAS, AND WATER										
										8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
POOL NO. AND NAME										C			C					C						C				
Property No. and Name										O			O	Barrels	Barrels				O	Point	Gas BTU	Oil		O	Oil			
Well No. & U-L-S-T-R										D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on			
API No.										E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand			
										1	Volume	sure	2	Prod.	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF)	OGRID	4	EOM		
79240 Jalmat Tansill Yates 7 Rvrs-G																												
020832 HOBBS L																												
002 0-2 -23S-36E																												
30-025-09228										P					13	57	22	G	0000000	1218			57	020809				
																			W	2474050			13					
020834 MEXICO E																												
001 0-2 -23S-36E																												
30-025-09224										P					13	97	31	W	0000000				13					
																		G	2490930	1385			97	020809				
002 N-2 -23S-36E																												
30-025-09225										P						2569	31	G	0000000	1218			2569	020809				

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side
1 ☒ Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473										4 7/02			
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																				6 Page 1 of 1			
				INJECTION			PRODUCTION				DISPOSITION OF OIL, GAS, AND WATER												
				8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23				
POOL NO. AND NAME				C			C					C							C				
Property No. and Name				O			O	Barrels	Barrels			O	Point	Gas BTU	Oil			O	Oil				
Well No. & U-L-S-T-R				D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on				
API No.				E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand				
				1	Volume	sure	2	Prod.	Prod.	Prod.	used	3	sition	Gravity	BOM	MCF)	OGRID	4	EOM				
37240	Langlie Mattix 7 Rvrs Qn Gryb																						
020834	MEXICO E																						
002	N-2 -23S-36E																						
	30-025-09225	P							596	661	31	G	2490930	1198		661	020809						
												W	2490950			596							
79240	Jalmat Tansill Yates 7 Rvrs-G																						
020834	MEXICO E																						
001	0-2 -23S-36E																						
	30-025-09224	P							19	113	31	W	0000000			19							
												G	2490930	1277		113	020809						
002	N-2 -23S-36E																						
	30-025-09225	P								2562	31	G	2490930	1198		2562	020809						

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

District I
P.O. Box 1980, Hobbs, NM 88241-1980
District II
P.O. Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos, Aztec, NM 84710

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
2040 S PACHECO ST
Santa Fe, NM 87505-5472
OPERATOR'S MONTHLY REPORT

Form C-115 First Page
Revised October 17, 1993
Instructions on Reverse Side

1 | X | Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR										3 OGRID: 006473										4 4/02									
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																				6 Page 1 of 1									
INJECTION										PRODUCTION										DISPOSITION OF OIL, GAS, AND WATER									
	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23													
POOL NO. AND NAME	C		C	C					C								C												
Property No. and Name	O			O	Barrels	Barrels			O	Point	Gas BTU	Oil					O												
Well No. & U-L-S-T-R	D			D	of Oil/	of	MCF	Days	D	of	or Oil	on	Volume	Trans-	D	on													
API No.	E		Pres-	E	Cond.	Water	Gas	Prod-	E	Dispo-	API	Hand	(Bbls/	porter	E	Hand													
	1	Volume	sure	2	Prod.	Prod.	Prod.	uced	3	sition	Gravity	BOM	MCF	OGRID	4	EOM													
37240 Langlie Mattix 7 Rvrs Qn Gryb																													
020834 MEXICO E																													
002 N-2 -23S-36E																													
30-025-09225	P					1286	568	30	6	2490930	1198		568	020809															
									W	2490950			1286																
79240 Jalmat Tansill Yates 7 Rvrs-G																													
020834 MEXICO E																													
002 N-2 -23S-36E																													
30-025-09225	P						2203	30	6	2490930	1198		2203	020809															

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature	Loretta Crawford	Production Analyst	3/23/04	432 684-4011
	Printed Name & Title	Date	Phone Number	

District I

P.O. Box 1980, Hobbs, NM 88241-1980

District II

P.O. Drawer 00, Artesia, NM 88211-0719

District III

1000 Rio Brazos, Aztec, NM 84710

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

2040 S PACHECO ST

Santa Fe, NM 87505-5472

OPERATOR'S MONTHLY REPORT

Form C-115 First Page

Revised October 17, 1993

Instructions on Reverse Side

1 |X| Amended Report

2 Operator: DOYLE HARTMAN OIL OPERATOR																	3 OGRID: 006473				4 3/02			
5 Address: P.O. BOX 10426, 500 N. MAIN, MIDLAND, TX 79702																					6 Page 1 of 1			
																	DISPOSITION OF OIL, GAS, AND WATER							

I hereby certify that the information contained in this report is true and complete to the best of my knowledge.

Signature	Loretta Crawford	Production Analyst	3/23/04	432 684-4011
	Printed Name & Title		Date	Phone Number