

DEPTH SCALE: 5":100'


VERSION: 80214133R"

MAIN PASS

114478112 SBT3


FINISH DEPTH: 25.1 Feet DIRECTION: UP DATE: 12/15/2009 TIME: 03:57 MODE: RECOMPUTE
RECOMPUTED DATE: 12/15/2009 TIME: 03:57

CCL									
-10000 Millivolts 1000									
Gamma Ray		AMPX5		FREE PIPE GATE					
0 API 100		0 Millivolts 20		200.0 Mev 1200.0					
3FT TT		3FT AMP		VARIABLE DENSITY 5FT				SECTOR MAPPING	
350 Microseconds 250		0 Millivolts 100		200 Microseconds 1200		0		Millivolts 100	




200

300




400

500



600


700



800


900

1000




1100

1200




1300

1400




1500

1600



1700


1800



1900


2000

2100




2200

2300




2400

2500




2600

2700



2800


2900



3000


3100

3200





3300

3400




3500

3600




3700

3800



3900


4000



4100


4200

4300




4400

4500




4600

4700





4800

4900



5000


5100



5200


5300

5400




5500

5600




5700

5800




5900

6000



6100


6200



6300


6400

6500




6600

6700




6800

6900




7000

7100



7200


7300





7700

7800




7900

SHORT


JOINT

8000



8100

8200



CCL


GR

TT — AMP


AMPX5


8100

8200



AMPX5





1 7/16 Adapter Head


Weight 1 lb
 Length 12 in
 Max. Diameter 1.438 in

Total Stack Weight 217 lb in air
 Total Stack Length 27.15 ft

Slim Hole Centralizer

Weight 11.9 lb
 Length 2.82 ft
 Max. Diameter 2.750 in

Collar Locator



Weight 39.8 lb
Length 3.40 ft
Max. Diameter 2.750 in

Slim Hole Gamma Ray

Weight 39.8 lb
Length 4.71 ft
Max. Diameter 2.750 in

Slim Hole Centralizer

Weight 23.8 lb
Length 3.08 ft
Max. Diameter 2.750 in

Sector Bond

Weight 89.8 lb
Length 10.32 ft
Max. Diameter 2.750 in

Slim Hole Centralizer

Weight 11.9 lb
Length 2.82 ft
Max. Diameter 2.750 in

