

# Additional Information

Notice and Water Analysis

**McMillan, Michael, EMNRD**

---

**From:** McMillan, Michael, EMNRD  
**Sent:** Thursday, April 25, 2019 11:29 AM  
**To:** 'joel@lowryenvironmental.com'  
**Subject:** LilyStream Water Solutions, LLC Lucas SWD Well No. 2

Joel:  
Your application for the LilyStream Water Solutions, LLC Lucas SWD Well No. 2 was received April 24, 2019. However, your proof of mailing does not definitively show that the affected parties were mailed.

You show that the affected parties were mailed an application, but there is no verification in terms of tracking number that they were actually mailed the application. Also, the green cards do not list the names of the affected parties.

You must provide definitive proof that shows the affected parties received notification.

Also, you must send an application to the BLM

As a result, your application is suspended.

Mike

Michael McMillan  
1220 South St. Francis  
Santa Fe, New Mexico  
505-476-3448  
Michael.mcmillan@state.nm.us

**McMillan, Michael, EMNRD**

---

**From:** Joel Lowry <joel@lowryenvironmental.com>  
**Sent:** Monday, May 20, 2019 5:29 AM  
**To:** McMillan, Michael, EMNRD  
**Subject:** [EXT] LilyStream Water Solutions - Lucas SWD #1, Lucas SWD #2, Lucas SWD #3, Bounds SWD #1 and Bounds SWD #3 - Proof of Notice + Applicable Laboratory Analysis  
**Attachments:** LilyStream - Lucas SWD #3.pdf; LilyStream - Bounds SWD #1.pdf; LilyStream - Bounds SWD #3.pdf; LilyStream - Lucas SWD #1.pdf; LilyStream - Lucas SWD #2.pdf

Mr. McMillan,

Please find attached Proof of Notice Documentation along with Laboratory Analytical Documentation for the C-108 applications that were submitted over the last several weeks. I apologize for having not included the certified mail numbers on the original submissions.

Respectfully,

**Joel Lowry**  
Environmental Professional

**LOWRY**   
environmental

PO Box 896  
Lovington, NM 88260  
Direct 432-466-4450

Lucas SWD #2  
\_\_\_\_\_

*The content of this email may be confidential and/or privileged. If you are not the intended recipient, or an authorized representative of the intended recipient, please notify Lowry Environmental and delete this email from your system at your earliest convenience. Dissemination or copying of this email, its content or its attachments is prohibited.*

**XIV. PROOF OF NOTICE**

Surface Owner:

**Berry and Janice Lucas, husband and**  
P.O. Box 96  
White City, NM 88268  
7017 2620 0001 0352 1007

Leasehold Operators and/or Unleased Mineral Owners within a One-Mile Radius:

**EOG M Resources, Inc.**  
105 S. 4th St.  
Artesia, NM 88210  
7018 3090 0002 1929 6647

**EOG Y Resources, Inc.**  
105 S 4th St.  
Artesia, NM 88210  
7018 3090 0002 1929 6661

**EOG A Resources, Inc.**  
105 S. 4th St.  
Artesia, NM 88210  
7017 2620 0001 0352 1038

**Oxy Y-1 Company**  
P.O. Box 27570  
Houston, TX 77227  
7017 2620 0001 0352 1021

**MRC Permian Company**  
5400 I.BJ Freeway, Suite 1500  
Dallas, TX 75240  
7017 2620 0001 0352 0963

**JKM Energy, LLC**  
26 E. Compress Road  
Artesia, NM 88210  
7017 2620 0001 0352 0987

**MRC Permian LKE Company, LLC**  
5400 I.BJ Freeway, Suite 1500  
Dallas, TX 75240  
7017 2620 0001 0352 0994

**CrownRock Minerals, LP**  
P.O. Box 51933  
Midland, TX 79710  
7017 2620 0001 0352 1106

**Tap Rock Operating, LLC**  
602 Park Point Drive Suite 200  
Golden, CO 80401  
7017 2620 0001 0352 1113

**Featherstone Development**  
P.O. Box 429  
Roswell, NM 88202  
7017 2620 0001 0352 1120

**Hanagan, Robert W**  
223 West Wall #301  
Midland, TX 79702  
7017 26200001 9987 2305

**French L F Jr**  
P.O. Box 11327  
Midland, TX 79701  
7017 26200000 9987 2299

**Cabal Energy Corp**  
415 W. Wall St STE 1700  
Midland, TX 79701  
7017 26200001 0352 1090

**XTO Holdings LLC**  
810 Houston St  
Fort Worth, TX 76102  
7017 2620 0001 0352 1083

**XIV. PROOF OF NOTICE**

**EOG Resources Inc.**  
P.O. Box 2267  
Midland, TX 79702  
7017 2620 0001 0352 0956

**Viola Elaine Barnes, a/k/a Elaine**  
1004 N. Big Spring, STE 500  
Midland, TX 79701  
7017 2620 0000 9987 2275

**Christy B. Motycka, a/k/a Christine B.**  
1004 N. Big Spring, STE 500  
Midland, TX 79701  
7017 2620 0001 0352 1076

Regulatory Agency:

**NMOCD - Santa Fe**  
1220 S. St. Francis Dr.  
Santa Fe, NM 87505

**Julie Ellen Barnes**  
1004 N. Big Springs, STE 500  
Midland, TX 79701  
7017 2620 0001 0352 1069

**Laurie Barnes Barr**  
P.O. Box 8098  
Asheville, NC 28814  
7017 2620 0001 0352 0970

**Steven C. Barnes**  
P.O. Box 505  
Midland, TX 79702  
7017 2620 0000 9987 2268

**NMOCD - District 2**  
811 S. First  
Artesia, NM 88210  
7017 2620 0001 0352

XIV. PROOF OF NOTICE

7017 2620 0000 9987 2266

U.S. Postal Service™  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

MIDLAND, TX 79701  
**OFFICIAL USE**

Certified Mail Fee	\$3.50
Extra Services & Fees (check box, add fee as appropriate)	\$2.80
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$1.90
Total Postage and Fees	\$8.20

Postmark Here  
 MAY - 3 2019  
 0660 AM 88260  
 USPS

Sent To  
 Steven C. Barnes  
 Street and Apt. No., or PO Box No.  
 PO Box 505  
 City, State, ZIP+4®  
 Midland, TX 79702

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7017 2620 0000 9987 2299

U.S. Postal Service™  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

MIDLAND, TX 79701  
**OFFICIAL USE**

Certified Mail Fee	\$3.50
Extra Services & Fees (check box, add fee as appropriate)	\$2.80
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$1.90
Total Postage and Fees	\$8.20

Postmark Here  
 MAY - 3 2019  
 0660 AM 88260  
 USPS

Sent To  
 French L R Jr  
 Street and Apt. No., or PO Box No.  
 PO Box 11327  
 City, State, ZIP+4®  
 Midland, TX 79701

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7017 2620 0000 9987 2275

U.S. Postal Service™  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

MIDLAND, TX 79701  
**OFFICIAL USE**

Certified Mail Fee	\$3.50
Extra Services & Fees (check box, add fee as appropriate)	\$2.80
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$1.90
Total Postage and Fees	\$8.20

Postmark Here  
 MAY - 3 2019  
 0660 AM 88260  
 USPS

Sent To  
 Viola Elaine Barnes, Elaine  
 Street and Apt. No., or PO Box No.  
 1004 N. Big Spring, Ste. 500  
 City, State, ZIP+4®  
 Midland, TX 79701

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7017 2620 0000 9987 2305

U.S. Postal Service™  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

MIDLAND, TX 79701  
**OFFICIAL USE**

Certified Mail Fee	\$3.50
Extra Services & Fees (check box, add fee as appropriate)	\$2.80
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$1.90
Total Postage and Fees	\$8.20

Postmark Here  
 MAY - 3 2019  
 0660 AM 88260  
 USPS

Sent To  
 Hamagun Robert W  
 Street and Apt. No., or PO Box No.  
 223 West Wall #301  
 City, State, ZIP+4®  
 Midland, TX 79702

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions



April 15, 2019

JOEL LOWRY

LOWRY ENVIROMENTAL & ASSOCIATES

PO BOX 296

LOVINGTON, NM 88260

RE: LUCAS SWD

Enclosed are the results of analyses for samples received by the laboratory on 04/08/19 14:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

 LOWRY ENVIROMENTAL & ASSOCIATES  
 JOEL LOWRY  
 PO BOX 296  
 LOVINGTON NM, 88260  
 Fax To:

Received:	04/08/2019	Sampling Date:	04/08/2019
Reported:	04/15/2019	Sampling Type:	Water
Project Name:	LUCAS SWD	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	EDDY CO NM		

**Sample ID: 2101 (H901273-01)**

Chloride, SM4500CI-B		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	44.0	4.00	04/11/2019	ND	104	104	100	3.92		
TDS 160.1		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	2010	5.00	04/15/2019	ND	506	96.0	527	2.08		

**Sample ID: 0201 (H901273-02)**

Chloride, SM4500CI-B		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	36.0	4.00	04/11/2019	ND	104	104	100	3.92		
TDS 160.1		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	2360	5.00	04/15/2019	ND	506	96.0	527	2.08		

**Sample ID: 2201 (H901273-03)**

Chloride, SM4500CI-B		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride*	252	4.00	04/11/2019	ND	104	104	100	3.92		
TDS 160.1		mg/L		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TDS*	4650	5.00	04/15/2019	ND	506	96.0	527	2.08		

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Notes and Definitions**

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager





April 26, 2019

JOEL LOWRY

LOWRY ENVIROMENTAL & ASSOCIATES

PO BOX 296

LOVINGTON, NM 88260

RE: LUCAS RANCH

Enclosed are the results of analyses for samples received by the laboratory on 04/18/19 12:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style.

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

 LOWRY ENVIROMENTAL & ASSOCIATES  
 JOEL LOWRY  
 PO BOX 296  
 LOVINGTON NM, 88260  
 Fax To:

 Received: 04/18/2019  
 Reported: 04/26/2019  
 Project Name: LUCAS RANCH  
 Project Number: NONE GIVEN  
 Project Location: EDDY CO NM

 Sampling Date: 04/16/2019  
 Sampling Type: Water  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: LUCAS HOUSE (H901418-01)**

Chloride, SM4500CI-B		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	28.0	4.00	04/22/2019	ND	104	104	100	0.00	

TDS 160.1		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS*	1520	5.00	04/24/2019	ND	558	106	527	18.3	

**Sample ID: LUCAS #1-1 (H901418-02)**

Chloride, SM4500CI-B		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	28.0	4.00	04/22/2019	ND	104	104	100	0.00	

TDS 160.1		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS*	2280	5.00	04/24/2019	ND	558	106	527	18.3	

**Sample ID: LUCAS #2-1 (H901418-03)**

Chloride, SM4500CI-B		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	84.0	4.00	04/22/2019	ND	104	104	100	0.00	

TDS 160.1		mg/L		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS*	2700	5.00	04/24/2019	ND	558	106	527	18.3	

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

### Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager

