SWD Application Supplemental Info

Submitted 3/12/2020

Rose-Coss, Dylan H, EMNRD

From: Sent: To: Cc:	Blake Morphew <black="mailto:blake@bampermian.com"> Tuesday, March 10, 2020 2:32 PM Rose-Coss, Dylan H, EMNRD Brian Wood</black="mailto:blake@bampermian.com">
Subject:	Re: [EXT] Linley State SWD #1-Log & Map Exhibits
Thank you very muc	ch for the update Dylan, we will gather this information up and get back to you as soon as possible.
Blake	
On Tue, Mar 10, 202	20 at 3:05 PM Rose-Coss, Dylan H, EMNRD < <u>DylanH.Rose-Coss@state.nm.us</u> > wrote:
Blake,	
•	time to complete a technical review of the Linley State SWD #1 application, so now I can give a bette er the review the additional information the Division will need to make a determination are:
drilled, for • Clarification • I sec	tails for the M&M St 001 well (API: 3000560522), along with the construction information, and date the other AOR wells. I on Notice: The that Marathon, MEC Petroleum, and MAC were noticed, but the information provided does not dicate that those parties needed to be noticed Ifant was listed as a lessee in the AOR, but was not noticed
Please provide info	ormation to clarify these two issues and the Division will be able to proceed with the application.
Regards,	
Dylan Rose-Coss	
Petroleum Specialis	st
Oil Conservation D	ivision
1220 South St. Fran	ncis Drive
	1

(505) 476-3477



From: Blake Morphew < blake@bampermian.com >

Sent: Thursday, March 5, 2020 8:04 AM

To: Rose-Coss, Dylan H, EMNRD < DylanH.Rose-Coss@state.nm.us>

Subject: Re: [EXT] Linley State SWD #1-Log & Map Exhibits

Good Morning Dylan,

I was just wanting to check in on this Linley State SWD #1 permit application and see if there is any kind of status update you might be able to provide. We are just trying to get a general feel on when we may be able to drill this well and the accompanying horizontal producer for our budget and yearly plan. Please let me know if there is anything you can share.

Thank you,

Blake Morphew

On Tue, Dec 31, 2019 at 9:08 AM Rose-Coss, Dylan H, EMNRD < DylanH.Rose-Coss@state.nm.us > wrote:

Good morning Blake,

Thanks for sending along this information. I will add the documents to the record and incorporate the information into the technical review. I'll be sure to reach out if any additional questions arise.

Regards,

Dylan Rose-Coss

Petroleum Specialist

Oil Conservation Division

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

(505) 476-3477



From: Blake Morphew < blake@bampermian.com >

Sent: Tuesday, December 31, 2019 7:00 AM

To: Rose-Coss, Dylan H, EMNRD < DylanH.Rose-Coss@state.nm.us>

Cc: Brian Wood < brian@permitswest.com >

Subject: [EXT] Linley State SWD #1-Log & Map Exhibits

Good Morning Dylan,

Brian asked me to send the exhibits over that we discussed in our meeting with the NMSLO. The main thing that was discussed in this meeting was the distance and rock quality between the proposed injection interval and the landing zone/pay for horizontal development. There is +/- 600' vertical distance between these two points with several hundred feet of extremely tight dolomite that will provide a sufficient barrier to prevent contamination of a productive zone. Also of note is that there has been no commercial hydrocarbon production in this area to date in the proposed injection interval. Our geology indicates that for our development acreage, any San Andres zone below the very top of P-3 will produce extremely high volumes of water so we do not consider these lower SA zones to ever be a target. Please let me know if you have any questions or would like to see anything else.

Thank you,
Blake Morphew
BAM Permian Operating, LLC
4416 Briarwood Ave. Suite 110 PMB #53
Midland, TX 79707
(O): 432-242-8851
(C): 432-413-9289
(F): 432-242-2946
(E): blake@bampermian.com
BAM Permian Operating, LLC
4416 Briarwood Ave. Suite 110 PMB #53

Midland, TX 79707

(O): 432-242-8851

(C): 432-413-9289

4

(F): 432-242-2946

(E): blake@bampermian.com

--

BAM Permian Operating, LLC 4416 Briarwood Ave. Suite 110 PMB #53

Midland, TX 79707 (O): 432-242-8851 (C): 432-413-9289 (F): 432-242-2946

(E): blake@bampermian.com

RECEIVED:	REVIEWER:	TYPE:	APP NO:	
		ABOVE THIS TABLE FOR OCD DIV	ISION USE ONLY	

NEW MEXICO OIL CONS - Geological & Engine 1220 South St. Francis Drive, S	ering Bureau –
ADMINISTRATIVE APPLIC	
THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE A REGULATIONS WHICH REQUIRE PROCESSING	
Applicant: BAM Permian Operating, LLC	OGRID Number: 328565
Well Name: Linley State SWD I	API: 30-005-
Pool: SWD; San Andres - Glorieta	Pool Code: 96127
SUBMIT ACCURATE AND COMPLETE INFORMATION R INDICATED	BELOW
1) TYPE OF APPLICATION: Check those which apply f A. Location – Spacing Unit – Simultaneous Dedic NSL NSP(PROJECT AREA)	
B. Check one only for [1] or [1] [1] Commingling – Storage – Measurement DHC DTB PLC PC [11] Injection – Disposal – Pressure Increase – WFX PMX SWD IPI 2) NOTIFICATION REQUIRED TO: Check those which a A. Offset operators or lease holders B. Royalty, overriding royalty owners, revenual Application requires published notice D. Notification and/or concurrent approval Beauty and proval Beauty and prova	FOR OCD ONLY Apply. Re owners By SLO By BLM FOR OCD ONLY Application Content Complete
3) CERTIFICATION: I hereby certify that the information administrative approval is accurate and complete understand that no action will be taken on this approval notifications are submitted to the Division.	to the best of my knowledge. I also
Note: Statement must be completed by an individue	al with managerial and/or supervisory capacity.
	8-23-19

	8-23-19
Brian Wood	Date
Print or Type Name	505 466-8120
15 Wood	Phone Number
	brian@permitswest.com
ignature	e-mail Address

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

APPLICATION FOR AUTHORIZATION TO INJECT

I.	PURPOSE: Secondary Recovery Application qualifies for administrative approval? Pressure Maintenance XXX Disposal Storage No
II.	OPERATOR: BAM PERMIAN OPERATING, LLC
	ADDRESS: 4416 BRIARWOOD AVE., SUITE 110, PMB 53, MIDLAND, TX 79707
	CONTACT PARTY: BRIAN WOOD (PERMITS WEST, INC.) PHONE: 505 466-812
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project? Yes XXX No If yes, give the Division order number authorizing the project:
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
*VIII.	
	depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted)
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
	NAME: BRIAN WOOD TITLE: CONSULTANT
	SIGNATURE: DATE: AUG. 22, 2019
*	E-MAIL ADDRESS: brian@permitswest.com If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

DISTRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate District Office

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

INJECTION WELL DATA SHEET

WELL NAME & NUMP	BER: L	INLEY STATE SWD 1					
WELL LOCATION:2			М	3	2	15 S	29 E
		E LOCATION	UNIT LETTER			TOWNSHIP	
	ORE SCHE	<u>EMATIC</u>			ELL CO Surface (PNSTRUCTION D Casing	<u>ATA</u>
		13.375" 4 17.5" hole	8# in Hole Size:	17.5"		Casing Size:	13.375"
	<i>@</i> ≈3650'	TOC (480	8# in Hole Size: @ 350' sx) = GL (circ.) Cemented with:	480	SX.	or	ft^3
	3.5" IPC tbg		Top of Cement:				ned:CIRCULATE
	3.5"	9.625" 36# in 12.25" hole @ 15	500'	Inte	rmediate	e Casing	
		TOC (410 sx) = G (circ. or TS)		12.25"		Casing Size:	9.625"
			Cemented with:	410	SX.	or	ft ³
			Top of Cement:	1950		Method Determi	ned: CIRC. OR TS
				Pro	duction	Casing	
set packer			Hole Size:	8.75"		Casing Size:	7"
≈3650'			Cemented with:	720	sx.	or	ft ³
perf San Andres <i>←</i>			Top of Cement:	GL		Method Determi	ned:CIRC. OR CB
& Glorieta 3750' - 5200'		7" 26# in 8.75" hole @ 5200' TO (720 sx) = GL (circ. or CBL	C Total Depth:	5200 '			
	E2001	(720 3A) = GE (Circ. Of CBE	-)	<u>In</u>	jection I	nterval	
10	5200'			37	50 feet	to_5200'	

INJECTION WELL DATA SHEET

Tub	oing Size: 3.5" J-55 9.3# Lining Material: INTERNAL PLASTIC COAT
Туј	pe of Packer: ARROWSET I-X NICKEL OR STAINLESS STEEL
Pac	cker Setting Depth: _≈3650 '
Otł	ner Type of Tubing/Casing Seal (if applicable):
	Additional Data
1.	Is this a new well drilled for injection?XXX_YesNo
	If no, for what purpose was the well originally drilled?
2.	Name of the Injection Formation: LOWER SAN ANDRES & GLORIETA
3.	Name of Field or Pool (if applicable): SWD; SAN ANDRES - GLORIETA (96127)
4.	Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e. sacks of cement or plug(s) used. NO
5.	Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area:
	OVER: GRAYBURG (2100'), UPPER SAN ANDRES (3100')
	UNDER: ABO (6000'), WOLFCAMP (7100')

Goal is to drill a 5200' deep saltwater disposal well. Proposed disposal interval will be 3750' - 5200' in the SWD; San Andres-Glorieta (96127). This will be the lower San Andres.

Operator: BAM Permian Operating, LLC (OGRID 328565) 11.

Operator phone number: (432) 242-8851

Operator address: 4416 Briarwood Ave. Suite 110 PMB 53, Midland TX 79707

Brian Wood (Permits West, Inc.) Contact for Application:

Phone: (505) 466-8120

III. A. (1) Lease type: NMSLO

Lease name: Linley State Lease Number: VC-0379-0000 Lease Size: 320.00 acres Lease Area: W2 32-15s-29e Closest Lease Line: 201'

Well name & number: Linley State SWD 1

Well location: 201' FSL & 999' FWL Sec. 32, T. 15 S., R. 29 E.

A. (2) Surface casing (13.375", 48#, H-40, ST&C) will be set at 350' in a 17.5" hole and cemented to GL with 480 sacks. Will verify TOC by circulation.

> Intermediate casing (9.625", 36#, J-55, LT&C) will be set at 1500' in a 12.25" hole and cemented to GL with 410 sacks. Will verify TOC by circulation, or temperature survey if needed.

> Production casing (7", 26#, J-55, LT&C) will be set at 5200' in an 8.75" hole and cemented to GL in 2 stages (tool at ≈2750') with 720 sacks. Will verify TOC by circulation, or CBL if needed.

- Tubing will be IPC, 3.5", 9.3#, J-55. Setting depth will be >3650'. A.(3)(Disposal interval will be 3750' to 5200'.)
- A. (4) A 7" x 3.5" Arrowset I-X nickel coated or stainless-steel packer will be set at \geq 3650'. (Disposal interval will be 3750' to 5200'.)



- B. (1) Disposal zone will be the SWD; San Andres-Glorieta (96127).
- B. (2) Disposal interval will be 3750' to 5200'.
- B. (3) Well will be drilled as a saltwater disposal well.
- B. (4) Well was has not yet been drilled.
- B. (5) No production has been found above the San Andres (2450') within the ½ mile area of review. Grayburg was tested in 30-005-60522, but was P&A without producing from the Grayburg.

Upper San Andres may be productive. BAM has an approved APD (30-005-64337) for a well 100' west in the Round Tank; San Andres (52770). TVD will be 3150'. This will be 600' above the top of the disposal interval.

Two zones (Abo and Wolfcamp) in the area of review produce below the Glorieta.

- IV. This is not an expansion of an existing injection project. It is disposal only.
- V. Exhibit B shows and tabulates 3 existing wells (2 producers + 1 P&A) within a half-mile. Exhibit C shows 72 existing wells (33 oil or gas wells + 39 P & A wells) within a 2-mile radius.

Exhibit D shows and tabulates all leases and lessors (BLM & NMSLO) within a half-mile. Exhibit E shows all leases and lessors (BLM, fee, & NMSLO) within a two-mile radius.

VI. Four wells are, or will be, within a half-mile. Three have, or will, penetrated the San Andres - Glorieta disposal zone (3750' - 5200'). Construction details of the penetrators are in Exhibit F. None of the penetrators are P&A.



- VII. 1. Average injection rate will be ≈4,000 bwpd. Maximum injection rate will be 5,000 bwpd.
 - 2. System will be open and closed.
 - 3. Average injection pressure will be ≈700 psi. Maximum injection pressure will be 750 psi (= 0.2 psi/foot x 3750' (highest perforation)).
 - 4. Compatibility is not expected to be an issue. Only produced water will be reinjected. No problems have been reported from disposing into the closest (24 miles east-southeast) SWD; San Andres Glorieta well (30-025-31110). A minimum of 2,265,043 barrels have been disposed in the last 25 years.
 - Source of the disposal water will initially be San Andres produced water from BAM wells. However, other produced water (e. g, Wolfcamp) could be accepted. Data from the NM Produced Water Quality Database v.2 are in Exhibit G.
 - 5. The proposed disposal zone (lower San Andres Glorieta) has not been found productive within a mile. Closest San Andres producer (30-005-64310) is 4419' northeast. It produces from the upper San Andres. TVD of that San Andres well is 3217' (vs. top of the proposed disposal zone at 3750'). Closest Glorieta producer (30-015-38140) is 5-3/4 miles south-southwest. San Andres and Glorieta water analyses are in Exhibit G.

VIII. San Andres consists of carbonates, anhydrite, and shale. Glorieta is mainly sandstone. Closest possible underground source of drinking water above the proposed disposal interval are the red beds in the top ≈225' of the well.

State Engineer records (Exhibit H) show no water wells within 4-miles. No water wells within a mile were found during an August 20-21, 2019 field inspection which found no water wells. No underground source of drinking water is below the proposed disposal interval.



Estimated formation tops are:

Red beds = 0'
Yates = 970'
Seven Rivers = 1165'
Queen = 1777'
San Andres = 2450'
disposal interval = 3750' - 5200'
Glorieta = 3942'
TD = 5200'

There will be ≈3525' of vertical separation and multiple layers of anhydrite, salt, and shale between the bottom of the only likely underground water source (red beds) and the top of the San Andres.

- IX. Well will be treated with 20,000 gallons of 15% HCl to clean out scale or fill.
- X. GR/ND/Triple Combo log will be run. CBL log will be run if cement fails to circulate.
- XI. Based on an August 20-21, 2019 field inspection and a review of the State Engineer's records, no water wells are within a one-mile radius. See Exhibit H.
- XII. BAM Permian Operating, LLC is not aware (Exhibit I) of any geologic or engineering data that may indicate the San Andres or Glorieta is in hydrologic connection with any underground sources of water. Anhydrite, salt, and shale strata prevent that. There are 115 active San Andres SWD wells and 12 active Glorieta SWD wells in New Mexico. Closest Quaternary fault is 70 miles southwest (Exhibit I).




PAGE 5

XIII. A legal ad (see Exhibit J) was published on May 19, 2019 in the Artesia paper and on May 22, 2019 in the Roswell paper. Notice (this application) has been sent (Exhibit K) to the surface owner (NMSLO), government lessors (BLM & NMSLO), government lessees of record (Chalfant, Dakota, EOG, Murchison), operating rights holders (MEC), and well operators regardless of depth (EOG, Mack, Murchison).



TOPO! map printed on 08/16/19 from "Untitled.tpo"





0.0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 miles 0.0 0.5 1.0 km

7° 08/16/19

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT | | 811 S. First St., Artesia, N.M. 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

1000 Rio Brazos Rd., Aztec, N.M. 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, N.M. 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department

> OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505



Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

30-005-	Pool Code SWD; San Andres -					
⁴ Property Code	⁶ Property Name Linley State SWD					
70GRID No. 328565	*Operator BAM Permian O		^o Elevation 3742			

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	32	15 S	29 E		201	South	999	West	Chaves

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B Dedicated Acres	3		15 Joint or	Infill 14 Cor	nsolidation Code	¹⁵ Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION


SURFACE LOCATION NAD 83 NMSPC ZONE 3001 Y=715253.7 N X=626369.8 E

16

LAT.=32.9659321° N LONG.=104.0560794° W

SURFACE LOCATION NAD 27 NMSPC ZONE 3001

Y=715189.6 N X=585190.9 E LAT.=32.9658190° N LONG.=104.0555689° W



Legend:

Surface Location

O = Bottom Hole Location

= Found 1916 USGLO Brass Cap

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division

8-16-19

Signature

Brian Wood

Printed Name brian@permitswest.com

E-mail Address


505 466-8120


Date

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.


5/02/19






SORTED BY DISTANCE FROM LINLEY STATE SWD 1

API	OPERATOR	WELL	TYPE	UNIT- SECTION	TVD	ZONE @ TD	FEET FROM LINLEY STATE SWD 1
3000564337	BAM	Linley State 001H	0	M-32	3150 plan	San Andres	100
3000560522	McClellan	M & M St 001	P&A	L-32	2365	San Andres	1778
3001538038	Murchison	Pequeno Mike Blu Federal 005H	0	E-2	7108	Wolfcamp	2365
3001538577	EOG Y	Grande Mike AZK State 004H	0	E-2	7249	Wolfcamp	2536
3001538550	EOG Y	Grande Mike AZK State 003H	0	D-2	7251	Wolfcamp	3352








LINLEY STATE SWD 1 AREA OF REVIEW LEASES

Aliquot Parts in Area of Review	Lessor	Lease	Lessee of Record	Well Operators
T. 15 S., R. 29 E.				
SENE & N2SE4 Sec. 31	BLM	NMNM-118709	EOG & Murchison	none
S2SE4 Sec. 31	NMSLO	VC-0602-0000	Chalfant	none
W2SE4 Sec. 32	NMSLO	VC-0373-0000	Dakota	Mack
S2NW4 & SW4 Sec. 32	NMSLO	VC-0379-0000	Dakota	BAM
T. 16 S., R. 29 E.				
Lots 3-6 Sec. 2	NMSLO	V0-4949-0000	EOG	EOG & Murchison
Lots 1, 2, 7, & 8 Sec. 3	BLM	NMNM-105212	Murchison	Murchison
Lots 3 & 6 Sec. 3	BLM	NMNM-105211	Murchison	Murchison



New Mexico State Land Office





WELL	SPUD	TVD	ZONE @ TD	WELL TYPE	HOLE O.D.	CASING O.D.	SET @	CEMENT	тос	HOW TOC DETERMINED
Linley State 1H	not yet	3150	upper San Andres	0	17.5	13.375	350	480	Surface	Circ
3000564337					8.75	7 & 5.5	7789 MD	1345	Surface	Circ or CBL
M-32-15S-29E										
M & M State 1	10/1/78	2365	upper San Andres	P&A	12	8.625	320	200	no report	N/A
3000560522					8 plan	not run	N/A	N/A	N/A	N/A
Pequeno Mike BLU Federal 005H	6/10/10	7108	Wolfcamp	0	17.5	13.375	430	470 sx	Surface	No report
3001538038					12.25	9.625	2605	1470 sx	Surface	Circ 302 sx
E-2-16S-29E					8.75	7	6483	1450 sx	Surface	Circ 159 sx
					6.125	4.5	11893 MD	none	N/A	N/A


Sorted by distance from Linley State SWD 1

WELL	SPUD	TVD	ZONE @ TD	WELL TYPE	HOLE O.D.	CASING O.D.	SET @	CEMENT	тос	HOW TOC DETERMINED
Grande Mike AZK State 004H	5/20/11	7249	Wolfcamp	0	26	20	60	26 sx	Surface	Circ
3001538577					17.5	13.375	400	470 sx	Surface	Circ
D-2-16S-29E					12.25	9.625	2567	910 sx	Surface	р
					8.5	5.5	11810 MD	570 sx	600	Calc

McClellan's M & M State 1 L-32-15s-29e API 30-005-60522

Spud: 10-1-78 and Plug: 11-17-78

(not to scale)









CONSTITUENTS IN MG/L

API	Section	Township	Range	Formation	TDS	Sodium	Calcium	Iron	Magnesium	Chloride	Bicarbonate	Sulfate
3000560459	26	155	28E	Artesia	308691					188000	49	1400
3000560459	26	158	28E	Artesia	267708					162000	44	1500
3000560157	3	155	29E	Artesia	307292					190000	95	1600
3001520186	11	16S	28E	Artesia	314543					189000	63	3600
3001525681	24	16S	28E	Artesia	200278	85031	2154	0	614	133167	517	4975
3001525747	24	16S	28E	Artesia	194570	81552	2809	0	533	128596	421	5267
3001525681	24	165	28E	Artesia	201018	70389	8494	10	4954	134196	1092	5478
3001502706	14	165	29E	Artesia	5197					1454	185	1899
3001502742	16	16S	29E	Artesia	306495					188100	152	1203
3001502749	16	165	29E	Artesia	294815					174400	38	7808
3000563223	16	155	28E	Pennsylvanian		-	1920	15	293	15762	720	3500
3000563223	16	155	28E	Pennsylvanian	52007	5.00	1680	0	851	31950	195	50
3000563223	16	155	28E	Pennsylvanian	58261		2000	0	1823	36210	220	125
3000563223	16	15S	28E	Pennsylvanian	97783		1600	0	803	1600	195	100
3000563223	16	15S	28E	Pennsylvanian			680	0	195	1278	159	1500
3000563223	16	15S	28E	Pennsylvanian			840	0	438	1065	195	2500
3001501262	22	165	28E	San Andres	171908				1 1	102100	287	3069
3001536376	20	165	28E	Wolfcamp	103332	35582	2582	154	1266	60900	195	0
3001537193	20	165	28E	Wolfcamp	17581	4368	1508	6	292	7665	366	3310
3001536376	20	165	28E	Wolfcamp	28437	7566	2120	12	537	15008	464	2550
3001537220	29	165	28E	Wolfcamp	85662	28112	3474	5	1361	50900	195	0
3001537385	29	165	28E	Wolfcamp	92861	30726	3969	6	1538	54800	171	0
3001537965	29	16S	28E	Wolfcamp	93913	30348	3934	6	1544	56400	183	0
3001538285	29	165	28E	Wolfcamp	85154	28192	3484	5	1373	50200	183	0
3001538285	29	16S	28E	Wolfcamp	79849	25631	3153	5	1252	47141	415	0
3001537965	29	165	28E	Wolfcamp	90668	28910	3768	12	1476	53743	329	51
3001537220	29	16S	28E	Wolfcamp	119043	36363	5777	20	2034	70559	244	3167

ATTACHMENT C

THE WESTERN COMPANY OF NORTH AMERICA WATER ANALYSIS



ANALYSIS NO: 920203C

+/-5700

2-3-92

GENERAL INFORMATION

16s-33e YATES PET. OPERATOR:

WELL: EIDSON RANCH UNIT#1 DEPTH: FIELD: EIDSON RANCH UNIT DATE SAMPLED:


FORMATION: SAN ANDRES DATE RECEIVED: 2-3-92 COUNTY: EDDY SUBMITTED BY: RAY STALL STATE: NM WORKED BY: SHEPHERD 505-392-5556

SAMPLE DESCR: POST TREATMENT ANALYSIS.

PHYSICAL AND CHEMICAL DETERMINATIONS

PHONE:

SPECIFIC GRAVITY: 1.110 AT 69 DEC. F PH = 6.05 IRON: NOT DETERMINED SULFATE: 2297 PPM +/-3 PPM FE2+1 SODIUM+POTASS: 52837 PPM CHLORIDE; 87368 PPM BOULUM CHLORIDE (CALC): 144025 HHW 3319 BICARBONATE: CALCIUM: PPM 385 PPM MACNESIUM: ... 635 PPM TOT. HARDNESS AS CACO3: 10911 PPM PHOSPHATE: NOT DETERMINED TOT. DISSOLVED SOLIDS: 153797 PPM RESISTIVITY (CALCULATED): 0.054 OHM/METER @ 75 DEGREES F. REMARKS: NO KCL IN SAMPLE. OIL GRAV. IS 26.8 API CORRECTED TO 60*F.







MILLER CHEMICALS, INC.

Post Office Box 298 Artesia, N.M. 88211-0298 (505) 746-1919 Artesia Office (505) 392-2893 Hobbs Office (505) 746-1918 Fax

WATER ANALYSIS REPORT

Company
Address
Lease
Well
Sample Pt. WELLHEAD

Date : NOVEMBER 9, 2005 Date Sampled : NOVEMBER 8, 2005

Analysis No. :

200							
	ANALYSIS			mg/L		* meq/	L,
							-
1.	pH	6.8					
2.	H2S	20					
3.	Specific Gravity	1.130					
4 -	Total Dissolved Sol	ids		197451.2			
5.	Suspended Solids			NR			
6.	Dissolved Oxygen			NR			
7.	Dissolved CO2			NR			
8.	Oil In Water			NR			
9.	Phenolphthalein Alk	alinity (C	(FODS)	***			
10.	Methyl Orange Alkal						
11.	Bicarbonate	, , , ,	HCO3	317.2	нсоз	5.2	
12.	Chloride		Cl	117363.0	Cl	3310.7	
13.	Sulfate		SO4	3750.0	504		
14.	Calcium		Ca	4800.0	Ca	78.1	
15.	Magnesium		Mg	1460.5		239.5	
16.	Sodium (calculated)		Na	69758.1	Mg	120.2	
17.	Iron		Fe		Na	3034.3	
18.	Barium			2.5			
100 at 1	Strontium		Ba	NR			
	Total Hardness (CaCo	121	Sr	NR			
	" " Caci	131		18000.0			

PROBABLE MINERAL COMPOSITION

*milli equivalents per Liter	Compound Equiv wt X meg/L - mg	/L
240 *Ca < *HCO3 5 /> 120 *Mg> *SO4 78 <	Ca(HCO3)2 81.0 5.2 427 CaSO4 68.1 78.1 5315 CaC12 55.5 156.2 8669 Mg(HCO3)2 73.2	5
3034 *Na> *Cl 3311 ++ Saturation Values Dist. Water 20 C CaCO3 13 mg/L	MgS04 60.2 MgC12 47.6 120.2 5720 NaHC03 84.0 Na2S04 71.0)
CaSO4 * 2H2O 2090 mg/L BaSO4 2.4 mg/L	NaC1 58.4 3034.3 177323	3

REMARKS:

This water analysis is from our Fikes#1, an oil well we plan to convert to SwD.

This water Sample comes from a death of 2833' - 3609' Glorieta-Yeso





MILLER CHEMICALS, INC.

Post Office Box 298 Artesia, N.M. 68211-0298 (505) 746-1919 Artesia Office (506) 392-2898 Hobbs Office (505) 746-1918 Pax

SCALE TENDENCY REPORT ----

Company

: UHC PETROLEUM

: NOVEMBER 9, 2005

Address

: FIKES

Date Sampled : NOVEMBER 8, 2005

Lease Well

Analysis No. :

Date

Sample Pt.

: #1 : WELLHEAD Analyst : JOHN D. SMITH


STABILITY INDEX CALCULATIONS (Stiff-Davis Method) CaCO3 Scaling Tendency

S.I. = 0.8 at 70 deg. F or 21 deg. C 0.8 at 90 deg. F or 32 deg. C S.I. = S.I. = 0.9 at 110 deg. F or 43 deg. C S.I. -0.9 at 130 deg. F or 54 deg. C S.I. = 1.0 at 150 deg. F or 66 deg. C

CALCIUM SULFATE SCALING TENDENCY CALCULATIONS (Skillman-McDonald-Stiff Method) Calcium Sulfate

5 = 3857 at 70 deg. F or 21 deg C 4094 at 90 deg. F or 32 deg C 5 = 4256 at 110 deg. F or 43 deg C 5 = 4321 at 130 deg. F or 54 deg C 4327 at 150 deg. F or 66 deg C S =

> Respectfully submitted, JOHN D. SMITH





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,

O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD

		Sub-		Q	Q	Q								V	Vater
POD Number	Code	basin	County	64	16	4	Sec	Tws	Rng	X	Y	DistanceDe	othWellDep	thWater Co	olumn
L 14514 POD1		L	LE	2	2	1	32	15S	36E	595494	3649622	7479	208	77	131
RA 12428		RA	СН	4	2	1	21	15S	28E	580579	3652317	8818	170	125	45
RA 09342		RA	ED	4	4	3	19	16S	29E	582737	3640640*	9098	220	110	110
RA 12429 POD1		RA	CH	1	1	4	32	158	28E	579093	3648401	9134	62	27	35

Average Depth to Water:

84 feet

Minimum Depth:

27 feet

Maximum Depth:

125 feet

Record Count: 4

UTMNAD83 Radius Search (in meters):

Easting (X): 588214

Northing (Y): 3647905

Radius: 10000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

5/17/19 9:57 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER





Seismic Risk Assessment BAM Permian Operating, LLC Linley State SWD No. 1

Section 32, Township 15 South, Range 29 East Chaves County, New Mexico

Cory Walk

B.S., M.S.

Geologist

Permits West Inc.

August 21, 2019

BAM Permian Operating, LLC Linley State SWD No. 1

SEISMIC RISK ASSESSMENT PAGE 1



GENERAL INFORMATION

Linley State SWD #1 is located in the SW ¼, section 32, T15S, R29E, about 21 miles northeast of Artesia, NM in the Permian Basin. BAM Permian Operating, LLC proposes the injection zone to be within the Lower San Andres/Glorieta formations through a cased hole from 3,750'-5,200' below ground surface. This report assesses any potential concerns relating to induced seismicity along deep penetrating Precambrian faults or the connection between the injection zone and known underground potable water sources.

SEISMIC RISK ASSESSMENT

Historical Seismicity

Searching the USGS earthquake catalog resulted in no (0) earthquakes above a magnitude 2.5 within 6 miles (9.7 km) of the proposed disposal site since 1970 (Fig 1). According to this dataset, the nearest historical earthquake occurred in 2003 about 33 miles (~54 km) southwest and had a magnitude of 3.6.

Basement Faults and Subsurface Conditions

A structure contour map (Fig. 1) of the Precambrian basement shows the Linley State SWD #1 is approximately 8 miles from the nearest basement-penetrating fault inferred by Ewing (1990) and about 14 miles from the nearest surface fault.

Snee and Zoback (2018) state, "In the western part of Eddy County, New Mexico, S_{Hmax} is ~north-south (consistent with the state of stress in the Rio Grande Rift; Zoback and Zoback, 1980) but rotates to ~east-northeast-west-southwest in southern Lea County, New Mexico, and the northernmost parts of Culberson and Reeves counties, Texas." Around the Linley State SWD #1 site, Snee and Zoback indicate a S_{Hmax} direction of N010°E and an A_{ϕ} of 0.57, indicating a normal and strike-slip faulting stress regime.

Induced seismicity is a growing concern of deep SWD wells. Snee and Zoback (2018) show that due to its orientation, the nearest Precambrian fault has a moderate probability of slipping (Fig. 2). However, the proposed injection zone is much shallower in the San Andres and Glorieta formations and therefore would not affect the deep Precambrian faults. The vertical and horizontal separation between the proposed SWD injection zone and any deep Precambrian faults is large enough to infer that there is no immediate concern or potential of induced seismicity as a result from this SWD well.

GROUNDWATER SOURCES

Quaternary Alluvium acts as the principal aquifer used for potable ground water near the Linley State SWD #1 location (Hendrickson and Jones, 1952). Nicholson and Clebsch (1961) state, "Potable ground water is not available below the Permian and Triassic unconformity but, because this boundary is not easily defined, the top of the Rustler anhydrite formation is regarded as the effective lower limit of 'potable' ground water." Around the Linley State SWD #1 well, the top of a thick anhydrite unit interpreted to represent the Rustler Formation lies at a depth of ~225 feet bgs.





STRATIGRAPHY

A thick permeability barrier exists above (Rustler Anhydrite and Salado Fm; 500 ft thick) the targeted San Andres and Glorieta injection zone. Well data indicates ~3,500 ft of rock separating the top of the injection zone from the previously stated lower limit of potable water at the top of the Rustler anhydrite formation.

CONCLUDING STATEMENT

All available geologic and engineering data evaluated around the Linley State SWD #1 well show no potential structural or stratigraphic connection between the San Andres/Glorieta injection zone and any subsurface potable water sources. The shallow injection zone and spatial location also removes any major concern of inducing seismic activity along nearby faults.






Figure 1. Structural contour map of the Precambrian basement in feet below sea level. Red lines represent the locations of Precambrian basement-penetrating faults (Ewing et al., 1990). The Linley State SWD #1 well lies ~8 miles east of the closest deeply penetrating fault, ~14 miles from the nearest surface fault and ~33 miles from the closest historic earthquake.






Figure 2. Modified from Snee and Zoback (2018). The nearest deep Precambrian fault lies ~8 miles east of the proposed SWD well and has a moderate probability (~10%) of slip. However, the proposed injection zone is much shallower in the San Andres and Glorieta formations and therefore removes any major concern of inducing seismicity on any known fault.



BAM Permian Operating, LLC Linley State SWD No. 1


References Cited

SEISMIC RISK ASSESSMENT PAGE 5

EXHIBIT I


- Ewing, T. E., 1990, The tectonic map of Texas: Austin, Bureau of Economic Geology, The University of Texas at Austin.
- Geologic Map of New Mexico, New Mexico Bureau of Geology and Mineral Resources, 2003, Scale 1:500,000.
- Hendrickson, G. E., and Jones, R. S., 1952, Geology and Ground-Water Resources of Eddy County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Ground-Water Report 3, 179 pp., 6 plates.
- Nicholson, A., Jr., and Clebsch, A., Jr., 1961, Geology and ground-water conditions in southern Lea County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Ground-Water Report 6, 123 pp., 2 plates.
- Snee, J.-E.L., Zoback, M.D., 2018, State of stress in the Permian Basin, Texas and New Mexico: Implications for induced seismicity: Leading Edge, v. 37, p. 127–134.





Affidavit of Publication

25131 State of New Mexico County of Eddy: Danny Scott/ being duly sworn sayes that he is the Publisher of the Artesia Daily Press, a daily newspaper of General circulation, published in English at Artesia, said county and state, and that the hereto attached Legal Ad was published in a regular and entire issue of the said Artesia Daily Press, a daily newspaper duly qualified for that purpose within the meaning of Chapter 167 of the 1937 Session Laws of the state of New Mexico for Consecutive weeks/day on the same day as follows: First Publication May 19, 2019 Second Publication Third Publication Fourth Publication Fifth Publication Sixth Publication Seventh Publication Subscribed and sworn before me this 21st day of 2019 May OFFICIAL SEAL Latisha Romine



tusto Homine

Latisha Romine
Notary Public, Eddy County, New Mexico

Copy of Publication:



Legal Notice

BAM Permian Operating, LLC will apply to drill the Linley State SWD 1 as a saltwater disposal well. The well will dispose into the lower San Andres and Glorieta formations from 3750' to 5200'. It is staked 11 miles NNW of Loco Hills, NM at 201 FSL & 999 FWL Sec. 32, T. 15 S., R. 29 E., Chaves County, NM. Maximum disposal rate will be 5,000 bwpd. Maximum injection pressure will be 750 psi. Interested parties must file objections or requests for hearing with the NM Oil Conservation Division, 1220 South Saint Francis Dr., Santa Fe, NM 87505 within 15 days. Additional information can be obtained by contacting: Brian Wood, Permits West, Inc., 37 Verano Loop, Santa Fe, NM 87508. Phone number is (505) 466-8120.

Published in the Artesia Daily Press, Artesia, N.M., May 19, 2019 Legal No. 25131.

AFFIDAVIT OF PUBLICATION STATE OF NEW MEXICO

Legals Clerk

I, Jennifer Martinez

Of the Roswell Daily Record, a daily newspaper published at Roswell, New Mexico do solemnly swear that the clipping hereto attached was published in the regular and entire issue of said paper and not in a supplement thereof for a period of:

One time with the issue dated

May 22, 2019

Sworn and subscribed to before me

Clerk

OFFICIAL SEAL
Claudia Martinez
NOTARY PUBLIC - STATE OF NEW MEXICO

this 22nd day of May, 2019

Notary Public



Legal Notice...

Publish May 22, 2019

BAM Permian Operating, LLC will apply to drill the Linley State SWD 1 as a saltwater disposal well. The well will dispose into the lower San Andres and Glorieta formations from 3750' to 5200', It is staked 11 miles NNW of Loco Hills, NM at 201 FSL & 999 FWL Sec. 32, T. 15 S., R. 29 E., Chaves County, NM. Maximum disposal rate will be 5,000 bwpd. Maximum injection pressure will be 750 psi. Interested parties must file objections or requests for hearing with the NM Oil Conservation Division, 1220 South Saint Francis Dr., Santa Fe, NM 87505 within 15 days. Additional information can be obtained by contacting: Brian Wood, Permits West, Inc., 37 Verano Loop, Santa Fe, NM 87508. Phone number is (505) 466-8120.





August 22, 2019

NM State Land Office PO Box 1148 Santa Fe NM 87504

BAM Permian Operating, LLC is applying (see attached application) to drill the Linley State SWD 1 as a saltwater disposal well. As required by NM Oil Conservation Division (NMOCD) rules, I am notifying you of the following proposal. This letter is a notice only. No action is needed unless you have questions or objections.

Well: Linley State SWD 1 TD = 5,200'

Proposed Disposal Zone: lower San Andres & Glorieta (3,750' − 5,200')

Location: 201' FSL & 999' FWL Sec. 32, T. 15 S., R. 29 E., Chaves County, NM Approximate Location: ≈11 miles NNW of Loco Hills, NM

Applicant Name: BAM Permian Operating, LLC (432) 242-8851

Applicant's Address: 4416 Briarwood Ave. #110 PMB 53, Midland TX 79707

<u>Submittal Information:</u> Application for a saltwater disposal well will be filed with the NMOCD. If you have an objection, or wish to request a hearing, then it must be filed with the NMOCD within 15 days of receipt of this letter. The New Mexico Oil Conservation Division address is 1220 South St. Francis Dr. Santa Fe, NM 87505. Their phone number is (505) 476-3440.

Please call me if you have any questions.

Sincerely,

Brian Wood




U.S. Postal Service™ CERTIFIED MAIL® RECEIPT 5047 Domestic Mail Only For delivery information, visit our website at www.usps.com®. 0915 Certified Mall Fee \$
Extra Services & Fees (check box, add tee as appropriate).

Return Receipt (hardcopy) \$ TOOO Return Receipt (electronic) Cartified Mall Restricted Delivery \$ Adult Signature Required Adult Signature Restricted Delivery \$ 3090 Postage Total Postage and Fees Chalfant 7018 Sent To PO Box 3123 Street and Apt. Midtal de 707079702 City, State, ZipBAM Linley State SWD 1 PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

30	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only
2	For delivery information, visit our website at www.usps.com®.
	OFFICIAL USE
091.5	Certified Mail Fee
	Extra Services & Fees (check box, add fee as appropriate)
1000	Certified Mail Fee \$ Extra Services & Fees (check box, add fee as appropriate) Return Receipt (inardcopy) \$ Return Receipt (electronic) \$ Certified Mail Restricted Delivery Adult Signature Raquired \$
	Adult Signature Restricted Delivery \$ 5EP 1 1 2019
뭄	Total Postage and Fees
40	Sent To Chalfant Properties Inc.
7018	and at Di- Coring St
1~	Street and Api 150, 2 P 1618 Spring St. Midland TX, 79701 City, State, 219 BAM Linley State SWD 1
	PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions





The second second				L	
SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the maliplece, or on the front if space permits. Article Addressed to:	A Signature X Manual Pinted Name C. Date of Delivery D. to delivery address different from Nam 17 17 1766	Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailplece, or on the front if space permits. Article Addressed to:	X LPA (ON Addressee B. Respaired by Printed Name) C. Date of Delivery C. A. September 1. Septemb	Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the malipiece, or on the front if space permits.	A. Signature A. Agent Address B. Received by (Printed Name) C. Date of Deliver
MEC Petroleum Corp PO Box 11265 Midland TX 79702 BAM Linley State SWD 1	HYES, enter delivery address bilibur. In No.	Murchinson Oil & Gas Inc 7250 Dallas Pkwy STE 1400 Plano TX 75024	D. Is delivery address different from Item 1? ☐ Yes If YES, enter delivery address below: ☐ No	Article Addressed to: NMSLO PO Box 1148 Santa Fe NM 87504	D. Is delivery address different from item 1?
		BAM Linley State SWD 1		BAM Linley State SWD 1	
9590 9402 3921 8060 0615 90	3. Strivico Typo Adut Gipnature Adut Signature Testricted Delivery Corrificial Aduliii Corrificial Aduliii Corrificial Aduliiii Corrificial Aduliiiii Corrificial Aduliiiiiii Corrificial Aduliiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	9590 9402 3921 8060 0616 06	3. Service Type Priority Mail Express® Il Aduit Bignature Restricted Delivery Il Gerited Mail Pestricted Delivery Il Gerited Mail Pestricted Delivery Il Gerited Mail Pestricted Delivery Il Belatin Rescipt for	9590 9402 3921 8060 0616 13	3. Service Type
2. Article Number (Transfer Francisco) 9915 458	T ton Delivery Restricted Delivery d Mal anisored Mal Restricted Delivery (over \$500)	2. Article Number (Transfer from service label) 7019 0140 0000 9915 459	Collect on Delivery Restricted Delivery Mail Mail Restricted Delivery Month Restricted Delivery	7074 0740 0000 4472 1480	Gollect on Delivery Merchandise Marchandise
PS Form 3811, July 2015 PSN 7530-02-000-9053	Domestic Return Receipt	PS Form 3811, July 2015 PSN 7530-02-000-9053	Domestic Return Receipt	PS Form 3811. July 2015 PSN 7530-02-000-9053	Domestic Button Becelo

EXHIBIT K