

Lowe, Leonard, EMNRD

From: Lowe, Leonard, EMNRD
Sent: Monday, March 15, 2021 12:17 PM
To: Wagner, Stan S
Cc: Powell, Brandon, EMNRD
Subject: NSL for Myox 4 16 State com Well No. 704H

Importance: High

Mr. Stan Wagner,

In addition to the NSL application encroachment towards the north, in reference to the First Take Point, it was also determined that you are 314 feet from the Eastern Edge. Purple Sage requires a 330 feet set back, you are 16 feet too close towards the east.

Please provide notice to all areas that you are encroaching upon.

This Application will be cancelled until proper notice is done. Or given reason for not providing notice towards the eastern edge.

Surface Location –	2115' FNL & 1600' FWL UL F Sec. 4-26S-28E Eddy County, NM
First Take Point -	2630' FSL & 2326' FWL UL K Sec. 4-26S-28E
Last Take Point -	330' FSL & 2326' FWL UL N Sec. 16-26S-28E
Bottom Hole -	200' FSL & 2326' FWL UL N Sec. 16-26S-28E
Proposed Pool-	Purple Sage; Wolfcamp (Gas) (Pool Code 98220)

Leonard R. Lowe

Engineering Bureau
OCD - EMNRD
5200 Oakland Ave. NE
Albuquerque, N.M. 87113
C: 505-930-6717

<http://www.emnrd.state.nm.us/oed/>