

3R - 228

AGWMR

2001

SAN JUAN BASIN PIT CLOSURES
San Juan Basin, New Mexico

El Paso Field Services
Pit Closure Reports

March 2001



Prepared For

El Paso Field Services
Farmington, New Mexico

Project 62800398



SAN JUAN BASIN PIT CLOSURES

San Juan Basin, New Mexico

Sites Submitted for Closure:

TWN	RNG	SEC	UNIT	SITE NAME	METER	LAND TYPE
28	11	26	P	Ohio C Govt #3	72890	Federal
29	10	28	C	Anderson GC A #1 CH	95210	Fee


Sites Previously Submitted for Closure:

TWN	RNG	SEC	UNIT	SITE NAME	METER	LAND TYPE
31	11	34	K	Turner A #1 PM (Pit #1 and #2)	71676	State
31	9	28	H	Sheets #2	70286	Fee
29	14	4	C	Mesa CPD	02643	Fee
26	6	34	A	K-51 Line Drip	LD244	Federal

**EPFS GROUNDWATER PITS
2000 ANNUAL GROUNDWATER REPORT**

3R 228/3R 277

**OHIO C GOVT #3
Meter/Line ID - 72890**



SITE DETAILS

Legals - Twn: 28N Rng: 11W Sec: 26 Unit: P
NMOCD Hazard Ranking: 40 Land Type: FEDERAL
Operator: MARATHON OIL COMPANY

PREVIOUS ACTIVITIES

Site Assessment: Sep-94 Excavation Pit 1: Sep-94 (50 cy) Re-Excavation Pit 1: Sep-95 (1,183 cy)
Soil Boring: Sep-95 Excavation Pit 2: Sep-95 (1098 cy)
Geoprobe: Oct-96 Monitor Well: May-97 Quarterly Sampling Initiated: June-97
Submitted for Closure: March-99 Denied Closure: Jul-99
Additional Monitor Wells: Oct-99

Following the initial site assessment in September of 1994 (previously submitted), Pit #1 was excavated to 12 feet beneath ground surface (bgs). Approximately 50 cubic yards were removed during excavation. The headspace soil reading from the excavation bottom was 328 ppm. Soil analytical, submitted in the 1999 Annual Groundwater Report, were as follows: benzene - 150 mg/kg, total BTEX - 1840, and TPH (418.1) 11,800.

Pit #1 was re-excavated to 17 feet beneath ground surface (bgs) in September of 1995. The soil headspace reading from the excavation bottom was 197 ppm. Approximately 1183 cubic yards of contaminated soil was removed from the excavation. Soil analytical were as follows: benzene - <0.5 mg/kg, total BTEX - 1840 mg/kg, and TPH (418.1) 632 mg/kg (previously submitted).

One soil boring was drilled in the center of Pit #1 and a sample was collected from 13-15 feet bgs. The sample results were as follows: benzene - <0.5 mg/kg, total BTEX <3 mg/kg and TPH (418.1) 54.8 mg.

Pit #2, which is adjacent to Pit #1, was excavated to 13-17 feet beneath ground surface (bgs) where groundwater was encountered. Approximately 1098 cubic yards of contaminated soil was removed from the excavation. The headspace soil reading from the excavation bottom was 72 ppm. Soil analytical was as follows: benzene - <0.5 mg/kg, total BTEX <3 mg/kg, and TPH (418.1) 66.0 mg/kg (previously submitted). Due to size of excavations associated with Pit #1 and Pit #2, the excavation was joined and is reflected as one pit (El Paso Energy) in the figures.

Geoprobe data were collected in various locations upgradient and downgradient of MW-1 during October of 1996. Analytical data, previously submitted, from groundwater samples obtained using the Geoprobe indicated only benzene was slightly above standards downgradient of MW-1. The highest concentrations of contaminants were from groundwater samples collected cross-gradient and downgradient of the operator's production pit that is further downgradient of MW-1 as shown in Figures 1-3.

One soil boring was drilled in the center of Pit #2 and a monitoring well was installed (MW-1) in May 1997. No soil samples were collected. Groundwater sampling was initiated on June 26, 1997 and continued through March 27, 1998. Historical groundwater analytical data is presented in

EPFS GROUNDWATER PITS

2000 ANNUAL GROUNDWATER REPORT

Table 1. Groundwater analytical data prior to 2000 has been previously submitted in the annual reports for each respective year, including the well diagram and boring log for MW-1.

Marathon, in cooperation with EPFS, installed additional monitor wells in October of 1999 as requested by the NMOCD in correspondence dated July 28, 1999. Marathon also reports this site and well diagrams and boring logs for MW-2 through MW-5 should be included in their report.

2000 ACTIVITIES

Quarterly Groundwater Monitoring - Quarterly groundwater sampling was resumed during June of 2000 for MW-1 through MW-5.

SUMMARY TABLES

Groundwater analytical data for this site is presented in Table 1.

SITE MAP

A quarterly site map with groundwater elevations and gradients are presented as Figures 1-3.

GEOLOGIC LOGS AND WELL COMPLETION DIAGRAMS

EPFS did not conduct drilling activities at this site in 2000.

DISPOSITION OF GENERATED WASTES

There were no wastes generated at this site in 2000.

ISOCONCENTRATION MAPS

BTEX parameters were below regulatory standards and isoconcentration maps were not generated.

CONCLUSIONS

EPFS has excavated over 2,332 cubic yards of contaminated soil from the former pits. Soil samples collected from both pits were below standards. Laboratory analyses of groundwater samples from MW-1 have shown no detectable levels of BTEX since 1997, as shown in Table 1.

EPFS, in cooperation with Marathon due to the side by side pits located at this site, agreed to continue sampling the existing monitor well, MW-1, and the additional monitor wells installed by Marathon in 1999 (MW-2, MW-3, MW-4, and MW-5) on a quarterly basis. Groundwater samples collected from MW-1 continue to demonstrate BTEX constituents below detectable levels.

The former pit owned by Marathon is next to and downgradient of the former pit owned by EPFS, as indicated in the site maps. Groundwater samples collected from the monitor wells MW-4 and MW-5, downgradient of these pits, indicate low levels of BTEX constituents at or below the NMWQCC groundwater standards during recent sampling. There are no detectable levels of BTEX found in the groundwater samples from MW-2 and MW-3 which are located further downgradient from monitor wells MW-4 and MW-5.

The site map and survey data used for determining the direction of groundwater flow was supplied by Marathon. The groundwater flow exhibits a north-northwest trend.

EPFS GROUNDWATER PITS

2000 ANNUAL GROUNDWATER REPORT

The low levels of BTEX constituents exhibited in MW-4 and MW-5 appear to be downgradient of both of the former pits. Since no detectable levels of BTEX were found in the monitor well located within the former EPFS pit it does not appear that the EPFS pit is the source of hydrocarbon impact.

Minimal impact has occurred to the groundwater at this site. All monitor wells where BTEX concentrations were detected show a decreasing trend, with no evidence of rebound, and are at or below NMWQCC standards. Based on the data presented, this site poses minimal risk to human health and the environment. No potential receptors exist within 1,000-feet of the site and all of the source material from the EPFS. Therefore, EPFS requests that this pit be closed and MW-1 be abandoned according to NMOCD specifications.

RECOMMENDATIONS

- This site is also reported by Marathon.
- EPFS requests closure of this site.
- Following OCD approval for closure, MW-1 will be abandoned in accordance with the Monitoring Well Abandonment Plan.


EPFS Groundwater Pits
2000 Groundwater Report

Table 1

March 2001

Sample #	Meter/ Line #	Site Name	Sample Date	MW #	Project	Benzene (PPB)	Toluene (PPB)	Ethyl Benzene (PPB)	Total Xylenes (PPB)	Total BTEX (PPB)
970487	72890	OHIO C GOVT #3	5/22/97	1	Phase II Drilling	< 1	< 1	< 1	< 3	ND
970606	72890	OHIO C GOVT #3	6/26/97	1	Sample 4 - 1st Quarter	< 1	< 1	< 1	< 3	ND
970979	72890	OHIO C GOVT #3	9/12/97	1	Sample 4 - 2nd Quarter	< 1	< 1	< 1	< 3	ND
971272	72890	OHIO C GOVT #3	12/5/97	1	Sample 4 - 3rd Quarter	< 1	< 1	< 1	< 3	ND
980262	72890	OHIO C GOVT #3	3/27/98	1	Sample 4 - 4th Quarter	< 1	< 1	< 1	< 3	ND
OHI-0006-MW01	72890	OHIO C GOVT #3	6/1/00	1	Sample 4 - 5th Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0009-MW01	72890	OHIO C GOVT #3	9/6/00	1	Sample 4 - 6th Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0012-MW01	72890	OHIO C GOVT #3	12/4/00	1	Sample 4 - 7th Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0006-MW02	72890	OHIO C GOVT #3	6/1/00	2	Sample 4 - 1st Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0009-MW02	72890	OHIO C GOVT #3	9/6/00	2	Sample 4 - 2nd Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0012-MW02	72890	OHIO C GOVT #3	12/4/00	2	Sample 4 - 3rd Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0006-MW03	72890	OHIO C GOVT #3	6/1/00	3	Sample 4 - 1st Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0009-MW03	72890	OHIO C GOVT #3	9/6/00	3	Sample 4 - 2nd Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0012-MW03	72890	OHIO C GOVT #3	12/4/00	3	Sample 4 - 3rd Quarter	< 0.5	< 0.5	< 0.5	< 0.5	ND
OHI-0006-MW04	72890	OHIO C GOVT #3	6/1/00	4	Sample 4 - 1st Quarter	= 9.0	< 0.5	= 9.5	= 14	32.5
OHI-0006-MW04	72890	OHIO C GOVT #3	9/6/00	4	Sample 4 - 2nd Quarter	= 3.2	< 0.5	= 9.3	= 12	24.5
OHI-0006-MW04	72890	OHIO C GOVT #3	12/4/00	4	Sample 4 - 3rd Quarter	= 0.9	< 0.5	= 3.3	= 4.8	9
OHI-0006-MW05	72890	OHIO C GOVT #3	6/1/00	5	Sample 4 - 1st Quarter	= 20	< 0.5	= 30	= 86	136
OHI-0006-MW05	72890	OHIO C GOVT #3	9/6/00	5	Sample 4 - 2nd Quarter	= 15	< 0.5	= 24	= 78	117
OHI-0006-MW05	72890	OHIO C GOVT #3	12/4/00	5	Sample 4 - 3rd Quarter	= 10	< 0.5	= 22	= 65	97

ND = No detectable levels
Sample 4 - Quarterly Sampling



COL 628\00219-001



TITLE:
OHIO "C" GOVERNMENT #3
METER 72890
JUNE 1, 2000

DWN: TMM	DES.: LW
CHKD: LW	APPD: MN
DATE: 2/21/01	REV.: 0

PROJECT NO.: 62800219 EPFS GW PITS
FIGURE 1

LEGEND

● MW-1 APPROXIMATE MONITORING WELL LOCATION AND NUMBER

TOC TOP OF CASING ELEVATION

EL GROUNDWATER ELEVATION

B BENZENE (ug\L)

T TOLUENE (ug\L)

E ETHYL BENZENE (ug\L)

X XYLENE (ug\L)

ug\L MICROGRAMS PER LITER

— 58 — GROUNDWATER POTENTIOMETRIC SURFACE

➔ GROUNDWATER GRADIENT

0 100
FEET




TITLE:
OHIO "C" GOVERNMENT #3
METER 72890
SEPTEMBER 6, 2000


DWN: TMM	DES.: LW
CHKD: LW	APPD: MN
DATE: 2/21/01	REV.: 0

PROJECT NO.: 62800219
EPFS GW PITS

FIGURE 2



COL 628\00219-002



LEGEND

● MW-1 APPROXIMATE MONITORING WELL LOCATION AND NUMBER

TOC TOP OF CASING ELEVATION

EL GROUNDWATER ELEVATION

B BENZENE (ug\L)

T TOLUENE (ug\L)

E ETHYL BENZENE (ug\L)

X XYLENE (ug\L)

ug\L MICROGRAMS PER LITER

58 GROUNDWATER POTENTIOMETRIC SURFACE

GROUNDWATER GRADIENT

0 100
FEET



TITLE:
 OHIO "C" GOVERNMENT #3
 METER 72890
 DECEMBER 4, 2000

DWN: TMM	DES.: LW
CHKD: LW	APPD: MN
DATE: 2/21/01	REV.: 0

PROJECT NO.: 62800219
 EPFS GW PITS

FIGURE 3

ATTACHMENT 1

2000 GROUNDWATER ANALYTICAL

Project Name EPFS QUARTERLY SAMPLING

Project Manager R. Thompson

Project No. 62809107

Client Company: EL PASO FIELD SERVICES

bioRxiv preprint doi: <https://doi.org/10.1101/2020.05.11.239101>; this version posted May 11, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

Phase.Task No. 0301

Site Name OHIO C GOV. #3 (72890)

Site Address RURAL SAN JUAN CO.

Development Criteria

- ☒ 3 to 5 Casing Volumes of Water Removal
☒ Stabilization of Indicator Parameters
☐ Other

Methods of Development

- Pump**
- ☐ Centrifugal
- ☐ Submersible
- ☐ Peristaltic
- ☐ Other
- Bailer**
- ☒ Bottom Valve
- ☐ Double Check Valve
- ☐ Stainless-steel Kemmerer

Water Volume Calculation

Initial Depth of Well (feet) 21.69 m

Initial Depth to Water (feet) 12.98 m

Height of Water Column in Well (feet) 8.71Diameter (inches): Well 4" Gravel Pack _____

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing	8.71	569 x 3	17.1
Gravel Pack			
Drilling Fluids			
Total			17.1

Instruments

- ☒ pH Meter
- ☐ DO Monitor
- ☒ Conductivity Meter
- ☒ Temperature Meter
- ☐ Other

Water Disposal

KITZ SEPARATE BIRMINGHAM

Water Removal Data

[illegible]


Circle the date and time that the development criteria are met.

Comments Sampled for BTEX at 1346. well bailed dry at 11 gallons.

Developer's Signature(s) Joe Wagner

Date 6/1/00

Reviewer RT Date 6/2/00



WELL DEVELOPMENT AND PURGING DATA

Page 1 of 1

Project Manager R. Thompson

Project No. 62800107

Phase, Task No. 0301

Site Name OHIO C 60V #3 (72890) Site Address RURAL SAN JUAN CO.

Water Volume Calculation

Initial Depth of Well (feet)

	Initial Depth to Water (feet)
10	54.70

Height of Water Column in Well (feet) 1.03

Water Volume in Well	Gallons to be

Item	Cubic Feet	Gallons	Removed

Well Casing	1.03	25462.	118
-------------	------	--------	-----

Gravel Pack	100	100
-------------	-----	-----

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

11

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing	6.03	3.94 x 3	11.8
Gravel Pack			
Drilling Fluids			
Total			11.8

Water Disposal

Kurz separat, Binnenseite Nm

Water Removal Data

[illegible]

Circle the date and time that the development/ criteria are met.

Comments	Sampled for BTEX at 1455'

Developer's Signature(s) Jim Wagon

Date 6/1/00

Reviewer RT Date 6/2/00

Page 1 of 1

Project No. 62800107

Phase.Task No. 0301

Project Manager R. Thompson

Site Address PURAL SAN JUAN CO.

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal

☒ Stabilization of Indicator Parameters☐ Other

Water Volume Calculation

Initial Depth of well (feet) 21.05 to 2

Initial Depth to Water (feet) 10.52-10.66

Height of Water Column in Well (feet) 10.53

Diameter (inches): Well 7 Gravel Pack

Methods of Development

Pump
Bailer

☐ Centrifugal ☒ Bottom Valve☐ Submersible ☐ Double Check Valve☐ Peristaltic ☐ Stainless-steel Kemmerer☐ Other

Water Disposal

KUTZ SEPTALITE BLOOMFIELD NM

Water Removal Data

[illegible]

Circle the date and time that the development/ criteria are met.

Comments	Sampled for BREX at 1538.

Developer's Signature(s) John Wagon

Date 6/1/00

Reviewer RT Date 6/2/00

Project Name EPFS QUARTERLY SAMPLING Project Manager R. THOMPSON Project No. 62800107
Client Company PASO HERD SERVICES Site Address RURAL SAN JUAN CO. Phase/Task No. 0301
Site Name Other C GOV #3 (72890)

Development Criteria

☒ ③ to 5 Casing Volumes of Water Removal

☐ Other

Methods of Development

Pump ☐ Centrifugal ☒ Bottom Valve ☐ Double Check Valve ☐ Stainless-steel Kemmerer

☐ Submersible ☐ Peristaltic ☐ Other

Water Volume Calculation

Initial Depth of Well (feet)	61.72
Initial Depth to Water (feet)	15.99
Height of Water Column in Well (feet)	5.73
Diameter (inches):	Well 4 Gravel Pack

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing	5.73	374 x 3	11.22
Gravel Pack			
Drilling Fluids			
Total			11.22

Instruments

☒ pH Meter
☐ DO Monitor
☒ Conductivity
☒ Temperature
☐ Other

Serial No. (if applicable)

OYSTER
OYSTER
OYSTER

Water Disposal

KUTZ SEPARATE BIGAMFERO NM

Water Removal Data

[illegible]

Circle the date and time that the development/critique are met.

Comments	Well baled dry at 9 gallons Sampled for BTEX at 1603
----------	---

Developer's Signature(s) Jon Wayne

Date 6/1/00

Reviewer RT Date 6/2/00

PHILIP
ENVIRONMENTAL

Chain of Custody Record

4000 Monroe Road
Farmington, NM 87401

(505) 326-2262 Phone
(505) 326-2388 FAX

COC Serial No. C 2564

Project Name **EAFS QUARTERLY SAMPLING**
Project Number **62800107** Phase **Task 0301**
Samplers **R. THOMPSON**
Laboratory Name **PINNACLE LABS**

Location **ALBUQUERQUE, NM**

Sample Number (and depth) Date Time Matrix

OH1-0006-MW01 6/1/00 1346 H2O

OH1-0006-MW02 6/1/00 1455 H2O

OH1-0006-MW03 6/1/00 1426 H2O

OH1-0006-MW04 6/1/00 1538 H2O

OH1-0006-MW05 6/1/00 1603 H2O

Type of Analysis and Bottle

Total Number of Bottles

Comments

OH10 C GOV #3 MW017890
OH10 C GOV #3 MW027890
OH10 C GOV #3 MW037890
OH10 C GOV #3 MW047890
OH10 C GOV #3 MW057890
OH10 C GOV #3 MW067890

Relinquished by:

Signature

R. Thompson

Date

6/2/00

Time

0800

Received By:

Signature

Date

Time

Carrier:

GREYHOUND LINES

Shipping and Lab Notes:

Airbill No. **621606918610**

Samples Iced: ☒ Yes ☐ No

Preservatives (ONLY for Water Samples)

☐ Cyanide

☒ Volatile Organic Analysis

☐ Metals

☐ TPH (418.1)

☐ Other (Specify)


☐ Other (Specify)

Sodium hydroxide (NaOH)

Hydrochloric acid (HCl)

Nitric acid (HNO3)

Sulfuric acid (H2SO4)



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

Pinnacle Lab ID number 006017
June 07, 2000

PHILIP ENVIRONMENTAL
4000 MONROE ROAD
FARMINGTON, NM 87401

EL PASO FIELD SERVICES
614 RIELY STREET
FARMINGTON, NM 87401

Project Name EPFS QUARTERLY SAMPLING
Project Number 62800107

Attention: Robert Thompson/LeAudra Stanley

On 06/02/00 Pinnacle Laboratories, Inc. Inc., (ADHS License No. AZ0592 pending), received a request to analyze **aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

If you have any questions or comments, please do not hesitate to contact us at (505)344-3777.

H. Mitchell Rubenstein, Ph. D.
General Manager

MR: jt


Enclosure



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

CLIENT	: PHILIP ENVIRONMENTAL	PINNACLE ID	: 006017
PROJECT #	: 62800107	DATE RECEIVED	: 06/02/00
PROJECT NAME	: EPFS QUARTERLY SAMPLING	REPORT DATE	: 06/07/00

PIN			DATE
ID. #	CLIENT DESCRIPTION	MATRIX	COLLECTED
01	OHI-0006-MW01	AQUEOUS	06/01/00
02	OHI-0006-MW02	AQUEOUS	06/01/00
03	OHI-0006-MW03	AQUEOUS	06/01/00
04	OHI-0006-MW04	AQUEOUS	06/01/00
05	OHI-0006-MW05	AQUEOUS	06/01/00



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING


PINNACLE I.D.: 006017

SAMPLE ID. #	CLIENT I.D.	MATRIX	DATE SAMPLED	DATE EXTRACTED	DATE ANALYZED	DIL. FACTOR
01	OHI-0006-MW01	AQUEOUS	06/01/00	NA	06/05/00	1
02	OHI-0006-MW02	AQUEOUS	06/01/00	NA	06/05/00	1
03	OHI-0006-MW03	AQUEOUS	06/01/00	NA	06/05/00	1

PARAMETER	DET. LIMIT	UNITS	OHI-0006-MW01	OHI-0006-MW02	OHI-0006-MW03
BENZENE	0.5	UG/L	< 0.5	< 0.5	< 0.5
TOLUENE	0.5	UG/L	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	0.5	UG/L	< 0.5	< 0.5	< 0.5
TOTAL XYLENES	0.5	UG/L	< 0.5	< 0.5	< 0.5

SURROGATE:
BROMOFLUOROBENZENE (%) 104 108 109
SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:
N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING


PINNACLE I.D.: 006017

SAMPLE			DATE	DATE	DATE	DIL.
ID. #	CLIENT I.D.	MATRIX	SAMPLED	EXTRACTED	ANALYZED	FACTOR
04	OHI-0006-MW04	AQUEOUS	06/01/00	NA	06/05/00	1
05	OHI-0006-MW05	AQUEOUS	06/01/00	NA	06/05/00	1

PARAMETER	DET. LIMIT	UNITS	OHI-0006-MW04	OHI-0006-MW05
BENZENE	0.5	UG/L	9.0	20
TOLUENE	0.5	UG/L	< 0.5	< 0.5
ETHYLBENZENE	0.5	UG/L	9.5	30
TOTAL XYLENES	0.5	UG/L	14	86

SURROGATE:
BROMOFLUOROBENZENE (%) 111 119
SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:
N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS
REAGENT BLANK

TEST	: EPA 8021 MODIFIED	PINNACLE I.D.	: 006017
BLANK I. D.	: 060500	DATE EXTRACTED	: NA
CLIENT	: PHILIP ENVIRONMENTAL	DATE ANALYZED	: 06/05/00
PROJECT #	: 62800107	SAMPLE MATRIX	: AQUEOUS
PROJECT NAME	: EPFS QUARTERLY SAMPLING		

PARAMETER	UNITS	
BENZENE	UG/L	<0.5
TOLUENE	UG/L	<0.5
ETHYLBENZENE	UG/L	<0.5
TOTAL XYLENES	UG/L	<0.5


SURROGATE:

BROMOFLUOROBENZENE (%)	108
------------------------	-----

SURROGATE LIMITS: (80 - 120)

CHF³ 'ST NOTES:

N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
MSMSD

TEST : EPA 8021 MODIFIED
MSMSD # : 006015-01
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING


PINNACLE I.D. : 006017
DATE EXTRACTED : NA
DATE ANALYZED : 06/05/00
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
BENZENE	<0.5	20.0	18.6	93	19.2	96	3	(80 - 120)	20
TOLUENE	<0.5	20.0	20.2	101	20.4	102	1	(80 - 120)	20
ETHYLBENZENE	<0.5	20.0	20.9	105	21.6	108	3	(80 - 120)	20
TOTAL XYLENES	<0.5	60.0	63.8	106	64.9	108	2	(80 - 120)	20

CHART NOTES:
N/A

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$



- ☐ Developing
- ☒ ~~Purchasing~~

Page 1 of 1

R Thompson
Project Manager

Project No. 628 00107

Phase.Task No. 0301

50.

Water Volume Calculation

Initial Depth of Well (feet)

Initial Depth to Water (feet) 10.61

Height of Water Column in Well (feet)

Water Volume in

Item	Cubic Feet	Gallons
------	------------	---------

Well Casing	597	38
-------------	-----	----

Gravel Pack	
-------------	--

Drilling Fluids

[illegible]

Water Disposal
KUT2 Separator Bloomfield NM

[illegible]

Comments Sampled for BTEX 9:03 AM

Date 9-07-00

Reviewer RT Date 9/19/00

Well Number MW - 04

Serial No. WDPD-

Project Name EPFS Quarterly Sampling

Project Manager R Thompson

Page 1 of 1

Project No. 62800/07

Client Company: _____
Phase Task No. 0301

Site Name Ohio C Govt #3 (72890)

Site Address Rural Son Juan CO

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal

☐ Other

Methods of Development

Pump
Bailer

☐ Centrifugal ☒ Bottom Valve

☐ Submersible ☐ Double Check Valve

☐ Peristaltic ☐ Stainless-steel Kemmerer

☐ Other

Water Volume Calculation

Initial Depth of Well (feet)

Initial Depth to water (feet) 10.65

Height of Water Column in Well (feet) 10.3

Diameter (inches): Well 4" Gravel Pack 1/2"

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing	10.3	6.72 x 3	20.16
Gravel Pack			
Drilling Fluids			
Total			20.16

Water Removal Data

[illegible]

Circle the date and time that the development criteria are met.

Comments	Time
SAMPLED FOR BTEX	4:30 pm

Developer's Signature(s) Chris A. May

00000000-06-00

Reviewer _____ RT Date: 9/12/00

☐ Development
☒ Purging

Well Number MW-05-

Serial No. WDPD-

Page 1 of 1

Project Name EpFS quarterly Sampling
Client Company EpFS

Project Manager R. Thompson

Project No. 628 00107

Phase.Task No. 0301

Site Name OHIO C. GOVT. #3 (72890) Site Address Rural San Juan CO

Site Address Rural San Juan Co.

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal☒ Stabilization of Indicator Parameters☐ Other

Water Volume Calculation

Initial Depth of Well (feet) 21.71

Initial Depth to Water (feet)	15.98
-------------------------------	-------

Height of Water Column in Well (feet) 12.5

Diameter (inches): Well 4 " Gravel Pack

Methods of Development

Pump	Bailer
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

☐ Centrifugal ☒ Bottom Valve☐ Submersible ☐ Double Check Valve☐ Peristaltic ☐ Stainless-steel Kemmerer☐ Other

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing	5' 23	3,748.3	11,222
Gravel Pack			
Drilling Fluids			
Total			11,222

Instruments

✓

☒ pH meter

☐ DO Monitor

1100

☒ Conduct

☒ Tempera

Product A

☐ Other _____

Water Disposal

KuT2 Separative Bloomfield N.M.

Water Removal Data

[illegible]

Circle the date and time that the development criteria are met.

Comments	Sampled for BTEX	9:59 AM

Developer's Signature(s) Chris A. M... Date 09-02-05 Reviewer RT Date 9/19/00

Chain of Custody Record

(505) 326-2262 Phone
(505) 326-2388 FAX

COC Serial No. C 2447

Relinquished by:

Received By:

Furnished by:		Received by:	
Signature	Date	Signature	Date
<i>Chris A May</i>	09-07-00		
	16 00		

Samples Iced: ☐ Yes ☐ No	Carrier: <u>Greyhound Bus Lines</u>	Airbill No. <u>GL 160 CV 4654</u>
Shipping and Lab Notes:		
Preservatives (ONLY for Water Samples)		
☐ Cyanide	☐ Sodium hydroxide (NaOH)	
☐ Volatile Organic Analysis	☐ Hydrochloric acid (HCl)	
☐ Metals	☐ Nitric acid (HNO ₃)	
☐ TPH (418.1)	☐ Sulfuric acid (H ₂ SO ₄)	
☒ Other (Specify) <u>HgCl₂</u>		
☐ Other (Specify)		



SEP 15 2000

2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

Pinnacle Lab ID number 009051
September 13, 2000

PHILIP ENVIRONMENTAL
4000 MONROE ROAD
FARMINGTON, NM 87401

EL PASO FIELD SERVICES
614 RIELY STREET
FARMINGTON, NM 87401

Project Name EPFS QUARTERLY SAMPLING
Project Number 62800107

Attention: ROBERT THOMPSON/LEAUDRA STANLEY

On 09/08/00 Pinnacle Laboratories, Inc., (ADHS License No. AZ0592 pending), received a request to analyze **aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

If you have any questions or comments, please do not hesitate to contact us at (505)344-3777.

H. Mitchell Rubenstein, Ph. D.
General Manager

MR: jt


Enclosure



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

CLIENT	: PHILIP ENVIRONMENTAL	PINNACLE ID	: 009051
PROJECT #	: 62800107	DATE RECEIVED	: 09/08/00
PROJECT NAME	: EPFS QUARTERLY SAMPLING	REPORT DATE	: 09/13/00

PIN			DATE
ID. #	CLIENT DESCRIPTION	MATRIX	COLLECTED
01	OHI-0009-MW 01	AQUEOUS	09/06/00
02	OHI-0009-MW 04	AQUEOUS	09/06/00
03	OHI-0009-MW 02	AQUEOUS	09/07/00
04	OHI-0009-MW 03	AQUEOUS	09/07/00
05	OHI-0009-MW 05	AQUEOUS	09/07/00



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING


PINNACLE I.D.: 009051

SAMPLE			DATE	DATE	DATE	DIL.
ID. #	CLIENT I.D.	MATRIX	SAMPLED	EXTRACTED	ANALYZED	FACTOR
01	OHI-0009-MW 01	AQUEOUS	09/06/00	NA	09/11/00	1
02	OHI-0009-MW 04	AQUEOUS	09/06/00	NA	09/11/00	1
03	OHI-0009-MW 02	AQUEOUS	09/07/00	NA	09/11/00	1

PARAMETER	DET. LIMIT	UNITS	OHI-0009-MW 01	OHI-0009-MW 04	OHI-0009-MW 02
BENZENE	0.5	UG/L	< 0.5	3.2	< 0.5
TOLUENE	0.5	UG/L	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	0.5	UG/L	< 0.5	9.3	< 0.5
TOTAL XYLENES	0.5	UG/L	< 0.5	12	< 0.5

SURROGATE:
BROMOFLUOROBENZENE (%) 104 114 103
SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:
N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING

PINNACLE I.D.: 009051


SAMPLE ID. #	CLIENT I.D.	MATRIX	DATE SAMPLED	DATE EXTRACTED	DATE ANALYZED	DIL. FACTOR
04	OHI-0009-MW 03	AQUEOUS	09/07/00	NA	09/11/00	1
05	OHI-0009-MW 05	AQUEOUS	09/07/00	NA	09/11/00	1

PARAMETER	DET. LIMIT	UNITS	OHI-0009-MW 03	OHI-0009-MW 05
BENZENE	0.5	UG/L	< 0.5	15
TOLUENE	0.5	UG/L	< 0.5	< 0.5
ETHYL BENZENE	0.5	UG/L	< 0.5	24
TOXYLENES	0.5	UG/L	< 0.5	78

SURROGATE:

BROMOFLUOROBENZENE (%) 99 113
SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:
N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS
REAGENT BLANK

TEST	: EPA 8021 MODIFIED	PINNACLE I.D.	: 009051
BLANK I. D.	: 091100	DATE EXTRACTED	: NA
CLIENT	: PHILIP ENVIRONMENTAL	DATE ANALYZED	: 09/11/00
PROJECT #	: 62800107	SAMPLE MATRIX	: AQUEOUS
PROJECT NAME	: EPFS QUARTERLY SAMPLING		

PARAMETER	UNITS	
BENZENE	UG/L	<0.5
TOLUENE	UG/L	<0.5
ETHYLBENZENE	UG/L	<0.5
TOTAL XYLENES	UG/L	<0.5

SURROGATE:


BR (FLUOROBENZENE (%))

104

SURROGATE LIMITS: (80 - 120)

CHEMIST NOTES:

N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
MSMSD

TEST : EPA 8021 MODIFIED
MSMSD # : 009051-01
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING

PINNACLE I.D. : 009051
DATE EXTRACTED : NA
DATE ANALYZED : 09/11/00
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
BENZENE	<0.5	20.0	20.1	101	19.7	99	2	(80 - 120)	20
TOLUENE	<0.5	20.0	21.0	105	21.1	106	0	(80 - 120)	20
ETHYLBENZENE	<0.5	20.0	22.1	111	21.7	109	2	(80 - 120)	20
TOTAL XYLENES	<0.5	60.0	66.0	110	65.7	110	0	(80 - 120)	20

CHEMIST NOTES:
N/A

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$

PHILIP

ENVIRONMENTAL

Chain of Custody Record

4000 Monroe Road
Farmington, NM 87401

(505) 326-2262 Phone
(505) 326-2388 FAX

COC Serial No. C 2447

069051

Project Name <u>E-PFS quarterly Sampling</u>		Type of Analysis and Bottle	
Project Number <u>62400107 Phase. Task 0301</u>		Lab ID#	
Samplers <u>C-maez</u>		GTex 8021	
Laboratory		Total Number of Bottles	
Name <u>Pinnacle</u>			
Location <u>ALBq. NM.</u>			
Sample Number (and depth)	Date	Time	Matrix
OHI-0009-MW-01	09-06-00	3:36pm	H2O
OHI-0009-MW-04	09-06-00	5:30pm	H2O
OHI-0009-MW-02	09-07-00	9:03 AM	H2O
OHI-0009-MW-03	09-07-00	10:51 AM	H2O
OHI-0009-MW-05	09-07-00	9:59 AM	H2O
Comments			
OHI-0009-MW-01 OHIO C. GOUT #3			
OHI-0009-MW-04 OHIO C. GOUT #3			
OHI-0009-MW-02 OHIO C. GOUT #3			
OHI-0009-MW-03 OHIO C. GOUT #3			
OHI-0009-MW-05 OHIO C. GOUT #3			

Relinquished by:

Received By:

Signature <u>Chris A. May</u>	Date <u>09-07-00</u>	Time <u>16 00</u>	Signature <u>James J. J. J.</u>	Date <u>9/8/00</u>	Time <u>1420</u>
----------------------------------	-------------------------	----------------------	------------------------------------	-----------------------	---------------------

Samples Iced: ☐ Yes ☐ No

Preservatives (ONLY for Water Samples)

- ☐ Cyanide Sodium hydroxide (NaOH)
☐ Volatile Organic Analysis Hydrochloric acid (HCl)
☐ Metals Nitric acid (HNO3)
☐ TPH (418.1) Sulfuric acid (H2SO4)
☒ Other (Specify) HgCl2
☐ Other (Specify) _____

Carrier: 1 Greyhound Bus Lines

Shipping and Lab Notes:

Rec'd @ 4:10

Airbill No. GLL 160 CTI 8654



WELL DEVELOPMENT AND PURGING DATA

Page 1 of 1

Project Manager R Thompson

Project No. 628 00107

Phase.Task No. 0301

Water Volume Calculation:

Initial Depth of Well (feet) 21.64

١٥٠

13.00

①
②

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing	8.64	5.66 X 3	16.98
Gravel Pack			
Drilling Fluids			
Total			16.98

Pump ☐ Centrifugal ☒ Bottom Valve ☐ Double Check Valve ☐ Stainless-steel Kemmerer

Bailer ☐ Submersible ☐ Peristaltic ☐ Other

☐ Other

Water Disposal

[illegible]

Circle the date and time that the development criteria are met.

Comments: AFTER Bailing Approximately 11.5 gallons Bailed will Dry Let Recover Sampled
for BTEX 1100

Date 12-04-00

Reviewer RT Date 12/7/00

Project Name: EpFS quarterly Sampling

Project Manager R Thompson

Project No. 62800107

Client Company El peso Field Services

Phase Task No. 0301

File Name OHIO C gov. # 3 (72890)

Site Address Rural Sen. Jan. Co

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal☒ Stabilization of Indicator Parameters

☐ Other

Water Volume Calculation

Initial Depth of Well (feet) 21.05

Initial Depth to Water (feet) 4.05

Height of Water Column in Well (feet)

Diameter (inches): Well 4" Gravel Pack

Methods of Development

Pump
Boiler

☐ Centrifugal ☒ Bottom Valve

☐ Submersible ☐ Double Check Valve

☐ Peristaltic ☐ Stainless-steel Kemmerer

☐ Other

Water Disposal

KUTZ Separator Bloomfield N.M.

Water Removal Data

[illegible]

Circle the date and time that the development criteria are met.

Comments Sampled for BTEX 1327

Developer's Signature(s) Dr. A. May

Date / 2-04-00

Reviewer RT

Date 12/7/00



WELL DEVELOPMENT AND PURGING DATA

Page 7 of 7

Project Manager R Thompson

Phase.Task No.0301

Site Address Rural San Juan CO

Water Volume Calculation

202

Initial Depth to Water (feet) 0.66

Well No.	Height of Water Column in Well (feet)	0.26
1	10.26	

Diameter (inches): Well 4" Gravel Pack

	Water Volume in Well	Gallons to be
--	----------------------	---------------

Item	Cubic Feet	Gallons	Removed
			Removed

Well Costing	10.26	6.69 X 3	20.07
--------------	-------	----------	-------

	Gravel Pock
--	-------------

Drilling fluids			
-----------------	--	--	--

30.00	Total
-------	-------

[illegible]

Article the date and time that the development calendar are met

Comments	Sampled For BTEX 1143
State into and out of the treatment plant and then.	

Developer's Signature(s) Chad A. M

Date 12-04-00

RT Date 12/7/00

Well Number MW 05

☐ Developing ☒ Purging

WELL DEVELOPMENT AND PURGING DATA

Serial No. WDPD-

Page / of

Project Name EPFS quarterly sampling

Project Manager R. Thompson

Project No. 62800107

Client Company EL Paso Field Services

Phase.Task No.0301

Site Name 0HTO C. gov. #3 (72890)

Site Address Rural Sen Jan Co

Development Criteria

☒ 3 to 5 Casing Volumes of Water-Removal

☒ Stabilization of Indicator Parameters☐ Other

Methods of Development

Pump

☐ Centrifugal ☒ Bottom Valve

☐ Submersible ☐ Double Check Valve

☐ Peristaltic ☐ Stainless-steel Kemmerer

Other

Water Volume Calculation:

Initial Depth of Well (feet)

Initial Depth to Water (feet)

-Height-of-Water Column in Well (feet) S.S.Diameter (inches): Well 4" Gravel Pack _____

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing	5.8	3.78 x 3	11.34
Gravel Pack			
Drilling Fluids			
Total			11.34

Water Removal Data

[illegible]

Circle the date and time that the development criteria are met.

Comments After Bailing Approximately 8.5 gallons Bailed well Dry 1410 Let Recover

Sampled for BTex 1440

Developer's Signature(s) Chris A. May

Date 12-04-00

Reviewer RT

Date 12/7/00

Chain of Custody Record

4000 Monroe Road
Farmington, NM 87401

(505) 326-2262 Phone
(505) 326-2388 FAX

COC Serial No. C 2802

Project Name		Project Number		Phase		Task		Total Number of Bottles		Type of Analysis and Bottle		Comments	
Samplers	Laboratory	Name	Location	Sample Number (and depth)	Date	Time	Matrix						
C - mae2		PINNACLE	ALBQ NM										
				OHI-0012-MW01	12-04-00	11 00	H ₂ O	2	X				OHI-0012-MW01 (72 890)
				OHI-0012-MW51	12-04-00	11 00	H ₂ O	2	X				
				OHI-0012-MW02	12-04-00	12 36	H ₂ O	2	X				
				OHI-0012-MW03	12-04-00	13 27	H ₂ O	2	X				
				OHI-0012-MW04	12-04-00	11 34	H ₂ O	2	X				
				OHI-0012-MW05	12-04-00	14 40	H ₂ O	2	X				

Relinquished by:

Received By:

Received by:					
	Signature	Date	Time	Signature	Time
	<i>[Handwritten Signature]</i>	12-07-00	1430		

Samples Iced: ☒ Yes ☐ No

Carrier: Greyhound
Shipping and Lab Notes:

Airbill No. 6-67/606919985

Preservatives (ONLY for Water Samples)

☐ Cyanide

☐ Sodium hydroxide (NaOH)

☐ Volatile Organic Analysis Hydrochloric acid (HCl)


☐ Metals ☐ Nitric acid (HNO_3)

NETWIS Nitric acid (HNO₃)
Sulfuric acid (H₂SO₄)
TDS (1/10.1)

☒ IFA (418.1) H-513
☐ Sulfuric acid (112504)

☒ Other (Specify) WSS: I

PF-1764195



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

Pinnacle Lab ID number **012033**
December 13, 2000

PHILIP ENVIRONMENTAL
4000 MONROE ROAD
FARMINGTON, NM 87401

EL PASO FIELD SERVICES
614 RIELLY STREET
FARMINGTON, NM 87401

Project Name EPFS QUARTERLY SAMPLING
Project Number 62800107

Attention: ROBERT THOMPSON/SCOTT POPE


On 12/08/00 Pinnacle Laboratories, Inc., (ADHS License No. AZ0592 pending), received a request to analyze **aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

If you have any questions or comments, please do not hesitate to contact us at (505)344-3777.

H. Mitchell Rubenstein, Ph. D.
General Manager

MR: jt


Enclosure



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

CLIENT	: PHILIP ENVIRONMENTAL	PINNACLE ID	: 012033
PROJECT #	: 62800107	DATE RECEIVED	: 12/08/00
PROJECT NAME	: EPFS QUARTERLY SAMPLING	REPORT DATE	: 12/13/00

PINNACLE			DATE
ID #	CLIENT DESCRIPTION	MATRIX	COLLECTED
012033 - 01	OHI-0012-MW01	AQUEOUS	12/04/00
012033 - 02	OHI-0012-MWS1	AQUEOUS	12/04/00
012033 - 03	OHI-0012-MW02	AQUEOUS	12/04/00
012033 - 04	OHI-0012-MW03	AQUEOUS	12/04/00
012033 - 05	OHI-0012-MW04	AQUEOUS	12/04/00
012033 - 06	OHI-0012-MW05	AQUEOUS	12/04/00



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS


TEST : EPA 8021 MODIFIED
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING

PINNACLE I.D.: 012033

SAMPLE		MATRIX	DATE	DATE	DATE	DIL.
ID. #	CLIENT I.D.		SAMPLED	EXTRACTED	ANALYZED	FACTOR
01	OHI-0012-MW01	AQUEOUS	12/04/00	NA	12/12/00	1
02	OHI-0012-MWS1	AQUEOUS	12/04/00	NA	12/12/00	1
03	OHI-0012-MW02	AQUEOUS	12/04/00	NA	12/12/00	1
PARAMETER		DET. LIMIT	UNITS	OHI-0012-MW01	OHI-0012-MWS1	OHI-0012-MW02
BENZENE		0.5	UG/L	< 0.5	< 0.5	< 0.5
TOLUENE		0.5	UG/L	< 0.5	< 0.5	< 0.5
ETH. BENZENE		0.5	UG/L	< 0.5	< 0.5	< 0.5
TOTAL XYLENES		0.5	UG/L	< 0.5	< 0.5	< 0.5

SURROGATE:
BROMOFLUOROBENZENE (%) 98 98 98
SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:
N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS


TEST : EPA 8021 MODIFIED
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING

PINNACLE I.D.: 012033

SAMPLE		MATRIX	DATE	DATE	DATE	DIL.
ID. #	CLIENT I.D.		SAMPLED	EXTRACTED	ANALYZED	FACTOR
04	OHI-0012-MW03	AQUEOUS	12/04/00	NA	12/12/00	1
05	OHI-0012-MW04	AQUEOUS	12/04/00	NA	12/12/00	1
06	OHI-0012-MW05	AQUEOUS	12/04/00	NA	12/12/00	1
PARAMETER		DET. LIMIT	UNITS	OHI-0012-MW03	OHI-0012-MW04	OHI-0012-MW05
BENZENE		0.5	UG/L	< 0.5	0.9	10
TOLUENE		0.5	UG/L	< 0.5	< 0.5	< 0.5
ETHYLBENZENE		0.5	UG/L	< 0.5	3.3	22
TOTAL XYLENES		0.5	UG/L	< 0.5	4.8	65

SURROGATE:
BROMOFLUOROBENZENE (%) 97 103 106
SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:
N/A




2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS
REAGENT BLANK

TEST	: EPA 8021 MODIFIED	PINNACLE I.D.	: 012033
BLANK I. D.	: 121200	DATE EXTRACTED	: NA
CLIENT	: PHILIP ENVIRONMENTAL	DATE ANALYZED	: 12/12/00
PROJECT #	: 62800107	SAMPLE MATRIX	: AQUEOUS
PROJECT NAME	: EPFS QUARTERLY SAMPLING		

PARAMETER	UNITS	
BENZENE	UG/L	<0.5
TOLUENE	UG/L	<0.5
ETHYLBENZENE	UG/L	<0.5
TOTAL XYLENES	UG/L	<0.5

SURROGATE:
BRC FLUOROBENZENE (%) 96
SURROGATE LIMITS: (80 - 120)
CHEMIST NOTES:
N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
MSMSD

TEST : EPA 8021 MODIFIED
MSMSD # : 012033-01
CLIENT : PHILIP ENVIRONMENTAL
PROJECT # : 62800107
PROJECT NAME : EPFS QUARTERLY SAMPLING

PINNACLE I.D. : 012033
DATE EXTRACTED : NA
DATE ANALYZED : 12/12/00
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
BENZENE	<0.5	20.0	19.7	99	19.9	100	1	(80 - 120)	20
TOLUENE	<0.5	20.0	19.2	96	19.4	97	1	(80 - 120)	20
ETHYLBENZENE	<0.5	20.0	20.7	104	20.9	105	1	(80 - 120)	20
TOTAL XYLENES	<0.5	60.0	60.5	101	61.1	102	1	(80 - 120)	20

CHEMIST NOTES:
N/A

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$

PHILIP



Chain of Custody Record

4000 Monroe Road
Farmington, NM 87401

(505) 326-2262 Phone
(505) 326-2388 FAX

012033

COC Serial No. C 2802

Project Name <u>EPFS Quarterly Sampling</u>		Project Number <u>62800107 Phase Task 0301</u>		Sampers <u>C. Macz</u>		Laboratory		Name <u>PTINNACLE</u>		Location <u>ALBQ NM</u>		Sample Number (and depth)		Date	Time	Matrix	Total Number of Bottles	Type of Analysis and Bottle	Comments	
OHI-0012-MW01		12-04-00		11 00		H ₂ O		2		X		01						OH20 C.G.O. #3 (72890)		
OHI-0012-MW02		12-04-00		11 00		H ₂ O		2		X		02								
OHI-0012-MW03		12-04-00		12 36		H ₂ O		2		X		03								
OHI-0012-MW04		12-04-00		13 27		H ₂ O		2		X		04								
OHI-0012-MW05		12-04-00		11 34		H ₂ O		2		X		05								
OHI-0012-MW06		12-04-00		14 40		H ₂ O		2		X		06								

Relinquished by:

Received By:

Signature	Date	Time	Signature	Date	Time
<u>Joe A. Macz</u>	<u>12-07-00</u>	<u>1430</u>	<u>Janene J. Macz</u>	<u>12/8/00</u>	<u>1005</u>

Samples Iced: ☒ Yes ☐ No

Preservatives (ONLY for Water Samples)

- ☐ Cyanide
- ☐ Volatile Organic Analysis
- ☐ Metals
- ☐ TPH (418.1)
- ☒ Other (Specify) H₂SO₄
- ☐ Other (Specify)
- ☐ Sodium hydroxide (NaOH)
- ☐ Hydrochloric acid (HCl)
- ☐ Nitric acid (HNO₃)
- ☐ Sulfuric acid (H₂SO₄)

Carrier: Greyhound

Shipping and Lab Notes:

Rec'd @ 43°

Airbill No. GLI/606919985