

3R - 430

**DEC 2010
QUARTERLY
GWMR**

06/03/2011



TETRA TECH, INC.

6121 Indian School Rd. NE Suite 200
Albuquerque, NM 87110
(505) 237-8440

RECEIVED OGC

June 3, 2011

2011 JUN -7 A 10:59

Mr. Glenn von Gonten
State of New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

RE: (1 and 2) ConocoPhillips Company, Nell Hall No. 1, San Juan County, New Mexico -
September 2010 and March 2011 Semi-Annual Groundwater Monitoring Reports
(3) ConocoPhillips Company Randleman No. 1 Site, San Juan County, New Mexico -
September 2010 Quarterly Groundwater Monitoring Report
(4) ConocoPhillips Company, San Juan 27-5 No. 34A, Rio Arriba County, New Mexico -
March 2011 Quarterly Groundwater Monitoring Report
(5) ConocoPhillips Company, Sategna No. 2E, San Juan County, New Mexico - March
2011 Quarterly Groundwater Monitoring Report
(6) ConocoPhillips Company, Shepherd & Kelsey No. 1E, San Juan County, New Mexico -
March 2011 Quarterly Groundwater Monitoring Report
(7 and 8) ConocoPhillips Company Wilmuth No. 1 Site, San Juan County, New Mexico -
December 2010 and March 2011 Quarterly Groundwater Monitoring Reports

Dear Mr. von Gonten:

Enclosed please find a copy of the above-referenced documents as compiled by Tetra Tech, Inc., for these San Juan Basin sites.

Please do not hesitate to contact me at (505) 237-8440 if you have any questions or require additional information.

Sincerely,

Kelly E. Blanchard
Project Manager/Geologist

Enclosures (8)

Cc: Brandon Powell, New Mexico Oil Conservation Division (Aztec, NM Office)
Terry Lauck, ConocoPhillips Company Risk Management and Remediation (electronic only)
Chris Jaquez, Landowner (Nell Hall No. 1 only)

3R430

**DECEMBER 2010 GROUNDWATER
MONITORING REPORT**

**CONOCOPHILLIPS COMPANY
WILMUTH NO. 1
NATURAL GAS PRODUCTION SITE
SAN JUAN COUNTY, NEW MEXICO**

OCD Order # TBD

API # 30-045-10370

Prepared for:



Risk Management and Remediation
420 South Keeler Avenue
Bartlesville, OK 74004

Prepared by:



TETRATECH, INC.

6121 Indian School Rd. NE, Suite 200
Albuquerque, NM 87110
Tetra Tech Project No. 114-690153

May 2011

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	Site Background	1
2.0	MONITORING SUMMARY, SAMPLING METHODOLOGY, AND ANALYTICAL RESULTS	1
2.1	Monitoring Summary	1
2.2	Groundwater Sampling Methodology	2
2.3	Groundwater Sampling Analytical Results	2
3.0	CONCLUSIONS AND RECOMMENDATIONS	3

FIGURES

1. Site Location Map
2. Site Detail Map
3. Generalized Geologic Cross Section
4. Groundwater Elevation Contour Map – December 2010

TABLES

1. Site History Timeline
2. Groundwater Elevation Data Summary (April 2010 – December 2010)
3. Groundwater Laboratory Analytical Results Summary (April 2010– December 2010)

APPENDICES

- Appendix A. December 2010 Quarterly Groundwater Sampling Field Forms
- Appendix B. December 2010 Quarterly Groundwater Laboratory Analytical Report

DECEMBER 2010 GROUNDWATER MONITORING REPORT WILMUTH NO. 1, SAN JUAN COUNTY, NEW MEXICO

1.0 INTRODUCTION

This report discusses the groundwater monitoring event conducted by Tetra Tech, Inc. (Tetra Tech) on December 16, 2010 at the ConocoPhillips Company (ConocoPhillips) Wilmuth No. 1 site located north of Aztec, New Mexico (Site). This report also presents the analytical results of the quarterly groundwater monitoring event.

The Site is located on private land leased to ConocoPhillips and is situated in Section 26, Township 31N, Range 11W, of San Juan County, New Mexico (**Figure 1**). A Site detail map is included as **Figure 2**.

1.1 Site Background

The Wilmuth No. 1 natural gas production well was spudded in 1958 by El Paso Natural Gas Company. Meridian Oil, Inc., a subsidiary of Burlington Resources, Inc. (Burlington), took over operation of the well on November 1, 1986. ConocoPhillips acquired Burlington on March 31, 2006.

A release of approximately 22 barrels (bbls) of produced water occurred within the bermed area around the produced water tank on May 17, 2001. Twenty bbls were later recovered. A release of condensate occurred on December 17, 2002 from a corrosion hole in the condensate tank. Burlington excavated a total of 85 cubic yards of impacted soil and disposed of it at JFJ landfarm, located in Aztec, NM.

During December, 2009, ConocoPhillips personnel notified the New Mexico Oil Conservation Division (NMOCD) of groundwater seeping into two separate areas undergoing excavation to remove stained soil discovered during line tie-in procedures. Four groundwater monitoring wells were subsequently installed under the supervision of Tetra Tech in April, 2010. A generalized geologic cross section was produced using boring logs from monitoring well installation at the Site. The cross section is presented as **Figure 3**.

Tetra Tech began quarterly sampling immediately following development of the wells by collecting a baseline round of groundwater samples on April 8, 2010. The most recent sampling event took place on December 16, 2010, and represents the fourth round of quarterly sampling conducted by Tetra Tech at the Site. The historical timeline is also presented in **Table 1**.

2.0 MONITORING SUMMARY, SAMPLING METHODOLOGY, AND ANALYTICAL RESULTS

2.1 Monitoring Summary

A groundwater quality monitoring event was conducted on December 16, 2010 at the Wilmuth No. 1 site. Prior to collection of groundwater samples from Monitor Wells MW-1, MW-2, MW-3 and MW-4, depth to

groundwater in each well was determined. The casings for Site monitoring wells were surveyed on April 8, 2010 using an arbitrary reference-elevation of 100 feet above mean sea level (amsl). The data obtained from the Site survey and groundwater elevations collected during the December 2010 sampling event were used to create a groundwater elevation contour map for the Site, presented as **Figure 4**. Using these data, it was determined that the groundwater flow direction at the Site is to the southwest. Numerical groundwater elevation information from December 2010 is also included in **Table 2**.

2.2 Groundwater Sampling Methodology

During the December 2010 groundwater monitoring event, Site monitor wells were purged of at least 3 casing volumes of groundwater using a 1.5-inch diameter, polyethylene, dedicated bailer. While bailing each well, groundwater parameter data such as temperature, pH, conductivity, total dissolved solids (TDS), oxidation-reduction potential (ORP) and dissolved oxygen (DO) were collected using a YSI 556 multi-parameter sonde and results were recorded on a Tetra Tech Water Sampling Field Form (**Appendix A**). Collected groundwater samples were placed in laboratory prepared bottles, packed on ice, and shipped with chain-of-custody documentation. Analysis of all groundwater samples collected during the December 2010 event was performed by Southern Petroleum Laboratory (SPL) of Houston, Texas.

Samples collected during the December 2010 sampling event were analyzed for benzene, toluene, ethylbenzene, total xylenes (BTEX) by EPA Method 8260B; sulfate by EPA Method 300.0; and dissolved manganese by EPA Method 6010B. This list of constituents was determined based on the analytical results from the groundwater baseline and initial Site groundwater concerns. Results of the December 2010 groundwater monitoring event are summarized in **Table 3** and discussed in more detail in the following section.

2.3 Groundwater Sampling Analytical Results

The New Mexico Water Quality Control Commission (NMWQCC) mandates that groundwater quality in New Mexico be protected, and has issued groundwater quality standards in Title 20, Chapter 6, Part 2, Section 3103 of the New Mexico Administrative Code (20.6.2.3103 NMAC). Groundwater quality standards have been set for the protection of human health, domestic water supply, and irrigation use. Exceedences of NMWQCC groundwater quality standards in Site monitor wells are discussed below. Results can be seen summarized in **Table 3**.

- **Dissolved Manganese**

- The groundwater quality standard for dissolved manganese is 0.2 micrograms per liter (mg/L). Groundwater collected from all Site monitoring wells was found to be above the standard for dissolved manganese during December 2010. Manganese concentrations were 0.896 mg/L, 1.37 mg/L, 1.33 mg/L, and 2.85 mg/L for wells MW-1, MW-2, MW-3, and MW-4, respectively.

- **Total Dissolved Solids**

- The groundwater quality standard for Total Dissolved Solids (TDS) is 1,000 mg/L. Groundwater collected from all Site monitoring wells was found to contain TDS at concentrations greater than 1,000 mg/L during the December 2010 quarterly sampling events. TDS concentrations were 1,010 mg/L, 1,410 mg/L, 1,200 mg/L, and 1,350 mg/L for wells MW-1, MW-2, MW-3, and MW-4, respectively.

No other analyzed constituents, including BTEX, were found above NMWQCC groundwater quality standards in Site monitor wells during the December 2010 monitoring event.

The corresponding laboratory analytical report for the December 2010 groundwater sampling event, including a quality control summary, is included in **Appendix B**.

3.0 CONCLUSIONS AND RECOMMENDATIONS

Tetra Tech conducted the fourth round of quarterly groundwater monitoring at the Wilmuth No. 1 site on December 16, 2010. The groundwater monitoring wells will continue to be sampled on a quarterly monitoring schedule, and the next groundwater monitoring event at the Site is scheduled for March 2011. The groundwater flow direction at the Site was determined to be to the southwest as of December 2010. Tetra Tech will continue to monitor the groundwater flow direction at the Site and will note any changes should they occur.

As a result of the suite of chemical analyses conducted on all groundwater monitor wells at the Site during December 2010, continued groundwater quality monitoring beyond BTEX analysis is recommended. In order to move toward NMOCD remediation project closure, Tetra Tech will continue to monitor for BTEX, chloride, sulfate, TDS and dissolved manganese. Tetra Tech recommends the continuation of quarterly groundwater monitoring until TDS and dissolved manganese concentrations are also below NMWQCC standards, appear stable or reach regional background levels. Please contact Kelly Blanchard at 505-237-8440 or kelly.blanchard@tetratech.com if you have any questions or require additional information.

FIGURES


1. Site Location Map
2. Site Detail Map
3. Generalized Geologic Cross Section
4. Groundwater Elevation Contour Map – December 2010



FIGURE 1.

Site Location Map

ConocoPhillips Company
Wilmuth No. 1
Aztec, NM



ConocoPhillips Company
Wilmuth No. 1 Site
Location

Latitude: 36.864630° N
Longitude: -107.963910° W



ConocoPhillips



TETRA TECH, INC.



FIGURE 2:
 SITE LAYOUT MAP
 CONOCOPHILLIPS COMPANY
 WILMUTH NO. 1
 GAS PRODUCTION WELL
 Sec 26, T31N, R11W
 Aztec, New Mexico

LEGEND

- ⊕ XTO Wilmoth No. 2 Wellhead
- ⊕ ConocoPhillips Wilmoth No. 1 Wellhead
- ⊕ Monitoring Well
- Approximate 2009 Excavation Location
- Approximate 2002 Excavation Location
- ConocoPhillips Production Equipment
- XTO Production Equipment
- Berm
- ⊗ Site Boundary Fence

ConocoPhillips



TETRA TECH, INC.

Figure 3
Wilmuth No. 1 Cross-Section A-A'






FIGURE 4:

GROUNDWATER CONTOUR MAP
 DECEMBER 2010
 CONOCOPHILLIPS COMPANY
 WILMUTH NO. 1
 NATURAL GAS PRODUCTION WELL
 Sec 26, T31N, R11W
 Aztec, New Mexico

- ⊕ XTO Wilmoth No. 2 Wellhead
- ⊕ ConocoPhillips Wilmoth No. 1 Wellhead
- ⊕ Monitoring Well
- ⊕ Approximate 2009 Excavation Location
- ⊕ Approximate 2002 Excavation Location
- Groundwater Elevation Contour Line (dashed where inferred)

LEGEND

- ConocoPhillips Production Equipment
- XTO Production Equipment
- Berm
- 92.12 Groundwater Elevation (Feet)
- Site Boundary Fence



ConocoPhillips



TETRA TECH, INC.

TABLES

1. Site History Timeline
2. Groundwater Elevation Data Summary (April – December 2010)
3. Groundwater Laboratory Analytical Results Summary (April – December 2010)

Table 1. ConocoPhillips Company, Wilmuth No. 1 - Site History Timeline

Date/Time Period	Event/Action	Description/Comments
July 24, 1958 to August 11, 1958	Production Well Completion	Well spudded and completed by El Paso Natural Gas Company.
November 1, 1986	Change of Operator	Operator changed from El Paso Natural Gas Company to Meridian Oil Inc. (a subsidiary of Burlington Resources, Inc.)
May 17, 2001	Release	Due to a broken dump arm, 22 barrels (bbbls) of produced water was released within the bermed area around the produced water tank. 20 bbls were reported to be recovered.
December 17, 2002	Release	A corrosion hole in the bottom of a steel pit tank that collected fluids from the separator and condensate tank drain allowed an unknown volume of produced water and condensate to leak onto the ground. All fluids were contained inside the tank berm. Impacted gravel and soils were excavated and disposed of at JFJ Landfarm. Excavation dimensions were approximately 30 feet by 25 feet by 3 feet for a total of 85 cubic yards.
May 21, 2004	Workover Pit Proposal Approved	A lined workover pit was approved by Denny Faust of the NMOCD as detailed in Burlington Resources general pit construction plan dated April 26, 2004 which was also approved by the NMOCD.
March 31, 2006	Change of Operator	ConocoPhillips Company completed acquisition of Burlington Resources.
December 22 and 23, 2009	Potential for Groundwater Impacts Discovered	ConocoPhillips company notified Brandon Powell and Kelly Roberts of the OCD about groundwater seeping into two excavated areas on Site where discolored soils had been found during line tie-in procedures. The type, volume and origin of the initial release was unknown. Groundwater samples were collected from the two areas and analyzed by Envirotech Inc. of Farmington, NM for benzene, toluene, ethylbenzene and total xylenes (BTEX), total petroleum hydrocarbons (TPH) and chloride. Analytical results indicate that BTEX and TPH are below NMWQCC groundwater standards, however, chloride was present at a concentration above the standard of 250 mg/L with a concentration of 2,500 mg/L in the area of the excavation and a concentration of 950 mg/L in a trench associated with line tie-in procedures. Soil samples were collected from the same trench groundwater samples were collected from where discolored soil was present. The soil was analyzed by Envirotech for BTEX, TPH and Chloride. Analytical results for all soil samples were below NMOCD recommended soil action levels.
January 7, 2010	NMOCD Correspondence	C-141 Release Notification and Corrective Action form was submitted to the NMOCD by ConocoPhillips.
April 5, 2010 through April 7, 2010	Groundwater Monitoring Well Installation and Baseline Soil Sampling	Tetra Tech supervised the installation of 4 groundwater Monitoring Wells: MW-1, MW-2, MW-3 and MW-4, by Enviro-Drill Inc. of Albuquerque, NM. Each well was installed with 25 feet of screen. MW-1, MW-2 and MW-3 were all set at 30 feet below ground surface. MW-4 was set at 35 feet below ground surface. A confining layer of gray siltstone was found at depth in each of the four boring locations. Soil samples were collected from all four soil borings and analyzed for major ions, total metals, semi-volatile organic compounds (SVOCs), volatile organic compounds (VOCs) including BTEX, diesel range organics, and gasoline range organics. Analytical results for all soil samples were below NMOCD recommended soil action levels.
April 8, 2010	Baseline Groundwater Sampling	Tetra Tech conducted the initial groundwater sampling from Site Monitoring Wells, MW-1, MW-2, MW-3 and MW-4. A baseline suite was completed including major ions, NMWQCC dissolved metals, SVOCs, VOCs including BTEX, diesel range organics, and gasoline range organics. All four Site monitoring wells were below NMWQCC standards for BTEX constituents. All four wells were above standard for dissolved manganese. MW-1, MW-2 and MW-4 were above standard for total dissolved solids (TDS). MW-1 and MW-4 were also above the standard for sulfate.
June 9, 2010	Quarterly Groundwater Monitoring Event	Quarterly groundwater sampling was conducted by Tetra Tech. Samples were collected from all site monitoring wells and analyzed for BTEX, dissolved manganese, chloride, sulfate, and TDS. All four site monitoring wells were below NMWQCC standards for BTEX constituents. Samples collected from all four site wells were above standard for dissolved manganese. Samples collected from MW-1, MW-2 and MW-4 were above the standard for TDS.
September 20, 2010	Quarterly Groundwater Monitoring Event	Quarterly groundwater sampling was conducted by Tetra Tech. Samples were collected from all Site monitoring wells and analyzed for BTEX, dissolved manganese, chloride, sulfate, and TDS. All four Site monitoring wells were below NMWQCC standards for BTEX constituents. Samples collected from all four Site wells were above the standard for dissolved manganese. Samples collected from MW-1, MW-2 and MW-4 were above the standard for TDS.
December 16, 2010	Quarterly Groundwater Monitoring Event	Fourth quarterly groundwater sampling was conducted by Tetra Tech. Samples were collected from all Site monitoring wells and analyzed for BTEX, dissolved manganese, chloride, sulfate, and TDS. All four Site monitoring wells were below NMWQCC standards for BTEX constituents. Samples collected from all four Site wells were above the standard for dissolved manganese. Samples collected from MW-1, MW-2 and MW-4 were above the standard for TDS.

NMOCD = New Mexico Oil Conservation Division

NMWQCC = New Mexico Water Quality Control Commission

mg/kg - dry = milligrams per kilogram, analyzed after residual water removed from the soil

µg/kg - dry = micrograms per kilogram

Table 2. ConocoPhillips Company, Wilmuth No. 1 - Groundwater Elevation Data Summary

Well ID	Total Depth (ft bgs)	Screen Interval (ft)	*Elevation (ft) (TOC)	Date Measured	Depth to Groundwater (ft below TOC)	Relative Groundwater Elevation
MW-1	30.00	4.5 - 29.5	95.8	4/8/2010	5.21	90.59
				6/9/2010	1.94	93.86
				9/20/2010	1.51	94.29
				12/16/2010	3.31	92.49
MW-2	30.00	4.5 - 29.5	95.8	4/8/2010	6.48	89.32
				6/9/2010	3.68	92.12
				9/20/2010	3.28	92.52
				12/16/2010	4.83	90.97
MW-3	30.00	4.5 - 29.5	96.32	4/8/2010	6.37	89.95
				6/9/2010	3.39	92.93
				9/20/2010	3.02	93.30
				12/16/2010	4.65	91.67
MW-4	35.00	9.5 - 34.5	98.7	4/8/2010	9.68	89.02 ⁽¹⁾
				6/9/2010	4.41	94.29
				9/20/2010	3.78	94.92
				12/16/2010	5.70	93.00

ft = Feet

TOC = Top of casing

bgs = Below ground surface

* = Elevation relative to an arbitrary 100 feet

(1) = Anomalous data point

Table 3. ConocoPhillips Company, Wilmuth No. 1 - Groundwater Laboratory Analytical Results Summary

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Chloride (mg/L)	Sulfate (mg/L)	Total Dissolved Solids (mg/L)	Dissolved Manganese (mg/L)
MW-1	4/8/2010	< 1.0	< 1.0	< 1.0	< 1.0	143	879	1780	3.03
	6/9/2010	< 1.0	< 1.0	< 1.0	< 1.0	26.9	375	1190	1.08
	9/20/2010	< 1.0	< 1.0	< 1.0	< 1.0	30.0	425	1020	0.933
	12/16/2010	< 1.0	< 1.0	< 1.0	< 1.0	NA	381	1010	0.896
Duplicate	4/8/2010	< 1.0	1.1	< 1.0	1	NA	NA	NA	NA
	6/9/2010	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA
	9/20/2010	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA
	12/16/2010	< 1.0	< 1.0	< 1.0	< 1.0	NA	NA	NA	NA
MW-2	4/8/2010	< 1.0	< 1.0	< 1.0	< 1.0	27.7	533	1120	2.48
	6/9/2010	< 1.0	< 1.0	< 1.0	< 1.0	19.8	337	1070	1.66
	9/20/2010	< 1.0	< 1.0	< 1.0	< 1.0	20.4	304	1130	0.822
	12/16/2010	< 1.0	< 1.0	< 1.0	< 1.0	NA	281	1410	1.37
MW-3	4/8/2010	< 1.0	< 1.0	< 1.0	< 1.0	19.2	259	930	1.38
	6/9/2010	< 1.0	< 1.0	< 1.0	< 1.0	18.5	241	769	1.43
	9/20/2010	< 1.0	< 1.0	< 1.0	< 1.0	20.3	271	830	0.736
	12/16/2010	< 1.0	< 1.0	< 1.0	< 1.0	NA	265	1200	1.33
MW-4	4/8/2010	< 1.0	< 1.0	< 1.0	< 1.0	40	918	1900	3.94
	6/9/2010	< 1.0	< 1.0	< 1.0	< 1.0	29.6	542	1380	3.44
	9/20/2010	< 1.0	< 1.0	< 1.0	< 1.0	22.4	445	1160	2.59
	12/16/2010	< 1.0	< 1.0	< 1.0	< 1.0	NA	464	1350	2.85
NMWQCC Groundwater Quality Standards		10 (µg/L)	750 (µg/L)	750 (µg/L)	620 (µg/L)	250 (mg/L)	600 (mg/L)	1000 (mg/L)	0.2 (mg/L)

Notes:

MW = monitoring well
NMWQCC = New Mexico Water Quality Control Commission
Constituents in **BOLD** are in excess of NMWQCC groundwater quality standards
µg/L = micrograms per liter (parts per billion)
mg/L = milligrams per liter (parts per million)
< 1.0 = Below laboratory detection limit of 1.0 µg/L
NA = not analyzed

APPENDIX A

December 2010 Quarterly Groundwater Sampling Field Forms



TETRA TECH, INC.

WATER SAMPLING FIELD FORM

Project Name Wilmuth No. 1Page 4 of 4

Sect No. _____

Site Location Aztec, NMSite/Well No. MW-1Coded/
Replicate No. _____Date 12/10/10Weather overcastTime Sampling
Began 1213Time Sampling
Completed 1241

EVACUATION DATA

Description of Measuring Point (MP Top of Casing)

Height of MP Above/Below Land Surface _____ MP Elevation 95.8Total Sounded Depth of Well Below MP 32.53 25.41 Water-Level Elevation 92.49Field _____ Depth to Water Below MP 5.70 3.31 Diameter of Casing 2"Wet _____ Water Column in Well 26.83 22.1 Gallons Pumped/Bailed
Prior to Sampling 13.75Gallons per Foot 116Gallons in Well 4.29 x 3.353 x 3 Sampling Pump Intake Setting
(feet below land surface) _____Purging Equipment Purge pump Bailer 10.59

SAMPLING DATA/FIELD PARAMETERS

Time	Temperature (°C)	pH	Conductivity (µS/cm³)	TDS (g/L)	DO (mg/L)	DO %	ORP (mV)	Volume (gal.)
1229	14.07	7.53	954	.783	2.24	11.8	51.7	13
1231	14.39	7.31	1196	.979	.91	8.9	-69.3	13.25
1233	14.39	7.31	1103	.896	2.01	18.2	-84.3	13.50
1236	14.64	7.29	1024	.829	1.09	10.7	-68.9	

Sampling Equipment Purge Pump/Bailer

Constituents Sampled

Container Description

Preservative

BTEX (3) 40 mL VOAS HCL
Sulfate, TDS 32 oz plastic none
Mn (dissolved) 16 oz plastic none - preserved & filtered @ lab

Remarks H₂O BROWN, NO SHEEN OR ODORSampling Personnel Christine Mathews, Cassie Brown

Well Casing Volumes

Gal./ft.	1 1/4" = 0.077	2" = 0.16	3" = 0.37	4" = 0.65
	1 1/2" = 0.10	2 1/2" = 0.24	3 1/4" = 0.50	6" = 1.48



TETRATECH, INC.

WATER SAMPLING FIELD FORM

Project Name Wilmoth No. 1Page 2 of 4

Jct No. _____

Site Location Aztec, NMSite/Well No. MW-2Coded/
Replicate No. _____Date 12.16.10Weather overcastTime Sampling
Began 1105Time Sampling
Completed 1202ADP

EVACUATION DATA

Description of Measuring Point (M/T Top of Casing) _____

Height of MP Above/Below Land Surface _____

MP Elevation 95.8Total Sounded Depth of Well Below MP 52.15Water-Level Elevation 90.97Held _____ Depth to Water Below MP 4.83Diameter of Casing 2"Wet _____ Water Column in Well 27.32Gallons Pumped/Bailed
Prior to Sampling 19.75Gallons per Foot 0.16Gallons in Well 4.37 x 3 =Sampling Pump Intake
(feet below land) _____Purging Equipment Purge pump/Bailer (13.11)

SAMPLING DATA/FIELD PARAMETERS

Time	Temperature (°C)	pH	Conductivity (µS/cm³)	TDS (g/L)	DO (mg/L)	DO %	ORP (mV)	Volume (gal.)
1200	12.04	7.90	759	0.657	1.39	12.7	81.1	14.25
1201	12.23	7.88	764	0.656	4.12	39.3	79.0	14.5
1202	12.34	7.23	768	0.656	11.66	15.5		14.75

Sampling Equipment Purge Pump/Bailer

Constituents Sampled

Container Description

Preservative

BTEX(3) 40ml VOA5HCLSulfate, TDS32 oz plasticnoneDissolved Mn16 oz plasticnone - preserved & filtered @ labRemarks H₂O BROWNSampling Personnel Christine Mathews, Cassie Brown, & Craig Brown

Well Casing Volumes

Gal./ft.	1 1/2" = 0.077	2" = 0.16	3" = 0.37	4" = 0.65
	1 1/2" = 0.10	2 1/2" = 0.24	3 1/2" = 0.50	6" = 1.48



TETRA TECH, INC.

WATER SAMPLING FIELD FORM

Project Name Willmuth No. 1Page 3 of 4

Site No. _____

Site Location Aztec, NMSite/Well No. MW-3Coded/
Replicate No. 1150Date 12.16.10Weather overcastTime Sampling
Began 1105Time Sampling
Completed 1148ADP

EVACUATION DATA

Description of Measuring Point (MP) Top of Casing

Height of MP Above/Below Land Surface _____

MP Elevation 96.32Total Sounded Depth of Well Below MP 32.45Water-Level Elevation 91.67Held _____ Depth to Water Below MP 4.105Diameter of Casing 2"Well _____ Water Column In Well 27.8Gallons Pumped/Bailed
Prior to Sampling 14.5Gallons per Foot 0.16Gallons in Well 4.44 x 3 =Sampling Pump Intake Setting
(feet below land surface) _____Purging Equipment Purge pump / Bailer 13.34

SAMPLING DATA/FIELD PARAMETERS

Time	Temperature (°C)	pH	Conductivity (µS/cm³)	TDS (g/L)	DO (mg/L)	DO %	ORP (mV)	Volume (gal.)
1146	12.17	7.80	752	0.1438	2.32	293	117.7	14.0
1147	12.89	7.34	765	0.1439	1.38	13.0	100.0	14.25
1148	12.94	7.40	757	0.1438	1.31	12.5	97.7	14.5

Sampling Equipment Purge Pump/Bailer

Constituents Sampled

Container Description

Preservative

BTEX(3) 40 mL VOASHCLSulfate, TDS32 oz plasticnoneDissolved Mn16 oz plasticnone - preserved & filtered @ labRemarks H₂O is brown w/ high clay contentSampling Personnel Christine Mathews, Cassie Brown

Well Casing Volumes

Gal./ft.	1 1/4" = 0.077	2" = 0.16	3" = 0.37	4" = 0.65
	1 1/2" = 0.10	2 1/2" = 0.24	3 1/2" = 0.50	6" = 1.46



TETRA TECH, INC.

WATER SAMPLING FIELD FORM

Project Name Wilmuth No. 1Page 1 of 4

Jct No. _____

Site Location Aztec, NMSite/Well No. MW-4Coded/
Replicate No. _____Date 12.16.10Weather overcastTime Sampling
Began 1215Time Sampling
Completed 1253

EVACUATION DATA

Description of Measuring Point (MP) Top of CasingHeight of MP Above/Below Land Surface — MP Elevation 98.7Total Sounded Depth of Well Below MP 25.41 32.53 Water-Level Elevation 93.0Held _____ Depth to Water Below MP 3.21 5.70 Diameter of Casing 2"Wet _____ Water Column in Well 22.1 26.83 Gallons Pumped/Bailed
Prior to Sampling 13Gallons per Foot 0.16Gallons in Well 3.53 3.42 1.13 Sampling Pump Intake Setting
(feet below land surface) _____Purging Equipment Purge pump / Bailer 12.89

SAMPLING DATA/FIELD PARAMETERS

Time	Temperature (°C)	pH	Conductivity (µS/cm)	TDS (g/L)	DO (mg/L)	DO %	ORP (mV)	Volume (gal.)
1250	12.50	7.32	1004	.858	1.95	18.3	-19.2	12.25
1251	12.53	7.29	992	.838	1.78	16.4	-16.1	12.75
1252	12.78	7.28	1005	.857	1.64	15.4	-15.4	13.0

Sampling Equipment Purge Pump/BailerConstituents Sampled BTEX Container Description (3) 40 mL VOA's Preservative HClSulfate, TDS 32 oz plastic noneDissolved Mn 16 oz plastic none-preserved & filtered @ labRemarks H₂O BROWN, NO SHEEN OR ODOSampling Personnel Christine Mathews, Cassie Brown, Craig Brown

Well Casing Volumes

Gal./ft.	1 1/4" = 0.077	2" = 0.16	3" = 0.37	4" = 0.65
	1 1/2" = 0.10	2 1/2" = 0.24	3 1/2" = 0.50	6" = 1.46

APPENDIX B

December 2010 Quarterly Groundwater Laboratory Analytical Report



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

Certificate of Analysis

January 5, 2011

Workorder: H10120377

Kelly Blanchard
Tetra Tech
6121 Indian School Road NE
Suite 200
Albuquerque, NM 87110

Project: Wilmuth No. 1
Project Number: Wilmuth No. 1
Site: Wilmuth No. 1, Aztec, New Mexico
PO Number: ENFOS
NELAC Cert. No.: T104704205-09-3

This Report Contains A Total Of 22 Pages

Excluding Any Attachments



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

Certificate of Analysis

January 5, 2011

Workorder: H10120377

Kelly Blanchard
Tetra Tech
6121 Indian School Road NE
Suite 200
Albuquerque, NM 87110

Project: Wilmuth No. 1
Project Number: Wilmuth No. 1
Site: Wilmuth No. 1, Aztec, New Mexico
PO Number: ENFOS
NELAC Cert. No.: T104704205-09-3

I. SAMPLE RECEIPT:

All samples were received intact. The internal ice chest temperatures were measured on receipt and are recorded on the attached Sample Receipt Checklist.

II: ANALYSES AND EXCEPTIONS:

Per the Conoco Phillips TSM Revision 0, a copy of the internal chain of custody is to be included in final data package. However, due to LIMS limitations, this cannot be provided at this time.

There were no exceptions noted.

III. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report (" mg/kg-dry " or " ug/kg-dry ").

Matrix spike (MS) and matrix spike duplicate (MSD) samples are chosen and tested at random from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. Since the MS and MSD are chosen at random from an analytical batch, the sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The Laboratory Control Sample (LCS) and the Method Blank (MB) are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

Some of the percent recoveries and RPD's on the QC report for the MS/MSD may be different than the calculated recoveries and RPD's using the sample result and the MS/MSD results that appear on the report because, the actual raw result is used to perform the calculations for percent recovery and RPD.

Any other exceptions associated with this report will be footnoted in the analytical result page(s) or the quality control summary page(s).

Please do not hesitate to contact us if you have any questions or comments pertaining to this data report. Please reference the above Certificate of Analysis Number.



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

Certificate of Analysis

January 5, 2011

Workorder: H10120377

Kelly Blanchard
Tetra Tech
6121 Indian School Road NE
Suite 200
Albuquerque, NM 87110

Project: Wilmuth No. 1
Project Number: Wilmuth No. 1
Site: Wilmuth No. 1, Aztec, New Mexico
PO Number: ENFOS
NELAC Cert. No.: T104704205-09-3

This report shall not be reproduced except in full, without the written approval of the laboratory. The reported results are only representative of the samples submitted for testing.

SPL, Inc. is pleased to be of service to you. We anticipate working with you in fulfilling all your current and future analytical needs.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or by his designee, as verified by the following signature.

Erica Cardenas, Senior Project Manager

Enclosures



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

SAMPLE SUMMARY

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

Lab ID	Sample ID	Matrix	COC ID	Date/Time Collected	Date/Time Received
H10120377001	MW-1	303276, 303450		12/16/2010 12:41	12/18/2010 10:50
H10120377001	MW-1	Water		12/16/2010 12:41	12/18/2010 10:50
H10120377002	MW-2	Water		12/16/2010 12:02	12/18/2010 10:50
H10120377003	MW-3	Water		12/16/2010 11:48	12/18/2010 10:50
H10120377004	MW-4	Water		12/16/2010 12:53	12/18/2010 10:50
H10120377005	DUPLICATE	Water		12/16/2010 11:50	12/18/2010 10:50
H10120377006	TRIP BLANK	Water		12/17/2010 07:15	12/18/2010 10:50



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

ANALYTICAL RESULTS

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

Lab ID: H10120377001

Date/Time Received: 12/18/2010 10:50 Matrix: 303276, 303450

Sample ID: MW-1

Date/Time Collected: 12/16/2010 12:41

VOLATILES

Analysis Desc: SW-846 8260B		SW-846 5030 Analytical Batches:						
		Batch: 3093 SW-846 8260B on 12/27/2010 21:55 by JMC						
Parameters	Results ug/l	Qual	Report Limit	MDL	DF	RegLmt	Batch Information Prep Analysis	
Benzene	ND		1.0	0.13	1			3093
Ethylbenzene	ND		1.0	0.48	1			3093
Toluene	ND		1.0	0.13	1			3093
m,p-Xylene	ND		1.0	0.58	1			3093
o-Xylene	ND		1.0	0.35	1			3093
Xylenes, Total	ND		1.0	0.35	1			3093
4-Bromofluorobenzene (S)	86.3 %		74-125		1			3093
1,2-Dichloroethane-d4 (S)	99.3 %		70-130		1			3093
Toluene-d8 (S)	112 %		82-118		1			3093

ICP DISSOLVED METALS

Analysis Desc: SW-846 6010B		Preparation Batches:						
		Batch: 2317 SW-846 3010A on 12/20/2010 18:00 by R_V						
		Analytical Batches:						
		Batch: 1781 SW-846 6010B on 12/30/2010 15:37 by EBG						
Parameters	Results mg/l	Qual	Report Limit	MDL	DF	RegLmt	Batch Information Prep Analysis	
Manganese	0.896		0.00500	0.000300	1		2317	1781

WET CHEMISTRY

Analysis Desc: EPA 300.0		Analytical Batches:						
		Batch: 1586 EPA 300.0 on 12/20/2010 13:27 by ESK						
Parameters	Results mg/l	Qual	Report Limit	MDL	DF	RegLmt	Batch Information Prep Analysis	
Sulfate	381		50.0	4.35	100			1586

Analysis Desc: SM 2540/C		Analytical Batches:						
		Batch: 1964 SM 2540/C on 12/21/2010 12:43 by MMAL						
Parameters	Results mg/l	Qual	Report Limit	MDL	DF	RegLmt	Batch Information Prep Analysis	
Residue, Filterable (TDS)	1010		10.0	3.94	1			1964



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

ANALYTICAL RESULTS

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

Lab ID: H10120377002

Date/Time Received: 12/18/2010 10:50 Matrix: Water

Sample ID: MW-2

Date/Time Collected: 12/16/2010 12:02

VOLATILES

Analysis Desc: SW-846 8260B

SW-846 5030 Analytical Batches:

Batch: 3093 SW-846 8260B on 12/27/2010 22:23 by JMC

Parameters	Results						Batch Information	
	ug/l	Qual	Report Limit	MDL	DF	RegLmt	Prep	Analysis
Benzene	ND		1.0	0.13	1			3093
Ethylbenzene	ND		1.0	0.48	1			3093
Toluene	ND		1.0	0.13	1			3093
m,p-Xylene	ND		1.0	0.58	1			3093
o-Xylene	ND		1.0	0.35	1			3093
Xylenes, Total	ND		1.0	0.35	1			3093
4-Bromofluorobenzene (S)	87.7 %		74-125		1			3093
1,2-Dichloroethane-d4 (S)	94.5 %		70-130		1			3093
Toluene-d8 (S)	107 %		82-118		1			3093

ICP DISSOLVED METALS

Analysis Desc: SW-846 6010B

Preparation Batches:

Batch: 2317 SW-846 3010A on 12/20/2010 18:00 by R_V

Analytical Batches:

Batch: 1781 SW-846 6010B on 12/30/2010 16:19 by EBG

Parameters	Results						Batch Information	
	mg/l	Qual	Report Limit	MDL	DF	RegLmt	Prep	Analysis
Manganese	1.37		0.00500	0.000300	1		2317	1781

WET CHEMISTRY

Analysis Desc: EPA 300.0

Analytical Batches:

Batch: 1586 EPA 300.0 on 12/20/2010 14:16 by ESK

Parameters	Results						Batch Information	
	mg/l	Qual	Report Limit	MDL	DF	RegLmt	Prep	Analysis
Sulfate	281		50.0	4.35	100			1586

Analysis Desc: SM 2540 C

Analytical Batches:

Batch: 1964 SM 2540 C on 12/21/2010 12:43 by MMAL

Parameters	Results						Batch Information	
	mg/l	Qual	Report Limit	MDL	DF	RegLmt	Prep	Analysis
Residue, Filterable (TDS)	1410		10.0	3.94	1			1964



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

ANALYTICAL RESULTS

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

Lab ID: H10120377003

Date/Time Received: 12/18/2010 10:50 Matrix: Water

Sample ID: MW-3

Date/Time Collected: 12/16/2010 11:48

VOLATILES

Analysis Desc: SW-846 8260B

SW-846 5030 Analytical Batches:

Batch: 3091 SW-846 8260B on 12/27/2010 10:47 by JMC

Parameters	Results	Qual	Report Limit	MDL	DF	RegLmt	Batch Information	
	ug/l						Prep	Analysis
Benzene	ND		1.0	0.13	1			3091
Ethylbenzene	ND		1.0	0.48	1			3091
Toluene	ND		1.0	0.13	1			3091
m,p-Xylene	ND		1.0	0.58	1			3091
o-Xylene	ND		1.0	0.35	1			3091
Xylenes, Total	ND		1.0	0.35	1			3091
4-Bromofluorobenzene (S)	91.4 %		74-125		1			3091
1,2-Dichloroethane-d4 (S)	99.7 %		70-130		1			3091
Toluene-d8 (S)	108 %		82-118		1			3091

ICP DISSOLVED METALS

Analysis Desc: SW-846 6010B

Preparation Batches:

Batch: 2317 SW-846 3010A on 12/20/2010 18:00 by R_V

Analytical Batches:

Batch: 1781 SW-846 6010B on 12/30/2010 16:29 by EBG

Parameters	Results	Qual	Report Limit	MDL	DF	RegLmt	Batch Information	
	mg/l						Prep	Analysis
Manganese	1.33		0.00500	0.000300	1		2317	1781

WET CHEMISTRY

Analysis Desc: EPA 300.0

Analytical Batches:

Batch: 1586 EPA 300.0 on 12/20/2010 14:32 by ESK

Parameters	Results	Qual	Report Limit	MDL	DF	RegLmt	Batch Information	
	mg/l						Prep	Analysis
Sulfate	265		50.0	4.35	100			1586

Analysis Desc: SM 2540 C

Analytical Batches:

Batch: 1964 SM 2540 C on 12/21/2010 12:43 by MMAL

Parameters	Results	Qual	Report Limit	MDL	DF	RegLmt	Batch Information	
	mg/l						Prep	Analysis
Residue, Filterable (TDS)	1200		10.0	3.94	1			1964



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

ANALYTICAL RESULTS

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

Lab ID: H10120377004

Date/Time Received: 12/18/2010 10:50 Matrix: Water

Sample ID: MW-4

Date/Time Collected: 12/16/2010 12:53

VOLATILES

Analysis Desc: SW-846 8260B

SW-846 5030 Analytical Batches:

Batch: 3091 SW-846 8260B on 12/27/2010 11:16 by JMC

Parameters	Results					Batch Information	
	ug/l	Qual	Report Limit	MDL	DF	RegLmt	Prep Analysis
Benzene	ND		1.0	0.13	1		3091
Ethylbenzene	ND		1.0	0.48	1		3091
Toluene	ND		1.0	0.13	1		3091
m,p-Xylene	ND		1.0	0.58	1		3091
o-Xylene	ND		1.0	0.35	1		3091
Xylenes, Total	ND		1.0	0.35	1		3091
4-Bromofluorobenzene (S)	86 %		74-125		1		3091
1,2-Dichloroethane-d4 (S)	97.3 %		70-130		1		3091
Toluene-d8 (S)	112 %		82-118		1		3091

ICP DISSOLVED METALS

Analysis Desc: SW-846 6010B

Preparation Batches:

Batch: 2317 SW-846 3010A on 12/20/2010 18:00 by R_V

Analytical Batches:

Batch: 1781 SW-846 6010B on 12/30/2010 16:35 by EBG

Parameters	Results					Batch Information	
	mg/l	Qual	Report Limit	MDL	DF	RegLmt	Prep Analysis
Manganese	2.85		0.00500	0.000300	1		2317 1781

WET CHEMISTRY

Analysis Desc: EPA 300.0

Analytical Batches:

Batch: 1586 EPA 300.0 on 12/20/2010 14:48 by ESK

Parameters	Results					Batch Information	
	mg/l	Qual	Report Limit	MDL	DF	RegLmt	Prep Analysis
Sulfate	464		50.0	4.35	100		1586

Analysis Desc: SM 2540 C

Analytical Batches:

Batch: 1964 SM 2540 C on 12/21/2010 12:43 by MMAL

Parameters	Results					Batch Information	
	mg/l	Qual	Report Limit	MDL	DF	RegLmt	Prep Analysis
Residue, Filterable (TDS)	1350		10.0	3.94	1		1964



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

ANALYTICAL RESULTS

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

Lab ID: H10120377005

Date/Time Received: 12/18/2010 10:50 Matrix: Water

Sample ID: DUPLICATE

Date/Time Collected: 12/16/2010 11:50

VOLATILES

Analysis Desc: SW-846 8260B		SW-846 5030 Analytical Batches:						
		Batch: 3091 SW-846 8260B on 12/27/2010 13:40 by JMC						
Parameters	Results						Batch Information	
	ug/l	Qual	Report Limit	MDL	DF	RegLmt	Prep	Analysis
Benzene	ND		1.0	0.13	1			3091
Ethylbenzene	ND		1.0	0.48	1			3091
Toluene	ND		1.0	0.13	1			3091
m,p-Xylene	ND		1.0	0.58	1			3091
o-Xylene	ND		1.0	0.35	1			3091
Xylenes, Total	ND		1.0	0.35	1			3091
4-Bromofluorobenzene (S)	89.7 %		74-125		1			3091
1,2-Dichloroethane-d4 (S)	101 %		70-130		1			3091
Toluene-d8 (S)	108 %		82-118		1			3091



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

ANALYTICAL RESULTS

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

Lab ID: H10120377006

Date/Time Received: 12/18/2010 10:50 Matrix: Water

Sample ID: TRIP BLANK

Date/Time Collected: 12/17/2010 07:15

VOLATILES

Analysis Desc: SW-846 8260B

SW-846 5030 Analytical Batches:

Batch: 3093 SW-846 8260B on 12/27/2010 23:21 by JMC

Parameters	Results		Report Limit	MDL	DF	RegLmt	Batch Information	
	ug/l	Qual					Prep	Analysis
Benzene	ND		1.0	0.13	1			3093
Ethylbenzene	ND		1.0	0.48	1			3093
Toluene	ND		1.0	0.13	1			3093
m,p-Xylene	ND		1.0	0.58	1			3093
o-Xylene	ND		1.0	0.35	1			3093
Xylenes, Total	ND		1.0	0.35	1			3093
4-Bromofluorobenzene (S)	89.8 %		74-125		1			3093
1,2-Dichloroethane-d4 (S)	96.9 %		70-130		1			3093
Toluene-d8 (S)	106 %		82-118		1			3093



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

QUALITY CONTROL DATA

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

QC Batch: MSV/3090

Analysis Method: SW-846 8260B

QC Batch Method: SW-846 5030

Preparation: 12/27/2010 00:00 by JMC

Associated Lab Samples: H10120367002 H10120367004 H10120367005 H10120367006 H10120377003 H10120377004
H10120377005

METHOD BLANK: 87792

Analysis Date/Time Analyst: 12/27/2010 05:01 JMC

Parameter	Units	Blank Result	Qualifiers	Reporting Limit
Benzene	ug/l	ND		1.0
Ethylbenzene	ug/l	ND		1.0
Toluene	ug/l	ND		1.0
m,p-Xylene	ug/l	ND		1.0
o-Xylene	ug/l	ND		1.0
Xylenes, Total	ug/l	ND		1.0
4-Bromofluorobenzene (S)	%	90.5		74-125
1,2-Dichloroethane-d4 (S)	%	93.8		70-130
Toluene-d8 (S)	%	115		82-118

LABORATORY CONTROL SAMPLE: 87793

Analysis Date/Time Analyst: 12/27/2010 04:31 JMC

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits
Benzene	ug/l	20	17.8	88.8	74-123
Ethylbenzene	ug/l	20	17.7	88.4	72-127
Toluene	ug/l	20	19.9	99.3	74-126
m,p-Xylene	ug/l	40	34.5	86.1	71-129
o-Xylene	ug/l	20	18.6	93.0	74-130
Xylenes, Total	ug/l	60	53.05	88.4	71-130
4-Bromofluorobenzene (S)	%			95.1	74-125
1,2-Dichloroethane-d4 (S)	%			96.7	70-130
Toluene-d8 (S)	%			109	82-118

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 87794

87795

Original: H10120377004

MS Analysis Date/Time Analyst: 12/27/2010 11:45 JMC

MSD Analysis Date/Time Analyst: 12/27/2010 12:13 JMC

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD
Benzene	ug/l	ND	20	19.1	19.5	95.4	97.7	70-124	2.4	20
Ethylbenzene	ug/l	ND	20	20.3	20.4	101	102	35-175	0.4	20
Toluene	ug/l	ND	20	20.3	21.1	102	106	70-131	3.9	20

QC results presented in the QC Control Data have been rounded. RPD and percent recovery values calculated by the SPL LIMS system are derived from QC data prior to the application of rounding rules. Also, MS/MSD % recoveries are calculated by the SPL LIMS using any detected value greater than the MDL.



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

QUALITY CONTROL DATA

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 87794

87795

Original: H10120377004

MS Analysis Date/Time Analyst: 12/27/2010 11:45 JMC

MSD Analysis Date/Time Analyst: 12/27/2010 12:13 JMC

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD
m,p-Xylene	ug/l	ND	40	39.7	40.8	99.3	102	35-175	2.6	20
o-Xylene	ug/l	ND	20	20.5	20.5	103	103	35-175	0.0	20
Xylenes, Total	ug/l	ND	60	60.25	61.29	100	102	35-175	1.7	20
4-Bromofluorobenzene (S)	%	86				94.3	93.6	74-125		
1,2-Dichloroethane-d4 (S)	%	97.3				98.0	104	70-130		
Toluene-d8 (S)	%	112				101	104	82-118		

QC results presented in the QC Control Data have been rounded. RPD and percent recovery values calculated by the SPL LIMS system are derived from QC data prior to the application of rounding rules. Also, MS/MSD % recoveries are calculated by the SPL LIMS using any detected value greater than the MDL.



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

QUALITY CONTROL DATA

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

QC Batch: MSV/3092 Analysis Method: SW-846 8260B
QC Batch Method: SW-846 5030 Preparation: 12/27/2010 00:00 by JMC
Associated Lab Samples: H10120367001 H10120367003 H10120368001 H10120368002 H10120377001 H10120377002
H10120377006

METHOD BLANK: 87809

Analysis Date/Time Analyst: 12/27/2010 18:32 JMC

Parameter	Units	Blank Result	Qualifiers	Reporting Limit
Benzene	ug/l	ND		1.0
Ethylbenzene	ug/l	ND		1.0
Toluene	ug/l	ND		1.0
m,p-Xylene	ug/l	ND		1.0
o-Xylene	ug/l	ND		1.0
Xylenes, Total	ug/l	ND		1.0
4-Bromofluorobenzene (S)	%	89.2		74-125
1,2-Dichloroethane-d4 (S)	%	100		70-130
Toluene-d8 (S)	%	105		82-118

LABORATORY CONTROL SAMPLE: 87810

Analysis Date/Time Analyst: 12/27/2010 18:03 JMC

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits
Benzene	ug/l	20	18.2	91.2	74-123
Ethylbenzene	ug/l	20	19.4	96.9	72-127
Toluene	ug/l	20	19.7	98.4	74-126
m,p-Xylene	ug/l	40	40.3	101	71-129
o-Xylene	ug/l	20	20.1	101	74-130
Xylenes, Total	ug/l	60	60.42	101	71-130
4-Bromofluorobenzene (S)	%			96.2	74-125
1,2-Dichloroethane-d4 (S)	%			95.4	70-130
Toluene-d8 (S)	%			105	82-118

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 87811 87812 Original: H10120367001

MS Analysis Date/Time Analyst: 12/27/2010 19:29 JMC

MSD Analysis Date/Time Analyst: 12/27/2010 19:59 JMC

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD
Benzene	ug/l	ND	20	18.7	17.9	93.7	89.4	70-124	4.8	20
Ethylbenzene	ug/l	ND	20	19.6	20.0	98.1	100	35-175	1.8	20
Toluene	ug/l	ND	20	19.4	19.8	96.9	98.9	70-131	2.1	20

QC results presented in the QC Control Data have been rounded. RPD and percent recovery values calculated by the SPL LIMS system are derived from QC data prior to the application of rounding rules. Also, MS/MSD % recoveries are calculated by the SPL LIMS using any detected value greater than the MDL.



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

QUALITY CONTROL DATA

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 87811

87812

Original: H10120367001

MS Analysis Date/Time Analyst: 12/27/2010 19:29 JMC

MSD Analysis Date/Time Analyst: 12/27/2010 19:59 JMC

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD
m,p-Xylene	ug/l	ND	40	38.7	39.3	96.6	98.4	35-175	1.8	20
o-Xylene	ug/l	ND	20	19.8	19.7	99.1	98.7	35-175	0.5	20
Xylenes, Total	ug/l	ND	60	58.48	59.08	97.5	98.5	35-175	1.0	20
4-Bromofluorobenzene (S)	%	90.3				90.6	93.6	74-125		
1,2-Dichloroethane-d4 (S)	%	95.8				96.3	97.5	70-130		
Toluene-d8 (S)	%	118				98.8	102	82-118		

QC results presented in the QC Control Data have been rounded. RPD and percent recovery values calculated by the SPL LIMS system are derived from QC data prior to the application of rounding rules. Also, MS/MSD % recoveries are calculated by the SPL LIMS using any detected value greater than the MDL.



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

QUALITY CONTROL DATA

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

QC Batch: DIGM/2317 Analysis Method: SW-846 6010B
QC Batch Method: SW-846 3010A Preparation: 12/20/2010 18:00 by R_V
Associated Lab Samples: H10120377001 H10120377002 H10120377003 H10120377004

METHOD BLANK: 87070

Analysis Date/Time Analyst: 12/30/2010 15:31 EBG

Parameter	Units	Blank Result	Qualifiers	Reporting Limit
Manganese	mg/l	ND		0.00500

LABORATORY CONTROL SAMPLE: 87071

Analysis Date/Time Analyst: 12/30/2010 15:25 EBG

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits
Manganese	mg/l	0.10	0.1018	102	80-120

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 87072 87073 Original: H10120377001

MS Analysis Date/Time Analyst: 12/30/2010 15:43 EBG

MSD Analysis Date/Time Analyst: 12/30/2010 15:49 EBG

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD
Manganese	mg/l	0.896	0.10	0.9655	0.9633	NC	NC	75-125	NC	20

QC results presented in the QC Control Data have been rounded. RPD and percent recovery values calculated by the SPL LIMS system are derived from QC data prior to the application of rounding rules. Also, MS/MSD % recoveries are calculated by the SPL LIMS using any detected value greater than the MDL.



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

QUALITY CONTROL DATA

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

QC Batch: IC/1586

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Associated Lab Samples: H10120377001 H10120377002 H10120377003 H10120377004 H10120387001 H10120391001

METHOD BLANK: 87062

Analysis Date/Time Analyst: 12/20/2010 12:23 ESK

Parameter	Units	Blank Result	Qualifiers	Reporting Limit
Sulfate	mg/l	ND		0.500

LABORATORY CONTROL SAMPLE: 87063

Analysis Date/Time Analyst: 12/20/2010 12:39 ESK

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits
Sulfate	mg/l	10	9.987	99.9	85-115

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 87064 87065 Original: H10120377001

MS Analysis Date/Time Analyst: 12/20/2010 13:44 ESK

MSD Analysis Date/Time Analyst: 12/20/2010 14:00 ESK

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD
Sulfate	mg/l	381	500	910.5	863.9	106	96.6	80-120	5.3	20

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 87066 87067 Original: H10120387001

MS Analysis Date/Time Analyst: 12/20/2010 15:20 ESK

MSD Analysis Date/Time Analyst: 12/20/2010 15:36 ESK

Parameter	Units	Original Result	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limit	RPD	Max RPD
Sulfate	mg/l	1740	500	2300	2309	112	114	80-120	0.4	20

QC results presented in the QC Control Data have been rounded. RPD and percent recovery values calculated by the SPL LIMS system are derived from QC data prior to the application of rounding rules. Also, MS/MSD % recoveries are calculated by the SPL LIMS using any detected value greater than the MDL.



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

QUALITY CONTROL DATA

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

QC Batch: WETS/1964

Analysis Method: SM 2540 C

QC Batch Method: SM 2540 C

Associated Lab Samples: H10120377001 H10120377002 H10120377003 H10120377004

METHOD BLANK: 87147

Analysis Date/Time Analyst: 12/21/2010 12:43 MMAL

Parameter	Units	Blank Result	Qualifiers	Reporting Limit
Residue, Filterable (TDS)	mg/l	ND		10.0

LABORATORY CONTROL SAMPLE & LCSD: 87148 87149

LCS Analysis Date/Time Analyst: 12/21/2010 12:43 MMAL

LCSD Analysis Date/Time 12/21/2010 12:43 MMAL

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limit	RPD	Max RPD
Residue, Filterable (TDS)	mg/l	200	199.0	208.0	99.5	104	95-107	4.4	10

SAMPLE DUPLICATE: 87150

Original: H10120377001

Parameter	Units	Original Result	DUP Result	RPD	Max RPD	DF
WET CHEMISTRY						1
Residue, Filterable (TDS)	mg/l	1010	1040	2.9	10	1

QC results presented in the QC Control Data have been rounded. RPD and percent recovery values calculated by the SPL LIMS system are derived from QC data prior to the application of rounding rules. Also, MS/MSD % recoveries are calculated by the SPL LIMS using any detected value greater than the MDL.



Legend

(S) - Indicates analyte is a surrogate

Qualifier	Qualifier Description
-----------	-----------------------

*	Recovery/RPD value outside QC limits
+	DCS Concentration
B	Analyte detected in the Method Blank
C	MTBE results were not confirmed by GCMS
D	Recovery out of range due to dilution
E	Results exceed calibration range
H	Exceeds holding time
I	Estimated value, between MDL and PQL (Florida)
J	Estimated value
JN	The analysis indicates the presence of an analyte
MI	Matrix Interference
N	Recovery outside of control limits
NC	Not Calculable (Sample Duplicate)
NC	Not Calculated - Sample concentration > 4 times the spike
ND	Not Detected at reporting Limits
P	Pesticide dual column results, greater than 25%
Q	Received past holding time
TNTC	Too numerous to count
U	Not Detected at reporting Limits



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: H10120377 : Wilmuth No. 1

Project Number: Wilmuth No. 1

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
H10120377001	MW-1	EPA 300.0	IC/1586		
H10120377002	MW-2	EPA 300.0	IC/1586		
H10120377003	MW-3	EPA 300.0	IC/1586		
H10120377004	MW-4	EPA 300.0	IC/1586		
H10120377001	MW-1	SW-846 3010A	DIGM/2317	SW-846 6010B	ICP/1781
H10120377002	MW-2	SW-846 3010A	DIGM/2317	SW-846 6010B	ICP/1781
H10120377003	MW-3	SW-846 3010A	DIGM/2317	SW-846 6010B	ICP/1781
H10120377004	MW-4	SW-846 3010A	DIGM/2317	SW-846 6010B	ICP/1781
H10120377001	MW-1	SM 2540 C	WETS/1964		
H10120377002	MW-2	SM 2540 C	WETS/1964		
H10120377003	MW-3	SM 2540 C	WETS/1964		
H10120377004	MW-4	SM 2540 C	WETS/1964		
H10120377003	MW-3	SW-846 5030	MSV/3090	SW-846 8260B	MSV/3091
H10120377004	MW-4	SW-846 5030	MSV/3090	SW-846 8260B	MSV/3091
H10120377005	DUPLICATE	SW-846 5030	MSV/3090	SW-846 8260B	MSV/3091
H10120377001	MW-1	SW-846 5030	MSV/3092	SW-846 8260B	MSV/3093
H10120377002	MW-2	SW-846 5030	MSV/3092	SW-846 8260B	MSV/3093
H10120377006	TRIP BLANK	SW-846 5030	MSV/3092	SW-846 8260B	MSV/3093



SPL Inc.
8880 Interchange Drive
Houston, TX 77054
Phone: (713) 660-0901
Fax: (713) 660-8975

Sample Receipt Checklist

WorkOrder:	H10120377	Received By	LOG
Date and Time	12/18/2010 10:50	Carrier Name:	FEDEXP
Temperature:	3.5°C	Chilled By:	Water Ice

1. Shipping container/cooler in good condition? YES
2. Custody seals intact on shipping container/cooler? YES
3. Custody seals intact on sample bottles? Not Present
4. Chain of custody present? YES
5. Chain of custody signed when relinquished and received? YES
6. Chain of custody agrees with sample labels? YES
7. Samples in proper container/bottle? YES
8. Samples containers intact? YES
9. Sufficient sample volume for indicated test? YES
10. All samples received within holding time? YES
11. Container/Temp Blank temperature in compliance? YES
12. Water - VOA vials have zero headspace? YES
13. Water - Preservation checked upon receipt(except VOA*)? Not Applicable

*VOA Preservation Checked After Sample Analysis

SPL Representative:
Client Name Contacted:
Client Instructions:

Contact Date & Time:



Analysis Request & Chain of Custody Record

SPL, Inc.



H10120377

1 of 2

Client Name: <u>Interstate, Inc</u>		Address: <u>10121 Indian Blvd Rd NE #200</u>		City: <u>Wes</u> State: <u>NY</u> Zip: <u>07110</u>		Phone/Fax: <u>509-237-2945</u>		Client Contact: <u>Colly Blanchard</u> Email: <u>colly.blanchard@interstate.com</u>		Project Name/No: <u>W1000 #1</u>		Site Name:		Site Location:		Invoice To:	
Requested TAT		Special Reporting Requirements		Results:		Fax:		Email:		Special Detection Limits (specify):		Intact?		Temp:		PM review (initial):	
☐ 1 Business Day ☐ 2 Business Days ☐ 3 Business Days ☐ Other:		☐ Contract ☐ Standard ☐ Relinquished by: <u>Colly Blanchard</u>		☐ Level 3 QC ☐ Level 4 QC ☐ TX TRRP ☐ LA RECAP		☒ PDF ☒ LA RECAP		☐ Received by: <u>Colly Blanchard</u>		☐ Received by: <u>Colly Blanchard</u>		☐ Received by: <u>Colly Blanchard</u>		☐ Received by: <u>Colly Blanchard</u>		☐ Received by: <u>Colly Blanchard</u>	
Rush TAT requires prior notice		5. Relinquished by:		date:		time:		6. Received by:		date:		time:		7. Received by:		date:	
8880 Interchange Drive Houston, TX 77054 (713) 660-0901		500 Ambassador Gaffney Parkway Scott, LA 70583 (337) 237-4775		459 Hughes Drive Traverse City MI 49686 (231) 947-5777													

SAMPLE ID	DATE	TIME	comp	grab	matrix	bottle	size	pres	Number of Containers	Requested Analysis
MU-1	12/10/10	12:41			W	V	40	1	3	X
MU-1	12/10/10	12:41			W	P	10	N4	1	X
MU-1	12/10/10	12:41			W	P	32	N4	1	X
MU-2	12/10/10	12:02			W	V	40	1	3	X
MU-2	12/10/10	12:02			W	P	10	N4	1	X
MU-2	12/10/10	12:02			W	P	32	N4	1	X
MU-3	12/10/10	11:48			W	V	40	1	3	X
MU-3	12/10/10	11:48			W	P	10	N4	1	X
MU-3	12/10/10	11:48			W	P	32	N4	1	X
MU-4	12/10/10	12:53			W	V	40	1	3	X

Printed: 01/05/2011 16:55