

District I
1625 N. French Dr., Hobbs NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company COG Operating LLC	Contact Pat Ellis
Address 550 W. Texas, Suite 1300 Midland, Texas 79701	Telephone No. (432) 685-4332
Facility Name JC Federal #19	Facility Type Well

Surface Owner: Federal	Mineral Owner	Lease No. API 30-025-38995
-------------------------------	---------------	-----------------------------------

LOCATION OF RELEASE

Unit Letter G	Section 22	Township 17S	Range 32E	Feet from the 2160	North/South Line North	Feet from the 2310	East/West Line East	County Lea
-------------------------	----------------------	------------------------	---------------------	------------------------------	----------------------------------	------------------------------	-------------------------------	----------------------

Latitude N 32 49.288° Longitude W 103 45.195°

NATURE OF RELEASE

Type of Release: Produced Fluids (oil and water)	Volume of Release 15 bbls	Volume Recovered 12 bbls
Source of Release: Stuffing Box	Date and Hour of Occurrence 10/10/2010	Date and Hour of Discovery 10/10/2010 6.00 a.m.
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required	If YES, To Whom?	
By Whom?	Date and Hour 7/28/10 10:52 a.m.	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully *

N/A



Describe Cause of Problem and Remedial Action Taken.*

The stuffing box bolts were loose which allowed fluid to be released as the well pressured up. The stuffing box has been re-packed and the backpressure assembly has been cleaned

Describe Area Affected and Cleanup Action Taken.*

Tetra Tech inspected site and collected samples to define spills extent. Soil with elevated chloride concentrations was removed and hauled away for proper disposal. Site was then brought up to surface grade with clean backfill material. Tetra Tech prepared closure report and submitted to NMOCD for review.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		OIL CONSERVATION DIVISION	
Printed Name: Ike Tavarez		Approved by District Supervisor: 	
Title: Project Manager		Approval Date: 11/18/11	Expiration Date: -
E-mail Address: Ike.Tavarez@TetraTech.com		Conditions of Approval:	
Date: 8-8-11	Phone: (432) 682-4559	Attached ☐ IRP-11-11-2704	

* Attach Additional Sheets If Necessary

NOV 21 2011

SITE INFORMATION

Report Type: Closure Report

General Site Information:

Site:	JC Federal #19 Well Site	
Company:	COG Operating LLC	
Section, Township and Range	Sec 22 - T17S - R32E - Unit G	
Lease Number:	API-30-025-38995	
County:	Lea County	
GPS:	32.82122° N	103.75314° W
Surface Owner:	Federal	
Mineral Owner:		
Directions:	From the intersection of 529 and CR-126, travel 2.2 miles north on CR-126, turn right and travel 0.5 miles to location on left.	

Release Data:

Date Released:	10/10/2010
Type Release:	Produced Fluid (oil and water)
Source of Contamination:	Stuffing box failure
Fluid Released:	15 bbls
Fluids Recovered:	12 bbls

Official Communication:

Name:	Pat Ellis	Ike Tavaréz
Company:	COG Operating, LLC	Tetra Tech
Address:	550 W. Texas Ave. Ste. 1300	1910 N. Big Spring
P.O. Box		
City:	Midland Texas, 79701	Midland, Texas
Phone number:	(432) 686-3023	432-682-4559
Fax:	(432) 684-7137	
Email:	pellis@conchoresources.com	ike.tavaréz@tetrattech.com

Ranking Criteria

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	
Wellhead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0
Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0
Total Ranking Score:	0	

Acceptable Soil RRAL (mg/kg)		
Benzene	Total BTEX	TPH
10	50	5,000

HOBBS OCD

NOV 10 2011

RECEIVED

Approved:
Staff Sebring, Env Specialist
 NMUCD-HOBBS
 11/18/11



TETRA TECH

October 24, 2011

Mr. Geoffrey Leking
Environmental Engineer
Oil Conservation Division, District 1
1625 North French Drive
Hobbs, New Mexico 88240

Re: Closure Report for the COG Operating LLC., JC Federal #19 Well Site, located in Unit G, Section 22, Township 17 South, Range 32 East, Lea County, New Mexico.

Mr. Leking:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating LLC. (COG) to assess a spill from the JC Federal #19 Well, Unit G, Section 22, Township 17 South, Range 32 East, Lea County, New Mexico (Site). The spill site coordinates are N 32.82122°, W 103.75314°. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report, the leak was discovered on October 10, 2010, and released approximately fifteen (15) barrels of produced fluids due to loose bolts on a stuffing box. To alleviate the problem, COG personnel repacked the stuffing box and cleaned the backpressure assembly unit. Twelve (12) barrels of standing fluids were recovered. The majority of the spill was contained on the caliche pad impacting an area approximately 130' x 115'. The spill migrated east and impacted an area approximately 15' x 30' in the adjacent pasture. The initial C-141 form is enclosed in Appendix C.

Groundwater

The United States Geological Survey (USGS) Well Reports did not list any wells in Section 21. However, the USGS Well Report did list two wells in Section 11 with reported depths of 70' and 88' below ground surface (bgs). To establish depth to groundwater, Tetra Tech previously installed a temporary monitor well in Section 30 to a depth of 180' bgs and did not encounter groundwater. The groundwater data is shown in

Tetra Tech

1910 North Big Spring, Midland, TX 79705

Tel 432.682.4559 Fax 432.682.3946 www.tetrattech.com



NOV 10 2011

RECEIVED**Appendix A.**

According to the NMOCD groundwater map, the average depth to groundwater in this area is greater than 100' below surface. The Water Well Data is shown in Appendix A.

Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

Soil Assessment and Analytical Results

On October 25, 2010, Tetra Tech personnel inspected and sampled the spill area. A total of nine (9) auger holes (AH-1 through AH-9) were installed using a stainless steel hand auger to assess the impacted soils. Select samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix B. The results of the sampling are summarized in Table 1. The auger hole locations are shown on Figure 3.

Referring to Table 1, all of the submitted samples were below the RRAL for TPH and BTEX. The chloride concentrations for AH-3 and AH-9 were below 250 mg/kg. The highest chloride concentrations were detected at the surface for AH-1 (0-1') of 3,420 mg/kg and AH-5 (0-1') of 2,190 mg/kg. Chloride concentrations declined to <200 mg/kg with depth with the exception of AH-1 at 7-7.5' with a concentration of 665 mg/kg. This chloride encountered at this depth appears to be historic based on the soil chloride profile and will not be addressed or further delineated as part of this remediation effort.



TETRA TECH

Remedial Work and Closure Request

On April 6 and 7, 2011, Tetra Tech personnel supervised the excavation of the site as outlined in the approved work plan. The area of AH-1 was excavated to a depth of 2.5' and measured approximately 30' x 60'. In addition, the area of AH-5 was excavated to a depth of 1.0' and measured approximately 40' x 50'. Once excavated to the appropriate depths the excavations were backfilled with clean soil. Approximately 320 yards³ of impacted material was excavated and hauled to CRI for proper disposal. Photos of the excavating are included.


Based on the remediation activities, COG request closure of the site. The final C-141 is enclosed in Appendix C. If you have any questions or comments concerning the assessment or remediation activities for this site, please call me at (432) 682-4559.

Respectfully submitted,
TETRA TECH, INC.

Ike Tavaréz
Project Manager

cc: Pat Ellis – COG
cc: Jim Amos – BLM

FIGURES



 **CONCHO**

Figure 1

JC Fed #19
Topo Map 1:100,000


Lea County, New Mexico

Project : 114-6400716


Date : 10-29-2010

File : H:\GIS\6400716





JC Federal #19



EXPLANATION	
	Spill
	Flowline
	Auger Hole Sample



Figure 3
JC Fed #19
Spill Assessment Map
with Auger Hole Samples

Lea County, New Mexico

Project : 114-6400716


Date : 10-29-2010

File : H:\GIS\6400716



NOT TO SCALE

JC Federal #19



EXPLANATION	
	Spill
	1' Excavation
	2.5' Excavation
	Flowline
	Auger Hole Sample

LEASE ROAD



Figure 4

JC Fed #19
Excavation Map

Lea County, New Mexico

Project 114-6400716

Date 10/25/2011

File: H:\GIS\6400716



TABLES

Table 1
COG Operating LLC.
JC FEDERAL #19
Lea County, New Mexico

[illegible]

Table 1
COG Operating LLC.
JC FEDERAL #19
Lea County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Depth (BEB)	Soil Status		TPH (mg/kg)			Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Chloride (mg/kg)
				In-Situ	Removed	GRO	DRO	Total					
AH-7	10/25/2010	0-1'		X		<2.00	<50.0	<50.0	-	-	-	-	357
	"	1-1.5'		X		-	-	-	-	-	-	-	<200
	"	2-2.5'		X		-	-	-	-	-	-	-	<200
	"	3-3.5'		X		-	-	-	-	-	-	-	<200
	"	4-4.5'		X		-	-	-	-	-	-	-	<200
AH-8	10/25/2010	0-1'		X		<2.00	<50.0	<50.0	<0.0200	<0.0200	<0.0200	<0.0200	833
	"	1-1.5'		X		-	-	-	-	-	-	-	<200
	"	2-2.5'		X		-	-	-	-	-	-	-	<200
	"	3-3.5'		X		-	-	-	-	-	-	-	<200
	"	4-4.5'		X		-	-	-	-	-	-	-	<200
AH-9	10/25/2010	0-1'	1' BEB	X		<2.00	<50.0	<50.0	-	-	-	-	<200
	"	1-1.5'	1' BEB	X		-	-	-	-	-	-	-	<200
	"	2-2.5'	1' BEB	X		-	-	-	-	-	-	-	<200
	"	3-3.5'	1' BEB	X		-	-	-	-	-	-	-	<200
	"	4-4.5'	1' BEB	X		-	-	-	-	-	-	-	<200


BEB Below Excavation Bottom

(--) Not Analyzed


 Excavation Depths

PHOTOGRAPHS


COG Operating LLC
JC Federal #19 Well
Lea County, New Mexico
Site Excavated: April 6-7, 2010



TETRA TECH



View north west – Near AH-1 (2.5' removed)




View north - Excavated area near east side of well

COG Operating LLC
JC Federal #19 Well
Lea County, New Mexico
Site Excavated: April 6-7, 2010



Area near AH-5 (1.0' removed)



Site backfilled with clean material

APPENDIX A

Water Well Data
Average Depth to Groundwater (ft)
COG - JC Federal #19
Lea County, New Mexico

16 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
290					

17 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
			271		

18 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
			261		

16 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
					260

17 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
190	168	160			

17 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

-  New Mexico State Engineers Well Reports
-  USGS Well Reports
-  Geology and Groundwater Conditions in Southern Eddy, County, NM
-  NMOCD - Groundwater Data
-  Field water level
-  New Mexico Water and Infrastructure Data System
-  Tetra Tech Temporary well

APPENDIX B

Summary Report

Ike Tavarez
Tetra Tech
1910 N. Big Spring Street
Midland, TX 79705

Report Date: November 9, 2010

Work Order: 10102933



Project Location: Lea Co., NM
Project Name: COG/JC Fed. #19
Project Number: 114-6400716

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
249169	AH-1 0-1'	soil	2010-10-25	00:00	2010-10-29
249170	AH-1 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249171	AH-1 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249172	AH-1 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249173	AH-1 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249174	AH-1 5-5.5'	soil	2010-10-25	00:00	2010-10-29
249175	AH-1 6-6.5'	soil	2010-10-25	00:00	2010-10-29
249176	AH-1 7-7.5'	soil	2010-10-25	00:00	2010-10-29
249177	AH-2 0-1'	soil	2010-10-25	00:00	2010-10-29
249178	AH-2 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249179	AH-2 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249180	AH-2 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249181	AH-2 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249182	AH-3 0-1'	soil	2010-10-25	00:00	2010-10-29
249183	AH-3 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249184	AH-3 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249185	AH-3 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249186	AH-3 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249187	AH-4 0-1'	soil	2010-10-25	00:00	2010-10-29
249188	AH-4 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249189	AH-4 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249190	AH-4 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249191	AH-4 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249192	AH-5 0-1'	soil	2010-10-25	00:00	2010-10-29
249193	AH-5 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249194	AH-5 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249195	AH-5 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249196	AH-5 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249197	AH-5 5-5.5'	soil	2010-10-25	00:00	2010-10-29
249198	AH-5 6-6.5'	soil	2010-10-25	00:00	2010-10-29

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 794-1296

This is only a summary. Please, refer to the complete report package for quality control data.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
249199	AH-6 0-1'	soil	2010-10-25	00:00	2010-10-29
249200	AH-6 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249201	AH-6 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249202	AH-6 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249203	AH-6 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249204	AH-7 0-1'	soil	2010-10-25	00:00	2010-10-29
249205	AH-7 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249206	AH-7 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249207	AH-7 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249208	AH-7 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249209	AH-8 0-1'	soil	2010-10-25	00:00	2010-10-29
249210	AH-8 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249211	AH-8 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249212	AH-8 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249213	AH-8 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249214	AH-9 0-1' 1' BEB	soil	2010-10-25	00:00	2010-10-29
249215	AH-9 1-1.5' 1' BEB	soil	2010-10-25	00:00	2010-10-29
249216	AH-9 2-2.5' 1' BEB	soil	2010-10-25	00:00	2010-10-29
249217	AH-9 3-3.5' 1' BEB	soil	2010-10-25	00:00	2010-10-29
249218	AH-9 4-4.5' 1' BEB	soil	2010-10-25	00:00	2010-10-29

Sample - Field Code	BTEX				TPH DRO - NEW	TPH GRO
	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Xylene (mg/Kg)	DRO (mg/Kg)	GRO (mg/Kg)
249169 - AH-1 0-1'	<0.100	<0.100	0.185	0.516	623	166
249177 - AH-2 0-1'					<50.0	<2.00
249182 - AH-3 0-1'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00
249187 - AH-4 0-1'					<50.0	<2.00
249192 - AH-5 0-1'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00
249199 - AH-6 0-1'	<0.0200	0.0392	0.129	0.560	149	70.2
249204 - AH-7 0-1'					<50.0	<2.00
249209 - AH-8 0-1'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00
249214 - AH-9 0-1' 1' BEB					<50.0	<2.00

Sample: 249169 - AH-1 0-1'

Param	Flag	Result	Units	RL
Chloride		3420	mg/Kg	4.00

Sample: 249170 - AH-1 1-1.5'

Param	Flag	Result	Units	RL
Chloride		2130	mg/Kg	4.00

Sample: 249171 - AH-1 2-2.5'

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 794-1296
This is only a summary. Please, refer to the complete report package for quality control data.

Param	Flag	Result	Units	RL
Chloride		1720	mg/Kg	4.00

Sample: 249172 - AH-1 3-3.5'

Param	Flag	Result	Units	RL
Chloride		890	mg/Kg	4.00

Sample: 249173 - AH-1 4-4.5'

Param	Flag	Result	Units	RL
Chloride		430	mg/Kg	4.00

Sample: 249174 - AH-1 5-5.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249175 - AH-1 6-6.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249176 - AH-1 7-7.5'

Param	Flag	Result	Units	RL
Chloride		665	mg/Kg	4.00

Sample: 249177 - AH-2 0-1'

Param	Flag	Result	Units	RL
Chloride		573	mg/Kg	4.00

Sample: 249178 - AH-2 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249179 - AH-2 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249180 - AH-2 3-3.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249181 - AH-2 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249182 - AH-3 0-1'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249183 - AH-3 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249184 - AH-3 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249185 - AH-3 3-3.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249186 - AH-3 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249187 - AH-4 0-1'

Param	Flag	Result	Units	RL
Chloride		311	mg/Kg	4.00

Sample: 249188 - AH-4 1-1.5'

Param	Flag	Result	Units	RL
Chloride		276	mg/Kg	4.00

Sample: 249189 - AH-4 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249190 - AH-4 3-3.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249191 - AH-4 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249192 - AH-5 0-1'

Param	Flag	Result	Units	RL
Chloride		2190	mg/Kg	4.00

Sample: 249193 - AH-5 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249194 - AH-5 2-2.5'

Param	Flag	Result	Units	RL
Chloride		815	mg/Kg	4.00

Sample: 249195 - AH-5 3-3.5'

Param	Flag	Result	Units	RL
Chloride		209	mg/Kg	4.00

Sample: 249196 - AH-5 4-4.5'

Param	Flag	Result	Units	RL
Chloride		800	mg/Kg	4.00

Sample: 249197 - AH-5 5-5.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249198 - AH-5 6-6.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249199 - AH-6 0-1'

Param	Flag	Result	Units	RL
Chloride		474	mg/Kg	4.00

Sample: 249200 - AH-6 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249201 - AH-6 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249202 - AH-6 3-3.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249203 - AH-6 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249204 - AH-7 0-1'

Param	Flag	Result	Units	RL
Chloride		357	mg/Kg	4.00

Sample: 249205 - AH-7 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249206 - AH-7 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249207 - AH-7 3-3.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249208 - AH-7 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249209 - AH-8 0-1'

Param	Flag	Result	Units	RL
Chloride		833	mg/Kg	4.00

Sample: 249210 - AH-8 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249211 - AH-8 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249212 - AH-8 3-3.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249213 - AH-8 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249214 - AH-9 0-1' 1' BEB

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249215 - AH-9 1-1.5' 1' BEB

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249216 - AH-9 2-2.5' 1' BEB

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249217 - AH-9 3-3.5' 1' BEB

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Sample: 249218 - AH-9 4-4.5' 1' BEB

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4.00

Certifications

WBENC: 237019

HUB: 1752439743100-86536

DBE: VN 20657

NCTRCA WFWB38444Y0909

NELAP Certifications

Lubbock: T104704219-08-TX
LELAP-02003
Kansas E-10317

El Paso: T104704221-08-TX
LELAP-02002

Midland: T104704392-08-TX

Analytical and Quality Control Report

Ike Tavaréz
Tetra Tech
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: November 9, 2010

Work Order: 10102933



Project Location: Lea Co., NM
Project Name: COG/JC Fed. #19
Project Number: 114-6400716

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
249169	AH-1 0-1'	soil	2010-10-25	00:00	2010-10-29
249170	AH-1 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249171	AH-1 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249172	AH-1 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249173	AH-1 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249174	AH-1 5-5.5'	soil	2010-10-25	00:00	2010-10-29
249175	AH-1 6-6.5'	soil	2010-10-25	00:00	2010-10-29
249176	AH-1 7-7.5'	soil	2010-10-25	00:00	2010-10-29
249177	AH-2 0-1'	soil	2010-10-25	00:00	2010-10-29
249178	AH-2 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249179	AH-2 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249180	AH-2 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249181	AH-2 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249182	AH-3 0-1'	soil	2010-10-25	00:00	2010-10-29
249183	AH-3 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249184	AH-3 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249185	AH-3 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249186	AH-3 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249187	AH-4 0-1'	soil	2010-10-25	00:00	2010-10-29
249188	AH-4 1-1.5'	soil	2010-10-25	00:00	2010-10-29

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
249189	AH-4 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249190	AH-4 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249191	AH-4 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249192	AH-5 0-1'	soil	2010-10-25	00:00	2010-10-29
249193	AH-5 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249194	AH-5 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249195	AH-5 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249196	AH-5 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249197	AH-5 5-5.5'	soil	2010-10-25	00:00	2010-10-29
249198	AH-5 6-6.5'	soil	2010-10-25	00:00	2010-10-29
249199	AH-6 0-1'	soil	2010-10-25	00:00	2010-10-29
249200	AH-6 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249201	AH-6 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249202	AH-6 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249203	AH-6 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249204	AH-7 0-1'	soil	2010-10-25	00:00	2010-10-29
249205	AH-7 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249206	AH-7 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249207	AH-7 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249208	AH-7 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249209	AH-8 0-1'	soil	2010-10-25	00:00	2010-10-29
249210	AH-8 1-1.5'	soil	2010-10-25	00:00	2010-10-29
249211	AH-8 2-2.5'	soil	2010-10-25	00:00	2010-10-29
249212	AH-8 3-3.5'	soil	2010-10-25	00:00	2010-10-29
249213	AH-8 4-4.5'	soil	2010-10-25	00:00	2010-10-29
249214	AH-9 0-1' 1' BEB	soil	2010-10-25	00:00	2010-10-29
249215	AH-9 1-1.5' 1' BEB	soil	2010-10-25	00:00	2010-10-29
249216	AH-9 2-2.5' 1' BEB	soil	2010-10-25	00:00	2010-10-29
249217	AH-9 3-3.5' 1' BEB	soil	2010-10-25	00:00	2010-10-29
249218	AH-9 4-4.5' 1' BEB	soil	2010-10-25	00:00	2010-10-29

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 45 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.


 Dr. Blair Leftwich, Director
 Dr. Michael Abel, Project Manager

Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

Case Narrative

Samples for project COG/JC Fed. #19 were received by TraceAnalysis, Inc. on 2010-10-29 and assigned to work order 10102933. Samples for work order 10102933 were received intact at a temperature of 3.5 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	64292	2010-11-01 at 11:00	74940	2010-11-01 at 13:18
BTEX	S 8021B	64310	2010-11-02 at 10:15	74966	2010-11-02 at 10:31
BTEX	S 8021B	64352	2010-11-03 at 10:15	75018	2010-11-03 at 12:04
Chloride (Titration)	SM 4500-Cl B	64249	2010-11-01 at 09:32	74992	2010-11-03 at 14:10
Chloride (Titration)	SM 4500-Cl B	64249	2010-11-01 at 09:32	74993	2010-11-03 at 14:11
Chloride (Titration)	SM 4500-Cl B	64249	2010-11-01 at 09:32	74994	2010-11-03 at 14:11
Chloride (Titration)	SM 4500-Cl B	64249	2010-11-01 at 09:32	74995	2010-11-03 at 14:12
Chloride (Titration)	SM 4500-Cl B	64249	2010-11-01 at 09:32	74996	2010-11-03 at 14:13
TPH DRO - NEW	S 8015 D	64334	2010-11-01 at 13:25	75008	2010-11-01 at 15:34
TPH GRO	S 8015 D	64292	2010-11-01 at 11:00	74941	2010-11-01 at 13:45
TPH GRO	S 8015 D	64310	2010-11-02 at 10:15	74969	2010-11-02 at 10:57
TPH GRO	S 8015 D	64352	2010-11-03 at 10:15	75019	2010-11-03 at 12:31

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 10102933 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 4 of 45
Lea Co., NM

Analytical Report

Sample: 249169 - AH-1 0-1'

Laboratory: Midland
Analysis: BTEX
QC Batch: 74940
Prep Batch: 64292

Analytical Method: S 8021B
Date Analyzed: 2010-11-01
Sample Preparation: 2010-11-01

Prep Method: S 5035
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.100	mg/Kg	5	0.0200
Toluene		<0.100	mg/Kg	5	0.0200
Ethylbenzene		0.185	mg/Kg	5	0.0200
Xylene		0.516	mg/Kg	5	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		5.05	mg/Kg	5	5.00	101	66.5 - 148
4-Bromofluorobenzene (4-BFB)		5.83	mg/Kg	5	5.00	117	50 - 189

Sample: 249169 - AH-1 0-1'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 74992
Prep Batch: 64249

Analytical Method: SM 4500-Cl B
Date Analyzed: 2010-11-03
Sample Preparation: 2010-11-01

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		3420	mg/Kg	100	4.00

Sample: 249169 - AH-1 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW
QC Batch: 75008
Prep Batch: 64334

Analytical Method: S 8015 D
Date Analyzed: 2010-11-01
Sample Preparation: 2010-11-01

Prep Method: N/A
Analyzed By: kg
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		623	mg/Kg	1	50.0

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 5 of 45
Lea Co., NM

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane	†	228	mg/Kg	1	100	228	70 - 130

Sample: 249169 - AH-1 0-1'

Laboratory: Midland

Analysis: TPH GRO

QC Batch: 74941

Prep Batch: 64292

Analytical Method: S 8015 D

Date Analyzed: 2010-11-01

Sample Preparation: 2010-11-01

Prep Method: S 5035

Analyzed By: AG

Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		166	mg/Kg	5	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		4.86	mg/Kg	5	5.00	97	73.4 - 122
4-Bromofluorobenzene (4-BFB)		5.64	mg/Kg	5	5.00	113	50 - 138

Sample: 249170 - AH-1 1-1.5'

Laboratory: Midland

Analysis: Chloride (Titration)

QC Batch: 74992

Prep Batch: 64249

Analytical Method: SM 4500-Cl B

Date Analyzed: 2010-11-03

Sample Preparation: 2010-11-01

Prep Method: N/A

Analyzed By: AR

Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		2130	mg/Kg	100	4.00

Sample: 249171 - AH-1 2-2.5'

Laboratory: Midland

Analysis: Chloride (Titration)

QC Batch: 74992

Prep Batch: 64249

Analytical Method: SM 4500-Cl B

Date Analyzed: 2010-11-03

Sample Preparation: 2010-11-01

Prep Method: N/A

Analyzed By: AR

Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		1720	mg/Kg	100	4.00

† High surrogate recovery due to peak interference.

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 6 of 45
Lea Co., NM

Sample: 249172 - AH-1 3-3.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74992	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		890	mg/Kg	50	4.00

Sample: 249173 - AH-1 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74992	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		430	mg/Kg	50	4.00

Sample: 249174 - AH-1 5-5.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74992	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249175 - AH-1 6-6.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74992	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 7 of 45
Lea Co., NM

Sample: 249176 - AH-1 7-7.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74992 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		665	mg/Kg	50	4.00

Sample: 249177 - AH-2 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74992 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		573	mg/Kg	50	4.00

Sample: 249177 - AH-2 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 75008 Date Analyzed: 2010-11-01 Analyzed By: kg
Prep Batch: 64334 Sample Preparation: 2010-11-01 Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		106	mg/Kg	1	100	106	70 - 130

Sample: 249177 - AH-2 0-1'

Laboratory: Midland
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 74941 Date Analyzed: 2010-11-01 Analyzed By: AG
Prep Batch: 64292 Sample Preparation: 2010-11-01 Prepared By: AG

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 8 of 45
Lea Co., NM

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.67	mg/Kg	1	2.00	84	73.4 - 122
4-Bromofluorobenzene (4-BFB)		1.83	mg/Kg	1	2.00	92	50 - 138

Sample: 249178 - AH-2 1-1.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2010-11-03	Analyzed By: AR
QC Batch: 74992	Sample Preparation: 2010-11-01	Prepared By: AR
Prep Batch: 64249		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249179 - AH-2 2-2.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2010-11-03	Analyzed By: AR
QC Batch: 74993	Sample Preparation: 2010-11-01	Prepared By: AR
Prep Batch: 64249		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249180 - AH-2 3-3.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2010-11-03	Analyzed By: AR
QC Batch: 74993	Sample Preparation: 2010-11-01	Prepared By: AR
Prep Batch: 64249		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 9 of 45
Lea Co., NM

Sample: 249181 - AH-2 4-4.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74993 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL	Units	Dilution	RL
		Result			
Chloride		<200	mg/Kg	50	4.00

Sample: 249182 - AH-3 0-1'

Laboratory: Midland
Analysis: BTEX Analytical Method: S 8021B Prep Method: S 5035
QC Batch: 74940 Date Analyzed: 2010-11-01 Analyzed By: AG
Prep Batch: 64292 Sample Preparation: 2010-11-01 Prepared By: AG

Parameter	Flag	RL	Units	Dilution	RL
		Result			
Benzene		<0.0200	mg/Kg	1	0.0200
Toluene		<0.0200	mg/Kg	1	0.0200
Ethylbenzene		<0.0200	mg/Kg	1	0.0200
Xylene		<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.76	mg/Kg	1	2.00	88	66.5 - 148
4-Bromofluorobenzene (4-BFB)		1.89	mg/Kg	1	2.00	94	50 - 189

Sample: 249182 - AH-3 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74993 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL	Units	Dilution	RL
		Result			
Chloride		<200	mg/Kg	50	4.00

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 10 of 45
Lea Co., NM

Sample: 249182 - AH-3 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	N/A
Analysis:	TPH DRO - NEW	Date Analyzed:	2010-11-01	Analyzed By:	kg
QC Batch:	75008	Sample Preparation:	2010-11-01	Prepared By:	AG
Prep Batch:	64334				

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		104	mg/Kg	1	100	104	70 - 130

Sample: 249182 - AH-3 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	S 5035
Analysis:	TPH GRO	Date Analyzed:	2010-11-01	Analyzed By:	AG
QC Batch:	74941	Sample Preparation:	2010-11-01	Prepared By:	AG
Prep Batch:	64292				

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.72	mg/Kg	1	2.00	86	73.4 - 122
4-Bromofluorobenzene (4-BFB)		1.77	mg/Kg	1	2.00	88	50 - 138

Sample: 249183 - AH-3 1-1.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74993	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 11 of 45
Lea Co., NM

Sample: 249184 - AH-3 2-2.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74993	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249185 - AH-3 3-3.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74993	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249186 - AH-3 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74993	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249187 - AH-4 0-1'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74993	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		311	mg/Kg	50	4.00

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 12 of 45
Lea Co., NM

Sample: 249187 - AH-4 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	N/A
Analysis:	TPH DRO - NEW	Date Analyzed:	2010-11-01	Analyzed By:	kg
QC Batch:	75008	Sample Preparation:	2010-11-01	Prepared By:	AG
Prep Batch:	64334				

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		105	mg/Kg	1	100	105	70 - 130

Sample: 249187 - AH-4 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	S 5035
Analysis:	TPH GRO	Date Analyzed:	2010-11-01	Analyzed By:	AG
QC Batch:	74941	Sample Preparation:	2010-11-01	Prepared By:	AG
Prep Batch:	64292				

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	²	1.16	mg/Kg	1	2.00	58	73.4 - 122
4-Bromofluorobenzene (4-BFB)		1.22	mg/Kg	1	2.00	61	50 - 138

Sample: 249188 - AH-4 1-1.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74993	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		276	mg/Kg	50	4.00

²SPECIAL - TFT is out of control limits due to an unknown anomaly. However, 4-BFB is within control limits and shows the method to be in control. •

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 13 of 45
Lea Co., NM

Sample: 249189 - AH-4 2-2.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74994	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249190 - AH-4 3-3.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74994	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249191 - AH-4 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74994	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249192 - AH-5 0-1'

Laboratory:	Midland	Analytical Method:	S 8021B	Prep Method:	S 5035
Analysis:	BTEX	Date Analyzed:	2010-11-03	Analyzed By:	AG
QC Batch:	75018	Sample Preparation:	2010-11-03	Prepared By:	AG
Prep Batch:	64352				

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.0200	mg/Kg	1	0.0200
Toluene		<0.0200	mg/Kg	1	0.0200

continued ...

Report Date: November 9, 2010
114-6-400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 14 of 45
Lea Co., NM

sample 249192 continued ...

Parameter	Flag	RL Result	Units	Dilution	RL
Ethylbenzene		<0.0200	mg/Kg	1	0.0200
Xylene		<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.96	mg/Kg	1	2.00	98	66.5 - 148
4-Bromofluorobenzene (4-BFB)		2.24	mg/Kg	1	2.00	112	50 - 189

Sample: 249192 - AH-5 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74994 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		2190	mg/Kg	100	4.00

Sample: 249192 - AH-5 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 75008 Date Analyzed: 2010-11-01 Analyzed By: kg
Prep Batch: 64334 Sample Preparation: 2010-11-01 Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		106	mg/Kg	1	100	106	70 - 130

Sample: 249192 - AH-5 0-1'

Laboratory: Midland
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 75019 Date Analyzed: 2010-11-03 Analyzed By: AG
Prep Batch: 64352 Sample Preparation: 2010-11-03 Prepared By: AG

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 15 of 45
Lea Co., NM

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.04	mg/Kg	1	2.00	102	73.4 - 122
4-Bromofluorobenzene (4-BFB)		2.07	mg/Kg	1	2.00	104	50 - 138

Sample: 249193 - AH-5 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74994 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249194 - AH-5 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74994 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		815	mg/Kg	50	4.00

Sample: 249195 - AH-5 3-3.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74994 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		209	mg/Kg	50	4.00

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 16 of 45
Lea Co., NM

Sample: 249196 - AH-5 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74994	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		800	mg/Kg	50	4.00

Sample: 249197 - AH-5 5-5.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74994	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249198 - AH-5 6-6.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74994	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249199 - AH-6 0-1'

Laboratory:	Midland	Analytical Method:	S 8021B	Prep Method:	S 5035
Analysis:	BTEX	Date Analyzed:	2010-11-02	Analyzed By:	AG
QC Batch:	74966	Sample Preparation:		Prepared By:	AG
Prep Batch:	64310				

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.0200	mg/Kg	1	0.0200
Toluene		0.0392	mg/Kg	1	0.0200

continued ...

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 17 of 45
Lea Co., NM

sample 249199 continued ...

Parameter	Flag	RL Result	Units	Dilution	RL
Ethylbenzene		0.129	mg/Kg	1	0.0200
Xylene		0.560	mg/Kg	1	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	³	1.28	mg/Kg	1	2.00	64	66.5 - 148
4-Bromofluorobenzene (4-BFB)		1.51	mg/Kg	1	2.00	76	50 - 189

Sample: 249199 - AH-6 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74995 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		474	mg/Kg	50	4.00

Sample: 249199 - AH-6 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 75008 Date Analyzed: 2010-11-01 Analyzed By: kg
Prep Batch: 64334 Sample Preparation: 2010-11-01 Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		149	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		123	mg/Kg	1	100	123	70 - 130

Sample: 249199 - AH-6 0-1'

Laboratory: Midland
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 74969 Date Analyzed: 2010-11-02 Analyzed By: AG
Prep Batch: 64310 Sample Preparation: Prepared By: AG

³SPECIAL - TFT is out of control limits due to an unknown anomaly. However, 4-BFB is within control limits and shows the method to be in control. •

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 18 of 45
Lea Co., NM

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		70.2	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	4	1.29	mg/Kg	1	2.00	64	73.4 - 122
4-Bromofluorobenzene (4-BFB)		2.00	mg/Kg	1	2.00	100	50 - 138

Sample: 249200 - AH-6 1-1.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2010-11-03	Analyzed By: AR
QC Batch: 74995	Sample Preparation: 2010-11-01	Prepared By: AR
Prep Batch: 64249		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249201 - AH-6 2-2.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2010-11-03	Analyzed By: AR
QC Batch: 74995	Sample Preparation: 2010-11-01	Prepared By: AR
Prep Batch: 64249		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249202 - AH-6 3-3.5'

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2010-11-03	Analyzed By: AR
QC Batch: 74995	Sample Preparation: 2010-11-01	Prepared By: AR
Prep Batch: 64249		

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

⁴Surrogate out due to peak interference.

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 19 of 45
Lea Co., NM

Sample: 249203 - AH-6 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74995	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249204 - AH-7 0-1'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74995	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		357	mg/Kg	50	4.00

Sample: 249204 - AH-7 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	N/A
Analysis:	TPH DRO - NEW	Date Analyzed:	2010-11-01	Analyzed By:	kg
QC Batch:	75008	Sample Preparation:	2010-11-01	Prepared By:	AG
Prep Batch:	64334				

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		111	mg/Kg	1	100	111	70 - 130

Sample: 249204 - AH-7 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	S 5035
Analysis:	TPH GRO	Date Analyzed:	2010-11-02	Analyzed By:	AG
QC Batch:	74969	Sample Preparation:		Prepared By:	AG
Prep Batch:	64310				

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 20 of 45
Lea Co., NM

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	5	1.24	mg/Kg	1	2.00	62	73.4 - 122
4-Bromofluorobenzene (4-BFB)		1.33	mg/Kg	1	2.00	66	50 - 138

Sample: 249205 - AH-7 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74995 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249206 - AH-7 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74995 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249207 - AH-7 3-3.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74995 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

⁵SPECIAL - TFT is out of control limits due to an unknown anomaly. However, 4-BFB is within control limits and shows the method to be in control.

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 21 of 45
Lea Co., NM

Sample: 249208 - AH-7 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74995	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249209 - AH-8 0-1'

Laboratory:	Midland	Analytical Method:	S 8021B	Prep Method:	S 5035
Analysis:	BTEX	Date Analyzed:	2010-11-02	Analyzed By:	AG
QC Batch:	74966	Sample Preparation:		Prepared By:	AG
Prep Batch:	64310				

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.0200	mg/Kg	1	0.0200
Toluene		<0.0200	mg/Kg	1	0.0200
Ethylbenzene		<0.0200	mg/Kg	1	0.0200
Xylene		<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	⁶	1.24	mg/Kg	1	2.00	62	66.5 - 148
4-Bromofluorobenzene (4-BFB)		1.42	mg/Kg	1	2.00	71	50 - 189

Sample: 249209 - AH-8 0-1'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74996	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		833	mg/Kg	50	4.00

⁶SPECIAL - TFT is out of control limits due to an unknown anomaly. However, 4-BFB is within control limits and shows the method to be in control. •

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 22 of 45
Lea Co., NM

Sample: 249209 - AH-8 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	N/A
Analysis:	TPH DRO - NEW	Date Analyzed:	2010-11-01	Analyzed By:	kg
QC Batch:	75008	Sample Preparation:	2010-11-01	Prepared By:	AG
Prep Batch:	64334				

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		105	mg/Kg	1	100	105	70 - 130

Sample: 249209 - AH-8 0-1'

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	S 5035
Analysis:	TPH GRO	Date Analyzed:	2010-11-02	Analyzed By:	AG
QC Batch:	74969	Sample Preparation:		Prepared By:	AG
Prep Batch:	64310				

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.64	mg/Kg	1	2.00	82	73.4 - 122
4-Bromofluorobenzene (4-BFB)		1.75	mg/Kg	1	2.00	88	50 - 138

Sample: 249210 - AH-8 1-1.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74996	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 23 of 45
Lea Co., NM

Sample: 249211 - AH-8 2-2.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74996	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249212 - AH-8 3-3.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74996	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249213 - AH-8 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74996	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249214 - AH-9 0-1' 1' BEB

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74996	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 24 of 45
Lea Co., NM

Sample: 249214 - AH-9 0-1' 1' BEB

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	N/A
Analysis:	TPH DRO - NEW	Date Analyzed:	2010-11-01	Analyzed By:	kg
QC Batch:	75008	Sample Preparation:	2010-11-01	Prepared By:	AG
Prep Batch:	64334				

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		103	mg/Kg	1	100	103	70 - 130

Sample: 249214 - AH-9 0-1' 1' BEB

Laboratory:	Midland	Analytical Method:	S 8015 D	Prep Method:	S 5035
Analysis:	TPH GRO	Date Analyzed:	2010-11-02	Analyzed By:	AG
QC Batch:	74969	Sample Preparation:		Prepared By:	AG
Prep Batch:	64310				

Parameter	Flag	RL Result	Units	Dilution	RL
GRO		<2.00	mg/Kg	1	2.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	7	1.02	mg/Kg	1	2.00	51	73.4 - 122
4-Bromofluorobenzene (4-BFB)		1.10	mg/Kg	1	2.00	55	50 - 138

Sample: 249215 - AH-9 1-1.5' 1' BEB

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2010-11-03	Analyzed By:	AR
QC Batch:	74996	Sample Preparation:	2010-11-01	Prepared By:	AR
Prep Batch:	64249				

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

⁷SPECIAL - TFT is out of control limits due to an unknown anomaly. However, 4-BFB is within control limits and shows the method to be in control. •

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 25 of 45
Lea Co., NM

Sample: 249216 - AH-9 2-2.5' 1' BEB

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74996 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249217 - AH-9 3-3.5' 1' BEB

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74996 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Sample: 249218 - AH-9 4-4.5' 1' BEB

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 74996 Date Analyzed: 2010-11-03 Analyzed By: AR
Prep Batch: 64249 Sample Preparation: 2010-11-01 Prepared By: AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<200	mg/Kg	50	4.00

Method Blank (1) QC Batch: 74940

QC Batch: 74940 Date Analyzed: 2010-11-01 Analyzed By: AG
Prep Batch: 64292 QC Preparation: 2010-11-01 Prepared By: AG

Parameter	Flag	MDL Result	Units	RL
Benzene		<0.00750	mg/Kg	0.02
Toluene		<0.0109	mg/Kg	0.02
Ethylbenzene		<0.00630	mg/Kg	0.02

continued ...

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 26 of 45
Lea Co., NM

method blank continued ..

Parameter	Flag	MDL Result	Units	RL
Xylene		<0.0144	mg/Kg	0.02

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.00	mg/Kg	1	2.00	100	75.6 - 110
4-Bromofluorobenzene (4-BFB)		2.23	mg/Kg	1	2.00	112	41.5 - 139

Method Blank (1) QC Batch: 74941

QC Batch: 74941
Prep Batch: 64292

Date Analyzed: 2010-11-01
QC Preparation: 2010-11-01

Analyzed By: AG
Prepared By: AG

Parameter	Flag	MDL Result	Units	RL
GRO		<0.747	mg/Kg	2

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.07	mg/Kg	1	2.00	104	76.9 - 115
4-Bromofluorobenzene (4-BFB)		2.07	mg/Kg	1	2.00	104	45.8 - 147

Method Blank (1) QC Batch: 74966

QC Batch: 74966
Prep Batch: 64310

Date Analyzed: 2010-11-02
QC Preparation: 2010-11-02

Analyzed By: AG
Prepared By: AG

Parameter	Flag	MDL Result	Units	RL
Benzene		<0.00750	mg/Kg	0.02
Toluene		<0.0109	mg/Kg	0.02
Ethylbenzene		<0.00630	mg/Kg	0.02
Xylene		<0.0144	mg/Kg	0.02

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.98	mg/Kg	1	2.00	99	75.6 - 110
4-Bromofluorobenzene (4-BFB)		2.20	mg/Kg	1	2.00	110	41.5 - 139

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 27 of 45
Lea Co., NM

Method Blank (1) QC Batch: 74969

QC Batch: 74969
Prep Batch: 64310

Date Analyzed: 2010-11-02
QC Preparation: 2010-11-02

Analyzed By: AG
Prepared By: AG

Parameter	Flag	MDL Result	Units	RL
GR0		<0.747	mg/Kg	2

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.04	mg/Kg	1	2.00	102	76.9 - 115
4-Bromofluorobenzene (4-BFB)		2.02	mg/Kg	1	2.00	101	45.8 - 147

Method Blank (1) QC Batch: 74992

QC Batch: 74992
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Method Blank (1) QC Batch: 74993

QC Batch: 74993
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Method Blank (1) QC Batch: 74994

QC Batch: 74994
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 28 of 45
Lea Co., NM

Method Blank (1) QC Batch: 74995

QC Batch: 74995
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Method Blank (1) QC Batch: 74996

QC Batch: 74996
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<2.18	mg/Kg	4

Method Blank (1) QC Batch: 75008

QC Batch: 75008
Prep Batch: 64334

Date Analyzed: 2010-11-01
QC Preparation: 2010-11-01

Analyzed By: kg
Prepared By: kg

Parameter	Flag	MDL Result	Units	RL
DRO		<14.6	mg/Kg	50

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		130	mg/Kg	1	100	130	70 - 130

Method Blank (1) QC Batch: 75018

QC Batch: 75018
Prep Batch: 64352

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-03

Analyzed By: AG
Prepared By: AG

Parameter	Flag	MDL Result	Units	RL
Benzene		<0.00750	mg/Kg	0.02
Toluene		<0.0109	mg/Kg	0.02
Ethylbenzene		<0.00630	mg/Kg	0.02
Xylene		<0.0144	mg/Kg	0.02

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 29 of 45
Lea Co., NM

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.97	mg/Kg	1	2.00	98	75.6 - 110
4-Bromofluorobenzene (4-BFB)		2.22	mg/Kg	1	2.00	111	41.5 - 139

Method Blank (1) QC Batch: 75019

QC Batch: 75019
Prep Batch: 64352

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-03

Analyzed By: AG
Prepared By: AG

Parameter	Flag	MDL Result	Units	RL
GRO		<0.747	mg/Kg	2

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		2.05	mg/Kg	1	2.00	102	76.9 - 115
4-Bromofluorobenzene (4-BFB)		2.04	mg/Kg	1	2.00	102	45.8 - 147

Laboratory Control Spike (LCS-1)

QC Batch: 74940
Prep Batch: 64292

Date Analyzed: 2010-11-01
QC Preparation: 2010-11-01

Analyzed By: AG
Prepared By: AG

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	1.97	mg/Kg	1	2.00	<0.00750	98	81.7 - 120
Toluene	1.94	mg/Kg	1	2.00	<0.0109	97	81.8 - 120
Ethylbenzene	1.98	mg/Kg	1	2.00	<0.00630	99	79.8 - 120
Xylene	6.06	mg/Kg	1	6.00	<0.0144	101	74 - 123

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	2.00	mg/Kg	1	2.00	<0.00750	100	81.7 - 120	2	20
Toluene	1.94	mg/Kg	1	2.00	<0.0109	97	81.8 - 120	0	20
Ethylbenzene	2.00	mg/Kg	1	2.00	<0.00630	100	79.8 - 120	1	20
Xylene	6.11	mg/Kg	1	6.00	<0.0144	102	74 - 123	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.98	1.79	mg/Kg	1	2.00	99	90	77.4 - 110

continued ...

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 30 of 45
Lea Co., NM

control spikes continued ...

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
4-Bromofluorobenzene (4-BFB)	2.25	2.04	mg/Kg	1	2.00	112	102	46 - 140

Laboratory Control Spike (LCS-1)

QC Batch: 74941
Prep Batch: 64292

Date Analyzed: 2010-11-01
QC Preparation: 2010-11-01

Analyzed By: AG
Prepared By: AG

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	18.3	mg/Kg	1	20.0	<0.747	92	56.5 - 98.2

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	18.9	mg/Kg	1	20.0	<0.747	94	56.5 - 98.2	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.90	1.85	mg/Kg	1	2.00	95	92	76.5 - 118
4-Bromofluorobenzene (4-BFB)	1.99	1.94	mg/Kg	1	2.00	100	97	51.1 - 150

Laboratory Control Spike (LCS-1)

QC Batch: 74966
Prep Batch: 64310

Date Analyzed: 2010-11-02
QC Preparation: 2010-11-02

Analyzed By: AG
Prepared By: AG

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	1.98	mg/Kg	1	2.00	<0.00750	99	81.7 - 120
Toluene	1.94	mg/Kg	1	2.00	<0.0109	97	81.8 - 120
Ethylbenzene	1.97	mg/Kg	1	2.00	<0.00630	98	79.8 - 120
Xylene	6.02	mg/Kg	1	6.00	<0.0144	100	74 - 123

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	2.02	mg/Kg	1	2.00	<0.00750	101	81.7 - 120	2	20
Toluene	1.99	mg/Kg	1	2.00	<0.0109	100	81.8 - 120	2	20
Ethylbenzene	2.02	mg/Kg	1	2.00	<0.00630	101	79.8 - 120	2	20
Xylene	6.18	mg/Kg	1	6.00	<0.0144	103	74 - 123	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 31 of 45
Lea Co., NM

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.69	1.91	mg/Kg	1	2.00	84	96	77.4 - 110
4-Bromofluorobenzene (4-BFB)	1.89	2.17	mg/Kg	1	2.00	94	108	46 - 140

Laboratory Control Spike (LCS-1)

QC Batch: 74969
Prep Batch: 64310

Date Analyzed: 2010-11-02
QC Preparation: 2010-11-02

Analyzed By: AG
Prepared By: AG

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	18.9	mg/Kg	1	20.0	<0.747	94	56.5 - 98.2

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	19.2	mg/Kg	1	20.0	<0.747	96	56.5 - 98.2	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.02	2.03	mg/Kg	1	2.00	101	102	76.5 - 118
4-Bromofluorobenzene (4-BFB)	2.10	2.08	mg/Kg	1	2.00	105	104	51.1 - 150

Laboratory Control Spike (LCS-1)

QC Batch: 74992
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	97.2	mg/Kg	1	100	<2.18	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	103	mg/Kg	1	100	<2.18	103	85 - 115	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 74993
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 32 of 45
Lea Co., NM

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	97.3	mg/Kg	1	100	<2.18	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	102	mg/Kg	1	100	<2.18	102	85 - 115	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 74994
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	97.1	mg/Kg	1	100	<2.18	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	102	mg/Kg	1	100	<2.18	102	85 - 115	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 74995
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	97.2	mg/Kg	1	100	<2.18	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	103	mg/Kg	1	100	<2.18	103	85 - 115	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 74996
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 33 of 45
Lea Co., NM

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	96.6	mg/Kg	1	100	<2.18	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	102	mg/Kg	1	100	<2.18	102	85 - 115	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 75008
Prep Batch: 64334

Date Analyzed: 2010-11-01
QC Preparation: 2010-11-01

Analyzed By: kg
Prepared By: kg

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	230	mg/Kg	1	250	<14.6	92	47.5 - 144.1

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	224	mg/Kg	1	250	<14.6	90	47.5 - 144.1	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
n-Tricosane	121	119	mg/Kg	1	100	121	119	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 75018
Prep Batch: 64352

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-03

Analyzed By: AG
Prepared By: AG

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	1.97	mg/Kg	1	2.00	<0.00750	98	81.7 - 120
Toluene	1.92	mg/Kg	1	2.00	<0.0109	96	81.8 - 120
Ethylbenzene	1.93	mg/Kg	1	2.00	<0.00630	96	79.8 - 120
Xylene	5.90	mg/Kg	1	6.00	<0.0144	98	74 - 123

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

continued ...

control spikes continued ...

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	2.00	mg/Kg	1	2.00	<0.00750	100	81.7 - 120	2	20
Toluene	1.94	mg/Kg	1	2.00	<0.0109	97	81.8 - 120	1	20
Ethylbenzene	1.97	mg/Kg	1	2.00	<0.00630	98	79.8 - 120	2	20
Xylene	6.03	mg/Kg	1	6.00	<0.0144	100	74 - 123	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.88	1.90	mg/Kg	1	2.00	94	95	77.4 - 110
4-Bromofluorobenzene (4-BFB)	2.16	2.17	mg/Kg	1	2.00	108	108	46 - 140

Laboratory Control Spike (LCS-1)

QC Batch: 75019
Prep Batch: 64352

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-03

Analyzed By: AG
Prepared By: AG

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	18.7	mg/Kg	1	20.0	<0.747	94	56.5 - 98.2

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	19.3	mg/Kg	1	20.0	<0.747	96	56.5 - 98.2	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.97	1.90	mg/Kg	1	2.00	98	95	76.5 - 118
4-Bromofluorobenzene (4-BFB)	2.07	2.00	mg/Kg	1	2.00	104	100	51.1 - 150

Matrix Spike (MS-1) Spiked Sample: 249164

QC Batch: 74940
Prep Batch: 64292

Date Analyzed: 2010-11-01
QC Preparation: 2010-11-01

Analyzed By: AG
Prepared By: AG

continued ...

matrix spikes continued ...

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	2.38	mg/Kg	1	2.00	<0.00750	119	75.7 - 125
Toluene	2.37	mg/Kg	1	2.00	<0.0109	118	74.4 - 125
Ethylbenzene	2.89	mg/Kg	1	2.00	<0.00630	144	72.2 - 128
Xylene	7.78	mg/Kg	1	6.00	<0.0144	130	63 - 131

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	1.98	mg/Kg	1	2.00	<0.00750	99	75.7 - 125	18	20
Toluene	1.96	mg/Kg	1	2.00	<0.0109	98	74.4 - 125	19	20
Ethylbenzene	2.07	mg/Kg	1	2.00	<0.00630	104	72.2 - 128	33	20
Xylene	6.32	mg/Kg	1	6.00	<0.0144	105	63 - 131	21	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.80	1.48	mg/Kg	1	2	90	74	78.8 - 109
4-Bromofluorobenzene (4-BFB)	2.02	1.66	mg/Kg	1	2	101	83	50 - 136

Matrix Spike (MS-1) Spiked Sample: 249127

QC Batch: 74941
Prep Batch: 64292

Date Analyzed: 2010-11-01
QC Preparation: 2010-11-01

Analyzed By: AG
Prepared By: AG

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	15.2	mg/Kg	1	20.0	<0.747	76	50 - 150

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	19.0	mg/Kg	1	20.0	<0.747	95	50 - 150	22	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

⁸Matrix spike recovery out of control limits due to peak interference. Use LCS/LCSD to demonstrate analysis is under control.

⁹MS/MSD RPD out of RPD Limits. Use LCS/LCSD to demonstrate analysis is under control.

¹⁰MS/MSD RPD out of RPD Limits. Use LCS/LCSD to demonstrate analysis is under control.

¹¹Surrogate out due to peak interference.

¹²MS/MSD RPD out of RPD Limits. Use LCS/LCSD to demonstrate analysis is under control.

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 36 of 45
Lea Co., NM

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	^{13 14} 0.954	1.18	mg/Kg	1	2	48	59	71.6 - 117
4-Bromofluorobenzene (4-BFB)	1.12	1.30	mg/Kg	1	2	56	65	50 - 170

Matrix Spike (MS-1) Spiked Sample: 249293

QC Batch: 74966
Prep Batch: 64310

Date Analyzed: 2010-11-02
QC Preparation: 2010-11-02

Analyzed By: AG
Prepared By: AG

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	2.39	mg/Kg	1	2.00	<0.00750	120	75.7 - 125
Toluene	2.36	mg/Kg	1	2.00	<0.0109	118	74.4 - 125
Ethylbenzene	2.45	mg/Kg	1	2.00	<0.00630	122	72.2 - 128
Xylene	7.48	mg/Kg	1	6.00	<0.0144	125	63 - 131

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	1.99	mg/Kg	1	2.00	<0.00750	100	75.7 - 125	18	20
Toluene	1.97	mg/Kg	1	2.00	<0.0109	98	74.4 - 125	18	20
Ethylbenzene	2.06	mg/Kg	1	2.00	<0.00630	103	72.2 - 128	17	20
Xylene	6.31	mg/Kg	1	6.00	<0.0144	105	63 - 131	17	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	^{15 16} 0.884	1.46	mg/Kg	1	2	44	73	78.8 - 109
4-Bromofluorobenzene (4-BFB)	1.02	1.65	mg/Kg	1	2	51	82	50 - 136

Matrix Spike (MS-1) Spiked Sample: 249241

QC Batch: 74969
Prep Batch: 64310

Date Analyzed: 2010-11-02
QC Preparation: 2010-11-02

Analyzed By: AG
Prepared By: AG

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	18.7	mg/Kg	1	20.0	<0.747	94	50 - 150

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

¹³Surrogate out due to peak interference.

¹⁴Surrogate out due to peak interference.

¹⁵Surrogate out due to peak interference. •

¹⁶Surrogate out due to peak interference.

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 37 of 45
Lea Co., NM

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	19.4	mg/Kg	1	20.0	<0.747	97	50 - 150	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate		MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	¹⁷ ¹⁸	1.36	0.759	mg/Kg	1	2	68	38	71.6 - 117
4-Bromofluorobenzene (4-BFB)	¹⁹	1.56	0.911	mg/Kg	1	2	78	46	50 - 170

Matrix Spike (MS-1) Spiked Sample: 249178

QC Batch: 74992
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	9820	mg/Kg	100	10000	<218	98	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	10100	mg/Kg	100	10000	<218	101	85 - 115	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 249188

QC Batch: 74993
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	10300	mg/Kg	100	10000	276	100	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	10500	mg/Kg	100	10000	276	102	85 - 115	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

¹⁷Surrogate out due to peak interference.

¹⁸Surrogate out due to peak interference.

¹⁹Surrogate out due to peak interference.

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 38 of 45
Lea Co., NM

Matrix Spike (MS-1) Spiked Sample: 249198

QC Batch: 74994
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	9770	mg/Kg	100	10000	<218	98	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	9940	mg/Kg	100	10000	<218	99	85 - 115	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 249208

QC Batch: 74995
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	10100	mg/Kg	100	10000	<218	101	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	10300	mg/Kg	100	10000	<218	103	85 - 115	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 249218

QC Batch: 74996
Prep Batch: 64249

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-01

Analyzed By: AR
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	9670	mg/Kg	100	10000	<218	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	10000	mg/Kg	100	10000	<218	100	85 - 115	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: November 9, 2010
114-6100716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 39 of 45
Lea Co., NM

Matrix Spike (MS-1) Spiked Sample: 249214

QC Batch: 75008
Prep Batch: 64334

Date Analyzed: 2010-11-01
QC Preparation: 2010-11-01

Analyzed By: kg
Prepared By: kg

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	194	mg/Kg	1	250	<14.6	78	11.7 - 152.3

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	192	mg/Kg	1	250	<14.6	77	11.7 - 152.3	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	117	114	mg/Kg	1	100	117	114	70 - 130

Matrix Spike (MS-1) Spiked Sample: 249294

QC Batch: 75018
Prep Batch: 64352

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-03

Analyzed By: AG
Prepared By: AG

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	1.90	mg/Kg	1	2.00	<0.00750	95	75.7 - 125
Toluene	1.85	mg/Kg	1	2.00	<0.0109	92	74.4 - 125
Ethylbenzene	1.86	mg/Kg	1	2.00	<0.00630	93	72.2 - 128
Xylene	5.68	mg/Kg	1	6.00	<0.0144	95	63 - 131

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	1.90	mg/Kg	1	2.00	<0.00750	95	75.7 - 125	0	20
Toluene	1.85	mg/Kg	1	2.00	<0.0109	92	74.4 - 125	0	20
Ethylbenzene	1.87	mg/Kg	1	2.00	<0.00630	94	72.2 - 128	0	20
Xylene	5.71	mg/Kg	1	6.00	<0.0144	95	63 - 131	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.92	1.89	mg/Kg	1	2	96	94	78.8 - 109
4-Bromofluorobenzene (4-BFB)	2.20	2.16	mg/Kg	1	2	110	108	50 - 136

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 40 of 45
Lea Co., NM

Matrix Spike (MS-1) Spiked Sample: 249192

QC Batch: 75019
Prep Batch: 64352

Date Analyzed: 2010-11-03
QC Preparation: 2010-11-03

Analyzed By: AG
Prepared By: AG

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	18.6	mg/Kg	1	20.0	<0.747	93	50 - 150

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	19.8	mg/Kg	1	20.0	<0.747	99	50 - 150	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.04	1.99	mg/Kg	1	2	102	100	71.6 - 117
4-Bromofluorobenzene (4-BFB)	2.15	2.10	mg/Kg	1	2	108	105	50 - 170

Standard (CCV-2)

QC Batch: 74940

Date Analyzed: 2010-11-01

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.101	101	80 - 120	2010-11-01
Toluene		mg/Kg	0.100	0.0985	98	80 - 120	2010-11-01
Ethylbenzene		mg/Kg	0.100	0.101	101	80 - 120	2010-11-01
Xylene		mg/Kg	0.300	0.308	103	80 - 120	2010-11-01

Standard (CCV-3)

QC Batch: 74940

Date Analyzed: 2010-11-01

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.0964	96	80 - 120	2010-11-01
Toluene		mg/Kg	0.100	0.0933	93	80 - 120	2010-11-01
Ethylbenzene		mg/Kg	0.100	0.0954	95	80 - 120	2010-11-01
Xylene		mg/Kg	0.300	0.290	97	80 - 120	2010-11-01

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 41 of 45
Lea Co., NM

Standard (CCV-2)

QC Batch: 74941

Date Analyzed: 2010-11-01

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.18	118	80 - 120	2010-11-01

Standard (CCV-3)

QC Batch: 74941

Date Analyzed: 2010-11-01

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.13	113	80 - 120	2010-11-01

Standard (CCV-1)

QC Batch: 74966

Date Analyzed: 2010-11-02

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.0984	98	80 - 120	2010-11-02
Toluene		mg/Kg	0.100	0.0964	96	80 - 120	2010-11-02
Ethylbenzene		mg/Kg	0.100	0.0984	98	80 - 120	2010-11-02
Xylene		mg/Kg	0.300	0.301	100	80 - 120	2010-11-02

Standard (CCV-2)

QC Batch: 74966

Date Analyzed: 2010-11-02

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.0967	97	80 - 120	2010-11-02
Toluene		mg/Kg	0.100	0.0937	94	80 - 120	2010-11-02
Ethylbenzene		mg/Kg	0.100	0.0944	94	80 - 120	2010-11-02
Xylene		mg/Kg	0.300	0.289	96	80 - 120	2010-11-02

Standard (CCV-1)

QC Batch: 74969

Date Analyzed: 2010-11-02

Analyzed By: AG

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 42 of 45
Lea Co., NM

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.12	112	80 - 120	2010-11-02

Standard (CCV-2)

QC Batch: 74969

Date Analyzed: 2010-11-02

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.13	113	80 - 120	2010-11-02

Standard (ICV-1)

QC Batch: 74992

Date Analyzed: 2010-11-03

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	98.9	99	85 - 115	2010-11-03

Standard (CCV-1)

QC Batch: 74992

Date Analyzed: 2010-11-03

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	101	101	85 - 115	2010-11-03

Standard (ICV-1)

QC Batch: 74993

Date Analyzed: 2010-11-03

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	101	101	85 - 115	2010-11-03

Standard (CCV-1)

QC Batch: 74993

Date Analyzed: 2010-11-03

Analyzed By: AR

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 43 of 45
Lea Co., NM

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.2	99	85 - 115	2010-11-03

Standard (ICV-1)

QC Batch: 74994

Date Analyzed: 2010-11-03

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.1	99	85 - 115	2010-11-03

Standard (CCV-1)

QC Batch: 74994

Date Analyzed: 2010-11-03

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	101	101	85 - 115	2010-11-03

Standard (ICV-1)

QC Batch: 74995

Date Analyzed: 2010-11-03

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	101	101	85 - 115	2010-11-03

Standard (CCV-1)

QC Batch: 74995

Date Analyzed: 2010-11-03

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.0	99	85 - 115	2010-11-03

Standard (ICV-1)

QC Batch: 74996

Date Analyzed: 2010-11-03

Analyzed By: AR

Report Date: November 9, 2010
114-6400716

Work Order: 10102933
COG/JC Fed. #19

Page Number: 44 of 45
Lea Co., NM

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.7	100	85 - 115	2010-11-03

Standard (CCV-1)

QC Batch: 74996

Date Analyzed: 2010-11-03

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	100	100	85 - 115	2010-11-03

Standard (CCV-1)

QC Batch: 75008

Date Analyzed: 2010-11-01

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	244	98	80 - 120	2010-11-01

Standard (CCV-2)

QC Batch: 75008

Date Analyzed: 2010-11-01

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	213	85	80 - 120	2010-11-01

Standard (CCV-3)

QC Batch: 75008

Date Analyzed: 2010-11-01

Analyzed By: kg

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	213	85	80 - 120	2010-11-01

Standard (CCV-1)

QC Batch: 75018

Date Analyzed: 2010-11-03

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.103	103	80 - 120	2010-11-03
Toluene		mg/Kg	0.100	0.100	100	80 - 120	2010-11-03
Ethylbenzene		mg/Kg	0.100	0.102	102	80 - 120	2010-11-03
Xylene		mg/Kg	0.300	0.312	104	80 - 120	2010-11-03

Standard (CCV-2)

QC Batch: 75018

Date Analyzed: 2010-11-03

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/Kg	0.100	0.0945	94	80 - 120	2010-11-03
Toluene		mg/Kg	0.100	0.0914	91	80 - 120	2010-11-03
Ethylbenzene		mg/Kg	0.100	0.0911	91	80 - 120	2010-11-03
Xylene		mg/Kg	0.300	0.278	93	80 - 120	2010-11-03

Standard (CCV-1)

QC Batch: 75019

Date Analyzed: 2010-11-03

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.14	114	80 - 120	2010-11-03

Standard (CCV-2)

QC Batch: 75019

Date Analyzed: 2010-11-03

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.11	111	80 - 120	2010-11-03

Analysis Request of Chain of Custody Record



TETRA TECH

1910 N. Big Spring St.
Midland, Texas 79705
(432) 682-4559 • Fax (432) 682-3946

PAGE: 1 5

ANALYSIS REQUEST
(Circle or Specify Method No.)

CLIENT NAME:
COG

SITE MANAGER:
Iki Tovar

PROJECT NO.:
14-140071C

PROJECT NAME:
COG / JCF # 14

LAB I.D.
NUMBER

DATE
10/25

TIME

MATRIX

COMP

GRAB

SAMPLE IDENTIFICATION
Loc. 1 NM

NUMBER OF CONTAINERS
FILTERED (Y/N)

PRESERVATIVE
METHOD

HCL

HNO3

ICE

NONE

TCN 5015 MOID TX1005 (Ext. to C99)	
PAH 8270	
PCPA Metals Ag As Ba Cd Cr Pb Hg Se	
TCLP Metals Ag As Ba Cd Cr Pb Hg Se	
TCLP Volatiles	
TCLP Semi Volatiles	
PCP	
GC/MS Vol. 8240/8280/824	
GC/MS Semi Vol. 8270/828	
PCP's 8000/800	
PCP's 800/800	
Chloride	
Chloride Spec.	
Alpha Beta (AR)	
PLM (Asbestos)	
Major Anions/Calcium, pH, TDS	

RELINQUISHED BY: (Signature) Date: 10/25/10 Time: 11:00

RECEIVED BY: (Signature) Date: 10/25/10 Time: 11:00

SAMPLED BY: (Print & Initial) Date: 10/25/10 Time: 5/11P

RELINQUISHED BY: (Signature) Date: Time:

RECEIVED BY: (Signature) Date: Time:

SAMPLE SHIPPED BY: (Signature) Date: Time:

RELINQUISHED BY: (Signature) Date: Time:

RECEIVED BY: (Signature) Date: Time:

RECEIVED BY: (Signature) Date: Time:

RECEIVING LABORATORY: 77447 ADDRESS: CITY: STATE: TX ZIP: PHONE: DATE: TIME:

RECEIVED BY: (Signature) DATE: TIME:

TETRA TECH CONTACT PERSON: Iki Tovar Requests by: FURNISH Charges Authorized: Yes No

SAMPLE CONDITION WHEN RECEIVED: 35c intact

REMARKS: 2 BTL's in 54g/1.5 TPA. If not BTL's send 50g/1.5g or 2 BTL's in 54g/1.5 TPA. If not BTL's send 50g/1.5g or 2 BTL's in 54g/1.5 TPA. If not BTL's send 50g/1.5g or 2 BTL's in 54g/1.5 TPA.

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

XALL test-Midland

Analysis Request of Chain of Custody Record



TETRA TECH

1910 N. Big Spring St.
Midland, Texas 79705
(432) 682-4559 • Fax (432) 682-3946

PAGE: 2 5

ANALYSIS REQUEST
(Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

IK. Tawara

PROJECT NO.:

114-140-071L

PROJECT NAME:

EC67/ JC Fed # 19

LAB I.D. NUMBER

DATE

TIME

MATRIX

CONF

GRAB

SAMPLE IDENTIFICATION

NUMBER OF CONTAINERS

FILTERED (Y/N)

PRESERVATIVE METHOD

HCL
HNO3
ICE
NONE

GC/MS Vol. 8240/8260/8254
GC/MS Carb. Vol. 8270/8280
GC/MS Carb. Vol. 8280/8290
GC/MS Carb. Vol. 8290/8300
GC/MS Carb. Vol. 8300/8310
GC/MS Carb. Vol. 8310/8320
GC/MS Carb. Vol. 8320/8330
GC/MS Carb. Vol. 8330/8340
GC/MS Carb. Vol. 8340/8350
GC/MS Carb. Vol. 8350/8360
GC/MS Carb. Vol. 8360/8370
GC/MS Carb. Vol. 8370/8380
GC/MS Carb. Vol. 8380/8390
GC/MS Carb. Vol. 8390/8400
GC/MS Carb. Vol. 8400/8410
GC/MS Carb. Vol. 8410/8420
GC/MS Carb. Vol. 8420/8430
GC/MS Carb. Vol. 8430/8440
GC/MS Carb. Vol. 8440/8450
GC/MS Carb. Vol. 8450/8460
GC/MS Carb. Vol. 8460/8470
GC/MS Carb. Vol. 8470/8480
GC/MS Carb. Vol. 8480/8490
GC/MS Carb. Vol. 8490/8500
GC/MS Carb. Vol. 8500/8510
GC/MS Carb. Vol. 8510/8520
GC/MS Carb. Vol. 8520/8530
GC/MS Carb. Vol. 8530/8540
GC/MS Carb. Vol. 8540/8550
GC/MS Carb. Vol. 8550/8560
GC/MS Carb. Vol. 8560/8570
GC/MS Carb. Vol. 8570/8580
GC/MS Carb. Vol. 8580/8590
GC/MS Carb. Vol. 8590/8600
GC/MS Carb. Vol. 8600/8610
GC/MS Carb. Vol. 8610/8620
GC/MS Carb. Vol. 8620/8630
GC/MS Carb. Vol. 8630/8640
GC/MS Carb. Vol. 8640/8650
GC/MS Carb. Vol. 8650/8660
GC/MS Carb. Vol. 8660/8670
GC/MS Carb. Vol. 8670/8680
GC/MS Carb. Vol. 8680/8690
GC/MS Carb. Vol. 8690/8700
GC/MS Carb. Vol. 8700/8710
GC/MS Carb. Vol. 8710/8720
GC/MS Carb. Vol. 8720/8730
GC/MS Carb. Vol. 8730/8740
GC/MS Carb. Vol. 8740/8750
GC/MS Carb. Vol. 8750/8760
GC/MS Carb. Vol. 8760/8770
GC/MS Carb. Vol. 8770/8780
GC/MS Carb. Vol. 8780/8790
GC/MS Carb. Vol. 8790/8800
GC/MS Carb. Vol. 8800/8810
GC/MS Carb. Vol. 8810/8820
GC/MS Carb. Vol. 8820/8830
GC/MS Carb. Vol. 8830/8840
GC/MS Carb. Vol. 8840/8850
GC/MS Carb. Vol. 8850/8860
GC/MS Carb. Vol. 8860/8870
GC/MS Carb. Vol. 8870/8880
GC/MS Carb. Vol. 8880/8890
GC/MS Carb. Vol. 8890/8900
GC/MS Carb. Vol. 8900/8910
GC/MS Carb. Vol. 8910/8920
GC/MS Carb. Vol. 8920/8930
GC/MS Carb. Vol. 8930/8940
GC/MS Carb. Vol. 8940/8950
GC/MS Carb. Vol. 8950/8960
GC/MS Carb. Vol. 8960/8970
GC/MS Carb. Vol. 8970/8980
GC/MS Carb. Vol. 8980/8990
GC/MS Carb. Vol. 8990/9000
GC/MS Carb. Vol. 9000/9010
GC/MS Carb. Vol. 9010/9020
GC/MS Carb. Vol. 9020/9030
GC/MS Carb. Vol. 9030/9040
GC/MS Carb. Vol. 9040/9050
GC/MS Carb. Vol. 9050/9060
GC/MS Carb. Vol. 9060/9070
GC/MS Carb. Vol. 9070/9080
GC/MS Carb. Vol. 9080/9090
GC/MS Carb. Vol. 9090/9100
GC/MS Carb. Vol. 9100/9110
GC/MS Carb. Vol. 9110/9120
GC/MS Carb. Vol. 9120/9130
GC/MS Carb. Vol. 9130/9140
GC/MS Carb. Vol. 9140/9150
GC/MS Carb. Vol. 9150/9160
GC/MS Carb. Vol. 9160/9170
GC/MS Carb. Vol. 9170/9180
GC/MS Carb. Vol. 9180/9190
GC/MS Carb. Vol. 9190/9200
GC/MS Carb. Vol. 9200/9210
GC/MS Carb. Vol. 9210/9220
GC/MS Carb. Vol. 9220/9230
GC/MS Carb. Vol. 9230/9240
GC/MS Carb. Vol. 9240/9250
GC/MS Carb. Vol. 9250/9260
GC/MS Carb. Vol. 9260/9270
GC/MS Carb. Vol. 9270/9280
GC/MS Carb. Vol. 9280/9290
GC/MS Carb. Vol. 9290/9300
GC/MS Carb. Vol. 9300/9310
GC/MS Carb. Vol. 9310/9320
GC/MS Carb. Vol. 9320/9330
GC/MS Carb. Vol. 9330/9340
GC/MS Carb. Vol. 9340/9350
GC/MS Carb. Vol. 9350/9360
GC/MS Carb. Vol. 9360/9370
GC/MS Carb. Vol. 9370/9380
GC/MS Carb. Vol. 9380/9390
GC/MS Carb. Vol. 9390/9400
GC/MS Carb. Vol. 9400/9410
GC/MS Carb. Vol. 9410/9420
GC/MS Carb. Vol. 9420/9430
GC/MS Carb. Vol. 9430/9440
GC/MS Carb. Vol. 9440/9450
GC/MS Carb. Vol. 9450/9460
GC/MS Carb. Vol. 9460/9470
GC/MS Carb. Vol. 9470/9480
GC/MS Carb. Vol. 9480/9490
GC/MS Carb. Vol. 9490/9500
GC/MS Carb. Vol. 9500/9510
GC/MS Carb. Vol. 9510/9520
GC/MS Carb. Vol. 9520/9530
GC/MS Carb. Vol. 9530/9540
GC/MS Carb. Vol. 9540/9550
GC/MS Carb. Vol. 9550/9560
GC/MS Carb. Vol. 9560/9570
GC/MS Carb. Vol. 9570/9580
GC/MS Carb. Vol. 9580/9590
GC/MS Carb. Vol. 9590/9600
GC/MS Carb. Vol. 9600/9610
GC/MS Carb. Vol. 9610/9620
GC/MS Carb. Vol. 9620/9630
GC/MS Carb. Vol. 9630/9640
GC/MS Carb. Vol. 9640/9650
GC/MS Carb. Vol. 9650/9660
GC/MS Carb. Vol. 9660/9670
GC/MS Carb. Vol. 9670/9680
GC/MS Carb. Vol. 9680/9690
GC/MS Carb. Vol. 9690/9700
GC/MS Carb. Vol. 9700/9710
GC/MS Carb. Vol. 9710/9720
GC/MS Carb. Vol. 9720/9730
GC/MS Carb. Vol. 9730/9740
GC/MS Carb. Vol. 9740/9750
GC/MS Carb. Vol. 9750/9760
GC/MS Carb. Vol. 9760/9770
GC/MS Carb. Vol. 9770/9780
GC/MS Carb. Vol. 9780/9790
GC/MS Carb. Vol. 9790/9800
GC/MS Carb. Vol. 9800/9810
GC/MS Carb. Vol. 9810/9820
GC/MS Carb. Vol. 9820/9830
GC/MS Carb. Vol. 9830/9840
GC/MS Carb. Vol. 9840/9850
GC/MS Carb. Vol. 9850/9860
GC/MS Carb. Vol. 9860/9870
GC/MS Carb. Vol. 9870/9880
GC/MS Carb. Vol. 9880/9890
GC/MS Carb. Vol. 9890/9900
GC/MS Carb. Vol. 9900/9910
GC/MS Carb. Vol. 9910/9920
GC/MS Carb. Vol. 9920/9930
GC/MS Carb. Vol. 9930/9940
GC/MS Carb. Vol. 9940/9950
GC/MS Carb. Vol. 9950/9960
GC/MS Carb. Vol. 9960/9970
GC/MS Carb. Vol. 9970/9980
GC/MS Carb. Vol. 9980/9990
GC/MS Carb. Vol. 9990/10000

RELINQUISHED BY (Signature)

Date: 10/15/10

RECEIVED BY (Signature)

Date: 10/15/10

SAMPLED BY (Print & Initial)

Date: 10/15/10

RELINQUISHED BY (Signature)

Date: 10/15/10

RECEIVED BY (Signature)

Date: 10/15/10

SAMPLE SHIPPED BY (Circle)

APPROVAL S:

RELINQUISHED BY (Signature)

Date: 10/15/10

RECEIVED BY (Signature)

Date: 10/15/10

TETRA TECH CONTACT PERSON:

APPROVAL S:

RECEIVING LABORATORY:

RECEIVED BY (Signature)

ADDRESS:

CITY:

CONTACT:

STATE:

ZIP:

PHONE:

DATE:

TIME:

SAMPLE CONDITION WHEN RECEIVED:

REMARKS:

3.5 c intact

IK. Tawara on 5 A-plot TPO. 3.5 c intact TPO sends 1,000 mg/kg run deeper samples / Borehole sends 10 mg/kg run deeper samples

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

Analysis Request of Chain of Custody Record



TETRA TECH

1910 N. Big Spring St.
Midland, Texas 79705
(432) 682-4559 • Fax (432) 682-3946

PAGE: 3 5

ANALYSIS REQUEST
(Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

Ike Tovar

PROJECT NO.:

114-64074

PROJECT NAME:

COG / JC Fed # 19

La G Nm

LAB I.D.
NUMBER

DATE
2010

TIME

MATRIX
COMP
GRAB

DATE

TIME

MATRIX

COMP

GRAB

SAMPLE IDENTIFICATION

NUMBER OF CONTAINERS
FILTERED (Y/N)

PRESERVATIVE
METHOD

HCL
HNO3
ICE
NONE

OTHER 8021B
TPH 8016 MOD TX1008 (Ext. to C30)
PAH 8270

PCRA Metals Ag As Ba Cd Cr Pb Hg Se
TCLP Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Volatiles
TCLP Semi Volatiles
RCI

GC/MS Vol. 8240/8260/824
GC/MS Semi. Vol. 8270/825

PCB's 8060/808
Pest. 809/808

Chloride
Gamma Spec.

Alpha Beta (Air)
PLM (Asbestos)

Major Anions/Cations, pH, TDS

RELINQUISHED BY: (Signature)

Date: 10/19/10

Time: 11:00

RECEIVED BY: (Signature)

Date: 10/19/10

Time: 11:00

SAMPLED BY: (Print & Initial)

JT / TF

Date: 10/19/10

RELINQUISHED BY: (Signature)

Date:

Time:

RECEIVED BY: (Signature)

Date:

Time:

SAMPLE SHIPPED BY: (Circle)

FEDEX

BUS

UPS

OTHER:

RELINQUISHED BY: (Signature)

Date:

Time:

RECEIVED BY: (Signature)

Date:

Time:

TETRA TECH CONTACT PERSON:

Ike Tovar

Results by:

RECEIVING LABORATORY:

Tech

RECEIVED BY: (Signature)

ADDRESS:

City: Midland

STATE: TX

ZIP:

PHONE:

DATE:

TIME:

SAMPLE CONDITION WHEN RECEIVED:

3.5c intact

REMARKS:

21 total TPH exceeds 1000 mg/kg run deeper samples / Run BTEX on 5 highest TPH If total BTEX exceeds 50 mg/kg - Benzene exceeds 10 mg/kg run deeper samples

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

Analysis Request of Chain of Custody Record



TETRA TECH

1910 N. Big Spring St.

Midland, Texas 79705

(432) 682-4559 • Fax (432) 682-3946

PAGE: 4 5

ANALYSIS REQUEST
(Circle or Specify Method No.)

[illegible]

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

APPENDIX C

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company	COG Operating LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 1300 Midland, Texas 79701	Telephone No.	(432) 685-4332
Facility Name	JC Federal #19	Facility Type	Well

Surface Owner: Federal	Mineral Owner	Lease No. API 30-025-38995
------------------------	---------------	----------------------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
G	22	17S	32E	2160	North	2310	East	Lea

Latitude N 32 49.288° Longitude W 103 45.195°

NATURE OF RELEASE



Type of Release: Produced Fluids (oil and water)	Volume of Release 15 bbls	Volume Recovered 12 bbls
Source of Release: Stuffing Box	Date and Hour of Occurrence 10/10/2010	Date and Hour of Discovery 10/10/2010 6:00 a.m.
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required	If YES, To Whom?	
By Whom?	Date and Hour 7/28/10 10:52 a.m.	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.*
N/A

Describe Cause of Problem and Remedial Action Taken.*
The stuffing box bolts were loose which allowed fluid to be released as the well pressured up. The stuffing box has been re-packed and the backpressure assembly has been cleaned.

Describe Area Affected and Cleanup Action Taken.*
Tetra Tech inspected site and collected samples to define spills extent. Soil with elevated chloride concentrations was removed and hauled away for proper disposal. Site was then brought up to surface grade with clean backfill material. Tetra Tech prepared closure report and submitted to NMOCD for review.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Ike Tavarez	Approved by ENV SPECIALIST: District Supervisor: 	
Title: Project Manager	Approval Date: 11/18/11	Expiration Date: -
E-mail Address: Ike.Tavarez@TetraTech.com	Conditions of Approval: -	Attached ☐
Date: 8-8-11 Phone: (432) 682-4559	IRP-11-11-2764	

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company	COG OPERATING LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 100, Midland, TX 79701	Telephone No.	432-230-0077
Facility Name	JC Federal #19	Facility Type	Well
Surface Owner	Federal	Mineral Owner	
		Lease No. (API#)	30-025-38995

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
G	22	17S	32E	2160	North	2310	East	Lea

Latitude 32 49.288 Longitude 103 45.195

NATURE OF RELEASE

Type of Release	Produced fluid (oil and water)	Volume of Release	15bbls	Volume Recovered	12bbls
Source of Release	Stuffing box	Date and Hour of Occurrence	10/10/2010	Date and Hour of Discovery	10/10/2010 6:00 a.m.
Was Immediate Notice Given?	☐ Yes ☒ No ☒ Not Required	If YES, To Whom?			
By Whom?		Date and Hour			
Was a Watercourse Reached?	☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.			
If a Watercourse was Impacted, Describe Fully.*					
Describe Cause of Problem and Remedial Action Taken.*					
The stuffing box bolts were loose which allowed fluid to be released as the well pressured up. The stuffing box has been re-packed and the backpressure assembly has been cleaned,					
Describe Area Affected and Cleanup Action Taken.*					
Initially 15bbls of produced fluid was released from the stuffing box and we were able to recover 12bbls with a vacuum truck. The dimensions of the spill area measured 10 yards wide x 50 yards long to the south, east, and west of the well on the location. Also, to the east of the well pad a 3' x 30' stream went into the pasture. (The release consisted of oil and produced water, 9bbls of oil and 6bbls of produced water). The chloride concentration of the produced water is 135,000 mg/l. Tetra Tech will sample the spill site area to delineate any possible contamination from the release and we will present a remediation work plan to the NMOCD/BLM prior to any significant remediation work.					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Signature:		<u>OIL CONSERVATION DIVISION</u>			
Printed Name: Josh Russo		Approved by District Supervisor:			
Title: HSE Coordinator		Approval Date:		Expiration Date:	
E-mail Address: jrusso@conchoresources.com		Conditions of Approval:		Attached ☐	
Date: 10/15/2010 Phone: 432-212-2399					

* Attach Additional Sheets If Necessary