

Bratcher, Mike, EMNRD

From: Michael Stubblefield [mstubblefield@talonlpe.com]
Sent: Friday, January 27, 2012 7:38 AM
To: Bratcher, Mike, EMNRD
Subject: FW: ARTESIA UNIT NO 88
Attachments: H200182 TALON.pdf

Dear Mr. Mike Bratcher,

Talon/LPE is sending you the analytical results for the additional soil samples collected at the Artesia Unit No. 88 release. Based on the analytical results Lime Rock Resources is requesting approval to back fill the excavated area to 4' below ground surface,
Place a 20 Mil. liner into the excavation, backfill the excavation using new soil transported to the location.

Mike Stubblefield
Project Manager
Talon/LPE
408 West Texas Avenue
Artesia, New Mexico 88210
(575) 746.8768 phone
(575) 746.8905 fax
(575) 441.7254 cell
www.talonlpe.com



Better Business Bureau Torch Award for Marketplace Ethics. 2010 Winner, 2009 Finalist
Staples Foundation for Learning Hall of Fame Recipient: 2010
ICIC and Business Week- Top 100: 2010, 2009, 2008, 2007, 2006
Inc. 500/5000: 2011, 2010, 2009, 2008, 2007

From: Celey Keene [<mailto:celey.keene@cardinallabsnm.com>]
Sent: Thursday, January 26, 2012 2:45 PM
To: Michael Stubblefield
Cc: David Adkins; Kimberly M. Wilson
Subject: ARTESIA UNIT NO 88

THANK YOU,

Celey Keene
Lab Director
Cardinal Laboratories
101 East Marland
Hobbs, NM 88240
T: (575) 393-2326
F: (575) 393-2476
e-mail: celey.keene@cardinallabsnm.com

The information contained in this message is confidential and is only intended for the use of the individual/firm named above. If the reader of this message is not the intended recipient or the employee/agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail or telephone in order to return the message.



January 26, 2012

MIKE STUBBLEFIELD

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: ARTESIA UNIT #88

Enclosed are the results of analyses for samples received by the laboratory on 01/25/12 11:32.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style.

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 MIKE STUBBLEFIELD
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	01/25/2012	Sampling Date:	01/24/2012
Reported:	01/26/2012	Sampling Type:	Soil
Project Name:	ARTESIA UNIT #88	Sampling Condition:	Cool & Intact
Project Number:	701407.012.01	Sample Received By:	Jodi Henson
Project Location:	SEC. 26 - T17S-R27E		

Sample ID: S-8 SOUTHSIDE WALL 10' BGS (H200182-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	01/26/2012	ND	448	112	400	3.64		

Sample ID: S-9 SOUTH OF LEASE ROAD 0' (H200182-02)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	01/26/2012	ND	448	112	400	3.64		


Sample ID: S-9 SOUTH OF LEASE ROAD 1' BGS (H200182-03)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	800	16.0	01/26/2012	ND	448	112	400	3.64		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: <u>Talon/LPE</u>			BILL TO				ANALYSIS REQUEST																		
Project Manager: <u>Mike Stubblefield</u>			P.O. #:																						
Address: <u>408 West Texas Ave.</u>			Company: <u>Talon/LPE</u>																						
City: <u>Artesia</u> State: <u>NM</u> Zip: <u>88210</u>			Attn:																						
Phone #: <u>575-441-7254</u> Fax #:			Address:																						
Project #: <u>701407.012.01</u> Project Owner: <u>Quantum Res. Man.</u>			City:																						
Project Name: <u>ARTESIA Unit No 88</u>			State: Zip:																						
Project Location: <u>sec. 26-T17S-R27E</u>			Phone #:																						
Sampler Name: <u>Mike Stubblefield</u>			Fax #:																						
FOR LAB USE ONLY																									
Lab I.D.		Sample I.D.		# CONTAINERS	MATRIX			PRESERV.		SAMPLING		Total chlorides													
				(GRAB OR (C)OMP)	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	SOLIDS	ACID/BASE											ICE / COOL	OTHER	DATE	TIME
<u>H2DD182</u>																									
<u>1</u>		<u>S-8 South side wall 10' bgs</u>		<u>2</u>																				<u>1/24/2012</u>	<u>1:44 PM</u>
<u>2</u>		<u>S-9 South of lease road 0'</u>		<u>2</u>										<u>1/24/2012</u>	<u>1:54 PM</u>										
<u>3</u>		<u>S-9 South of lease road 1' bgs</u>		<u>2</u>										<u>1/24/2012</u>	<u>1:58 PM</u>										

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising hereunder, based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and on the event of Cardinal within 20 days after the date of the analysis service. In no event shall Cardinal be liable for punitive or consequential damages, including without limitation, business interruptions, loss of use or loss of profits, incurred by client or its successors, affiliates or successors arising out of or related to the performance of services rendered by Cardinal, to the extent such claim is based, in part or in whole, on any of the above stated causes of action.

Relinquished By: <u>Mike Stubblefield</u>		Date: <u>1/24/2012</u>	Received By: <u>Kimberly M. Miller</u>		Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Time: <u>10:00 AM</u>			Time: <u>11:32 AM</u>		Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By: <u>Kimberly M. Miller</u>		Date: <u>1/25/2012</u>	Received By: <u>Phoebe J. ...</u>		REMARKS: <u>RUSH!!</u>	
Time: <u>11:32 AM</u>			Time: <u>11:32 AM</u>			
Delivered By: (Circle One)		Sample Condition		CHECKED BY: (Initials)		
Sampler - UPS - Bus - Other:		Cool Intact: <u>150</u>		<input type="checkbox"/> Yes <input type="checkbox"/> No		
		<input type="checkbox"/> No <input type="checkbox"/> No		<input type="checkbox"/> Yes <input type="checkbox"/> No		