

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Tuesday, May 08, 2012 2:48 PM
To: 'Bradley Blevins'
Subject: RE: Brushy 12 Federal- Release

Bradley,

As we discussed, the analytical data from samples obtained on 4/25/12 is after the initial sampling (4/9/12) and excavation of 1.5' from the impacted area. Based on the data provided, please proceed with backfill ops. BLM approval may also be required.

Mike Bratcher

NMOCD District 2
811 S. First Street
Artesia, NM 88210
575-748-1283 Ext. 108
575-626-0857
mike.bratcher@state.nm.us

From: Bradley Blevins [<mailto:bradley.blevins@chk.com>]
Sent: Wednesday, May 02, 2012 10:11 AM
To: Bratcher, Mike, EMNRD
Cc: Bradley Blevins
Subject: Brushy 12 Federal- Release

Mike,

Please find the attached lab data and initial C-141 for the Brushy 12 Federal release, this is the location that we had a release on due to hot oil unit catching fire. We have excavated and hauled 1.5 feet from the flow path. As seen in the lab data the initial samples showed high chlorides and after further excavation the numbers dropped off pretty good. Depth to ground water shows to be around 125 feet. I would like to get your approval to backfill the site based on the data provided. If you have any questions please give me a call, I will be out of town Thursday and Friday of this week but should still have phone service.

Thanks,

Bradley Blevins
EH & S Field Specialist
DAR
Hobbs Field Office
North Permian Division
Office: (575) 391-1462 x 86424
Cell: (575) 441-0341
Fax: (575)391-6679



This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is confidential or privileged and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).