

SITE INFORMATION

Report Type: Work Plan

General Site Information:

Site:	Holder CB Federal Paddock TB				
Company:	COG Operating LLC				
Section, Township and Range	Unit E	Sec 17	T17S	R30E	
Lease Number:	API-30-015-20708				
County:	Eddy County				
GPS:	32.83569° N			103.99915° W	
Surface Owner:	Federal				
Mineral Owner:					
Directions:	In Loco Hills, from the intersection of Haggerman Cutoff (CR 217) and 82, travel north on CR 217 for 0.8 miles, turn left and travel 0.7 miles, turn right and travel 0.2 miles, turn right and travel 200' to site.				

Release Data:

Date Released:	11/13/2011
Type Release:	Produced Fluid
Source of Contamination:	Heater Treater
Fluid Released:	15 bbls
Fluids Recovered:	11 bbls

Official Communication:

Name:	Pat Ellis	Ike Tavaréz
Company:	COG Operating, LLC	Tetra Tech
Address:	550 W. Texas Ave. Ste. 1300	1910 N. Big Spring
P.O. Box		
City:	Midland Texas, 79701	Midland, Texas
Phone number:	(432) 686-3023	(432) 682-4559
Fax:	(432) 684-7137	
Email:	pellis@conchoresources.com	ike.tavaréz@tetrattech.com


Ranking Criteria

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	0
WellHead Protection:		
	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0
Surface Body of Water:		
	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0
Total Ranking Score:		0

Acceptable Soil RRAL (mg/kg)		
Benzene	Total BTEX	TPH
10	50	5,000



TETRA TECH



January 20, 2012

Mr. Mike Bratcher
Environmental Engineer Specialist
Oil Conservation Division, District 2
1301 West Grand Avenue
Artesia, New Mexico 88210

Re: Revised - Work Plan for the COG Operating LLC., Holder CB Federal Paddock Tank Battery, Unit E, Section 17, Township 17 South, Range 30 East, Eddy County, New Mexico.

Mr. Bratcher:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating LLC. (COG) to assess a spill from the Holder CB Federal Paddock Tank Battery located in Unit E, Section 17, Township 17 South, Range 30 East, Eddy County, New Mexico (Site). The spill site coordinates are N 32.83569°, W 103.99915°. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report, the leak was discovered on November 13, 2011, and released approximately fifteen (15) barrels of produced fluid from the heater treater. To alleviate the problem, COG personnel repaired the heater treater. Eleven (11) barrels of standing fluids were recovered. The majority of the spill was contained within the firewall, with the exception of some overspray that affected the pasture. Micro-blaze has been applied to the oversprayed vegetation. The area affected measures 10' X 85'. The initial C-141 form is enclosed in Appendix A.

Groundwater

No water wells were listed within Section 17. According to the NMOCD groundwater map, the depth to groundwater in this area is approximately 225' below surface. The groundwater data is enclosed in Appendix B.

Tetra Tech

1510 North Big Spring, Midland, TX 79705

Tel 432.682.4559 Fax 432.682.3946 www.tetrattech.com



Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

Soil Assessment and Analytical Results

On December 21, 2011, Tetra Tech personnel inspected and sampled the spill area. Three (3) auger holes (AH-1, AH-2 and AH-3) were installed using a stainless steel hand auger to assess the impacted soils. Select samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The results of the sampling are summarized in Table 1. The auger hole locations are shown on Figure 3.

Referring to Table 1, none of the samples exceeded the RRAL for TPH except for (AH-2). (AH-2) showed total BTEX above the RRAL for total BTEX at 0-1' and declined at 1'-1.5'. A shallow chloride impact was encountered at the site. Auger holes (AH-2 and AH-3) showed a shallow chloride impact at 0-1' of 1,570 mg/kg and 4,750 mg/kg, respectively. The deeper samples significantly declined with depth at 1.0' below surface.

The area of AH-1 did show a deeper impact to the soils however the chloride levels declined with depth to 1,360 mg/kg at 2-2.5'. Deeper samples were not collected due to a dense caliche formation.

Work Plan

COG proposes to remove impacted material as highlighted (green) in Table 1 and shown on Figure 4. In the area of AH-1, a trench will be installed to define chloride impact. As requested by the BLM, soil samples will be collected from the overspray area to evaluate the soils in the area. The soil samples collected will be analyzed for TPH, BTEX and chlorides. Based on the results, the overspray area will be addressed to remediate the



TETRA TECH

soil, if necessary. Once the areas are excavated to the appropriate depths, the excavation will be backfilled with clean soil. Upon completion, a final report will be submitted to the NMOCD.

The proposed excavation depths may not be reached due to wall cave ins and safety concerns for onsite personnel. In addition, impacted soil around oil and gas equipment, structures or lines may not be feasible or practicable to be removed due to safety concerns. As such, Tetra Tech will excavate the soils to the maximum extent practicable.


If you have any questions or comments concerning the assessment or the proposed remediation activities for this site, please call me at (432) 682-4559.

Respectfully submitted,
TETRA TECH


Ike Tavaréz
Project Manager

cc: Pat Ellis – COG
cc: Terry Gregston – BLM


Figures




<p>Figure 2 Holder TB Topo Map 1:24,000</p>	
<p>COG Spill Assessment Eddy County, New Mexico</p>	
Project : 114-6401144	
Date : 1/17/2012	
File : H:\GIS\6401144	



<p>Figure 1 Holder TB Topo Map 1:100,000</p> <p>COG Spill Assessment Eddy County, New Mexico</p>	
Project :	114-8401144
Date :	1/17/2012
File :	H:\GIS\8401144





PASTURE

500 BBL OIL 500 BBL OIL 500 BBL OIL

CIRC. PUMP LEAK SOURCE HT HT

10'

85'

AH-3

AH-2

AH-1

30'

PASTURE

OVERSPRAY

250'

75'

20'

PAD



Figure 3

Holder TB
Spill Assessment Map

COG Spill Assessment
Eddy County, New Mexico


Project 114-6401144

Date 1/17/2012

File : H:\GIS\6401144




SCALE: 1 IN = 56 FEET




EXPLANATION

- LEAK SOURCE
- AUGER HOLE SAMPLE LOCATIONS
- ▨ SPILL AREA
- ≡ OVERSPRAY



EXPLANATION	
●	LEAK SOURCE
●	AUGER HOLE SAMPLE LOCATIONS
▨	PROPOSED EXCAVATION DEPTHS
▨	OVERSPRAY




CONCHO	
Figure 4	
Holder TB Proposed Excavation Area & Depths Map	
COG Spill Assessment Eddy County, New Mexico	
Project : 114-6401144	
Date 1/17/2012	
File : H\GIS\6401144	

Tables

Table 1
COG Operating LLC
Holder CB Federal Paddock Tank Battery
Eddy County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Depth (BEB)	Soil Status		TPH (mg/kg)			Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
				In-Situ	Removed	GRO	DRO	Total						
AH-1	12/21/2011	0-1	1'	X		110	88.4	198	0.0223	0.254	1.50	2.34	4.12	8,670
	"	1-1.5	1'	X										8,860
	"	2-2.5	1'	X										1,360
AH-2	12/21/2011	0-1	1'	X		3,820	1,340	5,160	7.03	105	77.6	106	296	1,570
	"	1-1.5	1'	X		3.96	<50.0	3.96	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<200
	"	2-2.5	1'	X		-	-	-	-	-	-	-	-	<200
	"	3-3.5	1'	X		-	-	-	-	-	-	-	-	<200
	"	4-4.5	1'	X		-	-	-	-	-	-	-	-	<200
	"	5-5.5	1'	X		-	-	-	-	-	-	-	-	<200
AH-3	12/21/2011	0-1	0.5'	X		<2.00	<50.0	<50.0	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	4,750
	"	1-1.5	0.5'	X		-	-	-	-	-	-	-	-	288
	"	2-2.5	0.5'	X		-	-	-	-	-	-	-	-	<200

(--) Not Analyzed

 Proposed Excavation Depths


(BEB) Below Excavation Bottom

Photos


COG Operating LLC
Holder CB Federal
Paddock TB
Eddy County, New Mexico



TETRA TECH



View East – AH-3, AH-2 and AH-1




View West – AH-2 and AH-3

COG Operating LLC
Holder CB Federal
Paddock TB
Eddy County, New Mexico



TETRA TECH



View East - Overspray

Site info and picture details

Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company	COG OPERATING LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 100, Midland, TX 79701	Telephone No.	432-230-0077
Facility Name	Holder CB Federal Paddock TB	Facility Type	Tank Battery

Surface Owner	Federal	Mineral Owner		Lease No. (API#)	30-015-20708
---------------	---------	---------------	--	------------------	--------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
E	17	17S	30E					Eddy

Latitude 32 50.138 Longitude 103 59.951

NATURE OF RELEASE


Type of Release	Produced fluid	Volume of Release	3bbls oil 12bbls produced water	Volume Recovered	1bbl oil 10bbls produced water
Source of Release	Heater treater fire tube gasket	Date and Hour of Occurrence	11/13/2011	Date and Hour of Discovery	11/13/2011
Was Immediate Notice Given?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?			
By Whom?		Date and Hour			
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*
Heater treater fire tube gasket was leaking. The heater treater was isolated and the fire tube gasket has been repaired. The heater treater has been returned to service.

Describe Area Affected and Cleanup Action Taken.*
Initially 15bbls of produced fluid was released from the heater treater and we were able to recover 11bbls with a vacuum truck. The spill area was contained inside the dike walls of the facility with the exception of some overspray due to wind gusts. All free fluid has been recovered from inside the facility and micro-blaze has been applied to the over-sprayed vegetation. Tetra Tech will sample the spill site area inside the facility to delineate any possible contamination from the release and we will present a remediation work plan to the NMOCD/BLM for approval prior to any significant remediation work.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:		OIL CONSERVATION DIVISION		
Printed Name:	Josh Russo	Approved by District Supervisor:		
Title:	HSE Coordinator	Approval Date:	Expiration Date:	
E-mail Address:	jrusso@conchoresources.com	Conditions of Approval:		Attached <input type="checkbox"/>
Date:	11/22/2011	Phone:	432-212-2399	

* Attach Additional Sheets If Necessary

Appendix B

Water Well Data
Average Depth to Groundwater (ft)
COG - Holder CB Federal Paddock TB
Eddy County, New Mexico

16 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
110	30	29	28	27	26
31	32	33	34	35	36

16 South 30 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South 31 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South 29 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	210	28	27	26
31	32	33	34	35	36

17 South 30 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South 31 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South 29 East






6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South 30 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South 31 East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

-  New Mexico State Engineers Well Reports
-  USGS Well Reports
-  Geology and Groundwater Conditions in Southern Eddy, County, NM
-  NMOCD - Groundwater Data
-  Site Location

Appendix C

Summary Report

Ike Tavaréz
 Tetra Tech
 1910 N. Big Spring Street
 Midland, TX 79705

Report Date: January 5, 2012

Work Order: 11122306



Project Location: Eddy Co., NM
 Project Name: COG/Holder CB Federal Paddock TB
 Project Number: 114-6401144

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
285190	AH-1 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285191	AH-1 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285192	AH-1 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285193	AH-2 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285194	AH-2 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285195	AH-2 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285196	AH-2 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285197	AH-2 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285198	AH-2 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285199	AH-3 0.5' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285200	AH-3 0.5' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285201	AH-3 0.5' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22

Sample - Field Code	BTEX				TPH DRO - NEW DRO (mg/Kg)	TPH GRO GRO (mg/Kg)
	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Xylene (mg/Kg)		
285190 - AH-1 1' BEB 0-1'	0.0223	0.254	1.50	2.34	88.4	110 Qs
285193 - AH-2 1' BEB 0-1'	7.03	105	77.6	106	1340	3820 Qs
285194 - AH-2 1' BEB 1-1.5'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	3.96 Qr, Qs
285199 - AH-3 0.5' BEB 0-1'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00 Qr, Qs

Sample: 285190 - AH-1 1' BEB 0-1'

Param	Flag	Result	Units	RL
Chloride		8670	mg/Kg	4

Sample: 285191 - AH-1 1' BEB 1-1.5'

Param	Flag	Result	Units	RL
Chloride		8860	mg/Kg	4

Sample: 285192 - AH-1 1' BEB 2-2.5'

Param	Flag	Result	Units	RL
Chloride		1360	mg/Kg	4

Sample: 285193 - AH-2 1' BEB 0-1'

Param	Flag	Result	Units	RL
Chloride		1570	mg/Kg	4

Sample: 285194 - AH-2 1' BEB 1-1.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285195 - AH-2 1' BEB 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285196 - AH-2 1' BEB 3-3.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285197 - AH-2 1' BEB 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285198 - AH-2 1' BEB 5-5.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285199 - AH-3 0.5' BEB 0-1'

Param	Flag	Result	Units	RL
Chloride		4750	mg/Kg	4

Sample: 285200 - AH-3 0.5' BEB 1-1.5'

Param	Flag	Result	Units	RL
Chloride		288	mg/Kg	4

Sample: 285201 - AH-3 0.5' BEB 2-2.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4



6701 Aberdeen Avenue, Suite 9 Lubbock, Texas 79424 800•378•1296 806•794•1296 FAX 806•794•1296
200 East Sunset Road, Suite E El Paso, Texas 79922 868•588•3443 915•585•3443 FAX 915•585•4944
5002 Basin Street, Suite 41 Midland, Texas 79703 432•689•6301 FAX 432•689•6313
6015 Harris Parkway, Suite 110 Ft. Worth, Texas 76132 817•201•5260
E-Mail: lab@traceanalysis.com

Certifications

WBE HUB NCTRCA DBE NELAP DoD LELAP Kansas Oklahoma ISO 17025

Analytical and Quality Control Report (Corrected Report)

Ike Tavarez
Tetra Tech
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: January 5, 2012

Work Order: 11122306



Project Location: Eddy Co., NM
Project Name: COG/Holder CB Federal Paddock TB
Project Number: 114-6401144

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
285190	AH-1 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285191	AH-1 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285192	AH-1 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285193	AH-2 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285194	AH-2 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285195	AH-2 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285196	AH-2 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285197	AH-2 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285198	AH-2 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285199	AH-3 0.5' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285200	AH-3 0.5' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285201	AH-3 0.5' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22

Report Corrections (Work Order 11122306)

- BTEX and 8015 DRO/GRO results removed for sample 285195. 1/5/12

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 36 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.



Dr. Blair Leftwich, Director
Dr. Michael Abel, Project Manager

Report Contents

Case Narrative	5
Analytical Report	6
Sample 285190 (AH-1 1' BEB 0-1')	6
Sample 285191 (AH-1 1' BEB 1-1.5')	7
Sample 285192 (AH-1 1' BEB 2-2.5')	7
Sample 285193 (AH-2 1' BEB 0-1')	8
Sample 285194 (AH-2 1' BEB 1-1.5')	9
Sample 285195 (AH-2 1' BEB 2-2.5')	11
Sample 285196 (AH-2 1' BEB 3-3.5')	11
Sample 285197 (AH-2 1' BEB 4-4.5')	11
Sample 285198 (AH-2 1' BEB 5-5.5')	11
Sample 285199 (AH-3 0.5' BEB 0-1')	12
Sample 285200 (AH-3 0.5' BEB 1-1.5')	13
Sample 285201 (AH-3 0.5' BEB 2-2.5')	13
Method Blanks	15
QC Batch 87453 - Method Blank (1)	15
QC Batch 87454 - Method Blank (1)	15
QC Batch 87474 - Method Blank (1)	15
QC Batch 87486 - Method Blank (1)	16
QC Batch 87497 - Method Blank (1)	16
QC Batch 87498 - Method Blank (1)	16
QC Batch 87554 - Method Blank (1)	17
QC Batch 87557 - Method Blank (1)	17
QC Batch 87558 - Method Blank (1)	17
Laboratory Control Spikes	19
QC Batch 87453 - LCS (1)	19
QC Batch 87454 - LCS (1)	19
QC Batch 87474 - LCS (1)	20
QC Batch 87486 - LCS (1)	20
QC Batch 87497 - LCS (1)	21
QC Batch 87498 - LCS (1)	21
QC Batch 87554 - LCS (1)	22
QC Batch 87557 - LCS (1)	22
QC Batch 87558 - LCS (1)	23
QC Batch 87453 - MS (1)	23
QC Batch 87454 - MS (1)	24
QC Batch 87474 - MS (1)	24
QC Batch 87486 - MS (1)	25
QC Batch 87497 - MS (1)	25
QC Batch 87498 - MS (1)	26
QC Batch 87554 - MS (1)	26
QC Batch 87557 - MS (1)	26
QC Batch 87558 - MS (1)	27

Calibration Standards	29
QC Batch 87453 - CCV (1)	29
QC Batch 87453 - CCV (2)	29
QC Batch 87453 - CCV (3)	29
QC Batch 87454 - CCV (1)	29
QC Batch 87454 - CCV (2)	30
QC Batch 87474 - CCV (1)	30
QC Batch 87474 - CCV (2)	30
QC Batch 87474 - CCV (3)	30
QC Batch 87486 - CCV (2)	31
QC Batch 87486 - CCV (3)	31
QC Batch 87497 - ICV (1)	31
QC Batch 87497 - CCV (1)	31
QC Batch 87498 - ICV (1)	32
QC Batch 87498 - CCV (1)	32
QC Batch 87554 - CCV (2)	32
QC Batch 87554 - CCV (3)	32
QC Batch 87557 - CCV (2)	33
QC Batch 87557 - CCV (3)	33
QC Batch 87558 - CCV (2)	33
QC Batch 87558 - CCV (3)	33
 Appendix	 35
Report Definitions	35
Laboratory Certifications	35
Standard Flags	35
Result Comments	35
Attachments	35

Case Narrative

Samples for project COG/Holder CB Federal Paddock TB were received by TraceAnalysis, Inc. on 2011-12-22 and assigned to work order 11122306. Samples for work order 11122306 were received intact at a temperature of 7.7 C. Samples were received on ice.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	74262	2011-12-28 at 07:25	87453	2011-12-28 at 07:25
BTEX	S 8021B	74348	2012-01-02 at 14:50	87557	2012-01-02 at 18:27
Chloride (Titration)	SM 4500-Cl B	74295	2011-12-29 at 15:30	87497	2011-12-30 at 09:53
Chloride (Titration)	SM 4500-Cl B	74295	2011-12-29 at 15:30	87498	2011-12-30 at 09:54
TPH DRO - NEW	S 8015 D	74279	2011-12-28 at 14:36	87474	2011-12-28 at 14:36
TPH DRO - NEW	S 8015 D	74345	2012-01-02 at 10:00	87554	2012-01-02 at 12:00
TPH GRO	S 8015 D	74262	2011-12-28 at 07:25	87454	2011-12-28 at 07:25
TPH GRO	S 8015 D	74291	2011-12-29 at 13:50	87486	2011-12-29 at 13:50
TPH GRO	S 8015 D	74348	2012-01-02 at 14:50	87558	2012-01-02 at 17:09

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 11122306 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Analytical Report

Sample: 285190 - AH-1 1' BEB 0-1'

Laboratory: Lubbock
 Analysis: BTEX Analytical Method: S 8021B Prep Method: S 5035
 QC Batch: 87453 Date Analyzed: 2011-12-28 Analyzed By: MT
 Prep Batch: 74262 Sample Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene		1	0.0223	mg/Kg	1	0.0200
Toluene		1	0.254	mg/Kg	1	0.0200
Ethylbenzene		1	1.50	mg/Kg	1	0.0200
Xylene		1	2.34	mg/Kg	1	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.84	mg/Kg	1	2.00	92	70 - 130
4-Bromofluorobenzene (4-BFB)	Qsr	Qsr	2.88	mg/Kg	1	2.00	144	70 - 130

Sample: 285190 - AH-1 1' BEB 0-1'

Laboratory: Midland
 Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
 QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
 Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			8670	mg/Kg	100	4.00

Sample: 285190 - AH-1 1' BEB 0-1'

Laboratory: Midland
 Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
 QC Batch: 87474 Date Analyzed: 2011-12-28 Analyzed By: kg
 Prep Batch: 74279 Sample Preparation: 2011-12-28 Prepared By: kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO		2	88.4	mg/Kg	1	50.0

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 7 of 36
Eddy Co., NM

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			96.2	mg/Kg	1	100	96	53.5 - 147.1

Sample: 285190 - AH-1 1' BEB 0-1'

Laboratory: Lubbock
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 87486 Date Analyzed: 2011-12-29 Analyzed By: MT
Prep Batch: 74291 Sample Preparation: 2011-12-29 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Qs	1	110	mg/Kg	2	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.55	mg/Kg	2	2.00	78	70 - 130
4-Bromofluorobenzene (4-BFB)	Qsr	Qsr	3.42	mg/Kg	2	2.00	171	70 - 130

Sample: 285191 - AH-1 1' BEB 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			8860	mg/Kg	100	4.00

Sample: 285192 - AH-1 1' BEB 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

continued ...

sample 285192 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1360	mg/Kg	100	4.00

Sample: 285193 - AH-2 1' BEB 0-1'

Laboratory: Lubbock
Analysis: BTEX
QC Batch: 87453
Prep Batch: 74262

Analytical Method: S 8021B
Date Analyzed: 2011-12-28
Sample Preparation: 2011-12-28

Prep Method: S 5035
Analyzed By: MT
Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene		1	7.03	mg/Kg	20	0.0200
Toluene		1	105	mg/Kg	20	0.0200
Ethylbenzene		1	77.6	mg/Kg	20	0.0200
Xylene		1	106	mg/Kg	20	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	Q _{or}	Q _{or}	1.04	mg/Kg	20	2.00	52	70 - 130
4-Bromofluorobenzene (4-BFB)	Q _{or}	Q _{or}	29.1	mg/Kg	20	2.00	1455	70 - 130

Sample: 285193 - AH-2 1' BEB 0-1'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 87497
Prep Batch: 74295

Analytical Method: SM 4500-Cl B
Date Analyzed: 2011-12-30
Sample Preparation: 2011-12-29

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1570	mg/Kg	100	4.00

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 9 of 36
Eddy Co., NM

Sample: 285193 - AH-2 1' BEB 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 87474 Date Analyzed: 2011-12-28 Analyzed By: kg
Prep Batch: 74279 Sample Preparation: 2011-12-28 Prepared By: kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO		2	1340	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			138	mg/Kg	1	100	138	53.5 - 147.1

Sample: 285193 - AH-2 1' BEB 0-1'

Laboratory: Lubbock
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 87486 Date Analyzed: 2011-12-29 Analyzed By: MT
Prep Batch: 74291 Sample Preparation: 2011-12-29 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Q _a	1	3820	mg/Kg	100	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	Q _{or}	Q _{or}	0.592	mg/Kg	100	2.00	30	70 - 130
4-Bromofluorobenzene (4-BFB)	Q _{or}	Q _{or}	59.7	mg/Kg	100	2.00	2985	70 - 130

Sample: 285194 - AH-2 1' BEB 1-1.5'

Laboratory: Midland
Analysis: BTEX Analytical Method: S 8021B Prep Method: S 5035
QC Batch: 87557 Date Analyzed: 2012-01-02 Analyzed By: AG
Prep Batch: 74348 Sample Preparation: 2012-01-02 Prepared By: AG

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	u	2	<0.0200	mg/Kg	1	0.0200
Toluene	u	2	<0.0200	mg/Kg	1	0.0200
Ethylbenzene	u	2	<0.0200	mg/Kg	1	0.0200
Xylene	u	2	<0.0200	mg/Kg	1	0.0200

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 10 of 36
Eddy Co., NM

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.76	mg/Kg	1	2.00	138	82.8 - 143.1
4-Bromofluorobenzene (4-BFB)			2.68	mg/Kg	1	2.00	134	70.6 - 179

Sample: 285194 - AH-2 1' BEB 1-1.5'

Laboratory: Midland
 Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
 QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
 Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285194 - AH-2 1' BEB 1-1.5'

Laboratory: Midland
 Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
 QC Batch: 87554 Date Analyzed: 2012-01-02 Analyzed By: kg
 Prep Batch: 74345 Sample Preparation: 2012-01-02 Prepared By: kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO		2	<50.0	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			96.2	mg/Kg	1	100	96	53.5 - 147.1

Sample: 285194 - AH-2 1' BEB 1-1.5'

Laboratory: Midland
 Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
 QC Batch: 87558 Date Analyzed: 2012-01-02 Analyzed By: AG
 Prep Batch: 74348 Sample Preparation: 2012-01-02 Prepared By: AG

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Qr, Qs	2	3.96	mg/Kg	1	2.00

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 11 of 36
Eddy Co., NM

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	Qer	Qer	2.79	mg/Kg	1	2.00	140	30 - 134.6
4-Bromofluorobenzene (4-BFB)			2.56	mg/Kg	1	2.00	128	22.4 - 149

Sample: 285195 - AH-2 1' BEB 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285196 - AH-2 1' BEB 3-3.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285197 - AH-2 1' BEB 4-4.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 12 of 36
Eddy Co., NM

Sample: 285198 - AH-2 1' BEB 5-5.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285199 - AH-3 0.5' BEB 0-1'

Laboratory: Lubbock
Analysis: BTEX Analytical Method: S 8021B Prep Method: S 5035
QC Batch: 87453 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 Sample Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	u	1	<0.0200	mg/Kg	1	0.0200
Toluene		1	<0.0200	mg/Kg	1	0.0200
Ethylbenzene		1	<0.0200	mg/Kg	1	0.0200
Xylene		1	<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.68	mg/Kg	1	2.00	84	70 - 130
4-Bromofluorobenzene (4-BFB)			1.71	mg/Kg	1	2.00	86	70 - 130

Sample: 285199 - AH-3 0.5' BEB 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			4750	mg/Kg	100	4.00

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 13 of 36
Eddy Co., NM

Sample: 285199 - AH-3 0.5' BEB 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 87474 Date Analyzed: 2011-12-28 Analyzed By: kg
Prep Batch: 74279 Sample Preparation: 2011-12-28 Prepared By: kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	u	2	<50.0	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			89.6	mg/Kg	1	100	90	53.5 - 147.1

Sample: 285199 - AH-3 0.5' BEB 0-1'

Laboratory: Lubbock
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 87454 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 Sample Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Qr, Qs	1	<2.00	mg/Kg	1	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.18	mg/Kg	1	2.00	109	70 - 130
4-Bromofluorobenzene (4-BFB)			2.11	mg/Kg	1	2.00	106	70 - 130

Sample: 285200 - AH-3 0.5' BEB 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87498 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 Sample Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			288	mg/Kg	50	4.00

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 14 of 36
Eddy Co., NM

Sample: 285201 - AH-3 0.5' BEB 2-2.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2011-12-30	Analyzed By:	AR
QC Batch:	87498	Sample Preparation:	2011-12-29	Prepared By:	AR
Prep Batch:	74295				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	v		<200	mg/Kg	50	4.00

Method Blanks

Method Blank (1) QC Batch: 87453

QC Batch: 87453 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 QC Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	MDL Result	Units	RL
Benzene		1	<0.00335	mg/Kg	0.02
Toluene		1	<0.00471	mg/Kg	0.02
Ethylbenzene		1	<0.00440	mg/Kg	0.02
Xylene		1	<0.00557	mg/Kg	0.02

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.70	mg/Kg	1	2.00	85	70 - 130
4-Bromofluorobenzene (4-BFB)			1.70	mg/Kg	1	2.00	85	70 - 130

Method Blank (1) QC Batch: 87454

QC Batch: 87454 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 QC Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		1	<0.446	mg/Kg	2

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.20	mg/Kg	1	2.00	110	70 - 130
4-Bromofluorobenzene (4-BFB)			2.08	mg/Kg	1	2.00	104	70 - 130

Method Blank (1) QC Batch: 87474

QC Batch: 87474 Date Analyzed: 2011-12-28 Analyzed By: kg
Prep Batch: 74279 QC Preparation: 2011-12-28 Prepared By: kg

Parameter	Flag	Cert	MDL Result	Units	RL
DRO		2	<14.5	mg/Kg	50

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			97.4	mg/Kg	1	100	97	52.7 - 133.8

Method Blank (1) QC Batch: 87486

QC Batch: 87486 Date Analyzed: 2011-12-29 Analyzed By: MT
Prep Batch: 74291 QC Preparation: 2011-12-29 Prepared By: MT

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		1	<0.446	mg/Kg	2

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.08	mg/Kg	1	2.00	104	70 - 130
4-Bromofluorobenzene (4-BFB)			2.08	mg/Kg	1	2.00	104	70 - 130

Method Blank (1) QC Batch: 87497

QC Batch: 87497 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 QC Preparation: 2011-12-29 Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 87498

QC Batch: 87498 Date Analyzed: 2011-12-30 Analyzed By: AR
Prep Batch: 74295 QC Preparation: 2011-12-29 Prepared By: AR

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 17 of 36
Eddy Co., NM

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 87554

QC Batch: 87554 Date Analyzed: 2012-01-02 Analyzed By: kg
Prep Batch: 74345 QC Preparation: 2012-01-02 Prepared By: kg

Parameter	Flag	Cert	MDL Result	Units	RL
DRO		2	<14.5	mg/Kg	50

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			83.5	mg/Kg	1	100	84	52.7 - 133.8

Method Blank (1) QC Batch: 87557

QC Batch: 87557 Date Analyzed: 2012-01-02 Analyzed By: AG
Prep Batch: 74348 QC Preparation: 2012-01-02 Prepared By: AG

Parameter	Flag	Cert	MDL Result	Units	RL
Benzene		2	<0.0118	mg/Kg	0.02
Toluene		2	<0.00600	mg/Kg	0.02
Ethylbenzene		2	<0.00850	mg/Kg	0.02
Xylene		2	<0.00613	mg/Kg	0.02

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.03	mg/Kg	1	2.00	102	65.9 - 111.8
4-Bromofluorobenzene (4-BFB)			1.66	mg/Kg	1	2.00	83	48.4 - 123.1

Method Blank (1) QC Batch: 87558

QC Batch: 87558 Date Analyzed: 2012-01-02 Analyzed By: AG
Prep Batch: 74348 QC Preparation: 2012-01-02 Prepared By: AG

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 18 of 36
Eddy Co., NM

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		2	1.04	mg/Kg	2

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.05	mg/Kg	1	2.00	102	67.6 - 150
4-Bromofluorobenzene (4-BFB)			1.59	mg/Kg	1	2.00	80	52.4 - 130

Laboratory Control Spikes

Laboratory Control Spike (LCS-1)

QC Batch: 87453
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		1	1.79	mg/Kg	1	2.00	<0.00335	89	70 - 130
Toluene		1	1.80	mg/Kg	1	2.00	<0.00471	90	70 - 130
Ethylbenzene		1	1.84	mg/Kg	1	2.00	<0.00440	92	70 - 130
Xylene		1	5.48	mg/Kg	1	6.00	<0.00557	91	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		1	1.79	mg/Kg	1	2.00	<0.00335	90	70 - 130	0	20
Toluene		1	1.80	mg/Kg	1	2.00	<0.00471	90	70 - 130	0	20
Ethylbenzene		1	1.86	mg/Kg	1	2.00	<0.00440	93	70 - 130	1	20
Xylene		1	5.55	mg/Kg	1	6.00	<0.00557	92	70 - 130	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.80	1.81	mg/Kg	1	2.00	90	90	70 - 130
4-Bromofluorobenzene (4-BFB)	1.77	1.80	mg/Kg	1	2.00	89	90	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 87454
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1	18.8	mg/Kg	1	20.0	<0.446	94	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

continued ...

control spikes continued ...

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1	19.8	mg/Kg	1	20.0	<0.446	99	70 - 130	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.00	2.05	mg/Kg	1	2.00	100	103	70 - 130
4-Bromofluorobenzene (4-BFB)	2.13	2.16	mg/Kg	1	2.00	106	108	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 87474
Prep Batch: 74279

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: kg
Prepared By: kg

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		2	205	mg/Kg	1	250	<14.5	82	64.5 - 146.9

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		2	210	mg/Kg	1	250	<14.5	84	64.5 - 146.9	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
n-Tricosane	104	105	mg/Kg	1	100	104	105	65.3 - 135.8

Laboratory Control Spike (LCS-1)

QC Batch: 87486
Prep Batch: 74291

Date Analyzed: 2011-12-29
QC Preparation: 2011-12-29

Analyzed By: MT
Prepared By: MT

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1	18.0	mg/Kg	1	20.0	<0.446	90	70 - 130

control spikes continued ...

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
4-Bromofluorobenzene (4-BFB)	1.93	2.02	mg/Kg	1	2.00	96	101	56.2 - 132.1

Laboratory Control Spike (LCS-1)

QC Batch: 87558 Date Analyzed: 2012-01-02 Analyzed By: AG
Prep Batch: 74348 QC Preparation: 2012-01-02 Prepared By: AG

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		2	17.5	mg/Kg	1	20.0	<0.753	88	60.9 - 105.4

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec. Limit	RPD	RPD Limit
GRO		2	18.0	mg/Kg	1	20.0	<0.753	90	60.9 - 105.4	3 20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.06	2.14	mg/Kg	1	2.00	103	107	61.9 - 142
4-Bromofluorobenzene (4-BFB)	1.75	1.84	mg/Kg	1	2.00	88	92	56.2 - 132

Matrix Spike (MS-1) Spiked Sample: 285158

QC Batch: 87453 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 QC Preparation: 2011-12-28 Prepared By: MT

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		1	1.58	mg/Kg	1	2.00	<0.00335	79	70 - 130
Toluene		1	1.70	mg/Kg	1	2.00	<0.00471	85	70 - 130
Ethylbenzene		1	1.85	mg/Kg	1	2.00	<0.00440	92	70 - 130
Xylene		1	5.49	mg/Kg	1	6.00	<0.00557	92	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec. Limit	RPD	RPD Limit
Benzene		1	1.61	mg/Kg	1	2.00	<0.00335	80	70 - 130	2 20

continued ...

matrix spikes continued ...

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Toluene		1	1.73	mg/Kg	1	2.00	<0.00471	86	70 - 130	2	20
Ethylbenzene		1	1.90	mg/Kg	1	2.00	<0.00440	95	70 - 130	3	20
Xylene		1	5.63	mg/Kg	1	6.00	<0.00557	94	70 - 130	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.78	1.82	mg/Kg	1	2	89	91	70 - 130
4-Bromofluorobenzene (4-BFB)	1.69	1.77	mg/Kg	1	2	84	88	70 - 130

Matrix Spike (MS-1) Spiked Sample: 285158

QC Batch: 87454
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	q _s	q _s	11.2	mg/Kg	1	20.0	<0.446	56	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	q _r	q _r	17.1	mg/Kg	1	20.0	<0.446	86	70 - 130	42	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit		
Trifluorotoluene (TFT)	q _{sr}	q _{sr}	1.28	2.00	mg/Kg	1	2	64	100	70 - 130
4-Bromofluorobenzene (4-BFB)			1.50	2.12	mg/Kg	1	2	75	106	70 - 130

Matrix Spike (MS-1) Spiked Sample: 285309

QC Batch: 87474
Prep Batch: 74279

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: kg
Prepared By: kg

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		2	186	mg/Kg	1	250	<14.5	74	38.8 - 153.3

Matrix Spike (MS-1) Spiked Sample: 285290

QC Batch: 87557 Date Analyzed: 2012-01-02 Analyzed By: AG
Prep Batch: 74348 QC Preparation: 2012-01-02 Prepared By: AG

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		2	2.24	mg/Kg	1	2.00	<0.0118	112	69.4 - 123.6
Toluene		2	2.21	mg/Kg	1	2.00	<0.00600	110	75.4 - 134.3
Ethylbenzene		2	2.16	mg/Kg	1	2.00	<0.00850	108	58.8 - 133.7
Xylene		2	6.50	mg/Kg	1	6.00	<0.00613	108	57 - 134.2

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		2	1.99	mg/Kg	1	2.00	<0.0118	100	69.4 - 123.6	12	20
Toluene		2	1.96	mg/Kg	1	2.00	<0.00600	98	75.4 - 134.3	12	20
Ethylbenzene		2	1.96	mg/Kg	1	2.00	<0.00850	98	58.8 - 133.7	10	20
Xylene		2	5.87	mg/Kg	1	6.00	<0.00613	98	57 - 134.2	10	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.12	2.49	mg/Kg	1	2	106	124	79.4 - 141.1
4-Bromofluorobenzene (4-BFB)	2.07	2.47	mg/Kg	1	2	104	124	71 - 167

Matrix Spike (MS-1) Spiked Sample: 285125

QC Batch: 87558 Date Analyzed: 2012-01-02 Analyzed By: AG
Prep Batch: 74348 QC Preparation: 2012-01-02 Prepared By: AG

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		2	20.7	mg/Kg	1	20.0	3.7	85	61.8 - 114

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		2	3.47	mg/Kg	1	20.0	3.7	0	61.8 - 114	143	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

continued ...

matrix spikes continued ...

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.70	1.72	mg/Kg	1	2	135	86	29.4 - 161.7
4-Bromofluorobenzene (4-BFB)	2.64	1.54	mg/Kg	1	2	132	77	37.3 - 162

Calibration Standards

Standard (CCV-1)

QC Batch: 87453

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		1	mg/Kg	0.100	0.0913	91	80 - 120	2011-12-28
Toluene		1	mg/Kg	0.100	0.0920	92	80 - 120	2011-12-28
Ethylbenzene		1	mg/Kg	0.100	0.0950	95	80 - 120	2011-12-28
Xylene		1	mg/Kg	0.300	0.283	94	80 - 120	2011-12-28

Standard (CCV-2)

QC Batch: 87453

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		1	mg/Kg	0.100	0.0876	88	80 - 120	2011-12-28
Toluene		1	mg/Kg	0.100	0.0901	90	80 - 120	2011-12-28
Ethylbenzene		1	mg/Kg	0.100	0.0919	92	80 - 120	2011-12-28
Xylene		1	mg/Kg	0.300	0.278	92	80 - 120	2011-12-28

Standard (CCV-3)

QC Batch: 87453

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		1	mg/Kg	0.100	0.0889	89	80 - 120	2011-12-28
Toluene		1	mg/Kg	0.100	0.0873	87	80 - 120	2011-12-28
Ethylbenzene		1	mg/Kg	0.100	0.0892	89	80 - 120	2011-12-28
Xylene		1	mg/Kg	0.300	0.268	89	80 - 120	2011-12-28

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		2	mg/Kg	250	208	83	80 - 120	2011-12-28

Standard (CCV-2)

QC Batch: 87486

Date Analyzed: 2011-12-29

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	0.979	98	80 - 120	2011-12-29

Standard (CCV-3)

QC Batch: 87486

Date Analyzed: 2011-12-29

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	0.911	91	80 - 120	2011-12-29

Standard (ICV-1)

QC Batch: 87497

Date Analyzed: 2011-12-30

Analyzed By: AR

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	98.9	99	85 - 115	2011-12-30

Standard (CCV-1)

QC Batch: 87497

Date Analyzed: 2011-12-30

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		2	mg/Kg	250	202	81	80 - 120	2012-01-02

Standard (CCV-2)

QC Batch: 87557

Date Analyzed: 2012-01-02

Analyzed By: AG

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		2	mg/Kg	0.100	0.111	111	80 - 120	2012-01-02
Toluene		2	mg/Kg	0.100	0.106	106	80 - 120	2012-01-02
Ethylbenzene		2	mg/Kg	0.100	0.102	102	80 - 120	2012-01-02
Xylene		2	mg/Kg	0.300	0.303	101	80 - 120	2012-01-02

Standard (CCV-3)

QC Batch: 87557

Date Analyzed: 2012-01-02

Analyzed By: AG

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		2	mg/Kg	0.100	0.108	108	80 - 120	2012-01-02
Toluene		2	mg/Kg	0.100	0.102	102	80 - 120	2012-01-02
Ethylbenzene		2	mg/Kg	0.100	0.0975	98	80 - 120	2012-01-02
Xylene		2	mg/Kg	0.300	0.292	97	80 - 120	2012-01-02

Standard (CCV-2)

QC Batch: 87558

Date Analyzed: 2012-01-02

Analyzed By: AG

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		2	mg/Kg	1.00	1.11	111	80 - 120	2012-01-02

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 34 of 36
Eddy Co., NM

Standard (CCV-3)

QC Batch: 87558

Date Analyzed: 2012-01-02

Analyzed By: AG

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		2	mg/Kg	1.00	1.17	117	80 - 120	2012-01-02

Appendix

Report Definitions

Name	Definition
MDL	Method Detection Limit
MQL	Minimum Quantitation Limit
SDL	Sample Detection Limit

Laboratory Certifications

C	Certifying Authority	Certification Number	Laboratory Location
-	NCTRCA	WFWB384444Y0909	TraceAnalysis
-	DBE	VN 20657	TraceAnalysis
-	HUB	1752439743100-86536	TraceAnalysis
-	WBE	237019	TraceAnalysis
1	NELAP	T104704219-11-5	Lubbock
2	NELAP	T104704392-11-3	Midland

Standard Flags

F	Description
B	Analyte detected in the corresponding method blank above the method detection limit
H	Analyzed out of hold time
J	Estimated concentration
Jb	The analyte is positively identified and the value is approximated between the SDL and MQL. Sample contains less than ten times the concentration found in the method blank. The result should be considered non-detect to the SDL.
Je	Estimated concentration exceeding calibration range.
Qc	Calibration check outside of laboratory limits.
Qr	RPD outside of laboratory limits
Qs	Spike recovery outside of laboratory limits.
Qsr	Surrogate recovery outside of laboratory limits.
U	The analyte is not detected above the SDL

Result Comments

- 1 special comment - Prep error. Sample was not spiked.

Attachments

Report Date: January 5, 2012
114-6401144

Work Order: 11122306
COG/Holder CB Federal Paddock TB

Page Number: 36 of 36
Eddy Co., NM

The scanned attachments will follow this page.
Please note, each attachment may consist of more than one page.

111 x 300

Analysis Request of Chain of Custody Record



TETRA TECH
 1910 N. Big Spring St.
 Midland, Texas 79705
 (432) 682-4559 • Fax (432) 682-3946

ANALYSIS REQUEST
 (Circle or Specify Method No.)

CLIENT NAME: COG SITE MANAGER: Ike Tavares

PROJECT NO.: 114-6401144 PROJECT NAME: Holder CB Federal Paddock TB

LAB I.D. NUMBER: 285190 DATE: 12/21/2011 TIME: MATRIX: S COMP: X GRAB: SAMPLE IDENTIFICATION: Eddy Co NM

LAB I.D. NUMBER	DATE	TIME	MATRIX	COMP	GRAB	SAMPLE IDENTIFICATION	NUMBER OF CONTAINERS	FILTERED (Y/N)	HCL	HNO3	ICE	NONE	BTX (8021B)	TPH	PAH 8270	RCRA Metals Ag As Ba Cd Cr Pb Hg Se	TCLP Metals Ag As Ba Cd Vr Pd Hg Se	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC:MS Vol. 8240/8260/824	GC:MS Semi. Vol. 8270/625	PCB's 8080/608	Pest. 808/608	Chloride	Gamma Spec.	Alpha Beta (Air)	PLM (Asbestos)	Major Anions/Cations, pH, TDS
285190	12/21		S	X		AH-1 1' BEB 0-1'	1				X		X	X											X				
191																									X				
192																									X				
193						AH-2 1' BEB 0-1'							X	X											X				
194																									X				
195																									X				
196																									X				
197																									X				
198																									X				

RELINQUISHED BY: (Signature) [Signature] Date: 12-21-11 Time: 16:45 RECEIVED BY: (Signature) [Signature] Date: 12/21/11 Time: 16:47 SAMPLED BY: (Print & Initial) TF JT Date: 12-21-11 Time:

RELINQUISHED BY: (Signature) [Signature] Date: 12/23/11 Time: 15:00 RECEIVED BY: (Signature) [Signature] Date: Time: SAMPLE SHIPPED BY: (Circle) HAND DELIVERED AIRBILL # OTHER:

RELINQUISHED BY: (Signature) Date: Time: RECEIVED BY: (Signature) Date: Time: TETRA TECH CONTACT PERSON: Ike Tavares Results by:

RECEIVING LABORATORY: Trace ADDRESS: Midland STATE: TX ZIP: CITY: Midland CONTACT: PHONE: DATE: 12/28/11 TIME: 8:50 38/3.9 RECEIVED BY: (Signature) Shonda Ward DATE: 12/28/11 TIME: 8:50 38/3.9 TETRA TECH CONTACT PERSON: Ike Tavares Results by:

SAMPLE CONDITION WHEN RECEIVED: 7.70 intact REMARKS: Very deep sample of TPH exceeds 5,000 mg/kg or

Please fill out all copies - Laboratory retains Yellow copy - Return Original copy to Tetra Tech - Project Manager retains Pink copy - Accounting receives Gold copy.

Remove 10 malleys + label BTX 50 malleys.

+ 111a3 00

Analysis Request of Chain of Custody Record

ANALYSIS REQUEST
(Circle or Specify Method No.)



TETRA TECH

1910 N. Big Spring St.
Midland, Texas 79705
(432) 682-4559 • Fax (432) 682-3946

CLIENT NAME: COG SITE MANAGER: Ike Tavaraz

PROJECT NO.: 114-6401144 PROJECT NAME: Holder CB Federal Paddock TB

LAB I.D. NUMBER: 285199 DATE: 12/21 TIME: MATRIX: S COMP: X GRAB: NUMBER OF CONTAINERS: 1 FILTERED (Y/N): PRESERVATIVE METHOD: ICE

LAB I.D. NUMBER	DATE	TIME	MATRIX	COMP	GRAB	SAMPLE IDENTIFICATION	NUMBER OF CONTAINERS	FILTERED (Y/N)	HCL	HNO3	ICE	NONE	BTX 802TB	TPH 8015 MOD. TX1005 (Ext. to C35)	PAH 8270	RCRA Metals Ag As Ba Cd Cr Pb Hg Se	TCLP Metals Ag As Ba Cd Vr Pd Hg Se	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC.MS Vol. 8240/8260/824	GC.MS Semi. Vol. 8270/825	PCB's 8080/608	Pest. 808/608	Chlorides	Gamma Spec.	Alpha Beta (Air)	PLM (Asbestos)	Major Anions/Cations, pH, TDS	
285199	12/21		S	X		AH-3 0.5' BEB 0-1'	1				X		X	X																
200						1-1.5'																								
209						2-2.5'																								

Handwritten notes:
*Midland TX-100 C
*Sublot BTX/PA-GLO

RELINQUISHED BY: (Signature) [Signature] Date: 12-22-11 Time: 11:45 RECEIVED BY: (Signature) [Signature] Date: 12/22/11 Time: 16:47 SAMPLED BY: (Print & Initial) TF/ST Date: 12-21-11 Time:

RELINQUISHED BY: (Signature) [Signature] Date: 12-21-11 Time: 10:00 RECEIVED BY: (Signature) [Signature] Date: Time: SAMPLE SHIPPED BY: (Circle) HAND DELIVERED BUS UPS AIRBILL #: OTHER:

RECEIVING LABORATORY: Texas RECEIVED BY: (Signature) Ike Tavaraz

ADDRESS: Midland STATE: TX ZIP: PHONE: DATE: TIME:

CONTACT: TETRA TECH CONTACT PERSON: Ike Tavaraz Results by:

SAMPLE CONDITION WHEN RECEIVED: 770 intact REMARKS: