

SITE INFORMATION

2RP-963

Report Type: Closure Report

General Site Information:

Site:	RJU #134 Flowline Leak					
Company:	COG Operating LLC					
Section, Township and Range	Unit K	Sec 27	T17S	R29E		
Lease Number:	API-30-015-34573					
County:	Eddy County					
GPS:	32.80546° N			104.06604° W		
Surface Owner:	Federal					
Mineral Owner:						
Directions:	In Loco Hills, from the intersection of CR 217 and Hwy 82, travel west on 82 (4.3 miles), turn south (0.9 miles), turn right (0.4 miles), turn left (50 feet), turn right (100 feet), turn left (200 feet) to location.					

Release Data:

Date Released:	11/11/2011
Type Release:	Oil and Produced Water
Source of Contamination:	Flowline
Fluid Released:	10 bbls
Fluids Recovered:	5 bbls

RECEIVED

MAY 21 2012

NMOCD ARTESIA

Official Communication:

Name:	Pat Ellis	Ike Tavaréz
Company:	COG Operating, LLC	Tetra Tech
Address:	550 W. Texas Ave. Ste. 1300	1910 N. Big Spring
P.O. Box		
City:	Midland Texas, 79701	Midland, Texas
Phone number:	(432) 686-3023	(432) 682-4559
Fax:	(432) 684-7137	
Email:	pellis@conchoresources.com	ike.tavaréz@tetrattech.com

Ranking Criteria

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	0

WellHead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0

Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0

Total Ranking Score:	0
-----------------------------	---

Acceptable Soil RRAL (mg/kg)

Benzene	Total BTEX	TPH
10	50	5,000



TETRA TECH

April 24, 2012

Mr. Mike Bratcher
Environmental Engineer Specialist
Oil Conservation Division, District 2
1301 West Grand Avenue
Artesia, New Mexico 88210

Re: Closure Report for the COG Operating LLC., RJ Unit, #134 Flow Line Leak, Unit K, Section 27, Township 17 South, Range 29 East, Eddy County, New Mexico.

Mr. Bratcher:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating LLC. (COG) to assess a spill from the RJ Unit, #134 Flow line Leak located in Unit K, Section 27, Township 17 South, Range 29 East, Eddy County, New Mexico (Site). The spill site coordinates are N 32.80546°, W 104.06604°. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report, the leak was discovered on November 11, 2011, and released approximately ten (10) barrels of produced fluid from a flow line. To alleviate the problem, COG personnel repaired the flow line. Five (5) barrels of standing fluids were recovered. The spill initiated west of the pad affecting an area 20' X 175' in the pasture. The initial C-141 form is enclosed in Appendix A.

Groundwater

No water wells were listed within Section 27. According to the NMOCD groundwater map, the depth to groundwater in this area is approximately 125' below surface. The groundwater data is shown in Figure B.

Tetra Tech

1910 North Big Spring, Midland, TX 79705

Tel 432.682.4559

Fax 432.682.3946

www.tetrattech.com

Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

Soil Assessment and Analytical Results

On December 21, 2011, Tetra Tech personnel inspected and sampled the spill area. Four (4) auger holes (AH-1 and AH-4) were installed using a stainless steel hand auger to assess the impacted soils. Select samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The results of the sampling are summarized in Table 1. The auger hole locations are shown on Figure 3.

Referring to Table 1, none of the samples exceeded the TPH RRAL, AH-2, and AH-4 were above the RRAL for total BTEX but all declined at 1'-1.5' below surface. Elevated chloride concentrations were detected in AH-2, AH-3 and AH-4, with a chloride high of 6,400 mg/kg at 2.0', 2,280 mg/kg at 1.0' and 1,800 mg/kg at 1.0', respectively. The chloride impact declined with depth and was vertically defined.

Site Remediation

On March 2012, Tetra Tech personnel supervised the excavation as outlined in the approved work plan. Tetra Tech personnel supervised the excavation of the site. The spill foot print and final excavation depths of the soil remediation were met or exceeded as stated in the approved work plan. The excavated areas and depths are shown on Figure 4. Approximately 300 yards³ of impacted soil were excavated and transported to CRI of Hobbs, NM for proper disposal.



TETRA TECH

Once excavated, Tetra Tech collected nine (9) confirmation samples (CS-1 through CS-9) from the excavation sidewalls. The soil samples were collected for chlorides analysis. The sampling results are shown in Table 1.

Referring to Table 1, all of the confirmation samples showed chloride concentrations <200 mg/kg. Based on the results, the excavation was approved for backfilling. The excavation was backfilled with clean soil to grade.


Based on the remediation activities performed at this location, COG request closure for site. The C-141 (Final) is included in Appendix C. If you have any questions or comments concerning the assessment or the remediation activities performed at the site, please call me at (432) 682-4559.

Respectfully submitted,
TETRA TECH

Ike Tavaréz
Project Manager

cc: Pat Ellis – COG
cc: Jim Amos – BLM

Figures






Figure 2
RJU #134
Topo Map 1:24,000


COG Spill Assessment
Eddy County, New Mexico

Project: 114-6401143

Date: 1/17/2012

File: H:\GIS\6401143





EXPLANATION

- WELL
- LEAK SOURCE
- AUGER HOLE SAMPLE LOCATIONS
- FLOWLINE
- ▨ SPILL AREA

SCALE: 1 IN = 25 FEET

Feet 0 8 16



Figure 3

RJU # 134
Spill Assessment Map


COG Spill Assessment
Eddy County, New Mexico

Project: 114-6401143

Date: 1/18/2012

File: H:\GIS\6401143





EXPLANATION

- WELL
- LEAK SOURCE
- AUGER HOLE SAMPLE LOCATIONS
- FLOWLINE
- ▨ EXCAVATED DEPTHS

SCALE: 1 IN = 25 FEET

Feet 0 10 20



Figure 4

RJU # 134
Excavation Areas & Depths Map

COG Spill Assessment
Eddy County, New Mexico

Project : 114-6401143

Date : 1/18/2012

File : H:\GIS\6401143



Tables

Table 1
COG Operating LLC
RJU #134

[illegible]

Table 1
COG Operating LLC
RJU #134
Eddy County, New Mexico

[illegible]

Table 1
COG Operating LLC
RJU #134
Eddy County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Depth (BEB)	Soil Status		TPH (mg/kg)			Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
				In-Situ	Removed	GRO	DRO	Total						
AH-4	12/21/2011	0-1'	1'		X	1,580	4,160	5,740	<0.400	8.42	33.9	41.4	83.7	1,060
	"	1-1.5'	1'		X	2.72	<50.0	2.72	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	1,800
	"	2-2.5	1'	X		-	-	-	-	-	-	-	-	379
	"	3-3.5	1'	X		-	-	-	-	-	-	-	-	914
	"	4-4.5	1'	X		-	-	-	-	-	-	-	-	<200
	"	5-5.5	1'	X		-	-	-	-	-	-	-	-	<200
	"	6-6.5	1'	X		-	-	-	-	-	-	-	-	<200
	"	7-7.5	1'	X		-	-	-	-	-	-	-	-	<200
CS-1 Sidewall	3/8/2012	-	-	X		-	-	-	-	-	-	-	-	<200
CS-2 Sidewall	3/8/2012	-	-	X		-	-	-	-	-	-	-	-	<200
CS-3 Sidewall	3/8/2012	-	-	X		-	-	-	-	-	-	-	-	<200
CS-4 Sidewall	3/8/2012	-	-	X		-	-	-	-	-	-	-	-	<200

(--)

 (BEB)


Not Analyzed
 Excavation Depths
 Below Excavation Bottom

Photos

COG Operating LLC
RJU #134
Eddy County, New Mexico



View of Excavation



View of Excavation


COG Operating LLC
RJU #134
Eddy County, New Mexico



TETRA TECH



View of Excavation




View of Excavation


COG Operating LLC
RJU #134
Eddy County, New Mexico



TETRA TECH



View of Backfilled Excavation



View of Backfilled Excavation

Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

MAY 21 2012

NMOCD ARTESIA

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company	COG Operating LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 1300 Midland, Texas 79701	Telephone No.	(432) 230-0077
Facility Name	RJ Unit #134	Facility Type	Flowline
Surface Owner	Federal	Mineral Owner	
		Lease No.	API 30-015-34573

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
K	27	17-S	29-E					Eddy

Latitude N 32.80554° Longitude W 104.06587°

NATURE OF RELEASE

Type of Release: Oil and Produced Water	Volume of Release: 4 bbls oil 6 bbls produced water	Volume Recovered: 2 bbls oil 3 bbls produced water
Source of Release Flowline	Date and Hour of Occurrence 11/11/2011	Date and Hour of Discovery 11/11/2011 3:00 pm
Was Immediate Notice Given? ☐ Yes ☒ No ☒ Not Required	If YES, To Whom?	
By Whom?	Date and Hour 10/25/10	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.*

N/A

Describe Cause of Problem and Remedial Action Taken.*

A hole developed in the flowline on the west side of pad location. The bad joint of flowline has been replaced and returned into service

Describe Area Affected and Cleanup Action Taken.*

Tetra Tech inspected site and collected samples to define spills extent. Soil with elevated chloride concentrations was removed and hauled away to Controlled Recovery, Inc., Hobbs, NM. Site was then brought up to surface grade with clean backfill material. Tetra Tech prepared closure report and submitted to NMOCD for review.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION		
Printed Name: Ike Tavarez	Approved by District Supervisor:		
Title: Project Manager	Approval Date:	Expiration Date:	
E-mail Address: ike.tavarez@tetratech.com	Conditions of Approval:		Attached ☐
Date: 4/24/12	Phone: (432) 682-4559		

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company	COG OPERATING LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 100, Midland, TX 79701	Telephone No.	432-230-0077
Facility Name	RJ Unit #134	Facility Type	Flowline

Surface Owner	Federal	Mineral Owner		Lease No. (API#)	30-015-34573
---------------	---------	---------------	--	------------------	--------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North South Line	Feet from the	East/West Line	County
K	27	17S	29E					Eddy

Latitude 32.80554 Longitude 104.06587

NATURE OF RELEASE

Type of Release	Oil and Produced water	Volume of Release	4bbls oil 6bbls produced water	Volume Recovered	2bbls oil 3bbls produced water
Source of Release	Flowline	Date and Hour of Occurrence	11 11 2011	Date and Hour of Discovery	11 11 2011 3:00 p.m.
Was Immediate Notice Given?	☐ Yes ☒ No ☒ Not Required	If YES, To Whom?			
By Whom?	Date and Hour				
Was a Watercourse Reached?	☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.*


Describe Cause of Problem and Remedial Action Taken.*

A hole developed in the flowline on the west side of the pad location. The bad joint of flowline has been replaced and returned into service.

Describe Area Affected and Cleanup Action Taken.*

Initially 10bbls of produced fluid was release from the hole in the flowline and we were able to recover 5bbls with a vacuum truck. The fluid traveled from the west side of the pad north into the pasture and gathered in an area of 20' x 30'. The pasture area has had micro-blaze applied and all standing fluid has been recovered. Tetra Tech will sample the spill site area to delineate any possible contamination from the release and we will present a remediation work plan to the NMOCD/BLM for approval prior to any significant remediation work.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:				OIL CONSERVATION DIVISION	
Printed Name:	Josh Russo			Approved by District Supervisor:	
Title:	HSE Coordinator			Approval Date:	Expiration Date:
E-mail Address:	jrusso@conchoresources.com			Conditions of Approval:	Attached ☐
Date:	11/22/2011			Phone:	432-212-2399

* Attach Additional Sheets If Necessary

Appendix B

Water Well Data
Average Depth to Groundwater (ft)
COG - RJU #134
Eddy County, New Mexico

16 South			28 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South			29 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
110	29	28	27	26	25
31	32	33	34	35	36

16 South			30 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			28 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			29 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			30 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			28 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			29 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			30 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

-  New Mexico State Engineers Well Reports
-  USGS Well Reports
-  Geology and Groundwater Conditions in Southern Eddy, County, NM
-  NMOCD - Groundwater Data
-  Field water level
-  New Mexico Water and Infrastructure Data System
-  Site Location - RJU #134

Appendix C

Summary Report

Ike Tavarez
Tetra Tech
1910 N. Big Spring Street
Midland, TX 79705

Report Date: January 5, 2012

Work Order: 11122308



Project Location: Eddy Co., NM
Project Name: RJU #134
Project Number: 114-6401143

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
285206	AH-1 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285207	AH-1 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285208	AH-1 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285209	AH-1 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285210	AH-1 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285211	AH-1 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285212	AH-1 1' BEB 6-6.5'	soil	2011-12-21	00:00	2011-12-22
285213	AH-1 1' BEB 7-7.5'	soil	2011-12-21	00:00	2011-12-22
285214	AH-1 1' BEB 8-8.5'	soil	2011-12-21	00:00	2011-12-22
285215	AH-1 1' BEB 9-9.5'	soil	2011-12-21	00:00	2011-12-22
285216	AH-2 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285217	AH-2 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285218	AH-2 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285219	AH-2 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285220	AH-2 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285221	AH-2 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285222	AH-3 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285223	AH-3 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285224	AH-3 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285225	AH-3 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285226	AH-3 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285227	AH-3 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285228	AH-3 1' BEB 6-6.5'	soil	2011-12-21	00:00	2011-12-22
285229	AH-3 1' BEB 7-7.5'	soil	2011-12-21	00:00	2011-12-22
285230	AH-3 1' BEB 8-8.5'	soil	2011-12-21	00:00	2011-12-22
285231	AH-3 1' BEB 9-9.5'	soil	2011-12-21	00:00	2011-12-22
285232	AH-4 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285233	AH-4 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285234	AH-4 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285235	AH-4 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
285236	AH-4 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285237	AH-4 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285238	AH-4 1' BEB 6-6.5'	soil	2011-12-21	00:00	2011-12-22
285239	AH-4 1' BEB 7-7.5'	soil	2011-12-21	00:00	2011-12-22

Sample - Field Code	BTEX				TPH DRO - NEW	TPH GRO
	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Xylene (mg/Kg)	DRO (mg/Kg)	GRO (mg/Kg)
285206 - AH-1 1' BEB 0-1'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00 Qr,Qs
285216 - AH-2 1' BEB 0-1'	<0.400 ¹	2.82	23.1	31.3	2930	1590 Qs
285217 - AH-2 1' BEB 1-1.5'	<0.0200	<0.0200	<0.0200	<0.0200		
285222 - AH-3 1' BEB 0-1'	<0.400 ²	<0.400	1.84	2.41	448	483 Qr,Qs
285232 - AH-4 1' BEB 0-1'	<0.400 ³	8.42	33.9	41.4	4160	1580 Qs
285233 - AH-4 1' BEB 1-1.5'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	2.72 Qr,Qs

Sample: 285206 - AH-1 1' BEB 0-1'

Param	Flag	Result	Units	RL
Chloride		242	mg/Kg	4

Sample: 285207 - AH-1 1' BEB 1-1.5'

Param	Flag	Result	Units	RL
Chloride		256	mg/Kg	4

Sample: 285208 - AH-1 1' BEB 2-2.5'

Param	Flag	Result	Units	RL
Chloride		394	mg/Kg	4

Sample: 285209 - AH-1 1' BEB 3-3.5'

Param	Flag	Result	Units	RL
Chloride		340	mg/Kg	4

Sample: 285210 - AH-1 1' BEB 4-4.5'

continued ...

¹Sample dilution due to hydrocarbons.²Sample dilution due to hydrocarbons.³Sample dilution due to hydrocarbons.

sample 285210 continued ...

Param	Flag	Result	Units	RL
Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285211 - AH-1 1' BEB 5-5.5'

Param	Flag	Result	Units	RL
Chloride		394	mg/Kg	4

Sample: 285212 - AH-1 1' BEB 6-6.5'

Param	Flag	Result	Units	RL
Chloride		389	mg/Kg	4

Sample: 285213 - AH-1 1' BEB 7-7.5'

Param	Flag	Result	Units	RL
Chloride		493	mg/Kg	4

Sample: 285214 - AH-1 1' BEB 8-8.5'

Param	Flag	Result	Units	RL
Chloride		389	mg/Kg	4

Sample: 285215 - AH-1 1' BEB 9-9.5'

Param	Flag	Result	Units	RL
Chloride		345	mg/Kg	4

Sample: 285216 - AH-2 1' BEB 0-1'

Param	Flag	Result	Units	RL
Chloride		1530	mg/Kg	4

Sample: 285217 - AH-2 1' BEB 1-1.5'

Report Date: January 5, 2012

Work Order: 11122308

Page Number: 4 of 6

Param	Flag	Result	Units	RL
Chloride		6300	mg/Kg	4

Sample: 285218 - AH-2 1' BEB 2-2.5'

Param	Flag	Result	Units	RL
Chloride		6400	mg/Kg	4

Sample: 285219 - AH-2 1' BEB 3-3.5'

Param	Flag	Result	Units	RL
Chloride		665	mg/Kg	4

Sample: 285220 - AH-2 1' BEB 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285221 - AH-2 1' BEB 5-5.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285222 - AH-3 1' BEB 0-1'

Param	Flag	Result	Units	RL
Chloride		2280	mg/Kg	4

Sample: 285223 - AH-3 1' BEB 1-1.5'

Param	Flag	Result	Units	RL
Chloride		2510	mg/Kg	4

Sample: 285224 - AH-3 1' BEB 2-2.5'

Param	Flag	Result	Units	RL
Chloride		1680	mg/Kg	4

Sample: 285225 - AH-3 1' BEB 3-3.5'

Param	Flag	Result	Units	RL
Chloride		2440	mg/Kg	4

Sample: 285226 - AH-3 1' BEB 4-4.5'

Param	Flag	Result	Units	RL
Chloride		1940	mg/Kg	4

Sample: 285227 - AH-3 1' BEB 5-5.5'

Param	Flag	Result	Units	RL
Chloride		202	mg/Kg	4

Sample: 285228 - AH-3 1' BEB 6-6.5'

Param	Flag	Result	Units	RL
Chloride		939	mg/Kg	4

Sample: 285229 - AH-3 1' BEB 7-7.5'

Param	Flag	Result	Units	RL
Chloride		1070	mg/Kg	4

Sample: 285230 - AH-3 1' BEB 8-8.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285231 - AH-3 1' BEB 9-9.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285232 - AH-4 1' BEB 0-1'

Param	Flag	Result	Units	RL
Chloride		1060	mg/Kg	4

Sample: 285233 - AH-4 1' BEB 1-1.5'

Param	Flag	Result	Units	RL
Chloride		1800	mg/Kg	4

Sample: 285234 - AH-4 1' BEB 2-2.5'

Param	Flag	Result	Units	RL
Chloride		379	mg/Kg	4

Sample: 285235 - AH-4 1' BEB 3-3.5'

Param	Flag	Result	Units	RL
Chloride		914	mg/Kg	4

Sample: 285236 - AH-4 1' BEB 4-4.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285237 - AH-4 1' BEB 5-5.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285238 - AH-4 1' BEB 6-6.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 285239 - AH-4 1' BEB 7-7.5'

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4



6701 Atwood Avenue, Suite 9 Lubbock, Texas 79424 800•378•1296 806•794•1296 FAX 806•794•1298
200 East Sunset Road, Suite E El Paso, Texas 79922 888•588•3443 915•585•3443 FAX 915•585•4944
5002 Basin Street, Suite A1 Midland, Texas 79703 432•689•6301 FAX 432•689•6313
6015 Harris Parkway, Suite 110 Ft. Worth, Texas 76132 817•201•5260
E-Mail lab@traceanalysis.com

Certifications

WBE HUB NCTRCA DBE NELAP DoD LELAP Kansas Oklahoma ISO 17025

Analytical and Quality Control Report (Corrected Report)

Ike Tavaréz
Tetra Tech
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: January 5, 2012

Work Order: 11122308



Project Location: Eddy Co., NM
Project Name: RJU #134
Project Number: 114-6401143

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
285206	AH-1 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285207	AH-1 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285208	AH-1 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285209	AH-1 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285210	AH-1 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285211	AH-1 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285212	AH-1 1' BEB 6-6.5'	soil	2011-12-21	00:00	2011-12-22
285213	AH-1 1' BEB 7-7.5'	soil	2011-12-21	00:00	2011-12-22
285214	AH-1 1' BEB 8-8.5'	soil	2011-12-21	00:00	2011-12-22
285215	AH-1 1' BEB 9-9.5'	soil	2011-12-21	00:00	2011-12-22
285216	AH-2 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285217	AH-2 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285218	AH-2 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285219	AH-2 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285220	AH-2 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
285221	AH-2 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285222	AH-3 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285223	AH-3 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285224	AH-3 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285225	AH-3 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285226	AH-3 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285227	AH-3 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285228	AH-3 1' BEB 6-6.5'	soil	2011-12-21	00:00	2011-12-22
285229	AH-3 1' BEB 7-7.5'	soil	2011-12-21	00:00	2011-12-22
285230	AH-3 1' BEB 8-8.5'	soil	2011-12-21	00:00	2011-12-22
285231	AH-3 1' BEB 9-9.5'	soil	2011-12-21	00:00	2011-12-22
285232	AH-4 1' BEB 0-1'	soil	2011-12-21	00:00	2011-12-22
285233	AH-4 1' BEB 1-1.5'	soil	2011-12-21	00:00	2011-12-22
285234	AH-4 1' BEB 2-2.5'	soil	2011-12-21	00:00	2011-12-22
285235	AH-4 1' BEB 3-3.5'	soil	2011-12-21	00:00	2011-12-22
285236	AH-4 1' BEB 4-4.5'	soil	2011-12-21	00:00	2011-12-22
285237	AH-4 1' BEB 5-5.5'	soil	2011-12-21	00:00	2011-12-22
285238	AH-4 1' BEB 6-6.5'	soil	2011-12-21	00:00	2011-12-22
285239	AH-4 1' BEB 7-7.5'	soil	2011-12-21	00:00	2011-12-22

Report Corrections (Work Order 11122308)

- BTEX and 8015 DRO/GRO results removed for sample 285234. 1/5/12

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 47 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.



Dr. Blair Leftwich, Director
Dr. Michael Abel, Project Manager

Report Contents

Case Narrative	6
Analytical Report	7
Sample 285206 (AH-1 1' BEB 0-1')	7
Sample 285207 (AH-1 1' BEB 1-1.5')	8
Sample 285208 (AH-1 1' BEB 2-2.5')	8
Sample 285209 (AH-1 1' BEB 3-3.5')	9
Sample 285210 (AH-1 1' BEB 4-4.5')	9
Sample 285211 (AH-1 1' BEB 5-5.5')	9
Sample 285212 (AH-1 1' BEB 6-6.5')	10
Sample 285213 (AH-1 1' BEB 7-7.5')	10
Sample 285214 (AH-1 1' BEB 8-8.5')	10
Sample 285215 (AH-1 1' BEB 9-9.5')	10
Sample 285216 (AH-2 1' BEB 0-1')	11
Sample 285217 (AH-2 1' BEB 1-1.5')	12
Sample 285218 (AH-2 1' BEB 2-2.5')	13
Sample 285219 (AH-2 1' BEB 3-3.5')	13
Sample 285220 (AH-2 1' BEB 4-4.5')	13
Sample 285221 (AH-2 1' BEB 5-5.5')	14
Sample 285222 (AH-3 1' BEB 0-1')	14
Sample 285223 (AH-3 1' BEB 1-1.5')	15
Sample 285224 (AH-3 1' BEB 2-2.5')	16
Sample 285225 (AH-3 1' BEB 3-3.5')	16
Sample 285226 (AH-3 1' BEB 4-4.5')	16
Sample 285227 (AH-3 1' BEB 5-5.5')	17
Sample 285228 (AH-3 1' BEB 6-6.5')	17
Sample 285229 (AH-3 1' BEB 7-7.5')	17
Sample 285230 (AH-3 1' BEB 8-8.5')	17
Sample 285231 (AH-3 1' BEB 9-9.5')	18
Sample 285232 (AH-4 1' BEB 0-1')	18
Sample 285233 (AH-4 1' BEB 1-1.5')	19
Sample 285234 (AH-4 1' BEB 2-2.5')	21
Sample 285235 (AH-4 1' BEB 3-3.5')	21
Sample 285236 (AH-4 1' BEB 4-4.5')	21
Sample 285237 (AH-4 1' BEB 5-5.5')	22
Sample 285238 (AH-4 1' BEB 6-6.5')	22
Sample 285239 (AH-4 1' BEB 7-7.5')	22
Method Blanks	24
QC Batch 87453 - Method Blank (1)	24
QC Batch 87454 - Method Blank (1)	24
QC Batch 87474 - Method Blank (1)	24
QC Batch 87486 - Method Blank (1)	25
QC Batch 87542 - Method Blank (1)	25
QC Batch 87543 - Method Blank (1)	25
QC Batch 87544 - Method Blank (1)	26

QC Batch 87545 - Method Blank (1)	26
QC Batch 87554 - Method Blank (1)	26
QC Batch 87557 - Method Blank (1)	26
QC Batch 87558 - Method Blank (1)	27
Laboratory Control Spikes	28
QC Batch 87453 - LCS (1)	28
QC Batch 87454 - LCS (1)	28
QC Batch 87474 - LCS (1)	29
QC Batch 87486 - LCS (1)	29
QC Batch 87542 - LCS (1)	30
QC Batch 87543 - LCS (1)	30
QC Batch 87544 - LCS (1)	31
QC Batch 87545 - LCS (1)	31
QC Batch 87554 - LCS (1)	31
QC Batch 87557 - LCS (1)	32
QC Batch 87558 - LCS (1)	32
QC Batch 87453 - MS (1)	33
QC Batch 87454 - MS (1)	33
QC Batch 87474 - MS (1)	34
QC Batch 87486 - MS (1)	34
QC Batch 87542 - MS (1)	35
QC Batch 87543 - MS (1)	35
QC Batch 87544 - MS (1)	36
QC Batch 87545 - MS (1)	36
QC Batch 87554 - MS (1)	36
QC Batch 87557 - MS (1)	37
QC Batch 87558 - MS (1)	38
Calibration Standards	39
QC Batch 87453 - CCV (1)	39
QC Batch 87453 - CCV (2)	39
QC Batch 87453 - CCV (3)	39
QC Batch 87454 - CCV (1)	39
QC Batch 87454 - CCV (2)	40
QC Batch 87454 - CCV (3)	40
QC Batch 87474 - CCV (2)	40
QC Batch 87474 - CCV (3)	40
QC Batch 87474 - CCV (4)	41
QC Batch 87486 - CCV (2)	41
QC Batch 87486 - CCV (3)	41
QC Batch 87542 - ICV (1)	41
QC Batch 87542 - CCV (1)	42
QC Batch 87543 - ICV (1)	42
QC Batch 87543 - CCV (1)	42
QC Batch 87544 - ICV (1)	42
QC Batch 87544 - CCV (1)	43
QC Batch 87545 - ICV (1)	43

QC Batch 87545 - CCV (1)	43
QC Batch 87554 - CCV (2)	43
QC Batch 87554 - CCV (3)	44
QC Batch 87557 - CCV (2)	44
QC Batch 87557 - CCV (3)	44
QC Batch 87558 - CCV (2)	44
QC Batch 87558 - CCV (3)	45
Appendix	46
Report Definitions	46
Laboratory Certifications	46
Standard Flags	46
Result Comments	46
Attachments	47

Case Narrative

Samples for project RJU #134 were received by TraceAnalysis, Inc. on 2011-12-22 and assigned to work order 11122308. Samples for work order 11122308 were received intact at a temperature of 7.7 C. Samples were received on ice.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	74262	2011-12-28 at 07:25	87453	2011-12-28 at 07:25
BTEX	S 8021B	74348	2012-01-02 at 14:50	87557	2012-01-02 at 18:27
Chloride (Titration)	SM 4500-Cl B	74333	2011-12-30 at 11:20	87542	2012-01-02 at 14:19
Chloride (Titration)	SM 4500-Cl B	74333	2011-12-30 at 11:20	87543	2012-01-02 at 14:20
Chloride (Titration)	SM 4500-Cl B	74333	2011-12-30 at 11:20	87544	2012-01-02 at 14:21
Chloride (Titration)	SM 4500-Cl B	74333	2011-12-30 at 11:20	87545	2012-01-02 at 14:22
TPH DRO - NEW	S 8015 D	74279	2011-12-28 at 14:36	87474	2011-12-28 at 14:36
TPH DRO - NEW	S 8015 D	74345	2012-01-02 at 10:00	87554	2012-01-02 at 12:00
TPH GRO	S 8015 D	74262	2011-12-28 at 07:25	87454	2011-12-28 at 07:25
TPH GRO	S 8015 D	74291	2011-12-29 at 13:50	87486	2011-12-29 at 13:50
TPH GRO	S 8015 D	74348	2012-01-02 at 14:50	87558	2012-01-02 at 17:09

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 11122308 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 7 of 47
Eddy Co., NM

Analytical Report

Sample: 285206 - AH-1 1' BEB 0-1'

Laboratory: Lubbock
Analysis: BTEX
QC Batch: 87453
Prep Batch: 74262

Analytical Method: S 8021B
Date Analyzed: 2011-12-28
Sample Preparation: 2011-12-28

Prep Method: S 5035
Analyzed By: MT
Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	u	1	<0.0200	mg/Kg	1	0.0200
Toluene	u	1	<0.0200	mg/Kg	1	0.0200
Ethylbenzene	u	1	<0.0200	mg/Kg	1	0.0200
Xylene	u	1	<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.78	mg/Kg	1	2.00	89	70 - 130
4-Bromofluorobenzene (4-BFB)			1.72	mg/Kg	1	2.00	86	70 - 130

Sample: 285206 - AH-1 1' BEB 0-1'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 87542
Prep Batch: 74333

Analytical Method: SM 4500-Cl B
Date Analyzed: 2012-01-02
Sample Preparation: 2011-12-30

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			242	mg/Kg	50	4.00

Sample: 285206 - AH-1 1' BEB 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW
QC Batch: 87474
Prep Batch: 74279

Analytical Method: S 8015 D
Date Analyzed: 2011-12-28
Sample Preparation: 2011-12-28

Prep Method: N/A
Analyzed By: kg
Prepared By: kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	u	2	<50.0	mg/Kg	1	50.0

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 8 of 47
Eddy Co., NM

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			90.1	mg/Kg	1	100	90	53.5 - 147.1

Sample: 285206 - AH-1 1' BEB 0-1'

Laboratory: Lubbock
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 87454 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 Sample Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Qr, Qs	1	<2.00	mg/Kg	1	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.32	mg/Kg	1	2.00	116	70 - 130
4-Bromofluorobenzene (4-BFB)			2.11	mg/Kg	1	2.00	106	70 - 130

Sample: 285207 - AH-1 1' BEB 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87542 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			256	mg/Kg	50	4.00

Sample: 285208 - AH-1 1' BEB 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87542 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

continued ...

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 9 of 47
Eddy Co., NM

sample 285208 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			394	mg/Kg	50	4.00

Sample: 285209 - AH-1 1' BEB 3-3.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87542 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			340	mg/Kg	50	4.00

Sample: 285210 - AH-1 1' BEB 4-4.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87542 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285211 - AH-1 1' BEB 5-5.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87542 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 10 of 47
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			394	mg/Kg	50	4.00

Sample: 285212 - AH-1 1' BEB 6-6.5'

Laboratory:	Midland			
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method: N/A
QC Batch:	87542	Date Analyzed:	2012-01-02	Analyzed By: AR
Prep Batch:	74333	Sample Preparation:	2011-12-30	Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			389	mg/Kg	50	4.00

Sample: 285213 - AH-1 1' BEB 7-7.5'

Laboratory:	Midland			
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method: N/A
QC Batch:	87542	Date Analyzed:	2012-01-02	Analyzed By: AR
Prep Batch:	74333	Sample Preparation:	2011-12-30	Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			493	mg/Kg	50	4.00

Sample: 285214 - AH-1 1' BEB 8-8.5'

Laboratory:	Midland			
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method: N/A
QC Batch:	87542	Date Analyzed:	2012-01-02	Analyzed By: AR
Prep Batch:	74333	Sample Preparation:	2011-12-30	Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			389	mg/Kg	50	4.00

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 11 of 47
Eddy Co., NM

Sample: 285215 - AH-1 1' BEB 9-9.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87542 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			345	mg/Kg	50	4.00

Sample: 285216 - AH-2 1' BEB 0-1'

Laboratory: Lubbock
Analysis: BTEX Analytical Method: S 8021B Prep Method: S 5035
QC Batch: 87453 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 Sample Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	1	1	<0.400	mg/Kg	20	0.0200
Toluene		1	2.82	mg/Kg	20	0.0200
Ethylbenzene		1	23.1	mg/Kg	20	0.0200
Xylene		1	31.3	mg/Kg	20	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.62	mg/Kg	20	2.00	81	70 - 130
4-Bromofluorobenzene (4-BFB)	Qor	Qor	13.9	mg/Kg	20	2.00	695	70 - 130

Sample: 285216 - AH-2 1' BEB 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1530	mg/Kg	100	4.00

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 12 of 47
Eddy Co., NM

Sample: 285216 - AH-2 1' BEB 0-1'

Laboratory:	Midland		
Analysis:	TPH DRO - NEW	Analytical Method:	S 8015 D
QC Batch:	87474	Date Analyzed:	2011-12-28
Prep Batch:	74279	Sample Preparation:	2011-12-28
		Prep Method:	N/A
		Analyzed By:	kg
		Prepared By:	kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO		2	2930	mg/Kg	5	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane	Qsr	Qsr	180	mg/Kg	5	100	180	53.5 - 147.1

Sample: 285216 - AH-2 1' BEB 0-1'

Laboratory:	Lubbock		
Analysis:	TPH GRO	Analytical Method:	S 8015 D
QC Batch:	87486	Date Analyzed:	2011-12-29
Prep Batch:	74291	Sample Preparation:	2011-12-29
		Prep Method:	S 5035
		Analyzed By:	MT
		Prepared By:	MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Qs	1	1590	mg/Kg	50	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.20	mg/Kg	50	2.00	110	70 - 130
4-Bromofluorobenzene (4-BFB)	Qsr	Qsr	32.5	mg/Kg	50	2.00	1625	70 - 130

Sample: 285217 - AH-2 1' BEB 1-1.5'

Laboratory:	Midland		
Analysis:	BTEX	Analytical Method:	S 8021B
QC Batch:	87557	Date Analyzed:	2012-01-02
Prep Batch:	74348	Sample Preparation:	2012-01-02
		Prep Method:	S 5035
		Analyzed By:	AG
		Prepared By:	AG

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	u	2	<0.0200	mg/Kg	1	0.0200
Toluene	u	2	<0.0200	mg/Kg	1	0.0200
Ethylbenzene	u	2	<0.0200	mg/Kg	1	0.0200
Xylene	u	2	<0.0200	mg/Kg	1	0.0200

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 13 of 47
Eddy Co., NM

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	Q _{sr}	Q _{sr}	1.54	mg/Kg	1	2.00	77	82.8 - 143.1
4-Bromofluorobenzene (4-BFB)			1.46	mg/Kg	1	2.00	73	70.6 - 179

Sample: 285217 - AH-2 1' BEB 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			6300	mg/Kg	100	4.00

Sample: 285218 - AH-2 1' BEB 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			6400	mg/Kg	100	4.00

Sample: 285219 - AH-2 1' BEB 3-3.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			665	mg/Kg	50	4.00

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 14 of 47
Eddy Co., NM

Sample: 285220 - AH-2 1' BEB 4-4.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285221 - AH-2 1' BEB 5-5.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285222 - AH-3 1' BEB 0-1'

Laboratory: Lubbock
Analysis: BTEX Analytical Method: S 8021B Prep Method: S 5035
QC Batch: 87453 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 Sample Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	² u	1	<0.400	mg/Kg	20	0.0200
Toluene	u	1	<0.400	mg/Kg	20	0.0200
Ethylbenzene		1	1.84	mg/Kg	20	0.0200
Xylene		1	2.41	mg/Kg	20	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	Q _{sr}	Q _{sr}	1.36	mg/Kg	20	2.00	68	70 - 130
4-Bromofluorobenzene (4-BFB)			1.92	mg/Kg	20	2.00	96	70 - 130

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 15 of 47
Eddy Co., NM

Sample: 285222 - AH-3 1' BEB 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			2280	mg/Kg	100	4.00

Sample: 285222 - AH-3 1' BEB 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 87474 Date Analyzed: 2011-12-28 Analyzed By: kg
Prep Batch: 74279 Sample Preparation: 2011-12-28 Prepared By: kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO		2	448	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			105	mg/Kg	1	100	105	53.5 - 147.1

Sample: 285222 - AH-3 1' BEB 0-1'

Laboratory: Lubbock
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 87454 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 Sample Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Qr, Qs	1	483	mg/Kg	20	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.65	mg/Kg	20	2.00	82	70 - 130
4-Bromofluorobenzene (4-BFB)	Qsr	Qsr	5.63	mg/Kg	20	2.00	282	70 - 130

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 16 of 47
Eddy Co., NM

Sample: 285223 - AH-3 1' BEB 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			2510	mg/Kg	100	4.00

Sample: 285224 - AH-3 1' BEB 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1680	mg/Kg	100	4.00

Sample: 285225 - AH-3 1' BEB 3-3.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87543 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			2440	mg/Kg	100	4.00

Sample: 285226 - AH-3 1' BEB 4-4.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87544 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 17 of 47
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1940	mg/Kg	100	4.00

Sample: 285227 - AH-3 1' BEB 5-5.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-01-02	Analyzed By:	AR
QC Batch:	87544	Sample Preparation:	2011-12-30	Prepared By:	AR
Prep Batch:	74333				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			202	mg/Kg	50	4.00

Sample: 285228 - AH-3 1' BEB 6-6.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-01-02	Analyzed By:	AR
QC Batch:	87544	Sample Preparation:	2011-12-30	Prepared By:	AR
Prep Batch:	74333				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			939	mg/Kg	100	4.00

Sample: 285229 - AH-3 1' BEB 7-7.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-01-02	Analyzed By:	AR
QC Batch:	87544	Sample Preparation:	2011-12-30	Prepared By:	AR
Prep Batch:	74333				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1070	mg/Kg	100	4.00

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 18 of 47
Eddy Co., NM

Sample: 285230 - AH-3 1' BEB 8-8.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87544 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285231 - AH-3 1' BEB 9-9.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87544 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285232 - AH-4 1' BEB 0-1'

Laboratory: Lubbock
Analysis: BTEX Analytical Method: S 8021B Prep Method: S 5035
QC Batch: 87453 Date Analyzed: 2011-12-28 Analyzed By: MT
Prep Batch: 74262 Sample Preparation: 2011-12-28 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	3 u	1	<0.400	mg/Kg	20	0.0200
Toluene		1	8.42	mg/Kg	20	0.0200
Ethylbenzene		1	33.9	mg/Kg	20	0.0200
Xylene		1	41.4	mg/Kg	20	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.46	mg/Kg	20	2.00	73	70 - 130
4-Bromofluorobenzene (4-BFB)	Qsr	Qsr	15.6	mg/Kg	20	2.00	780	70 - 130

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 19 of 47
Eddy Co., NM

Sample: 285232 - AH-4 1' BEB 0-1'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87544 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1060	mg/Kg	100	4.00

Sample: 285232 - AH-4 1' BEB 0-1'

Laboratory: Midland
Analysis: TPH DRO - NEW Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 87474 Date Analyzed: 2011-12-28 Analyzed By: kg
Prep Batch: 74279 Sample Preparation: 2011-12-28 Prepared By: kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO		2	4160	mg/Kg	5	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane	Qsr	Qsr	205	mg/Kg	5	100	205	53.5 - 147.1

Sample: 285232 - AH-4 1' BEB 0-1'

Laboratory: Lubbock
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 87486 Date Analyzed: 2011-12-29 Analyzed By: MT
Prep Batch: 74291 Sample Preparation: 2011-12-29 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Qs	1	1580	mg/Kg	50	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.37	mg/Kg	50	2.00	118	70 - 130
4-Bromofluorobenzene (4-BFB)	Qsr	Qsr	28.5	mg/Kg	50	2.00	1425	70 - 130

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 20 of 47
Eddy Co., NM

Sample: 285233 - AH-4 1' BEB 1-1.5'

Laboratory: Midland
Analysis: BTEX
QC Batch: 87557
Prep Batch: 74348

Analytical Method: S 8021B
Date Analyzed: 2012-01-02
Sample Preparation: 2012-01-02

Prep Method: S 5035
Analyzed By: AG
Prepared By: AG

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	u	2	<0.0200	mg/Kg	1	0.0200
Toluene	u	2	<0.0200	mg/Kg	1	0.0200
Ethylbenzene	u	2	<0.0200	mg/Kg	1	0.0200
Xylene	u	2	<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.32	mg/Kg	1	2.00	116	82.8 - 143.1
4-Bromofluorobenzene (4-BFB)			2.12	mg/Kg	1	2.00	106	70.6 - 179

Sample: 285233 - AH-4 1' BEB 1-1.5'

Laboratory: Midland
Analysis: Chloride (Titration)
QC Batch: 87544
Prep Batch: 74333

Analytical Method: SM 4500-Cl B
Date Analyzed: 2012-01-02
Sample Preparation: 2011-12-30

Prep Method: N/A
Analyzed By: AR
Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			1800	mg/Kg	100	4.00

Sample: 285233 - AH-4 1' BEB 1-1.5'

Laboratory: Midland
Analysis: TPH DRO - NEW
QC Batch: 87554
Prep Batch: 74345

Analytical Method: S 8015 D
Date Analyzed: 2012-01-02
Sample Preparation: 2012-01-02

Prep Method: N/A
Analyzed By: kg
Prepared By: kg

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	u	2	<50.0	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			98.0	mg/Kg	1	100	98	53.5 - 147.1

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 21 of 47
Eddy Co., NM

Sample: 285233 - AH-4 1' BEB 1-1.5'

Laboratory: Midland
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 87558 Date Analyzed: 2012-01-02 Analyzed By: AG
Prep Batch: 74348 Sample Preparation: 2012-01-02 Prepared By: AG

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	Qr, Qs	2	2.72	mg/Kg	1	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.34	mg/Kg	1	2.00	117	30 - 134.6
4-Bromofluorobenzene (4-BFB)			2.03	mg/Kg	1	2.00	102	22.4 - 149

Sample: 285234 - AH-4 1' BEB 2-2.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87544 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			379	mg/Kg	50	4.00

Sample: 285235 - AH-4 1' BEB 3-3.5'

Laboratory: Midland
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 87544 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 Sample Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			914	mg/Kg	50	4.00

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 22 of 47
Eddy Co., NM

Sample: 285236 - AH-4 1' BEB 4-4.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-01-02	Analyzed By:	AR
QC Batch:	87545	Sample Preparation:	2011-12-30	Prepared By:	AR
Prep Batch:	74333				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285237 - AH-4 1' BEB 5-5.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-01-02	Analyzed By:	AR
QC Batch:	87545	Sample Preparation:	2011-12-30	Prepared By:	AR
Prep Batch:	74333				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285238 - AH-4 1' BEB 6-6.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-01-02	Analyzed By:	AR
QC Batch:	87545	Sample Preparation:	2011-12-30	Prepared By:	AR
Prep Batch:	74333				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 285239 - AH-4 1' BEB 7-7.5'

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-01-02	Analyzed By:	AR
QC Batch:	87545	Sample Preparation:	2011-12-30	Prepared By:	AR
Prep Batch:	74333				

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 23 of 47
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 24 of 47
Eddy Co., NM

Method Blanks

Method Blank (1) QC Batch: 87453

QC Batch: 87453
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Parameter	Flag	Cert	MDL Result	Units	RL
Benzene		1	<0.00335	mg/Kg	0.02
Toluene		1	<0.00471	mg/Kg	0.02
Ethylbenzene		1	<0.00440	mg/Kg	0.02
Xylene		1	<0.00557	mg/Kg	0.02

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.70	mg/Kg	1	2.00	85	70 - 130
4-Bromofluorobenzene (4-BFB)			1.70	mg/Kg	1	2.00	85	70 - 130

Method Blank (1) QC Batch: 87454

QC Batch: 87454
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		1	<0.446	mg/Kg	2

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.20	mg/Kg	1	2.00	110	70 - 130
4-Bromofluorobenzene (4-BFB)			2.08	mg/Kg	1	2.00	104	70 - 130

Method Blank (1) QC Batch: 87474

QC Batch: 87474
Prep Batch: 74279

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: kg
Prepared By: kg

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 25 of 47
Eddy Co., NM

Parameter	Flag	Cert	MDL Result	Units	RL
DRO		2	<14.5	mg/Kg	50

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			97.4	mg/Kg	1	100	97	52.7 - 133.8

Method Blank (1) QC Batch: 87486

QC Batch: 87486
Prep Batch: 74291

Date Analyzed: 2011-12-29
QC Preparation: 2011-12-29

Analyzed By: MT
Prepared By: MT

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		1	<0.446	mg/Kg	2

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.08	mg/Kg	1	2.00	104	70 - 130
4-Bromofluorobenzene (4-BFB)			2.08	mg/Kg	1	2.00	104	70 - 130

Method Blank (1) QC Batch: 87542

QC Batch: 87542
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 87543

QC Batch: 87543
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 26 of 47
Eddy Co., NM

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 87544

QC Batch: 87544 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 QC Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 87545

QC Batch: 87545 Date Analyzed: 2012-01-02 Analyzed By: AR
Prep Batch: 74333 QC Preparation: 2011-12-30 Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Method Blank (1) QC Batch: 87554

QC Batch: 87554 Date Analyzed: 2012-01-02 Analyzed By: kg
Prep Batch: 74345 QC Preparation: 2012-01-02 Prepared By: kg

Parameter	Flag	Cert	MDL Result	Units	RL
DRO		2	<14.5	mg/Kg	50

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			83.5	mg/Kg	1	100	84	52.7 - 133.8

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 27 of 47
Eddy Co., NM

Method Blank (1) QC Batch: 87557

QC Batch: 87557
Prep Batch: 74348

Date Analyzed: 2012-01-02
QC Preparation: 2012-01-02

Analyzed By: AG
Prepared By: AG

Parameter	Flag	Cert	MDL Result	Units	RL
Benzene		2	<0.0118	mg/Kg	0.02
Toluene		2	<0.00600	mg/Kg	0.02
Ethylbenzene		2	<0.00850	mg/Kg	0.02
Xylene		2	<0.00613	mg/Kg	0.02

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.03	mg/Kg	1	2.00	102	65.9 - 111.8
4-Bromofluorobenzene (4-BFB)			1.66	mg/Kg	1	2.00	83	48.4 - 123.1

Method Blank (1) QC Batch: 87558

QC Batch: 87558
Prep Batch: 74348

Date Analyzed: 2012-01-02
QC Preparation: 2012-01-02

Analyzed By: AG
Prepared By: AG

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		2	1.04	mg/Kg	2

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.05	mg/Kg	1	2.00	102	67.6 - 150
4-Bromofluorobenzene (4-BFB)			1.59	mg/Kg	1	2.00	80	52.4 - 130

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 28 of 47
Eddy Co., NM

Laboratory Control Spikes

Laboratory Control Spike (LCS-1)

QC Batch: 87453
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		1	1.79	mg/Kg	1	2.00	<0.00335	89	70 - 130
Toluene		1	1.80	mg/Kg	1	2.00	<0.00471	90	70 - 130
Ethylbenzene		1	1.84	mg/Kg	1	2.00	<0.00440	92	70 - 130
Xylene		1	5.48	mg/Kg	1	6.00	<0.00557	91	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		1	1.79	mg/Kg	1	2.00	<0.00335	90	70 - 130	0	20
Toluene		1	1.80	mg/Kg	1	2.00	<0.00471	90	70 - 130	0	20
Ethylbenzene		1	1.86	mg/Kg	1	2.00	<0.00440	93	70 - 130	1	20
Xylene		1	5.55	mg/Kg	1	6.00	<0.00557	92	70 - 130	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.80	1.81	mg/Kg	1	2.00	90	90	70 - 130
4-Bromofluorobenzene (4-BFB)	1.77	1.80	mg/Kg	1	2.00	89	90	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 87454
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1	18.8	mg/Kg	1	20.0	<0.446	94	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

continued ...

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 29 of 47
Eddy Co., NM

control spikes continued ...

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1	19.8	mg/Kg	1	20.0	<0.446	99	70 - 130	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.00	2.05	mg/Kg	1	2.00	100	103	70 - 130
4-Bromofluorobenzene (4-BFB)	2.13	2.16	mg/Kg	1	2.00	106	108	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 87474
Prep Batch: 74279

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: kg
Prepared By: kg

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		2	205	mg/Kg	1	250	<14.5	82	64.5 - 146.9

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		2	210	mg/Kg	1	250	<14.5	84	64.5 - 146.9	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
n-Tricosane	104	105	mg/Kg	1	100	104	105	65.3 - 135.8

Laboratory Control Spike (LCS-1)

QC Batch: 87486
Prep Batch: 74291

Date Analyzed: 2011-12-29
QC Preparation: 2011-12-29

Analyzed By: MT
Prepared By: MT

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1	18.0	mg/Kg	1	20.0	<0.446	90	70 - 130

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 30 of 47
Eddy Co., NM

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1	18.2	mg/Kg	1	20.0	<0.446	91	70 - 130	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.94	1.87	mg/Kg	1	2.00	97	94	70 - 130
4-Bromofluorobenzene (4-BFB)	2.14	2.17	mg/Kg	1	2.00	107	108	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 87542
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			95.5	mg/Kg	1	100	<3.85	96	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			105	mg/Kg	1	100	<3.85	105	85 - 115	10	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 87543
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			95.4	mg/Kg	1	100	<3.85	95	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			102	mg/Kg	1	100	<3.85	102	85 - 115	7	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 31 of 47
Eddy Co., NM

Laboratory Control Spike (LCS-1)

QC Batch: 87544
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			95.9	mg/Kg	1	100	<3.85	96	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			104	mg/Kg	1	100	<3.85	104	85 - 115	8	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 87545
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			95.8	mg/Kg	1	100	<3.85	96	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			106	mg/Kg	1	100	<3.85	106	85 - 115	10	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 87554
Prep Batch: 74345

Date Analyzed: 2012-01-02
QC Preparation: 2012-01-02

Analyzed By: kg
Prepared By: kg

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		2	201	mg/Kg	1	250	<14.5	80	64.5 - 146.9

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 32 of 47
Eddy Co., NM

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		2	219	mg/Kg	1	250	<14.5	88	64.5 - 146.9	9	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
n-Tricosane	99.5	107	mg/Kg	1	100	100	107	65.3 - 135.8

Laboratory Control Spike (LCS-1)

QC Batch: 87557
Prep Batch: 74348

Date Analyzed: 2012-01-02
QC Preparation: 2012-01-02

Analyzed By: AG
Prepared By: AG

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		2	2.08	mg/Kg	1	2.00	<0.0118	104	77.4 - 121.7
Toluene		2	2.02	mg/Kg	1	2.00	<0.00600	101	88.6 - 121.6
Ethylbenzene		2	1.92	mg/Kg	1	2.00	<0.00850	96	74.3 - 117.9
Xylene		2	5.75	mg/Kg	1	6.00	<0.00613	96	73.4 - 118.8

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		2	2.20	mg/Kg	1	2.00	<0.0118	110	77.4 - 121.7	6	20
Toluene		2	2.12	mg/Kg	1	2.00	<0.00600	106	88.6 - 121.6	5	20
Ethylbenzene		2	2.03	mg/Kg	1	2.00	<0.00850	102	74.3 - 117.9	6	20
Xylene		2	6.08	mg/Kg	1	6.00	<0.00613	101	73.4 - 118.8	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.02	2.06	mg/Kg	1	2.00	101	103	65.5 - 116.7
4-Bromofluorobenzene (4-BFB)	1.93	2.02	mg/Kg	1	2.00	96	101	56.2 - 132.1

Laboratory Control Spike (LCS-1)

QC Batch: 87558
Prep Batch: 74348

Date Analyzed: 2012-01-02
QC Preparation: 2012-01-02

Analyzed By: AG
Prepared By: AG

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 33 of 47
Eddy Co., NM

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		2	17.5	mg/Kg	1	20.0	<0.753	88	60.9 - 105.4

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		2	18.0	mg/Kg	1	20.0	<0.753	90	60.9 - 105.4	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate			LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
Trifluorotoluene (TFT)			2.06	2.14	mg/Kg	1	2.00	103	107	61.9 - 142
4-Bromofluorobenzene (4-BFB)			1.75	1.84	mg/Kg	1	2.00	88	92	56.2 - 132

Matrix Spike (MS-1) Spiked Sample: 285158

QC Batch: 87453
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		1	1.58	mg/Kg	1	2.00	<0.00335	79	70 - 130
Toluene		1	1.70	mg/Kg	1	2.00	<0.00471	85	70 - 130
Ethylbenzene		1	1.85	mg/Kg	1	2.00	<0.00440	92	70 - 130
Xylene		1	5.49	mg/Kg	1	6.00	<0.00557	92	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		1	1.61	mg/Kg	1	2.00	<0.00335	80	70 - 130	2	20
Toluene		1	1.73	mg/Kg	1	2.00	<0.00471	86	70 - 130	2	20
Ethylbenzene		1	1.90	mg/Kg	1	2.00	<0.00440	95	70 - 130	3	20
Xylene		1	5.63	mg/Kg	1	6.00	<0.00557	94	70 - 130	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate			MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)			1.78	1.82	mg/Kg	1	2	89	91	70 - 130
4-Bromofluorobenzene (4-BFB)			1.69	1.77	mg/Kg	1	2	84	88	70 - 130

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 34 of 47
Eddy Co., NM

Matrix Spike (MS-1) Spiked Sample: 285158

QC Batch: 87454
Prep Batch: 74262

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: MT
Prepared By: MT

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	Q _s	Q _s	1	11.2	mg/Kg	1	20.0	<0.446	56 70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	Q _r	Q _r	1	17.1	mg/Kg	1	20.0	<0.446	86 70 - 130	42	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	F	C	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	Q _{sr}	Q _{sr}	1.28	2.00	mg/Kg	1	2	64	100	70 - 130
4-Bromofluorobenzene (4-BFB)			1.50	2.12	mg/Kg	1	2	75	106	70 - 130

Matrix Spike (MS-1) Spiked Sample: 285309

QC Batch: 87474
Prep Batch: 74279

Date Analyzed: 2011-12-28
QC Preparation: 2011-12-28

Analyzed By: kg
Prepared By: kg

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		2	186	mg/Kg	1	250	<14.5	74	38.8 - 153.3

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		2	195	mg/Kg	1	250	<14.5	78	38.8 - 153.3	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	85.3	93.5	mg/Kg	1	100	85	94	54.6 - 149.8

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 35 of 47
Eddy Co., NM

Matrix Spike (MS-1) Spiked Sample: 285289

QC Batch: 87486
Prep Batch: 74291

Date Analyzed: 2011-12-29
QC Preparation: 2011-12-29

Analyzed By: MT
Prepared By: MT

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	Q _s	Q _s	1	2020	mg/Kg	50	20.0	1920	500 70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	Q _s	Q _s	1	2420	mg/Kg	50	20.0	1920	2500	70 - 130	18 20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	F	C	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	Q _{sr}	Q _{sr}		11.0	19.8	mg/Kg	50	2	550	990 70 - 130
4-Bromofluorobenzene (4-BFB)	Q _{sr}	Q _{sr}		29.0	42.6	mg/Kg	50	2	1450	2130 70 - 130

Matrix Spike (MS-1) Spiked Sample: 285215

QC Batch: 87542
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			10100	mg/Kg	100	10000	<385	98	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			10700	mg/Kg	100	10000	<385	104	79.4 - 120.6	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 285222

QC Batch: 87543
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 36 of 47
Eddy Co., NM

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			12200	mg/Kg	100	10000	2280	99	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			13100	mg/Kg	100	10000	2280	108	79.4 - 120.6	7	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 285235

QC Batch: 87544
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			11000	mg/Kg	100	10000	914	101	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			11500	mg/Kg	100	10000	914	106	79.4 - 120.6	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 285284

QC Batch: 87545
Prep Batch: 74333

Date Analyzed: 2012-01-02
QC Preparation: 2011-12-30

Analyzed By: AR
Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			10600	mg/Kg	100	10000	452	101	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			11100	mg/Kg	100	10000	452	106	79.4 - 120.6	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 37 of 47
Eddy Co., NM

Matrix Spike (MS-1) Spiked Sample: 285234

QC Batch: 87554
Prep Batch: 74345

Date Analyzed: 2012-01-02
QC Preparation: 2012-01-02

Analyzed By: kg
Prepared By: kg

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		2	205	mg/Kg	1	250	<14.5	82	38.8 - 153.3

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		2	214	mg/Kg	1	250	<14.5	86	38.8 - 153.3	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	97.0	94.5	mg/Kg	1	100	97	94	54.6 - 149.8

Matrix Spike (MS-1) Spiked Sample: 285290

QC Batch: 87557
Prep Batch: 74348

Date Analyzed: 2012-01-02
QC Preparation: 2012-01-02

Analyzed By: AG
Prepared By: AG

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		2	2.24	mg/Kg	1	2.00	<0.0118	112	69.4 - 123.6
Toluene		2	2.21	mg/Kg	1	2.00	<0.00600	110	75.4 - 134.3
Ethylbenzene		2	2.16	mg/Kg	1	2.00	<0.00850	108	58.8 - 133.7
Xylene		2	6.50	mg/Kg	1	6.00	<0.00613	108	57 - 134.2

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		2	1.99	mg/Kg	1	2.00	<0.0118	100	69.4 - 123.6	12	20
Toluene		2	1.96	mg/Kg	1	2.00	<0.00600	98	75.4 - 134.3	12	20
Ethylbenzene		2	1.96	mg/Kg	1	2.00	<0.00850	98	58.8 - 133.7	10	20
Xylene		2	5.87	mg/Kg	1	6.00	<0.00613	98	57 - 134.2	10	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.12	2.49	mg/Kg	1	2	106	124	79.4 - 141.1

continued ...

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 38 of 47
Eddy Co., NM

matrix spikes continued ...

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
4-Bromofluorobenzene (4-BFB)	2.07	2.47	mg/Kg	1	2	104	124	71 - 167

Matrix Spike (MS-1) Spiked Sample: 285125

QC Batch: 87558
Prep Batch: 74348

Date Analyzed: 2012-01-02
QC Preparation: 2012-01-02

Analyzed By: AG
Prepared By: AG

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		2	20.7	mg/Kg	1	20.0	3.7	85	61.8 - 114

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD						Spike	Matrix	Rec.		RPD	
	F	C	Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit	
GRO	⁴ Qr, Qs	Qr, Qs	2	3.47	mg/Kg	1	20.0	3.7	0	61.8 - 114	143	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.70	1.72	mg/Kg	1	2	135	86	29.4 - 161.7
4-Bromofluorobenzene (4-BFB)	2.64	1.54	mg/Kg	1	2	132	77	37.3 - 162

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 39 of 47
Eddy Co., NM

Calibration Standards

Standard (CCV-1)

QC Batch: 87453

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		1	mg/Kg	0.100	0.0913	91	80 - 120	2011-12-28
Toluene		1	mg/Kg	0.100	0.0920	92	80 - 120	2011-12-28
Ethylbenzene		1	mg/Kg	0.100	0.0950	95	80 - 120	2011-12-28
Xylene		1	mg/Kg	0.300	0.283	94	80 - 120	2011-12-28

Standard (CCV-2)

QC Batch: 87453

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		1	mg/Kg	0.100	0.0876	88	80 - 120	2011-12-28
Toluene		1	mg/Kg	0.100	0.0901	90	80 - 120	2011-12-28
Ethylbenzene		1	mg/Kg	0.100	0.0919	92	80 - 120	2011-12-28
Xylene		1	mg/Kg	0.300	0.278	92	80 - 120	2011-12-28

Standard (CCV-3)

QC Batch: 87453

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		1	mg/Kg	0.100	0.0889	89	80 - 120	2011-12-28
Toluene		1	mg/Kg	0.100	0.0873	87	80 - 120	2011-12-28
Ethylbenzene		1	mg/Kg	0.100	0.0892	89	80 - 120	2011-12-28
Xylene		1	mg/Kg	0.300	0.268	89	80 - 120	2011-12-28

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 40 of 47
Eddy Co., NM

Standard (CCV-1)

QC Batch: 87454

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	0.948	95	80 - 120	2011-12-28

Standard (CCV-2)

QC Batch: 87454

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	1.10	110	80 - 120	2011-12-28

Standard (CCV-3)

QC Batch: 87454

Date Analyzed: 2011-12-28

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	0.975	97	80 - 120	2011-12-28

Standard (CCV-2)

QC Batch: 87474

Date Analyzed: 2011-12-28

Analyzed By: kg

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		2	mg/Kg	250	223	89	80 - 120	2011-12-28

Standard (CCV-3)

QC Batch: 87474

Date Analyzed: 2011-12-28

Analyzed By: kg

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 41 of 47
Eddy Co., NM

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		2	mg/Kg	250	208	83	80 - 120	2011-12-28

Standard (CCV-4)

QC Batch: 87474

Date Analyzed: 2011-12-28

Analyzed By: kg

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		2	mg/Kg	250	211	84	80 - 120	2011-12-28

Standard (CCV-2)

QC Batch: 87486

Date Analyzed: 2011-12-29

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	0.979	98	80 - 120	2011-12-29

Standard (CCV-3)

QC Batch: 87486

Date Analyzed: 2011-12-29

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	0.911	91	80 - 120	2011-12-29

Standard (ICV-1)

QC Batch: 87542

Date Analyzed: 2012-01-02

Analyzed By: AR

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 42 of 47
Eddy Co., NM

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	102	102	85 - 115	2012-01-02

Standard (CCV-1)

QC Batch: 87542

Date Analyzed: 2012-01-02

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	97.9	98	85 - 115	2012-01-02

Standard (ICV-1)

QC Batch: 87543

Date Analyzed: 2012-01-02

Analyzed By: AR

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	101	101	85 - 115	2012-01-02

Standard (CCV-1)

QC Batch: 87543

Date Analyzed: 2012-01-02

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	99.2	99	85 - 115	2012-01-02

Standard (ICV-1)

QC Batch: 87544

Date Analyzed: 2012-01-02

Analyzed By: AR

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 43 of 47
Eddy Co., NM

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	98.8	99	85 - 115	2012-01-02

Standard (CCV-1)

QC Batch: 87544

Date Analyzed: 2012-01-02

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	101	101	85 - 115	2012-01-02

Standard (ICV-1)

QC Batch: 87545

Date Analyzed: 2012-01-02

Analyzed By: AR

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	99.6	100	85 - 115	2012-01-02

Standard (CCV-1)

QC Batch: 87545

Date Analyzed: 2012-01-02

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	100	100	85 - 115	2012-01-02

Standard (CCV-2)

QC Batch: 87554

Date Analyzed: 2012-01-02

Analyzed By: kg

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 44 of 47
Eddy Co., NM

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		2	mg/Kg	250	205	82	80 - 120	2012-01-02

Standard (CCV-3)

QC Batch: 87554

Date Analyzed: 2012-01-02

Analyzed By: kg

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		2	mg/Kg	250	202	81	80 - 120	2012-01-02

Standard (CCV-2)

QC Batch: 87557

Date Analyzed: 2012-01-02

Analyzed By: AG

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		2	mg/Kg	0.100	0.111	111	80 - 120	2012-01-02
Toluene		2	mg/Kg	0.100	0.106	106	80 - 120	2012-01-02
Ethylbenzene		2	mg/Kg	0.100	0.102	102	80 - 120	2012-01-02
Xylene		2	mg/Kg	0.300	0.303	101	80 - 120	2012-01-02

Standard (CCV-3)

QC Batch: 87557

Date Analyzed: 2012-01-02

Analyzed By: AG

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		2	mg/Kg	0.100	0.108	108	80 - 120	2012-01-02
Toluene		2	mg/Kg	0.100	0.102	102	80 - 120	2012-01-02
Ethylbenzene		2	mg/Kg	0.100	0.0975	98	80 - 120	2012-01-02
Xylene		2	mg/Kg	0.300	0.292	97	80 - 120	2012-01-02

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 45 of 47
Eddy Co., NM

Standard (CCV-2)

QC Batch: 87558

Date Analyzed: 2012-01-02

Analyzed By: AG

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		2	mg/Kg	1.00	1.11	111	80 - 120	2012-01-02

Standard (CCV-3)

QC Batch: 87558

Date Analyzed: 2012-01-02

Analyzed By: AG

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		2	mg/Kg	1.00	1.17	117	80 - 120	2012-01-02

Appendix

Report Definitions

Name	Definition
MDL	Method Detection Limit
MQL	Minimum Quantitation Limit
SDL	Sample Detection Limit

Laboratory Certifications

C	Certifying Authority	Certification Number	Laboratory Location
-	NCTRCA	WFWB384444Y0909	TraceAnalysis
-	DBE	VN 20657	TraceAnalysis
-	HUB	1752439743100-86536	TraceAnalysis
-	WBE	237019	TraceAnalysis
1	NELAP	T104704219-11-5	Lubbock
2	NELAP	T104704392-11-3	Midland

Standard Flags

F	Description
B	Analyte detected in the corresponding method blank above the method detection limit
H	Analyzed out of hold time
J	Estimated concentration
Jb	The analyte is positively identified and the value is approximated between the SDL and MQL. Sample contains less than ten times the concentration found in the method blank. The result should be considered non-detect to the SDL.
Je	Estimated concentration exceeding calibration range.
Qc	Calibration check outside of laboratory limits.
Qr	RPD outside of laboratory limits
Qs	Spike recovery outside of laboratory limits.
Qsr	Surrogate recovery outside of laboratory limits.
U	The analyte is not detected above the SDL

Result Comments

- 1 Sample dilution due to hydrocarbons.
- 2 Sample dilution due to hydrocarbons.
- 3 Sample dilution due to hydrocarbons.

Report Date: January 5, 2012
114-6401143

Work Order: 11122308
RJU #134

Page Number: 47 of 47
Eddy Co., NM

4 special comment - Prep error. Sample was not spiked.

Attachments

The scanned attachments will follow this page.
Please note, each attachment may consist of more than one page.

#11122308

Analysis Request of Chain of Custody Record

PAGE: 1 OF: 4

**TETRA TECH**
 1910 N. Big Spring St.
 Midland, Texas 79705
 (432) 682-4559 • Fax (432) 682-3946

 ANALYSIS REQUEST
 (Circle or Specify Method No.)

CLIENT NAME:

CDG

SITE MANAGER:

Ike Tavaroz

PROJECT NO.:

114-6401143

PROJECT NAME:

ASU #134

LAB I.D.
NUMBERDATE
2011

TIME

MATRIX

COMP.

GRAB

 Eddy Co NM
 SAMPLE IDENTIFICATION

NUMBER OF CONTAINERS

FILTERED (Y/N)

PRESERVATIVE
METHOD

HCL

HNO3

ICE

NONE

BTEX 8021B

TPH 8015 MOD. TX1005 (Ext. to C35)

PAH 8270

RCRA Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Volatiles

TCLP Semi Volatiles

RCI

GC/MS Vol. 8240/8260/624

GC/MS Semi. Vol. 8270/625

PCB's 8080/608

Pest. 808/608

Chloride

Gamma Spec.

Alpha Beta (Air)

PLM (Asbestos)

Major Anions/Cations, pH, TDS

285206

12/21

S

X

AH-1 1' BEB

0-1'

1

X

207

1-1.5'

208

2-2.5'

209

3-3.5'

210

4-4.5'

211

5-5.5'

212

6-6.5'

213

7-7.5'

214

8-8.5'

215

9-9.5'

RELINQUISHED BY: (Signature)

Date: 12-21-11

111 22308

Analysis Request of Chain of Custody Record

PAGE: 3 OF: 4

**TETRA TECH**
 1910 N. Big Spring St.
 Midland, Texas 79705
 (432) 682-4559 • Fax (432) 682-3946

 ANALYSIS REQUEST
 (Circle or Specify Method No.)

CLIENT NAME:

COLG

SITE MANAGER:

Ike Tavaraz

PROJECT NO.:

114-6401143

PROJECT NAME:

RSU #134

LAB I.D.
NUMBER

DATE

TIME

MATRIX
COMP.
GRAB
 Eddy Co NM
 SAMPLE IDENTIFICATION

NUMBER OF CONTAINERS

PRESERVATIVE
METHOD

FILTERED (Y/N)

HCL

HNO3

ICE

NONE

BTEX 8021B

TPH 8013 MOD. TX1005 (Ext. to C35)

PAH 8270

RCRA Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Volatiles

TCLP Semi Volatiles

RCI

GC/MS Vol. 8240/8260/624

GC/MS Semi. Vol. 8270/625

PCB's 8080/608

Pest. 808/608

Chlorides

Gamma Spec.

Alpha Beta (Air)

PLM (Asbestos)

Major Anions/Cations, pH, TDS

226

12/21

S

K

AH-3

1' BEB

4-4.5'

1

X

227

5-5.5'

228

6-6.5'

229

7-7.5'

230

8-8.5'

231

9-9.5'

232

AH-4

1' BEB

0-1'

233

1-1.5'

234

2-2.5'

235

3-3.5'

RELINQUISHED BY: (Signature)

Date: 12-22-11

Time: 16:45

RECEIVED BY: (Signature)

Date: 12/21/11

Time: 16:45

SAMPLED BY: (Print & Initial)

TF JT

Date: 12-21-11

Time:

#11122308

Analysis Request of Chain of Custody Record

PAGE: 4 OF: 4



TETRA TECH

1910 N. Big Spring St.

Midland, Texas 79705

(432) 682-4559 • Fax (432) 682-3946

ANALYSIS REQUEST
(Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

Ike Tavaraz

PROJECT NO.:

114-6401143

PROJECT NAME:

RSU #134

LAB I.D. NUMBER	DATE	TIME	MATRIX	COMP.	GRAB	Eddy Co NM SAMPLE IDENTIFICATION	NUMBER OF	FILTERED (	PRESERVATIVE METHOD				BTX 80211	TPH 8011	PAH 8270	RCRA Metals	TCLP Metals	TCLP Volatiles	TCLP Semi	RCI	GC/MS Vol.	GC/MS Semi	PCB's 8080	Pest. 808/6	Chloride	Gamma Sp	Alpha Beta	PLM (Asbes)	Major Anion
									HCL	HNO3	ICE	NONE																	
286	12/21		6		X	AH-4 1' BEB 4-4.5'	1				X																		
237						5-5.5'																							
238						6-6.5'																							
239						7-7.5'																							

RELINQUISHED BY: (Signature)

Date: 12-22-11

Time: 16:45

RECEIVED BY: (Signature)

Date: 12/22/11

Time: 6:44

SAMPLED BY: (Print & Initial)

Date: 12-21-11

Time:

RELINQUISHED BY: (Signature)

Date: 12/21/11

Time: 10:10

RECEIVED BY: (Signature)

Date:

Time:

SAMPLE SHIPPED BY: (Circle)

AIRBILL #:

FEDEX

BUS

HAND DELIVERED

UPS

OTHER:

RECEIVING LABORATORY:

ADDRESS:

CITY: Midland STATE: TX

CONTACT: PHONE: ZIP:

RECEIVED BY: (Signature)

DATE:

TIME:

SAMPLE CONDITION WHEN RECEIVED:

REMARKS:

TETRA TECH CONTACT PERSON:

Results by:

Ike Tavaraz

RUSH Charges

Authorized:

Yes No

Summary Report

Ike Tavaréz
Tetra Tech
1910 N. Big Spring Street
Midland, TX 79705

Report Date: March 23, 2012

Work Order: 12031235



Project Location: Eddy Co., NM
Project Name: COG/RJU #134
Project Number: 114-6401143

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
291268	CS-1 Sidewall (AH-4)	soil	2012-03-08	00:00	2012-03-12
291269	CS-2 Sidewall (AH-4)	soil	2012-03-08	00:00	2012-03-12
291270	CS-3 Sidewall (AH-4)	soil	2012-03-08	00:00	2012-03-12
291271	CS-4 Sidewall (AH-4)	soil	2012-03-08	00:00	2012-03-12
291272	CS-5 Sidewall (AH-3)	soil	2012-03-08	00:00	2012-03-12
291273	CS-6 Sidewall (AH-3)	soil	2012-03-08	00:00	2012-03-12
291274	CS-7 Sidewall (AH-2)	soil	2012-03-08	00:00	2012-03-12
291275	CS-8 Sidewall (AH-2)	soil	2012-03-08	00:00	2012-03-12
291276	CS-9 Sidewall (AH-2)	soil	2012-03-08	00:00	2012-03-12

Sample: 291268 - CS-1 Sidewall (AH-4)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 291269 - CS-2 Sidewall (AH-4)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 291270 - CS-3 Sidewall (AH-4)*continued ...*

sample 291270 continued ...

Param	Flag	Result	Units	RL
Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 291271 - CS-4 Sidewall (AH-4)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 291272 - CS-5 Sidewall (AH-3)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 291273 - CS-6 Sidewall (AH-3)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 291274 - CS-7 Sidewall (AH-2)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 291275 - CS-8 Sidewall (AH-2)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

Sample: 291276 - CS-9 Sidewall (AH-2)

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4



6701 Aberdeen Avenue, Suite 9 Lubbock, Texas 79424 800-378-1298 806-794-1296 FAX 806-794-1298
200 East Sunset Road, Suite E El Paso, Texas 79922 915-585-3443 FAX 915-585-4944
5002 Basin Street, Suite A1 Midland, Texas 79703 432-689-6301 FAX 432-689-6313
(BioAquatic) 2501 Mayes Rd., Suite 100 Carrollton, Texas 75006 972-242-7750
E-Mail: lab@traceanalysis.com WEB: www.traceanalysis.com

Certifications

WBE HUB NCTRCA DBE NELAP DoD LELAP Kansas Oklahoma ISO 17025

Analytical and Quality Control Report

Ike Tavaréz
Tetra Tech
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: March 23, 2012

Work Order: 12031235



Project Location: Eddy Co., NM
Project Name: COG/RJU #134
Project Number: 114-6401143

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
291268	CS-1 Sidewall (AH-4)	soil	2012-03-08	00:00	2012-03-12
291269	CS-2 Sidewall (AH-4)	soil	2012-03-08	00:00	2012-03-12
291270	CS-3 Sidewall (AH-4)	soil	2012-03-08	00:00	2012-03-12
291271	CS-4 Sidewall (AH-4)	soil	2012-03-08	00:00	2012-03-12
291272	CS-5 Sidewall (AH-3)	soil	2012-03-08	00:00	2012-03-12
291273	CS-6 Sidewall (AH-3)	soil	2012-03-08	00:00	2012-03-12
291274	CS-7 Sidewall (AH-2)	soil	2012-03-08	00:00	2012-03-12
291275	CS-8 Sidewall (AH-2)	soil	2012-03-08	00:00	2012-03-12
291276	CS-9 Sidewall (AH-2)	soil	2012-03-08	00:00	2012-03-12

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 11 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

A handwritten signature in black ink that reads "Michael Abel". The signature is written in a cursive style with a large, stylized 'M' and 'A'.

Dr. Blair Leftwich, Director
Dr. Michael Abel, Project Manager

Report Contents

Case Narrative	4
Analytical Report	5
Sample 291268 (CS-1 Sidewall (AH-4))	5
Sample 291269 (CS-2 Sidewall (AH-4))	5
Sample 291270 (CS-3 Sidewall (AH-4))	5
Sample 291271 (CS-4 Sidewall (AH-4))	5
Sample 291272 (CS-5 Sidewall (AH-3))	6
Sample 291273 (CS-6 Sidewall (AH-3))	6
Sample 291274 (CS-7 Sidewall (AH-2))	6
Sample 291275 (CS-8 Sidewall (AH-2))	7
Sample 291276 (CS-9 Sidewall (AH-2))	7
Method Blanks	8
QC Batch 89631 - Method Blank (1)	8
Laboratory Control Spikes	9
QC Batch 89631 - LCS (1)	9
QC Batch 89631 - MS (1)	9
Calibration Standards	10
QC Batch 89631 - ICV (1)	10
QC Batch 89631 - CCV (1)	10
Appendix	11
Report Definitions	11
Laboratory Certifications	11
Standard Flags	11
Attachments	11

Case Narrative

Samples for project COG/RJU #134 were received by TraceAnalysis, Inc. on 2012-03-12 and assigned to work order 12031235. Samples for work order 12031235 were received intact at a temperature of 2.8 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
Chloride (Titration)	SM 4500-Cl B	75918	2012-03-16 at 08:55	89631	2012-03-23 at 09:55

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 12031235 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Report Date: March 23, 2012
114-6401143

Work Order: 12031235
COG/RJU #134

Page Number: 5 of 11
Eddy Co., NM

Analytical Report

Sample: 291268 - CS-1 Sidewall (AH-4)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-03-23	Analyzed By:	AR
QC Batch:	89631	Sample Preparation:	2012-03-16	Prepared By:	AR
Prep Batch:	75918				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 291269 - CS-2 Sidewall (AH-4)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-03-23	Analyzed By:	AR
QC Batch:	89631	Sample Preparation:	2012-03-16	Prepared By:	AR
Prep Batch:	75918				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 291270 - CS-3 Sidewall (AH-4)

Laboratory:	Midland	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
Analysis:	Chloride (Titration)	Date Analyzed:	2012-03-23	Analyzed By:	AR
QC Batch:	89631	Sample Preparation:	2012-03-16	Prepared By:	AR
Prep Batch:	75918				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Report Date: March 23, 2012
114-6401143

Work Order: 12031235
COG/RJU #134

Page Number: 6 of 11
Eddy Co., NM

Sample: 291271 - CS-4 Sidewall (AH-4)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	89631	Date Analyzed:	2012-03-23
Prep Batch:	75918	Sample Preparation:	2012-03-16
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 291272 - CS-5 Sidewall (AH-3)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	89631	Date Analyzed:	2012-03-23
Prep Batch:	75918	Sample Preparation:	2012-03-16
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 291273 - CS-6 Sidewall (AH-3)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	89631	Date Analyzed:	2012-03-23
Prep Batch:	75918	Sample Preparation:	2012-03-16
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 291274 - CS-7 Sidewall (AH-2)

Laboratory:	Midland		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	89631	Date Analyzed:	2012-03-23
Prep Batch:	75918	Sample Preparation:	2012-03-16
		Prep Method:	N/A
		Analyzed By:	AR
		Prepared By:	AR

Report Date: March 23, 2012
114-6401143

Work Order: 12031235
COG/RJU #134

Page Number: 7 of 11
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 291275 - CS-8 Sidewall (AH-2)

Laboratory:	Midland				
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	89631	Date Analyzed:	2012-03-23	Analyzed By:	AR
Prep Batch:	75918	Sample Preparation:	2012-03-16	Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Sample: 291276 - CS-9 Sidewall (AH-2)

Laboratory:	Midland				
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	89631	Date Analyzed:	2012-03-23	Analyzed By:	AR
Prep Batch:	75918	Sample Preparation:	2012-03-16	Prepared By:	AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Report Date: March 23, 2012
114-6401143

Work Order: 12031235
COG/RJU #134

Page Number: 8 of 11
Eddy Co., NM

Method Blanks

Method Blank (1) QC Batch: 89631

QC Batch: 89631
Prep Batch: 75918

Date Analyzed: 2012-03-23
QC Preparation: 2012-03-16

Analyzed By: AR
Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

Report Date: March 23, 2012
114-6401143

Work Order: 12031235
COG/RJU #134

Page Number: 9 of 11
Eddy Co., NM

Laboratory Control Spikes

Laboratory Control Spike (LCS-1)

QC Batch: 89631
Prep Batch: 75918

Date Analyzed: 2012-03-23
QC Preparation: 2012-03-16

Analyzed By: AR
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			96.6	mg/Kg	1	100	<3.85	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			102	mg/Kg	1	100	<3.85	102	85 - 115	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 291277

QC Batch: 89631
Prep Batch: 75918

Date Analyzed: 2012-03-23
QC Preparation: 2012-03-16

Analyzed By: AR
Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			10100	mg/Kg	100	10000	<385	101	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			10800	mg/Kg	100	10000	<385	108	79.4 - 120.6	7	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: March 23, 2012
114-6401143

Work Order: 12031235
COG/RJU #134

Page Number: 10 of 11
Eddy Co., NM

Calibration Standards

Standard (ICV-1)

QC Batch: 89631

Date Analyzed: 2012-03-23

Analyzed By: AR

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	98.8	99	85 - 115	2012-03-23

Standard (CCV-1)

QC Batch: 89631

Date Analyzed: 2012-03-23

Analyzed By: AR

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride			mg/Kg	100	101	101	85 - 115	2012-03-23

Appendix

Report Definitions

Name	Definition
MDL	Method Detection Limit
MQL	Minimum Quantitation Limit
SDL	Sample Detection Limit

Laboratory Certifications

C	Certifying Authority	Certification Number	Laboratory Location
-	NCTRCA	WFWB384444Y0909	TraceAnalysis
-	DBE	VN 20657	TraceAnalysis
-	HUB	1752439743100-86536	TraceAnalysis
-	WBE	237019	TraceAnalysis

Standard Flags

F	Description
B	Analyte detected in the corresponding method blank above the method detection limit
H	Analyzed out of hold time
J	Estimated concentration
Jb	The analyte is positively identified and the value is approximated between the SDL and MQL. Sample contains less than ten times the concentration found in the method blank. The result should be considered non-detect to the SDL.
Je	Estimated concentration exceeding calibration range.
Qc	Calibration check outside of laboratory limits.
Qr	RPD outside of laboratory limits
Qs	Spike recovery outside of laboratory limits.
Qsr	Surrogate recovery outside of laboratory limits.
U	The analyte is not detected above the SDL

Attachments

The scanned attachments will follow this page.
Please note, each attachment may consist of more than one page.

