



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Code	Subbasin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
C 00340	C		ED	1	1	27	23S	28E	586483	3572022*	117	18	99	
C 00641	C		ED	2	2	1	27	23S	28E	586986	3572126*	115	40	75
C 03432 POD1	C		ED	1	2	2	27	23S	28E	587527	3572162	115	75	40

Average Depth to Water: **44 feet**

Minimum Depth: **18 feet**

Maximum Depth: **75 feet**

Record Count: 3

PLSS Search:

Section(s): 27

Township: 23S

Range(s): 28E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

POD Number
C 00340

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)
Q64 Q16 Q4 Sec Tws Rng X Y
1 1 27 23S 28E 586483 3572022*

Driller License: UNKNOWN

Driller Name: HOWARD HEMLER

Drill Start Date: 08/11/1952

Drill Finish Date: 08/13/1952

Plug Date:

Log File Date: 08/25/1952

PCW Rcv Date: 01/13/1954

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size: 6.63

Depth Well: 117 feet

Depth Water: 18 feet

Water Bearing Stratifications:	Top	Bottom	Description
	30	117	Sandstone/Gravel/Conglomerate

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

POD Number	Q64 Q16 Q4	Sec	Tws	Rng	X	Y
C 00641	2 2 1	27	23S	28E	586986	3572126*

Driller License: JOLLY, J.R.

Driller Name: JOLLY, J.R.

Drill Start Date: 03/20/1955

Drill Finish Date: 03/22/1955

Plug Date:

Log File Date: 04/07/1955

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size: 7.00

Depth Well: 115 feet

Depth Water: 40 feet

Water Bearing Stratifications:	Top	Bottom	Description
	60	115	Sandstone/Gravel/Conglomerate

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
C 03432 POD1	1	2	2	27	23S	28E	587527	3572162

Driller License: SOUTHEAST DRILLING

Driller Name: MARK HAMMOND

Drill Start Date: 10/17/2009

Drill Finish Date: 10/25/2009

Plug Date:

Log File Date: 10/26/2009

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield: 45

Casing Size: 6.25

Depth Well: 115 feet

Depth Water: 75 feet

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.