

BLAGG ENGINEERING, INC.

P.O. Box 87, Bloomfield, New Mexico 87413

Phone: (505)632-1199 Fax: (505)632-3903

3 R 0 1 7

February 1, 2011

Mr. Glenn von Gonten, Senior Hydrologist
New Mexico Oil Conservation Division-NMOCD
Environmental Bureau
1220 St. Francis Drive
Santa Fe, New Mexico 87505

**Re: BP America Production Company
Groundwater Monitoring Report
GCU # 153E, Unit C, Sec. 28, T29N, R12W, NMPM
San Juan County, New Mexico**

NMOCD Administrative/Environmental Order #: 3RP-17-0


Dear Mr. von Gonten:

BP America Production Company (**BP**) has retained Blagg Engineering, Inc. (**BEI**) to conduct environmental monitoring of groundwater at the GCU # 153E.

The last formal correspondence to NMOCD was conducted with letter dated, May 1, 2009. Since then, BP has followed its NMOCD approved groundwater management plan and continues to monitor the site. No permanent closure is requested at this time.

If you have any questions concerning the enclosed documentation, please contact either myself or Jeffrey C. Blagg at (505) 632-1199. Thank you for your cooperation and assistance.

Respectfully submitted:
Blagg Engineering, Inc.



Nelson J. Velez
Staff Geologist

Attachment: Groundwater Report (2 copies)

cc: Mr. Brandon Powell, Environmental Specialist, NMOCD District III Office, Aztec, NM
Mr. Jeff Peace, Environmental Advisor, BP, Farmington, NM

BP AMERICA PRODUCTION CO.

GROUNDWATER REMEDIATION REPORT

**GCU #153E
(C) SECTION 28, T29N, R12W, NMPM
SAN JUAN COUNTY, NEW MEXICO**

**PREPARED FOR:
NEW MEXICO OIL CONSERVATION DIVISION
1220 ST. FRANCIS DRIVE
SANTA FE, NEW MEXICO 87504**

DECEMBER 2010

**PREPARED BY:
BLAGG ENGINEERING, INC.**

**Consulting Petroleum / Reclamation Services
P.O. Box 87
Bloomfield, New Mexico 87413**

BP AMERICA PRODUCTION COMPANY
GCU # 153E
NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 28, T29N, R12W

Monitor Well Sampling Dates: 5/26/09, 12/28/09, 3/2/10, 5/10/10, 7/21/10, 10/21/10

Pit Closure & Background:

A site earthen dehydrator pit closure was initiated in December 1994 by removing impacted soil via excavation. Documentation for this work and subsequent groundwater monitoring data for the site was previously submitted to the New Mexico Oil Conservation Division (**NMOCD**) for review. The reporting herein is for site monitoring conducted in 2009 and 2010.

Groundwater Monitor Well Sampling Procedures:

Groundwater monitor well MW #3R was purged of its well bore using a new disposable bailer, then given a sufficient amount of time to allow recovery prior to sample collections. The groundwater samples were collected following US EPA: SW-846 protocol, were placed into laboratory supplied containers with appropriate preservative, and stored in an ice chest for express delivery to an analytical laboratory for testing under strict chain-of-custody procedures. Analytical testing for benzene, toluene, ethylbenzene, and total xylenes (**BTEX**) by US EPA Method 8021B was conducted.

Fluids generated during monitor well development and purging were managed by discarding into the separator below-grade tank (BGT) located on the well site. The BGT contents are eventually disposed through approved NMOCD operational procedures for removal of produced fluids.

Water Quality and Gradient Information:

Bi-annual sampling of the groundwater monitor well MW #3R was conducted in 2009 and quarterly in 2010. A historical summary of laboratory analytical results is included within the table on the following pages and field/laboratory reports are included.

Groundwater contour maps (Figure 2 through Figure 7) reveal the relative elevations from the site wells have consistently shown an apparent southwest flow direction.

Summary and/or Recommendations:

Continued site monitoring per BP's NMOCD approved Ground Water Management Plan is recommended. Hydrocarbon impacts appear to be in a steady state condition. If warranted, alternative remedial actions will be evaluated.

BP AMERICA PROD. CO. GROUNDWATER LAB RESULTS

SUBMITTED BY BLAGG ENGINEERING, INC.

GCU # 153E
UNIT C, SEC. 28, T29N, R12W

REVISED DATE: November 2, 2010

FILENAME: (15-4Q-10.WK4) NJV

| SAMPLE DATE | MONITOR WELL No: | D.T.W. (ft) | T.D. (ft) | TDS (ft) | COND. (umhos/cm) | pH | PRODUCT (ft) | BTEX EPA METHOD 8021B (ppb) | | | |
|------------------------------|---------------------|----------------|--------------|-------------|---------------------|------|-----------------|-----------------------------|-----------|------------------|-----------------|
| | | | | | | | | Benzene | Toluene | Ethyl Benzene | Total Xylene |
| 08-Mar-96 | MW #1A | 14.95 | 20.00 | 4,460 | 3,200 | 7.2 | | ND | 0.73 | ND | ND |
| 12-Jan-93 | MW #2A | 11.50 | 15.83 | 4,460 | 5,700 | 6.6 | | 11.5 | 12.1 | ND | 54.0 |
| 05-May-93 | | 10.34 | | | 3,400 | 6.6 | | 14.0 | 6.9 | 10.9 | 20.1 |
| 01-Sep-93 | | 11.54 | | | 2,800 | 7.1 | | 700 | 10.4 | 244 | 82.9 |
| 01-Dec-93 | | 11.42 | | | 4,800 | 7.0 | | 118 | 1.6 | 76.0 | 44.7 |
| 08-Mar-94 | | 11.01 | | | 4,600 | 7.2 | | 24.1 | 8.5 | 24.5 | 29.3 |
| 27-Jun-94 | | 11.14 | | | 4,000 | 6.9 | | 350 | 13.2 | 126 | ND |
| 21-Sep-94 | | 11.80 | | | 3,500 | 6.9 | | 328.7 | 13.3 | 140.8 | 1.5 |
| 16-Dec-94 | | 11.55 | | | 3,800 | 7.1 | | 6.7 | 9.6 | 1.1 | 8.7 |
| 15-Mar-95 | | 11.15 | | | 4,400 | 6.8 | | 1.7 | 5.0 | ND | 3.8 |
| 16-Jun-95 | | 10.82 | | | 4,000 | 6.9 | | 36.5 | 5.4 | 17.6 | 7.2 |
| 11-Sep-95 | | 11.39 | | | 3,100 | 7.2 | | 239 | 17.0 | 168 | 35.6 |
| 08-Dec-95 | | 11.44 | | | 3,800 | 6.8 | | 50.2 | 9.99 | 10.3 | 5.84 |
| 08-Mar-96 | | 11.08 | | | 2,700 | 6.7 | | 1.08 | ND | 2.71 | 0.87 |
| 17-Jun-96 | | 11.30 | | | 2,700 | 6.9 | | 230 | 10.2 | 77.7 | 32.54 |
| 25-Jun-97 | | 10.52 | | | 2,600 | 6.8 | | 522 | 6.6 | 82.6 | 44.6 |
| 12-Jun-98 | | 10.59 | | | 2,400 | 7.3 | | 125 | 7.3 | 22.7 | 44.7 |
| 28-May-99 | | 10.05 | | | 2,700 | 6.8 | | 185 | 47.8 | 44.1 | 73.4 |
| 26-May-00 | | 10.10 | | | 3,500 | 7.0 | | 220 | ND | 96 | 15 |
| 28-Jul-01 | | 10.87 | | | 3,700 | 7.26 | | 66 | ND | 24 | 31 |
| 11-Mar-02 | | 10.80 | | | 4,600 | 6.86 | | ND | ND | 2.1 | ND |
| 21-Jun-02 | | 11.18 | | | 4,700 | 7.63 | | 63 | ND | 28 | 29.8 |
| 30-Jun-03 | | 10.74 | | | 2,900 | 6.81 | | 41 | 5.3 | 30 | 36 |
| 25-Jun-04 | | 10.78 | | | 2,900 | 6.81 | | 7.6 | ND | 3.5 | 5.5 |
| 22-Dec-04 | | 11.03 | | | N/A | N/A | | ND | ND | ND | ND |
| 29-Mar-05 | | 9.85 | | | 3,100 | 6.73 | | ND | ND | ND | ND |
| 12-Jan-93 | MW #3A | 11.40 | | | 6,800 | 7.0 | | 706,000 | 6,438,000 | 3,684,000 | 13,999,000 |
| 05-May-93 | | 10.38 | | | 4,900 | 7.0 | | 8,200 | 2,210 | 1,070 | 4,340 |
| 01-Sep-93 | | 11.44 | 16.00 | | 5,400 | 7.1 | | 8,300 | 800 | 660 | 2,750 |
| 01-Dec-93 | | 11.33 | | | | | 0.02 | | | | |
| 08-Mar-94 | | 11.03 | | | | | 0.03 | | | | |
| 27-Jun-94 | | | | | | | 0.02 | | | | |
| 21-Sep-94 | | | | | | | 0.01 | | | | |
| 16-Dec-94 | | 11.97 | | | | | 0.48 | | | | |
| 28-Jun-95 | WP #3B | 11.73 | 15.00 | | 6,500 | 7.4 | | 1946.7 | 1734.5 | 434.3 | 3,150 |
| 11-Sep-95 | | 12.14 | | | 8,400 | 7.8 | | 752 | 102 | 427 | 1,386 |
| 08-Dec-95 | | 12.15 | | | 4,800 | 6.2 | | 772 | 70.1 | 208 | 2,070 |
| 08-Mar-96 | | 11.78 | | | 4,000 | 6.1 | | 775 | 156 | 259 | 2,480 |
| 17-Jun-96 | | 11.77 | | | 4,800 | 6.4 | | 764 | 196 | 184 | 1,515 |
| 25-Jun-97 | | 11.25 | | | 3,400 | 6.3 | | 1,940 | 167 | 143 | 727 |
| 12-Jun-98 | | 11.22 | | | 3,700 | 6.6 | | 276 | 68.4 | 85.3 | 457.8 |
| 28-May-99 | | 11.56 | | | 3,900 | 6.5 | | 178 | 98.0 | 50.5 | 250.3 |
| NMWQCC GROUNDWATER STANDARDS | | | | | | | | 10 | 750 | 750 | 620 |

BP AMERICA PROD. CO. GROUNDWATER LAB RESULTS

SUBMITTED BY BLAGG ENGINEERING, INC.

GCU # 153E

UNIT C, SEC. 28, T29N, R12W


REVISED DATE: November 2, 2010

FILENAME: (15-4Q-10.WK4) NJV

| SAMPLE DATE | MONITOR WELL No: | D.T.W. (ft) | T.D. (ft) | TDS (ft) | COND. (umhos/cm) | pH | PRODUCT (ft) | BTEX EPA METHOD 8021B (ppb) | | | |
|------------------------------|---------------------|----------------|--------------|-------------|---------------------|------|-----------------|-----------------------------|---------|------------------|-----------------|
| | | | | | | | | Benzene | Toluene | Ethyl Benzene | Total Xylene |
| 13-Jun-00 | MW #3R | 10.88 | | | 7,600 | 7.0 | | 360 | 16 | 720 | 1,234 |
| 28-Jul-01 | | 11.72 | | | 8,600 | 7.25 | | 520 | 35 | 350 | 757 |
| 11-Mar-02 | | 11.70 | | | 9,700 | 7.14 | | 120 | 6.9 | 110 | 225 |
| 21-Jun-02 | | 11.90 | | | 8,800 | 7.69 | | 310 | ND | 300 | 551 |
| 30-Jun-03 | | 11.39 | | | 5,200 | 7.11 | | 300 | ND | 76 | 170 |
| 25-Jun-04 | | 10.51 | | | 5,200 | 7.11 | | 120 | ND | 44 | 63 |
| 27-Jun-05 | | 10.78 | | | 6,200 | 7.00 | | 160 | 12 | 54 | 84 |
| 29-Jun-06 | | 11.51 | | | 7,800 | 6.93 | | 470 | 39 | 170 | 180 |
| 25-Jun-07 | | 10.70 | | | 6,000 | 6.94 | | 180 | ND | 24 | 24 |
| 09-Jun-08 | | 10.66 | | | 3,300 | 7.24 | | 71.6 | 5.9 | 9.1 | 13.6 |
| 27-Aug-08 | | 11.47 | | | 6,000 | 7.37 | | 58 | ND | 4.7 | 9.3 |
| 26-May-09 | | 11.10 | | | 5,200 | 7.50 | | 63 | ND | ND | ND |
| 28-Dec-09 | | 11.70 | | | 5,600 | 7.52 | | 8.3 | ND | ND | ND |
| 02-Mar-10 | | 11.05 | | | 4,400 | 7.53 | | 66 | ND | ND | ND |
| 10-May-10 | | 10.57 | | | 4,700 | 7.49 | | 47 | ND | ND | ND |
| 21-Jul-10 | | 11.45 | | | 7,900 | 7.48 | | 38 | ND | 2.3 | 6.3 |
| 21-Oct-10 | | 12.18 | | | 6,400 | 7.15 | | 11 | ND | 1.6 | 3.3 |
| 08-Mar-96 | MW #4A | 10.59 | 13.05 | | 3,600 | 7.4 | | ND | ND | ND | ND |
| 08-Mar-96 | MW #5A | 11.75 | 14.04 | | 12,300 | 7.8 | | ND | 1.14 | ND | ND |
| 12-Jan-93 | MW #7A | 12.42 | | | 12,400 | 7.3 | | ND | 0.5 | ND | 1.1 |
| 05-May-93 | | 10.56 | | | 10,600 | 7.5 | | ND | ND | ND | 0.5 |
| 01-Sep-93 | | 11.90 | 16.60 | | 10,700 | 7.5 | | 0.2 | ND | ND | 0.8 |
| 08-Mar-94 | | 11.10 | | | 16,800 | 7.3 | | ND | ND | ND | ND |
| 27-Jun-94 | | 11.23 | | | 13,700 | 7.3 | | ND | ND | ND | ND |
| 21-Sep-94 | | 12.30 | | | 13,100 | 7.3 | | 0.8 | 1 | ND | 2.2 |
| 16-Dec-94 | | 11.69 | | | 9,600 | 7.5 | | ND | ND | ND | ND |
| 15-Mar-95 | | 11.21 | | | 18,400 | 7.5 | | ND | ND | ND | ND |
| 16-Jun-95 | | 10.88 | | | 12,200 | 7.4 | | ND | ND | ND | ND |
| 11-Sep-95 | | 11.64 | | | 11,200 | 7.7 | | 1.1 | 0.6 | 0.5 | 1.0 |
| 08-Dec-95 | | 11.50 | | | 10,800 | 7.4 | | ND | ND | ND | ND |
| 08-Mar-96 | | 11.18 | | | 8,300 | 7.3 | | ND | ND | ND | ND |
| 17-Jun-96 | | 11.28 | | | 9,000 | 7.4 | | ND | ND | ND | ND |
| 28-Jul-01 | | 10.87 | | | 8,300 | 7.59 | | ND | ND | ND | ND |
| 08-Mar-96 | MW #11A | 12.10 | 20.17 | | 3,100 | 6.9 | | ND | ND | ND | ND |
| 08-Mar-96 | MW #12A | 10.76 | 19.79 | | 2,800 | 7.0 | | ND | ND | ND | ND |
| NMWQCC GROUNDWATER STANDARDS | | | | | | | | 10 | 750 | 750 | 620 |

- NOTES :
- 1) RESULTS IN BOLD RED TYPE INDICATE EXCEEDING NMWQCC STANDARDS.
 - 2) RESULTS IN BOLD BLUE TYPE INDICATE BELOW NMWQCC STANDARDS AFTER PREVIOUS RESULTS IN BOLD RED TYPE EXCEEDED.
 - 3) ND INDICATES NOT DETECTED AT THE REPORTING LIMITS (less than regulatory standards of at least a magnitude of 10).

FIGURE 1



MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE AND BEARING FROM THE WELL HEAD (BRUNTON COMPASS AND LASER RANGE FINDER). ALL OTHER STRUCTURES DISPLAYED ON THE SITE MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.


BP AMERICA PRODUCTION COMPANY
GCU #153E
NE/4 NW/4 SEC. 28, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: GCU153E-SM-06-10.SKF
REVISED: 10/23/10 NJV

**SITE
MAP**
06/10

FIGURE 2
(2nd 1/4, 2009)



0 25 50 FT.

MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE AND BEARING FROM THE WELL HEAD (BRUNTON COMPASS AND LASER RANGE FINDER). ALL OTHER STRUCTURES DISPLAYED ON THE SITE MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

WELL HEAD
⊕

| Top of Well Elevation | | |
|-----------------------|------|--------------------------------------|
| MW #2A | ———— | (100.40) |
| MW #3R | ———— | (100.80) |
| MW #7A | ———— | (99.72) |
| ⊕ MW #2A | ———— | Groundwater elevation as of 5/26/09. |
| | | (90.03) |


BP AMERICA PRODUCTION COMPANY
GCU #153E
NE/4 NW/4 SEC. 28, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 05-26-09-GW.SKF
REVISED: 5/27/09 NJV

**GROUNDWATER
GRADIENT
MAP
05/09**

FIGURE 3
(4th 1/4, 2009)



0 25 50 FT.

MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE AND BEARING FROM THE WELL HEAD (BRUNTON COMPASS AND LASER RANGE FINDER). ALL OTHER STRUCTURES DISPLAYED ON THE SITE MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

WELL HEAD
⊕

| Top of Well Elevation | | |
|-----------------------|-------|---------------------------------------|
| MW #2A | _____ | (100.40) |
| MW #3R | _____ | (100.80) |
| MW #7A | _____ | (99.72) |
| ⊕ MW #2A | _____ | Groundwater elevation as of 12/28/09. |
| | | (89.37) |


BP AMERICA PRODUCTION COMPANY
GCU #153E
NE/4 NW/4 SEC. 28, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 12-28-09-GW.SKF
REVISED: 12/28/09 NJV

**GROUNDWATER
GRADIENT
MAP
12/09**

FIGURE 4
(1st 1/4, 2010)



0 25 50 FT.

MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE AND BEARING FROM THE WELL HEAD (BRUNTON COMPASS AND LASER RANGE FINDER). ALL OTHER STRUCTURES DISPLAYED ON THE SITE MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

WELL HEAD
⊕

Top of Well Elevation

| | | |
|------------------|-----|-------------------------------------|
| MW #2A | ——— | (100.40) |
| MW #3R | ——— | (100.80) |
| MW #7A | ——— | (99.72) |
| ⊕ MW #2A (89.98) | ——— | Groundwater elevation as of 3/2/10. |


BP AMERICA PRODUCTION COMPANY
GCU #153E
NE/4 NW/4 SEC. 28, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 03-02-10-GW.SKF
REVISED: 03/02/10 NJV

GROUNDWATER GRADIENT MAP
03/10

FIGURE 5
(2nd 1/4, 2010)



0 25 50 FT.

MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE AND BEARING FROM THE WELL HEAD (BRUNTON COMPASS AND LASER RANGE FINDER). ALL OTHER STRUCTURES DISPLAYED ON THE SITE MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

Top of Well Elevation

MW #2A ——— (100.40)
MW #3R ——— (100.80)
MW #7A ——— (99.72)

● MW #2A (90.35) ——— Groundwater elevation as of 5/10/10.


BP AMERICA PRODUCTION COMPANY
GCU #153E
NE/4 NW/4 SEC. 28, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 05-10-10-GW.SKF
REVISED: 05/10/10 NJV

GROUNDWATER GRADIENT MAP
05/10

FIGURE 6
(3rd 1/4, 2010)



0 25 50 FT.

MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE AND BEARING FROM THE WELL HEAD (BRUNTON COMPASS AND LASER RANGE FINDER). ALL OTHER STRUCTURES DISPLAYED ON THE SITE MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

WELL HEAD
⊕

Top of Well Elevation

| | | |
|--------|-------|----------|
| MW #2A | _____ | (100.40) |
| MW #3R | _____ | (100.80) |
| MW #7A | _____ | (99.72) |

| | | |
|----------|-------|--------------------------------------|
| ⊕ MW #2A | _____ | Groundwater elevation as of 7/21/10. |
| (89.61) | | |


BP AMERICA PRODUCTION COMPANY
GCU #153E
NE/4 NW/4 SEC. 28, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 07-21-10-GW.SKF
REVISED: 07/21/10 NJV

GROUNDWATER GRADIENT MAP
07/10

FIGURE 7
(4th 1/4, 2010)



0 25 50 FT.

MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE AND BEARING FROM THE WELL HEAD (BRUNTON COMPASS AND LASER RANGE FINDER). ALL OTHER STRUCTURES DISPLAYED ON THE SITE MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

WELL HEAD
⊕

Top of Well Elevation

| | | |
|--------|-------|----------|
| MW #2A | _____ | (100.40) |
| MW #3R | _____ | (100.80) |
| MW #7A | _____ | (99.72) |

| | | |
|----------|-------|---------------------------------------|
| ⊕ MW #2A | _____ | Groundwater elevation as of 10/21/10. |
| (89.06) | | |

BP AMERICA PRODUCTION COMPANY
GCU #153E
NE/4 NW/4 SEC. 28, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 10-21-10-GW.SKF
REVISED: 10/23/10 NJV

**GROUNDWATER
GRADIENT
MAP
10/10**

BLAGG ENGINEERING, INC.

MONITOR WELL DEVELOPMENT & /OR SAMPLING DATA

CLIENT : BP AMERICA PROD. CO.

CHAIN-OF-CUSTODY # : N / A

GCU # 153E

LABORATORY (S) USED : HALL ENVIRONMENTAL

UNIT C, SEC. 28, T29N, R12W

Date : May 19, 2009

SAMPLER : N J V

Filename : 05-19-09.WK4

PROJECT MANAGER : N J V

| WELL # | WELL ELEV. (ft) | WATER ELEV. (ft) | DEPTH TO WATER (ft) | TOTAL DEPTH (ft) | SAMPLING TIME | pH | CONDUCT (umhos) | TEMP. (celcius) | VOLUME PURGED (gal.) |
|--------|-----------------|------------------|---------------------|------------------|---------------|------|-----------------|-----------------|----------------------|
| 2A | 100.40 | 90.03 | 10.37 | 15.83 | - | - | - | - | - |
| 3R | 100.80 | 89.70 | 11.10 | 20.00 | 0910 | 7.50 | 5,200 | 15.5 | 1.50 |
| 7A | 99.72 | 89.41 | 10.31 | 16.31 | - | - | - | - | - |

INSTRUMENT CALIBRATIONS =

| | |
|-----------------|-------|
| 4.01/7.00/10.00 | 2,800 |
| 05/16/09 | 0810 |

DATE & TIME =

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$
(i.e. 2" MW $r = (1/12) \text{ ft. } h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft. } h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Poor / fair recovery in MW # 3R . Bailed MW # 3R to total depth , then allowed recovery to approx.
15.00 ft. prior to collecting sample . Collected sample for BTEX per US EPA Method 8021B from
from MW # 3R only .

| | | | |
|------------|--------------|---------|-------|
| on-site | 8:44 | temp | 63 F |
| off-site | 9:23 | temp | 66 F |
| sky cond. | Mostly sunny | | |
| wind speed | 0 - 5 | direct. | North |

Hall Environmental Analysis Laboratory, Inc.

Date: 08-Jun-09

CLIENT: Blagg Engineering
Lab Order: 0905496
Project: GCU #153E
Lab ID: 0905496-01

Client Sample ID: MW #3R
Collection Date: 5/26/2009 9:10:00 AM
Date Received: 5/27/2009
Matrix: AQUEOUS

| Analyses | Result | PQL | Qual | Units | DF | Date Analyzed |
|------------------------------------|--------|----------|------|-------|----|---------------------|
| EPA METHOD 8021B: VOLATILES | | | | | | Analyst: DAM |
| Benzene | 63 | 10 | | µg/L | 10 | 6/5/2009 6:52:46 PM |
| Toluene | ND | 10 | | µg/L | 10 | 6/5/2009 6:52:46 PM |
| Ethylbenzene | ND | 10 | | µg/L | 10 | 6/5/2009 6:52:46 PM |
| Xylenes, Total | ND | 20 | | µg/L | 10 | 6/5/2009 6:52:46 PM |
| Surr: 4-Bromofluorobenzene | 95.0 | 65.9-130 | | %REC | 10 | 6/5/2009 6:52:46 PM |

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

QA/QC SUMMARY REPORT

Client: Blagg Engineering
Project: GCU #153E

Work Order: 0905496

| Analyte | Result | Units | PQL | %Rec | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|--|--------|-------------|--|------|----------|-----------|-------|----------|------|
| Method: EPA Method 8021B: Volatiles | | | | | | | | | |
| Sample ID: 5ML RB | | MBLK | Batch ID: R33978 Analysis Date: 6/5/2009 8:52:07 AM | | | | | | |
| Benzene | ND | µg/L | 1.0 | | | | | | |
| Toluene | ND | µg/L | 1.0 | | | | | | |
| Ethylbenzene | ND | µg/L | 1.0 | | | | | | |
| Xylenes, Total | ND | µg/L | 2.0 | | | | | | |
| Sample ID: 100NG BTEX LCS | | LCS | Batch ID: R33978 Analysis Date: 6/5/2009 7:23:20 PM | | | | | | |
| Benzene | 19.32 | µg/L | 1.0 | 96.6 | 85.9 | 113 | | | |
| Toluene | 19.52 | µg/L | 1.0 | 97.6 | 86.4 | 113 | | | |
| Ethylbenzene | 19.52 | µg/L | 1.0 | 97.6 | 83.5 | 118 | | | |
| Xylenes, Total | 59.44 | µg/L | 2.0 | 99.1 | 83.4 | 122 | | | |
| Sample ID: 100NG BTEX LCSD | | LCSD | Batch ID: R33978 Analysis Date: 6/5/2009 7:53:53 PM | | | | | | |
| Benzene | 19.61 | µg/L | 1.0 | 98.0 | 85.9 | 113 | 1.49 | 27 | |
| Toluene | 19.70 | µg/L | 1.0 | 98.5 | 86.4 | 113 | 0.918 | 19 | |
| Ethylbenzene | 19.64 | µg/L | 1.0 | 98.2 | 83.5 | 118 | 0.613 | 10 | |
| Xylenes, Total | 59.29 | µg/L | 2.0 | 98.8 | 83.4 | 122 | 0.253 | 13 | |

Qualifiers:

| | | | |
|---|--|----|--|
| E | Estimated value | H | Holding times for preparation or analysis exceeded |
| J | Analyte detected below quantitation limits | ND | Not Detected at the Reporting Limit |
| R | RPD outside accepted recovery limits | S | Spike recovery outside accepted recovery limits |

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

5/27/2009

Work Order Number 0905496

Received by: **TLS**

Checklist completed by:

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: **UPS**

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☐

No ☐

N/A ☒

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

Container/Temp Blank temperature?

4.9°

<6° C Acceptable

If given sufficient time to cool.

Number of preserved
bottles checked for
pH:

<2 >12 unless noted
below.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action

BLAGG ENGINEERING, INC.**MONITOR WELL DEVELOPMENT & / OR SAMPLING DATA**CLIENT : **BP AMERICA PROD. CO.**CHAIN-OF-CUSTODY # : **N / A**

GCU # 153E

LABORATORY (S) USED : **HALL ENVIRONMENTAL**

UNIT C, SEC. 28, T29N, R12W

Date : **December 28, 2009**SAMPLER : **N J V**Filename : **12-28-09.WK4**PROJECT MANAGER : **N J V**

| WELL # | WELL ELEV. (ft) | WATER ELEV. (ft) | DEPTH TO WATER (ft) | TOTAL DEPTH (ft) | SAMPLING TIME | pH | CONDUCT (umhos) | TEMP. (celcius) | VOLUME PURGED (gal.) |
|--------|-----------------|------------------|---------------------|------------------|---------------|------|-----------------|-----------------|----------------------|
| 2A | 100.40 | 89.37 | 11.03 | 15.83 | - | - | - | - | - |
| 3R | 100.80 | 89.10 | 11.70 | 20.00 | 1440 | 7.52 | 5,600 | 11.2 | 1.75 |
| 7A | 99.72 | 88.76 | 10.96 | 16.31 | - | - | - | - | - |

| | | |
|---------------------------|-----------------|-------|
| INSTRUMENT CALIBRATIONS = | 4.01/7.00/10.00 | 2,800 |
| DATE & TIME = | 12/28/09 | 1320 |

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$.
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 ".

Poor / fair recovery in MW # 3R . Bailed MW # 3R to total depth , then allowed recovery to approx. 13.00 ft. prior to collecting sample . Collected sample for BTEX per US EPA Method 8021B from from MW # 3R only .

May 19, 2009

| | | | |
|------------|---------------|---------|------|
| on-site | 1:52 | temp | 32 F |
| off-site | 2:58 | temp | 33 F |
| sky cond. | Mostly cloudy | | |
| wind speed | 0 - 5 | direct. | E |

Hall Environmental Analysis Laboratory, Inc.

Date: 05-Jan-10

CLIENT: Blagg Engineering
Lab Order: 0912561
Project: GCU #153E
Lab ID: 0912561-01

Client Sample ID: MW #3R
Collection Date: 12/28/2009 2:40:00 PM
Date Received: 12/29/2009
Matrix: AQUEOUS

| Analyses | Result | PQL | Qual | Units | DF | Date Analyzed |
|------------------------------------|--------|----------|------|-------|----|-----------------------|
| EPA METHOD 8021B: VOLATILES | | | | | | Analyst: NSB |
| Benzene | 8.3 | 5.0 | | µg/L | 5 | 12/31/2009 2:37:01 AM |
| Toluene | ND | 5.0 | | µg/L | 5 | 12/31/2009 2:37:01 AM |
| Ethylbenzene | ND | 5.0 | | µg/L | 5 | 12/31/2009 2:37:01 AM |
| Xylenes, Total | ND | 10 | | µg/L | 5 | 12/31/2009 2:37:01 AM |
| Surr: 4-Bromofluorobenzene | 99.5 | 65.9-130 | | %REC | 5 | 12/31/2009 2:37:01 AM |

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

QA/QC SUMMARY REPORT

Client: Blagg Engineering
 Project: GCU #153E

Work Order: 0912561

| Analyte | Result | Units | PQL | SPK Va | SPK ref | %Rec | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|--------------------------------------|--------|-------|-----|--------|---------|------|----------|-----------|------|----------|------|
| Method: EPA Method 8021B: Volatiles | | | | | | | | | | | |
| Sample ID: 5ML RB | | MBLK | | | | | | | | | |
| Batch ID: R36771 | | | | | | | | | | | |
| Analysis Date: 12/30/2009 8:55:29 AM | | | | | | | | | | | |
| benzene | ND | µg/L | 1.0 | | | | | | | | |
| toluene | ND | µg/L | 1.0 | | | | | | | | |
| ethylbenzene | ND | µg/L | 1.0 | | | | | | | | |
| xylene, Total | ND | µg/L | 2.0 | | | | | | | | |
| Sample ID: 100NG BTEX LCS | | LCS | | | | | | | | | |
| Batch ID: R36771 | | | | | | | | | | | |
| Analysis Date: 12/30/2009 7:32:46 PM | | | | | | | | | | | |
| benzene | 20.55 | µg/L | 1.0 | 20 | 0 | 103 | 85.9 | 113 | | | |
| toluene | 21.01 | µg/L | 1.0 | 20 | 0 | 105 | 86.4 | 113 | | | |
| ethylbenzene | 20.64 | µg/L | 1.0 | 20 | 0.1 | 103 | 83.5 | 118 | | | |
| xylene, Total | 62.32 | µg/L | 2.0 | 60 | 0 | 104 | 83.4 | 122 | | | |
| Sample ID: 100NG BTEX LCSD | | LCSD | | | | | | | | | |
| Batch ID: R36771 | | | | | | | | | | | |
| Analysis Date: 12/30/2009 8:03:02 PM | | | | | | | | | | | |
| benzene | 19.64 | µg/L | 1.0 | 20 | 0 | 98.2 | 85.9 | 113 | 4.51 | 27 | |
| toluene | 19.63 | µg/L | 1.0 | 20 | 0 | 98.2 | 86.4 | 113 | 6.75 | 19 | |
| ethylbenzene | 19.16 | µg/L | 1.0 | 20 | 0.1 | 95.3 | 83.5 | 118 | 7.45 | 10 | |
| xylene, Total | 58.67 | µg/L | 2.0 | 60 | 0 | 97.8 | 83.4 | 122 | 6.04 | 13 | |

Qualifiers:

| | | | |
|---|--|----|--|
| E | Estimated value | H | Holding times for preparation or analysis exceeded |
| J | Analyte detected below quantitation limits | ND | Not Detected at the Reporting Limit |
| R | RPD outside accepted recovery limits | S | Spike recovery outside accepted recovery limits |

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

12/29/2009

Work Order Number **0912561**

Received by: **ARS**

Checklist completed by:

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: **Greyhound**

| | | | | |
|---|---|---|---|--------------------------------------|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | |
| custody seals intact on shipping container/cooler? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Not Shipped <input type="checkbox"/> |
| custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Water - VOA vials have zero headspace? | No VOA vials submitted <input type="checkbox"/> | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Water - Preservation labels on bottle and cap match? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Water - pH acceptable upon receipt? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |

Number of preserved bottles checked for pH:

<2 >12 unless noted below.

Container/Temp Blank temperature?

2.8°

<6° C Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____

CLIENT: Blagg Engineering
Project: GCU #153E
Lab Order: 0912561

CASE NARRATIVE

Analytical Comments for METHOD 8021BTEX_W, SAMPLE 0912561-01A: Necessary dilution for foamy matrix.

BLAGG ENGINEERING, INC.

MONITOR WELL DEVELOPMENT & /OR SAMPLING DATA

CLIENT : BP AMERICA PROD. CO.

CHAIN-OF-CUSTODY # : N / A

GCU # 153E

LABORATORY (S) USED : HALL ENVIRONMENTAL

UNIT C, SEC. 28, T29N, R12W

Date : March 2, 2010

SAMPLER : N J V

Filename : 03-02-10.WK4

PROJECT MANAGER : N J V

| WELL # | WELL ELEV. (ft) | WATER ELEV. (ft) | DEPTH TO WATER (ft) | TOTAL DEPTH (ft) | SAMPLING TIME | pH | CONDUCT (umhos) | TEMP. (celcius) | VOLUME PURGED (gal.) |
|--------|-----------------|------------------|---------------------|------------------|---------------|------|-----------------|-----------------|----------------------|
| 2A | 100.40 | 89.98 | 10.42 | 15.83 | - | - | - | - | - |
| 3R | 100.80 | 89.75 | 11.05 | 20.00 | 1415 | 7.53 | 4,400 | 14.5 | 2.00 |
| 7A | 99.72 | 89.49 | 10.23 | 16.31 | - | - | - | - | - |

INSTRUMENT CALIBRATIONS =

| | |
|-----------------|-------|
| 4.01/7.00/10.00 | 2,800 |
| 03/01/10 | 1215 |

DATE & TIME =

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$.
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Poor / fair recovery in MW # 3R . Bailed MW # 3R to total depth , then allowed recovery to approx. 11.70 ft. prior to collecting sample . Collected sample for BTEX per US EPA Method 8021B from from MW # 3R only .

| | | | |
|------------|--------------|---------|------|
| on-site | 1:30 | temp | 52 F |
| off-site | 2:30 | temp | 53 F |
| sky cond. | Mostly sunny | | |
| wind speed | 0 - 5 | direct. | E |

Hall Environmental Analysis Laboratory, Inc.

Date: 09-Mar-10

CLIENT: Blagg Engineering
Lab Order: 1003073
Project: GCU #153E
Lab ID: 1003073-01

Client Sample ID: MW #3R
Collection Date: 3/2/2010 2:15:00 PM
Date Received: 3/3/2010
Matrix: AQUEOUS

| Analyses | Result | PQL | Qual | Units | DF | Date Analyzed |
|------------------------------------|--------|----------|------|-------|----|----------------------|
| EPA METHOD 8021B: VOLATILES | | | | | | Analyst: NSB |
| Benzene | 66 | 10 | | µg/L | 10 | 3/8/2010 11:52:07 AM |
| Toluene | ND | 10 | | µg/L | 10 | 3/8/2010 11:52:07 AM |
| Ethylbenzene | ND | 10 | | µg/L | 10 | 3/8/2010 11:52:07 AM |
| Xylenes, Total | ND | 20 | | µg/L | 10 | 3/8/2010 11:52:07 AM |
| Surr: 4-Bromofluorobenzene | 97.8 | 65.9-130 | | %REC | 10 | 3/8/2010 11:52:07 AM |

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- NC Non-Chlorinated
- PQL Practical Quantitation Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Blagg Engineering
Project: GCU #153E

Work Order: 1003073

| Analyte | Result | Units | PQL | SPK Va | SPK ref | %Rec | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|--|--------|-------------|-----|------------------|---------------|------|----------|-----------------------|------|-----------------------------|------|
| Method: EPA Method 8021B: Volatiles | | | | | | | | | | | |
| Sample ID: 5ML RB | | MBLK | | | | | | | | | |
| | | | | Batch ID: | R37664 | | | Analysis Date: | | 3/5/2010 9:16:26 AM | |
| Benzene | ND | µg/L | 1.0 | | | | | | | | |
| Toluene | ND | µg/L | 1.0 | | | | | | | | |
| Ethylbenzene | ND | µg/L | 1.0 | | | | | | | | |
| Xylenes, Total | ND | µg/L | 2.0 | | | | | | | | |
| Sample ID: b 5 | | MBLK | | | | | | | | | |
| | | | | Batch ID: | R37677 | | | Analysis Date: | | 3/8/2010 11:21:44 AM | |
| Benzene | ND | µg/L | 1.0 | | | | | | | | |
| Toluene | ND | µg/L | 1.0 | | | | | | | | |
| Ethylbenzene | ND | µg/L | 1.0 | | | | | | | | |
| Xylenes, Total | ND | µg/L | 2.0 | | | | | | | | |
| Sample ID: 100NG BTEX LCS | | LCS | | | | | | | | | |
| | | | | Batch ID: | R37664 | | | Analysis Date: | | 3/5/2010 8:43:42 PM | |
| Benzene | 19.65 | µg/L | 1.0 | 20 | 0 | 98.3 | 85.9 | 113 | | | |
| Toluene | 19.01 | µg/L | 1.0 | 20 | 0 | 95.0 | 86.4 | 113 | | | |
| Ethylbenzene | 18.98 | µg/L | 1.0 | 20 | 0 | 94.9 | 83.5 | 118 | | | |
| Xylenes, Total | 57.39 | µg/L | 2.0 | 60 | 0 | 95.7 | 83.4 | 122 | | | |
| Sample ID: 100NG BTEX LCS | | LCS | | | | | | | | | |
| | | | | Batch ID: | R37677 | | | Analysis Date: | | 3/8/2010 8:58:22 PM | |
| Benzene | 21.82 | µg/L | 1.0 | 20 | 0 | 109 | 85.9 | 113 | | | |
| Toluene | 21.28 | µg/L | 1.0 | 20 | 0 | 106 | 86.4 | 113 | | | |
| Ethylbenzene | 20.95 | µg/L | 1.0 | 20 | 0 | 105 | 83.5 | 118 | | | |
| Xylenes, Total | 62.35 | µg/L | 2.0 | 60 | 0 | 104 | 83.4 | 122 | | | |
| Sample ID: 100NG BTEX LCSD | | LCSD | | | | | | | | | |
| | | | | Batch ID: | R37664 | | | Analysis Date: | | 3/5/2010 9:13:58 PM | |
| Benzene | 19.07 | µg/L | 1.0 | 20 | 0 | 95.4 | 85.9 | 113 | 3.02 | 27 | |
| Toluene | 18.37 | µg/L | 1.0 | 20 | 0 | 91.8 | 86.4 | 113 | 3.43 | 19 | |
| Ethylbenzene | 18.16 | µg/L | 1.0 | 20 | 0 | 90.8 | 83.5 | 118 | 4.39 | 10 | |
| Xylenes, Total | 55.07 | µg/L | 2.0 | 60 | 0 | 91.8 | 83.4 | 122 | 4.14 | 13 | |

Qualifiers:

E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
NC Non-Chlorinated
R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

3/3/2010

Work Order Number **1003073**

Received by: **TLS**

Checklist completed by:

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: **UPS**

| | | | | |
|---|---|---|---|---|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | |
| Custody seals intact on shipping container/cooler? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Not Shipped <input type="checkbox"/> |
| Custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Water - VOA vials have zero headspace? | No VOA vials submitted <input type="checkbox"/> | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Number of preserved bottles checked for pH: |
| Water - Preservation labels on bottle and cap match? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Water - pH acceptable upon receipt? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | <2 >12 unless noted below. |
| Container/Temp Blank temperature? | 1.9° | <6° C Acceptable If given sufficient time to cool. | | |

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____

BLAGG ENGINEERING, INC.

MONITOR WELL DEVELOPMENT & / OR SAMPLING DATA

CLIENT : BP AMERICA PROD. CO.

CHAIN-OF-CUSTODY # : N / A

GCU # 153E

LABORATORY (S) USED : HALL ENVIRONMENTAL

UNIT C, SEC. 28, T29N, R12W

Date : May 10, 2010

SAMPLER : N J V

Filename : 05-10-10.WK4

PROJECT MANAGER : N J V

| WELL # | WELL ELEV. (ft) | WATER ELEV. (ft) | DEPTH TO WATER (ft) | TOTAL DEPTH (ft) | SAMPLING TIME | pH | CONDUCT (umhos) | TEMP. (celcius) | VOLUME PURGED (gal.) |
|--------|-----------------|------------------|---------------------|------------------|---------------|------|-----------------|-----------------|----------------------|
| 2A | 100.40 | 90.35 | 10.05 | 15.83 | - | - | - | - | - |
| 3R | 100.80 | 90.23 | 10.57 | 20.00 | 1040 | 7.49 | 4,700 | 14.8 | 2.00 |
| 7A | 99.72 | 89.87 | 9.85 | 16.31 | - | - | - | - | - |

INSTRUMENT CALIBRATIONS =

4.01/7.00/10.00

2,800

DATE & TIME =

05/10/10

0915

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Poor / fair recovery in MW # 3R . Bailed MW # 3R to total depth , then allowed recovery to approx. 12.85 ft. prior to collecting sample . Collected sample for BTEX per US EPA Method 8021B from from MW # 3R only .

| | | | |
|------------|-----------------------|---------|------|
| on-site | 10:02 | temp | 54 F |
| off-site | 10:50 | temp | 57 F |
| sky cond. | Sunny / partly cloudy | | |
| wind speed | 0 - 10 | direct. | WSW |

Hall Environmental Analysis Laboratory, Inc.

Date: 24-May-10

CLIENT: Blagg Engineering
Lab Order: 1005292
Project: GCU #153E
Lab ID: 1005292-01

Client Sample ID: MW #3R
Collection Date: 5/10/2010 10:40:00 AM
Date Received: 5/12/2010
Matrix: AQUEOUS

| Analyses | Result | PQL | Qual | Units | DF | Date Analyzed |
|------------------------------------|--------|----------|------|-------|----|----------------------|
| EPA METHOD 8021B: VOLATILES | | | | | | Analyst: NSB |
| Benzene | 47 | 10 | | µg/L | 10 | 5/20/2010 6:16:11 PM |
| Toluene | ND | 10 | | µg/L | 10 | 5/20/2010 6:16:11 PM |
| Ethylbenzene | ND | 10 | | µg/L | 10 | 5/20/2010 6:16:11 PM |
| Xylenes, Total | ND | 20 | | µg/L | 10 | 5/20/2010 6:16:11 PM |
| Surr: 4-Bromofluorobenzene | 88.7 | 65.9-130 | | %REC | 10 | 5/20/2010 6:16:11 PM |

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Lab. v. custody, retention

Client: BATES ENCL. / BP Amoco

Mailing Address: P.O. Box 87

Phone #: 505 632-1199

email or Fax#:

QA/QC Package: ☒ Standard ☐ Level 4 (Full Validation)

Accreditation ☐ NELAP ☐ Other

☐ EDD (Type)

☒ Standard ☐ Rush

Project Name: GCIA #153E

Project #:

Project Manager: Nelson Verez

Sampler: Nelson Verez

On Ice: Yes ☒ No ☐

Sample Temperature: 34

Container Type and # 2-40ml Preservative Type HCL 5 cool

HEAL No. 1005292

Date: 11/10/15 Time: 1615 Relinquished by: [Signature]

Date: 11/10/15 Time: 1615 Relinquished by: [Signature]

Date: 11/10/15 Time: 1615 Relinquished by: [Signature]

Remarks:

| | |
|-------------------------------------|--|
| <input checked="" type="checkbox"/> | BTEX + MTBE + TMB's (8021B) |
| | BTEX + MTBE + TPH (Gas only) |
| | TPH Method 8015B (Gas/Diesel) |
| | TPH (Method 418.1) |
| | EDB (Method 504.1) |
| | 8310 (PNA or PAH) |
| | RCRA 8 Metals |
| | Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄) |
| | 8081 Pesticides / 8082 PCB's |
| | 8260B (VOA) |
| | 8270 (Semi-VOA) |
| | Air Bubbles (Y or N) |

HA. L ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

QA/QC SUMMARY REPORT

Client: Blagg Engineering
 Project: GCU #153E

Work Order: 1005292

| Analyte | Result | Units | PQL | SPK Va | SPK ref | %Rec | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|-------------------------------------|--------|-------|-----|--------|---------|------|----------|-----------|-------|----------|------|
| Method: EPA Method 8021B: Volatiles | | | | | | | | | | | |
| Sample ID: 5ML RB | | MBLK | | | | | | | | | |
| Batch ID: R38838 | | | | | | | | | | | |
| Analysis Date: | | | | | | | | | | | |
| 5/20/2010 9:10:09 AM | | | | | | | | | | | |
| Benzene | ND | µg/L | 1.0 | | | | | | | | |
| Toluene | ND | µg/L | 1.0 | | | | | | | | |
| Ethylbenzene | ND | µg/L | 1.0 | | | | | | | | |
| Xylenes, Total | ND | µg/L | 2.0 | | | | | | | | |
| Sample ID: 100NG BTEX LCS | | LCS | | | | | | | | | |
| Batch ID: R38838 | | | | | | | | | | | |
| Analysis Date: | | | | | | | | | | | |
| 5/20/2010 8:48:11 PM | | | | | | | | | | | |
| Benzene | 20.66 | µg/L | 1.0 | 20 | 0 | 103 | 87.9 | 121 | | | |
| Toluene | 19.36 | µg/L | 1.0 | 20 | 0 | 96.8 | 83 | 124 | | | |
| Ethylbenzene | 19.10 | µg/L | 1.0 | 20 | 0.134 | 94.8 | 81.7 | 122 | | | |
| Xylenes, Total | 59.26 | µg/L | 2.0 | 60 | 0 | 98.8 | 85.6 | 121 | | | |
| Sample ID: 100NG BTEX LCSD | | LCSD | | | | | | | | | |
| Batch ID: R38838 | | | | | | | | | | | |
| Analysis Date: | | | | | | | | | | | |
| 5/20/2010 9:18:30 PM | | | | | | | | | | | |
| Benzene | 20.59 | µg/L | 1.0 | 20 | 0 | 103 | 87.9 | 121 | 0.330 | 14.6 | |
| Toluene | 19.61 | µg/L | 1.0 | 20 | 0 | 98.1 | 83 | 124 | 1.29 | 18 | |
| Ethylbenzene | 19.55 | µg/L | 1.0 | 20 | 0.134 | 97.1 | 81.7 | 122 | 2.33 | 15.8 | |
| Xylenes, Total | 60.09 | µg/L | 2.0 | 60 | 0 | 100 | 85.6 | 121 | 1.39 | 15.9 | |

Qualifiers:

Estimated value H Holding times for preparation or analysis exceeded
 Analyte detected below quantitation limits NC Non-Chlorinated
 Not Detected at the Reporting Limit R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

5/12/2010

Work Order Number **1005292**

Received by: **ARS**

Checklist completed by:

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: Greyhound

| | | | | |
|---|---|---|---|--------------------------------------|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | |
| Custody seals intact on shipping container/cooler? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Not Shipped <input type="checkbox"/> |
| Custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Water - VOA vials have zero headspace? | No VOA vials submitted <input type="checkbox"/> | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Water - Preservation labels on bottle and cap match? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Water - pH acceptable upon receipt? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |

Number of preserved bottles checked for pH:

<2 >12 unless noted below.

Container/Temp Blank temperature?

3.4°

<6° C Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____

CLIENT: Blagg Engineering

Project: GCU #153E

Lab Order: 1005292

CASE NARRATIVE

Analytical Comments for METHOD 8021BTEX_W, SAMPLE 1005292-01A: Necessary dilution for foamy matrix.

BLAGG ENGINEERING, INC.

MONITOR WELL DEVELOPMENT & / OR SAMPLING DATA

CLIENT : BP AMERICA PROD. CO.

CHAIN-OF-CUSTODY # : N / A

GCU # 153E

LABORATORY (S) USED : HALL ENVIRONMENTAL

UNIT C, SEC. 28, T29N, R12W

Date : July 21, 2010

SAMPLER : N J V

Filename : 07-21-10.WK4

PROJECT MANAGER : N J V

| WELL # | WELL ELEV. (ft) | WATER ELEV. (ft) | DEPTH TO WATER (ft) | TOTAL DEPTH (ft) | SAMPLING TIME | pH | CONDUCT (umhos) | TEMP. (celcius) | VOLUME PURGED (gal.) |
|--------|-----------------|------------------|---------------------|------------------|---------------|------|-----------------|-----------------|----------------------|
| 2A | 100.40 | 89.61 | 10.79 | 15.83 | - | - | - | - | - |
| 3R | 100.80 | 89.35 | 11.45 | 20.00 | 1530 | 7.48 | 7,900 | 24.0 | 1.50 |
| 7A | 99.72 | 88.31 | 11.41 | 16.31 | - | - | - | - | - |

INSTRUMENT CALIBRATIONS =

4.01/7.00/10.00

2,800

DATE & TIME =

07/20/10

0800

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Poor / fair recovery in MW # 3R . Bailed MW # 3R to total depth , then allowed recovery to approx. 15.00 ft. prior to collecting sample . Collected sample for BTEX per US EPA Method 8021B from from MW # 3R only .

| | | | |
|------------|-----------------------|---------|-------|
| on-site | 2:28 | temp | 93 F |
| off-site | 3:40 | temp | 93 F |
| sky cond. | Sunny / partly cloudy | | |
| wind speed | 0 - 10 | direct. | S - W |

Hall Environmental Analysis Laboratory, Inc.

Date: 28-Jul-10

CLIENT: Blagg Engineering
Lab Order: 1007843
Project: GCU #153E
Lab ID: 1007843-01

Client Sample ID: MW #3R
Collection Date: 7/21/2010 3:30:00 PM
Date Received: 7/23/2010
Matrix: AQUEOUS

| Analyses | Result | PQL | Qual | Units | DF | Date Analyzed |
|------------------------------------|--------|----------|------|-------|----|----------------------|
| EPA METHOD 8021B: VOLATILES | | | | | | Analyst: NSB |
| Benzene | 38 | 1.0 | | µg/L | 1 | 7/27/2010 3:30:23 AM |
| Toluene | ND | 1.0 | | µg/L | 1 | 7/27/2010 3:30:23 AM |
| Ethylbenzene | 2.3 | 1.0 | | µg/L | 1 | 7/27/2010 3:30:23 AM |
| Xylenes, Total | 6.3 | 2.0 | | µg/L | 1 | 7/27/2010 3:30:23 AM |
| Surr: 4-Bromofluorobenzene | 123 | 65.9-130 | | %REC | 1 | 7/27/2010 3:30:23 AM |

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

| | | |
|---|-------------------|---|
| Turn-Around Time: | | |
| <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush | | |
| Project Name: <div style="font-size: 1.2em; font-family: cursive;">GCM #153E</div> | | |
| Project #: | | |
| Project Manager: <div style="font-size: 1.2em; font-family: cursive;">NELSON VELEZ</div> | | |
| Sampler: NELSON VELEZ | | |
| Office | City | Field No. |
| Sample Temperature | | |
| Container Type and # | Preservative Type | <div style="text-align: center;"> ANALYSIS NO. <div style="font-size: 1.5em; font-family: cursive;">1007843</div> </div> |
| 40ml - 2 | HCl 5 COOL | 1 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Received by: | Date | Time |
| <div style="font-size: 1.5em; font-family: cursive;">[Signature]</div> | 7/23/00 | 735 |
| Received by: | Date | Time |

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

| | | |
|--|--|--|
| | BTEX + MTBE + TMB's (8021B) | |
| | BTEX + MTBE + TPH (Gas only) | |
| | TPH Method 8015B (Gas/Diesel)) | |
| | TPH (Method 418.1) | |
| | EDB (Method 504.1) | |
| | 8310 (PNA or PAH) | |
| | RCRA 8 Metals | |
| | Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄) | |
| | 8081 Pesticides / 8082 PCB's | |
| | 8260B (VOA) | |
| | 8270 (Semi-VOA) | |
| | | |
| | | |
| | | |
| | Air Bubbles ('Y' or 'N') | |

| | | | | | |
|---------|-------|--------------------|--------------------|---------|------|
| Date: | Time: | Relinquished by: | Received by: | Date | Time |
| 7/22/10 | 1530 | <i>[Signature]</i> | <i>[Signature]</i> | 7/23/10 | 735 |
| Date: | Time: | Relinquished by: | Received by: | Date | Time |
| | | | | | |

QA/QC SUMMARY REPORT

Client: Blagg Engineering
 Project: GCU #153E

Work Order: 1007843

| Analyte | Result | Units | PQL | SPK Va | SPK ref | %Rec | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|-------------------------------------|--------|-------|-----|--------|---------|------------------|----------|--------------------------------------|------|----------|------|
| Method: EPA Method 8021B: Volatiles | | | | | | | | | | | |
| Sample ID: 5ML RB | | MBLK | | | | Batch ID: R40035 | | Analysis Date: 7/26/2010 9:47:15 AM | | | |
| Benzene | ND | µg/L | 1.0 | | | | | | | | |
| Toluene | ND | µg/L | 1.0 | | | | | | | | |
| Ethylbenzene | ND | µg/L | 1.0 | | | | | | | | |
| Xylenes, Total | ND | µg/L | 2.0 | | | | | | | | |
| Sample ID: 100NG BTEX LCS | | LCS | | | | Batch ID: R40035 | | Analysis Date: 7/26/2010 12:19:12 PM | | | |
| Benzene | 19.22 | µg/L | 1.0 | 20 | 0 | 96.1 | 87.9 | 121 | | | |
| Toluene | 20.45 | µg/L | 1.0 | 20 | 0 | 102 | 83 | 124 | | | |
| Ethylbenzene | 20.00 | µg/L | 1.0 | 20 | 0 | 100 | 81.7 | 122 | | | |
| Xylenes, Total | 60.28 | µg/L | 2.0 | 60 | 0 | 100 | 85.6 | 121 | | | |

Qualifiers:

| | | | |
|----|--|----|--|
| E | Estimated value | H | Holding times for preparation or analysis exceeded |
| J | Analyte detected below quantitation limits | NC | Non-Chlorinated |
| ND | Not Detected at the Reporting Limit | R | RPD outside accepted recovery limits |

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

7/23/2010

Work Order Number **1007843**

Received by: **TLS**

Checklist completed by: _____

Signature

Date

Sample ID labels checked by: _____

Initials

Matrix:

Carrier name: Greyhound

| | | | | |
|---|---|---|---|---|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | |
| Custody seals intact on shipping container/cooler? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Not Shipped <input type="checkbox"/> |
| Custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Water - VOA vials have zero headspace? | No VOA vials submitted <input type="checkbox"/> | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Number of preserved bottles checked for pH: _____ |
| Water - Preservation labels on bottle and cap match? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Water - pH acceptable upon receipt? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | <2 >12 unless noted below. |
| Container/Temp Blank temperature? | 0.7° | <6° C Acceptable If given sufficient time to cool. | | |

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____

BLAGG ENGINEERING, INC.

MONITOR WELL DEVELOPMENT &/OR SAMPLING DATA

CLIENT: BP AMERICA PROD. CO.

CHAIN-OF-CUSTODY #: N / A

GCU # 153E

LABORATORY (S) USED: HALL ENVIRONMENTAL

UNIT C, SEC. 28, T29N, R12W

Date: October 21, 2010

SAMPLER: N J V

Filename: 10-21-10:WK4

PROJECT MANAGER: N J V

| WELL # | WELL ELEV. (ft) | WATER ELEV. (ft) | DEPTH TO WATER (ft) | TOTAL DEPTH (ft) | SAMPLING TIME | pH | CONDUCT (umhos) | TEMP. (celcius) | VOLUME PURGED (gal.) |
|--------|-----------------|------------------|---------------------|------------------|---------------|------|-----------------|-----------------|----------------------|
| 2A | 100.40 | 89.06 | 11.34 | 15.83 | - | - | - | - | - |
| 3R | 100.80 | 88.62 | 12.18 | 20.00 | 1315 | 7.15 | 6,400 | 20.4 | 1.75 |
| 7A | 99.72 | 87.68 | 12.04 | 16.31 | - | - | - | - | - |

INSTRUMENT CALIBRATIONS =

4.01/7.00/10.00

2,800

DATE & TIME =

10/21/10

0940

NOTES: Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Poor / fair recovery in MW # 3R . Bailed MW # 3R to total depth , then allowed recovery to approx. 14.50 ft. prior to collecting sample . Collected sample for BTEX per US EPA Method 8021B from from MW # 3R only .

| | | | |
|------------|-----------------------|---------|------|
| on-site | 12:10 | temp | 56 F |
| off-site | 1:30 | temp | 57 F |
| sky cond. | Sunny / partly cloudy | | |
| wind speed | 0 - 5 | direct. | calm |

Hall Environmental Analysis Laboratory, Inc.

Date: 29-Oct-10

CLIENT: Blagg Engineering
Lab Order: 1010A02
Project: GCU #153E
Lab ID: 1010A02-01

Client Sample ID: MW #3R
Collection Date: 10/21/2010 1:15:00 PM
Date Received: 10/22/2010
Matrix: AQUEOUS

| Analyses | Result | PQL | Qual | Units | DF | Date Analyzed |
|------------------------------------|--------|----------|------|-------|----|-----------------------|
| EPA METHOD 8021B: VOLATILES | | | | | | Analyst: NSB |
| Benzene | 11 | 1.0 | | µg/L | 1 | 10/28/2010 4:00:35 AM |
| Toluene | ND | 1.0 | | µg/L | 1 | 10/28/2010 4:00:35 AM |
| Ethylbenzene | 1.6 | 1.0 | | µg/L | 1 | 10/28/2010 4:00:35 AM |
| Xylenes, Total | 3.3 | 2.0 | | µg/L | 1 | 10/28/2010 4:00:35 AM |
| Surr: 4-Bromofluorobenzene | 118 | 81.3-151 | | %REC | 1 | 10/28/2010 4:00:35 AM |

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

QA/QC SUMMARY REPORT

Client: Blagg Engineering
 Project: GCU #153E

Work Order: 1010A02

| Analyte | Result | Units | PQL | SPK Val | SPK ref | %Rec | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|-------------------------------------|--------|-------|-----|---------|---------|------|----------|-----------|------|----------|---------------------------------------|
| Method: EPA Method 8021B: Volatiles | | | | | | | | | | | |
| Sample ID: 5ML RB | | MBLK | | | | | | | | | |
| Batch ID: R41813 | | | | | | | | | | | Analysis Date: 10/27/2010 9:16:43 AM |
| Benzene | ND | µg/L | 1.0 | | | | | | | | |
| Toluene | ND | µg/L | 1.0 | | | | | | | | |
| Ethylbenzene | ND | µg/L | 1.0 | | | | | | | | |
| Aromatics, Total | ND | µg/L | 2.0 | | | | | | | | |
| Sample ID: 100NG BTEX LCS | | LCS | | | | | | | | | |
| Batch ID: R41813 | | | | | | | | | | | Analysis Date: 10/27/2010 12:52:24 PM |
| Benzene | 20.85 | µg/L | 1.0 | 20 | 0 | 104 | 84.7 | 118 | | | |
| Toluene | 21.96 | µg/L | 1.0 | 20 | 0 | 110 | 82 | 123 | | | |
| Ethylbenzene | 22.04 | µg/L | 1.0 | 20 | 0.096 | 110 | 83 | 118 | | | |
| Aromatics, Total | 69.60 | µg/L | 2.0 | 60 | 0 | 116 | 85.4 | 119 | | | |

Qualifiers:

Estimated value

H

Holding times for preparation or analysis exceeded

Analyte detected below quantitation limits

NC

Non-Chlorinated

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

10/22/2010

Work Order Number **1010A02**

Received by: **MLW**

Checklist completed by:

Signature

10/22/10
Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: Priority US Mail

| | | | | |
|---|---|---|---|--------------------------------------|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | |
| Custody seals intact on shipping container/cooler? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Not Shipped <input type="checkbox"/> |
| Custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> | |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Water - VOA vials have zero headspace? | No VOA vials submitted <input type="checkbox"/> | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Water - Preservation labels on bottle and cap match? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> | |
| Water - pH acceptable upon receipt? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | N/A <input type="checkbox"/> | |

Number of preserved
bottles checked for
pH:

<2 >12 unless noted
below.

Container/Temp Blank temperature?

2.7°

<6° C Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action