

Analytical Report H201271 & H201349	Sample Date	Depth	BTEX	GRO	DRO	TOTAL	Chlorides
S1 2'	6/6/2012	2'	883	13000	14700	27700	8130
S1 4'	6/6/2012	4'	797	6960	8110	15070	9860
S1 6'	6/6/2012	6'	627.6	4260	5200	9460	3160
S1 8'	6/6/2012	8'	604.6	3870	6440	10310	4320
S1 10'	6/6/2012	10'	1055	6290	9270	15560	5520
S1 12'	6/6/2012	12'	895.2	5190	7260	12450	3040
S1 14'	6/6/2012	14'	614.9	4870	8090	12960	208
S1 16'	6/13/2012	16'	434.7	2660	5120	7780	2520
S1 18'	6/13/2012	18'	841.2	4970	8500	13470	320
S1 20'	6/13/2012	20'	617.4	4360	6970	11330	32
S1 34'	6/19/2012	34'	1.069	10.9	319	329.9	-
S1 36'	6/19/2012	36'	1.865	ND	225	225	-
S1 38'	6/19/2012	38'	1.491	ND	171	171	-
S1 40'	6/19/2012	40'	4.212	11.5	189	200.5	-
S1 42'	6/19/2012	42'	.368	ND	56.1	56.1	-
S1 44'	6/19/2012	44'	ND	ND	ND	ND	-
S1 47'	6/19/2012	47'	ND	ND	ND	ND	-

Site Ranking is Ten (10). Depth to Ground Water <100' (approx. 95', per NMOSE).

All results are ppm.Chlorides for documentation.

Released: 53 B/O; Recovered: 0 B/O. Release Date: 5/29/2012

RECEIVED
JUN 27 2012
NMOCD ARTESIA

+

June 20, 2012

JEREMY HAASS

Yates Energy Petroleum Corp

105 S 4th Street

Artesia, NM 88210

RE: BOYD X STATE COM #12 BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 06/19/12 16:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.


Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.


This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

 Yates Energy Petroleum Corp
 JEREMY HAASS
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/19/2012	Sampling Date:	06/19/2012
Reported:	06/20/2012	Sampling Type:	Soil
Project Name:	BOYD X STATE COM #12 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	30-015-28738	Sample Received By:	Jodi Henson
Project Location:	EDDY COUNTY, NM		

Sample ID: S 1 34' (H201394-01)

BTEX 8021B		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/20/2012	ND	2.01	100	2.00	5.58	
Toluene*	0.204	0.050	06/20/2012	ND	2.01	100	2.00	5.58	
Ethylbenzene*	0.358	0.050	06/20/2012	ND	2.04	102	2.00	5.76	
Total Xylenes*	0.507	0.150	06/20/2012	ND	6.14	102	6.00	5.84	

Surrogate: 4-Bromofluorobenzene (PIE) 109 % 89.4-126

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	10.9	10.0	06/20/2012	ND	188	94.0	200	1.87	
DRO >C10-C28	319	10.0	06/20/2012	ND	194	97.0	200	2.21	

Surrogate: 1-Chlorooctane 105 % 65.2-140

Surrogate: 1-Chlorooctadecane 129 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Yates Energy Petroleum Corp
 JEREMY HAASS
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/19/2012	Sampling Date:	06/19/2012
Reported:	06/20/2012	Sampling Type:	Soil
Project Name:	BOYD X STATE COM #12 BATTERY	Sampling Condition:	Cool & Intact
Project Number:	30-015-28738	Sample Received By:	Jodi Henson
Project Location:	EDDY COUNTY, NM		

Sample ID: S 1 36' (H201394-02)

BTEX 8021B		mg/kg		Analyzed By: ZZZ						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/20/2012	ND	2.01	100	2.00	5.58		
Toluene*	0.398	0.050	06/20/2012	ND	2.01	100	2.00	5.58		
Ethylbenzene*	0.622	0.050	06/20/2012	ND	2.04	102	2.00	5.76		
Total Xylenes*	0.845	0.150	06/20/2012	ND	6.14	102	6.00	5.84		

Surrogate: 4-Bromofluorobenzene (PIL) 109 % 89.4-126

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/20/2012	ND	188	94.0	200	1.87		
DRO >C10-C28	225	10.0	06/20/2012	ND	194	97.0	200	2.21		


Surrogate: 1-Chlorooctane 101 % 65.2-140

Surrogate: 1-Chlorooctadecane 120 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Yates Energy Petroleum Corp
 JEREMY HAASS
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

 Received: 06/19/2012
 Reported: 06/20/2012
 Project Name: BOYD X STATE COM #12 BATTERY
 Project Number: 30-015-28738
 Project Location: EDDY COUNTY, NM

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S 1 38' (H201394-03)

BTEX 8021B		mg/kg		Analyzed By: ZZZ						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/20/2012	ND	2.01	100	2.00	5.58		
Toluene*	0.307	0.050	06/20/2012	ND	2.01	100	2.00	5.58		
Ethylbenzene*	0.493	0.050	06/20/2012	ND	2.04	102	2.00	5.76		
Total Xylenes*	0.691	0.150	06/20/2012	ND	6.14	102	6.00	5.84		

Surrogate: 4-Bromofluorobenzene (PIC) 110 % 89.4-126

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/20/2012	ND	188	94.0	200	1.87		
DRO >C10-C28	171	10.0	06/20/2012	ND	194	97.0	200	2.21		


Surrogate: 1-Chlorooctane 99.9 % 65.2-140

Surrogate: 1-Chlorooctadecane 120 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Yates Energy Petroleum Corp
 JEREMY HAASS
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

 Received: 06/19/2012
 Reported: 06/20/2012
 Project Name: BOYD X STATE COM #12 BATTERY
 Project Number: 30-015-28738
 Project Location: EDDY COUNTY, NM

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S 1 40' (H201394-04)
BTEX 8021B
mg/kg
Analyzed By: ZZZ

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.095	0.050	06/20/2012	ND	2.01	100	2.00	5.58	
Toluene*	0.967	0.050	06/20/2012	ND	2.01	100	2.00	5.58	
Ethylbenzene*	1.39	0.050	06/20/2012	ND	2.04	102	2.00	5.76	
Total Xylenes*	1.76	0.150	06/20/2012	ND	6.14	102	6.00	5.84	

Surrogate: 4-Bromofluorobenzene (PIC) 115 % 89.4-126
TPH 8015M
mg/kg
Analyzed By: MS


Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	11.5	10.0	06/20/2012	ND	188	94.0	200	1.87	
DRO >C10-C28	189	10.0	06/20/2012	ND	194	97.0	200	2.21	

Surrogate: 1-Chlorooctane 104 % 65.2-140
Surrogate: 1-Chlorooctadecane 128 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Yates Energy Petroleum Corp
 JEREMY HAASS
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

 Received: 06/19/2012
 Reported: 06/20/2012
 Project Name: BOYD X STATE COM #12 BATTERY
 Project Number: 30-015-28738
 Project Location: EDDY COUNTY, NM

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S 1 42' (H201394-05)

BTEX 8021B		mg/kg		Analyzed By: ZZZ						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/20/2012	ND	2.01	100	2.00	5.58		
Toluene*	0.091	0.050	06/20/2012	ND	2.01	100	2.00	5.58		
Ethylbenzene*	0.115	0.050	06/20/2012	ND	2.04	102	2.00	5.76		
Total Xylenes*	0.162	0.150	06/20/2012	ND	6.14	102	6.00	5.84		

Surrogate: 4-Bromofluorobenzene (PIL) 106 % 89.4-126

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/20/2012	ND	188	94.0	200	1.87		
DRO >C10-C28	56.1	10.0	06/20/2012	ND	194	97.0	200	2.21		


Surrogate: 1-Chlorooctane 111 % 65.2-140

Surrogate: 1-Chlorooctadecane 135 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Yates Energy Petroleum Corp
 JEREMY HAASS
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

 Received: 06/19/2012
 Reported: 06/20/2012
 Project Name: BOYD X STATE COM #12 BATTERY
 Project Number: 30-015-28738
 Project Location: EDDY COUNTY, NM

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S 1 44' (H201394-06)

BTEX 8021B		mg/kg		Analyzed By: ZZZ						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/20/2012	ND	2.01	100	2.00	5.58		
Toluene*	<0.050	0.050	06/20/2012	ND	2.01	100	2.00	5.58		
Ethylbenzene*	<0.050	0.050	06/20/2012	ND	2.04	102	2.00	5.76		
Total Xylenes*	<0.150	0.150	06/20/2012	ND	6.14	102	6.00	5.84		

Surrogate: 4-Bromofluorobenzene (PIL) 103 % 89.4-126


TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/20/2012	ND	188	94.0	200	1.87		
DRO >C10-C28	<10.0	10.0	06/20/2012	ND	194	97.0	200	2.21		

Surrogate: 1-Chlorooctane 115 % 65.2-140
Surrogate: 1-Chlorooctadecane 135 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Yates Energy Petroleum Corp
 JEREMY HAASS
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

 Received: 06/19/2012
 Reported: 06/20/2012
 Project Name: BOYD X STATE COM #12 BATTERY
 Project Number: 30-015-28738
 Project Location: EDDY COUNTY, NM

 Sampling Date: 06/19/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S 1 47' (H201394-07)
BTEX 8021B

mg/kg

Analyzed By: ZZZ

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/20/2012	ND	2.01	100	2.00	5.58	
Toluene*	<0.050	0.050	06/20/2012	ND	2.01	100	2.00	5.58	
Ethylbenzene*	<0.050	0.050	06/20/2012	ND	2.04	102	2.00	5.76	
Total Xylenes*	<0.150	0.150	06/20/2012	ND	6.14	102	6.00	5.84	

Surrogate: 4-Bromofluorobenzene (PIL) 103 % 89.4-126

TPH 8015M

mg/kg

Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/20/2012	ND	188	94.0	200	1.87	
DRO >C10-C28	<10.0	10.0	06/20/2012	ND	194	97.0	200	2.21	


Surrogate: 1-Chlorooctane 103 % 65.2-140

Surrogate: 1-Chlorooctadecane 122 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

Company Name: <i>Yates Petroleum</i>		BILL TO		ANALYSIS REQUEST																								
Project Manager: <i>Jeremy Haas</i>		P.O. #: <i>30-015-28738</i>																										
Address:		Company: <i>Yates Petroleum</i>																										
City: <i>Artesia</i> State: <i>NM</i> Zip: <i>88210</i>		Attn:																										
Phone #: Fax #:		Address:																										
Project #: Project Owner:		City:																										
Project Name: <i>Boyd X State Com #12</i>		State: Zip:																										
Project Location:		Phone #:																										
Sampler Name:		Fax #:																										
FOR LAB USE ONLY																												
Lab I.D.		Sample I.D.		GIRAB OR (C)OMP.	# CONTAINERS	MATRIX				PRESERV		SAMPLING																
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME														
<i>H201394</i>																												
<i>1</i>		<i>34' 6-19-12 S1</i>											<i>6/19/12</i>	<i>4:05pm</i>	<i>TPH</i>	<i>BTEX</i>												
<i>2</i>		<i>36' 6-19-12 S1</i>																										
<i>3</i>		<i>38' 6-19-12 S1</i>																										
<i>4</i>		<i>40' 6-19-12 S1</i>																										
<i>5</i>		<i>42' 6-19-12 S1</i>																										
<i>6</i>		<i>44' 6-19-12 S1</i>																										
<i>7</i>		<i>47' 6-19-12 S1</i>																										

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <i>[Signature]</i>		Date: <i>6/19/12</i>		Received By: <i>[Signature]</i>		Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No		Add'l Phone #:	
Time: <i>4:05 pm</i>		Date:		Time:		Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No		Add'l Fax #:	
Relinquished By:		Date:		Received By:		REMARKS: <i>RUSH!!</i>			
Delivered By: (Circle One)		Sample Condition		CHECKED BY: <i>[Signature]</i>					
Sampler - UPS - Bus - Other:		<i>20</i>		Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/>					
				Yes <input type="checkbox"/> No <input type="checkbox"/>					

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

#26