

3R - 428

2012 AGWMR

02/19/2013



**CONESTOGA-ROVERS
& ASSOCIATES**

6121 Indian School Rd., NE Suite 200
Albuquerque, NM, USA 87110
Telephone: (505) 884-0672 Fax: (505) 884-4932
<http://www.craworld.com>

February 19, 2013

Reference No. 074925, 074927, 074928
074929, 074932, 074934
075038

Mr. Glenn von Gonten
New Mexico Oil Conservation Division
1220 South Saint Francis Dr.
Santa Fe, NM 87505

Dear Mr. von Gonten:

Re: Groundwater Monitoring Reports - 2012

Enclosed, please find a copy of the reports listed below compiled by Conestoga-Rovers and Associates, Inc.

- ✓ 3R434 1. Farmington B Com No. 1E Annual Groundwater Monitoring Report - September 2012
- ✓ 3R434 2. Faye Burdette No. 1 Annual Groundwater Monitoring Report - September 2012
- ✓ 3R469 3. Hampton No. 4M Annual Groundwater Monitoring Report - September 2012
- ✓ 3R431 4. Howell K No. 1 Annual Groundwater Monitoring Report - September 2012
- ✓ 3R471 5. Johnston Federal No. 4 Metering Station Annual Groundwater Monitoring Report - September 2012
- ✓ 3R426 6. San Juan 27-5 No. 34A Annual Groundwater Monitoring Report - September 2012
- 3R428 7. Sategna No. 2E Quarterly Groundwater Monitoring Report - September 2012

If you have any questions or require additional information, please contact me at (505) 884-0672 or keblanchard@craworld.com.

Sincerely,
CONESTOGA-ROVERS & ASSOCIATES

Kelly E. Blanchard

Kelly E. Blanchard
Project Manager

JP/cjg/1
Encl.

cc: Brandon Powell, NMOCD
Terry Lauck, ConocoPhillips (electronic only)

2013 FEB 20 AM 11:19
KELLY E. BLANCHARD

Equal
Employment Opportunity
Employer



SEPTEMBER 2012 QUARTERLY GROUNDWATER MONITORING REPORT

CONOCOPHILLIPS SATEGNA No. 2E
SAN JUAN COUNTY, NEW MEXICO
API# 30-045-24060
NMOCD# 3R-428

Prepared For:

CONOCOPHILLIPS COMPANY
Risk Management and Remediation
420 South Keeler Avenue
Bartlesville, OK, 74004

RECEIVED OGD
2012 FEB 20 A 11:19

DECEMBER 2012
REF. NO. 074932 (4)

This report is printed on recycled paper.

Prepared by:
**Conestoga-Rovers
& Associates**

6121 Indian School Rd Ste. 200
Albuquerque, New Mexico 87110

Office: (505) 884-0672
Fax: (505) 884-4932

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 BACKGROUND	1
2.0 GROUNDWATER MONITORING METHODOLOGY AND ANALYTICAL RESULTS	3
2.1 GROUNDWATER MONITORING SUMMARY	3
2.2 GROUNDWATER SAMPLING METHODOLOGY	3
2.3 GROUNDWATER MONITORING ANALYTICAL RESULTS	4
3.0 CONCLUSIONS AND RECOMMENDATIONS	5

LIST OF FIGURES

FIGURE 1	SITE VICINITY MAP
FIGURE 2	SITE PLAN
FIGURE 3	SEPTEMBER 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
FIGURE 4	GEOLOGICAL CROSS SECTION

LIST OF TABLES

TABLE 1	SITE HISTORY TIMELINE
TABLE 2	MONITOR WELL SPECIFICATIONS AND GROUNDWATER ELEVATIONS
TABLE 3	GROUNDWATER ANALYTICAL RESULTS

LIST OF APPENDICES

APPENDIX A	SEPTEMBER 2012 ANNUAL GROUNDWATER SAMPLING FIELD FORMS
APPENDIX B	SEPTEMBER 2012 ANNUAL GROUNDWATER LABORATORY ANALYTICAL REPORT

1.0 INTRODUCTION

This report presents the results of the September 17, 2012 annual groundwater monitoring event conducted by Conestoga-Rovers & Associates (CRA) at the ConocoPhillips Company (ConocoPhillips) Sategna No. 2E gas well site (Site) located on private land within Section 21, Township 29N, Range 11W of Bloomfield, San Juan County, New Mexico (**Figure 1**). A Site detail map is included as **Figure 2**.

1.1 BACKGROUND

A historical timeline for the privately-owned Site is presented in **Table 1**, and is discussed below.

On November 24, 2008, approximately 8 barrels of condensate were released from the on-Site, aboveground storage tank (AST). Notification of the release was given to the New Mexico Oil Conservation Division (NMOCD) by ConocoPhillips personnel using NMOCD Form C-141. On November 25, 2008, Envirotech Inc. of Farmington, New Mexico (Envirotech) obtained grab soil samples from just outside the affected area for analysis of organic vapors. Results of this analysis were below NMOCD recommended action levels. Envirotech also used a hand auger to complete 2 soil borings to approximately 8 feet below ground surface (bgs), where groundwater was encountered. Two groundwater samples were submitted by Envirotech to an analytical laboratory for analysis of benzene, toluene, ethylbenzene and xylenes (BTEX). Analytical results revealed BTEX in concentrations below NMOCD action levels.

On December 4, 2008, Envirotech returned to the Site and obtained grab and composite soil samples from an excavation measuring approximately 30 feet by 18 feet by 5 feet deep (**Figure 2**). Soil samples were collected from the excavation and analyzed for BTEX, total petroleum hydrocarbons (TPH), and chloride. Analytical results were below NMOCD action levels for BTEX. Two grab soil samples collected from below the above-grade and below-grade tanks exceeded the NMOCD action level for total TPH.

Groundwater seepage into the excavation was discovered on December 4, 2008. Subsequently, groundwater samples were collected from the excavation on December 5, 2008. The groundwater sample exceeded the New Mexico Water Quality Control Commission (NMWQCC) for benzene, toluene, and xylenes.

Groundwater was recovered from the bottom of the excavated area using a vacuum truck during the week of December 8, 2008. Once removed, further excavation took place and groundwater slowly seeped into the excavation; this process was repeated a total of 4 times. The first time water was recovered from the surface of the excavation, a hydrocarbon odor and free-phase, light non-aqueous phase liquid (LNAPL) were present. By the fourth and last event, neither the hydrocarbon odor nor free-phase LNAPL were present in the groundwater seepage. Each pumping event recovered approximately 30-60 barrels of liquid from the Site.

In January 2009, Tetra Tech, Inc. (Tetra Tech) conducted a Site visit to determine proposed groundwater monitor well locations. Groundwater monitor wells were installed at the Site on March 4, 2009 and March 5, 2009. Tetra Tech initiated quarterly groundwater monitoring events with a baseline in April 2009.

Additional hydrocarbon soil impacts were discovered during relocation and reinstallation of well equipment in April 2009. Envirotech uncovered an abandoned sewer line in the same location as hydrocarbon impacted soils while digging an exploratory trench between the wellhead and the proposed separator tank location (**Figure 2**). Trench work was halted and the excavated soils were stockpiled on site. Tetra Tech returned to the site on April 23 and 24, 2009 to oversee excavation of the hydrocarbon impacted soils from the vicinity of the trench (**Figure 2**). Photoionization detector readings in the field indicated levels below the NMOCD action level; however, lab results were above the NMOCD action level for TPH in samples collected from all four walls of the excavation. The bottom sample results were below NMOCD action levels. The excavation was backfilled and equipment was reinstalled before analytical results were available. A report detailing this activity, titled Soil Excavation and Sampling Report, was submitted to the NMOCD in July 2009.

Tetra Tech continued quarterly groundwater monitoring from April 2, 2009 to March 2011. The March 2011 Tetra Tech quarterly groundwater monitoring report recommended the discontinuation of sampling and analysis of BTEX for all Site monitor wells. On June 15, 2011, Site consulting responsibilities were transferred from Tetra Tech to CRA of Albuquerque, NM. Quarterly groundwater monitoring was continued by CRA on June 24, 2011. Following the October 2011 sampling event, quarterly sampling was discontinued and annual sampling for dissolved manganese, sulfate, and total dissolved solids (TDS) was initiated.

2.0 GROUNDWATER MONITORING METHODOLOGY AND ANALYTICAL RESULTS

2.1 GROUNDWATER MONITORING SUMMARY

Prior to collection of groundwater samples from Monitor Wells MW-1, MW-2 and MW-3, depth to groundwater was measured in each well using an oil/water interface probe. Results are displayed in **Table 2**.

The casings for Monitor Wells MW-1, MW-2, and MW-3 were surveyed in March 2009 using an arbitrary reference-elevation of 100 feet. Groundwater elevation data were obtained during the September 17, 2012 sampling event, but were determined to be anomalous. The wells were gauged again on November 26, 2012. These data were used to create a groundwater potentiometric surface map for the Site (**Figure 3**). Using the November 2012 data, it was determined that the groundwater flow direction at the Site continues to be to the southwest. A generalized geologic cross section for the Site is presented as **Figure 4**.

2.2 GROUNDWATER SAMPLING METHODOLOGY

During the groundwater monitoring event Site monitor wells were purged of at least 3 casing volumes of groundwater using a 1.5-inch diameter, polyethylene disposable bailer. While bailing each well, groundwater parameters were collected using a YSI 556 multi-parameter sonde and results were recorded on a Well Sampling Field Information Form (**Appendix A**). Collected groundwater samples were placed in laboratory prepared bottles, packed on ice, and shipped under chain-of-custody documentation to Pace Analytical Services of Lenexa, Kansas.

Groundwater samples were analyzed for dissolved manganese by Environmental Protection Agency (EPA) Method 6010, sulfate by EPA method 300, and TDS by Standard Method (SM) 2540C. Analytical results are displayed in **Table 3**.

2.3 GROUNDWATER MONITORING ANALYTICAL RESULTS

The NMWQCC mandates that groundwater quality in New Mexico be protected and has issued groundwater quality standards in Title 20, Chapter 6, Part 2, Section 3103 of the New Mexico Administrative Code (20.6.2.3103 NMAC). Groundwater quality standards have been set for the protection of human health, domestic water supply, and irrigation use. Exceedences of NMWQCC groundwater quality standards in Site monitor wells are discussed below.

- **Total Dissolved Solids**

- The NMWQCC domestic water supply groundwater quality standard for TDS is 1,000 mg/L; groundwater samples collected from Monitor Wells MW-1, MW-2 and MW-3 were found to contain TDS concentrations of 2,660mg/L, 2,710 mg/L, and 2,830 mg/L, respectively.

- **Dissolved Manganese**

- The NMWQCC domestic water supply groundwater quality standard for dissolved manganese is 0.2 mg/L; groundwater samples collected from Monitor Wells MW-1, MW-2, and MW-3 were found to contain dissolved manganese concentrations of 0.32 mg/L, 0.22 mg/L, and 1.1 mg/L, respectively.

- **Sulfate**

- The NMWQCC domestic water supply groundwater quality standard for sulfate is 600 mg/L; groundwater samples collected from Monitor Wells MW-1, MW-2, and MW-3 were found to contain sulfate in concentrations of 1,790 mg/L, 1,830 mg/L, and 1,910 mg/L, respectively.

The corresponding laboratory analytical report for the September 17, 2012 groundwater sampling event is included in **Appendix B**.


3.0 CONCLUSIONS AND RECOMMENDATIONS

Monitor Wells MW-1, MW-2, and MW-3 were found to have concentrations of dissolved manganese, sulfate, and TDS exceeding the NMWQCC standards. TDS and sulfate concentrations appear to be stable with ten and eleven sampling events of data, respectively.

CRA will perform an area well search to determine if any wells suitable for providing background water quality data exist. If none are found, CRA recommends that an upgradient monitor well be installed in order to provide sufficient data for closure request.

Annual monitoring will continue for dissolved manganese only. Remediation Site closure will be requested when groundwater quality results indicate that all monitored groundwater quality parameters are consistently below NMWQCC groundwater quality standards, are stable, or are representative of background conditions at the Site. The next sampling event is scheduled for September 2013.

FIGURES



SOURCE: USGS 7.5 MINUTE QUAD
 "HORN CANYON AND BLOOMFIELD, NEW MEXICO"





Figure 1

SITE VICINITY MAP
 SATEGNA No. 2E NATURAL GAS WELL SITE
 SECTION 21, T29N-R11W, BLOOMFIELD, NEW MEXICO
 ConocoPhillips Company







ConocoPhillips high resolution aerial imagery 2008.

Figure 2
 SITE PLAN
 SATEGNA No. 2E NATURAL GAS WELL SITE
 SECTION 21, T29N-R11W, BLOOMFIELD, NEW MEXICO
 ConocoPhillips Company






LEGEND

-  Monitor Well Location
-  Natural Gas Wellhead
-  (92.66) Groundwater Elevation, Ft
-  **92.5** Groundwater Elevation Contour, Ft
-  Groundwater Flow Direction



Figure 3

**NOVEMBER 2012 GROUNDWATER POTENTIOMETRIC SURFACE MAP
SATEGNA No. 2E NATURAL GAS WELL SITE
SECTION 21, T29N-R11W, BLOOMFIELD, NEW MEXICO
ConocoPhillips Company**



TABLES

TABLE 1
SITE HISTORY TIMELINE
CONOCOPHILLIPS COMPANY
SATEGNA No. 2E
SAN JUAN COUNTY, NM

<i>Date/Time Period</i>	<i>Event/Action</i>	<i>Description/Comments</i>
November 24, 2008	Release Discovered	Approximately eight barrels of condensate were found to have spilled from an on-Site, aboveground storage tank (AST); corrosion was thought to be the cause of the release. A C-141 form was filled out by ConocoPhillips staff and notice was given to Brandon Powell of the New Mexico Oil Conservation Division (NMOCD) via electronic mail. The C-141 form stated that the well was shut down and the production tank was emptied.
November 25, 2008	Initial Site Assessment	Envirotech Inc. of Farmington, NM (Envirotech) collected soil samples and analyzed them using the heated headspace soil method; results were 0.2 and 1.1 parts per million (ppm) from outside the excavated area. Depth of soil samples was not noted. Envirotech hand augered two soil borings to groundwater at a depth of approximately 8 feet below ground surface (bgs) and submitted groundwater samples for analysis. Results were below OCD action levels for benzene, toluene, ethylbenzene, and total xylenes (BTEX) in groundwater. Envirotech noted that groundwater levels in the soil borings increased to approximately 5 feet bgs, and groundwater beneath the Site was thought to be under confined aquifer conditions.
December 4, 2008	Site Assessment	Envirotech returned to the Site and obtained grab and composite soil samples from an excavation measuring approximately 30 feet by 18 feet by 5 feet deep (Figure 2). Heated headspace results show values ranging from 6.5 ppm in a grab soil sample obtained from the bottom of the excavation to 1,400 ppm from a composite soil sample taken from the former location of the AST. Total petroleum hydrocarbons (TPH), BTEX, and chloride samples were obtained for soils analysis. Results were below OCD action levels for BTEX. One soil sample obtained for chlorides showed results of 370 milligrams per kilogram (mg/kg). Results for TPH analysis obtained through Environmental Protection Agency (EPA) method 8015B for the composite soil sample taken at the site of the AST revealed results of 205 mg/kg; the OCD action level is 100 mg/kg. Results for TPH analysis obtained through EPA method 418.1 for the composite soil sample obtained at the location of the below ground tank revealed results of 521 mg/kg. The below ground tank was located within the berm and adjacent to the AST (Figure 2). Results of all other soil analyses at all other sampling locations were below OCD action levels.
December 5, 2008	Site Assessment	Envirotech noted seepage of groundwater into the excavation on December 4, 2008, and returned to the Site on December 5, 2008 to collect groundwater samples from the excavation for BTEX analysis. The OCD groundwater action levels for benzene, toluene, and total xylenes are 10 ug/l, 750 ug/l, and 620 ug/l, respectively. Benzene was found at a concentration of 327 ug/l, toluene was detected at 4,300 ug/l, and total xylenes were found at a concentration of 4,300 ug/l.
Week of December 8, 2008	Removal of Groundwater Seepage	A vacuum truck was utilized to pump groundwater seepage from the surface of the excavated area. Once removed, further excavation took place and groundwater slowly seeped into the excavation; this process was repeated a total of four (4) times. The first time water was pumped from the surface of the excavation, a hydrocarbon odor and free-phase, light non-aqueous phase liquid (LNAPL) were present. By the fourth and last event, neither the hydrocarbon odor nor free-phase LNAPL were present in the groundwater seepage. Each pumping event removed approximately 30-60 barrels of liquid from the Site.
January 20, 2009 & January 30, 2009	Site Assessment	Tetra Tech conducted a Site visit to determine proposed groundwater monitoring well locations.
March 4-5, 2009	Monitor Well Installation	Tetra Tech installed three groundwater monitor wells at the Site: MW-1, MW-2, and MW-3.
March 2009	Additional Contamination Discovered	Construction and trenching for relocation of well operational equipment and tanks uncovered additional hydrocarbon impacted soils between the well head and separator tank. Work was stopped.
April 2, 2009	Quarterly Groundwater Monitoring Initiated	Tetra Tech conducted the first quarterly groundwater monitoring event at the Site.
April 2, 2009	Site Assessment	Envirotech created an exploratory trench between the proposed location of the separator tank and the well head and found an abandoned sewer line associated with hydrocarbon-impacted soils. The trenching was stopped and the excavated soils were stockpiled on site.
April 23 - 24, 2009	Removal of Contaminated Soil	Tetra Tech provided oversight for removal of approximately 96 cubic yards of hydrocarbon-impacted soils located west of the tank berm and in the vicinity of the abandoned sewer line. Excavation was backfilled.
June 17, 2009	Quarterly Groundwater Monitoring	Tetra Tech conducted the second quarterly groundwater monitoring event at the Site.
September 28, 2009	Quarterly Groundwater Monitoring	Tetra Tech conducted the third quarterly groundwater monitoring event at the Site.
December 14, 2009	Quarterly Groundwater Monitoring	Tetra Tech conducted the fourth quarterly groundwater monitoring event at the Site.
March 31, 2010	Quarterly Groundwater Monitoring	Tetra Tech conducted the fifth quarterly groundwater monitoring event at the Site.
June 7, 2010	Quarterly Groundwater Monitoring	Tetra Tech conducted the sixth quarterly groundwater monitoring event at the Site.
September 23, 2010	Quarterly Groundwater Monitoring	Tetra Tech conducted the seventh quarterly groundwater monitoring event at the Site.

TABLE 1
SITE HISTORY TIMELINE
CONOCOPHILLIPS COMPANY
SATEGNA No. 2E
SAN JUAN COUNTY, NM

<i>Date/Time Period</i>	<i>Event/Action</i>	<i>Description/Comments</i>
December 14, 2010	Quarterly Groundwater Monitoring	Tetra Tech conducted the eighth quarterly groundwater monitoring event at the Site.
March 14, 2011	Quarterly Groundwater Monitoring	Tetra Tech conducted the ninth quarterly groundwater monitoring event at the Site.
June 15, 2011	Transfer of Site Consulting Responsibilities	On June 15, 2011, Site consulting responsibilities were transferred from Tetra Tech of Albuquerque, NM to Conestoga-Rovers & Associates (CRA) of Albuquerque, NM.
June 24, 2011	Quarterly Groundwater Monitoring	CRA conducted the tenth quarterly groundwater monitoring event at the Site.
October 3, 2011	Quarterly Groundwater Monitoring	CRA conducted the 11th quarterly groundwater monitoring event at the Site.
September 17, 2012	Groundwater Monitoring	CRA conducted an annual groundwater monitoring event at the Site. Samples analyzed for dissolved Mn, Sulfate, and total dissolved solids.

TABLE 2
 MONITORING WELL SPECIFICATIONS AND GROUNDWATER ELEVATIONS
 CONOCOPHILLIPS COMPANY
 SATEGNA No. 2E
 SAN JUAN COUNTY, NM

Well ID	Total Depth (ft below TOC)	Elevation*	Screen Interval (bgs)	Date Measured	Depth to Groundwater (ft below TOC)	Relative Water Level
MW-1	20.3	99.36	2.2 - 17.2	4/2/2009	5.15	94.21
				6/17/2009	5.43	93.93
				9/28/2009	5.45	93.91
				12/14/2009	5.06	94.30
				3/31/2010	5.03	94.33
				6/7/2010	5.41	93.95
				9/23/2010	5.25	94.11
				12/14/2010	5.07	94.29
				3/14/2011	5.09	94.27
				6/24/2011	5.56	93.80
				10/3/2011	5.90	93.46
				9/17/2012	6.83**	92.53**
11/26/2012	5.51	93.85				
MW-2	20.9	98.78	3.33 - 18.33	4/2/2009	5.96	92.82
				6/17/2009	6.21	92.57
				9/28/2009	6.23	92.55
				12/14/2009	5.92	92.86
				3/31/2010	5.90	92.88
				6/7/2010	6.21	92.57
				9/23/2010	6.06	92.72
				12/14/2010	5.91	92.87
				3/14/2011	5.94	92.84
				6/24/2011	6.32	92.46
				10/3/2011	6.60	92.18
				9/17/2012	7.42**	91.36**
11/26/2012	6.14	92.64				
MW-3	20.28	98.66	3 - 18	4/2/2009	5.70	92.96
				6/17/2009	5.97	92.69
				9/28/2009	5.96	92.70
				12/14/2009	5.63	93.03
				3/31/2010	5.61	93.05
				6/7/2010	5.95	92.71
				9/23/2010	5.77	92.89
				12/14/2010	5.61	93.05
				3/14/2011	5.63	93.03
				6/24/2011	6.06	92.60
				10/3/2011	6.27	92.39
				9/17/2012	6.11**	92.55**
11/26/2012	6.00	92.66				

Notes:

1. ft = feet
2. TOC = top of casing
3. bgs = below ground surface
4. * Elevation relative to wellhead, set at 100 feet.
5. ** Anomalous data

TABLE 3

GROUNDWATER ANALYTICAL RESULTS SUMMARY
 CONOCOPHILLIPS COMPANY
 SATEGNA No. 2E
 SAN JUAN COUNTY, NM

Well ID	Sample ID	Date	Sample Type	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (total) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)	Sulfate (mg/L)	Total dissolved solids (TDS) (mg/L)
MW-1	MW-1	4/2/2009	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	--	--	1790	--
	MW-1	6/17/2009	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	--	--	1420	--
	MW-1	9/28/2009	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02	0.243	1770	2590
	MW-1	12/14/2009	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.152	--	2470
	MW-1	3/31/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.176	1320	2470
	MW-1	6/7/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.206	1330	2580
	MW-1	9/23/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.238	1560	3210
	MW-1	12/14/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.232	1600	2520
	MW-1	3/14/2011	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.323	1820	2770
	GW-74932-062411-CB-02	6/24/2011	(orig)	--	--	--	--	--	0.574	1790	2450
	GW-074932-100311-CM-005	10/3/2011	(orig)	--	--	--	--	--	0.335	2030	2560
	GW-074932-091712-CM-MW-1	9/17/2012	(orig)	--	--	--	--	--	0.32	1790	2660
GW-074932-091712-CM-DUP	9/17/2012	(duplicate)	--	--	--	--	--	--	--	2620	
MW-2	MW-2	4/2/2009	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	--	--	1850	--
	MW-2	6/17/2009	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	--	--	1610	--
	MW-2	9/28/2009	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	0.0217	0.168	1840	2260
	MW-2	12/14/2009	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.158	--	2470
	MW-2	3/31/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.136	1530	2620
	MW-2	6/7/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.157	1290	2590
	MW-2	9/23/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.0981	1510	2800
	MW-2	12/14/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.128	1610	3000
	MW-2	3/14/2011	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.158	1850	2680
	GW-74932-062411-1B-01	6/24/2011	(orig)	--	--	--	--	--	0.174	1860	2550
	GW-074932-100311-CM-006	10/3/2011	(orig)	--	--	--	--	--	0.187	1830	2590
GW-074932-091712-CM-MW-2	9/17/2012	(orig)	--	--	--	--	--	0.22	1830	2710	

TABLE 3

GROUNDWATER ANALYTICAL RESULTS SUMMARY
 CONOCOPHILLIPS COMPANY
 SATEGNA No. 2E
 SAN JUAN COUNTY, NM

Well ID	Sample ID	Date	Sample Type	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (total) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)	Sulfate (mg/L)	Total dissolved solids (TDS) (mg/L)	
MW-3	MW-3	4/2/2009	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	--	--	2110	--	
	MW-3	6/17/2009	(orig)	< 0.005	< 0.005	< 0.005	< 0.005	--	--	1650	--	
	MW-3	9/28/2009	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	< 0.02	2.68	2230	3340	
	MW-3	12/14/2009	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	2.4	--	3060	
	MW-3	3/31/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	1.71	1660	3090	
	MW-3	6/7/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	0.968	1760	2650	
	MW-3	9/23/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	1.68	1910	3570	
	MW-3	12/14/2010	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	1.13	1900	3000	
	MW-3	3/14/2011	(orig)	< 0.001	< 0.001	< 0.001	< 0.001	--	2.08	2090	3200	
		GW-74932-062411-CB-03	6/24/2011	(orig)	--	--	--	--	--	1.7	2080	2860
		GW-074932-100311-CM-007	10/3/2011	(orig)	--	--	--	--	--	1.45	1770	2810
		GW-074932-091712-CM-MW-3	9/17/2012	(orig)	--	--	--	--	--	1.1	1910	2830
	NMWQCC Groundwater Quality Standards				0.01	0.75	0.75	0.62	1.0	0.2	600	1000

Notes:

MW = monitoring well

NMWQCC = New Mexico Water Quality Control Commission

Constituents in **BOLD** are in excess of NMWQCC groundwater quality standards

mg/L = milligrams per liter (parts per million)

-- = not analyzed

< 1.0 = Below laboratory detection limit of 1.0 mg/L

APPENDIX A

SEPTEMBER 2012 ANNUAL GROUNDWATER SAMPLING FIELD FORMS

WELL SAMPLING FIELD INFORMATION FORM

SITE/PROJECT NAME: Satena 2E JOB# 074932
 SAMPLE ID: GW-074932-091712-CM-MW-1 WELL# MW-1

WELL PURGING INFORMATION

9.17.12 PURGE DATE (MM DD YY) 9.17.12 SAMPLE DATE (MM DD YY) 1430 SAMPLE TIME (24 HOUR) 2.12 WATER VOL. IN CASING (GALLONS) 7.0 ACTUAL VOL. PURGED (GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED Y N (CIRCLE ONE) SAMPLING EQUIPMENT.....DEDICATED Y N (CIRCLE ONE)

PURGING DEVICE	<u>G</u>	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAILER	X= _____
		B - PERISTALTIC PUMP	E - PURGE PUMP	H - WATERRA®	PURGING DEVICE OTHER (SPECIFY) _____
SAMPLING DEVICE	<u>G</u>	C - BLADDER PUMP	F - DIPPER BOTTLE	X - OTHER	X= _____
					SAMPLING DEVICE OTHER (SPECIFY) _____
PURGING MATERIAL	<u>E</u>	A - TEFLON	D - PVC		X= _____
		B - STAINLESS STEEL	E - POLYETHYLENE		PURGING MATERIAL OTHER (SPECIFY) _____
SAMPLING MATERIAL	<u>E</u>	C - POLYPROPYLENE	X - OTHER		X= _____
					SAMPLING MATERIAL OTHER (SPECIFY) _____
PURGE TUBING	<u>C</u>	A - TEFLON	D - POLYPROPYLENE	G - COMBINATION TEFLON/POLYPROPYLENE	X= _____
		B - TYGON	E - POLYETHYLENE		PURGE TUBING OTHER (SPECIFY) _____
SAMPLING TUBING	<u>C</u>	C - ROPE	F - SILICONE	X - OTHER	X= _____
					SAMPLING TUBING OTHER (SPECIFY) _____

FILTERING DEVICES 0.45 A A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM .45 micron for metals only

FIELD MEASUREMENTS

DEPTH TO WATER	<u>6.83</u>	(feet)	WELL ELEVATION	<u>99.36</u>	(feet)
WELL DEPTH	<u>20.10</u>	(feet)	GROUNDWATER ELEVATION	<u>92.53</u>	(feet)

TEMPERATURE	pH	TDS	CONDUCTIVITY	ORP	VOLUME
<u>15.76</u> (°C)	<u>6.33</u> (std)	<u>2.004</u> (g/L)	<u>2544</u> (µS/cm)	<u>48.0</u> (mV)	<u>6.0</u> (gal)
<u>15.15</u> (°C)	<u>6.37</u> (std)	<u>2.001</u> (g/L)	<u>2506</u> (µS/cm)	<u>47.9</u> (mV)	<u>6.5</u> (gal)
<u>15.12</u> (°C)	<u>6.38</u> (std)	<u>2.002</u> (g/L)	<u>2498</u> (µS/cm)	<u>48.3</u> (mV)	<u>7.0</u> (gal)
_____ (°C)	_____ (std)	_____ (g/L)	_____ (µS/cm)	_____ (mV)	_____ (gal)
_____ (°C)	_____ (std)	_____ (g/L)	_____ (µS/cm)	_____ (mV)	_____ (gal)

FIELD COMMENTS

SAMPLE APPEARANCE: cloudy ODOR: none COLOR: light brown SHEEN Y/N Y N
 WEATHER CONDITIONS: TEMPERATURE _____ ° WINDY Y/N Y N PRECIPITATION Y/N (IF Y TYPE) _____
 SPECIFIC COMMENTS: _____

Vol x 3 = 6.37
Collect Duplicate for TDS only @ 1435

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS
 DATE: 9-17-12 PRINT: Christine Matthews SIGNATURE: [Signature]

WELL SAMPLING FIELD INFORMATION FORM

ITE/PROJECT NAME: Safegua 2E

JOB# 074932

SAMPLE ID: GW-074932-091712-0M-MW-2WELL#

MW-2

WELL PURGING INFORMATION

PURGE DATE (MM/DD/YY)
 SAMPLE DATE (MM/DD/YY)
 SAMPLE TIME (24 HOUR)
 WATER VOL. IN CASING (GALLONS)
 ACTUAL VOL. PURGED (GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED N (CIRCLE ONE)
 SAMPLING EQUIPMENT.....DEDICATED N (CIRCLE ONE)

PURGING DEVICE:	<u>G</u>	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAILER	X= _____
		B - PERISTALTIC PUMP	E - PURGE PUMP	H - WATERRA®	PURGING DEVICE OTHER (SPECIFY) _____
SAMPLING DEVICE:	<u>G</u>	C - BLADDER PUMP	F - DIPPER BOTTLE	X - OTHER	X= _____
					SAMPLING DEVICE OTHER (SPECIFY) _____
PURGING MATERIAL:	<u>E</u>	A - TEFLON	D - PVC		X= _____
		B - STAINLESS STEEL	E - POLYETHYLENE		PURGING MATERIAL OTHER (SPECIFY) _____
SAMPLING MATERIAL:	<u>E</u>	C - POLYPROPYLENE	X - OTHER		X= _____
					SAMPLING MATERIAL OTHER (SPECIFY) _____
PURGE TUBING:	<u>C</u>	A - TEFLON	D - POLYPROPYLENE	G - COMBINATION	X= _____
		B - TYGON	E - POLYETHYLENE	TEFLON/POLYPROPYLENE	PURGE TUBING OTHER (SPECIFY) _____
SAMPLING TUBING:	<u>C</u>	C - ROPE	F - SILICONE	X - OTHER	X= _____
					SAMPLING TUBING OTHER (SPECIFY) _____

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM 45 micron for metals only

FIELD MEASUREMENTS

DEPTH TO WATER (feet) WELL ELEVATION (feet)
 WELL DEPTH (feet) GROUNDWATER ELEVATION (feet)

TEMPERATURE	pH	TDS	CONDUCTIVITY	ORP	VOLUME
<input type="text" value="16.52"/> (°C)	<input type="text" value="4.82"/> (std)	<input type="text" value="2.029"/> (g/L)	<input type="text" value="2616"/> (µS/cm)	<input type="text" value="47.7"/> (mV)	<input type="text" value="6.0"/> (gal)
<input type="text" value="16.33"/> (°C)	<input type="text" value="5.29"/> (std)	<input type="text" value="2.029"/> (g/L)	<input type="text" value="2603"/> (µS/cm)	<input type="text" value="48.9"/> (mV)	<input type="text" value="6.5"/> (gal)
<input type="text" value="15.92"/> (°C)	<input type="text" value="5.60"/> (std)	<input type="text" value="2.027"/> (g/L)	<input type="text" value="2579"/> (µS/cm)	<input type="text" value="49.9"/> (mV)	<input type="text" value="7.0"/> (gal)
<input type="text"/> (°C)	<input type="text"/> (std)	<input type="text"/> (g/L)	<input type="text"/> (µS/cm)	<input type="text"/> (mV)	<input type="text"/> (gal)
<input type="text"/> (°C)	<input type="text"/> (std)	<input type="text"/> (g/L)	<input type="text"/> (µS/cm)	<input type="text"/> (mV)	<input type="text"/> (gal)

FIELD COMMENTS

SAMPLE APPEARANCE: cloudy ODOR: none COLOR: light brown SHEEN Y/N N
 WEATHER CONDITIONS: TEMPERATURE 80° WIND Y/N N PRECIPITATION Y/N (IF Y TYPE): _____
 SPECIFIC COMMENTS: _____

Vol x 3 = 6.77

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS
9-17-12 DATE Christine Mathews PRINT [Signature] SIGNATURE

WELL SAMPLING FIELD INFORMATION FORM

ITE/PROJECT NAME: Satana 2E

JOB# 074932

SAMPLE ID: GW-074932-91712-CM-MW-3

WELL# MW-3

WELL PURGING INFORMATION

PURGE DATE (MM DD YY)
 SAMPLE DATE (MM DD YY)
 SAMPLE TIME (24 HOUR)
 WATER VOL. IN CASING (GALLONS)
 ACTUAL VOL. PURGED (GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT.....DEDICATED N (CIRCLE ONE)
 SAMPLING EQUIPMENT.....DEDICATED N (CIRCLE ONE)

PURGING DEVICE:	<input checked="" type="radio"/> G	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAILER	X=	
		B - PERISTALTIC PUMP	E - PURGE PUMP	H - WATERRA®		PURGING DEVICE OTHER (SPECIFY)
SAMPLING DEVICE:	<input checked="" type="radio"/> G	C - BLADDER PUMP	F - DIPPER BOTTLE	X - OTHER	X=	
						SAMPLING DEVICE OTHER (SPECIFY)
PURGING MATERIAL:	<input checked="" type="radio"/> E	A - TEFLON	D - PVC		X=	
		B - STAINLESS STEEL	E - POLYETHYLENE			PURGING MATERIAL OTHER (SPECIFY)
SAMPLING MATERIAL:	<input checked="" type="radio"/> E	C - POLYPROPYLENE	X - OTHER		X=	
						SAMPLING MATERIAL OTHER (SPECIFY)
PURGE TUBING:	<input checked="" type="radio"/> C	A - TEFLON	D - POLYPROPYLENE	G - COMBINATION	X=	
		B - TYGON	E - POLYETHYLENE	TEFLON/POLYPROPYLENE		PURGE TUBING OTHER (SPECIFY)
SAMPLING TUBING:	<input checked="" type="radio"/> C	C - ROPE	F - SILICONE	X - OTHER	X=	
						SAMPLING TUBING OTHER (SPECIFY)
FILTERING DEVICES 0.45	<input checked="" type="radio"/> A	A - IN-LINE DISPOSABLE	B - PRESSURE	C - VACUUM		<u>.45 micron / metals only</u>

FIELD MEASUREMENTS

DEPTH TO WATER	<input type="text" value="6.11"/>	(feet)	WELL ELEVATION	<input type="text" value="98.66"/>	(feet)
WELL DEPTH	<input type="text" value="20.24"/>	(feet)	GROUNDWATER ELEVATION	<input type="text" value="92.55"/>	(feet)
TEMPERATURE	pH	TDS	CONDUCTIVITY	ORP	VOLUME
<input type="text" value="15.78"/> (°C)	<input type="text" value="6.62"/> (std)	<input type="text" value="2.41"/> (g/L)	<input type="text" value="2715"/> (µS/cm)	<input type="text" value="22.0"/> (mV)	<input type="text" value="6.25"/> (gal)
<input type="text" value="14.99"/> (°C)	<input type="text" value="6.54"/> (std)	<input type="text" value="2.135"/> (g/L)	<input type="text" value="2660"/> (µS/cm)	<input type="text" value="14.0"/> (mV)	<input type="text" value="6.75"/> (gal)
<input type="text" value="14.76"/> (°C)	<input type="text" value="6.51"/> (std)	<input type="text" value="2.134"/> (g/L)	<input type="text" value="2643"/> (µS/cm)	<input type="text" value="6.4"/> (mV)	<input type="text" value="7.25"/> (gal)
<input type="text"/> (°C)	<input type="text"/> (std)	<input type="text"/> (g/L)	<input type="text"/> (µS/cm)	<input type="text"/> (mV)	<input type="text"/> (gal)
<input type="text"/> (°C)	<input type="text"/> (std)	<input type="text"/> (g/L)	<input type="text"/> (µS/cm)	<input type="text"/> (mV)	<input type="text"/> (gal)

FIELD COMMENTS

SAMPLE APPEARANCE: slightly cloudy
 ODOR: none
 COLOR: light brown
 SHEEN Y/N N

WEATHER CONDITIONS:
 TEMPERATURE: 80°
 WINDY Y/N N
 PRECIPITATION Y/N (if Y, TYPE): _____

SPECIFIC COMMENTS: _____

Vol x 3 = 6.78

Bailed dry @ 3.5 gallons

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CRA PROTOCOLS

DATE: 9-17-12

PRINT: Christine Matthews

SIGNATURE: [Signature]

APPENDIX B

SEPTEMBER 2012 ANNUAL GROUNDWATER LABORATORY ANALYTICAL REPORT

October 02, 2012

Christine Matthews
CRA
6121 Indian School Rd NE
Suite 200
Albuquerque, NM 87110

RE: Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Dear Christine Matthews:

Enclosed are the analytical results for sample(s) received by the laboratory on September 19, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Alice Flanagan

alice.flanagan@pacelabs.com
Project Manager

Enclosures

cc: Kelly Blanchard, COP Conestoga-Rovers & Associa
Angela Bown, COP Conestoga-Rovers & Associa
Cassie Brown, COP Conestoga-Rovers & Associa



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Page 1 of 16

Pace Package 1 of 18

CERTIFICATIONS

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Kansas Certification IDs

9608 Loiret Boulevard, Lenexa, KS 66219
A2LA Certification #: 2456.01
Arkansas Certification #: 12-019-0
Illinois Certification #: 002885
Iowa Certification #: 118
Kansas/NELAP Certification #: E-10116

Louisiana Certification #: 03055
Nevada Certification #: KS000212008A
Oklahoma Certification #: 9205/9935
Texas Certification #: T104704407-12-3
Utah Certification #: KS000212012-2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60129271001	GW-074932-0917-CM-MW-2	Water	09/17/12 14:20	09/19/12 08:00
60129271002	GW-074932-0917-CM-MW-1	Water	09/17/12 14:30	09/19/12 08:00
60129271003	GW-074932-0917-CM-DUP	Water	09/17/12 14:35	09/19/12 08:00
60129271004	GW-074932-0917-CM-MW-3	Water	09/17/12 14:45	09/19/12 08:00

REPORT OF LABORATORY ANALYSIS

SAMPLE ANALYTE COUNT

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Lab ID	Sample ID	Method	Analysts	Analytes Reported
60129271001	GW-074932-0917-CM-MW-2	EPA 6010	JGP	1
		SM 2540C	NDL	1
		EPA 300.0	AJM	1
60129271002	GW-074932-0917-CM-MW-1	EPA 6010	JGP	1
		SM 2540C	NDL	1
		EPA 300.0	AJM	1
60129271003	GW-074932-0917-CM-DUP	SM 2540C	NDL	1
60129271004	GW-074932-0917-CM-MW-3	EPA 6010	JGP	1
		SM 2540C	NDL	1
		EPA 300.0	AJM	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Method: EPA 6010
Description: 6010 MET ICP, Dissolved
Client: COP Conestoga-Rovers & Associates, Inc. NM
Date: October 02, 2012

General Information:

3 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

Page 5 of 16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Method: SM 2540C
Description: 2540C Total Dissolved Solids
Client: COP Conestoga-Rovers & Associates, Inc. NM
Date: October 02, 2012

General Information:

4 samples were analyzed for SM 2540C. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

Page 6 of 16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Method: EPA 300.0
Description: 300.0 IC Anions 28 Days
Client: COP Conestoga-Rovers & Associates, Inc. NM
Date: October 02, 2012

General Information:

3 samples were analyzed for EPA 300.0. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

Page 7 of 16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Sample: **GW-074932-0917-CM-MW-2** Lab ID: **60129271001** Collected: 09/17/12 14:20 Received: 09/19/12 08:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Manganese, Dissolved	0.22	mg/L	0.0050	0.00060	1	09/24/12 13:45	10/01/12 11:13	7439-96-5	
2540C Total Dissolved Solids									
Analytical Method: SM 2540C									
Total Dissolved Solids	2710	mg/L	5.0	5.0	1		09/21/12 14:52		
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Sulfate	1830	mg/L	100	12.0	100		09/30/12 19:08	14808-79-8	

ANALYTICAL RESULTS

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Sample: **GW-074932-0917-CM-MW-1** Lab ID: **60129271002** Collected: 09/17/12 14:30 Received: 09/19/12 08:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Manganese, Dissolved	0.32	mg/L	0.0050	0.00060	1	09/24/12 13:45	10/01/12 11:15	7439-96-5	
2540C Total Dissolved Solids									
Analytical Method: SM 2540C									
Total Dissolved Solids	2660	mg/L	5.0	5.0	1		09/21/12 14:53		
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Sulfate	1790	mg/L	100	12.0	100		09/30/12 19:23	14808-79-8	

ANALYTICAL RESULTS

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Sample: **GW-074932-0917-CM-DUP** Lab ID: **60129271003** Collected: 09/17/12 14:35 Received: 09/19/12 08:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
2540C Total Dissolved Solids		Analytical Method: SM 2540C							
Total Dissolved Solids	2620	mg/L	5.0	5.0	1		09/21/12 14:53		

ANALYTICAL RESULTS

Project: 074932 Sategna No. 2 E

Pace Project No.: 60129271

Sample: **GW-074932-0917-CM-MW-3** Lab ID: **60129271004** Collected: 09/17/12 14:45 Received: 09/19/12 08:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010								
Manganese, Dissolved	1.1	mg/L	0.0050	0.00060	1	09/24/12 13:45	10/01/12 11:18	7439-96-5	
2540C Total Dissolved Solids	Analytical Method: SM 2540C								
Total Dissolved Solids	2830	mg/L	5.0	5.0	1		09/21/12 14:53		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0								
Sulfate	1910	mg/L	100	12.0	100		09/30/12 19:39	14808-79-8	

QUALITY CONTROL DATA

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

QC Batch: MPRP/19622 Analysis Method: EPA 6010
QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
Associated Lab Samples: 60129271001, 60129271002, 60129271004

METHOD BLANK: 1066225 Matrix: Water
Associated Lab Samples: 60129271001, 60129271002, 60129271004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Manganese, Dissolved	mg/L	ND	0.0050	10/01/12 11:09	

LABORATORY CONTROL SAMPLE: 1066226

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Manganese, Dissolved	mg/L	1	1.0	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1066227 1066228

Parameter	Units	60129643004 Result	MS		MSD		% Rec		% Rec		Max		Qual
			Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	% Rec	% Rec	Limits	RPD	RPD		
Manganese, Dissolved	mg/L	1320 ug/L	1	1	2.3	2.3	95	95	75-125	0	20		

QUALITY CONTROL DATA

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

QC Batch: WET/37273 Analysis Method: SM 2540C
QC Batch Method: SM 2540C Analysis Description: 2540C Total Dissolved Solids
Associated Lab Samples: 60129271001, 60129271002, 60129271003, 60129271004

METHOD BLANK: 1064716 Matrix: Water
Associated Lab Samples: 60129271001, 60129271002, 60129271003, 60129271004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	ND	5.0	09/21/12 14:52	

SAMPLE DUPLICATE: 1064717

Parameter	Units	60129271001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Dissolved Solids	mg/L	2710	2700	0	17	

SAMPLE DUPLICATE: 1064718

Parameter	Units	60129227001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Dissolved Solids	mg/L	299	299	0	17	

QUALITY CONTROL DATA

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

QC Batch: WETA/21837 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Associated Lab Samples: 60129271001, 60129271002, 60129271004

METHOD BLANK: 1070497 Matrix: Water
Associated Lab Samples: 60129271001, 60129271002, 60129271004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	ND	1.0	09/30/12 13:07	

LABORATORY CONTROL SAMPLE: 1070498

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	5	4.9	98	90-110	

MATRIX SPIKE SAMPLE: 1070499

Parameter	Units	60129390001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	390	500	884	99	61-119	

MATRIX SPIKE SAMPLE: 1070500

Parameter	Units	60129456001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	ND	5	5.3	107	61-119	

QUALIFIERS

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 074932 Sategna No. 2 E
Pace Project No.: 60129271

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60129271001	GW-074932-0917-CM-MW-2	EPA 3010	MPRP/19622	EPA 6010	ICP/16166
60129271002	GW-074932-0917-CM-MW-1	EPA 3010	MPRP/19622	EPA 6010	ICP/16166
60129271004	GW-074932-0917-CM-MW-3	EPA 3010	MPRP/19622	EPA 6010	ICP/16166
60129271001	GW-074932-0917-CM-MW-2	SM 2540C	WET/37273		
60129271002	GW-074932-0917-CM-MW-1	SM 2540C	WET/37273		
60129271003	GW-074932-0917-CM-DUP	SM 2540C	WET/37273		
60129271004	GW-074932-0917-CM-MW-3	SM 2540C	WET/37273		
60129271001	GW-074932-0917-CM-MW-2	EPA 300.0	WETA/21837		
60129271002	GW-074932-0917-CM-MW-1	EPA 300.0	WETA/21837		
60129271004	GW-074932-0917-CM-MW-3	EPA 300.0	WETA/21837		

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Page: 1 of 1	
Company: COP CRA NM		Report To: Christine Mathews		Attention: COP:epayables		REGULATORY AGENCY <input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER	
Address: 6121 Indian School Rd NE, Ste 200 Albuquerque, NM 87110		Copy To: Kelly Blanchard, Angela Bown		Company Name:			
Email To: cmathews@croworld.com		Purchase Order No:		Pace Quote Reference:		Site Location: NM STATE: NM	
Phone: (505)884-0672 Fax: (505)884-4932		Project Name: Sategna No. 2 E		Pace Project Manager: Alice Flanagan			
Requested Due Date/TAT: standard		Project Number: 74932		Pace Profile #: 5514.17			

ITEM #	Section D Required Client Information SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	Valid Matrix Codes MATRIX CODE DRINKING WATER DW WATER WT WASTE WATER WW PRODUCT P SOIL/SOLID SL OR OL WIPE WP AIR AR OTHER OT TISSUE TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB, C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives							Analysis Test Y/N	Requested/Analysis Filtered (Y/N)			Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.		
					DATE	TIME	DATE	TIME			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol		Other	300.0 Sulfate	6010 Dissolved Mn			2540C TDS	
1	GW-074932-091712-CM-MW-2		NTG	G	9/17/12	1420			3	X	X						X	X	X	2 BPSW	1 BPSW	15		001	
2	GW-074932-091712-CM-MW-1		NTG	G	9/17/12	1430			3	X	X						X	X	X	↓	↓			002	
3	GW-074932-091712-CM-DUP		NTG	G	9/17/12	1435			1	X							X			1 BPSW				003	
4	GW-074932-091712-CM-MW-3		NTG	G	9/17/12	1445			3	X	X						X	X	X	2 BPSW	1 BPSW	15		004	
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
							Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
Pace Package 17 of 18	Christine Mathews/CRA	9/18/12	1630	E Brackett	9/19/12	0800	0.9	Y	Y	Y

SAMPLER NAME AND SIGNATURE		Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER:	Christine Mathews				
SIGNATURE of SAMPLER:	<i>Christine Mathews</i>	DATE Signed (MM/DD/YY):	09-18-12		

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.



Sample Condition Upon Receipt - ESI Tech Specs

60129271

Client Name: COP- CRA NM

Project #: 60129271

Courier: Fed Ex [x] UPS [] USPS [] Client [] Commercial [] Pace [] Other []

Optional: Proj Due Date: 10/15, Proj Name: Gate Gas No. 2

Tracking #: 8001 8200 4879 Pace Shipping Label Used? Yes [x] No []

Custody Seal on Cooler/Box Present: Yes [x] No [] Seals intact: Yes [x] No []

Packing Material: Bubble Wrap [] Bubble Bags [] Foam [] None [] Other [x] Zpic

Thermometer Used: T-191 / T-194 Type of Ice: Wet [x] Blue [] None [] Samples received on ice, cooling process has begun.

Cooler Temperature: 0.9 Temperature should be above freezing to 6°C

Date and initials of person examining contents: 9/19/12

Table with 17 rows of inspection items and checkboxes. Items include Chain of Custody, Short Hold Time, Rush Turn Around, Sufficient volume, Containers intact, etc.

Client Notification/ Resolution: Copy COC to Client? Y [] N [x] Field Data Required? Y [] N [x]

Person Contacted: [] Date/Time: [] Comments/ Resolution: [] Temp Log: Record start and finish times when unpacking cooler, if >20 min, recheck sample temps.

Project Manager Review: [Signature] Date: 9/19/12